

SARGENT® Tools on the Internet:

www.sargenttools.com

SARGENT manufactures an extensive line of tools for the plumbing, electrical, CATV, datacom, telecom and automotive trades. See our website for the most up to date product and technical information.





Scan this into your smartphone to go to the SARGENT Tools Website

You Tube

View product and technical information on the Sargent Tools YouTube Channel



Linked in

Rostra Tool Company LinkedIn Address: http://www.linkedin.com/company/rostra-toolcompany?trk=hb_tab_compy_id_1915965



Scan this into your smartphone to go to the Rostra Tool Company LinkedIn Page

Table of Contents





ULTRA-LITE Composite Handle Crimpers	4
Size-All Tool with Interchangeable Dies	5
Soft-Touch Steel Handle Crimpers	6
Easy-Seal Offset Head Compact Crimpers	7
Easy-Shear Ring Remover & Right Angle Crimpers	8
Multi-Pex & Screw Drive Crimper & Ratchet Compact Crimpers	9

STAINLESS CLAMP PEX TOOLS

Pinch Clamp Tools	10
Pinch Clamp Remover and Pinch Tool Kit	11

STAINLESS SLEEVE PEX TOOLS

Steel Handle Crimpers for Press Sleeves	12
Combo with Steel Handle & Compact Crimper for Press Sleeves	13
Tight-As Steel Handle Crimpers for Press Sleeves	14

PEX CUTTERS

Quick-Cut and Easy-Cut Pex Cutters	1	5
------------------------------------	---	---

Strong St

COPPER RING PEX TOOLS

SARGENT_® 9300 Series PEX *Soft* - *Touch* ULTRA-LITE Composite Handle Crimp Tools

SARGENT® Soft-Touch ULTRA-LITE Pex Crimp Tools handles are 20% lighter than most pex crimp tools to help you stay on the job longer with less fatigue without sacrificing tool strength





9306 STP includes pod case for handy storage & display

9306 STC DP with Clamshell Display Pack

All **SARGENT**® crimpers for copper rings include a go/no-go gage

Lightweight Composite Handles and Ergonomic Soft Grips

- Soft comfort grips increase crimping power and lessen chance of slippage
- Composite material handles combine the strength of glass-filled polycarbonate with the chemical resistance of polyester; these tools hold up to plumbers' punishment
- · Easily calibrated; simple instructions are on the handle
- Crimps conform to ASTM F-1807 Standard Specification
- 14" Tool length



DESCRIPTION/TOOL LENGTH	14"
3/8" Soft- Touch Composite Handle Crimp Tool	9301 STC
1/2" Soft-Touch Composite Handle Crimp Tool	9302 STC
3/4" Soft-Touch Composite Handle Crimp Tool	9303 STC
1" Soft-Touch Composite Handle Crimp Tool	9304 STC



Scan with smartphone to view calibrating video

DUAL CAVITY TOOL	14"
3/4" and 1/2" Soft-Touch Composite Handle Crimp Tool	9306 STC
3/4" and 1/2" Soft- Touck Composite Handle Crimp Tool with Clamshell Display Pack	9306 STC DP
3/4" and 1/2" Soft- Touck Composite Handle Crimp Tool with Pod Case	9306 STP

SARGENT_® 9358 SAK Size - All Composite **Handle Crimp Tool with Interchangeable Dies for** 3/8", 1/2", 3/4" and 1" Pex Copper Rings

This unique tool has built-in 1" jaws for pex copper rings. The 1" crimping jaws accept interchangeable dies for 3/8", 1/2" and 3/4" pex copper rings. Spring loaded pins hold dies. Change dies without tools.



All **SARGENT**® crimpers for copper rings include a go/no-go gage

- Crimps conforms to ASTM F-1807 Standard Specification
- Easily calibrated; simple instructions are on the handle
- Ergonomic soft comfort grips
- Strong and lighter composite handles
- High mechanical advantage



9358 SAK Kit includes:

- 1" Copper Ring Crimper
- 3/8", 1/2" & 3/4" Interchangeable Dies
- Pod Case
- · Go/No-Go Gage

Changing sizes is as easy as 1,2,3:

- 1. Press spring loaded pin
- 2. Release die





and crimper when not in use



Scan with smartphone to view Size-All video

DESCRIPTION	NUMBER
Size-All Composite Handle Crimp Tool Kit	9358 SAK

SARGENT_® 9200 Series *Soft- Touch*Steel Handle Crimp Tools for Copper Rings

SARGENT® is the industry standard for reliable crimping and durability. SARGENT® Soft-Touch Crimp Tools are the choice for plumbing contractors. Decades of reliable use prove top quality design and performance. Strict manufacturing standards guarantee precise crimps and robust construction. SARGENT® crimp tools are engineered to "stand the test of time", crimp to the proper specifications and make the job easier. These heavy duty tools provide tens of thousands of crimps with minimal care.

- · Robust, steel handles and comfort grips
- Crimps conform to ASTM F-1807 Standard Specification
- · Easily calibrated; simple instructions are on the handle
- Available in short, medium and long handle lengths and single or dual cavities:
 - STS Short handles for tight quarters (12" tool length)
 - STM Medium handles for extra leverage (16" tool length)
 - STL Long handles for larger diameters (19" tool length)



Scan with smartphone to view calibrating video



DESCRIPTION/TOOL LENGTH	12"	16"	19"
3/8" Soft-Touch Steel Handle Crimp Tool	9201 STS	9201 STM	
1/2" Soft- Touch Steel Handle Crimp Tool	9202 STS	9202 STM	
3/4" Soft- Touch Steel Handle Crimp Tool	9203 STS	9203 STM	
1" Soft-Touch Steel Handle Crimp Tool		9204 STM	9204 STL
1-1/4" Soft-Touch Steel Handle Crimp Tool			9208 STL

DUAL CAVITY TOOLS	16"
1/2" and 3/4" Soft-Touch Steel Handle Crimp Tool	9205 STM
3/4" and 1/2" Soft-7ouch Steel Handle Crimp Tool	9206 STM

SARGENT® 7300 ES Series Easy Seal

Offset Head Compact Crimp Tools

Compact, offset head design features a high mechanical advantage in limited access areas. Ideal for crimping between studs, joists and tracks.

· Light weight frame and comfort grips make crimping easier

· Simply calibrated; instructions are on the handle Crimps conform to ASTM F-1807 Standard Specification

Crimpers available for 1/2" or 3/4"



DESCRIPTION/TOOL LENGTH 12" 1/2" Sasy-Seal Compact Crimp Tool 7302 ES 1/2" Easy- Scal Compact Crimp Tool in Clamshell Display Pack 7302 ES DP 3/4" Easy-Seal Compact Crimp Tool 7303 ES 3/4" Sasy-Seal Compact Crimp Tool in Clamshell Display Pack 7303 ES DP Single cavity tools available in clamshell display pack



NEW! Another First from SARGENT®

Easy Seal 2-in-1 compact crimper for 1/2" & 3/4"

3/4" cavity with spring loaded pins crimps 3/4" pex and accepts 1/2" dies One compact tool covers 95% of all copper crimps

- . This revolutionary tool will help you save on tool costs
- Handy ring on handle holds 1/2" dies when not in use
- Crimps conform to ASTM F-1807 Standard Specification



- 7306 ES 2-in-1 crimper
- 9506 QC pex cutter
- Go-No/Go gage
- Handy carrying case



2-in-1 TOOL/TOOL LENGTH	12"
1/2" & 3/4" Easy-Seal 2-in-1 Compact Crimp Tool	7306 ES
1/2" & 3/4" Eavy-Seal 2-in-1 Compact Crimp Tool Kit	7306 ESK

ACRITICA SUPOLA

COPPER RING PEX TOOLS

SARGENT® 7407 ES Easy-Shear Ring Remover Tool for 1/2", 3/4" and 1" Pex Copper Rings





- Easily cuts copper rings for quick, safe fitting salvage
- Built-in gap prevents fitting damage
- Heat treated blade for plenty of dependable cuts
- Also removes pex from fittings by scoring the pipe without damaging the fitting



Scan with smartphone to view fitting recovery video



DESCRIPTION	NUMBER
Easy-Shear Ring Remover Tool	7407 ES
Easy-Shear Ring Remover Tool in Clamshell Display Pack	7407 ES DP

SARGENT® Right-On Soft- Touch Right Angle Tools for 3/8", 1/2" & 3/4" Pex Copper Rings

You might not need this tool every day but when you need it, you need it. Unique 90° crimper gets in areas you could only dream about in the past. The ultimate problem solver.

All SARGENT® crimpers for copper rings include a go/no-go gage

DESCRIPTION	NUMBER
3/8" Right-On Soft- Touch Crimp Tool	9301 R0 STS
1/2" Right-On Soft- Touch Crimp Tool	9302 R0 STS
3/4" Right-On Soft- Touch Crimp Tool	9303 R0 STS



SARGENT_® 9263MP *Multi-Pex* Crimp Tool for 3/8", 1/2" & 3/4" Pex Copper Rings



- Uses your 9" locking pliers to crimp 3/8", 1/2" and 3/4" copper rings.
- The Mutu-Per patent pending design provides superior mechanical advantage so the job will get done easier and quicker.
- · Excellent in tight quarters and short-runs.
- Tough riveted construction



Comes packed in clamshell display

All SARGENT® crimpers for copper rings include a go/no-go gage

DESCRIPTION	NUMBER
Multi-Pex Compact Crimp Tool	9263 MP



SARGENT® 9260 SDT Screw Drive Crimp Tool

For 3/8", 1/2", 3/4" and 1" Copper Pex Rings

Compact and tough. SARGENT® 9260 SDT Screw Drive Crimp Tool uses your $\frac{1}{2}$ " wrench or socket to crimp to ASTM F-1807 Standard Specifications.

Simple to use:

- Match up selected tubing size cavities
- Place fitting, ring and tube assembly in tool
- · Turn down two bolts until jaws meet

Made in the

USA

DESCRIPTION	NUMBER
Screw Drive Crimp Tool	9260 SDT





All **SARGENT**® crimpers for copper rings include a go/no-go gage

SARGENT® Soft- Touch Ratchet Compact Crimp Tools for Copper Rings

- Specially designed for maximum mechanical advantage in tight areas.
- Ratchet assures complete crimp.
- Crimps copper PEX rings to ASTM F-1807 Standard Specification

DESCRIPTION	12"
3/8" Soft- Touch Ratchet Crimp Tool	9231 STR
1/2" Soft- Touch Ratchet Crimp Tool	9232 STR

All SARGENT® crimpers for copper rings include a go/no-go gage

www.sargenttools.com

customerservice@rostratool.com

203-488-8665

Stron's

STAINLESS CLAMP PEX TOOLS

SARGENT_® Pex-Clamp Pinch Tools for Pex Stainless Steel Clamps

The industry standard for quality, function, and ease of use. SARGENT® pincer tools have produced hundreds of millions of watertight connections. One tool is effective for all size stainless steel clamps $(3/8^{\circ}, 1/2^{\circ}, 3/4^{\circ})$ and $(3/8^{\circ}, 1/2^{\circ}, 3/4^{\circ})$ and (3/8

· Cover plates keep clamp ear centered while pinching




Scan with smartphone to view Pex Clamp tool video

Unique three handled model #9253 SCP

- Allows one-handed gripping and positive positioning of clamps
- · Keeps other hand free to hold flashlight, ladder, tubing, etc.
- . The ultimate time and knuckle saver
- Patent pending

DESCRIPTION	NUMBER
Pex-Clamp Standard Pinch Tool	9252 SCP
Pex-Clamp Standard Pinch Tool in Clamshell Display Pack	9252 SCP DP
Pex-Clamp Three-Handled Pinch Tool	9253 SCP
Pox-Clamp Three-Handled Pinch Tool in Clamshell Display Pack	9253 SCP DP









- One tool for all size clamps: 3/8", 1/2", 3/4" and 1"
- Longer handle for increased mechanical advantage
- Ratchet design ensures crimps meet ASTM F-2098 Standard Specification
- Rated for 5,000 pinches; no adjustment necessary

DESCRIPTION	NUMBER	
Economy Pinch Tool	9251 SCP	
Economy Pinch Tool in Clamshell Display Pack	9251 SCP DP	





AINLESS CLAMP PEX TOOLS

SARGENT® Clamp Removal Tool for Four Sizes

of Pex Stainless Steel Clamps



- One tool for all size clamps: 3/8", 1/2", 3/4" and 1"
- · Save fittings by using this safe and simple tool
- Available with or without 3/8" drive handle



Slide tool over clamp ear

Twist back and forth

Remove clamp

具数温
回数機能

Scan with smartphone to view Pex Clamp removal tool video

DESCRIPTION	NUMBER
Clamp Removal Tool Socket Only	9255 PRT
Clamp Removal Tool with 7-1/2" Handle	9256 PRT

SARGENT® 9253 SCPK Tool Kit for Pex Stainless Steel Clamps With Pincer Tool, Clamp Remover and Tool Calibration Gage

- Connections conform to ASTM F-2098-08 Standard Specification
- Three handled, ratcheted pincher tool can be used with one hand; it's quick and easy.
- · Case keeps tools and clamps organized, clean and easily transported around the job site



Kit includes:

#9253 SCP Three Handled Pincer Tool #9256 PRT Clamp Removal Tool with Handle #9552 G Tool Calibration Gage **Carrying Case**

DESCRIPTION	NUMBER
Tool Kit for Pex Stainless Steel Clamps	9253 SCPK



STAINLESS SLEEVE PEX TOOLS

SARGENT_® 9220 Series Steel Handle Crimp Tools for Pex Press Sleeves

Rugged, steel handled crimp tools for stainless press sleeves feature high mechanical advantage to form the circular depressions in the stainless sleeve that create a watertight seal.

Note: Sargent press crimps are not compatible with Zurn sleeves



	DESCRIPTION/TOOL LENGTH	12"	19"
1/2"	Steel Handle Crimp Tool for Stainless Sleeves	9222 SSS	
3/4"	Steel Handle Crimp Tool for Stainless Sleeves	9223 SSS	
1"	Steel Handle Crimp Tool for Stainless Sleeves		9224 SSL
1-1/4	Steel Handle Crimp Tool for Stainless Sleeves		9228 SSL

STAINLESS SLEEVE PEX TOOLS

SARGENT_® 9226 SSM Combo Steel Handle Crimp Tool for 3/4" and 1/2" Pex Press Sleeves

Another **SARGENT**® first, a dual cavity tool for press sleeves.

- Two most popular sizes in one crimper
- 3/4" and 1/2" covers 95% of your pressing needs
- Note: Sargent press crimps are not compatible with Zurn sleeves

Forms two unique circular grooves necessary for leak-free press connections







DUAL CAVITY TOOL	16"
3/4" and 1/2" Steel Handle Crimp Tool for Stainless Sleeves	9226 SSM

SARGENT® 7322 ESS Easy Seal Compact Crimp

Tool for 1/2" Pex Press Sleeves

- Compact, offset head design features a high mechanical advantage in limited access areas.
- Unique pivoting action requires minimal space between outside handle grips.
- Ideal for crimping between studs, joists and tracks.
- Note: Sargent press crimps are not compatible with Zurn sleeves

Forms two unique circular grooves necessary for leak-free press connections





COMPACT TOOL	12"
1/2" Compact Crimp Tool for Stainless Sleeves	7322 ESS

STAINLESS SLEEVE PEX TOOLS

SARGENT® 7ight-As Steel Handle **Crimp Tools for Press Sleeves**

- Continuous circular press can be checked with a special go/no-go gage (included)
- Tools can be easily calibrated in the field with an allen wrench
- Note: Tight-As crimps are not compatible with Zurn sleeves





USA







DESCRIPTION/TOOL LENGTH	12"	19"
1/2" 71ght-As Steel Handle Crimp Tool for Stainless Sleeves	9282 TAM	
3/4" Tight-Ho Steel Handle Crimp Tool for Stainless Sleeves	9283 TAM	
1" 71ght-As Steel Handle Crimp Tool for Stainless Sleeves	- 744 4 4-	9284 TAL

SARGENT. 7ight-As Compact Crimper

- · Compact, offset head design features a high mechanical advantage in limited access areas.
- Ideal for crimping between studs, joists and tracks.

Unique ultra-smooth press crimp

DESCRIPTION	12"
1/2" 7ight-As Compact Crimp Tool	7302 TAC

www.sargenttools.com

PEX CUTTERS

SARGENT® Quick - Cut Pex Radial Cutter

#9506 QC for 1/2" & 3/4" Pex Pipe

- A straight, flat cut every time
- Fits in tight spaces
- Only 4-1/4" long







Available in clamshell display pack

- Auto-pressure design delivers quick, smooth cuts every time- no adjusting necessary
- Compact size fits easily into pockets and tool belts
- Keeps tubing round so it's easy to insert fittings
- Straight and flat cut is a must for leak proof seals



DESCRIPTION	NUMBER
Quick-Cut Pex Cutter	9506 QC
Quick- Out Pex Cutter in Clamshell Display Pack	9506 QC DP



Scan with smartphone to view Ouick-Cut video

Easy-Cut Pex Cutter #9405 EC for 3/8", 1/2" & 3/4" Pex Pipe

Tension arm adjusts for 3/8", 1/2" or 3/4" pipe

· Ultra-sharp, notched blade quickly cuts pipe flat every time

DESCRIPTION	NUMBER
Easy-Cut Pex Cutter	9405 EC

203-488-8665

Made in the

USA





SINCE 1870

Rostra Tool Company
30 E. Industrial Rd.
Branford, CT 06405
Tel 203-488-8665
Fax 203-488-6497
customerservice@rostratool.com
www.sargenttools.com

Scan with smartphone to view Sargent Tools website



Cat 2213