

Multi-layer Composite (MLC) Press Fitting Brass Tee


Submittal Information
Revision B: July 19, 2010

Project Information

Job Name:	
Location:	Part No. Ordered:
Engineer:	Date Submitted:
Contractor:	Submitted By:
Manufacturer's Representative:	Approved By:

Technical Data

Material:	CA 360 Brass
O-ring:	Nitrile (Buna N)



Product Information and Application Use

Uponor's Multi-layer Composite (MLC) Press Fitting Brass Tee makes diverting connections for MLC tubing in supply and return mains.

✓ Description	(1)	(2)	(3)	Part Number	A	B	Weight
MLC Press Fitting Brass Tee, 3/4" MLC Tubing x 3/4" MLC Tubing x 3/4" MLC Tubing				D4707575	3.92"	2.58"	0.57 lbs.
MLC Press Fitting Brass Tee, 1" MLC Tubing x 1" MLC Tubing x 1" MLC Tubing				D4701010	4.32"	2.91"	0.83 lbs.

Installation

The Mini-Press Battery Tool or MLC Press Fitting Manual Tool is required. For more information, refer to the Uponor Radiant Floor Heating Installation Handbook.

Standards

ASTM F877

Codes

N/A

Listings

NSF-rfh

Related Applications

Radiant Heating and Cooling Systems
Snow and Ice Melting Systems
Permafrost Protection Systems
Turf Conditioning Systems

Contact Information

Uponor, Inc.
5925 148th Street West
Apple Valley, MN 55124 USA
Phone: (800) 321-4739
Fax: (952) 891-2008
www.uponor-usa.com

Uponor Ltd.
2000 Argentia Rd., Plaza 1, Ste. 200
Mississauga, ON L5N 1W1 CANADA
Phone: (888) 994-7726
Fax: (800) 638-9517
www.uponor.ca