

## ProPEX<sup>®</sup> Manifold Straight Adapter

Submittal Information  
Revision D: April 29, 2013

### Project Information

Job Name:

Location:

Part No. Ordered:

Engineer:

Date Submitted:

Contractor:

Submitted By:

Manufacturer's Representative:


Approved By:

### Technical Data

Material: UNS C36000 per ASTM B16/B16M or  
UNS C37700 per ASTM F283/B283M

Maximum Temperature  
(no pressure): 220°F (104°C)

Maximum Pressure: 125 psi



### Product Information and Application Use

Uponor ProPEX<sup>®</sup> Manifold Straight Adapter threads into Uponor TruFLOW<sup>™</sup> and Engineered Polymer (EP) Heating Manifolds to adapt to ProPEX connections in radiant heating and cooling applications.<sup>1</sup>

✓ Description	Part Number	A	B	C	Weight
ProPEX Manifold Straight Adapter, R32 x ¾" ProPEX	Q4143275	1.93"	1.75"	R32	0.500 lbs.
ProPEX Manifold Straight Adapter, R32 x 1" ProPEX	Q4143210	2.17"	1.75"	R32	0.600 lbs.
ProPEX Manifold Straight Adapter, R32 x 1¼" ProPEX	Q4143213	2.50"	1.75"	R32	0.625 lbs.
ProPEX Manifold Straight Adapter, R32 x 1½" ProPEX	Q4143215	2.73"	1.75"	R32	0.650 lbs.

### Installation

R32 threads into the Uponor TruFLOW and EP Heating Manifolds. ProPEX end enables direct contact to Uponor PEX-a tubing. For additional information, refer to the Uponor Radiant Floor Heating Installation Handbook.

### Standards

ASTM F877; ASTM F1960

### Codes

N/A

### Listings

NSF-rfh; R32: ISO 228-G 1¼" B

### Related Applications

Radiant Heating and Cooling Systems

### Contact Information

Uponor, Inc.  
5925 148<sup>th</sup> Street West  
Apple Valley, MN 55124 USA  
Phone: (800) 321-4739  
Fax: (952) 891-2008  
www.uponorpro.com

Uponor Ltd.  
2000 Argentia Road, Plaza 1, Suite 200  
Mississauga, ON L5N 1W1 CANADA  
Phone: (888) 994-7726  
Fax: (800) 638-9517  
www.uponorpro.com

<sup>1</sup>ProPEX<sup>®</sup> is a registered trademark of Uponor, Inc. ProPEX<sup>™</sup> is a trademark of Uponor Ltd.