

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - **Product name: SteerClean Power Steering Flush Detergent**
 - **Part number:** 400-0160
 - **Application of the substance / the mixture** power steering fluid cleaner
- **1.3 Details of the supplier of the safety data sheet**

CPS Product Inc. - USA
 1010 East 31st Street
 Hialeah, FL 33013 USA
 Phone: (305) 687 - 4121
 Email: cs@cpsproducts.com

 - **SDS downloadable at:**
 - **Manufacturer/Supplier:**
 CPS Product Inc - USA
 1010 East 31st Street
 Hialeah, FL 33013 USA
 Contact Phone: (305) 687-4121
 - **email of person responsible:** cs@cpsproducts.com
- **1.4 Emergency telephone number:** CHEMTREC International +1 (703) 527-3887 24 hr

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**
 Flam. Liq. 3 H226 Flammable liquid and vapour.
- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
 The product is classified and labelled according to the GB CLP regulation.
 - **Hazard pictograms**



GHS02

- **Signal word** Warning
- **Hazard statements**
 H226 Flammable liquid and vapour.
- **Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents in accordance with local regulations.
- **Additional information:** For Professional Use Only

(Contd. on page 2)

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

Product name: SteerClean Power Steering Flush Detergent

(Contd. of page 1)

2.3 Other hazards

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Chemical components:**

CAS: 108-11-2 EINECS: 203-551-7	4-methylpentan-2-ol Flam. Liq. 3, H226; STOT SE 3, H335	≥10-<25%
CAS: 112-80-1 EINECS: 204-007-1	oleic acid, pure Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≥2.5-<10%
Other Ingredients		
CAS: 64742-52-5 EINECS: 265-155-0	Distillates (petroleum), hydrotreated heavy naphthenic	50-100%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.
- **After eye contact:**
Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.
- **After swallowing:**
A person vomiting while laying on their back should be turned onto their side.
Rinse mouth with water.
Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If conscious, give small quantities of water to drink.
Stop if victim feels sick.
Do not induce vomiting.
If symptoms persist consult doctor.
- **Information for doctor:** Treat Symptomatically

4.2 Most important symptoms and effects, both acute and delayed

Coughing
May cause respiratory tract irritation.
See section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

Product name: SteerClean Power Steering Flush Detergent

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** See section 10 for additional information.
- **5.3 Advice for firefighters**
 - **Protective equipment:**
Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Use respiratory protective device against the effects of fumes/dust/aerosol.
Do not touch or walk through spilled material.
- **6.2 Environmental precautions:**
Prevent seepage into sewage system, workpits and cellars.
Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
Prevent from spreading (e.g. by damming-in or oil barriers).
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Avoid contact with the eyes and skin.
Avoid contact with clothing.
Use only in well ventilated areas.
Avoid splashes or spray in enclosed areas.
Keep in the original containers.
See section 8 for personal protective equipment.
Do not reuse container.
 - **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep away from ignition sources and high temperature materials.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
See section 10 for incompatible materials.

(Contd. on page 4)

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

Product name: SteerClean Power Steering Flush Detergent

(Contd. of page 3)

- **Information about storage in one common storage facility:** Store away from water.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

108-11-2 4-methylpentan-2-ol (≥10-<25%)

WEL	Short-term value: 170 mg/m ³ , 40 ppm Long-term value: 106 mg/m ³ , 25 ppm Sk
-----	---

- **Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing
Do not eat, drink, smoke or sniff while working.

- **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respirator protective device that is independent of circulating air.

- **Protection of hands:**



Chemical resistant protective gloves (EN 374)

- **Eye protection:**



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- **General Information**

- **Appearance:**

· **Form:** Fluid

· **Colour:** Blue

· **Odour:** Mild

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

- **Change in condition**

· **Melting point/freezing point:** Undetermined.

(Contd. on page 5)

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

Product name: SteerClean Power Steering Flush Detergent

(Contd. of page 4)

· Initial boiling point and boiling range:	131 °C
· Flash point:	45 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	305 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
· Lower:	1 Vol %
· Upper:	5.5 Vol %
· Vapour pressure at 20 °C:	7 hPa
· Density:	Not determined.
· Relative density at 16 °C	0.886 S.G
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat, open flames, sparks.
- **10.5 Incompatible materials:** Strong Oxidizers
- **10.6 Hazardous decomposition products:** May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

Product name: SteerClean Power Steering Flush Detergent

(Contd. of page 5)

· **LD/LC50 values relevant for classification:****108-11-2 4-methylpentan-2-ol**

Oral LD50 2,590 mg/kg (rat)

Dermal LD50 3,560 mg/kg (rabbit)

112-80-1 oleic acid, pure

Oral LD50 74,000 mg/kg (rat)

· **Primary irritant effect:**· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.· **Serious eye damage/irritation**

May cause eye irritation. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.

· **Inhalation:** coughing· **Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.

· **Additional toxicological information:**· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.· **Carcinogenicity** Based on available data, the classification criteria are not met.· **Reproductive toxicity** Based on available data, the classification criteria are not met.· **STOT-single exposure** Based on available data, the classification criteria are not met.· **STOT-repeated exposure** Based on available data, the classification criteria are not met.· **Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:****112-80-1 oleic acid, pure**

LC50 (96 h) 205 mg/L (fish)

· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential****108-11-2 4-methylpentan-2-ol**

Bioaccumulation 1.43 (-) (potential low)

112-80-1 oleic acid, pure

Bioaccumulation 7.73 (-) (potential high)

· **12.4 Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

(Contd. on page 7)

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

Product name: SteerClean Power Steering Flush Detergent



(Contd. of page 6)

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 - **Uncleaned packaging:**
 - **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|---|
| · 14.1 UN-Number
· ADR, IMDG, IATA | UN2053 |
| · 14.2 UN proper shipping name
· ADR
· IMDG, IATA | UN2053 METHYL ISOBUTYL CARBINOL mixture
METHYL ISOBUTYL CARBINOL mixture |
| · 14.3 Transport hazard class(es)
· ADR | |
|  | |
| · Class
· Label | 3 (F1) Flammable liquids.
3 |
| · IMDG, IATA | |
|  | |
| · Class
· Label | 3 Flammable liquids.
3 |
| · 14.4 Packing group
· ADR, IMDG, IATA | III |
| · 14.5 Environmental hazards:
· Marine pollutant: | No |
| · 14.6 Special precautions for user
· Hazard identification number (Kemler code):
· EMS Number:
· Stowage Category | Warning: Flammable liquids.
30
F-E,S-D
A |

(Contd. on page 8)

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

Product name: SteerClean Power Steering Flush Detergent

(Contd. of page 7)

- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

- **Transport/Additional information:**

- **ADR**

- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- **Transport category** 3
- **Tunnel restriction code** D/E

- **IMDG**

- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

- **UN "Model Regulation":** UN 2053 METHYL ISOBUTYL CARBINOL MIXTURE, 3, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No GB REACH Annex XVII restrictions
Contains no GB REACH candidate substance

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c** FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Issue Date:** September 22, 2015
- **Contact:**
Engineering Department
Engineering Department
- **Issue Date** 17.03.2022
- **Revision Changes:** v 1.0 - original SDS release (September 22, 2015)

(Contd. on page 9)

Safety data sheet

Issue date: 17.03.2022

Version 2

Last Revision: 17.03.2022

Product name: SteerClean Power Steering Flush Detergent

(Contd. of page 8)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

GB