

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

1 Identification

· Product identifier

· Trade name: **Concentrated Fuel Treatment**

· Part number: 400-0270

· Details of the supplier of the safety data sheet

CPS Product Inc. - USA

1010 East 31st Street

Hialeah, FL 33013 USA

Phone: (305) 687 - 4121

Email: cs@cpsproducts.com

· Manufacturer/Supplier:

CPS Products Inc. - USA

1010 E 31st Street

Hialeah, FL 33013 USA

Tel: (305) 687-4121

email of person responsible: cs@cpsproducts.com

· email of person responsible: cs@cpsproducts.com

· Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 4 H227 Combustible liquid.

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

2-butoxyethanol

2-Ethyl-1-hexanol

· Hazard statements

Combustible liquid.

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 2)

NA

Safety Data Sheet

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 1)

Precautionary statements

Keep away from flames and hot surfaces. – No smoking.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wash thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Call a poison center/doctor if you feel unwell.
 Rinse mouth.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If skin irritation occurs: Get medical advice/attention.
 Take off contaminated clothing and wash it before reuse.
 If eye irritation persists: Get medical attention.
 Store in a well-ventilated place. Keep cool.
 Dispose of contents in accordance with local regulations.

Other hazards

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixtures****Chemical components:**

111-76-2	2-butoxyethanol	50-100%
104-76-7	2-Ethyl-1-hexanol	≤2.5%
112-80-1	oleic acid, pure	≤2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures**Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
 Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **Information for doctor:** Treat Symptomatically
 - **Most important symptoms and effects, both acute and delayed**
 Headache
 Unconsciousness

(Contd. on page 3)

NA

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 2)

Nausea

May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. Repeated exposure to this material can result in absorption through skin causing significant health hazard.

Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Harmful if swallowed. May be fatal if swallowed and enters airways. Swallowing a small quantity of this material will result in serious health hazard.

May cause respiratory tract irritation.

blurred vision

See section 11.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture** See section 10 for additional information.

- **Advice for firefighters**

- **Protective equipment:**

- Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

- Wear protective equipment. Keep unprotected persons away.

- Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

- Prevent seepage into sewage system, workpits and cellars.

- Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

- **Methods and material for containment and cleaning up:**

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.

- **Reference to other sections**

- See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.

7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

- Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

Safety Data Sheet

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 3)

Prevent formation of aerosols.

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Keep away from ignition sources and high temperature materials.

· **Conditions for safe storage, including any incompatibilities**· **Storage:**· **Requirements to be met by storerooms and receptacles:**

See section 10 for incompatible materials.

· **Information about storage in one common storage facility:**

Store at temperatures not exceeding 49°C/120°F.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Keep from freezing.

· **Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection**· **Control parameters**· **Components with limit values that require monitoring at the workplace:****111-76-2 2-butoxyethanol (50-100%)**

PEL (USA)	TWA: 240 mg/m ³ , 50 ppm Skin
REL (USA)	TWA: 24 mg/m ³ , 5 ppm Skin
TLV (USA)	TWA: 20 ppm BEI, A3
EL (Canada)	TWA: 20 ppm
EV (Canada)	TWA: 20 ppm Skin

· **Ingredients with biological limit values:****111-76-2 2-butoxyethanol (50-100%)**

BEI (USA)	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)
-----------	--

· **Additional information:** The lists that were valid during the creation were used as basis.· **Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 5)

NA

Safety Data Sheet

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 4)

· **Protection of hands:**

Chemical resistant protective gloves

· **Eye protection:**

Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical properties· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**· **Form:**

Liquid

· **Color:**

Light yellow

· **Odor:**

Mild

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**· **Melting point/Melting range:**

-70.4 °C

· **Boiling point/Boiling range:**

171 °C

· **Flash point:**

65 °C

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

240 °C

· **Decomposition temperature:**

Not determined.

· **Auto igniting:**

Product is not selfigniting.

· **Danger of explosion:**

Not determined.

· **Explosion limits:**· **Lower:**

1.1 Vol %

· **Upper:**

10.6 Vol %

· **Vapor pressure at 20 °C:**

1.2 hPa

· **Density at 20 °C:**0.9 g/cm³· **Relative density at 20 °C**

0.899

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**· **Water at 20 °C:**

1 g/l

(Contd. on page 6)

NA

Safety Data Sheet

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 5)

· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent separation test	
· VOC content:	97.00 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat, open flames, sparks.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** May include, and are not limited to: oxides of carbon.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1,263 mg/kg
Dermal	LD50	2,061 mg/kg
Inhalative	LC50/4 h (vapor)	12.1 mg/L (gpg)

111-76-2 2-butoxyethanol

Oral	LD50	1,200 mg/kg (ATE) 1,414 mg/kg (gpg)
Dermal	LD50	2,000 mg/kg (gpg)
Inhalative	LC50/4 h (vapor)	11.5 mg/L (gpg)

104-76-7 2-Ethyl-1-hexanol

Oral	LD50	2,049 mg/kg (rat)
Dermal	LD50	1,970 mg/kg (rabbit)

112-80-1 oleic acid, pure

Oral	LD50	74,000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Inhalation:** May cause respiratory tract irritation.

(Contd. on page 7)

NA

Safety Data Sheet

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 6)

- **Ingestion:** May cause gastrointestinal irritation, nausea, vomiting, diarrhea.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

· IARC (International Agency for Research on Cancer)		
111-76-2	2-butoxyethanol	3
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information· **Toxicity**

· Aquatic toxicity:		
112-80-1 oleic acid, pure		
LC50 (96 h)	205 mg/L (fish)	

- **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· Bioaccumulative potential		
112-80-1 oleic acid, pure		
Bioaccumulation	7.73 (-) (potential high)	

- **Mobility in soil** No further relevant information available.

· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

NA

Safety Data Sheet

Issue date: 17.03.2022

v 2


Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT	NA1993
· ADR, IMDG, IATA	Not Regulated
· UN proper shipping name	
· DOT	COMBUSTIBLE LIQUID, N.O.S
· IMDG, IATA	Not Regulated
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
· Class	Not Regulated
· Packing group	
· DOT, IMDG, IATA	Not Regulated
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Not Regulated

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No REACH Annex XVII restrictions
Contains no REACH candidate substance

· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

111-76-2 2-butoxyethanol

(Contd. on page 9)

NA

Safety Data Sheet

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 8)

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

111-76-2 2-butoxyethanol

NL

· **TLV (Threshold Limit Value)**

111-76-2 2-butoxyethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Canadian substance listings:**· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Non-Domestic Substances List (NDSL)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Engineering Department· **Issue Date**

17.03.2022

13/SEP/2016

· **Revision Changes:**

v 1.0 - original SDS release (30/NOV/2015)

v 2.0 - revised (13/SEP/2016)

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 10)

NA

Safety Data Sheet

Issue date: 17.03.2022

v 2

Last Revision Date: 17.03.2022

Trade name: Concentrated Fuel Treatment

(Contd. of page 9)

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
Flammable Liquids 4: Flammable liquids – Category 4
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

. * **Data compared to the previous version altered.**

NA