

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

1 Identification· **Product identifier**· **Trade name: Air Intake Cleaner**· **Part number:** 400-2018· **Application of the substance / the mixture** Engine Cleaner· **Details of the supplier of the safety data sheet**· **Manufacturer/Supplier:**

CPS Products Inc. - USA

1010 E 31st Street

Hialeah, FL 33013 USA

Tel: (305) 687-4121

email of person responsible: cs@cpsproducts.com

· **email of person responsible:** cs@cpsproducts.com· **Emergency telephone number:**

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification· **Classification of the substance or mixture**

Flammable Aerosols 1

H222 Extremely flammable aerosol. Pressurized container. May burst if heated.

Gases under Pressure - Compressed gas

H280 Contains gas under pressure; may explode if heated.

Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Toxic to Reproduction 2

H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 3

H336 May cause drowsiness or dizziness.

Specific Target Organ Toxicity - Repeated Exposure 2

H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard 1

H304 May be fatal if swallowed and enters airways.

· **Label elements**· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**· **Signal word** Danger· **Hazard-determining components of labeling:**

toluene

acetone

Distillates (petroleum), hydrotreated light

· **Hazard statements**

Extremely flammable aerosol. Pressurized container. May burst if heated.

(Contd. on page 2)

NA

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: Air Intake Cleaner

(Contd. of page 1)

Contains gas under pressure; may explode if heated.
 Causes skin irritation.
 Causes serious eye irritation.
 Suspected of damaging fertility or the unborn child.
 May cause drowsiness or dizziness.
 May cause damage to organs through prolonged or repeated exposure.
 May be fatal if swallowed and enters airways.

· **Precautionary statements**

Obtain special instructions before use.
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Do not spray on an open flame or other ignition source.
 Pressurized container: Do not pierce or burn, even after use.
 Do not breathe fume/spray.
 Wash thoroughly after handling.
 Wear protective gloves / eye protection / face protection.
 If swallowed: Immediately call a poison center/doctor.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Take off contaminated clothing and wash it before reuse.
 Store locked up.
 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
 Dispose of contents in accordance with local regulations.

· **Additional information:** For Professional Use Only· **Other hazards**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients· **Chemical characterization: Mixtures**· **Chemical components:**

67-64-1	acetone	25-50%
108-88-3	toluene	20-<25%
1330-20-7	xylene	20-<25%
123-42-2	4-hydroxy-4-methylpentan-2-one	1-≤2.5%
74-98-6	propane	1-≤2.5%
75-28-5	isobutane	1-≤2.5%
124-38-9	carbon dioxide	1-≤2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.**4 First-aid measures**· **Description of first aid measures**· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

NA

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: Air Intake Cleaner

(Contd. of page 2)

· **After skin contact:**

Wash with soap and water for 20 minutes or until chemical is removed. Immediately remove all contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse and discard leather articles saturated with the material.

· **After eye contact:**

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· **After swallowing:** Do not induce vomiting; immediately call for medical help.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Frost bites

Coughing

Nausea

Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Harmful if swallowed. May be fatal if swallowed and enters airways. Swallowing a small quantity of this material will result in serious health hazard.

Cause nose, throat, and lung irritation.

Skin irritant

· **Indication of any immediate medical attention and special treatment needed**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

5 Fire-fighting measures· **Extinguishing media**

· **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water

· **Special hazards arising from the substance or mixture** See section 10 for additional information.

· **Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

· **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: **Air Intake Cleaner**

See Section 13 for disposal information.

(Contd. of page 3)

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
 - **Information about protection against explosions and fires:**
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
 - Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
 - Do not spray on a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
 - Store in a cool location.
 - Observe official regulations on storing packagings with pressurized containers.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:**
 - Keep receptacle tightly sealed.
 - Store in cool, dry conditions in well sealed receptacles.
 - **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection· **Control parameters**· **Components with limit values that require monitoring at the workplace:****67-64-1 acetone (25-50%)**

PEL (USA)	TWA: 2400 mg/m ³ , 1000 ppm
REL (USA)	TWA: 590 mg/m ³ , 250 ppm
TLV (USA)	STEL: 1187 mg/m ³ , 500 ppm TWA: 594 mg/m ³ , 250 ppm BEI
EL (Canada)	STEL: 500 ppm TWA: 250 ppm
EV (Canada)	STEL: 750 ppm TWA: 500 ppm

108-88-3 toluene (20-<25%)

PEL (USA)	TWA: 200 ppm CEV: 300; 500* ppm *10-min peak per 8-hr shift
REL (USA)	STEL: 560 mg/m ³ , 150 ppm TWA: 375 mg/m ³ , 100 ppm
TLV (USA)	TWA: 75 mg/m ³ , 20 ppm BEI

(Contd. on page 5)

NA

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: Air Intake Cleaner

(Contd. of page 4)

EL (Canada)	TWA: 20 ppm R
EV (Canada)	TWA: 20 ppm
1330-20-7 xylene (20-<25%)	
PEL (USA)	TWA: 435 mg/m ³ , 100 ppm
REL (USA)	STEL: 655 mg/m ³ , 150 ppm TWA: 435 mg/m ³ , 100 ppm
TLV (USA)	STEL: 651 mg/m ³ , 150 ppm TWA: 434 mg/m ³ , 100 ppm BEI
EL (Canada)	STEL: 150 ppm TWA: 100 ppm
EV (Canada)	STEL: 650 mg/m ³ , 150 ppm TWA: 435 mg/m ³ , 100 ppm
123-42-2 4-hydroxy-4-methylpentan-2-one (0.1-≤2.%)	
PEL (USA)	TWA: 240 mg/m ³ , 50 ppm
REL (USA)	TWA: 240 mg/m ³ , 50 ppm
TLV (USA)	TWA: 238 mg/m ³ , 50 ppm
EL (Canada)	TWA: 50 ppm
EV (Canada)	STEL: 360 mg/m ³ , 75 ppm TWA: 240 mg/m ³ , 50 ppm
74-98-6 propane (0.1-≤2.%)	
PEL (USA)	TWA: 1800 mg/m ³ , 1000 ppm
REL (USA)	TWA: 1800 mg/m ³ , 1000 ppm
TLV (USA)	refer to Appendix F in TLVs and BEIs book
EL (Canada)	TWA: 1000 ppm
EV (Canada)	TWA: 1,000 ppm
75-28-5 isobutane (0.1-≤2.%)	
TLV (USA)	STEL: 2370 mg/m ³ , 1000 ppm
EV (Canada)	TWA: 800 ppm
124-38-9 carbon dioxide (0.1-≤2.%)	
PEL (USA)	TWA: 9000 mg/m ³ , 5000 ppm
REL (USA)	STEL: 54,000 mg/m ³ , 30,000 ppm TWA: 9000 mg/m ³ , 5000 ppm
TLV (USA)	STEL: 54,000 mg/m ³ , 30,000 ppm TWA: 9000 mg/m ³ , 5000 ppm
EL (Canada)	STEL: 15000 ppm TWA: 5000 ppm
EV (Canada)	STEL: 54,000 mg/m ³ , 30,000 ppm TWA: 9,000 mg/m ³ , 5,000 ppm
64742-47-8 Distillates (petroleum), hydrotreated light (0.1-≤2.%)	
EL (Canada)	TWA: 200 mg/m ³ Skin

(Contd. on page 6)

NA

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: Air Intake Cleaner

(Contd. of page 5)

· Ingredients with biological limit values:	
67-64-1 acetone (25-50%)	
BEI (USA)	50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)
108-88-3 toluene (20-<25%)	
BEI (USA)	0.02 mg/L Medium: blood Time: prior to last shift of workweek Parameter: Toluene 0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene 0.3 mg/g creatinine Medium: urine Time: end of shift Parameter: o-Cresol with hydrolysis (background)
1330-20-7 xylene (20-<25%)	
BEI (USA)	1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Chemical resistant protective gloves

(Contd. on page 7)

-NA-

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: **Air Intake Cleaner**

(Contd. of page 6)

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

- Form: Aerosol
- Color: Light amber
- Odor: hydrocarbon
- Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

- Melting point/Melting range: Undetermined.
- Boiling point/Boiling range: 55 °C

· Flash point: -17 °C

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 465 °C

- Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

- Lower: 1.1 Vol %
- Upper: 13.0 Vol %

· Vapor pressure at 20 °C: 233 hPa

· Density at 20 °C: 0.828 S.G

- Relative density: Not determined.
- Vapor density: Not determined.
- Evaporation rate: Not applicable.

· Solubility in / Miscibility with

- Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

- Dynamic: Not determined.
- Kinematic: Not determined.

(Contd. on page 8)

NA

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: **Air Intake Cleaner**

(Contd. of page 7)

· **Other information**

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat, open flames, sparks.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** May include, and are not limited to: oxides of carbon.

11 Toxicological information· **Information on toxicological effects**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****ATE (Acute Toxicity Estimate)**

Oral	LD50	10780 mg/kg (rat)
Dermal	LD50	10000 mg/kg (rabbit)

67-64-1 acetone

Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

108-88-3 toluene

Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	12124 mg/kg (rabbit)
Inhalative	LC50/4 h (vapor)	5320 mg/L (mouse)

1330-20-7 xylene

Oral	LD50	4300 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h (vapor)	6700 mg/L (rat)

123-42-2 4-hydroxy-4-methylpentan-2-one

Oral	LD50	4000 mg/kg (rat)
Dermal	LD50	13630 mg/kg (rab)

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Inhalation:**
Do not inhale , can cause respiratory system irritation.
asphyxiation
- **Ingestion:** Result in central nervous system depression
- **Sensitization:** No sensitizing effects known.

(Contd. on page 9)

NA

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: Air Intake Cleaner

(Contd. of page 8)

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful
Irritant

· **IARC (International Agency for Research on Cancer)**

108-88-3	toluene	3
1330-20-7	xylene	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**· **General notes:**

Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information· **UN-Number**

· **DOT, ADR, IMDG, IATA**

UN1950

(Contd. on page 10)

-NA-

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: **Air Intake Cleaner**

(Contd. of page 9)

· **UN proper shipping name**

- DOT Aerosols, flammable
- IMDG AEROSOLS
- IATA AEROSOLS, flammable

· **Transport hazard class(es)**

· DOT



- Class 2.1 Gases
- Label 2.1

· **IMDG, IATA**

- Class 2.1 Gases
- Label 2.1

· **Packing group**

- DOT, IMDG, IATA Not Regulated

· **Environmental hazards:**

- Marine pollutant: No

· **Special precautions for user**

Warning: Gases

- **Hazard identification number (Kemler code):** -
- **EMS Number:** F-D,S-U
- **Stowage Code** SW1 Protected from sources of heat.
SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
- **Segregation Code** SG69 For AEROSOLS with a maximum capacity of 1 litre:
Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.
For AEROSOLS with a capacity above 1 litre:
Segregation as for the appropriate subdivision of class 2.
For WASTE AEROSOLS:
Segregation as for the appropriate subdivision of class 2.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

(Contd. on page 11)

-NA

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: Air Intake Cleaner

(Contd. of page 10)

· **Transport/Additional information:**· **IMDG**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

· **UN "Model Regulation":**

UN 1950 AEROSOLS, 2.1

15 Regulatory information· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No REACH Annex XVII restrictions

Contains no REACH candidate substance

· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

108-88-3 toluene

1330-20-7 xylene

· **TSCA (Toxic Substances Control Act):**

67-64-1 acetone

108-88-3 toluene

1330-20-7 xylene

123-42-2 4-hydroxy-4-methylpentan-2-one

74-98-6 propane

75-28-5 isobutane

124-38-9 carbon dioxide

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

108-88-3 toluene

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

108-88-3 toluene

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

67-64-1 acetone

I

108-88-3 toluene

II

(Contd. on page 12)

NA

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: Air Intake Cleaner

(Contd. of page 11)

1330-20-7	xylene	I
· TLV (Threshold Limit Value)		
67-64-1	acetone	A4
108-88-3	toluene	A4
1330-20-7	xylene	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
None of the ingredients is listed.		
· Canadian substance listings:		
· Canadian Domestic Substances List (DSL)		
All ingredients are listed.		
· Canadian Ingredient Disclosure list (limit 0.1%)		
None of the ingredients is listed.		
· Canadian Ingredient Disclosure list (limit 1%)		
67-64-1	acetone	
108-88-3	toluene	
123-42-2	4-hydroxy-4-methylpentan-2-one	
124-38-9	carbon dioxide	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Engineering Department

· **Issue Date**

10.11.2015
15/SEP/2016

· **Revision Changes:**

v 1.0 - initial SDS release (01/JUN/2015)
v 2.0 - revised (15/SEP/2016)

· **Abbreviations and acronyms:**

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
Flammable Aerosols 1: Aerosols – Category 1
Gases under Pressure - Compressed gas: Gases under pressure – Compressed gas
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Toxic to Reproduction 2: Reproductive toxicity – Category 2
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 13)

Safety Data Sheet

Issue date: 23.03.2022

v 2

Last Revision Date: 10.11.2015

Trade name: Air Intake Cleaner

(Contd. of page 12)

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2
Aspiration Hazard 1: Aspiration hazard – Category 1

NA