SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

· Product name: Engine Oil Cleaner

· Part number: 400-5000EU, 400-5000

- · Application of the substance / the mixture engine oil flush compound
- 1.3 Details of the supplier of the safety data sheet CPS Product Inc. - USA 1010 East 31st Street Hialeah, FL 33013 USA Phone: (305) 687 - 4121 Email: cs@cpsproducts.com
 SDS downloadable at:
 Manufacturer/Supplier: CPS Product Inc - USA 1010 East 31st Street
 - Hialeah, FL 33013 USA
 - Contact Phone: (305) 687-4121
 - · email of person responsible: cs@cpsproducts.com

· 1.4 Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labelling:
- (R)-p-mentha-1,8-diene
- · Hazard statements
- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

GB

Issue date: 23.03.2022	Version 5	Last Revision: 23.03.2022

Product name: Engine Oil Cleaner

	(Contd. of page 1)
H317 May cause	e an allergic skin reaction.
	to aquatic life with long lasting effects.
· Precautionary s	statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264	Wash thoroughly after handling.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P35	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents in accordance with local regulations.
[·] 2.3 Other hazards	
· PBT: Not application	able.
vPvB: Not appli	cable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Chemical components:		
CAS: 111-76-2	2-butoxyethanol	25-50%
EINECS: 203-905-0	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	25-50%
EINECS: 227-813-5	Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
· Additional infor	mation: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

• After swallowing: DO NOT INDUCE VOMITING. Get immediate medical attention. • Information for doctor: Treat Symptomatically

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

(Contd. on page 3)

Issue date: 23.03.2022

Version 5

Last Revision: 23.03.2022

Product name: Engine Oil Cleaner

(Contd. of page 2)

Harmful if swallowed. May be fatal if swallowed and enters airways. Swallowing a small quantity of this material will result in serious health hazard.

May cause respiratory tract irritation.

See section 11.

 • 4.3 Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

[·] 5.1 Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture See section 10 for additional information.

5.3 Advice for firefighters

Protective equipment:

Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system.

Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

Take precautions to avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

GB -

Issue date: 23.03.2022

Version 5

Last Revision: 23.03.2022

Product name: Engine Oil Cleaner

(Contd. of page 3)

- 7.2 Conditions for safe storage, including any incompatibilities
 Storage:
 - Requirements to be met by storerooms and receptacles:
 - See section 10 for incompatible materials.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol (25-50%)

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol (25-50%)

BMGV 240 mmol/mol creatinine Octanol-Water: urine

0.1: post shift

7.3: butoxyacetic acid

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Chemical resistant protective gloves (EN 374)

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

· Body protection: Protective work clothing

(Contd. on page 5)

Issue date: 23.03.2022

Version 5

Last Revision: 23.03.2022

Product name: Engine Oil Cleaner

(Contd. of page 4)

SECTION 9: Physical and chem	ical properties
• 9.1 Information on basic physical and	
General Information	
· Appearance:	
· Form:	Fluid
· Colour:	Amber coloured
Odour:	Citrus
· Odour threshold:	Not determined.
· pH-value at 20 °C:	4
Change in condition	
 Melting point/freezing point: 	Undetermined.
Initial boiling point and boiling	range: 171 °C
· Flash point:	53 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	240 °C
 Decomposition temperature: 	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
· Lower:	0.7 Vol %
· Upper:	10.6 Vol %
· Vapour pressure at 20 °C:	2.3 hPa
· Density at 20 °C:	0.87 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/wat	er: Not determined.
· Viscosity:	
· Dynamic:	Not determined.
[·] Kinematic at 40 °C:	1.77 mm²/s
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

(Contd. on page 6)

Issue date: 23.03.2022

Version 5

Last Revision: 23.03.2022

Product name: Engine Oil Cleaner

(Contd. of page 5)

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat, open flames, sparks.
- **10.5 Incompatible materials:** Strong Oxidizers
- 10.6 Hazardous decomposition products: May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values relevant for classification:	
ATE (Acu	te Toxicity Estima	ates)
Oral	LD50	4,000 mg/kg
Dermal	LD50	6,667 mg/kg (gpg)
Inhalative	LC50/4 h (vapor)	38.3 mg/L (gpg)
111-76-2 2	2-butoxyethanol	
Oral	LD50	1,200 mg/kg (ATE)
		1,414 mg/kg (gpg)
Dermal	LD50	2,000 mg/kg (gpg)
Inhalative	LC50/4 h (vapor)	11.5 mg/L (gpg)
5989-27-5	(R)-p-mentha-1,8	3-diene
Oral	LD50	4,400 mg/kg (rat)
Dermal	LD50	>5 g/Kg (rabbit)
Dulu	non irritant offaa	1.

· Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation
- Causes serious eye irritation.
- Ingestion:

Harmful if swallowed. May be fatal if swallowed and enters airways. Swallowing a small quantity of this material will result in serious health hazard.

Respiratory or skin sensitisation

May produce an allergic reaction.

May cause an allergic skin reaction.

Additional toxicological information:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity Based on available data, the classification criteria are not met.
 - · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

Version 5

Product name: Engine Oil Cleaner

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

5989-27-5 (R)-p-mentha-1,8-diene

LC50 (96 h) 0.619-0.796 mg/L (Pimephales promelas)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
 - · Ecotoxical effects:
 - · Remark: Very toxic for fish
 - Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects Avoid release to the environment.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number	
· ADR, IMDG, IATA	UN2052
14.2 UN proper shipping name	
ADR	UN2052 DIPENTENE solution
·IMDG	DIPENTENE solution, MARINE POLLUTANT
	DIPENTENE solution

sue date: 23.03.2022 Versio	on 5	Last Revision: 23.03.202
roduct name: Engine Oil Cleaner		
		(Contd. of page
· 14.3 Transport hazard class(es)		
· ADR		
3		
· Class		3 (F1) Flammable liquids.
· Label		3
· IMDG, IATA		
		2 Elemmoble liquide
Label		3 Flammable liquids. 3
· 14.4 Packing group ADR, IMDG, IATA	111	
		uct contains environmentally hazardous
	substa	ances: (R)-p-mentha-1,8-diene
· Marine pollutant:	Ye	-
14.6 Special precautions for user Hazard identification number (Kemler cod		ng: Flammable liquids. 30
EMS Number:	,.	F-E,S-E
· Stowage Category		A
 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code 	Not ap	oplicable.
· Transport/Additional information:		
· ADR		
 Limited quantities (LQ) Excepted quantities (EQ) 		5L Code: E1
Excepted qualities (EQ)		Maximum net quantity per inner
		packaging:30 ml Maximum net quantity per outer
		packaging: 1000 ml
 Transport category Tunnel restriction code 		3 D/E
· Limited quantities (LQ)		5L
Excepted quantities (EQ)		Code: E1
		Maximum net quantity per inne packaging: 30 ml
		Maximum net quantity per outer packaging: 1000 ml
		(Contd. on page 9

Issue date: 23.03.2022

Version 5

Product name: Engine Oil Cleaner

(Contd. of page 8)

· UN "Model Regulation":

UN 2052 DIPENTENE SOLUTION, 3, III

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No GB REACH Annex XVII restrictions

Contains no GB REACH candidate substance

- Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
 - · Seveso category
 - E1 Hazardous to the Aquatic Environment
 - P5c FLAMMABLE LIQUIDS
 - · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
 - Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Issue Date: 2015/09/17
- · Contact: Engineering Department
- · Issue Date 23.03.2022

· Revision Changes:

- v 1.0 original release (2015/06/26)
- v 2.0 modified product name field (2015/07/13)
- v 3.0 modified transportation section (2015/09/17)
- v 4.0 modified shipping number (2016/08/31)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

** Data compared to the previous version altered.