Issue date: 30.03.2022 v 4 Last Revision Date: 30.03.2022

#### 1 Identification

- · Product identifier
  - · Trade name: A/C Hybrid Oil 68 Viscosity
    - · Part number: 488104H, 588068H, 98001560
    - Application of the substance / the mixture Refrigeration oil for automotive air conditioning
- · Details of the supplier of the safety data sheet

- · email of person responsible: cs@cpsproducts.com
- · Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

## 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

Additional information:

This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200. As defined under Sara 311 and 312, this product contains no known hazardous materials. This product is not controlled according to WHMIS.

- · Label elements
  - · GHS label elements Not Applicable
    - · Hazard pictograms Not Applicable
    - · Signal word Not Applicable
    - · Hazard statements Not Applicable
- · Other hazards
  - · **PBT:** Not applicable.
  - · vPvB: Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Chemical components:

128-37-0 Butylated hydroxytoluene

≤2.5%

Other Ingredients

Polyol Ester Oil 50-100%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

NΙΔ

Issue date: 30.03.2022 v 4 Last Revision Date: 30.03.2022

Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 1)

#### 4 First-aid measures

- Description of first aid measures
  - · General information: No special measures required.
  - · After inhalation: Supply fresh air; consult doctor in case of complaints.
  - · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water. Immediately remove all contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· After swallowing:

DO NOT INDUCE VOMITING. Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor: Treat Symptomatically
  - Most important symptoms and effects, both acute and delayed See section 11.
  - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- Extinguishing media
  - · Suitable extinguishing agents:

CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture See section 10 for additional information.
- · Advice for firefighters
  - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Keep away from ignition sources

Use respiratory protective device against the effects of fumes/dust/aerosol.

**Environmental precautions:** 

In case of seepage into the ground inform responsible authorities.

No special measures required.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

NA

Issue date: 30.03.2022 v 4 Last Revision Date: 30.03.2022

Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 2)

## 7 Handling and storage

#### · Handling:

#### Precautions for safe handling

Keep containers closed when not in use. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.

Information about protection against explosions and fires:

Keep away from ignition sources and high temperature materials.

- · Conditions for safe storage, including any incompatibilities
  - · Storage:
    - Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry, dark place, away from direct sunlight.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

#### 128-37-0 Butylated hydroxytoluene (≤2.5%)

REL (USA) TWA: 10 mg/m<sup>3</sup> TLV (USA) TWA: 2\* mg/m<sup>3</sup>

\*as inhalable fraction and vapor, A4

EL (Canada) TWA: 2 mg/m³

vapour and inhalable aerosol

EV (Canada) TWA: 2 mg/m<sup>3</sup>

inhalable, vapour and aerosol

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
  - · Personal protective equipment:
    - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

Use suitable respiratory protective device only when aerosol or mist is formed.

Protection of hands:

Nitrile, Neoprene,

Long sleeve shirt is recommended. Launder contaminated clothing before reuse.

(Contd. on page 4)

Issue date: 30.03.2022 v 4 Last Revision Date: 30.03.2022

# Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 3)





Chemical resistant protective gloves

· Eye protection:



Viscosity:
Dynamic:

Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

Information on basic physical and che	emical properties
· General Information	
Appearance:	Electric Control of the Control of t
· Form:	Fluid
· Color: · Odor:	Light yellow
· Odor: · Odor threshold:	Light Not determined.
	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.
· Flash point:	255 °C
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C:	0.96 g/cm <sup>3</sup>
Relative density at 20 °C	0.95-0.97
· Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.

Not determined.

(Contd. on page 5)

Issue date: 30.03.2022 v 4 Last Revision Date: 30.03.2022

## Trade name: A/C Hybrid Oil 68 Viscosity

		(Contd. of page 4
· Kinematic:	Not determined.	
· Solvent separation test		
VOC content:	0.00 %	
· Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
  - · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · Conditions to avoid Heat, open flames, sparks.
- · Incompatible materials: Strong acids. Strong alkalis. Halogens and halogenated compounds.

## 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:

· L	D/LC5	0 values that are relevant for classification:
128-37-	0 Buty	lated hydroxytoluene
Oral	LD50	890 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

- · Primary irritant effect:
  - on the skin:

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.

- on the eye: May cause eye irritation.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us

according to our experience and the information provided to ds.	
· IARC (International Agency for Research on Cancer)	
128-37-0 Butylated hydroxytoluene	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

Issue date: 30.03.2022 v 4 Last Revision Date: 30.03.2022

## Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 5)

## 12 Ecological information

- · Toxicity
  - · Aquatic toxicity:

### 128-37-0 Butylated hydroxytoluene

EC50 (48 h) 0.84 mg/L (daphnia)

EC50 (72 h) 0.42 mg/L (Desmodesmus subpicatus)

6 mg/L (Pseudokirchneriella subcapitata)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - · Mobility in soil Not Determined
- · Additional ecological information:
  - · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
  - PBT: Not applicable.vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
  - Recommendation: Disposal must be made according to official regulations.

UN-Number	
· DOT, ADR, IMDG, IATA	Not Regulated
UN proper shipping name	
DOT, IMDG, IATA	Not Regulated
Transport hazard class(es)	
· DOT, IMDG, IATA	
Class	Not Regulated
Packing group	
DOT, IMDG, IATA	Not Regulated
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Avoid friction or shaking with transport container.

(Contd. on page 7)

Issue date: 30.03.2022 v 4 Last Revision Date: 30.03.2022

Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 6)

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": Not Regulated

# 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No REACH Annex XVII restrictions
 Contains no REACH candidate substance

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Polyol Ester Oil \*

128-37-0 Butylated hydroxytoluene

ACTIVE

- · Proposition 65
  - · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
  - · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

128-37-0 Butylated hydroxytoluene

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Canadian substance listings:
  - · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

(Contd. on page 8)

Issue date: 30.03.2022 v 4 Last Revision Date: 30.03.2022

# Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 7)

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact: Engineering Department
  - · Issue Date

30.03.2022

27/MAR/2017

· Revision Changes:

v 1.0 - initial SDS release (06/FEB/2015)

v 2.0 - revised (27/MAR/2017)

#### · Abbreviations and acronyms:

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

\* Data compared to the previous version altered.

- NA