Issue date: 07.04.2022 v 2 Last Revision Date: 24.08.2015

1 Identification

- · Product identifier
 - Trade name: TerraClean Synthetic Gear Oil 75w-140
 - · Part number: 204240, 204244, 204241
 - · Application of the substance / the mixture hydraulic gear oil for automobiles
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

CPS Products Inc. 1010 East 31st Street Hialeah, Florida 33013 USA Phone: (305) 687-4121

- · email of person responsible: cs@cpsproducts.com
- · Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irritation 2B H320 Causes eye irritation. Aquatic Acute 3 H402 Harmful to aquatic life.

Aguatic Chronic 3 H412 Harmful to aguatic life with long lasting effects.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms Not Applicable
- · Signal word Warning
- · Hazard statements

Causes eye irritation.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid release to the environment.

If on skin: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents in accordance with local regulations.

- Other hazards
 - · **PBT:** Not applicable.

· Chemical components:

· **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Synthetic Oil 50-100%

· Other Ingredients

Alkyl phosphonate 0.1-<2.5%

(Contd. on page 2)

Issue date: 07.04.2022 v 2 Last Revision Date: 24.08.2015

Trade name: TerraClean Synthetic Gear Oil 75w-140

Long chain alkyl amine

(Contd. of page 1)

0.1-≤2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
 - · After inhalation: Supply fresh air; consult doctor in case of complaints.
 - · After skin contact:

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

- · After swallowing: Rinse out mouth. Do not induce vomiting. If symptoms persist consult doctor.
- · Information for doctor:
 - · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed. No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture See section 10 for additional information.
- Advice for firefighters
 - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Avoid eye contact. Avoid repeated or prolonged skin contact.

Environmental precautions:

Take precautions to avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Issue date: 07.04.2022 v 2 Last Revision Date: 24.08.2015

Trade name: TerraClean Synthetic Gear Oil 75w-140

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
 - · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing.

· Information about protection against explosions and fires:

Keep away from ignition sources and high temperature materials.

- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
 - Personal protective equipment:
 - · General protective and hygienic measures:

Clean skin thoroughly immediately after handling the product.

Do not store food in the working area.

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:





Chemical resistant protective gloves

(Contd. on page 4)

Issue date: 07.04.2022 v 2 Last Revision Date: 24.08.2015

Trade name: TerraClean Synthetic Gear Oil 75w-140

· Eye protection:

(Contd. of page 3)



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical propertion	es	
· Information on basic physical and chemical properties		
General Information		
· Appearance:		
Form:	Liquid	
· Color:	Amber colored	
· Odor: · Odor threshold:	Mild Not determined.	
· pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
· Boiling point/Boiling range:	Undetermined.	
· Flash point:	200 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
· Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Density at 20 °C:	0.87 S.G	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
· Other information	No further relevant information available.	

Issue date: 07.04.2022 v 2 Last Revision Date: 24.08.2015

Trade name: TerraClean Synthetic Gear Oil 75w-140

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
 - $\dot{}$ Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.
- · Incompatible materials: No further relevant information available.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:
 - Primary irritant effect:
 - · on the skin: Irritant to skin and mucous membranes.
 - · on the eye: Causes eye irritation
 - Sensitization: No sensitizing effects known.
 - · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
 - · Aquatic toxicity: Harmful to aquatic life with long lasting effects.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
 - · Remark: Harmful to fish
- · Additional ecological information:
 - · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.

(Contd. on page 6)

Issue date: 07.04.2022 v 2 Last Revision Date: 24.08.2015

Trade name: TerraClean Synthetic Gear Oil 75w-140

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number		
· DOT, ADR, IMDG, IATA	Not Regulated	
· TDG	Not Regulated	
UN proper shipping name		
DOT, IMDG, IATA	Not Regulated	
·TDG	Not Regulated	
· Transport hazard class(es)		
· DOT, IMDG, IATA		
Class	Not Regulated	
· TDG	•	
· Class	Not Regulated	
· Packing group		
· DOT, IMDG, IATA	Not Regulated	
·TDG	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Anne	x II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
No REACH Annex XVII restrictions
Contains no REACH candidate substance

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

Issue date: 07.04.2022 v 2 Last Revision Date: 24.08.2015

Trade name: TerraClean Synthetic Gear Oil 75w-140

(Contd. of page 6)

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

- · Proposition 65
 - · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
 - · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Canadian substance listings:
 - · Canadian Domestic Substances List (DSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact: Engineering Department
 - · Issue Date

24.08.2015

2015/08/24

Revision Changes:

v 1.0 - original SDS release (2015/08/24)

v 2.0 - revised (2016/08/03)

· Abbreviations and acronyms:

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

Issue date: 07.04.2022 v 2 Last Revision Date: 24.08.2015

Trade name: TerraClean Synthetic Gear Oil 75w-140

(Contd. of page 7)

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health
Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3