Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

1 Identification

· Product identifier

· Trade name: Power Steering Cleaner

· Part number: 207210

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

CPS Products Inc. 1010 East 31st Street Hialeah, Florida 33013 USA Phone: (305) 687- 4121

· email of person responsible: cs@cpsproducts.com

· Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 3 H226 Flammable liquid and vapor.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





- Signal word Warning
- · Hazard-determining components of labeling:

4-methylpentan-2-ol oleic acid, pure

· Hazard statements

Flammable liquid and vapor.

May cause respiratory irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

Wear protective gloves / eye protection / face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents in accordance with local regulations.

(Contd. on page 2)

Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

Trade name: Power Steering Cleaner

(Contd. of page 1)

· Additional information: For Professional Use Only

Other hazards

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Chemical components:				
108-11-2	4-methylpentan-2-ol	10-25%		
112-80-1	oleic acid, pure	2.5-10%		
· Other Ingredients				
64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic 50-100				

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
 - · After inhalation: Supply fresh air; consult doctor in case of complaints.
 - · After skin contact:

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eve irritation develops or persists.

After swallowing:

Rinse mouth with water.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If conscious, give small quantities of water to drink.

Stop if victim feels sick.

Do not induce vomitting.

If symptoms persist consult doctor.

- · Information for doctor: Treat Symptomatically
 - · Most important symptoms and effects, both acute and delayed

Coughing

May cause respiratory tract irritation.

Indication of any immediate medical attention and special treatment needed. No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
 - · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture See section 10 for additional information.

(Contd. on page 3)

Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

Trade name: Power Steering Cleaner

(Contd. of page 2)

Advice for firefighters

· Protective equipment:

Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

Remove persons from danger area.

Avoid breathing vapor or mist.

Do not touch or walk through spilled material.

Environmental precautions:

Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Avoid contact with the eyes and skin.

Avoid contact with clothing.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Keep in the original containers.

See section 8 for personal protective equipment.

Do not reuse container.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep away from ignition sources and high temperature materials.

· Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

Information about storage in one common storage facility:

Store away from water.

Store in a cool dry place in tightly closed containers.

(Contd. on page 4)

Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

Trade name: Power Steering Cleaner

(Contd. of page 3)

• Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:				
108-11-2 4-methylpentan-2-ol (10-25%)				
PEL (USA)	TWA: 100 mg/m³, 25 ppm Skin			
REL (USA)	STEL: 165 mg/m³, 40 ppm TWA: 100 mg/m³, 25 ppm Skin			
TLV (USA)	STEL: 40 ppm TWA: 20 ppm			
EL (Canada)	STEL: 40 ppm TWA: 25 ppm			
EV (Canada)	STEL: 167 mg/m³, 40 ppm TWA: 104 mg/m³, 25 ppm Skin			

[·] Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
 - · Personal protective equipment:
 - · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:





Chemical resistant protective gloves

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

NA -

Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

Trade name: Power Steering Cleaner

(Contd. of page 4)

9 Physical and chemical properties					
· Information on basic physical and chemical properties · General Information					
· Appearance:					
· Form: · Color:	Fluid				
· Odor:	Light blue Mild				
· Odor threshold:	Not determined.				
· pH-value:	Not determined.				
· Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	Undetermined.				
· Flash point:	45 °C				
Flammability (solid, gaseous):	Not applicable.				
· Ignition temperature:	305 °C				
Decomposition temperature:	Not determined.				
· Auto igniting:	Product is not selfigniting.				
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.				
· Explosion limits:					
· Lower:	1.0 Vol %				
· Upper:	5.5 Vol %				
· Vapor pressure at 20 °C:	7 hPa				
· Density:	Not determined.				
Relative density at 20 °C	0.9				
· Vapor density	Not determined.				
· Evaporation rate	Not determined.				
· Solubility in / Miscibility with					
Water:	Not miscible or difficult to mix.				
· Partition coefficient (n-octanol/wate	· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity:					
· Dynamic:	Not determined.				
· Kinematic:	Not determined.				
· Other information	No further relevant information available.				

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

Trade name: Power Steering Cleaner

(Contd. of page 5)

- · Chemical stability
 - Thermal decomposition / conditions to be avoided:

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.
- · Incompatible materials: Strong Oxidizers, strong acids.
- · Hazardous decomposition products: May include, and are not limited to: oxides of carbon.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

· LD/LC50 values that are relevant for classification:						
ATE (Acute Toxicity Estimate)						
Oral	LD50	17267 mg/kg (rat)				
Dermal	LD50	23733 mg/kg (rabbit)				
	108-11-2 4-methylpentan-2-ol					
Oral	LD50	2590 mg/kg (rat)				
Dermal	LD50	3560 mg/kg (rabbit)				

112-80-1 oleic acid, pure

Oral LD50 74000 mg/kg (rat)

- · Primary irritant effect:
 - on the skin:

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

on the eye:

May cause eye irritation. Symptons may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.

· Inhalation:

May cause respiratory tract irritation.

coughing

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

Trade name: Power Steering Cleaner

(Contd. of page 6)

12 Ecological information

- · Toxicity
 - · Aquatic toxicity:

112-80-1 oleic acid, pure

LC50 (96 h) 205 mg/L (fish)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential

108-11-2 4-methylpentan-2-ol

Bioaccumulation LogPow 1.43 (-) (potential low)

112-80-1 oleic acid, pure

Bioaccumulation LogPow 7.73 (-) (potential high)

- · Mobility in soil No further relevant information available.
- Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

14 Transport information				
· UN-Number · DOT, ADR, IMDG, IATA	UN2053			
· UN proper shipping name · DOT · IMDG, IATA	Flammable liquids, n.o.s. (Methyl isobutyl carbinol) METHYL ISOBUTYL CARBINOL mixture			
	(Contd. on page 8)			

ŅΑ

Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

Trade name: Power Steering Cleaner

(Contd. of page 7)

· Transport hazard class(es)

· DOT



· Class 3 Flammable liquids

· Label

· IMDG, IATA



· Class 3 Flammable liquids

· Label

· Packing group

· DOT, IMDG, IATA

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

Hazard identification number (Kemler code): 30

· EMS Number: F-E,S-D

· Stowage Category A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

·IMDG

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner packaging: 30

ml

Maximum net quantity per outer packaging:

1000 ml

· UN "Model Regulation": UN 2053 METHYL ISOBUTYL CARBINOL MIXTURE,

3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No REACH Annex XVII restrictions Contains no REACH candidate substance

(Contd. on page 9)

Issue date: 19.04.2022 v 3 Last Revision Date: 19.04.2022

Trade name: Power Steering Cleaner

(Contd. of page 8)

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic

108-11-2 4-methylpentan-2-ol

112-80-1 oleic acid, pure

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

108-11-2 4-methylpentan-2-ol

112-80-1 oleic acid, pure

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

Last Revision Date: 19.04.2022 Issue date: 19.04.2022 v 3

Trade name: Power Steering Cleaner

(Contd. of page 9)

· Contact: Engineering Department

· Issue Date 19.04.2022

Abbreviations and acronyms:

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Flammable Liquids 3: Flammable liquids - Category 3

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3