Page 1/9

	Safety Data Sheet	
Issue date: 21.04.2022	v 2	Last Revision Date: 19.08.2015
1 Identification		
· Product identifier		
· Trade name: Anti-Shudder Tr	ransmission Treatme	ent
• Part number: 204230 • Application of the substance	/ the mixture automatic to	ransmission additive
<ul> <li>Details of the supplier of the safety</li> <li>Manufacturer/Supplier: CPS Product Inc USA 1010 East 31st Street Hialeah, FL 33013 USA Phone: (305) 687 - 4121 Email: cs@cpsproducts.com</li> <li>email of person responsible: cs(</li> </ul>		
• Emergency telephone number: CHEMTREC International +1 (703	) 527-3887 (outside the U	S), 1-800-424-9300 (in the US) 24 hr
2 Hazard(s) identification		
Classification of the substance or r Skin Irrititation 2 H315 Causes skin Eye Irritation 2A H319 Causes serie Aquatic Acute 3 H402 Harmful to a	irritation. ous eye irritation.	
Aquatic Chronic 3 H412 Harmful to a <ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labele</li> <li>Hazard pictograms</li> </ul>		
• Signal word Warning • Hazard statements		
Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long <b>Precautionary statements</b> Avoid release to the environme		
Wear protective gloves/protecti If skin irritation or rash occurs: If eye irritation persists: Get me Dispose of contents in accorda <b>Other hazards</b> <b>PBT:</b> Not applicable.	Get medical attention.	/face protection.

v 2

# Trade name: Anti-Shudder Transmission Treatment

(Contd. of page 1)

## **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Chemical co	omponents:
---------------	------------

Offerince		
68784-17-8	Isooctadecanoic acid, reaction products with tetraethylenepentamine	≤10%
	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs.	2.5-<10%
21652-27-7	1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro-, (Z)-	0.1-<1%
61791-44-4	Ethanol, 2,2'-iminobis-, N-tallow alkylderivs.	0.1-<1%
Additional information: For the wording of the listed hazard phrases refer to section 16.		

# 4 First-aid measures

#### Description of first aid measures

## • After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

#### • After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

#### · After swallowing:

Rinse mouth with water.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### Do not induce vomitting.

If symptoms persist consult doctor.

## · Information for doctor:

#### · Most important symptoms and effects, both acute and delayed

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

- · Indication of any immediate medical attention and special treatment needed
- Treat Symptomatically

# **5 Fire-fighting measures**

#### Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

• Special hazards arising from the substance or mixture See section 10 for additional information.

(Contd. on page 3)

(Contd. of page 2)

Issue date: 21.04.2022

v 2

Last Revision Date: 19.08.2015

Trade name: Anti-Shudder Transmission Treatment

· Advice for firefighters

• Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

# 6 Accidental release measures

- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

- Precautions for safe handling
- Avoid splashes or spray in enclosed areas.
- Material can accumulate static charges which may cause an electrical spark.
- Maximum Handling Temperature: 70 °C, 158 °F
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

## · Storage:

- Requirements to be met by storerooms and receptacles:
- See section 10 for incompatible materials.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Maximum Storage Temperature: 45 °C, 113 °F
- Store in cool, dry, dark place, away from direct sunlight.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Control parameters
  - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

NΔ

Issue date: 21.04.2022 v 2 Last Revision Date: 19.08.2015 Trade name: Anti-Shudder Transmission Treatment (Contd. of page 3) · Other Exposure Limits Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter. · Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: ISO 374-1:2016/Type A Chemical resistant protective gloves JKLMNO • Eye protection: Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

Information on basic physical and chemical properties			
· Appearance:			
Form:	Liquid		
· Color:	Red		
· Odor:	Petrol-like		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
<ul> <li>Melting point/Melting range:</li> </ul>	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
· Flash point:	199 °C		
· Flammability (solid, gaseous):	Not applicable.		
· Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		

v 2

Last Revision Date: 19.08.2015

# Trade name: Anti-Shudder Transmission Treatment

		(Contd. of page
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/	vater): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
· Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.

· Incompatible materials: Strong Oxidizers, strong acids.

# **11 Toxicological information**

# · Information on toxicological effects

• Acute toxicity:

<ul> <li>LD/LC50 values that are</li> </ul>	e relevant for classification:

Oral	LD50	50000 mg/kg (ATE)
Inhalative	LC50/4 h	0.952 mg/l (rat) (ATE)

# 61791-44-4 Ethanol, 2,2'-iminobis-, N-tallow alkylderivs.

Oral LD50 500 mg/kg (ATE)

# Primary irritant effect:

· on the skin: Irritant to skin and mucous membranes.

· on the eye: Irritating effect.

- · Ingestion: May be fatal if swallowed and enter airways.
- Sensitization: Sensitization possible through skin contact.

(Contd. on page 6)

NA -

v 2

# Trade name: Anti-Shudder Transmission Treatment

(Contd. of page 5)

## · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

## · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

## • NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

#### · Toxicity

· Aquatic toxicity: Harmful to aquatic life with long lasting effects.

• Persistence and degradability No further relevant information available.

#### · Behavior in environmental systems:

- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
  - · Remark: Harmful to fish

### • Additional ecological information:

#### · General notes:

Harmful to aquatic organisms

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

### · Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- vPvB: Not applicable.

• Other adverse effects Avoid release to the environment.

# **13 Disposal considerations**

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

# **14 Transport information**

· UN-Number

· DOT, ADR, IMDG, IATA

UN3082

(Contd. on page 7)

NA •

NA

Issue date: 21.04.2022

v 2

Last Revision Date: 19.08.2015

# Trade name: Anti-Shudder Transmission Treatment

	(Contd. of page
· TDG	UN3082
· UN proper shipping name	
DOT	Environmentally hazardous substances, liquid, n.o.s.
· TDG	Environmentally hazardous substances, liquid, n.o.s.
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S.
· Transport hazard class(es)	
· DOT, IMDG, IATA	
Class	9 Miscellaneous dangerous substances ar articles
· Label	9
· TDG	
· Class	9 Miscellaneous dangerous substances ar articles
· Label	8
· Packing group	
· DOT, IMDG, IATA	III
TDG	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Miscellaneous dangerous substances ar articles
· EMS Number:	F-A,S-F
· Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCES, LIQUID, N.O.S., 9

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No REACH Annex XVII restrictions

Contains no REACH candidate substance

· Sara

<ul> <li>Section 355 (extremely hazardous substances):</li> </ul>	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
<ul> <li>TSCA (Toxic Substances Control Act):</li> </ul>	
64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic	
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic	
· · · · · · · · · · · · · · · · · · ·	(Contd. on page 8)

v 2

Last Revision Date: 19.08.2015

# Trade name: Anti-Shudder Transmission Treatment

(Contd. of page 7)

68784-17-8 Isooctadecanoic acid, reaction products with tetraethylenepentamine

## 21652-27-7 1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4,5-dihydro-, (Z)-

61789-76-2 Dioco alkylamine

61791-44-4 Ethanol, 2,2'-iminobis-, N-tallow alkylderivs.

## · Proposition 65

### · Chemicals known to cause cancer:

None of the ingredients is listed.

### • Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

## • Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

## • Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### Carcinogenic categories

### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

## • TLV (Threshold Limit Value)

None of the ingredients is listed.

# NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

## · Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

# · Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Engineering Department

# · Issue Date 19.08.2015 August 19, 2015

• Revision Changes: v 1.0 - original SDS release (August 19, 2015)

## Abbreviations and acronyms:

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 9)

NA

#### v 2

Last Revision Date: 19.08.2015

# Trade name: Anti-Shudder Transmission Treatment

(Contd. of page 8) EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Skin Irrititation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Aquatic Acute 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3