

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

## 1 Identification

- **Product identifier**

- **Trade name: Limited Slip Gear Treatment**

- **Part number:** 204255

- **Application of the substance / the mixture** gear oil additive

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

- CPS Product Inc. - USA

- 1010 East 31st Street

- Hialeah, FL 33013 USA

- Phone: (305) 687 - 4121

- cs@cpsproducts.com

- **email of person responsible:** cs@cpsproducts.com

- **Emergency telephone number:**

- CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

Skin Irritation 2 H315 Causes skin irritation.

Eye Damage 1 H318 Causes serious eye damage.

Aquatic Acute 2 H401 Toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- **Label elements**

- **GHS label elements**

- The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



- **Signal word** Danger

- **Hazard-determining components of labeling:**

- Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts

- **Hazard statements**

- Causes skin irritation.

- Causes serious eye damage.

- Toxic to aquatic life.

- Toxic to aquatic life with long lasting effects.

- **Precautionary statements**

- Wear protective gloves / eye protection.

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- Call a poison center/doctor if you feel unwell.

- **Other hazards**

- **PBT:** Not applicable.

(Contd. on page 2)

-NA

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

**Trade name: Limited Slip Gear Treatment**

(Contd. of page 1)

· **vPvB:** Not applicable.**3 Composition/information on ingredients**· **Chemical characterization: Mixtures**· **Chemical components:**

68457-79-4	Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	≤25%
67-56-1	methanol	0.1-≤2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.**4 First-aid measures**· **Description of first aid measures**· **After inhalation:** Supply fresh air; consult doctor in case of complaints.· **After skin contact:**

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

· **After eye contact:**

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· **After swallowing:** Rinse out mouth. Do not induce vomiting. If symptoms persist consult doctor.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed** See section 11.· **Indication of any immediate medical attention and special treatment needed**

Treat Symptomatically

**5 Fire-fighting measures**· **Extinguishing media**· **Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· **For safety reasons unsuitable extinguishing agents:** Water with full jet· **Special hazards arising from the substance or mixture** See section 10 for additional information.· **Advice for firefighters**· **Protective equipment:**

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

**6 Accidental release measures**· **Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

Avoid eye contact. Avoid repeated or prolonged skin contact.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

NA

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

**Trade name: Limited Slip Gear Treatment**

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
  - **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing.
  - **Information about protection against explosions and fires:**  
Keep away from ignition sources and high temperature materials.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage:**
    - **Requirements to be met by storerooms and receptacles:**  
See section 10 for incompatible materials.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**· **Control parameters**· **Components with limit values that require monitoring at the workplace:****67-56-1 methanol (0.1-≤2.%)**

PEL (USA)	TWA: 260 mg/m <sup>3</sup> , 200 ppm
REL (USA)	STEL: 325 mg/m <sup>3</sup> , 250 ppm TWA: 260 mg/m <sup>3</sup> , 200 ppm Skin
TLV (USA)	STEL: 328 mg/m <sup>3</sup> , 250 ppm TWA: 262 mg/m <sup>3</sup> , 200 ppm Skin; BEI
EL (Canada)	STEL: 250 ppm TWA: 200 ppm Skin
EV (Canada)	STEL: 325 mg/m <sup>3</sup> , 250 ppm TWA: 260 mg/m <sup>3</sup> , 200 ppm Skin

(Contd. on page 4)

NA

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

**Trade name: Limited Slip Gear Treatment**

(Contd. of page 3)

**Ingredients with biological limit values:****67-56-1 methanol (0.1-≤2.%)**

BEI (USA)	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
-----------	---

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Other Exposure Limits**

Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Clean skin thoroughly immediately after handling the product.

Do not store food in the working area.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



ISO 374-1:2016/Type A



J K L M N O

Chemical resistant protective gloves

· **Eye protection:**



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:**

Liquid

· **Color:**

Amber colored

· **Odor:**

Petrol-like

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

(Contd. on page 5)

NA

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

**Trade name: Limited Slip Gear Treatment**

(Contd. of page 4)

· <b>Change in condition</b>	
· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	154 °C
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C:</b>	0.91 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic at 40 °C:</b>	35 mm <sup>2</sup> /s
· <b>Solvent separation test</b>	
· <b>VOC content:</b>	0.1 %
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat, open flames, sparks.
- **Incompatible materials:** Strong acids. Oxidizing agents.
- **Hazardous decomposition products:**  
Phosphorus compounds  
Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)  
Smoke, carbon monoxide, carbon dioxide and other products of incomplete combustion.

NA

(Contd. on page 6)

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

Trade name: **Limited Slip Gear Treatment**

(Contd. of page 5)

**11 Toxicological information**· **Information on toxicological effects**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****ATE (Acute Toxicity Estimate)**

Inhalative LC50/4 h (vapor) 3000 mg/L

**67-56-1 methanol**

Oral	LD50	5628 mg/kg (rat)
Dermal	LD50	15800 mg/kg (rabbit)
Inhalative	LC50/4 h (vapor)	3 mg/L (ATE)

· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:**

Strong irritant with the danger of severe eye injury.

Causes eye irritation

· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Ecotoxicological effects:**· **Remark:** Toxic for fish· **Additional ecological information:**· **General notes:**

Not hazardous for water.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.

(Contd. on page 7)

-NA

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

Trade name: **Limited Slip Gear Treatment**


(Contd. of page 6)

- **vPvB:** Not applicable.
- **Other adverse effects** Avoid release to the environment.

**13 Disposal considerations**

- **Waste treatment methods**
  - **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- **UN-Number**
  - DOT, ADR, IMDG, IATA UN3082
  - TDG UN3082
- **UN proper shipping name**
  - DOT Environmentally hazardous substances, liquid, n.o.s. (Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts)
  - TDG Environmentally hazardous substances, liquid, n.o.s. (Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts)
  - IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts), MARINE POLLUTANT
  - IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts)
- **Transport hazard class(es)**
  - DOT, IMDG, IATA
    - 
      - Class 9 Miscellaneous dangerous substances and articles
      - Label 9
    - TDG
      - Class 9 Miscellaneous dangerous substances and articles
      - Label 9

(Contd. on page 8)

NA

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

**Trade name: Limited Slip Gear Treatment**

(Contd. of page 7)

· <b>Packing group</b>	
· DOT, IMDG, IATA	III
· TDG	III
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts
· <b>Marine pollutant:</b>	Yes (DOT)
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Miscellaneous dangerous substances and articles
· <b>Hazard identification number (Kemler code):</b>	90
· <b>EMS Number:</b>	F-A,S-F
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(IISO-BU AND PENTYL) ESTERS, ZINC SALTS), 9, III

**15 Regulatory information**· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No REACH Annex XVII restrictions

Contains no REACH candidate substance

· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

67-56-1 | methanol

· **TSCA (Toxic Substances Control Act):**

64742-52-5 | Distillates (petroleum), hydrotreated heavy naphthenic

68457-79-4 | Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts

143-28-2 | (Z)-octadec-9-enol

67-56-1 | methanol

(Contd. on page 9)

-NA



## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

Trade name: **Limited Slip Gear Treatment**

(Contd. of page 8)

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

67-56-1 | methanol

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Canadian substance listings:**· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Engineering Department· **Issue Date**

11.09.2015

September 11, 2015

· **Revision Changes:** v 1.0 - original SDS release (September 11, 2015)· **Abbreviations and acronyms:**

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

-NA

## Safety Data Sheet

Issue date: 19.04.2022

v 2

Last Revision Date: 11.09.2015

**Trade name: Limited Slip Gear Treatment**

(Contd. of page 9)

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

NA