Issue date: 27.04.2022 Version 3 Last Revision: 06.02.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Product name: Engine Treatment

Part number: 206220

· Application of the substance / the mixture Engine oil additive

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: CPS Product Inc. - USA 1010 East 31st Street Hialeah, FL 33013 USA Phone: (305) 687 - 4121

Phone: (305) 687 - 4121 cs@cpsproducts.com

email of person responsible: cs@cpsproducts.com

1.4 Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

Carc. 1B H350 May cause cancer.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labelling:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Distillates (petroleum), hydrotreated heavy paraffinic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

· Hazard statements

H319 Causes serious eye irritation.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P201 Obtain special instructions before use. P264 Wash thoroughly after handling.

P280 Wash thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

(Contd. on page 2)

Issue date: 27.04.2022 Version 3 Last Revision: 06.02.2017

Product name: Engine Treatment

(Contd. of page 1)

P501

Dispose of contents in accordance with local regulations.

· Additional information:

Restricted to professional users.

- 2.3 Other hazards
 - PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Chemical comp	onents:	
CAS: 72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	10-25%
EINECS: 276-737-9	Carc. 1B, H350	
CAS: 84605-29-8 EINECS: 283-392-8	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	0.25-<2.5%
	Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	
CAS: 64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0.1-≤2.5%
EINECS: 265-169-7	Carc. 1B, H350	
CAS: 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	0.1-≤2.5%
EINECS: 265-157-1	Carc. 1B, H350	
CAS: 122-39-4	diphenylamine	0.1-<0.25%
EINECS: 204-539-4	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
· Other Ingredien	ts	

CAS: 8042-47-5 White mineral oil, petroleum EINECS: 232-455-8

10-25%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation: Supply fresh air; consult doctor in case of complaints.
 - · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

- · After swallowing: Rinse out mouth. Do not induce vomiting. If symptoms persist consult doctor.
- · Information for doctor: Treat Symptomatically
- 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

4.3 Indication of any immediate medical attention and special treatment needed. No further relevant information available.

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

Product name: Engine Treatment

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** See section 10 for additional information.
- 5.3 Advice for firefighters
 - Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing. Ventilate area if spilled in a confined space or other poorly ventilated area.

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Take precautions to avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

Take precautions to avoid release to the environment. Store in a cool, dry, well-ventilated area. Odorous and toxic fumes may form from the decomposition of this product if stored at temperatures in excess of 113 deg F (45 deg C) for extended periods of time or if heat sources in excess of 250 deg F (121 deg C) are used. Store separately from incompatible materials. Keep container closed when not in use. Do not store in open, unlabeled or mislabeled containers. See section 10 for incompatible materials.

- · Storage:
 - Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

· Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Issue date: 27.04.2022 Version 3 Last Revision: 06.02.2017

Product name: Engine Treatment

(Contd. of page 3)

· Further information about storage conditions:

Maximum Storage Temperature: 45 °C, 113 °F

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - · Ingredients with limit values that require monitoring at the workplace:

122-39-4 diphenylamine (0.1-<0.2%)

WEL Short-term value: 20 mg/m³ Long-term value: 10 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
 - · Personal protective equipment:
 - · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:





Chemical resistant protective gloves (EN 374)

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
 - · General Information
 - · Appearance:

· Form: Fluid

· Colour: Yellow-brown

· Odour: Mild

· Odour threshold: Not determined.

· pH-value: Not determined.

Change in condition

Melting point/freezing point: Undetermined.

(Contd. on page 5)

Issue date: 27.04.2022 Version 3 Last Revision: 06.02.2017

Product name: Engine Treatment

	(Contd. of pa
· Initial boiling point and boiling	range: Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	Not determined.
Relative density at 20 °C	0.83-1.01
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/wa	ater: Not determined.
· Viscosity:	
Dynamic:	Not determined.
· Kinematic:	Not determined.
.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 - Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat, open flames, sparks.
- 10.5 Incompatible materials: Oxidizing agents. Halogens and halogenated compounds.
- · 10.6 Hazardous decomposition products:

Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide and alkyl mercaptans and sulfides may also be released. Under combustion conditions, oxides of the following elements will be formed: calcium, sulfur.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Issue date: 27.04.2022 Version 3 Last Revision: 06.02.2017

Product name: Engine Treatment

(Contd. of page 5)

· LD/	· LD/LC50 values relevant for classification:				
84605-29-	8 Phosphorodith salts	nioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc			
Oral	LD50	4468 mg/kg (rat)			
Dermal	LD50	>2000 mg/kg (rat)			
Inhalative	LC50/4 h (vapor)	>2.3 mg/L (rat)			
122-39-4 (diphenylamine				
Oral	LD50	>800 mg/kg (rat)			
Dermal	LD50	300 mg/kg (ATE)			
Inhalative	LC50/4 h (vapor)	3 mg/L (ATE)			

- · Primary irritant effect:
 - · Skin corrosion/irritation Based on available data, the classification criteria are not met.
 - · Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- · Additional toxicological information:
 - · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity

May cause cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - · Aquatic toxicity: Harmful to aquatic life with long lasting effects.
- · 12.2 Persistence and degradability

84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Persistance and Degradability 1.5%, 28 d ({ATE}) (Sturm test)

- · 12.3 Bioaccumulative potential
- 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Bioaccumulation BCF 0.6 ({ATE}) (Octanol-Water Coefficient)

122-39-4 diphenylamine

Bioaccumulation BCF 3.4 ({ATE}) (Octanol-Water Coefficient)

- · 12.4 Mobility in soil No further relevant information available.
 - · Ecotoxical effects:
 - · Remark: Harmful to fish
 - Additional ecological information:
 - · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 7)

Issue date: 27.04.2022 Version 3 Last Revision: 06.02.2017

Product name: Engine Treatment

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects Avoid release to the environment.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
 - · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informati	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Not Regulated	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Not Regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not Regulated	
· 14.4 Packing group · ADR, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	Not Regulated	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No GB REACH Annex XVII restrictions Contains no GB REACH candidate substance

(Contd. on page 8)

Product name: Engine Treatment

(Contd. of page 7)

- · Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations:
 - · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Issue Date: 06/FEB/2017
- · Contact:

Engineering Department Engineering Department

- · Issue Date 06.02.2017
- · Revision Changes:

v 1.0 - original release (26/JUN/2015) v 2.0 - revised section 2&3 (06/FEB/2017)

· Abbreviations and acronyms:

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 1B: Carcinogenicity - Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3