



MAXXIMIZED PRODUCTIVITY AND VALUE BUILT INTO ONE MACHINE

Efficiently Recover, Recycle, and Recharge your Customer's Automotive A/C Systems with a unit that can serve ALL refrigerant types. If you're considering 1234yf units, get the best of both worlds with the MX3030!

MX3030 (R-134a/R-1234yf)

MAXXAIR™ ADVANTAGES

Compatible with Electric and Traditional Engine-Driven Compressors

Heavy Duty Construction

- Durable welded steel frame
- Designed to withstand the harshest shop environments

10" Foam Filled Tires

- No flat, maintenance-free tires
- Larger tire diameter for greater mobility over shop floor obstacles

Patented Motor-Controlled Ball Valves

- Resists sticking and clogging
- Larger opening for increased flow

Patented Oilless Compressor

- Designed for high capacity applications
- Increased service life over competitor oiled compressors
- Unique design enables recovery of liquid refrigerant

Removable Tank for Transport

- Eliminates the need for scale locks
- Includes two (2) 30Lb tanks and hose sets

**Providing the Industry's Best –
MAXXAIR™ Warranty (1-2-3)**

SAE J3030 Certification



YOUR SINGLE MACHINE OPTION!

CPS GLOBAL HEADQUARTERS
3600 Enterprise Way
Miramar, FL 33025 USA

CPS PRODUCTS CANADA LTD
1324 Blundell Road
Mississauga, ON, L4Y 1M5

FOR MORE INFORMATION

P: 877.776.8486

TF: 800.277.3808

E: SALES@CPSPRODUCTS.COM

W: CPSPRODUCTS.COM



MX3030
(R-134a/R-1234yf)

Highlighted Features

1. Touch-screen LCD Display
2. High-side Gauge (Analog)
3. Low-side Gauge (Analog)
4. Storage for Small Tools or Fittings
5. 4" Total Locking Swivel Casters
6. 10" Foam-Filled Wheels

FEATURES

- 7" Color touch screen control panel to allow quick access to all functions from the main screen
- Bluetooth/Wireless Adapters #TACI100 (Optional) that enable complete pre- and post-service health checks of the system
- Refrigerant Management System monitors filter life and refrigerant usage
- One machine covers both R-134a and R-1234yf
- Includes Refrigerant ID
- Conversion between refrigerants can be done in approximately 10 minutes
- Supports multiple languages/UOM
- Hose management built into the handle assembly
- Includes vehicle database for oil and refrigerant charging capacities
- Warranty: 1-year labor / 2-year parts / 3-year compressor

12.67cc (2/3 hp) Oilless Compressor

- Designed and built by CPS for high capacity commercial applications
- Eliminates failure issues due to improper oil filling of traditional compressors


Motor-Controlled Ball Valves

- Opens wider for greater flow
- Resistant to clogging of debris or sealants
- Faster recovery and tank fill

SPECIFICATIONS

- Thermal Printer (Optional)
- Wi-Fi printer capable
- Heater Blanket #CCXHB (Optional). Reduces recharge time in colder weather
- Dual 30Lb tanks
- Recovery rate = Up to 1 lb/min
- 2 CFM vacuum pump
- 3.5" gauges
- 10' power cord
- 10' hoses
- 115v, 850 W

7" TOUCH SCREEN DISPLAY



MX3030 Home Screen features 5 Selectable Functions along with touch keys and information icons.



Refrigerant Change Screen: select Refrigerant Change key (highlighted) and follow onscreen instructions to change refrigerant.

Part Number	Certification	Refrigerant	Dimensions				UPC	HTC
			H (in)	W (in)	D (in)	Weight (lbs)		
MX3030	SAE J3030	R134a/R1234yf	44	23	28	233	750377120312	8415.83.0090