

Safety Data Sheet  
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 05/15/2015


Revision Date: 05/15/2015

## 1 Identification

- **Product identifier**
  - **Trade name: Leak Guard w/ dye**
    - **Part number:** 98030595
    - **Application of the substance / the mixture** air conditioning sealant with fluorescent dye
- **Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
UView Ultraviolet Systems Inc., division of, CPS Products Canada Ltd.  
1324 Blundel Road  
Mississauga, ON, L4Y 1M5  
Canada  
Phone: (905) 615-8620
  - **Emergency telephone number:**  
CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
  - **GHS label elements** Not Applicable
    - **Hazard pictograms** Not Applicable
    - **Signal word** Not Applicable
    - **Hazard statements** Not Applicable
  - **Additional information:** For Professional Use Only
- **Classification system:**
  - **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0
  - **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0
- **Other hazards**
  - **Results of PBT and vPvB assessment**
    - **PBT:** Not applicable.
    - **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
  - **Description:** Mixture: consisting of the following hazardous components.
  - **Chemical components:** Not Applicable

## 4 First-aid measures

- **Description of first aid measures**
  - **General information:** No special measures required.

(Contd. on page 2)

Safety Data Sheet  
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 05/15/2015

Revision Date: 05/15/2015

**Trade name: Leak Guard w/ dye**

(Contd. of page 1)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Generally the product does not irritate the skin.  
Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.
- **After eye contact:**  
Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.
- **After swallowing: DO NOT INDUCE VOMITING.** Get immediate medical attention.
- **Information for doctor:** Treat Systematically
  - **Most important symptoms and effects, both acute and delayed**  
May cause eye irritation. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.  
May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.  
May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
  - **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
  - **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** See section 10 for additional information.
- **Advice for firefighters**
  - **Protective equipment:**  
Recommend wearing self-contained breathing apparatus. Water may cause splattering.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Particular danger of slipping on leaked/spilled product.  
Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
  - **Precautions for safe handling**  
Avoid splashes or spray in enclosed areas.  
Prevent formation of aerosols.
  - **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Safety Data Sheet  
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 05/15/2015

Revision Date: 05/15/2015

**Trade name: Leak Guard w/ dye**

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
  - **Storage:**
    - **Requirements to be met by storerooms and receptacles:**  
See section 10 for incompatible materials.
    - **Information about storage in one common storage facility:**  
Store in a cool dry place in tightly closed containers.
    - **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from humidity and water.  
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Engineering Controls**  
eye wash station  
safety showers
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**Base Oil (80%)**

WEL-TWA	STEL: 10 mg/m <sup>3</sup>
WEL-TWA (ACGIH)	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Other Exposure Limits**  
Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter.
- **Exposure controls**
  - **Personal protective equipment:**
    - **General protective and hygienic measures:**  
Clean skin thoroughly immediately after handling the product.  
Do not store food in the working area.  
The usual precautionary measures for handling chemicals should be followed.  
Do not inhale dust / smoke / mist.
    - **Breathing equipment:**  
Use suitable respiratory protective device only when aerosol or mist is formed.  
Avoid breathing in mist or vapor. Under normal use conditions this is not a breathing hazard.  
Prolonged exposure to vapors may cause dizziness and headaches.
    - **Protection of hands:**



Chemical resistant protective gloves

(Contd. on page 4)

US

Safety Data Sheet  
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 05/15/2015

Revision Date: 05/15/2015

Trade name: **Leak Guard w/ dye**

(Contd. of page 3)

## · Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

## 9 Physical and chemical properties

## · Information on basic physical and chemical properties

## · General Information

## · Appearance:

· Form: Liquid  
· Color: Light brown

· Odor: Petrol-like

· Odour threshold: Not determined.

· pH-value: Not determined.

## · Change in condition

· Melting point/Melting range: Undetermined.

· Boiling point/Boiling range: Undetermined.

· Flash point: 241 °C (466 °F)

· Flammability (solid, gaseous): Not applicable.

## · Ignition temperature:

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

## · Explosion limits:

· Lower: Not determined.

· Upper: Not determined.

· Vapor pressure: Not determined.

· Density at 20 °C (68 °F): 0.87 g/cm<sup>3</sup> (7.26 lbs/gal)

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

## · Solubility in / Miscibility with

· Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

## · Viscosity:

· Dynamic: Not determined.

· Kinematic at 40 °C (104 °F): 33.39 mm<sup>2</sup>/s

## · Solvent content:

· Organic solvents: 0.0 %

## · Other information

No further relevant information available.

US

(Contd. on page 5)

Safety Data Sheet  
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 05/15/2015

Revision Date: 05/15/2015

**Trade name: Leak Guard w/ dye**

(Contd. of page 4)

## 10 Stability and reactivity

- **Reactivity**
  - **Chemical stability**
    - **Thermal decomposition / conditions to be avoided:**  
Can decompose slowly with localized heating above 67 °C.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat, open flames, sparks.
- **Incompatible materials:** May react with strong oxidizing materials.
- **Hazardous decomposition products:**  
Smoke, carbon monoxide, carbon dioxide and other products of incomplete combustion.

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
    - **Primary irritant effect:**
      - **on the skin:**  
May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
      - **on the eye:**  
May cause eye irritation. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.
    - **Inhalation:**  
May cause respiratory tract irritation.  
with oil mist formation
    - **Ingestion:**  
May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
  - **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>
---

None of the ingredients is listed.
------------------------------------

· <b>NTP (National Toxicology Program)</b>
--

None of the ingredients is listed.
------------------------------------

· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>
--

None of the ingredients is listed.
------------------------------------

## 12 Ecological information

- **Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** Not Determined

(Contd. on page 6)

Safety Data Sheet  
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 05/15/2015

Revision Date: 05/15/2015

**Trade name: Leak Guard w/ dye**

(Contd. of page 5)

- **Additional ecological information:**
  - **General notes:**
    - Water hazard class 2 (Self-assessment): hazardous for water
    - Do not allow product to reach ground water, water course or sewage system.
    - Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
  - **Recommendation:**
    - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · DOT, IMDG, IATA  | Not Regulated   |
| · <b>UN proper shipping name</b>   |                 |
| · DOT, IMDG, IATA  | Not Regulated   |
| · <b>Transport hazard class(es)</b>  |                 |
| · DOT, IMDG, IATA  |                 |
| · Class  | Not Regulated   |
| · <b>Packing group</b>   |                 |
| · DOT, IMDG, IATA  | Not Regulated   |
| · <b>Environmental hazards:</b>  |                 |
| · Marine pollutant:  | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | -               |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Sara

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

(Contd. on page 7)

US

Safety Data Sheet  
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 05/15/2015

Revision Date: 05/15/2015

**Trade name: Leak Guard w/ dye**

(Contd. of page 6)

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

64741-88-4 | Distillates (petroleum), solvent-refined heavy paraffinic

1338-43-8 | sorbitan monooleate

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** Not Applicable
- **Hazard pictograms** Not Applicable
- **Signal word** Not Applicable
- **Hazard statements** Not Applicable

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Engineering Department

· **Issue Date** May 15, 2015

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)