	·	
ue date: 27.03.2017	v 2	Last Revision Date: 27.03.20
1 Identification		
· Product identifier		
 Trade name: A/C Hybrid 	Oil 68 Viscosity	
 Part number: 488104H, 9 Application of the substitution 		n oil for automotive air conditioning
1324 Blundell Road Mississauga, ON L4Y 1M5 Canada Tel: (905) 615-8620	safety data sheet c., division of, CPS Products Car le: customerservice@uview.com	
 Emergency telephone num CHEMTREC International +1 		6), 1-800-424-9300 (in the US) 24 hr
2 Hazard(s) identification • Classification of the substanc The product is not classified acc		ed System (GHS).
 Classification of the substance The product is not classified acce Additional information: This product contains no Communication Standard 2 	cording to the Globally Harmoniz ho known hazardous material 9 CFR 1910.1200. As defined	s as defined by the OSHA Hazai under Sara 311 and 312, this produ
 Classification of the substance The product is not classified acce Additional information: This product contains no Communication Standard 2 	cording to the Globally Harmoniz o known hazardous material 29 CFR 1910.1200. As defined is materials. This product is not plicable Applicable ble Applicable	s as defined by the OSHA Hazai under Sara 311 and 312, this produ
 Classification of the substance The product is not classified acce Additional information: This product contains no Communication Standard 2 contains no known hazardou Label elements GHS label elements Not Ap Hazard pictograms Not A Signal word Not Applicate Hazard statements Not A Other hazards Results of PBT and vPvB a PBT: Not applicable. vPvB: Not applicable. 	cording to the Globally Harmoniz o known hazardous material 29 CFR 1910.1200. As defined is materials. This product is not oplicable Applicable ble Applicable assessment	s as defined by the OSHA Hazai under Sara 311 and 312, this produ
 Classification of the substance The product is not classified acce Additional information: This product contains no Communication Standard 2 contains no known hazardou Label elements GHS label elements Not Ap Hazard pictograms Not A Signal word Not Applicate Hazard statements Not A Other hazards Results of PBT and vPvB a PBT: Not applicable. vPvB: Not applicable. 	cording to the Globally Harmoniz o known hazardous material 29 CFR 1910.1200. As defined is materials. This product is not o plicable Applicable ble Applicable assessment	s as defined by the OSHA Hazai under Sara 311 and 312, this produ
 Classification of the substance The product is not classified acce Additional information: This product contains not Communication Standard 2 contains no known hazardou Label elements GHS label elements Not Applicate Hazard pictograms Not Applicate Signal word Not Applicate Hazard statements Not Applicate PBT: Not applicable. vPvB: Not applicable. Composition/information 	cording to the Globally Harmoniz o known hazardous material 29 CFR 1910.1200. As defined is materials. This product is not o plicable Applicable ble Applicable assessment	s as defined by the OSHA Hazai under Sara 311 and 312, this produ
 Classification of the substance The product is not classified acce Additional information: This product contains no Communication Standard 2 contains no known hazardou Label elements GHS label elements Not Ap Hazard pictograms Not A Signal word Not Applicate Hazard statements Not A Hazard statements Not A Dother hazards Results of PBT and vPvB a PBT: Not applicable. vPvB: Not applicable. Composition/information Chemical characterization: Mi 	cording to the Globally Harmoniz o known hazardous material 29 CFR 1910.1200. As defined is materials. This product is not o plicable Applicable ble Applicable assessment	s as defined by the OSHA Hazar under Sara 311 and 312, this produ controlled according to WHMIS.
 Classification of the substance The product is not classified acce Additional information: This product contains not Communication Standard 2 contains no known hazardou Label elements GHS label elements Not Applicate Hazard pictograms Not Applicate Signal word Not Applicate Hazard statements Not Applicate PBT: Not applicable. vPvB: Not applicable. Composition/information 	cording to the Globally Harmoniz o known hazardous material 29 CFR 1910.1200. As defined as materials. This product is not o plicable Applicable ble Applicable assessment	s as defined by the OSHA Hazai under Sara 311 and 312, this produ

4 First-aid measures

· Description of first aid measures

General information: No special measures required.
After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

NA

Issue date: 27.03.2017

v 2

Last Revision Date: 27.03.2017

Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 1)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water. Immediately remove all contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

• After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· After swallowing:

DO NOT INDUCE VOMITING. Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor: Treat Symptomatically

- Most important symptoms and effects, both acute and delayed See section 11.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents:
 - CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.
 - · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture See section 10 for additional information.
- Advice for firefighters
 - Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Particular danger of slipping on leaked/spilled product.
- Keep away from ignition sources
- Use respiratory protective device against the effects of fumes/dust/aerosol.
- Environmental precautions: In case of seepage into the ground inform responsible authorities.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

Precautions for safe handling

Keep containers closed when not in use. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.

(Contd. on page 3)

Last Revision Date: 27.03.2017

Issue date: 27.03.2017 v 2 Trade name: A/C Hybrid Oil 68 Viscosity (Contd. of page 2) · Information about protection against explosions and fires: Keep away from ignition sources and high temperature materials. Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: See section 10 for incompatible materials. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Store in cool, dry, dark place, away from direct sunlight. · Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. · Breathing equipment: Use suitable respiratory protective device only when aerosol or mist is formed. · Protection of hands: Nitrile. Neoprene. Long sleeve shirt is recommended. Launder contaminated clothing before reuse. Chemical resistant protective gloves · Eye protection: Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield. **9** Physical and chemical properties · Information on basic physical and chemical properties General Information

· Appearance:

· Form:

· Color:

Fluid Light yellow

(Contd. on page 4)

v 2

Last Revision Date: 27.03.2017

Trade name: A/C Hybrid Oil 68 Viscosity

	(Contd. of page
· Odor:	Light
· Odor threshold:	Not determined.
· pH-value:	Not determined.
• Change in condition	
 Melting point/Melting range: 	Undetermined.
 Boiling point/Boiling range: 	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
 Decomposition temperature: 	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined.
 Relative density at 20 °C 	0.95-0.97
 Vapor density 	Not determined.
 Evaporation rate 	Not determined.
 Solubility in / Miscibility with 	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
Dynamic:	Not determined.
 Kinematic at 40 °C: 	61.2-68 cSt
 Other information 	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
 - Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · Conditions to avoid Heat, open flames, sparks.
- Incompatible materials: Strong acids. Strong alkalis. Halogens and halogenated compounds.

(Contd. on page 5)

v 2

Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 4)

3

11 Toxicological information

Information on toxicological effects

· Acute toxicity:

· Primary irritant effect:

• on the skin:

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.

• on the eye: May cause eye irritation.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· IARC (International Agency for Research on Cancer)

128-37-0 2,6-di-tert-butyl-p-cresol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil Not Determined
- · Additional ecological information:
 - · General notes: Generally not hazardous for water
- Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

• **Recommendation:** Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

v 2

Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 5)

4 Transport information		
· UN-Number · DOT, IMDG, IATA	Not Regulated	
 · UN proper shipping name · DOT, IMDG, IATA 	Not Regulated	
· Transport hazard class(es)		
· DOT, IMDG, IATA · Class	Not Regulated	
 Packing group DOT, IMDG, IATA 	Not Regulated	
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Avoid friction or shaking with transport container.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	II of Not applicable.	
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 7)

NA

Issue date: 27.03.2017

v 2

Trade name: A/C Hybrid Oil 68 Viscosity

(Contd. of page 6)

A4

Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

128-37-0 2,6-di-tert-butyl-p-cresol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Engineering Department

- · Issue Date 27/MAR/2017
- · Revision Changes:
- v 1.0 initial SDS release (06/FEB/2015)
- v 2.0 revised (27/MAR/2017)

Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health