



Test Report
4792326998.16v2.0

UL Solutions
72 W 64th Street
Suite 120

Holland, MI 49423

<https://www.ul.com/industries/products-and-components/furniture>

Page 1 of 3

Requester:	National Public Seating Corp 149 Entin Rd Clifton, NJ 07014
Contact Name:	Sherri Miller
Dates Tested:	08/25/26 - 08/27/26
Date Issued:	09/14/26
Technician:	Matt DeKock, Jason Wisniewski
UL Order / Project Number:	16422719 / 4792326998

Scope: To evaluate the SDL Transport Dolly, supplied by National Public Seating Corp, by subjecting it to the following tests:

Requested Tests:

<u>Test Name</u>	<u>Requirement</u>
Durability Test for Chair Carts/Dollies with Casters	BIFMA SC-2015, Section 7
Custom Functional/Proof Load Test	Information only

Product Description:

<u>Specimen</u>	<u>Description</u>	<u>Received</u>	<u>Condition</u>	<u>Supplier</u>
10088663	Product name: Transport Dolly Model: SDL	08/24/26	New	National Public Seating Corp

Summary:

<u>Test Name</u>	<u>Results</u>
Durability Test for Chair Carts/Dollies with Casters	Met the requirement
Custom Functional/Proof Load Test (no proof load requested)	No breakage or loss of function.

This report shall not be reproduced, except in full, without written permission from UL. Results contained within this report only apply to the actual product tested under the testing conditions documented in this report.

Test Results:

Durability Test for Chair Carts/Dollies with Casters:

Testing was performed referencing BIFMA SC-2015, Section 7.

Notes:

- Specimen was subjected to 5000 cycles over $\frac{1}{8}$ " thresholds.
- Unit load rating: 1,200 lbs.
- Test Rate: 8 CPM.
- See photo for setup.



<u>Specimen</u>	<u>Cycles</u>	<u>Surface</u>	<u>Observations</u>
10088663	5,000	Thresholds	No loss of serviceability.

Requirement: *There shall be no loss of serviceability to a caster or the cart/dolly.*



Custom Functional/Proof Load Test:

Testing was performed per the requester's instructions.

Notes:

- Unit was loaded with a functional load. No proof load requested.
- See photo for setup.



<u>Specimen</u>	<u>Load (lbs.)</u>	<u>Observations</u>
10088663	1,200	No breakage or loss of function.

Requirement: Information only.

Revision History

<u>Version</u>	<u>Rev. Date</u>	<u>Change Control Comments</u>	<u>Approver</u>
1	08/27/26	Created document	Ron Day
2	09/14/26	Corrected cycles count on Page 2 from 1,200 to 5,000 cycles.	Jason Wisniewski