




Esimerkkikuva



## OMINAISUUDET

- Puristusindikaattori
- Puristamattomana vuotava liitos
- O-rengas mustaa CIIR-kumia
- Muhvipäissä läpikuultava suojatulppa

## TEKNISET TIEDOT

Materiaali CrNiMo-teräs 1.4401 (EN 10088)

| Tuotenro | DN | d <sub>g</sub><br>mm | arc<br>° | L<br>cm | Z<br>cm | LV/nro. |
|----------|----|----------------------|----------|---------|---------|---------|
| 36101    | 12 | 15                   | 15       | 3       | 1       |         |
| 36103    | 20 | 22                   | 15       | 3.2     | 1.1     |         |
| 36104    | 25 | 28                   | 15       | 3.6     | 1.3     |         |
| 36105    | 32 | 35                   | 15       | 3.2     | 0.6     |         |
| 36106    | 40 | 42                   | 15       | 3.7     | 0.7     |         |
| 36107    | 50 | 54                   | 15       | 4.4     | 0.9     |         |

| Tuotenro | DN  | d <sub>g</sub><br>mm | arc<br>° | L<br>cm | Z<br>cm | LV nro. |
|----------|-----|----------------------|----------|---------|---------|---------|
| 36108    | 65  | 76.1                 | 15       | 7.5     | 2.2     |         |
| 36109    | 80  | 88.9                 | 15       | 8.5     | 2.5     |         |
| 36110    | 100 | 108                  | 15       | 10.3    | 2.8     |         |
| 36121    | 12  | 15                   | 30       | 3.3     | 1.3     |         |
| 36123    | 20  | 22                   | 30       | 3.7     | 1.6     |         |
| 36124    | 25  | 28                   | 30       | 4.1     | 1.8     |         |
| 36125    | 32  | 35                   | 30       | 3.7     | 1.1     |         |
| 36126    | 40  | 42                   | 30       | 4.4     | 1.4     |         |
| 36127    | 50  | 54                   | 30       | 5.2     | 1.7     |         |
| 36128    | 65  | 76.1                 | 30       | 8.8     | 3.5     |         |
| 36129    | 80  | 88.9                 | 30       | 10.1    | 4.1     |         |
| 36130    | 100 | 108                  | 30       | 12.2    | 4.7     |         |
| 30601    | 10  | 12                   | 45       | 2.3     | 0.6     | 1280622 |

| Tuotenro | DN  | d, ø<br>mm | arc<br>° | L<br>cm | Z<br>cm | LV nro. |
|----------|-----|------------|----------|---------|---------|---------|
| 30602    | 12  | 15         | 45       | 2.8     | 0.8     | 1280624 |
| 30603    | 15  | 18         | 45       | 2.9     | 0.9     | 1280627 |
| 30604    | 20  | 22         | 45       | 3.2     | 1.1     | 1280629 |
| 30605    | 25  | 28         | 45       | 3.7     | 1.4     | 1280631 |
| 32606    | 32  | 35         | 45       | 4.3     | 1.7     | 1280633 |
| 32607    | 40  | 42         | 45       | 5.1     | 2.1     | 1280635 |
| 32608    | 50  | 54         | 45       | 6.2     | 2.7     | 1280636 |
| 32609    | 65  | 76.1       | 45       | 10.1    | 4.8     | 1280638 |
| 32610    | 80  | 88.9       | 45       | 11.7    | 5.7     | 1280639 |
| 32611    | 100 | 108        | 45       | 14.3    | 6.8     | 1280640 |
| 36161    | 12  | 15         | 60       | 4       | 2       |         |
| 36163    | 20  | 22         | 60       | 4.7     | 2.6     |         |
| 36164    | 25  | 28         | 60       | 5.4     | 3.1     |         |

| Tuotenro | DN  | d, ø<br>mm | arc<br>° | L<br>cm | Z<br>cm | LV nro. |
|----------|-----|------------|----------|---------|---------|---------|
| 36165    | 32  | 35         | 60       | 5       | 2.4     |         |
| 36166    | 40  | 42         | 60       | 5.9     | 2.9     |         |
| 36167    | 50  | 54         | 60       | 7.2     | 3.7     |         |
| 36168    | 65  | 76.1       | 60       | 11.7    | 6.4     |         |
| 36169    | 80  | 88.9       | 60       | 13.6    | 7.6     |         |
| 36170    | 100 | 108        | 60       | 16.6    | 9.1     |         |
| 30101    | 10  | 12         | 90       | 3.1     | 1.4     | 1280322 |
| 30102    | 12  | 15         | 90       | 3.8     | 1.8     | 1280324 |
| 30103    | 15  | 18         | 90       | 4.2     | 2.2     | 1280327 |
| 30104    | 20  | 22         | 90       | 4.7     | 2.6     | 1280329 |
| 30105    | 25  | 28         | 90       | 5.7     | 3.4     | 1280331 |
| 31106    | 32  | 35         | 90       | 6.8     | 4.2     | 1280333 |
| 31107    | 40  | 42         | 90       | 8       | 5       | 1280335 |

| Tuotenro | DN  | d, ø<br>mm | arc<br>° | L<br>cm | Z<br>cm | LVl nro. |
|----------|-----|------------|----------|---------|---------|----------|
| 31108    | 50  | 54         | 90       | 10      | 6.5     | 1280336  |
| 31109    | 65  | 76.1       | 90       | 15.7    | 10.4    | 1280338  |
| 31110    | 80  | 88.9       | 90       | 18.4    | 12.4    | 1280339  |
| 31111    | 100 | 108        | 90       | 22.6    | 15.1    | 1280340  |