




Esimerkkikuva



TEKNISET TIEDOT

Materiaali CrNiMo-teräs 1.4401 (EN 10088)

Tuotenumro	LV/Inno.	DN	d, ø mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
Nämä tuotteet sopivat järjestelmään: Geberit Mapress Therm								
30892	1281928	12	15	15	4	11	0	7
30893	1281929	15	18	15	4	11.2	0	7.1
30894	1281930	20	22	15	4.1	11.4	0	7.3
30905	1281331	25	28	15	4.3	11.9	0	7.6
30906	1281333	32	35	15	4.1	11.8	0	7.7

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30907	1281335	40	42	15	4.7	13.7	0	9
30908	1281336	50	54	15	5.5	14.9	0	9.4
30009	1281338	65	76.1	15	8.4	20.4	0	12
30010	1281339	80	88.9	15	9.5	22	0	12.5
30011	1281340	100	108	15	11.7	25.4	0	13.7
30932	1281931	12	15	30	4.3	11.3	0	7
30933	1281932	15	18	30	4.4	11.6	0	7.1
30934	1281933	20	22	30	4.6	11.8	0	7.2
30935	1281231	25	28	30	4.8	12.4	0	7.6
30936	1281233	32	35	30	4.6	12.3	0	7.7
30937	1281235	40	42	30	5.4	14.4	0	9
30938	1281236	50	54	30	6.3	15.7	0	9.4
30029	1281238	65	76.1	30	9.7	21.7	0	12

Tuotenro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30030	1281239	80	88.9	30	11.1	23.6	0	12.5
30031	1281240	100	108	30	13.6	27.3	0	13.7
30872	1281921	12	15	45	4.5	11.6	0	7.1
30873	1281922	15	18	45	4.2	11.7	0	7.5
30874	1281923	20	22	45	5.2	12.3	0	7.1
30875	1281924	25	28	45	5.6	13.1	0	7.5
30876	1281925	32	35	45	5.3	12.9	0	7.6
30877	1281926	40	42	45	6.1	15.1	0	9
30878	1281927	50	54	45	7.3	16.7	0	9.4
30049	1281915	65	76.1	45	11.1	23	0	11.9
30050	1281916	80	88.9	45	13	25.2	0	12.2
30051	1281917	100	108	45	15.7	29.4	0	13.7
30942	1281934	12	15	60	5	12	0	7

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30943	1281935	15	18	60	5.3	12.4	0	7.1
30944	1281936	20	22	60	5.6	12.8	0	7.2
30955	1281031	25	28	60	6.1	13.7	0	7.6
30956	1281033	32	35	60	5.9	13.6	0	7.7
30957	1281035	40	42	60	6.9	15.9	0	9
30958	1281036	50	54	60	8.3	17.7	0	9.4
30069	1281038	65	76.1	60	12.6	24.6	0	12
30070	1281039	80	88.9	60	14.6	27.1	0	12.5
30071	1281040	100	108	60	18	31.7	0	13.7
30402	1280924	12	15	90	5.9	12.9	0	7
30403	1280927	15	18	90	6.1	13.3	0	7.2
30404	1280929	20	22	90	7	14.2	0	7.2
30405	1280931	25	28	90	7.9	15.5	0	7.6

Tuotenumro	LV-numro	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30406	1280933	32	35	90	7.7	15.4	0	7.7
30407	1280935	40	42	90	9	18	0	9
30408	1280936	50	54	90	11.1	20.5	0	9.4
30089	1281918	65	76.1	90	16.6	28.6	0	12
30090	1281919	80	88.9	90	19.4	31.9	0	12.5
30091	1281920	100	108	90	24	37.7	0	13.7

Nämä tuotteet sopivat järjestelmään: **Geberit Mapress Ruostumaton Teräs**

30892	1281928	12	15	15	4	11	0	7
30893	1281929	15	18	15	4	11.2	0	7.1
30894	1281930	20	22	15	4.1	11.4	0	7.3
30905	1281331	25	28	15	4.3	11.9	0	7.6
30906	1281333	32	35	15	4.1	11.8	0	7.7
30907	1281335	40	42	15	4.7	13.7	0	9

Tuotenro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30908	1281336	50	54	15	5.5	14.9	0	9.4
30009	1281338	65	76.1	15	8.4	20.4	0	12
30010	1281339	80	88.9	15	9.5	22	0	12.5
30011	1281340	100	108	15	11.7	25.4	0	13.7
30932	1281931	12	15	30	4.3	11.3	0	7
30933	1281932	15	18	30	4.4	11.6	0	7.1
30934	1281933	20	22	30	4.6	11.8	0	7.2
30935	1281231	25	28	30	4.8	12.4	0	7.6
30936	1281233	32	35	30	4.6	12.3	0	7.7
30937	1281235	40	42	30	5.4	14.4	0	9
30938	1281236	50	54	30	6.3	15.7	0	9.4
30029	1281238	65	76.1	30	9.7	21.7	0	12
30030	1281239	80	88.9	30	11.1	23.6	0	12.5

Tuotenro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30031	1281240	100	108	30	13.6	27.3	0	13.7
30872	1281921	12	15	45	4.5	11.6	0	7.1
30873	1281922	15	18	45	4.2	11.7	0	7.5
30874	1281923	20	22	45	5.2	12.3	0	7.1
30875	1281924	25	28	45	5.6	13.1	0	7.5
30876	1281925	32	35	45	5.3	12.9	0	7.6
30877	1281926	40	42	45	6.1	15.1	0	9
30878	1281927	50	54	45	7.3	16.7	0	9.4
30049	1281915	65	76.1	45	11.1	23	0	11.9
30050	1281916	80	88.9	45	13	25.2	0	12.2
30051	1281917	100	108	45	15.7	29.4	0	13.7
30942	1281934	12	15	60	5	12	0	7
30943	1281935	15	18	60	5.3	12.4	0	7.1

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30944	1281936	20	22	60	5.6	12.8	0	7.2
30955	1281031	25	28	60	6.1	13.7	0	7.6
30956	1281033	32	35	60	5.9	13.6	0	7.7
30957	1281035	40	42	60	6.9	15.9	0	9
30958	1281036	50	54	60	8.3	17.7	0	9.4
30069	1281038	65	76.1	60	12.6	24.6	0	12
30070	1281039	80	88.9	60	14.6	27.1	0	12.5
30071	1281040	100	108	60	18	31.7	0	13.7
30402	1280924	12	15	90	5.9	12.9	0	7
30403	1280927	15	18	90	6.1	13.3	0	7.2
30404	1280929	20	22	90	7	14.2	0	7.2
30405	1280931	25	28	90	7.9	15.5	0	7.6
30406	1280933	32	35	90	7.7	15.4	0	7.7

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30407	1280935	40	42	90	9	18	0	9
30408	1280936	50	54	90	11.1	20.5	0	9.4
30089	1281918	65	76.1	90	16.6	28.6	0	12
30090	1281919	80	88.9	90	19.4	31.9	0	12.5
30091	1281920	100	108	90	24	37.7	0	13.7

Nämä tuotteet sopivat järjestelmään: **Geberit Mapress Ruostumaton Teräs (FKM sininen)**

30892	1281928	12	15	15	4	11	0	7
30893	1281929	15	18	15	4	11.2	0	7.1
30894	1281930	20	22	15	4.1	11.4	0	7.3
30905	1281331	25	28	15	4.3	11.9	0	7.6
30906	1281333	32	35	15	4.1	11.8	0	7.7
30907	1281335	40	42	15	4.7	13.7	0	9
30908	1281336	50	54	15	5.5	14.9	0	9.4

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30009	1281338	65	76.1	15	8.4	20.4	0	12
30010	1281339	80	88.9	15	9.5	22	0	12.5
30011	1281340	100	108	15	11.7	25.4	0	13.7
30932	1281931	12	15	30	4.3	11.3	0	7
30933	1281932	15	18	30	4.4	11.6	0	7.1
30934	1281933	20	22	30	4.6	11.8	0	7.2
30935	1281231	25	28	30	4.8	12.4	0	7.6
30936	1281233	32	35	30	4.6	12.3	0	7.7
30937	1281235	40	42	30	5.4	14.4	0	9
30938	1281236	50	54	30	6.3	15.7	0	9.4
30029	1281238	65	76.1	30	9.7	21.7	0	12
30030	1281239	80	88.9	30	11.1	23.6	0	12.5
30031	1281240	100	108	30	13.6	27.3	0	13.7

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30872	1281921	12	15	45	4.5	11.6	0	7.1
30873	1281922	15	18	45	4.2	11.7	0	7.5
30874	1281923	20	22	45	5.2	12.3	0	7.1
30875	1281924	25	28	45	5.6	13.1	0	7.5
30876	1281925	32	35	45	5.3	12.9	0	7.6
30877	1281926	40	42	45	6.1	15.1	0	9
30878	1281927	50	54	45	7.3	16.7	0	9.4
30049	1281915	65	76.1	45	11.1	23	0	11.9
30050	1281916	80	88.9	45	13	25.2	0	12.2
30051	1281917	100	108	45	15.7	29.4	0	13.7
30942	1281934	12	15	60	5	12	0	7
30943	1281935	15	18	60	5.3	12.4	0	7.1
30944	1281936	20	22	60	5.6	12.8	0	7.2

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30955	1281031	25	28	60	6.1	13.7	0	7.6
30956	1281033	32	35	60	5.9	13.6	0	7.7
30957	1281035	40	42	60	6.9	15.9	0	9
30958	1281036	50	54	60	8.3	17.7	0	9.4
30069	1281038	65	76.1	60	12.6	24.6	0	12
30070	1281039	80	88.9	60	14.6	27.1	0	12.5
30071	1281040	100	108	60	18	31.7	0	13.7
30402	1280924	12	15	90	5.9	12.9	0	7
30403	1280927	15	18	90	6.1	13.3	0	7.2
30404	1280929	20	22	90	7	14.2	0	7.2
30405	1280931	25	28	90	7.9	15.5	0	7.6
30406	1280933	32	35	90	7.7	15.4	0	7.7
30407	1280935	40	42	90	9	18	0	9

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30408	1280936	50	54	90	11.1	20.5	0	9.4
30089	1281918	65	76.1	90	16.6	28.6	0	12
30090	1281919	80	88.9	90	19.4	31.9	0	12.5
30091	1281920	100	108	90	24	37.7	0	13.7

Nämä tuotteet sopivat järjestelmään: **Geberit Mapress Ruostumaton Teräs (kaasu)**

30892	1281928	12	15	15	4	11	0	7
30893	1281929	15	18	15	4	11.2	0	7.1
30894	1281930	20	22	15	4.1	11.4	0	7.3
30905	1281331	25	28	15	4.3	11.9	0	7.6
30906	1281333	32	35	15	4.1	11.8	0	7.7
30907	1281335	40	42	15	4.7	13.7	0	9
30908	1281336	50	54	15	5.5	14.9	0	9.4
30009	1281338	65	76.1	15	8.4	20.4	0	12

Tuotenumro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30010	1281339	80	88.9	15	9.5	22	0	12.5
30011	1281340	100	108	15	11.7	25.4	0	13.7
30932	1281931	12	15	30	4.3	11.3	0	7
30933	1281932	15	18	30	4.4	11.6	0	7.1
30934	1281933	20	22	30	4.6	11.8	0	7.2
30935	1281231	25	28	30	4.8	12.4	0	7.6
30936	1281233	32	35	30	4.6	12.3	0	7.7
30937	1281235	40	42	30	5.4	14.4	0	9
30938	1281236	50	54	30	6.3	15.7	0	9.4
30029	1281238	65	76.1	30	9.7	21.7	0	12
30030	1281239	80	88.9	30	11.1	23.6	0	12.5
30031	1281240	100	108	30	13.6	27.3	0	13.7
30872	1281921	12	15	45	4.5	11.6	0	7.1

Tuotenro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30873	1281922	15	18	45	4.2	11.7	0	7.5
30874	1281923	20	22	45	5.2	12.3	0	7.1
30875	1281924	25	28	45	5.6	13.1	0	7.5
30876	1281925	32	35	45	5.3	12.9	0	7.6
30877	1281926	40	42	45	6.1	15.1	0	9
30878	1281927	50	54	45	7.3	16.7	0	9.4
30049	1281915	65	76.1	45	11.1	23	0	11.9
30050	1281916	80	88.9	45	13	25.2	0	12.2
30051	1281917	100	108	45	15.7	29.4	0	13.7
30942	1281934	12	15	60	5	12	0	7
30943	1281935	15	18	60	5.3	12.4	0	7.1
30944	1281936	20	22	60	5.6	12.8	0	7.2
30955	1281031	25	28	60	6.1	13.7	0	7.6

Tuotenro	LVI nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30956	1281033	32	35	60	5.9	13.6	0	7.7
30957	1281035	40	42	60	6.9	15.9	0	9
30958	1281036	50	54	60	8.3	17.7	0	9.4
30069	1281038	65	76.1	60	12.6	24.6	0	12
30070	1281039	80	88.9	60	14.6	27.1	0	12.5
30071	1281040	100	108	60	18	31.7	0	13.7
30402	1280924	12	15	90	5.9	12.9	0	7
30403	1280927	15	18	90	6.1	13.3	0	7.2
30404	1280929	20	22	90	7	14.2	0	7.2
30405	1280931	25	28	90	7.9	15.5	0	7.6
30406	1280933	32	35	90	7.7	15.4	0	7.7
30407	1280935	40	42	90	9	18	0	9
30408	1280936	50	54	90	11.1	20.5	0	9.4

Tuotenro	LV/nro.	DN	d _g mm	arc °	H cm	H1 cm	K cm	K1 maks. cm
30089	1281918	65	76.1	90	16.6	28.6	0	12
30090	1281919	80	88.9	90	19.4	31.9	0	12.5
30091	1281920	100	108	90	24	37.7	0	13.7