


Geberit Mapress Ruostumaton Teräs -liitinmuhvi sisäkierteellä



Esimerkkikuva

OMINAISUUDET

- Puristusindikaattori
- Puristamattomana vuotava liitos
- O-rengas mustaa CIIR-kumia
- Muhvipäissä läpikuultava suojatulppa

TEKNISET TIEDOT

Materiaali CrNiMo-teräs 1.4401 (EN 10088)

Tuotenro	LV/nro.	DN	d, ø mm	Rp "	L cm	Z cm
33018	1282252	10	12	3/8	3.2	0.2
33010	1282254	10, 15	12	1/2	3.4	0.4
31801	1282256	12, 10	15	3/8	3.5	0.5
31802	1282258	12, 15	15	1/2	3.7	0.4
31823	1282259	12, 20	15	3/4	3.8	0.3
31803	1282264	15	18	1/2	3.7	0.4

Tuotenro	LV:nro.	DN	d, ø mm	Rp "	L cm	Z cm
31804	1282265	15, 20	18	3/4	3.8	0.3
31805	1282269	20, 15	22	1/2	3.6	0.2
31806	1282270	20	22	3/4	3.9	0.3
31824	1282271	20, 25	22	1	4.2	0.4
31807	1282273	25, 15	28	1/2	3.8	0.2
31819	1282274	25, 20	28	3/4	3.9	0.3
31809	1282275	25	28	1	4.4	0.4
31825	1282276	25, 32	28	1 1/4	4.6	0.4
31820	1282278	32, 25	35	1	4.5	0.2
31811	1282279	32	35	1 1/4	4.9	0.4
31826	1282280	32, 40	35	1 1/2	4.9	0.4
31821	1282283	40, 32	42	1 1/4	5.1	0.2
31814	1282284	40	42	1 1/2	5.3	0.4

Tuotenro	LV nro.	DN	d. ø mm	Rp "	L cm	Z cm
31822	1282285	50, 40	54	1 1/2	7.7	2.1
31818	1282286	50	54	2	6.2	0.4