



Esimerkkikuva

OMINAISUUDET

- Puristusindikaattori
- Puristamattomana vuotava liitos
- Keskeinen
- O-rengas mustaa CIIR-kumia
- Muhvipäissä läpikuultava suojatulppa

TEKNISET TIEDOT

Materiaali CrNiMo-teräs 1.4401 (EN 10088)

Tuotenro	LV/nro.	DN	d, ø mm	d1, ø mm	L cm	H cm
33002	1282512	12, 10	15	12	5.1	3.4
33003	1282513	15, 10	18	12	5.3	3.6
32303	1282515	15, 12	18	15	5.5	3.5
33004	1282521	20, 10	22	12	6	4.3
32305	1282524	20, 12	22	15	5.9	3.9
32306	1282527	20, 15	22	18	5.7	3.7

Tuotenro	LV nro.	DN	d, ø mm	d1, ø mm	L cm	H cm
32307	1282532	25, 12	28	15	6.6	4.6
32308	1282535	25, 15	28	18	6.4	4.4
32309	1282537	25, 20	28	22	6	3.9
32310	1282543	32, 12	35	15	7.5	5.5
32311	1282546	32, 15	35	18	7.4	5.4
32312	1282548	32, 20	35	22	7.1	5
32313	1282550	32, 25	35	28	6.8	4.5
32314	1282559	40, 12	42	15	8.1	6.1
32315	1282560	40, 15	42	18	8	6
32316	1282561	40, 20	42	22	8.2	6.1
32317	1282563	40, 25	42	28	8.3	6
32318	1282565	40, 32	42	35	7.7	5.1
32319	1282571	50, 12	54	15	9.7	7.7

Tuotenro	LV nro.	DN	d, ø mm	d1, ø mm	L cm	H cm
32320	1282572	50, 15	54	18	9.6	7.6
32321	1282573	50, 20	54	22	9.5	7.4
32322	1282574	50, 25	54	28	11	8.7
32323	1282576	50, 32	54	35	10.6	8
32324	1282578	50, 40	54	42	9.2	6.2
32331	1282584	65, 50	76.1	54	14.6	11.1
32338	1282586	80, 50	88.9	54	16.2	12.8
32339	1282588	80, 65	88.9	76.1	16.1	10.8
32345	1282589	100, 50	108	54	17.2	13.7
32346	1282591	100, 65	108	76.1	18.4	13.1
32348	1282592	100, 80	108	88.9	20.3	14.3