


# Geberit PE -haarayhde 88,5°



Esimerkkikuva



## OMINAISUUDET

- UV-kestävä

## TEKNISET TIEDOT

Materiaali

PE-HD

Tuotenro	LV/nro.	DN	d, ø mm	d1, ø mm	arc °	H cm	X1 cm	X2 cm	X3 cm	K1 maks. cm	K2 maks. cm	K3 maks. cm
379.158.16.1	2300904	30, 30	32	32	88.5	8.5	5	3.5	3.5	2.5	1	1
360.158.16.1	2300849	40, 30	40	32	88.5	13	7.5	5.5	5.5	5	2.5	2
360.159.16.1	2300850	40, 40	40	40	88.5	13	7.5	5.5	5.5	4.5	2.5	2.5
361.159.16.1	2300851	50, 40	50	40	88.5	15	9	6	6	6	2.5	3
361.162.16.1	2300852	50, 50	50	50	88.5	15	9	6	6	5.5	2.5	2.5
363.162.16.1	2300853	56, 50	56	50	88.5	17.5	10.5	7	7	7	3	3.5
363.165.16.1	2300854	56, 56	56	56	88.5	17.5	10.5	7	7	6.5	3	3

Tuotenro	LVI nro.	DN	d, ø mm	d1, ø mm	arc °	H cm	X1 cm	X2 cm	X3 cm	K1 maks. cm	K2 maks. cm	K3 maks. cm
364.159.16.1	2300855	60, 40	63	40	88.5	17.5	10.5	7	7	7	3	3
364.162.16.1	2300856	60, 50	63	50	88.5	17.5	10.5	7	7	7	3	3.5
364.165.16.1	2300857	60, 56	63	56	88.5	17.5	10.5	7	7	6.5	3	3
364.170.16.1	2300858	60, 60	63	63	88.5	17.5	10.5	7	7	6	3	3
365.159.16.1	2300859	70, 40	75	40	88.5	17.5	10.5	7	7	7.5	2.5	4
365.162.16.1	2300860	70, 50	75	50	88.5	17.5	10.5	7	7	7	2.5	3.5
365.165.16.1	2300861	70, 56	75	56	88.5	17.5	10.5	7	7	6.5	2.5	3
365.170.16.1	2300862	70, 60	75	63	88.5	17.5	10.5	7	7	6	2.5	2.5
365.175.16.1	2300863	70, 70	75	75	88.5	17.5	10.5	7	7	5.5	2.5	2.5
366.159.16.1	2300864	90, 40	90	40	88.5	20	12	8	8	8.5	2.5	4.5
366.162.16.1	2300865	90, 50	90	50	88.5	20	12	8	8	8.5	2.5	4.5
366.165.16.1	2300866	90, 56	90	56	88.5	20	12	8	8	8	2.5	4
366.170.16.1	2300867	90, 60	90	63	88.5	20	12	8	8	7.5	2.5	3.5

Tuotenro	LV nro.	DN	d, ø mm	d1, ø mm	arc °	H cm	X1 cm	X2 cm	X3 cm	K1 maks. cm	K2 maks. cm	K3 maks. cm
<b>366.175.16.1</b>	2300868	90, 70	90	75	88.5	20	12	8	8	7	2.5	3
<b>366.180.16.1</b>	2300869	90, 90	90	90	88.5	20	12	8	8	6.5	2.5	2.5
<b>367.159.16.1</b>	2300870	100, 40	110	40	88.5	22.5	13.5	9	9	10	2.5	6
<b>367.162.16.1</b>	2300871	100, 50	110	50	88.5	22.5	13.5	9	9	9.5	2.5	5
<b>367.165.16.1</b>	2300872	100, 56	110	56	88.5	22.5	13.5	9	9	9	2.5	4.5
<b>367.170.16.1</b>	2300873	100, 60	110	63	88.5	22.5	13.5	9	9	9	2.5	4
<b>367.175.16.1</b>	2300874	100, 70	110	75	88.5	22.5	13.5	9	9	8.5	2.5	3.5
<b>367.180.16.1</b>	2300875	100, 90	110	90	88.5	22.5	13.5	9	9	7.5	2.5	3
<b>367.185.16.1</b>	2300876	100, 100	110	110	88.5	22.5	13.5	9	9	6.5	2	2
<b>368.162.16.1</b>	2300877	125, 50	125	50	88.5	25	15	10	10	11	2.5	6
<b>368.165.16.1</b>	2300878	125, 56	125	56	88.5	25	15	10	10	10.5	2.5	5.5
<b>368.170.16.1</b>	2300879	125, 60	125	63	88.5	25	15	10	10	10.5	2.5	5
<b>368.175.16.1</b>	2300880	125, 70	125	75	88.5	25	15	10	10	10	2.5	4.5

Tuotenumero	LVI nro.	DN	d, ø mm	d1, ø mm	arc °	H cm	X1 cm	X2 cm	X3 cm	K1 maks. cm	K2 maks. cm	K3 maks. cm
<b>368.180.16.1</b>	2300881	125, 90	125	90	88.5	25	15	10	10	9	2.5	4
<b>368.185.16.1</b>	2300882	125, 100	125	110	88.5	25	15	10	10	8	2	3
<b>368.189.16.1</b>	2300883	125, 125	125	125	88.5	25	15	10	10	7	2	2
<b>369.175.16.1</b>	2300884	150, 70	160	75	88.5	35	21	14	14	15	4.5	8
<b>369.185.16.1</b>	2300885	150, 100	160	110	88.5	35	21	14	14	13.5	4.5	6
<b>369.189.16.1</b>	2300886	150, 125	160	125	88.5	35	21	14	14	12.5	4.5	5
<b>369.195.16.1</b>	2300887	150, 150	160	160	88.5	35	21	14	14	10.5	3.5	3
<b>370.180.16.1</b>	2300888	200, 90	200	90	88.5	36	18	18	18	0	3	0
<b>370.185.16.1</b>	2300889	200, 100	200	110	88.5	36	18	18	18	0	3	0
<b>370.189.16.1</b>	2300890	200, 125	200	125	88.5	36	18	18	18	0	3	0
<b>370.195.16.1</b>	2300891	200, 150	200	160	88.5	36	18	18	18	0	2	0
<b>370.196.16.1</b>	2300892	200, 200	200	200	88.5	40	20	20	20	0	0	0
<b>371.185.16.1</b>	2300893	250, 100	250	110	88.5	44	22	22	22	3.5	4	3.5

Tuotenumro	LV-numro	DN	d, ø mm	d1, ø mm	arc °	H cm	X1 cm	X2 cm	X3 cm	K1 maks. cm	K2 maks. cm	K3 maks. cm
371.189.16.1	2300894	250, 125	250	125	88.5	44	22	22	22	3	4	3
371.195.16.1	2300895	250, 150	250	160	88.5	44	22	22	22	0	3.5	0
371.196.16.1	2300896	250, 200	250	200	88.5	48	24	24	24	0	0	0
371.197.16.1	2300897	250, 250	250	250	88.5	48	24	24	24	0	0	0
372.185.16.1	2300898	300, 100	315	110	88.5	56	28	28	28	9.5	6	9.5
372.189.16.1	2300899	300, 125	315	125	88.5	56	28	28	28	9	6	9
372.195.16.1	2300900	300, 150	315	160	88.5	56	28	28	28	7	6	7
372.196.16.1	2300901	300, 200	315	200	88.5	56	28	28	28	4.5	0	4.5
372.197.16.1	2300902	300, 250	315	250	88.5	56	28	28	28	2	0	2
372.198.16.1	2300903	300, 300	315	315	88.5	56	28	28	28	0	0	0