


Geberit PE -supistus, epäkeskeinen, lyhyt



Esimerkkikuva



OMINAISUUDET

- UV-kestävä
- Epäkesko

TEKNISET TIEDOT

Materiaali PE-HD

Tuotenro	LVInro.	DN	d, ø mm	d1, ø mm	A cm	H cm	h cm	h1 cm	K cm
361.558.16.1	2300918	50, 40	50	40	0.5	8	3.5	3.7	2
363.558.16.1	2300919	56, 40	56	40	0.8	8	3.5	3.7	2
363.561.16.1	2300920	56, 50	56	50	0.3	8	3.5	3.7	2
364.558.16.1	2300921	60, 40	63	40	1.2	8	3.5	3.7	2
364.561.16.1	2300922	60, 50	63	50	0.7	8	3.5	3.7	2
364.566.16.1	2300923	60, 56	63	56	0.4	8	3.5	3.7	2
365.558.16.1	2300924	70, 40	75	40	1.8	8	3.5	3.7	2

Tuotenro	LV:nro.	DN	d, ø mm	d1, ø mm	A cm	H cm	h cm	h1 cm	K cm
365.561.16.1	2300925	70, 50	75	50	1.3	8	3.5	3.7	2
365.566.16.1	2300926	70, 56	75	56	1	8	3.5	3.7	2
365.571.16.1	2300927	70, 60	75	63	0.6	8	3.5	3.7	2
366.561.16.1	2300928	90, 50	90	50	2	8	3.5	3.7	2
366.566.16.1	2300929	90, 56	90	56	1.7	8	3.5	3.7	2
366.571.16.1	2300930	90, 60	90	63	1.3	8	3.5	3.7	2
366.576.16.1	2300931	90, 70	90	75	0.8	8	3.5	3.7	2
367.558.16.1	2300932	100, 40	110	40	3.4	8	3.5	3.7	2
367.561.16.1	2300933	100, 50	110	50	2.9	8	3.5	3.7	2
367.566.16.1	2300934	100, 56	110	56	2.6	8	3.5	3.7	2
367.571.16.1	2300935	100, 60	110	63	2.2	8	3.5	3.7	2
367.576.16.1	2300936	100, 70	110	75	1.6	8	3.5	3.7	2
367.581.16.1	2300937	100, 90	110	90	0.9	8	3.5	3.7	2

<i>Tuotenro</i>	<i>LV:nro.</i>	<i>DN</i>	<i>d, ø</i> mm	<i>d1, ø</i> mm	<i>A</i> cm	<i>H</i> cm	<i>h</i> cm	<i>h1</i> cm	<i>K</i> cm
368.561.16.1	2300938	125, 50	125	50	3.6	8	3.5	3.7	2
368.566.16.1	2300939	125, 56	125	56	3.3	8	3.5	3.7	2
368.571.16.1	2300940	125, 60	125	63	2.9	8	3.5	3.7	2
368.576.16.1	2300941	125, 70	125	75	2.3	8	3.5	3.7	2
368.581.16.1	2300942	125, 90	125	90	1.6	8	3.5	3.7	2
368.586.16.1	2300943	125, 100	125	110	0.7	8	3.5	3.7	2
369.586.16.1	2300944	150, 100	160	110	2.3	8	3.5	3.7	2
369.588.16.1	2300945	150, 125	160	125	1.6	8	3.5	3.7	2