Numeracy Fact Booklet Year 6 and 7

Maths Language

In maths there are many ways of saying the same thing. It is important to learn these all.

+	-
add plus altogether increase find the total *calculate the perimeter*	subtract minus how many less find the difference decrease take away deduct
X	÷
multiply by times lots of product *calculate the area* *calculate the volume*	divide share split into equal groups how many times goes into

Inverse operation is a clever self-checking strategy!

Operation	Inverse
+	—
—	+
X	÷
÷	X
x^2	$\sqrt{x}$



Decimal Place Value Chart												
Millions	Hundred Thousands	Ten Thousands	Thousands	Hundreds	Tens	Ones	tenths	hundredths	thousandths	ten thousandths	hundred thousandths	millionths
M	HTh	TTh	Th	H	T	O	t	h	th	tth	hth	m

6/1 Round whole numbers

Example 1- Round 342 679 to the nearest 10 000

- Step 1 – Find the 'round-off digit' - **4**
- Step 2 – Move one digit to the right - **2**

4 or less? YES

- leave 'round off digit' unchanged
- Replace following digits with zeros

ANSWER – 340 000

Example 2- Round 345 679 to the nearest 10 000

- Step 1 – Find the 'round-off digit' - **4**
- Step 2 – Move one digit to the right - **5**

5 or more? YES

- add one to 'round off digit'
- Replace following digits with zeros

ANSWER – 350 000


MULTIPLICATION
1X
1 x 1 = 1
1 x 2 = 2
1 x 3 = 3
1 x 4 = 4
1 x 5 = 5
1 x 6 = 6
1 x 7 = 7
1 x 8 = 8
1 x 9 = 9
1 x 10 = 10
1 x 11 = 11
1 x 12 = 12
2X
2 x 1 = 2
2 x 2 = 4
2 x 3 = 6
2 x 4 = 8
2 x 5 = 10
2 x 6 = 12
2 x 7 = 14
2 x 8 = 16
2 x 9 = 18
2 x 10 = 20
2 x 11 = 22
2 x 12 = 24
3X
3 x 1 = 3
3 x 2 = 6
3 x 3 = 9
3 x 4 = 12
3 x 5 = 15
3 x 6 = 18
3 x 7 = 21
3 x 8 = 24
3 x 9 = 27
3 x 10 = 30
3 x 11 = 33
3 x 12 = 36
4X
4 x 1 = 4
4 x 2 = 8
4 x 3 = 12
4 x 4 = 16
4 x 5 = 20
4 x 6 = 24
4 x 7 = 28
4 x 8 = 32
4 x 9 = 36
4 x 10 = 40
4 x 11 = 44
4 x 12 = 48
5X
5 x 1 = 5
5 x 2 = 10
5 x 3 = 15
5 x 4 = 20
5 x 5 = 25
5 x 6 = 30
5 x 7 = 35
5 x 8 = 40
5 x 9 = 45
5 x 10 = 50
5 x 11 = 55
5 x 12 = 60
6X
6 x 1 = 6
6 x 2 = 12
6 x 3 = 18
6 x 4 = 24
6 x 5 = 30
6 x 6 = 36
6 x 7 = 42
6 x 8 = 48
6 x 9 = 54
6 x 10 = 60
6 x 11 = 66
6 x 12 = 72
7X
7 x 1 = 7
7 x 2 = 14
7 x 3 = 21
7 x 4 = 28
7 x 5 = 35
7 x 6 = 42
7 x 7 = 49
7 x 8 = 56
7 x 9 = 63
7 x 10 = 70
7 x 11 = 77
7 x 12 = 84
8X
8 x 1 = 8
8 x 2 = 16
8 x 3 = 24
8 x 4 = 32
8 x 5 = 40
8 x 6 = 48
8 x 7 = 56
8 x 8 = 64
8 x 9 = 72
8 x 10 = 80
8 x 11 = 88
8 x 12 = 96
9X
9 x 1 = 9
9 x 2 = 18
9 x 3 = 27
9 x 4 = 36
9 x 5 = 45
9 x 6 = 54
9 x 7 = 63
9 x 8 = 72
9 x 9 = 81
9 x 10 = 90
9 x 11 = 99
9 x 12 = 108
10X
10 x 1 = 10
10 x 2 = 20
10 x 3 = 30
10 x 4 = 40
10 x 5 = 50
10 x 6 = 60
10 x 7 = 70
10 x 8 = 80
10 x 9 = 90
10 x 10 = 100
10 x 11 = 110
10 x 12 = 120
11X
11 x 1 = 11
11 x 2 = 22
11 x 3 = 33
11 x 4 = 44
11 x 5 = 55
11 x 6 = 66
11 x 7 = 77
11 x 8 = 88
11 x 9 = 99
11 x 10 = 110
11 x 11 = 121
11 x 12 = 132
12X
12 x 1 = 12
12 x 2 = 24
12 x 3 = 36
12 x 4 = 48
12 x 5 = 60
12 x 6 = 72
12 x 7 = 84
12 x 8 = 96
12 x 9 = 108
12 x 10 = 120
12 x 11 = 132
12 x 12 = 144
TIMES TABLES
PYRAMID

ONE	TWO	THREE	FOUR	FIVE	SIX
1 ÷ 1 = 1	2 ÷ 2 = 1	3 ÷ 3 = 1	4 ÷ 4 = 1	5 ÷ 5 = 1	6 ÷ 6 = 1
2 ÷ 1 = 2	4 ÷ 2 = 2	6 ÷ 3 = 2	8 ÷ 4 = 2	10 ÷ 5 = 2	12 ÷ 6 = 2
3 ÷ 1 = 3	6 ÷ 2 = 3	9 ÷ 3 = 3	12 ÷ 4 = 3	15 ÷ 5 = 3	18 ÷ 6 = 3
4 ÷ 1 = 4	8 ÷ 2 = 4	12 ÷ 3 = 4	16 ÷ 4 = 4	20 ÷ 5 = 4	24 ÷ 6 = 4
5 ÷ 1 = 5	10 ÷ 2 = 5	15 ÷ 3 = 5	20 ÷ 4 = 5	25 ÷ 5 = 5	30 ÷ 6 = 5
6 ÷ 1 = 6	12 ÷ 2 = 6	18 ÷ 3 = 6	24 ÷ 4 = 6	30 ÷ 5 = 6	36 ÷ 6 = 6
7 ÷ 1 = 7	14 ÷ 2 = 7	21 ÷ 3 = 7	28 ÷ 4 = 7	35 ÷ 5 = 7	42 ÷ 6 = 7
8 ÷ 1 = 8	16 ÷ 2 = 8	24 ÷ 3 = 8	32 ÷ 4 = 8	40 ÷ 5 = 8	48 ÷ 6 = 8
9 ÷ 1 = 9	18 ÷ 2 = 9	27 ÷ 3 = 9	36 ÷ 4 = 9	45 ÷ 5 = 9	54 ÷ 6 = 9
10 ÷ 1 = 10	20 ÷ 2 = 10	30 ÷ 3 = 10	40 ÷ 4 = 10	50 ÷ 5 = 10	60 ÷ 6 = 10
11 ÷ 1 = 11	22 ÷ 2 = 11	33 ÷ 3 = 11	44 ÷ 4 = 11	55 ÷ 5 = 11	66 ÷ 6 = 11
12 ÷ 1 = 12	24 ÷ 2 = 12	36 ÷ 3 = 12	48 ÷ 4 = 12	60 ÷ 5 = 12	72 ÷ 6 = 12

SEVEN	EIGHT	NINE	TEN	ELEVEN	TWELVE
7 ÷ 7 = 1	8 ÷ 8 = 1	9 ÷ 9 = 1	10 ÷ 10 = 1	11 ÷ 11 = 1	12 ÷ 12 = 1
14 ÷ 7 = 2	16 ÷ 8 = 2	18 ÷ 9 = 2	20 ÷ 10 = 2	22 ÷ 11 = 2	24 ÷ 12 = 2
21 ÷ 7 = 3	24 ÷ 8 = 3	27 ÷ 9 = 3	30 ÷ 10 = 3	33 ÷ 11 = 3	36 ÷ 12 = 3
28 ÷ 7 = 4	32 ÷ 8 = 4	36 ÷ 9 = 4	40 ÷ 10 = 4	44 ÷ 11 = 4	48 ÷ 12 = 4
35 ÷ 7 = 5	40 ÷ 8 = 5	45 ÷ 9 = 5	50 ÷ 10 = 5	55 ÷ 11 = 5	60 ÷ 12 = 5
42 ÷ 7 = 6	48 ÷ 8 = 6	54 ÷ 9 = 6	60 ÷ 10 = 6	66 ÷ 11 = 6	72 ÷ 12 = 6
49 ÷ 7 = 7	56 ÷ 8 = 7	63 ÷ 9 = 7	70 ÷ 10 = 7	77 ÷ 11 = 7	84 ÷ 12 = 7
56 ÷ 7 = 8	64 ÷ 8 = 8	72 ÷ 9 = 8	80 ÷ 10 = 8	88 ÷ 11 = 8	96 ÷ 12 = 8
63 ÷ 7 = 9	72 ÷ 8 = 9	81 ÷ 9 = 9	90 ÷ 10 = 9	99 ÷ 11 = 9	108 ÷ 12 = 9
70 ÷ 7 = 10	80 ÷ 8 = 10	90 ÷ 9 = 10	100 ÷ 10 = 10	110 ÷ 11 = 10	120 ÷ 12 = 10
77 ÷ 7 = 11	88 ÷ 8 = 11	99 ÷ 9 = 11	110 ÷ 10 = 11	121 ÷ 11 = 11	132 ÷ 12 = 11
84 ÷ 7 = 12	96 ÷ 8 = 12	108 ÷ 9 = 12	120 ÷ 10 = 12	132 ÷ 11 = 12	144 ÷ 12 = 12

Square Numbers and Cube Numbers



The following table shows all the square and cube numbers you should know quickly.

	Square Numbers		Cube Numbers	
1	1 x 1	1	1 x 1 x 1	1
2	2 x 2	4	2 x 2 x 2	8
3	3 x 3	9	3 x 3 x 3	27
4	4 x 4	16	4 x 4 x 4	64
5	5 x 5	25	5 x 5 x 5	125
6	6 x 6	36	6 x 6 x 6	216
7	7 x 7	49	7 x 7 x 7	343
8	8 x 8	64	8 x 8 x 8	512
9	9 x 9	81	9 x 9 x 9	729
10	10 x 10	100	10 x 10 x 10	1000
11	11 x 11	121		
12	12 x 12	144		

Multiples and Factors

- A **multiple** is a number multiplied. Some multiples of 10 are 20, 30, 40, 50 because you multiply 10 by another number to make the larger number.

- A **factor** is a number that will divide equally into a bigger number. 2 and 5 are factors of 10.



Prime Numbers

A prime number can be divided evenly only by 1 or itself and it must be a whole number greater than 1.

Remember the rule: It's easy to check if a number under 100 is a prime number. You only have to work out if it divides evenly by 2, 3, 5 or 7.

Do these 3 steps:

- Step 1 - all x2 are even numbers – (0,2,4,6,8 units)
- Step 2- all x5 numbers end in 0 or 5
- Step 3- check if the number divides evenly by 3 or 7. If not, then it's a prime number.

Find all the Prime Numbers less than 100.

- Cross out 1
- Cross out all numbers that ÷2, ÷3, ÷5, ÷7
- All numbers left are prime numbers



Squares, Cubes and Primes in Venn Diagrams



- Don't forget:
  - It is impossible for a prime number to go in any section other than the one shaded in grey above.
  - 64 is the ONLY number that will ever go in the area shown above.
  - If a number does not fit in any of the circles, then it should be written outside the circles but inside the box. Look at the examples above -18 and 33.

Triangular Numbers

A number that can make a triangular dot pattern.

Example: 1, 3, 6, 10 and 15 are triangular numbers.





Divisibility Rules

A number is divisible by. . .	Divisible	Not Divisible
2 if the last digit is even (0, 2, 4, 6, or 8).	3,978	4,975
3 if the sum of the digits is divisible by 3.	315	139
4 if the last two digits form a number divisible by 4.	8,512	7,518
5 if the last digit is 0 or 5.	14,975	10,978
6 if the number is divisible by both 2 and 3	48	20
9 if the sum of the digits is divisible by 9.	711	93
10 if the last digit is 0.	15,990	10,536

6/2 Negative numbers



2 > -2 → We say 2 is bigger than -2

-2 < 2 → We say -2 is less than 2

The difference between 2 and -2 = 4 (see number line)

Remember the rules:

- When subtracting go down the number line
- When adding go up the number line

- 8 + - 2 is the same as 8 – 2 = 6
- 8 - + 2 is the same as 8 – 2 = 6
- 8 - - 2 is the same as 8 + 2 = 10

Fractions, Decimals and Percentages

- The word percent simply means ‘out of 100’
- A percentage is just like a fraction.
- This is the symbol for percent - %
- We can write 1% like this or as a fraction like this $^{1}/_{100}$
- A decimal is another way of writing a fraction or a percentage.
- Decimals and fractions are always worth less than 1.

Percent	Decimal	Fraction	Lowest Terms
1%	0.01	$^{1}/_{100}$	
5%	0.05	$^{5}/_{100}$	$^{1}/_{20}$
10%	0.1	$^{10}/_{100}$	$^{1}/_{10}$
12½%	0.125	$^{12½}/_{100}$	$^{1}/_{8}$
20%	0.2	$^{20}/_{100}$	$^{1}/_{5}$
25%	0.25	$^{25}/_{100}$	$^{1}/_{4}$
30%	0.3	$^{30}/_{100}$	$^{3}/_{10}$
$33^{1}/_{3}$%	0.333...	$^{331/3}/_{100}$	$^{1}/_{3}$
40%	0.4	$^{40}/_{100}$	$^{2}/_{5}$
50%	0.5	$^{50}/_{100}$	$^{1}/_{2}$
60%	0.6	$^{60}/_{100}$	$^{3}/_{5}$
70%	0.7	$^{70}/_{100}$	$^{7}/_{10}$
75%	0.75	$^{75}/_{100}$	$^{3}/_{4}$
80%	0.8	$^{80}/_{100}$	$^{4}/_{5}$
90%	0.9	$^{90}/_{100}$	$^{9}/_{10}$
99%	0.99	$^{99}/_{100}$	$^{99}/_{100}$
100%	**1**	$^{100}/_{100}$	

- Always remember to simplify fractions to the lowest possible terms.

How to simplify fractions

There are two ways to simplify a fraction:

Method 1

Try dividing both the top and bottom of the fraction until you can't go any further (try dividing by 2,3,5,7,...etc).

Example: Simplify the fraction $^{24}/_{108}$:



Method 2

Divide both the top and bottom of the fraction by the Greatest Common Factor, (you have to work it out first!).

Example: Simplify the fraction $^{8}/_{12}$:

1. The largest number that goes exactly into both 8 and 12 is 4, so *the Greatest Common Factor is 4*.

2. Divide both top and bottom by 4:



And the answer is: $^{2}/_{3}$

Simplifying Fractions

Points to remember

- If both numbers in the fraction end with a '0' then 10 will divide into both of them e.g. $^{10}/_{100}$ ——— $^{1}/_{10}$
- If both numbers end with a'5' then 5 will divide into them.
  e.g. $^{5}/_{25}$ ——— $^{1}/_{5}$
- If both numbers end with a '0' and a '5' then 5 will divide into them.
  e.g. $^{15}/_{100}$ ——— $^{3}/_{20}$
- If both numbers are even then 2 will divide into them.
  e.g. $^{16}/_{24}$ ——— $^{8}/_{12}$ ——— $^{4}/_{6}$ ——— $^{2}/_{3}$
- Also remember your number facts from your times tables for more unusual fractions.
  e.g. $^{12}/_{30}$ (both divide by 6) $^{2}/_{15}$

Now practise bringing these fractions down to their lowest terms:

$^{75}/_{100}$ $^{18}/_{100}$ $^{25}/_{100}$ $^{10}/_{100}$ $^{62}/_{100}$

$^{50}/_{100}$ $^{20}/_{100}$ $^{85}/_{100}$ $^{40}/_{100}$ $^{45}/_{100}$

Changing an improper fraction to a mixed fraction

An improper fraction is a top heavy fraction.

E.g. $\frac{15}{7}$

If a fraction is top heavy it means it is more than one whole. Remember if the numerator is the same as the denominator then the fraction is whole.

So, $\frac{15}{7} = \frac{7}{7} + \frac{7}{7} + \frac{1}{7}$ = 2 whole and $\frac{1}{7}$

Changing a mixed fraction to an improper fraction

A mixed fraction contains some whole numbers and fractions.

E.g. $1\frac{2}{5}$

To change this into an improper fraction we have to multiply the denominator by the whole number and add the answer so the numerator.

So, $1\frac{2}{5}$ = 1 x 5 = 5 + 2 = 7

So, $1\frac{2}{5} = \frac{7}{5}$

How to find the percent of a number

e.g. Find 75% of 256.

- Step 1 – look at the percentage
- Step 2 – change it to a fraction
- Step 3 – check the fraction is in its lowest terms and if not then simplify it.
- Step 4 – when the fraction is in its lowest terms, divide the number by the bottom part of your fraction.
- Step 5 – finally use the answer you have just got and multiply it by the top part of your fraction.

The answer you have just worked out is the percent of your starting number.

SO: to find 75% of 256

- Step 1 – 75%
- Step 2 – $^{75}/_{100}$
- Step 3 – $^{3}/_{4}$
- Step 4 – $4\overline{)256}$ = 64
- Step 5 – 64 x 3 = 192

So now you have worked out that 75% of 256 is192

Percentages – Shading Squares

Example: Draw a shape made up of 60 squares and shade in 75%.



75% is ¾

- We find ¾ of 60
- 60 ÷ 4 = 15
- 15 x 3 = 45
- So 75% of 60 is 45
- We shade 45 squares

- How many squares are shaded? = 45
- How many squares are unshaded? = 15
- What % of the shape is shaded? = 75%
- What % of the shape is unshaded? = 25%

Decimal Place Value

Multiplying and Dividing by 10 and 100



Multiplying by **10** = move digits **one** places to the left



Multiplying by **100** = move digits **two** places to the left



Dividing by **10** = move digits **one** place to the right
Dividing by **100** = move digits **two** places to the right

Rounding Decimals

Rounding Decimals Poster

Round to the nearest tenths



$56.\underline{6}8 = 56.\underline{7}0$

Steps:

1. Underline the numeral in the place value that you are rounding to.
2. Look at the numeral to the right of the underlined numeral. If it is a 5 or larger, round the underlined numeral up. If it is a 4 or lower, leave the underlined numeral as is.
3. Change every numeral to the right of the underlined numeral to a 0.

Ordering Decimals



Averages

- To find the average of a set of numbers, simply add up the numbers and divide by the amount of numbers you have added.

e.g. Find the average of these 5 numbers: 38 27 51 16 43

38 + 27 + 51 + 16 + 43 = 175
Now divide 175 by 5 (as you had 5 numbers at the start.)
The average is 35

- To find a missing number from a list of numbers when you know the average you need to first work out the total then subtract the numbers you already know.

The mean

The mean is usually known as the average.
The mean is not a value from the original list.
It is a typical value of a set of data

Mean = total of measures ÷ no. of measures

e.g.- Find mean speed of 6 cars travelling on a road

Car 1 – 66mph
Car 2 – 57mph
Car 3 – 71mph
Car 4 – 54mph
Car 5 – 69mph
Car 6 – 58mph



$$\text{Mean} = \frac{66+57+71+54+69+58}{6}$$

$$= \frac{375}{6}$$

$$= 62.5\text{mph}$$

Mean average speed was 62.5mph

e.g 5 children measure their height then calculate their average height. Their average height is 143cm.

Tim is 142cm tall Peter is 153cm tall
Holly is 137cm tall Jane is 144cm tall
How tall is Andrew?

To answer this question, you need to find out how tall the 5 children are altogether, then subtract the heights you already know.

143cm x 5 = 715cm.

Now subtract the heights of the children that you already know (142cm, 153cm, 137cm and 144cm) and you will be left with Andrew's height – 139cm.





Measure Facts

Weight Facts

There are 1000 grams in 1 kilogram.

1g is the same as $^1/_{1000}$ of 1 kg.
10g is the same as $^1/_{100}$ of 1 kg.
100g is the same as $^1/_{10}$ of 1 kg.
250g is the same as $^1/_4$ of 1 kg.
500g is the same as $^1/_2$ of 1 kg.
750g is the same as $^3/_4$ of 1 kg.

To change g into kg you need to divide the number of g by 1000.
e.g. 2000g = 2kg
4500g = 4.5kg

Length Facts

There are 1000 metres in 1 kilometre.

1m is the same as $^1/_{1000}$ of 1 km.
10m is the same as $^1/_{100}$ of 1 km.
100m is the same as $^1/_{10}$ of 1 km.
250m is the same as $^1/_4$ of 1 km.
500m is the same as $^1/_2$ of 1 km.
750m is the same as $^3/_4$ of 1 km.

To change m into km you need to divide the number of m by 1000.
e.g. 2000m = 2km
4500m = 4.5km

Notice the similarities between weight and length measurements.

Did you know?
The prefix **kilo-** means 1000. When you have 1000 smaller measures it's the same as 1 "**kilo-**" measure.

The prefix **milli-** means 1000. It is different to **kilo**- because it really means 1 thing split into 1000 smaller pieces.

Fractions	Decimals	Percentages	Fraction of a metre	Centimetres
¼	0.25	25%	¼ of a metre	25 cm
½	0.5	50%	½ of a metre	50 cm
¾	0.75	75%	¾ of a metre	75 cm
$^1/_5$	0.2	20%	$^1/_5$ of a metre	20 cm
$^1/_{10}$	0.1	10%	$^1/_{10}$ of a metre	10 cm

There are 100 centimetres in a metre.
There are 10 millimetres in a centimetre.
There are 1000 millimetres in a metre.

Did you know…..?

The prefix **cent-** means 100.

LINES

HORIZONTAL

A line ‘straight across’ (parallel to the Earth’s horizon)

VERTICAL

A line straight ‘up and down’ (at right angles to the Earth’s horizon)

A line joining opposite corners in a shape



OBLIQUE a sloping or slanted line

PERPENDICULAR lines that meet or cross at right angles to each other.

Examples:

PARALLEL lines always remain the same distance apart and therefore never meet.

Examples:



The point where lines meet or cross
is called the **INTERSECTION.**

Quadrilaterals

A QUADRILATERAL is a flat shape with FOUR sides. The angles inside all quadrilaterals add up to 360 °.

SQUARE



- all four sides are equal in length
- all four angles are right angles
- opposite sides are parallel
- 4 lines of symmetry

RECTANGLE



- opposite sides are equal in length
- all four angles are right angles
- opposite sides are parallel
- 2 lines of symmetry

RHOMBUS



- all four sides are equal in length
- 2 acute and 2 obtuse angles
- opposite angles are equal
- opposite sides are parallel
- 2 lines of symmetry

PARALLELOGRAM



- opposite sides are equal in length
- 2 acute and 2 obtuse angles
- opposite angles are equal
- opposite sides are parallel
- NO lines of symmetry

More Quadrilaterals

KITE



- 2 pairs of adjacent sides that are equal in length
- one pair of equal opposite angles
- no sides are parallel
- 1 line of symmetry

TRAPEZIUM



- no sides are equal in length
- no equal angles
- one pair of parallel sides
- no lines of symmetry

ISOSCELES TRAPEZIUM



- one pair of sides are equal in length
- two pairs of adjacent angles are equal
- one pair of parallel sides
- one line of symmetry

- **NB** Adjacent angles are those that are next to each other.

TRIANGLES

A TRIANGLE is a flat shape with THREE sides. The angles inside all triangles add up to 180°.

These are the 4 different types of triangles.



EQUILATERAL
- all three sides are equal
- all angles are 60°
- 3 lines of symmetry



ISOSCELES
- two sides equal in length
- two equal angles
- one line of symmetry



RIGHT-ANGLED
- contains one right angle

This right-angled triangle is also isosceles because it has 2 sides the same length and 2 equal angles.



SCALENE
- all three sides are different lengths
- NO equal angles
- NO lines of symmetry

A **POLYGON** is a flat shape with three or more straight sides. The following is a list of names of polygons and the number of straight sides they have.

PENTAGON ~ 5 sides
HEXAGON ~ 6 sides
OCTAGON ~ 8 sides

MOST COMMON

HEPTAGON ~ 7 sides
NONAGON ~ 9 sides
DECAGON ~ 10 sides

LESS COMMON

A **REGULAR** shape has <u>all its sides equal in length</u> and all its angles are equal. A regular shape will have the same number of lines of symmetry as it does sides.



SOLID SHAPES

Solid shapes are also called 3-Dimensional or 3-D shapes because they have 3 dimensions - length, width and height.

The following are 3D shapes and their properties



CUBE

- 6 square faces
- 8 vertices (corners)
- 12 edges

Nets of cubes:



CUBOID

- 6 faces (6 rectangles or 4 rectangles and 2 squares)
- 8 vertices (corners)
- 12 edges

Example of a cuboid net:





CYLINDER



- 2 flat faces (circular)
- 1 curved surface
- 2 curved edges, no vertices
- will roll

a cylinder net:



SPHERE



- a ‘ball’ shape
- one perfectly curved surface
- no vertices or straight edges
- will roll

More 3-D Shapes





CONE
- 1 flat circular face
- 1 curved surface
- 1 curved edge
- 1 vertex





TRIANGULAR PRISM
- 5 faces (3 rectangles and 2 triangles)
- 6 vertices
- 9 straight edges





TRIANGULAR BASED PYRAMID
or TETRAHEDRON
- 4 faces
- 4 vertices
- 6 straight edges





SQUARE BASED PYRAMID
- 5 faces (4 triangles and 1 square)
- 5 vertices
- 8 straight edges

All these solid shapes belong to either the prism or pyramid family.
A **PRISM** keeps its shape all along its length.
A **PYRAMID** narrows to reach a point at the top.

3-D Shapes – Faces, Edges & Vertices

The faces are the flat surfaces of the shape.

The edge of a 3-D shape is the name given where 2 sides meet in the shape.

The vertex (vertices is the plural) is where the corners of the shape meet.



These are the properties of shapes you need to know.

Shape	Faces	Edges	Vertices
Cube	6	12	8
Cuboid	6	12	8
Triangular prism	5	9	6
Triangular based pyramid	4	6	4
Square based pyramid	5	8	5
Cylinder	3	2	0
Cone	2	1	1

AREA

AREA means the amount of space a **flat** shape takes up – like the **surface** of something e.g. your desk or the seat of your chair.

To work out the area of a shape like this, you measure its length and width (breadth) then multiply together these two measurements.

For example: This rectangle measures 8cm wide and 5 cm long.



length = 5cm

width = 8 cm

Area: $5 \times 8 = 40cm^2$

- Don't forget you must ALWAYS write your answer as the measurement squared.

e.g. cm^2, m^2, km^2 — this is the symbol representing "squared"

- Sometimes you are asked to calculate the length of a side given the area and the length of the other side.

To do this, simply reverse the calculation.



5cm x ☐ cm = $20cm^2$

$20cm^2 \div 5cm = 4cm$. – The other side is 4cm.

Find the area of the figure.



Area of Figure = Area A + Area B

Area A = 20cm × 8cm
= 160cm²

matholia

Compound Shapes

To find the area, split the compound shape into smaller shapes. Work out the area of each part and then find the total.



The area of this compound shape is:

30 + 12 = 42m².

Some shapes are made by joining two or more shapes together. These are called compound (or composite) shapes.

To find the perimeter, add the lengths of ALL of the sides. Make sure that you don't miss any!

6 + 5 + 3 + 4 + 3 + 9 = 30m

PERIMETER

PERIMETER means the distance around a space – like the length of a fence around a field.



This rectangle has 2 sides that are 8cm long and 2 sides that are 5cm long.

That means its perimeter is 8cm + 8cm + 5cm+ 5cm = 26cm

Sometimes you are given the perimeter and the length of one side and you are asked to calculate the area of a rectangle.



e.g. a rectangle has a perimeter of 32cm. One side is 6cm long. Calculate the area of the rectangle.

Start by calculating the length of the other sides.

- Opposite sides are the same length, so double the length you already know and subtract it from the length of the perimeter.
    - 6cm x2 = 12cm
    - 32cm - 12cm = 20 cm

- Now divide that number in half and you will have the length of both long and short sides of the rectangle.
    - 20cm ÷ 2 = 10cm
    - The sides of the rectangle are 6cm and 10 cm
    - Multiply the 2 lengths together to find the area.
    - 6cm x 10cm = 60cm^2
- If you know the perimeter of a shape and need to find the area, simply work backwards.

You can calculate the perimeter of a rectilinear shape by adding together the length of each side.
You may need to calculate the length of any sides not given.



a = 6cm + 3cm = **9cm**
b = 10cm - 7cm = **3cm**

The perimeter:
10cm + 3cm + 3cm + 6cm + 7cm + 9cm = **38cm**

VOLUME

VOLUME means the amount of space that is taken up by a container.

To work out the volume of a container, you measure its length, width (breadth) and height, then multiply together these three measurements.

For example: This cuboid measures 3cm high, 3cm wide and 6 cm long.



height = 3 cm

width= 3 cm

length= 6 cm

Volume:

$3 \times 3 \times 6 = 54cm^3$

- Don't forget you must ALWAYS write your answer as the measurement cubed.

e.g. cm^3

m^3 this is the symbol representing "cubed" km^3

Time Facts

60 seconds	=	1 minute	52 weeks	=	1 year
60 minutes	=	1 hour	12 months	=	1 year
24 hours	=	1 day	365 days	=	1 year
7 days	=	1 week	366 days	=	1 leap year (once every 4 years)
14 days	=	1 fortnight			
15 minutes	=	¼ of an hour	5 minutes	=	$^1/_{12}$ of an hour
30 minutes	=	½ an hour	5 minutes	=	$^1/_{12}$ of 360° = 30°
45 minutes	=	¾ of an hour	5 minutes	=	$^1/_3$ of a right angle





REMEMBER

On a clock, the short hand is the hour hand. Notice how you can easily see the number to which it is pointing.

The long hand is the minute hand and tells you how many minutes have passed since the time was at o'clock. Notice how the hand is touching the 12 in the picture.

24 Hour Clock

For one full day to pass, the hour hand (the small hand) on a clock must go around the clock face TWICE.

From midnight ——— to noon

and then from noon ——— to midnight

That's 2 sets of 12 hours which makes 24 hours = 1 day.

In 24 hour time the names of the times are not repeated – we just keep counting the hours that have passed from midnight until we return to 0.

MORNING		AFTERNOON	
12:00 am (midnight)	0000 hours	12:00 pm (noon)	1200 hours
1:00 am	0100 hours	1:00 pm	1300 hours
2:00 am	0200 hours	2:00 pm	1400 hours
3:00 am	0300 hours	3:00 pm	1500 hours
4:00 am	0400 hours	4:00 pm	1600 hours
5:00 am	0500 hours	5:00 pm	1700 hours
6:00 am	0600 hours	6:00 pm	1800 hours
7:00 am	0700 hours	7:00 pm	1900 hours
8:00 am	0800 hours	8:00 pm	2000 hours
9:00 am	0900 hours	9:00 pm	2100 hours
10:00 am	1000 hours	10:00 pm	2200 hours
11:00 am	1100 hours	11:00 pm	2300 hours

NB: It is very important that you don't forget to use the am or pm when using 12 hour clock to tell the difference between morning and afternoon.

Turning and Angles



When we think about angles we are really talking about the amount of turning there is between two lines that are joined at a common point. Don't forget clockwise is the direction the hands on a clock move as times passes and anti-clockwise is the opposite.



The angle on a straight line is always 180° - look at the arrow heads in the picture. If you turned one of the lines from the central point, then the arrow head would have to turn through 180° to end up on top of the other one.

This is a right angle. It is a turn of 90°.



Useful facts to remember

360° = 1 full turn or rotation. It is the same as 4 right angles.
270° = ¾ of a full turn or rotation. It is the same as 3 right angles.
180° = ½ a full turn or rotation. It is the same as 2 right angles.
180° is known as a straight angle.
90° = ¼ of a full turn or rotation. It is known as a right angle.

Other Types of Angles

ACUTE angles are any angles that are smaller than a right angle. That means any angles less than 90°. Here are some examples of acute angles.



OBTUSE angles are any angles that are greater than a right angle, but smaller than a straight angle. That means any angles larger than90° but smaller than 180°. Here are some examples of obtuse angles.



REFLEX angles are those that are greater than a straight angle. That means, more than 180°. Here are some reflex angles.



NB
All acute and obtuse angles have a reflex angle on their outside.





Angles– finding a missing angle

When you need to work out the size of a missing angle, you need to use the information you already know.

REMEMBER

- All the angles inside a triangle add up to 180°
- All the angles inside a quadrilateral add up to 360°

- The angles on a straight line always add up to 180°. It doesn't matter how many angles there are!

  e.g. You find the size of angle b by subtracting the other angles from 180: 45° +39° +24° = 108°

  180° - 108° = 72° so b must be 72°



- Diagonally opposite angles are always the same.



Angles around a point will always add up to 360 degrees



The angles above all add to 360°

$$53° + 80° + 140° + 87° = 360°$$

Because of this, we can find an unknown angle.

Example: What is angle "c"?



To find angle **c** we take the sum of the known angles and subtract that from 360°

Sum of known angles = 110° + 75° + 50° + 63°
= 298°

Angle **c** = 360° − 298°
= 62°



Algebra

Sometimes you will see a number puzzle that looks very tricky.

e.g. a = 6 b = 3
3a + b = c Find the value of c.

The work you may need to do is very similar to work that you did in Key Stage 1.

e.g. 4 x 5 = ☐ or

2 + ☐ = 10 or

☐ x 4 = 12

The only real difference is that the box ☐ has been replaced by a number.

e.g. 4 x 5 = a

In this example, you can easily see a = 20

Look back at the question at the top of the page.

3a + b = c

You know that b = 3 so you can rewrite the sum as: 3a + 3 = c

3a really means (3 sets of a) or (3 multiplied by a.)
If a is 6 then 3a must be 3 x 6 = 18

Now you can rewrite the sum as 18 + 3 = c
18 + 3 = 21 so c must be 21.

Don't forget, in algebra the multiply sign is not used so if you see a number immediately before a letter then you need to multiply.
The division sign ÷ is also not used. b ÷ 2 would be shown as $^{b}/_{2}$.

Remember

2a means 2 times a
ab means a times b
$^{a}/_{2}$ means a divided by 2
$^{a}/_{b}$ means a divided by b