

BUTTERFLY



M/Y BUTTERFLY

KEY FEATURES

- Extremely well maintained by experienced ownership and diligent crew
- Striking Espen Øino International design
- Shallow draft allows entry into spectacular, unique and unexplored anchorages
- Max speed up to 38kts, providing unparalleled flat-water cruising
- Same owner for the past 10 years
- Cutting-edge hull construction and design
- Stunning Scandinavian-inspired interior

PRICE: 8,500,000 USD (DUTY NOT PAID)

Not Offered for Sale or Charter to US Residents whilst in US Waters

Series				
### Danish Type	GENERAL			
TYPE Motor FLAG Marshall Islands CLASSIFICATION DNV HULL NUMBER 116 DIMENSIONS Length O.A. 38m (124'8") Beam 7.5m (24'7") Draft 1.45m (4'9") TONNAGE Gross 251 GT Displacement 150 t CONSTRUCTION Hull Carbon Fibre EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	YEAR BUILT	2011		
FLAG Marshall Islands CLASSIFICATION DNV HULL NUMBER 116 DIMENSIONS Length O.A. 38m (124'8") Beam 7.5m (24'7") Draft 1.45m (4'9") TONNAGE Gross 251 GT Displacement 150 t CONSTRUCTION Hull Carbon Fibre EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	BUILDER	Danish		
CLASSIFICATION DNV HULL NUMBER 116 DIMENSIONS Length O.A. 38m (124'8") Beam 7.5m (24'7") Draft 1.45m (4'9") TONNAGE Gross 251 GT Displacement 150 t CONSTRUCTION Hull Carbon Fibre EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	TYPE	Motor		
DIMENSIONS	FLAG	Marshall Islands		
DIMENSIONS Length O.A. 38m (124'8") Beam 7.5m (24'7") Draft 1.45m (4'9") TONNAGE Gross 251 GT Displacement 150 t CONSTRUCTION Hull Carbon Fibre Superstructure Carbon Fibre EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	CLASSIFICATION	DNV	DNV	
Beam 7.5m (24'7") Draft 1.45m (4'9") TONNAGE Gross 251 GT Displacement 150 t CONSTRUCTION Hull Carbon Fibre Superstructure Carbon Fibre EXTERIOR DESIGNER Espen Øino International	HULL NUMBER	116		
Draft	DIMENSIONS	Length O.A.	38m (124'8")	
TONNAGE Gross 251 GT Displacement 150 t CONSTRUCTION Hull Carbon Fibre Superstructure Carbon Fibre EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275I/h 371nm @ 17 knots with 20% reserve, Burning 750I/h		Beam	7.5m (24'7")	
Displacement 150 t CONSTRUCTION Hull Carbon Fibre Superstructure Carbon Fibre EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h		Draft	1.45m (4'9")	
CONSTRUCTION Hull Carbon Fibre Superstructure Carbon Fibre EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	TONNAGE	Gross	251 GT	
Superstructure Carbon Fibre EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h		Displacement	150 t	
EXTERIOR DESIGNER Espen Øino International INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	CONSTRUCTION	Hull	Carbon Fibre	
INTERIOR DESIGNER Art Line SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h		Superstructure	Carbon Fibre	
SPEED Max 38 Knots Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	EXTERIOR DESIGNER	Espen Øino International		
Cruise 35 knots RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	INTERIOR DESIGNER	Art Line		
RANGE 698nm @ 12 knots with 20% reserve, Burning 275l/h 371nm @ 17 knots with 20% reserve, Burning 750l/h	SPEED	Max	38 Knots	
371nm @ 17 knots with 20% reserve, Burning 750l/h		Cruise	35 knots	
	RANGE	371nm @ 17 knots with 20% reserve, Burning 750l/h		

GUEST ACCOMODATION & CREW		
GUEST	8/10 guests in 4/5 cabins	
CREW	6/8 crew in 3/4 cabins	
MECHANICAL EQUIPME	NT	
MAIN ENGINES	2 x MTU 16V 4000 M93L	
ENGINE HOURS (FEB 2025)	Pt: 4,409 hrs Stbd: 4,355 hrs	
GEARBOX	2 x ZF Marine ZF 9050	
FUEL	Diesel	
PROPULSION	Twin Diesel Engine / Reversible Reduction Gearbox / Clutch / Water Jet	
WATER JET STEERING SYSTEM	MJP 750DD	
STABILISERS	2 x Seakeeper M26000	
BOWTHRUSTER	Ocean Yacht Systems H-0400-S-070-01	
GENERATORS	2 x 63Kw - Fisher Panda 75/S PMS	
GENERATOR HOURS (FEB 2025)	Pt: 1,126 hrs Stbd: 1,103 hrs (Both auxiliary engines replaced FEB 2023)	
ELECTRICITY	400VAC-50HZ 230VAC-50HZ 24VDC	
SHORE POWER	ASEA - AC 45-3 – 45KVA	
MAIN ENGINE START	Electrical	

Electrical

GENERATOR START

MECHANICAL EQUIPMENT		
CHARGERS	Victron SKYLLA-TG 24/50	
CONVERTERS	2 x Noratel 3-PH 20kVA 3LT20.0-23, 400/230V	
EMERGENCY	Mastervolt Mass Combi 24/4000 120A 230VAC 50Hz	
HYDRAULICS	Opacmare Hydraulic Swim Ladder, Custom Hydraulic Garage door, Muir VRC8000 Hydraulic Anchor Windlass, Custom Sun Roof	
AIR CONDITIONING	2 x 40Kw Gas Expansion Systems by SERVEX with TREND PLC control	
WATER MAKER	HEM H25/1600 250 I/hr	
WATER SYSTEM	2 x hydrophore pumps, 1 x Potable water tank 5,700 L	
TOILET SYSTEM	Planus Marine Vortex 24VDC Toilets	
SEWAGE SYSTEM	6200 I Black/Grey water Tank, Tecnicomar ECOMAR 16	
FUEL SEPARATOR	Mhale Fuel Coalescer KFWA-2	
TANK CAPACITIES		
FUEL	20,700 L / 5,470 US Gallons	
WATER / HOT WATER	5,700 L (1,505 US Gallons) / 2 x 98 L (2 x 30 US Gallons)	
LUBE OIL	700 L (185 US Gallons)	

6,200 L (1,510 US Gallons)

BLACK/GREY WATER

NAVIGATION EQUIPMENT	
MAGNETIC COMPASS	Cassens & Plath
GYRO COMPASS	Simrad GC 80
AUTOMATIC PILOT	Simrad AP50
ECHO SOUNDER	Furuno FCV-585
RADAR	Furuno FAR-2107(-BB) Series x 2 (X Band)
AIS	Furuno FA-150 AIS
GPS	Furuno GPS Navigator GP-150 x 2
CHART PLOTTER	TRANSAS/ Wartsila : TimeZero PC
NAVTEX	Furuno NX-700
SEARCHLIGHTS	1 x ColorLight Searchlight System Fixed, 1 x ALDIS Portable
CAMERA(S)	CCTV System

COMMUNICATION EQUIPMENT	
SATCOM	2 x Starlink, VSAT
SAT C	1 x Furuno Felcom 15 Inmarsat-C
VHF	2 x Furuno VHF
SSB	Furuno FS-2571c MFHF
LANDLINE/INTERCOM	Internal phone line and VOIP

1 x Muir VRC8000 Hydraulic
2 x Maxwell VC 3000
1 x Manson Ray 225kg
1 x 17.5 mm 4 x Shackles
Atlas 24VDC Davit SWL 500 kg
C-Quip Carbon Fibre Manual Folding
Open platform with a hydraulic swim ladder and direct access to the water sports garage. Inflatable dock sections deployed from the stern extending 8m.
Cape Shade 160 electric
For main deck aft table and teak furniture

ENTERTAINMENT

Saloon - 2x 55" Samsung HDTV with Bang & Olufsen audio

Master and VIP - 40" Samsung HDTV with Bang & Olufsen audio

Guest Cabins - 24" TV with Bang & Olufsen audio

Garage / Swim area- 31" HDTV with Niles Audio

Deck - Sonance Speakers

Crew Mess – 47" Samsung HDTV with Bang & Olufsen audio

2 x Starlink, VSAT

Crestron Integrated AV system, including Kaleidescape, streaming services and Yacht Information System (YIS) data to all televisions

\sim A I			I D NA	
$(-\Delta)$	1 F Y	FQU		$-\mathbf{n}$

Miele KM 7594 induction hob 5 place

Miele DA5100 Extractor

Miele DGC 7860 Combi Steam oven

Gaggenau Microwave Oven BMP 224/225

Miele G7856 Dishwasher

Isotherm Ice Maker

Miele FN 14827 Freezer

Miele K 14824 Refrigerator/ Freezer

2 x Miele K 14827 SD Refrigerator

Zip Hydrotap G4 BC 100/75

LAUNDRY EQUIPMENT

Miele 3Ph PWM 908 (EL DP MAR) Washer

Miele 3Ph PDR 908 EL Dryer

SECURITY & SAFETY EQUIPMENT

SAFETY	2 x 16 Person life raft	
FIREFIGHTING	Novenco Watermist fire suppression system, FM200 engine room system, Galley Duct CO2, Main and emergency fire pumps, Fire extinguishers (including lithium-Ion fire extinguisher)	

SECURITY & SAFETY EQUIPMENT			
SECURITY	7 x CCTV Cameras, Keycode entry		
TENDERS & WATERSP	PORTS EQUIPMENT		
TENDER	8.3m X-Tender waterjet drive RIB with 500hp Yanmar Diesel V8 3.8m Williams T385S waterjet drive RIB		
WATERSPORTS	2024 Yamaha VX HO WaveRunner with Rescue Sled, 2 x Jetfoiler, 2x Sea bob, 4x SUP, 12 surfboards, complete kite surfing and kite foiling quiver, wing foil quiver, wakeboard, wet suit gear, PFD's, inflatable tow toys.		
DIVING	Full complement of dive gear and dive compressor (air)		
REFIT COMMENTS			
2014 LMC, FL, USA	Installed 2 x Seakeeper M26000 Hydrophore pumps upgrade 2 x Calpeda Shore power converter installation		
2015 DERECKTOR, FL, USA	Bow thruster upgrade to Ocean Yacht Systems H-0400-S-070-0 TV room conversion to crew cabin AV rack installation and AV system upgrade Galley/crew mess upgrade		
2016 RYBOVICH, FL, USA	Anchor and windlass upgrade to Muir VRC8000 hydraulic Replaced auxiliary engines and added slides to aid serviceability Installed AV rack split AC System, Exterior paint Installed 2 x Humphree trim tabs Replaced the opening sunroof mechanism from electric to hydraulic		

Generators and power management system upgrade

REFIT COMMENTS		
2019 MGBW CA, USA	Replace AC compressors Bridge screen upgrade	
2021 LMC, FL, USA	Replaced all side valves Main engines 9-year maintenance and survey	
2022 MGBW, CA, USA	Upgrade to Alarms, Monitoring and Control System Bow Thruster Overhaul Awning overhaul Replaced engine room fans Upgraded all 25 underwater lights Replaced Auxiliary engines	
2024 MGBW, CA, USA	AV system and controller upgrades Replaced AC raw water pumps	
2025 RYBOVICH, FL, USA	Full recoating of the antifoul system (hull and jet units) - 2 coats	

DISCLAIMER

These particulars have been prepared from information provided by the sellers and are intended as a general guide to the vessel. It is up to the purchaser to confirm details of concern to him by survey, inspection and/or enquiry of the seller and to ensure that the purchase contract properly reflects his concern and specific details upon which he may rely. An independent survey is always advised.