

Left blank intentionally.

002 | Contents US Price List | April 2018

system Architecture 011 Frames & screens 012 Connectors & trim 033 Tiles 054 + General information 012 + General information 033 General information 054 + 3 1/2" Thick + 3 1/2" Thick 014 035 Painted 056 Standard Frames 014 - Trim 035 Fabric 057 - 90° Connector Kits 036 058 + 3 1/2" Thick 015 Tackable - 90° Same Height Connector Kits 059 Rasic Frames 015 037 Nuform Stack-on Frames 017 90° Stack-on Connector Kits 038 Nuform Patterned 060 Double Glazed Stack-on Frames - 90° Multi Height Connector Kits 039 Composite Veneer 061 018 + 2 3/4" Thick 019 - 120° Connector Kits 040 Whiteboard 062 + 2 3/4" Thick Standard Frames 019 **041** Paper Management 063 - Basic Frames 020 - Trim 041 Paper Management Tile Stack-on Frames 022 - 90° Connector Kits 042 Reinforcina Kit 064 - Double Glazed Stack-on Frames 023 - 90° Same Height Connector Kits 043 + Perforated 065 + 1 1/2" Thick 024 - 90° Stack-on Connector Kits 044 Communication - Painted 066 - 90° Multi Height Connector Kits Segmented Screens 024 045 Communication - Fabric 067 - Glazed Segmented Screens 025 120° Connector Kits 046 Multi Access - Painted 068 Monolithic Screens Multi Access - Fabric 026 + 1 1/2" Thick Screen Connectors 047 069 Accessory Screens 028 Screen Connectors 047 Double Glazed 070 Monolithic - Painted Freestanding Screens 029 + 1 1/2" Screen to 3 1/2" 071 **Table Mounted Screens** 030 048 Monolithic - Fabric Frame Connector Kits 072 Open Electrified Storage Frame 031 + 2 3/4" Frame to 3 1/2" Frame Same Monolithic with Multi Access + Sliding Doors 032 Height Connector Kits 050 - Painted 073 + ADDWALL to Frame Monolithic with Multi Access 051 Connector Bracket Fabric 074 + Planna Storage Benching End Trim 052 + Planna Storage Benching + Frame to Storwal Storage Multi Access 075 053 Components Technology 077 **General information** 078 **Power Tracks** 086 **Worksurfaces Technology** Components 092 **Power In Feeds** 081 **Jumper Cables** 087 + Floor/Wall 081 **Power and Data Accessories** 093 088 Receptacles + Ceiling Power Pole Kits 082 + USB Power Modules 089 **Storwal Components** 094 + Chimney Power Feed Frame 083 **Task Lights** 090 **Frame Components** 084 + Chicago Electrical Components 084 **Data Components** 091 + Beltline Cover Kits 085 Worksurfaces 097 **Panel Mounted Worksurfaces** 098 **Transaction tops** 114 กดล + General information + General information 114 + Rectangular Tops 099 + For 3 1/2" Thick Frames 115 + For 2 3/4" Thick Frames **Reducing Tops** 100 116 Saddle Tops 101 117 **Supports** 102 Galley Tops + General information 117 103 **Funnel Tops** + Panel Mounted Worksurface Radiused Tops 104 118 Standard Corners 105 + Worksurface Supports 121 + Extended Corners 106 + Storwal and Planna Worksurface + 120° Corners 108 Support Brackets 122 + Conference Tops 109 + Legs and Leg Docking Brackets 123 + Height Adjustable Worksurfaces 110 + 1 1/2" Screen Worksurfaces Storwal Rectangular Tops 111 **Docking Brackets** 126 Storwal Saddle Tops 112 + ADDWALL Worksurfaces + Storwal Galley Tops 113 Support Brackets 127

Conditions of sale

007

US Price List | April 2018 Contents | 003

Contents

Storage 129 Planna Storage **Pedestals** 130 Towers 151 171 + General information 130 + General information 151 + Base Modules 171 - Pedestals with Flat Glides 132 + 7900 Series Front 152 - Lateral 171 - Pedestals with Rectangular Glides 133 Workplace Towers 152 - Hinged Door 173 - Mobile Pedestals 134 + 9900 Series Front 153 Pedestal 174 + 9900 Series Front 135 Workplace Towers 153 + Sliding Doors 175 - Pedestals with Flat Glides Wardrobes + Benching End Trim 135 154 176 - Pedestals with Rectangular Glides 136 + Nuform Front 156 **Storwal Storage** 178 Mobile Pedestals - Wardrobes 137 156 + Base Modules 178 + Nuform Front 138 Overhead storage 158 - Open Bookcase 178 Pedestals with Flat Glides 138 + General information 158 - 9900 Series Front 179 + Composite Veneer Front 139 Storage Bins 160 Nuform Front 181 Pedestals with Flat Glides 139 Hinged Door and Up-Mount Bins 161 Composite Veneer Front 182 + Pedestal Brackets 140 Storage Bin Brackets 162 + Stack Units 183 Laterals 141 + Up-Mount Bin Supports - 16 ¾" H 183 - 29 %" H + General information 141 and Brackets 163 184 + 7900 Series Front 143 + Shelves + Brackets 164 - 35 %" H 186 - Laterals with Flat Glides 143 + Up-Mount Bin Accessories 165 + Wardrobe Towers 188 - Laterals with Rectangular Glides 144 + Twin-Bins 167 - 51" H 188 - 64" H + 9900 Series Front 145 + Twin-Bin Brackets 168 192 - Laterals with Flat Glides 145 + Twin-Bin Accessories 169 – 71" H 196 Laterals with Rectangular Glides 146 + Nuform Front 147 - Laterals with Flat Glides 147 Composite Veneer Front 148 Laterals with Flat Glides 148 + Lateral Brackets 149 Accessories 199 General information 200 Planna Storage 229 + Brackets and Rails 229 Horizontal 204 + Pedestals and Lateral Tops 230 **Panel and Table** 205 + Tops to Accommodate Benching 231 **Modesty Panel** 208 Storwal Storage 232 **Privacy Screens** 211 + Worksurfaces Support Bracket 232 Add-on Glazing 212 + Tackboards 233 + 3 ½" T 212 + Whiteboards 234 + 2 ¾" T - Not Adjacent to Sliding Doors 214 234 - Adjacent to Sliding Doors 235 **Wall Mounted** 217 + Back Painted Glass Whiteboards 236 218 Storage + Case Accessories 237 + Adapter Frames 239 **Overhead Storage** 219 + Frame to Storwal Components 240 **Electrified Twin-Bin** 220 + Lateral Tops 241 Twin Bin 221 **Pedestal** 222 Lateral 223 **Back Painted Glass** 225 SuperStor™ 226 Cushions 227

004 | Contents US Price List | April 2018

| bench | | | | | |
|--|------------|---|------------|---|---------------------|
| Architecture 245 | | | | | |
| General information | 247 | Connectors and Trim | 254 | | |
| Spines | 249 | Tiles | 256 | | |
| + Spine Frames | 249 | + Full Height Spine Tiles | 256 | | |
| + Stack-on Frames+ Spine Support Legs | 251 252 | + Partial Height Spine Tiles+ 10.125" H Stack-On Tiles | 257 261 | | |
| | | Total Trotal Trotal Tribo | | | |
| Technology 263 | | | | | |
| General information | 264 | Electrical Components | 267 | Power and Data Accessories | 269 |
| Power In Feeds | 266 | Data Components | 268 | Electrical Accessories | 270 |
| Worksurfaces 271 | | | | | |
| General information | 273 | Perpendicular worksurface | 282 | Worksurfaces Supports | 288 |
| Rectangular Tops | 275 | 120° Worksurface | 283 | + Perpendicular Application+ Full Gable | 289 29 |
| + Middle Application | 275 | + Middle Application | 283 | + Full Gable Brackets | 292 |
| + Full End Gable Application | 276 | + Full End Gable Application | 284 | + Open H Leg | 293 |
| + Open End Leg Application | 277 | Open End Leg Application | 285 | + Open O Leg | 295 |
| + End Storage Application | 278 | Height Adjustable Worksurface | 286 | + For Electric Height Adjustable | |
| Electrical Access Worksurface | 279 | + Manual Pneumatic | 286 | Application Only | 296 |
| + Middle Application | 279 | + Electric | 287 | Worksurface Top Filler Cap | 297 |
| Full End Gable Application | 280 | | | Worksurface top Filler Cap | 291 |
| + Open End Leg Application | 281 | | | | |
| Storage 299 | | | | | |
| General information | 300 | Laterals | 305 | Twin-Bins and Brackets | 308 |
| Pedestals | 303 | + 7900 Series Front | 305 | Twin-Bin Accessories | 309 |
| + 7900 Series Front | 303 | + 9900 Series Front | 306 | | |
| + 9900 Series Front | 304 | Bookcases | 307 | Trading Desk | 310 |
| Accessories 311 | | | | | |
| General information | 313 | Open leg Accessories | 321 | The Arrivals Collection | 327 |
| Spine Accessories | 314 | Worksurface Dividers | 323 | + Screens | 327 |
| + Up-Mount Bins | 315 | Laurinata Divides Assessadas | | + Upmont Shelves | 328 |
| + Add-on Glazing | 317 | Laminate Divider Accessories | 325 | + Replacement Fabric Skins+ Transaction Tops | 329 331 |
| + Spine Divider with Accessory Rail+ Spine Tackable Divider | 319 320 | Collaborative Collection | 326 | + ITAIISACTION TOPS | 33 |
| tables | | | | | |
| Arrivals Tables Collection 335 | | | | | |
| Standing Height Tables | 336 | Meeting Tables | 337 | Coffee Tables | 338 |
| Worksurfaces 339 | | | | | |
| Square and Rectangular Tops | 341 | Semi-circle Tops | 344 | Hex, Pebble and Rhombus Tops | 347 |
| Racetrack and Boat Tops | 342 | Quarter-circle Tops | 345 | Rectangular Tops with Power Modu | |
| • | - | • | | • . | ai c 340 |
| Round Tops | 343 | Trapezoid Tops | 346 | Bullet, Bean, Oval and Curved Rectangular Tops | 349 |
| Legs & Bases 351 | | | | | |
| Legs | 352 | Bases | 354 | | |
| Accessories 355 | | | | | |
| | | | | | |
| Surface Support Accessories | 356 | Modesty Panels | 358 | | |
| Surface Support Accessories Table Mounted Screens | 356 357 | Modesty Panels Electrical Accessories | 358 363 | | |

US Price List | April 2018 Contents | 005

Contents

veil

Privacy screens 367

Seating 369

Finishes

006 | Contents US Price List | April 2018

Conditions of sale

Refer to the $\underline{\text{Conditions of Sale}}$ document on $\underline{\text{inscapesolutions.com}}$.



System
US Price List
April 2018



system

Architecture



Frames & screens
General information

General information

Inscape System frames are constructed of 16 gauge tubular steel uprights with welded 18 gauge steel crossrails. This strong yet lightweight construction provides ease of movement and reconfiguration.

The simplicity of the frame structure provides an intelligent solution to cable management. The absence of baseplates, apertures and corner posts eliminate barriers that restrict the routing of cables. Cabling may be routed both vertically and horizontally through the panel. Cables are laid into cable managers that easily install between panel crossrails throughout the framework. Cable managers safely cradle and segregate cables. An aperture free system means installation and reconfiguration costs are kept to a minimum. Cabling may also enter the system through the top or face of the panel. Reconfiguration is easy and economical. Cabling simply eases out of the cable managers and is laid back in at the desired point, eliminating the costly need to cut and re-terminate cables for every reconfiguration. Panels do not have creep.

3 1/2" Thick frame

The 3 ½" Thick Frame accommodates approximately 96 Cat6 or 125 Cat5 cables per 13.5"h zone at a fill capacity of 60% between the upright and the tile. Frames and frame specific components for the 3.5" thick frame are denoted by the suffix "-3F".

2 ¾" Thick frame

The 2 $\frac{3}{4}$ " Thick Frame accommodates approximately 52 Cat6 or 67 Cat5 cables per 13.5"h zone at a fill capacity of 60% between the upright and the tile. Frames and frame specific components for the 2.75" thick frame are denoted by the suffix "-2F".

Standard frame


A Standard Frame has a beltline cover kit enabling power to run at the beltline location without the need of a "cut out" tile. Standard frames are available for both the 3.5" and 2.75" thick frames. Frames 37"h and higher come equipped with one wire manager. Electrical and data components must be specified separately. Standard heights that are available include 37", 44", 51", 57" and 64".


NOTE: Tiles cannot be placed over the cover kit on a 2 ¾" thick frame. The Cover Kit frame clip cannot accommodate a tile hanging from the clip. Note: 27"h tiles cannot be mounted in bottom position on a 2 ¾" thick standard frame.

Basic frames

Basic Frames do not include the electrical cover kit but may house power which is to be accessed at all locations with a "cut out" tile. Basic frames 37"h and higher come with one wire manager. Basic frames are available for both the 3.5" and 2.75" thick frames. Basic heights available include 24", 29", 37", 44", 51", 57" and 64". The 3 ½" thick frame by 24"h includes the mounting hardware to attach to a Credenza Storage case when used in a benching application.

Both types of frames feature glides that





provide 1 $\frac{1}{2}$ " height adjustment allowing air to circulate under panels and throughout the office. Frames are available in 6" increments in widths ranging from 18" wide to 60" wide.


Stack on frame

The Stack on Frame consists of a 6.75", 13.5", 20.25" and 27" frame which may be installed on a Standard or Basic frame of the same width or combination of two frames as outlined in the Inscape System Application Guide only. The Stack on frame is load bearing to one storage unit above 64" height and may be stacked up to 91"h. Tiles and trim are specified separately. The top cap from the base frame may be used on the stack on frame. Stack on frames are frame thickness specific and should be specified accordingly.

Double glazed stack-on kit

Double Glazed Stack-On Kit is a stack on frame with a double glazed insert. The 24" to 60" wide Double Glazed Stack is a fully welded frame stack on. Double Glazed Stacks which are 54" and wider are kitted and are installed on site. The Double Glazed Stack on is not load bearing and no stacks can be stacked on top of the Double Glaze. Stack on frames are frame thickness specific and should be specified accordingly. Finishes are available in Clear or Frosted Acrylic to match Double Glazed tile.

| | | Dimensions | | | | | | |
|---------|---------|-----------------------------|--|-------------------------------|-----------------------------|--|--|--|
| SYSTEM | TRIM | A TOP CAP TO TOP TILE | | C BOTTOM TILE TO FLOOR* | D FLOOR TO CANTILEVER | | | |
| INSCAPE | Tapered | 1.1 | 24"h = 20.050 29"h = 26.800 37"h = 33.550 | j | | | | |
| SYSTEM | Flat | 0.65 | 44"h = 40.300 51"h = 47.050 57"h = 53.800 64"h = 60.550 | j | 27.24 | | | |



Note: Dimensions 'C' & 'D' measured with frames at lowest glide position. Frame can be raised up to 1.500" depending on configuraiton and leveling.

1 1/2" thick screen

The 1.5" Thick Screen is available in a freestanding version or one that is intended to be joined to adjacent screens. The screen is inclusive of a finished frame, ½" tackable core (fabric option) and glides. Various configurations of the segmented or monolithic screen are available including all fabric, fabric with acrylic or resin and polycarbonate. Whiteboard accessories should follow the same guidelines as the Whiteboard tile. No assembly is required with the screen.

Table mounted screen

The Table Mounted Screen is constructed of a 1.5" thick extruded aluminum frame and is designed to provide modesty and privacy to adjacent work areas. This 37" high screen mounts onto a 1" or 1.25" thick worksurface and may be adjusted vertically to create the desired privacy or modesty. The tackable ½" thick core may be specified in any of Inscape's standard fabrics or COM. Height adjustable brackets allow for various screen height positions. It is recommended that the table mounted screen be installed 20" above the surface with 16" below. Table mounted screens cannot be attached to 1.5" thick screen brackets attaching to thicker frames.

1 1/2" electrified storage frame

The 1.5" Electrified Storage Frame is an open structure frame which is positioned between Electrified Storage units to allow technology to run through when a 1 $\frac{1}{2}$ " connection is required and a 1 $\frac{1}{2}$ " screen is to run perpendicular to Electrified Storage spine.



Inscape system sliding door

Inscape System Sliding Door is a 1 ½" thick extruded aluminum frame which is available to match 51" and 64" panel heights and openings of 36" and 42". The sliding door includes a door assembly consisting of door trim, polycarbonate panel, two door pulls, two 2.5" adjustable wheels and top/bottom connector brackets to attach to the panel frame. A locking version is available and is secured in the closed position by a lock at the opposite side of the handle. Polycarbonate has naturally occurring variations in the material. The tile configuration must be such that the crossrail at 37" high is accessible where the lock mechanism is located. See Inscape System Application Guide.

The 36" wide sliding door is installed on any panel or combination of panels 42" in width.

The 42" wide sliding door is installed on any panel or combination of panels 48" in width.

Sliding Doors are handed and need to be specified left or right for the direction in which the door is required to slide once installed on the front of the workstation.



General information

To facilitate specification of connector kits for various multi-height panel configurations, preconfigured connector kits have been created. Connector kits include all the vertical trims, connectors, plugs and plates required to make and complete the connection at the junction point.

The panel configurations shown on the following pages have been grouped according to the type of connection: 'L' Connection (two-way 90°), 'T' Connection (three-way 90°), 'X' Connection (four-way 90°), 'V' Connection (two-way 120°) and 'Y' Connection (three-way 120°). Identify the desired connection and panel configuration and specify connectors as outlined below. A variety of panel configurations are shown on the following pages. Some configurations have more than one product code. An explanation of the product codes follow:

Product code key example

| INCPI | 5053 | | / | | |
|-------|----------------------|-----|-----|---|-----|
| INCP | panel connector | | | | 51" |
| T | three-way connection | | 1 | | |
| 5 | 51" high panel | | 1 | 7 | |
| 0 | no panel | 51" | | | 97 |
| 5 | 51" high panel | | 1 1 | | |
| 3 | 37" high panel | | 1 | - | |

The prefix to the four digits in the product number represent the following: 'CP'-panel connector, 'L'-2-way connection, 'T'-3 way connection, 'X'-4-way connection, 'V'-2-way 120°connection and 'Y'3- way 120°connection. The four digits represent the different heights of panels to be connected. Heights are represented by the first digit.

64" high panel -6 51" high panel -5 37" high panel -3

To specify the correct panel junction, start with the highest panel and move clockwise. For example: To specify a 3-way connection comprised of 51" high and 37"high panels, start with the highest panel, 51" - 5. Proceed clockwise, 0 for no panels, 5 for 51" and 3 for 37". The code is 5053.

Finishes

Vertical trims are available in any of the colors shown in our current Paint Card and Fans plus textured paint and veneer trim finishes.

NOTE: Tapered vertical trim is available in any of the colors shown in our current Paint Canr and Fans plus textured paint finishes.

If you don't find your configuration listed as standard product, send your request to specials@inscapesolutions.com with a copy of the connection layout.



Frames and Screens 3 1/2" Thick Standard Frames

Product code key example:

INOF348-3F

INOF Inscape System Frame

3 37" high48" wide

3F 3 ½" thick frame w/ electrical cover

plate

General information

- Includes electrical cover kit at the beltline location painted in Eco Black
- 2" deep glide cap color of black or gray (gray default)
- 1 wire manager hanger included with frame
- Compatible with electrical launched December 2010 only
- A Beltline power track is to be specified in the beltline location
- Rectangular glides available for an upcharge of \$11 per frame

Notes

- 18"-24" wide frames do not come with electrical cutouts
- 30" wide frames come with only 1 cutout
- Top caps are to be ordered separately

| scription | | Part number | Height | Width | Thickness | List Price |
|-----------|----------------|-------------|--------|-------|-----------|------------|
| 37" H | Standard Frame | INOF318-3F | 37" | 18" | 3 ½" | \$275 |
| | | INOF324-3F | 37" | 24" | 3 ½" | \$280 |
| | | INOF330-3F | 37" | 30" | 3 ½" | \$294 |
| | | INOF336-3F | 37" | 36" | 3 ½" | \$300 |
| | | INOF342-3F | 37" | 42" | 3 ½" | \$305 |
| | | INOF348-3F | 37" | 48" | 3 ½" | \$310 |
| 1 1 | | INOF354-3F | 37" | 54" | 3 ½" | \$313 |
| | | INOF360-3F | 37" | 60" | 3 ½" | \$324 |
| 44" H | Standard Frame | INOF418-3F | 44" | 18" | 3 ½" | \$301 |
| | | INOF424-3F | 44" | 24" | 3 1/2" | \$302 |
| | | INOF430-3F | 44" | 30" | 3 ½" | \$306 |
| | | INOF436-3F | 44" | 36" | 3 ½" | \$313 |
| | | INOF442-3F | 44" | 42" | 3 ½" | \$320 |
| | | INOF448-3F | 44" | 48" | 3 ½" | \$326 |
| | | INOF454-3F | 44" | 54" | 3 ½" | \$328 |
| | | INOF460-3F | 44" | 60" | 3 ½" | \$330 |
| 51" H | Standard Frame | INOF518-3F | 51" | 18" | 3 ½" | \$315 |
| | | INOF524-3F | 51" | 24" | 3 ½" | \$320 |
| | | INOF530-3F | 51" | 30" | 3 ½" | \$328 |
| | | INOF536-3F | 51" | 36" | 3 ½" | \$338 |
| | | INOF542-3F | 51" | 42" | 3 ½" | \$346 |
| | | INOF548-3F | 51" | 48" | 3 ½" | \$361 |
| | | INOF554-3F | 51" | 54" | 3 ½" | \$365 |
| 1 | | INOF560-3F | 51" | 60" | 3 ½" | \$377 |
| 57" H | Standard Frame | INOF5718-3F | 57" | 18" | 3 ½" | \$336 |
| 0-01 | | INOF5724-3F | 57" | 24" | 3 ½" | \$345 |
| | | INOF5730-3F | 57" | 30" | 3 ½" | \$352 |
| or my | | INOF5736-3F | 57" | 36" | 3 ½" | \$368 |
| | | INOF5742-3F | 57" | 42" | 3 ½" | \$378 |
| | | INOF5748-3F | 57" | 48" | 3 ½" | \$393 |
| - | | INOF5746-3F | 57" | 54" | 3 ½" | \$397 |
| | | INOF5760-3F | 57" | 60" | 3 ½" | \$410 |
| - | | | | | | |
| 64" H | Standard Frame | INOF618-3F | 64" | 18" | 3 ½" | \$351 |
| | | INOF624-3F | 64" | 24" | 3 1/2" | \$362 |
| | | INOF630-3F | 64" | 30" | 3 ½" | \$372 |
| | | INOF636-3F | 64" | 36" | 3 1/2" | \$388 |
| | | INOF642-3F | 64" | 42" | 3 ½" | \$402 |
| | | INOF648-3F | 64" | 48" | 3 1/2" | \$417 |
| | | INOF654-3F | 64" | 54" | 3 ½" | \$421 |
| 8 8 | | INOF660-3F | 64" | 60" | 3 ½" | \$436 |



Product code key example: **INOF348-3NPF**

INOF Inscape System Frame

3 37" high 48 48" wide

3NPF 3 ½" thick frame non powered

General information

- 2" deep glide cap color of black or gray (gray default)
- 24"h frame is equipped with hardware to attach to storage case
- 1 wire manager hanger included with frame
- Compatible with electrical launched after December 2010 only
- If powering a Basic frame, an Upper Deck power track kit is to be specified for all locations in the 3.5" thick frame
- Rectangular glides available for an upcharge of \$11 per frame

Notes

• Top caps are to be ordered separately

| Description | | Part number | Height | Width | Thickness | List Price |
|-------------|-------------------|---------------|--------|------------|-----------|----------------|
| | 24" H Basic Frame | INOF2418-3NPF | 24" | 18" | 3 ½" | \$156 |
| | | INOF2424-3NPF | 24" | 24" | 3 1/2" | \$160 |
| | | INOF2430-3NPF | 24" | 30" | 3 ½" | \$168 |
| | | INOF2436-3NPF | 24" | 36" | 3 ½" | \$172 |
| 7 | | INOF2442-3NPF | 24" | 42" | 3 ½" | \$175 |
| | | INOF2448-3NPF | 24" | 48" | 3 ½" | \$177 |
| | | INOF2454-3NPF | 24" | 54" | 3 ½" | \$180 |
| | | INOF2460-3NPF | 24" | 60" | 3 ½" | \$183 |
| | 29" H Basic Frame | INOF218-3NPF | 29" | 18" | 3 ½" | \$197 |
| | | INOF224-3NPF | 29" | 24" | 3 ½" | \$199 |
| | | INOF230-3NPF | 29" | 30" | 3 ½" | \$211 |
| | | INOF236-3NPF | 29" | 36" | 3 ½" | \$214 |
| | | INOF242-3NPF | 29" | 42" | 3 ½" | \$217 |
| 7 7 | | INOF248-3NPF | 29" | 48" | 3 ½" | \$219 |
| | | INOF254-3NPF | 29" | 54" | 3 ½" | \$219 |
| | | INOF260-3NPF | 29" | 60" | 3 ½" | \$223 |
| | 37" H Basic Frame | INOF318-3NPF | 37" | 18" | 3 ½" | \$206 |
| | or ribadio riamo | INOF324-3NPF | 37" | 24" | 3 ½" | \$211 |
| | | INOF330-3NPF | 37" | 30" | 3 1/2" | \$220 |
| | | INOF336-3NPF | 37" | 36" | 3 ½" | \$223 |
| | | | | | | \$223 \$227 |
| | | INOF342-3NPF | 37" | 42" | 3 ½" | • |
| 물 | | INOF348-3NPF | 37" | 48" | 3 ½" | \$228 |
| | | INOF354-3NPF | 37" | 54" | 3 ½" | \$230 |
| | | INOF360-3NPF | 37" | 60" | 3 ½" | \$234 |
| | 44" H Basic Frame | INOF418-3NPF | 44" | 18" | 3 ½" | \$231 |
| | | INOF424-3NPF | 44" | 24" | 3 1/2" | \$234 |
| | | INOF430-3NPF | 44" | 30" | 3 ½" | \$236 |
| | | INOF436-3NPF | 44" | 36" | 3 ½" | \$240 |
| - | | INOF442-3NPF | 44" | 42" | 3 ½" | \$244 |
| | | INOF448-3NPF | 44" | 48" | 3 ½" | \$248 |
| | | INOF454-3NPF | 44" | 54" | 3 ½" | \$252 |
| 7 7 | | INOF460-3NPF | 44" | 60" | 3 ½" | \$256 |
| | 51" H Basic Frame | INOF518-3NPF | 51" | 18" | 3 ½" | \$246 |
| | or ir basic riame | INOF524-3NPF | 51" | 24" | 3 ½" | \$249 |
| | | INOF530-3NPF | 51" | 24 30" | 3 ½" | \$249 \$254 |
| | | INOF536-3NPF | 51" | | | |
| | | | | 36" 40" | 3 ½" | \$259 |
| | | INOF542-3NPF | 51" | 42" | 3 ½" | \$268 |
| | | INOF548-3NPF | 51" | 48" | 3 ½" | \$278 |
| | | INOF554-3NPF | 51" | 54" | 3 ½" | \$282 |
| 보 | | INOF560-3NPF | 51" | 60" | 3 ½" | \$289 |



Frames and Screens 3 1/2" Thick Basic Frames

Product code key example: **INOF648-3NPF**

INOF Inscape System Frame

6 64" high 48" wide

3NPF 3 ½" thick frame non powered

General information

- 2" deep glide cap color of black or gray (gray default)
- 24"h frame is equipped with hardware to attach to storage case
- 1 wire manager hanger included with frame
- Compatible with electrical launched after December 2010 only
- If powering a Basic frame, an Upper Deck power track kit is to be specified for all locations in the 3.5" thick frame
- Rectangular glides available for an upcharge of \$11 per frame

Notes

• Top caps are to be ordered separately

| scription | | Part number | Height | Width | Thickness | List Price |
|-----------|------------------|---|---------------------------------|--|------------------------------------|--|
| 5 | 7" H Basic Frame | INOF5718-3NPF | 57" | 18" | 3 ½" | \$269 |
| | | INOF5724-3NPF | 57" | 24" | 3 ½" | \$276 |
| | | INOF5730-3NPF | 57" | 30" | 3 ½" | \$279 |
| | | INOF5736-3NPF | 57" | 36" | 3 ½" | \$290 |
| | | INOF5742-3NPF | 57" | 42" | 3 1/2" | \$300 |
| | | INOF5748-3NPF | 57" | 48" | 3 ½" | \$308 |
| | | INOF5754-3NPF | 57" | 54" | 3 1/2" | \$310 |
| | | INOF5760-3NPF | 57" | 60" | 3 1/2" | \$322 |
| 6 | 4" H Basic Frame | INOF618-3NPF INOF624-3NPF INOF630-3NPF INOF636-3NPF INOF642-3NPF INOF648-3NPF | 64" 64" 64" 64" 64" | 18" 24" 30" 36" 42" 48" | 3 ½" 3 ½" 3 ½" 3 ½" 3 ½" 3 ½" 3 ½" | \$28 \$29 \$29 \$31 \$32 \$33 |
| | | INOF654-3NPF | 64" | 54" | 3 ½" | \$334 |
| - II | | INOF660-3NPF | 64" | 60" | 3 ½" | \$348 |



Product code key example: INSF048-3F

INSF Inscape System Stack-on Frame

0 6.75" high48 48" wide3F 3 ½ thick frame

General information

- Fully welded stack on kits easily installed and removed to adjust panel heights
- Load bearing only one overhead unit on frame higher than 64"h
- Stack on frames may span multiple frames
 *See Application Guide for spanning guidelines

Notes

- Be sure to specify correct thickness of stack frame based on the frame it is being installed on
- May be stacked up to 91" high

| Description | | Part number | Height | Width | Thickness | List Price |
|--|--------------------------|-------------|--------|-------|-----------|------------|
| | 6.75" H Single Stack-On | INSF018-3F | 6.75" | 18" | 3 ½" | \$135 |
| | _ | INSF024-3F | 6.75" | 24" | 3 ½" | \$139 |
| The state of the s | | INSF030-3F | 6.75" | 30" | 3 ½" | \$140 |
| l I | | INSF036-3F | 6.75" | 36" | 3 ½" | \$143 |
| THE REAL PROPERTY. | | INSF042-3F | 6.75" | 42" | 3 ½" | \$146 |
| | | INSF048-3F | 6.75" | 48" | 3 ½" | \$151 |
| N | | INSF054-3F | 6.75" | 54" | 3 ½" | \$152 |
| | | INSF060-3F | 6.75" | 60" | 3 ½" | \$155 |
| | 13.5" H Single Stack-On | INSF118-3F | 13.5" | 18" | 3 ½" | \$141 |
| 1 | | INSF124-3F | 13.5" | 24" | 3 ½" | \$143 |
| 9 | | INSF130-3F | 13.5" | 30" | 3 ½" | \$144 |
| | | INSF136-3F | 13.5" | 36" | 3 ½" | \$147 |
| | | INSF142-3F | 13.5" | 42" | 3 ½" | \$151 |
| | | INSF148-3F | 13.5" | 48" | 3 ½" | \$156 |
| | | INSF154-3F | 13.5" | 54" | 3 ½" | \$159 |
| | | INSF160-3F | 13.5" | 60" | 3 ½" | \$160 |
| | 20.25" H Single Stack-On | INSF2018-3F | 20.25" | 18" | 3 ½" | \$147 |
| | | INSF2024-3F | 20.25" | 24" | 3 ½" | \$152 |
| O STATE OF THE PARTY OF THE PAR | | INSF2030-3F | 20.25" | 30" | 3 ½" | \$154 |
| | | INSF2036-3F | 20.25" | 36" | 3 ½" | \$159 |
| CONTRACTOR OF THE PARTY OF THE | | INSF2042-3F | 20.25" | 42" | 3 ½" | \$162 |
| | | INSF2048-3F | 20.25" | 48" | 3 ½" | \$165 |
| | | INSF2054-3F | 20.25" | 54" | 3 ½" | \$166 |
| | | INSF2060-3F | 20.25" | 60" | 3 ½" | \$168 |
| 500 | 27" H Single Stack-On | INSF218-3F | 27" | 18" | 3 ½" | \$161 |
| | - | INSF224-3F | 27" | 24" | 3 ½" | \$167 |
| 9 | | INSF230-3F | 27" | 30" | 3 ½" | \$168 |
| | | INSF236-3F | 27" | 36" | 3 ½" | \$172 |
| 4 | | INSF242-3F | 27" | 42" | 3 ½" | \$174 |
| E M | | INSF248-3F | 27" | 48" | 3 ½" | \$179 |
| 1 | | INSF254-3F | 27" | 54" | 3 ½" | \$180 |
| | | INSF260-3F | 27" | 60" | 3 ½" | \$181 |



Frames and Screens
3 1/2" Thick Double Glazed Stack-on Frames

Product code key example: INSTGL24-3F

INST Inscape System stack-on frame

GL double glaze24 24" wide

3F 3 ½" thick frame

General information

- Clear and frosted acrylic options available
- Must only be installed in the top location
- Is not load bearing
- Stack on Double Glaze may span two frames. *See Application Guide for spanning guidelines
- 24" to 48" wide kits consist of welded frames
- 54" to 96" wide kits are kitted and must be assembled onsite


Notes

Be sure to specify correct thickness of stack frame based on the frame it is being installed on

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INSTGL24-3F in Frosted Acrylic would be \$412 +\$71





2 3/4" Thick Standard Frames

Product code key example INOF342 - 2F

INOF Inscape System frame

3 37" high42" wide

2F 2 ¾" thick standard frame

General information

- Includes electrical cover kit at the beltline location painted in Eco Black
- 2" deep glide cap color of black or gray (gray default)
- 1 wire manager hanger included with frame
- Compatible with electrical launched after December 2010 only
- A Beltline power track is to be specified in the beltline location
- See Application guide for restrictions with cabling
- Rectangular glides available for an upcharge of \$11 per frame

Notes

- 18"-24" wide frames do not come with electrical cut outs
- 30" wide frames come with 1 electrical cutout
- 27"h tiles cannot be mounted in bottom position on a 2.75" thick standard frame
- Tiles cannot be placed over cover kit (beltline location) on 2.75" frame
- Top caps are to be ordered separately

| Description | | Part number | Height | Width | Thickness | List Price |
|-------------|----------------------|----------------------------|--------|-----------|---------------------------------|----------------|
| 56 | 37" H Standard Frame | INOF318-2F | 37" | 18" | 2 3/4" | \$275 |
| | | INOF324-2F | 37" | 24" | 2 ¾" | \$280 |
| | | INOF330-2F | 37" | 30" | 2 3/4" | \$294 |
| | | INOF336-2F | 37" | 36" | 2 3/4" | \$300 |
| | | INOF342-2F | 37" | 42" | 2 ¾" | \$305 |
| | | INOF348-2F | 37" | 48" | 2 3/4" | \$310 |
| 1 1 | | INOF354-2F | 37" | 54" | 2 3/4" | \$313 |
| | | INOF360-2F | 37" | 60" | 2 3/4" | \$324 |
| 25 | 44" H Standard Frame | INOF418-2F | 44" | 18" | 2 3/4" | \$301 |
| | | INOF424-2F | 44" | 24" | 2 3/4" | \$302 |
| | | INOF430-2F | 44" | 30" | 2 ¾" | \$306 |
| | | INOF436-2F | 44" | 36" | 2 3/4" | \$313 |
| | | INOF442-2F | 44" | 42" | 2 3/4" | \$320 |
| | | INOF448-2F | 44" | 48" | 2 3/4" | \$326 |
| | | INOF454-2F | 44" | 54" | 2 3/4" | \$328 |
| | | INOF460-2F | 44" | 60" | 2 3/4" | \$330 |
| | 51" H Standard Frame | INOF518-2F | 51" | 18" | 2 ¾" | \$315 |
| | | INOF524-2F | 51" | 24" | 2 3/4" | \$320 |
| | | INOF530-2F | 51" | 30" | 2 3/4" | \$328 |
| | | INOF536-2F | 51" | 36" | 2 3/4" | \$338 |
| | | INOF542-2F | 51" | 42" | 2 3/4" | \$346 |
| | | INOF548-2F | 51" | 48" | 2 3/4" | \$361 |
| | | INOF554-2F | 51" | 54" | 2 3/4" | \$365 |
| <u> </u> | | INOF560-2F | 51" | 60" | 2 3/4" | \$377 |
| | 57" H Standard Frame | INOF5718-2F | 57" | 18" | 2 3/4" | \$336 |
| | 37 Trotandard Traine | INOF5724-2F | 57" | 24" | 2 3/4" | \$345 |
| | | INOF5730-2F | 57" | 30" | 2 ³ / ₄ " | \$352 |
| | | INOF5736-2F | 57" | 36" | 2 3/4" | \$368 |
| | | INOF5730-2F | 57" | 42" | 2 ³ / ₄ " | \$378 |
| | | INOF5742-2F INOF5748-2F | 57" | 42 48" | 2 ³ / ₄ " | \$393 |
| | | INOF5746-2F | 57" | 54" | 2 ³ / ₄ " | \$393 \$397 |
| | | INOF5754-2F | 57" | 60" | 2 3/4" | \$410 |
| | 64" H Standard Frame | INOF618-2F | 64" | 18" | 2 ¾" | \$351 |
| | or restandard rame | INOF624-2F | 64" | 24" | 2 3/4" | \$362 |
| | | INOF630-2F | 64" | 30" | 2 3/4" | \$372 |
| | | INOF636-2F | 64" | 36" | 2 3/4" | \$388 |
| | | INOF642-2F | 64" | 42" | 2 3/4" | \$402 |
| | | INOF648-2F | 64" | 42 48" | 2 ³ / ₄ " | \$402 \$417 |
| | | INOF654-2F | 64" | 54" | 2 ³ / ₄ " | \$417 \$421 |
| | | INOF660-2F | 64" | 60" | 2 ³ / ₄ " | \$436 |



Frames and Screens 2 3/4" Thick Basic Frames

Product code key example

INOF342 - 2NPF

INOF Inscape System frame

3 37" high42" wide

2NPF 2 3/4" thick frame non powered

General information

- 2" deep glide cap color of black or gray (gray default)
- 24"h frame is equipped with hardware to attach to storage case
- 1 wire manager hanger included with frame
- Compatible with electrical launched after December 2010 only
- If powering a Basic frame, an Upper Deck power track kit is to be specified for all locations in the 2.75" thick frame
- Rectangular glides available for an upcharge of \$11 per frame

Notes

- 18"-24" wide frames do not come with electrical cut outs
- 30" wide frames come with 1 electrical cutout
- Top caps are to be ordered separately

| Description | | Part number | Height | Width | Thickness | List Price |
|-------------|-------------------|---------------|--------|-------|-----------|------------|
| | 24" H Basic Frame | INOF2418-2NPF | 24" | 18" | 2 ¾" | \$156 |
| | | INOF2424-2NPF | 24" | 24" | 2 ¾" | \$160 |
| | | INOF2430-2NPF | 24" | 30" | 2 ¾" | \$168 |
| | | INOF2436-2NPF | 24" | 36" | 2 ¾" | \$172 |
| I I | | INOF2442-2NPF | 24" | 42" | 2 ¾" | \$175 |
| | | INOF2448-2NPF | 24" | 48" | 2 ¾" | \$177 |
| | | INOF2454-2NPF | 24" | 54" | 2 ¾" | \$180 |
| | | INOF2460-2NPF | 24" | 60" | 2 ¾" | \$183 |
| | 29" H Basic Frame | INOF218-2NPF | 29" | 18" | 2 ¾" | \$197 |
| | | INOF224-2NPF | 29" | 24" | 2 ¾" | \$199 |
| İ | | INOF230-2NPF | 29" | 30" | 2 ¾" | \$211 |
| | | INOF236-2NPF | 29" | 36" | 2 ¾" | \$214 |
| <u></u> | | INOF242-2NPF | 29" | 42" | 2 ¾" | \$217 |
| • | | INOF248-2NPF | 29" | 48" | 2 ¾" | \$219 |
| | | INOF254-2NPF | 29" | 54" | 2 ¾" | \$221 |
| | | INOF260-2NPF | 29" | 60" | 2 ¾" | \$223 |
| | 37" H Basic Frame | INOF318-2NPF | 37" | 18" | 2 ¾" | \$206 |
| | | INOF324-2NPF | 37" | 24" | 2 ¾" | \$211 |
| | | INOF330-2NPF | 37" | 30" | 2 ¾" | \$220 |
| | | INOF336-2NPF | 37" | 36" | 2 ¾" | \$223 |
| | | INOF342-2NPF | 37" | 42" | 2 ¾" | \$227 |
| <u> </u> | | INOF348-2NPF | 37" | 48" | 2 ¾" | \$228 |
| | | INOF354-2NPF | 37" | 54" | 2 ¾" | \$230 |
| | | INOF360-2NPF | 37" | 60" | 2 ¾" | \$234 |
| | 44" H Basic Frame | INOF418-2NPF | 44" | 18" | 2 ¾" | \$231 |
| | | INOF424-2NPF | 44" | 24" | 2 ¾" | \$234 |
| 1 1 | | INOF430-2NPF | 44" | 30" | 2 ¾" | \$236 |
| | | INOF436-2NPF | 44" | 36" | 2 ¾" | \$240 |
| | | INOF442-2NPF | 44" | 42" | 2 ¾" | \$244 |
| 1 1 | | INOF448-2NPF | 44" | 48" | 2 ¾" | \$248 |
| | | INOF454-2NPF | 44" | 54" | 2 ¾" | \$252 |
| T T | | INOF460-2NPF | 44" | 60" | 2 ¾" | \$256 |
| | 51" H Basic Frame | INOF518-2NPF | 51" | 18" | 2 3/4" | \$246 |
| | | INOF524-2NPF | 51" | 24" | 2 ¾" | \$249 |
| | | INOF530-2NPF | 51" | 30" | 2 ¾" | \$254 |
| | | INOF536-2NPF | 51" | 36" | 2 3/4" | \$259 |
| | | INOF542-2NPF | 51" | 42" | 2 ¾" | \$268 |
| | | INOF548-2NPF | 51" | 48" | 2 ¾" | \$278 |
| | | INOF554-2NPF | 51" | 54" | 2 ¾" | \$282 |
| <u></u> | | INOF560-2NPF | 51" | 60" | 2 ¾" | \$289 |



Product code key example

INOF642 - 2NPF

INOF Inscape System frame

6 64" high42" wide

2NPF 2 3/4" thick frame non powered

General information

- 2" deep glide cap color of black or gray (gray default)
- 24"h frame is equipped with hardware to attach to storage case
- 1 wire manager hanger included with frame
- Compatible with electrical launched after December 2010 only
- If powering a Basic frame, an Upper Deck power track kit is to be specified for all locations in the 2.75" thick frame
- Rectangular glides available for an upcharge of \$11 per frame

Notes

- 18"-24" wide frames do not come with electrical cut outs
- 30" wide frames come with 1 electrical cutout
- Top caps are to be ordered separately

| Description | | Part number | Height | Width | Thickness | List Price |
|-------------|-------------------|---------------|--------|-------|-----------|------------|
| | 57" H Basic Frame | INOF5718-2NPF | 57" | 18" | 2 ¾" | \$269 |
| | | INOF5724-2NPF | 57" | 24" | 2 ¾" | \$276 |
| | | INOF5730-2NPF | 57" | 30" | 2 ¾" | \$279 |
| | | INOF5736-2NPF | 57" | 36" | 2 ¾" | \$290 |
| | | INOF5742-2NPF | 57" | 42" | 2 ¾" | \$300 |
| | | INOF5748-2NPF | 57" | 48" | 2 ¾" | \$308 |
| | | INOF5754-2NPF | 57" | 54" | 2 ¾" | \$310 |
| | | INOF5760-2NPF | 57" | 60" | 2 3/4" | \$322 |
| 2 2 | | | | | | |
| | 64" H Basic Frame | INOF618-2NPF | 64" | 18" | 2 ¾" | \$285 |
| 7 | | INOF624-2NPF | 64" | 24" | 2 ¾" | \$294 |
| | | INOF630-2NPF | 64" | 30" | 2 ¾" | \$295 |
| 7 | | INOF636-2NPF | 64" | 36" | 2 ¾" | \$310 |
| | | INOF642-2NPF | 64" | 42" | 2 ¾" | \$325 |
| | | INOF648-2NPF | 64" | 48" | 2 ¾" | \$333 |
| | | INOF654-2NPF | 64" | 54" | 2 ¾" | \$334 |
| | | INOF660-2NPF | 64" | 60" | 2 ¾" | \$348 |
| | | | | | | |
| | | | | | | |



Frames and Screens 2 3/4" Thick Stack-on Frames

Product code key example: INSF048-2F

INSF Inscape System Stack-on Frame

0 6.75" high48 48" wide2F 2 ¾" thick frame

General information

- Fully welded stack on kits easily installed and removed to adjust panel height.
- Load bearing only one overhead unit on frame higher than 64"h only.
- Stack on frames may span multiple frames.
 See Application Guide for spanning guidelines.

Notes

- Be sure to specify correct thickness of stack frame based on the frame it is being installed on
- May be stacked up to 91" high

| Description | | Part number | Height | Width | Thickness | List Price |
|-------------|-------------------|-------------|--------|-------|-----------|------------|
| 6.75" H | Single Stack-On | INSF018-2F | 6.75" | 18" | 2 ¾" | \$135 |
| | • | INSF024-2F | 6.75" | 24" | 2 3/4" | \$139 |
| | | INSF030-2F | 6.75" | 30" | 2 3/4" | \$140 |
| B | | INSF036-2F | 6.75" | 36" | 2 ¾" | \$143 |
| | | INSF042-2F | 6.75" | 42" | 2 ¾" | \$146 |
| | | INSF048-2F | 6.75" | 48" | 2 ¾" | \$151 |
| N . | | INSF054-2F | 6.75" | 54" | 2 ¾" | \$152 |
| JII | | INSF060-2F | 6.75" | 60" | 2 3/4" | \$155 |
| 13.5" H | Single Stack-On | INSF118-2F | 13.5" | 18" | 2 ¾" | \$141 |
| | | INSF124-2F | 13.5" | 24" | 2 ¾" | \$143 |
| N N | | INSF130-2F | 13.5" | 30" | 2 ¾" | \$144 |
| E T | | INSF136-2F | 13.5" | 36" | 2 ¾" | \$147 |
| | | INSF142-2F | 13.5" | 42" | 2 ¾" | \$151 |
| | | INSF148-2F | 13.5" | 48" | 2 ¾" | \$156 |
| NT . | | INSF154-2F | 13.5" | 54" | 2 ¾" | \$159 |
| JII | | INSF160-2F | 13.5" | 60" | 2 3/4" | \$160 |
| 20.25" H | l Single Stack-On | INSF2018-2F | 20.25" | 18" | 2 ¾" | \$147 |
| | | INSF2024-2F | 20.25" | 24" | 2 ¾" | \$152 |
| | | INSF2030-2F | 20.25" | 30" | 2 ¾" | \$154 |
| | | INSF2036-2F | 20.25" | 36" | 2 3/4" | \$159 |
| | | INSF2042-2F | 20.25" | 42" | 2 3/4" | \$162 |
| | | INSF2048-2F | 20.25" | 48" | 2 3/4" | \$165 |
| | | INSF2054-2F | 20.25" | 54" | 2 3/4" | \$166 |
| | | INSF2060-2F | 20.25" | 60" | 2 3/4" | \$168 |
| 27" H Si | ngle Stack-On | INSF218-2F | 27" | 18" | 2 ¾" | \$161 |
| 27 1101 | ingle stack on | INSF224-2F | 27" | 24" | 2 3/4" | \$167 |
| | | INSF230-2F | 27" | 30" | 2 3/4" | \$168 |
| | | INSF236-2F | 27" | 36" | 2 3/4" | \$172 |
| N N | | INSF242-2F | 27" | 42" | 2 3/4" | \$174 |
| () | | INSF248-2F | 27" | 48" | 2 3/4" | \$179 |
| | | INSF254-2F | 27" | 54" | 2 3/4" | \$180 |
| | | INSF260-2F | 27" | 60" | 2 3/4" | \$181 |
| | | | | | | |



Architecture Frames and Screens

2 3/4" Thick Double Glazed Stack-on Frames

Product Code Key Example: INSTGL24-2F

INST Inscape System stack-on frame

GL double glaze24 24" wide

2F 2 3/4" thick frame

General information

- Clear and frosted acrylic options available
- Must only be installed in the top location
- Is not load bearing
- Stack on Double Glaze may span two frames. *See Application Guide for spanning guidelines
- 24" to 48" wide kits consist of welded frames
- 54" to 96" wide kits are kitted and must be assembled onsite

Notes

Be sure to specify correct thickness of stack frame based on the frame it is being installed on

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INSTGL24-2F in Frosted Acrylic would be \$401 +\$71

| Description | | Part number | Height | Width | Thickness | Clear acrylic | Frosted acrylic | Accent paint upcharge |
|-------------|----------------------|-------------|--------|-------|-----------|---------------|-----------------|-----------------------|
| 6 | 13.5" H Double Glaze | INSTGL24-2F | 13.5" | 24" | 2 ¾" | \$401 | +\$71 | +\$41 |
| // | Stack-On Acrylic | INSTGL30-2F | 13.5" | 30" | 2 ¾" | \$453 | +\$79 | +\$46 |
| | | INSTGL36-2F | 13.5" | 36" | 2 ¾" | \$518 | +\$89 | +\$52 |
| Į. | | INSTGL42-2F | 13.5" | 42" | 2 ¾" | \$562 | +\$98 | +\$57 |
| - | | INSTGL48-2F | 13.5" | 48" | 2 ¾" | \$622 | +\$108 | +\$63 |
| | | INSTGL54-2F | 13.5" | 54" | 2 ¾" | \$682 | +\$106 | +\$70 |
| | | INSTGL60-2F | 13.5" | 60" | 2 ¾" | \$751 | +\$117 | +\$76 |
| | | INSTGL66-2F | 13.5" | 66" | 2 ¾" | \$799 | +\$138 | +\$81 |
| | | INSTGL72-2F | 13.5" | 72" | 2 ¾" | \$823 | +\$141 | +\$83 |
| | | INSTGL78-2F | 13.5" | 78" | 2 ¾" | \$848 | +\$145 | +\$86 |
| | | INSTGL84-2F | 13.5" | 84" | 2 3/4" | \$871 | +\$148 | +\$88 |
| | | INSTGL90-2F | 13.5" | 90" | 2 3/4" | \$898 | +\$154 | +\$91 |
| | | INSTGL96-2F | 13.5" | 96" | 2 3/4" | \$922 | +\$158 | +\$93 |



Frames and Screens
1 1/2" Thick Segmented Screens

Product code key example **\$\$3718**

SS segmented screen

37 37" high18" wide

General information

- Segmented screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
- Screens include 2"dia glide with 1 ½" height adjustability optional gray (default) or black
- Segmented screens come fully trimmed
- All segments are optioned as one fabric pattern only
- Segments are tackable
- Fabric is applied in a railroad orientation
- Available with round glides only

Notes

The following fabrics are not available on segmented screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product SS3718 in Grade 5 Fabric would be \$446 +\$78

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accei paii upcharg |
|---|------------------|------------|------------|-----------------|-----------------|----------------|----------------|---------|------------------|---------|------------------|---------|--------------------------|
| | SS3718 | 37" | 18" | 9 | \$446 | +\$26 | +\$36 | _ | +\$78 | _ | +\$257 | _ | +\$4 |
| THE RESERVE AND ADDRESS OF THE PARTY OF THE | SS3724 | 37" | 24" | 10 | \$468 | +\$27 | +\$42 | _ | +\$83 | _ | +\$272 | _ | +\$4 |
| | SS3730 | 37" | 30" | 12 | \$507 | +\$33 | +\$51 | _ | +\$101 | _ | +\$309 | _ | +\$5 |
| | SS3736 | 37" | 36" | 14 | \$549 | +\$42 | +\$66 | _ | +\$120 | _ | +\$350 | _ | +\$5 |
| | SS3742 | 37" | 42" | 15 | \$588 | +\$50 | +\$79 | _ | +\$140 | _ | +\$390 | _ | +\$5 |
| 1 1 | SS3748 | 37" | 48" | 17 | \$611 | +\$50 | +\$79 | _ | +\$141 | _ | +\$399 | _ | +\$6 |
| | SS3754 | 37" | 54" | 19 | \$635 | +\$50 | +\$79 | | +\$141 | | +\$399 | _ | +\$6 |
| 8 | SS3760 | 37" | 60" | 21 | \$657 | +\$50 | +\$78 | _ | +\$144 | _ | +\$421 | _ | +\$6 |
| 37" H Segmented | | | | | , | • | • | | · | | · | | • |
| Screen | | | | | | | | | | | | | |
| | SS4418 | 44" | 18" | 11 | \$470 | +\$29 | +\$43 | _ | +\$88 | _ | +\$281 | _ | +\$4 |
| THE REAL PROPERTY. | SS4424 | 44" | 24" | 12 | \$496 | +\$31 | +\$48 | _ | +\$92 | _ | +\$296 | _ | +\$5 |
| | SS4430 | 44" | 30" | 14 | \$541 | +\$42 | +\$64 | _ | +\$116 | _ | +\$343 | _ | +\$5 |
| | SS4436 | 44" | 36" | 15 | \$584 | +\$51 | +\$79 | _ | +\$141 | _ | +\$390 | _ | +\$5 |
| | SS4442 | 44" | 42" | 17 | \$632 | +\$62 | +\$94 | _ | +\$162 | _ | +\$435 | _ | +\$6 |
| | SS4448 | 44" | 48" | 19 | \$656 | +\$61 | +\$94 | _ | +\$163 | _ | +\$444 | _ | +\$6 |
| I | SS4454 | 44" | 54" | 21 | \$682 | +\$62 | +\$97 | _ | +\$167 | _ | +\$458 | _ | +\$7 |
| - | SS4460 | 44" | 60" | 23 | \$707 | +\$62 | +\$96 | _ | +\$166 | _ | +\$466 | _ | +\$7 |
| 14" H Segmented Screen | SS5118 SS5124 | 51" 51" | 18" 24" | 12 13 | \$524 \$546 | +\$30 +\$38 | +\$51 +\$54 | | +\$106 +\$109 | | +\$323 +\$332 | | +\$5 |
| r | SS5130 | 51" | 30" | 15 | \$599 | +\$48 | +\$74 | _ | +\$137 | _ | +\$388 | _ | +\$6 |
| | SS5136 | 51" | 36" | 18 | \$652 | +\$61 | +\$92 | _ | +\$161 | _ | +\$440 | _ | +\$6 |
| | SS5142 | 51" | 42" | 20 | \$706 | +\$74 | +\$111 | _ | +\$188 | _ | +\$495 | _ | +\$7 |
| | SS5148 | 51" | 48" | 22 | \$735 | +\$74 | +\$111 | _ | +\$188 | _ | +\$495 | _ | +\$7 |
| | SS5154 | 51" | 54" | 24 | \$765 | +\$74 | +\$111 | _ | +\$188 | _ | +\$495 | _ | +\$7 |
| | SS5160 | 51" | 60" | 26 | \$795 | +\$75 | +\$113 | _ | +\$194 | _ | +\$536 | - | +\$8 |
| 51" H Segmented Screen | | | | | | | | | | | | | |
| | SS6418 | 64" | 18" | 12 | \$616 | +\$46 | +\$67 | _ | +\$129 | _ | +\$384 | _ | +\$6 |
| | SS6424 | 64" | 24" | 16 | \$626 | +\$47 | +\$74 | _ | +\$137 | _ | +\$397 | _ | +\$6 |
| N. Co. and St. Co. and St. Co. | SS6430 | 64" | 30" | 19 | \$691 | +\$65 | +\$98 | _ | +\$171 | _ | +\$466 | _ | +\$7 |
| | SS6436 | 64" | 36" | 21 | \$757 | +\$81 | +\$121 | _ | +\$206 | _ | +\$535 | _ | +\$7 |
| | SS6442 | 64" | 42" | 23 | \$825 | +\$97 | +\$144 | _ | +\$239 | | +\$604 | _ | +\$8 |
| | SS6448 | 64" | 42 48" | 26 | \$861 | +\$96 | +\$144 | _ | +\$242 | _ | +\$622 | | +\$8 |
| | SS6454 | 64" | 46 54" | 29 | \$899 | +\$96 | +\$145 | _ | +\$242 +\$244 | _ | +\$637 | _ | +\$0 +\$9 |
| | | | | | | | • | _ | | _ | | _ | |
| | SS6460 | 64" | 60" | 32 | \$935 | +\$97 | +\$145 | _ | +\$247 | _ | +\$653 | _ | +\$9 |
| | | | | | | | | | | | | | |

64" H Segmented Screen



Frames and Screens
1 1/2" Thick Glazed Segmented Screens

Product code key example **\$\$G6424**

SS segmented screen

G glazed64 64" high42 42" wide

General information

- Glazed Segmented Screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
- Screens include 2"dia glide with 1 ½" height adjustability optional gray (default) or black
- Segmented screens come fully trimmed
- Clear acrylic is included in the top 13.5" segment
- All other segments are optioned as one fabric pattern
- Fabric segments are tackable
- Fabric is applied in a railroad orientation
- Available with round glides only

Notes

The following fabrics are not available on segmented screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SSG6424 in Grade 5 Fabric would be \$696 +\$118The above product upgraded to Grade 1 resin would be \$696 +\$118

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accent paint upcharge |
|-------------|-------------|--------|-------|--------------|-----------------|---------|---------|---------|---------|---------|---------|---------|-----------------------|
| | SSG6424 | 64" | 24" | 16 | \$696 | +\$36 | +\$55 | _ | +\$118 | _ | +\$398 | _ | +\$71 |
| | SSG6430 | 64" | 30" | 19 | \$773 | +\$48 | +\$75 | _ | +\$147 | _ | +\$464 | _ | +\$79 |
| 11/11/11 | SSG6436 | 64" | 36" | 21 | \$848 | +\$62 | +\$96 | _ | +\$174 | _ | +\$527 | _ | +\$86 |
| | SSG6442 | 64" | 42" | 23 | \$923 | +\$74 | +\$113 | _ | +\$203 | _ | +\$591 | _ | +\$93 |
| | SSG6448 | 64" | 48" | 26 | \$1013 | +\$74 | +\$113 | _ | +\$213 | _ | +\$633 | _ | +\$102 |
| | SSG6454 | 64" | 54" | 29 | \$1101 | +\$75 | +\$113 | _ | +\$218 | _ | +\$670 | _ | +\$111 |
| | SSG6460 | 64" | 60" | 32 | \$1190 | +\$75 | +\$113 | _ | +\$218 | _ | +\$670 | _ | +\$120 |

64" H with Clear Acrylic



Frames and Screens
1 1/2" Thick Monolithic Screens

Product code key example MS3718

MS monolithic screen

37 37" high18" wide

64" H Monolithic

Screen

General information

- Monolithic screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
- Screens include 2"dia glide with 1 ½" height adjustability optional gray (default) or black
- Monolithic screens come fully trimmed
- Fabric screens are tackable
- Fabric is applied in a railroad orientation
- Clear and White fluted material is polycarbonate and has naturally occurring variances in the material
- Available with round glides only

Notes

The following fabrics are not available on monolithic screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product MS3718 in Grade 5 Fabric would be \$373 +\$75

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Clear fluted polycar- bonate | White fluted polycar- bonate | Accen pain upcharge |
|---|-------------|--------|-------|--------------|-----------------|---------|---------|---------|---------|---------|---------|---------|---------------------------------------|---------------------------------------|---------------------------|
| | MS3718 | 37" | 18" | 9 | \$373 | +\$26 | +\$38 | _ | +\$75 | _ | +\$227 | _ | _ | _ | +\$38 |
| San | MS3724 | 37" | 24" | 10 | \$402 | +\$26 | +\$38 | _ | +\$75 | _ | +\$237 | _ | +\$73 | +\$73 | +\$4 |
| | MS3730 | 37" | 30" | 11 | \$438 | +\$32 | +\$50 | _ | +\$91 | _ | +\$274 | _ | +\$50 | +\$50 | +\$4 |
| | MS3736 | 37" | 36" | 13 | \$475 | +\$42 | +\$65 | _ | +\$111 | _ | +\$309 | _ | +\$29 | +\$29 | +\$4 |
| | MS3742 | 37" | 42" | 15 | \$508 | +\$48 | +\$76 | _ | +\$131 | _ | +\$350 | _ | +\$24 | +\$24 | +\$5 |
| | MS3748 | 37" | 48" | 16 | \$529 | +\$49 | +\$77 | _ | +\$132 | _ | +\$358 | _ | +\$40 | +\$40 | +\$5 |
| | MS3754 | 37" | 54" | 18 | \$551 | +\$51 | +\$77 | _ | +\$134 | _ | +\$370 | _ | _ | _ | +\$5 |
| | MS3760 | 37" | 60" | 19 | \$573 | +\$55 | +\$76 | _ | +\$135 | _ | +\$378 | _ | _ | _ | +\$5 |
| 37" H Monolithic Screen | | | | | | | | | | | | | | | |
| 15500 | MS4418 | 44" | 18" | 10 | \$400 | +\$31 | +\$45 | _ | +\$86 | _ | +\$252 | _ | _ | _ | +\$4 |
| CONTRACTOR OF THE PARTY OF THE | MS4424 | 44" | 24" | 11 | \$430 | +\$34 | +\$45 | _ | +\$96 | _ | +\$263 | _ | +\$61 | +\$61 | +\$4 |
| | MS4430 | 44" | 30" | 13 | \$471 | +\$40 | +\$59 | _ | +\$109 | _ | +\$306 | _ | +\$51 | +\$51 | +\$4 |
| | MS4436 | 44" | 36" | 15 | \$515 | +\$47 | +\$74 | _ | +\$127 | _ | +\$348 | _ | +\$43 | +\$43 | +\$5 |
| | MS4442 | 44" | 42" | 16 | \$553 | +\$59 | +\$90 | _ | +\$151 | _ | +\$394 | _ | +\$43 | +\$43 | +\$5 |
| | MS4448 | 44" | 48" | 18 | \$577 | +\$61 | +\$89 | _ | +\$152 | _ | +\$402 | _ | +\$58 | +\$58 | +\$5 |
| | MS4454 | 44" | 54" | 20 | \$600 | +\$63 | +\$88 | _ | +\$154 | _ | +\$413 | _ | _ | _ | +\$6 |
| | MS4460 | 44" | 60" | 22 | \$622 | +\$65 | +\$90 | _ | +\$156 | _ | +\$424 | _ | _ | _ | +\$6 |
| 44" H Monolithic | | | | | | | | | | | | | | | |
| Screen | | | | | | | | | | | | | | | |
| | MS5118 | 51" | 18" | 11 | \$424 | +\$34 | +\$50 | _ | +\$96 | _ | +\$274 | _ | _ | _ | +\$43 |
| CARLOS SERVICES | MS5124 | 51" | 24" | 13 | \$458 | +\$40 | +\$52 | _ | +\$98 | _ | +\$289 | _ | +\$85 | +\$85 | +\$4 |
| 1 | MS5130 | 51" | 30" | 15 | \$504 | +\$46 | +\$72 | _ | +\$123 | _ | +\$338 | _ | +\$78 | +\$78 | +\$5 |
| | MS5136 | 51" | 36" | 17 | \$552 | +\$55 | +\$87 | _ | +\$148 | _ | +\$390 | _ | +\$73 | +\$73 | +\$5 |
| | MS5142 | 51" | 42" | 19 | \$598 | +\$70 | +\$103 | _ | +\$173 | _ | +\$439 | _ | +\$40 | +\$40 | +\$6 |
| | MS5148 | 51" | 48" | 21 | \$622 | +\$71 | +\$104 | _ | +\$177 | _ | +\$450 | _ | +\$31 | +\$31 | +\$6 |
| | MS5154 | 51" | 54" | 23 | \$647 | +\$74 | +\$104 | _ | +\$179 | _ | +\$461 | _ | | _ | +\$6 |
| | MS5160 | 51" | 60" | 25 | \$671 | +\$76 | +\$104 | _ | +\$187 | _ | +\$470 | _ | _ | _ | +\$6 |
| 51" H Monolithic Screen | | | | | | | | | | | | | | | |
| 1555 | MS6418 | 64" | 18" | 11 | \$448 | +\$43 | +\$61 | _ | +\$111 | _ | +\$302 | _ | _ | _ | +\$4 |
| Salahan Maria | MS6424 | 64" | 24" | 13 | \$490 | +\$51 | +\$72 | _ | +\$129 | _ | +\$342 | _ | _ | _ | +\$5 |
| ſI | MS6430 | 64" | 30" | 15 | \$545 | +\$44 | +\$67 | _ | +\$123 | _ | +\$353 | _ | _ | _ | +\$5 |
| | MS6436 | 64" | 36" | 17 | \$656 | +\$29 | +\$133 | _ | +\$214 | _ | +\$512 | _ | _ | _ | +\$6 |
| 1 1 | | | | | 4000 | . 4-0 | | | | | | | | | - |
| | MS6442 | 64" | 42" | 19 | \$686 | +\$58 | +\$135 | _ | +\$216 | _ | +\$524 | _ | _ | _ | +\$7 |



Frames and Screens
1 1/2" Thick Freestanding Screens

Product code key example MS7118

MS monolithic screen

71 71" high 18" wide

General information

- Monolithic screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
- Screens include 2"dia glide with 1 ½" height adjustability optional gray (default) or black
- Monolithic screens come fully trimmed
- Fabric screens are tackable
- Fabric is applied in a railroad orientation
- Clear and White fluted material is polycarbonate and has naturally occurring variances in the material
- Available with round glides only

Notes

The following fabrics are not available on monolithic screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product MS7118 in Grade 5 Fabric would be \$528 +\$123

| Description | Part number Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Clear fluted polycar- bonate | White fluted polycar- bonate | Accent paint upcharge |
|-------------|--------------------|-------|-----------------|-----------------|---------|---------|---------|---------|---------|---------|---------|---------------------------------------|---------------------------------------|-----------------------|
| | MS7118 71" | 18" | 14 | \$528 | +\$47 | +\$67 | _ | +\$123 | _ | +\$347 | _ | _ | _ | +\$53 |



71"h Monolithic Screen



Frames and Screens
1 1/2" Thick Accessory Screens

Product code key example MAS5124

MAS accessory screen

51 51" high24" wide

General information

- Screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
- Screens include 2"dia glide with 1 ½" height adjustability optional gray (default) or black
- Accessory screens come fully trimmed
- Horizontal accessories including slanted sorters, paper trays and storage compartments may be hung from accessory screen
- Fabric is applied in a railroad orientation
- Tackable
- Available with round glides only

Notes

The following fabrics are not available on accessory screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product MAS5124 in Grade 5 Fabric would be \$553 +\$101

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accent paint upcharge |
|--|-------------|--------|-----------|--------------|-----------------|---------|---------|---------|---------|---------|---------|---------|-----------------------------|
| | MAS5124 | 51" | 24" | 13 | \$553 | +\$32 | +\$50 | _ | +\$101 | _ | +\$326 | _ | +\$56 |
| Gintal State State State | MAS5130 | 51" | 30" | 14 | \$608 | +\$43 | +\$66 | _ | +\$125 | _ | +\$377 | _ | +\$61 |
| | MAS5136 | 51" | 36" | 15 | \$664 | +\$52 | +\$84 | _ | +\$150 | _ | +\$430 | _ | +\$67 |
| | MAS5142 | 51" | 42" | 15 | \$717 | +\$66 | +\$98 | _ | +\$178 | _ | +\$485 | _ | +\$73 |
| | MAS5148 | 51" | 48" | 16 | \$751 | +\$72 | +\$100 | _ | +\$181 | _ | +\$489 | _ | +\$76 |
| | MAS5154 | 51" | 54" | 17 | \$785 | +\$76 | +\$101 | _ | +\$182 | _ | +\$513 | _ | +\$80 |
| | MAS5160 | 51" | 60" | 18 | \$817 | +\$79 | +\$102 | _ | +\$184 | _ | +\$528 | _ | +\$83 |
| 51" H Accessory Screen | MAS6424 | 64" | 24" | 16 | \$648 | +\$44 | +\$66 | | +\$126 | | +\$394 | | +\$65 |
| | | | 24 30" | | | | | _ | | | - | _ | |
| William State Stat | MAS6430 | 64" | | 17 | \$700 | +\$57 | +\$87 | _ | +\$158 | _ | +\$451 | _ | +\$71 |
| | MAS6436 | 64" | 36" | 18 | \$753 | +\$72 | +\$109 | _ | +\$187 | _ | +\$511 | _ | +\$77 |
| | MAS6442 | 64" | 42" | 18 | \$804 | +\$85 | +\$129 | _ | +\$218 | _ | +\$568 | _ | +\$82 |
| | MAS6448 | 64" | 48" | 19 | \$842 | +\$89 | +\$131 | _ | +\$223 | _ | +\$588 | _ | +\$85 |



Frames and Screens
1 1/2" Thick Freestanding Screens

Product code key example MSF5136

MSF freestanding monolithic screen

51 51" high **36**" wide

General information

- Screens include "L" leg for freestanding support, 3/4" height adjustability
- Accessory screens come fully trimmed
- Horizontal accessories including slanted sorters, paper trays and storage compartments may be hung from accessory screen
- Max weight load of 20lbs per side
- See specifics for whiteboard maintenance and marker requirements
- Accessory screen includes tackable surface below whiteboard
- Fabric is applied in a railroad orientation
- Available with round glides only

Notes

The following fabrics are not available on accessory screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product MSF5136 in Grade 5 Fabric would be \$913 +\$192

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accent paint upcharge |
|---|----------------------|------------|------------|-----------------|------------------|----------------|----------------|---------|------------------|---------|------------------|---------|-----------------------|
| | SASF5136 | 51" | 36" | 15 | \$1018 | +\$30 | +\$46 | _ | +\$127 | _ | +\$521 | _ | +\$103 |
| Parameter St. | SASF5142 | 51" | 42" | 17 | \$1060 | +\$32 | +\$48 | _ | +\$131 | _ | +\$539 | _ | +\$107 |
| | SASF5148 | 51" | 48" | 19 | \$1101 | +\$36 | +\$52 | _ | +\$127 | _ | +\$549 | _ | +\$111 |
| 51" H Freestanding Whiteboard Accessory Screen | | | | | | | | | | | | | |
| | SASF6436 | 64" | 36" | 18 | \$1093 | +\$39 | +\$45 | _ | +\$140 | _ | +\$562 | _ | +\$110 |
| - | SASF6442 SASF6448 | 64" 64" | 42" 48" | 20 22 | \$1139 \$1191 | +\$42 +\$44 | +\$46 +\$48 | _ | +\$135 +\$140 | _ | +\$573 +\$574 | _ | +\$115 +\$120 |
| | | | | | | | | | | | | | |
| 64" H Freestanding Whiteboard Accessory Screen | | | | | | | | | | | | | |
| in the second second | MSF5136 | 51" | 36" | 23 | \$913 | +\$70 | +\$103 | _ | +\$192 | _ | +\$575 | _ | +\$92 |
| Santana and a santana and | MSF5142 | 51" | 42" | 25 | \$938 | +\$71 | +\$104 | _ | +\$195 | _ | +\$587 | _ | +\$95 |
| | MSF5148 | 51" | 48" | 27 | \$964 | +\$71 | +\$104 | _ | +\$197 | _ | +\$598 | _ | +\$97 |
| 51" H Freestanding Tackable Screen | | | | | | | | | | | | | |
| | MSF6436 | 64" | 36" | 28 | \$996 | +\$88 | +\$134 | _ | +\$237 | _ | +\$661 | _ | +\$101 |
| Parameter St. | MSF6442 | 64" | 42" | 31 | \$1024 | +\$88 | +\$134 | _ | +\$237 | _ | +\$663 | _ | +\$103 |
| | MSF6448 | 64" | 48" | 33 | \$1054 | +\$88 | +\$134 | _ | +\$237 | _ | +\$667 | _ | +\$106 |

64" H Freestanding Tackable Screen



Frames and Screens
1 1/2" Thick Table Mounted Screens

Product code key example MST3736

MST table mounted screen

37 37" high **36**" wide

General information

- May be installed on Inscape Worksurfaces
- Table mounted screens have height adjustment for above worksurface privacy and modesty
- May not be specified to attach to a 3 ½" thick frame connector
- Fabric is applied in railed orientation
- Table mounted screen is tackable

Notes

The following fabrics are not available on accessory screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product MST3736 in Grade 7 Fabric would be \$529 +\$370

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accent paint upcharge |
|---|-------------|--------|-------|-----------------|-----------------|---------|---------|---------|---------|---------|---------|---------|-----------------------|
| 04094.025 | MST3736 | 37" | 36" | 13 | \$529 | +\$49 | +\$77 | _ | +\$134 | _ | +\$370 | _ | +\$54 |
| CONTRACTOR OF THE PARTY OF THE | MST3742 | 37" | 42" | 15 | \$551 | +\$50 | +\$78 | _ | +\$134 | _ | +\$374 | _ | +\$56 |
| | MST3748 | 37" | 48" | 16 | \$573 | +\$55 | +\$79 | _ | +\$135 | _ | +\$378 | _ | +\$58 |
| 1 1 | MST3754 | 37" | 54" | 18 | \$593 | +\$57 | +\$84 | _ | +\$138 | _ | +\$387 | _ | +\$60 |
| r | MST3760 | 37" | 60" | 19 | \$614 | +\$62 | +\$89 | _ | +\$138 | _ | +\$396 | _ | +\$62 |

37" H Adjustable Framed Table Mounted Screen Tackable

US Price List | April 2018



Frames and Screens
1 1/2" Thick Open Electrified Storage Frame

Product code key example: **SWMS5118**

SWMS open electrified storage frame

51 51" high 18" wide

General information

- This frame is an open 1 ½" thick structure which is to be situated between Storwal units when 1 ½" thick screens are being used to separate workstations. The open structure allows for technology to run freely through.
- 1 ½" Storage to Screen Bracket is required to be specified.
- Available with round glides only

| Description | | Part number | Height | Width | Thickness | Neutral paint/ base price | Accent paint upcharge |
|--|-----------------------------|-------------|--------|-------|-----------|------------------------------|--------------------------|
| No. Time | 1 ½" Thick Open Electrified | SWMS5118 | 51" | 18" | 1.5" | \$320 | +\$33 |
| STATE OF THE PARTY | Storage Frame | SWMS6418 | 64" | 18" | 1.5" | \$349 | +\$36 |
| Name and Address of the Owner, when the Owner, which the Owner, whi | 9 | SWMS7118 | 71" | 18" | 1.5" | \$431 | +\$44 |
| | | | | | | | |



Frames and Screens Sliding Doors

Product code key example INSD5136LH-3F

IN Inscape SystemSD sliding door51 51" high36 36" wide opening

LH Left-handed 3.5" thick frame

General information

- Sliding doors consist of polycarbonate material which has naturally occurring variances in the material
- Sliding door includes complete door assembly (trim, polycarbonate material, two door pulls, two 2.5" adjustable casters and top/bottom connector brackets to attach to the panel – optional lock available)
- Black casters
- Locking option available at an upcharge of \$123 per door
- When locking door is specified the crossrail at the 37"h location must be accessible between two tiles for the locking mechanism to function
- See Application Guide for tile configuration to accommodate locking mechanism

Notes

- Be sure to specify correct sliding door configuration based on the frame it is being installed on
- Sliding doors are specific to frame thickness being installed
- Sliding doors are handed and are based on the direction the door slides to open from front view
- Specify the 36"w sliding door on panel or combination of panels 42"w or greater
- Specify the 42"w sliding door on panel or combination of panels 48"w or greater


| Description | | Part number | Height | Width | Clear fluted polycarbonate | White fluted polycarbonate | Accent paint upcharge |
|-------------|---|---|-------------------|-------------------|----------------------------|----------------------------|----------------------------|
| | 51" H Sliding Door | INSD5136LH-3F | 51" | 49" | \$1119 | \$1119 | +\$113 |
| | 3.5" Thick Frame | INSD5142LH-3F | 51" | 55" | \$1233 | \$1233 | +\$124 |
| | | INSD5136RH-3F | 51" | 49" | \$1119 | \$1119 | +\$113 |
| | | INSD5142RH-3F | 51" | 55" | \$1233 | \$1233 | +\$124 |
| | 64" H Sliding Door 3.5" Thick Frame | INSD6436LH-3F INSD6442LH-3F INSD6436RH-3F | 64" 64" 64" | 49" 55" 49" | \$1273 \$1456 \$1273 | \$1273 \$1456 \$1273 | +\$128 +\$147 +\$128 |
| | | INSD6442RH-3F | 64" | 55" | \$1456 | \$1456 | +\$147 |
| | 51" H Sliding Door 2.75" Thick Frame | INSD5136LH-2F INSD5142LH-2F | 51" 51" | 49" 55" | \$1125 \$1239 | \$1125 \$1239 | +\$113 +\$124 |
| į. | | INSD5136RH-2F INSD5142RH-2F | 51" 51" | 49" 55" | \$1125 \$1239 | \$1125 \$1239 | +\$113 +\$124 |
| | 64" H Sliding Door | INSD6436LH-2F | 64" | 49" | \$1287 | \$1287 | +\$129 |
| | 2.75" Thick Frame | INSD6442LH-2F | 64" | 55" | \$1408 | \$1408 | +\$142 |
| | | INSD6436RH-2F | 64" | 49" | \$1287 | \$1287 | +\$129 |
| | | INSD6442RH-2F | 64" | 55" | \$1408 | \$1408 | +\$142 |



General information


Inscape System 2 ½" and 3 ½" frames may be connected in a variety of ways including on and off-module, straight inline, two-way, three-way and four-way configurations. Frames of the same height or frames of differing heights may be connected together. All top caps, end of line trim, and connectors must be specified independently from the frame. To facilitate specification, connectors are available in same height kits which include all connector brackets, plugs, plates, trim clips and finished trim. 90° and 120° connections are achievable with both thickness of panel. When creating frames of varying heights, kits need to be built up. A combination of same height "L", "T" or "X" connections along with Stack-on Connectors and vertical trim will create a finished connection. Begin by connecting all common heights and working up.

A handful of universal connectors create all Inscape System panel configurations for the 2 $\frac{3}{4}$ " and 3 $\frac{1}{2}$ " frames. The 1 $\frac{1}{2}$ " screen has its own set of connectors which are specific for this thinner screen. A $\frac{3}{6}$ " Allen Key is all that is required to fasten connector bolts. Trim is constructed of aluminum.



Inline connectors

Inline connectors are specified to join two frames together which are in alignment. These connectors are specified based on the height of the panels.



Off module connections

Off module connections are specific for frame thickness as well as location where the panel will be mounted to the spine. The off-module panel may be positioned at the end of the panel or in the middle of the panel, with the corresponding bracket. Cannot be used with monolithic tiles on spine. See Inscape System Application Guide.

Connection kits

Connection kits come in a variety of heights and configurations, within 90° and 120° connections and are based on the panel orientation. Within the connection kit, finished trim, panel connector bracket and short bolts are included depending on the configuration specified. Connector kits are panel thickness specific due to the thickness of the finished trim. The brackets and bolts within are part of the universal kit of parts and may be used for either thickness of panel. Special connectors have been structured to connect 3 1/2" and 2 3/4" in the same height connections. These are also kitted and include connecting brackets and flat trim profile only. When specifying connections on module and of varying height (when only one thickness of panel is specified) the connection will need to be "built". This can be done by specifying the lowest same height connection and building stack trims to complete the top connection portion. There are a few pre-built connector kits for varying height configurations. Connector kits for Stack-on frames allow for construction of multi height connections.



Wall connectors

Wall connectors are specified based on the height of the panel attaching to the wall. All hardware is included in order to attach the panel to the wall. This connector is not visible, and sets frame off wall slightly.

End trim

End trim is kit structured to include all brackets, bolts and finished trim; Tapered or Flat. Trim profiles are available in two profile options for the 3 ½" thick frame; Tapered and Flat, and Flat for the 2 ¾" thick frames. When connecting these two thicknesses of frame at a connection, only the Flat trim profile may be specified. Vertical trim heights are available to match all frame heights as well as in four modular heights of 6.75", 13.5", 20.25" and 27". Trim is manufactured from aluminum and always aligns straight and true when frames are connected. All painted aluminum vertical trim and top trim are easily removed to facilitate lay in of cables. Veneer trim is also available for heights of 37", 51" and 64" heights.



Connectors & trim General information

Hi-Lo trim

Hi-Lo trim is designed to be situated at the end of line condition of a higher frame, where the top cap of a lower height frame meets the vertical trim. The profile of the top cap has been scribed from the Hi-Lo trim.

Stack-on end trim

Stack-on end trim is used when a higher frame requires vertical end trim at a connection. Hi-Lo trim may be used in this application for Flat profile trim because there is no 'scribing' that is required for this profile.


Top caps

Top caps are specified separately. Top caps include clips to mount on a frame or combination of two frames as outlined in the Inscape System Application Guide. Painted aluminum and veneer profile is available for both thickness of frame. Painted aluminum tapered is available for 3 ½" thick frame. When spanning two frames when 60" or less in width, two additional Jesters are required to be specified.

1.5" Thick screen connectors

1 ½" Thick screen connectors allow for two-way ("L"), three-way ("T"), and four way ("X") connections. Each condition, excluding the inline, includes a 1 ½" square extruded aluminum connector post and the required number of post connector clips. The inline condition only requires inline connector clips which mount directly into the frames of the adjoining screens to complete the connection. The connector post may be finished in any of the standard Inscape System paint finishes.

Post connector clips are a standard black finish. Universal 1 ½" connector kits include all required connector hardware and trim necessary to make 'L', 'T' and X' connections. Specify one height specific universal connector kit to accommodate any of the three corner conditions. Inline connector kits come complete with the required amount of connector clips.



Credenza storage benching compliment end trim Credenza storage benching compliment end trim is specified where the low height panel is situated between two Credenza Storage cases and end trim is to be specified. This trim is available with cut out or without depending if a power feed needs to enter at that location. The trim can be painted the same color as the cases. Two end trim types have been designed; one to correspond with a lateral top and one for a cushion top. These are specific to the situation in which they are being installed. This is used for 3 ½" thick application only. See Inscape System Application Guide.



General information

- Connectors and trim are specified independently of frames
- All mounting hardware and finish trim is included for corresponding frame thickness
- Composite veneer is available in specific sizes only and is not available on the tapered trim profile

Top Cap

- Top caps may span two frames. See Inscape System Application Guide for details
- Top caps up to 60"w requires two additional Jesters to be specified if spanning multiple frames (ie a 60"w top trim installed on 2-30" frames).

End Trim

- Stack-On End Trim is used when stack frames are specified and full height trim is not specified (whenever possible order full height trims when adding a stack on frame)
- Hi-Lo End trim is used where two frames in alignment are of different heights. The Hi-Lo End trim mounts to the side of the higher panel to finish it off
- Flat Hi-Lo End Trim may also be used in a stack on solution. The flat bottom profile allows for this trim to be used in multiple conditions

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INTC18-3F Tapered in Veneer would be \$36 +\$146

| Description | | Part number | Height | Thickness | Tapered | Flat | Veneer | Accent paint upcharge |
|-------------|------------------|----------------|--------|-----------|---------|-------|--------|-----------------------|
| | Top Cap | INTC18-3F | _ | 3 ½" | \$36 | \$36 | +\$146 | +\$5 |
| | | INTC24-3F | _ | 3 1/2" | \$43 | \$43 | +\$171 | +\$6 |
| | | INTC30-3F | _ | 3 1/2" | \$51 | \$51 | +\$189 | +\$6 |
| | | INTC36-3F | _ | 3 ½" | \$56 | \$56 | +\$215 | +\$7 |
| | | INTC42-3F | _ | 3 1/2" | \$61 | \$61 | +\$238 | +\$7 |
| | | INTC48-3F | _ | 3 1/2" | \$63 | \$63 | +\$264 | +\$8 |
| | | INTC54-3F | _ | 3 ½" | \$78 | \$78 | _ | +\$9 |
| | | INTC60-3F | _ | 3 1/2" | \$83 | \$83 | _ | +\$10 |
| | | INTC66-3F | _ | 3 1/2" | _ | \$97 | _ | +\$11 |
| | | INTC72-3F | _ | 3 ½" | _ | \$101 | _ | +\$11 |
| | | INTC78-3F | _ | 3 ½" | _ | \$108 | _ | +\$12 |
| | | INTC84-3F | _ | 3 ½" | _ | \$118 | _ | +\$13 |
| | | INTC90-3F | _ | 3 ½" | _ | \$122 | _ | +\$13 |
| | | INTC96-3F | _ | 3 1/2" | - | \$125 | _ | +\$14 |
| | End-of-Line Trim | INET24-3F | 24" | 3 ½" | \$29 | \$29 | _ | +\$4 |
| | | INET29-3F | 29" | 3 ½" | \$38 | \$38 | _ | +\$5 |
| | | INET37-3F | 37" | 3 ½" | \$46 | \$46 | +\$164 | +\$6 |
| | | INET44-3F | 44" | 3 ½" | \$51 | \$51 | _ | +\$6 |
| | | INET51-3F | 51" | 3 1/2" | \$58 | \$58 | +\$214 | +\$7 |
| | | INET57-3F | 57" | 3 ½" | \$67 | \$67 | _ | +\$8 |
| | | INET64-3F | 64" | 3 ½" | \$75 | \$75 | +\$253 | +\$9 |
| 6 | | INET71-3F | 71" | 3 ½" | \$86 | \$86 | _ | +\$10 |
| | | INET78-3F | 78" | 3 ½" | \$95 | \$95 | _ | +\$11 |
| | | INET91-3F | 91" | 3 ½" | \$116 | \$116 | _ | +\$13 |
| | Hi-Lo End Trim | INETHL6.75-3F | 6.75" | 3 ½" | \$23 | \$23 | _ | +\$4 |
| | | INETHL13.5-3F | 13.5" | 3 ½" | \$35 | \$35 | +\$87 | +\$5 |
| | | INETHL20.25-3F | 20.25" | 3 ½" | \$43 | \$43 | _ | +\$6 |
| | | INETHL27-3F | 27" | 3 ½" | \$67 | \$67 | +\$115 | +\$8 |
| | Stack-On Trim | INET6.75-3F | 6.75" | 3 ½" | \$21 | \$21 | | +\$3 |
| | | INET13.5-3F | 13.5" | 3 ½" | \$33 | \$33 | +\$89 | +\$5 |
| | | INET20.25-3F | 20.25" | 3 ½" | \$39 | \$39 | _ | +\$5 |
| | | INET27-3F | 27" | 3 ½" | \$63 | \$63 | +\$119 | +\$8 |

System

Architecture

Connectors and Trim 3 1/2" Thick 90° Connector Kits

General information

- Inline connectors are required to be specified when frames are connected inline
- Off-module bracket "MP" when an off-module frame is to be mounted in the middle of the frame (frame thickness specific)
- Off-module bracket "EP" when an off-module frame is be mounted at either end of the frame. See application guide
- For back to back off-module applications at either end of a panel, 2x "EP" off-module bracket codes are required
- Two sided off-module brackets are specified when frames are ofmodule on both sides of the "spine" frame
- Off-module bracket suffix (3F) is based on the frame thickness
- Off-module brackets cannot be used where monolithic tiles are present on spine. The lower bracket requires segmentation in tiles to attach to crossrail
- Specify wall start connector based on the height of the frame (64" to be cut on site when used with 57"h frame)

| Description | | Part number | Height | List Price |
|------------------------|--|------------------|---------------------|----------------|
| 0 0 | Inline Connector Kit | INLINE-1 | All Stack on Frame" | \$0 |
| (60 (1)(0) | | INLINE-2 | 24"h - 51"h Frame" | \$0 |
| | | INLINE-3 | 57"h - 64"h Frame" | \$0 |
| Ţ t>=cci | | INLINE-4 | 71"h - 91"h Frame" | \$0 |
| 528 | Off-Module Bracket | INCPOFM-MP-3F | _ | \$80 |
| | | INCPOFM-EP | _ | \$80 |
| 華 | Off-Module Bracket for two sided application | INCPOFMX-3F | _ | \$115 |
| | Wall Start Connector | INCPW2 INCPW3 | 24 & 29" 37" | \$180 \$187 |
| I | | INCPW4 | 44" | \$208 |
| F | | INCPW5 | 51" | \$228 |
| lt II | | INCPW6 | 57 & 64" | \$246 |
| [| | INCPW71 | 71" | \$250 |
| | | INCPW7 | 78" | \$250 |
| - | | INCPW9 | 91" | \$254 |



ArchitectureConnectors and Trim

3 1/2" Thick 90° Same Height Connector Kits

General information

- Connector kits include connector brackets, bolts, nuts and finished trim to create connection
- Composite veneer is available in specific sizes only and is not available on the tapered trim profile
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multi-height connections

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INCPL3300-3F in Veneer would be \$87 +\$393

| Description | | Part number | Height | Thickness | Tapered | Flat | Veneer | Accent paint upcharge |
|-------------|-----------------------------|-----------------|--------|-----------|----------------|-------|--------|-----------------------|
| | Full Height Straight Filler | INCPSLW-3F | 24" | 3 ½" | \$76 | \$76 | _ | +\$9 |
| 7 | | INCPS2020-3F | 29" | 3 ½" | \$92 | \$92 | _ | +\$10 |
| - | | INCPS3030-3F | 37" | 3 ½" | \$98 | \$98 | _ | +\$11 |
| | | INCPS4040-3F | 44" | 3 ½" | \$117 | \$117 | _ | +\$13 |
| | | INCPS5050-3F | 51" | 3 ½" | \$124 | \$124 | _ | +\$14 |
| 4 | | INCPS57-5050-3F | 57" | 3 ½" | \$144 | \$144 | _ | +\$16 |
| | | INCPS6060-3F | 64" | 3 ½" | \$170 | \$170 | _ | +\$18 |
| -6 | | INCPS71-7070-3F | 71" | 3 ½" | \$203 | \$203 | _ | +\$21 |
| | | INCPS7070-3F | 78" | 3 ½" | \$212 | \$212 | _ | +\$22 |
| | | INCPS9090-3F | 91" | 3 ½" | \$254 | \$254 | _ | +\$26 |
| | Full Height "L" Connector | INCPLLW-3F | 24" | 3 ½" | \$62 | \$62 | _ | +\$8 |
| | | INCPL2200-3F | 29" | 3 ½" | \$80 | \$80 | _ | +\$9 |
| 711 | | INCPL3300-3F | 37" | 3 ½" | \$87 | \$87 | +\$393 | +\$10 |
| | | INCPL4400-3F | 44" | 3 ½" | \$93 | \$93 | _ | +\$11 |
| | | INCPL5500-3F | 51" | 3 ½" | \$102 | \$102 | +\$429 | +\$11 |
| | | INCPL57-5500-3F | 57" | 3 ½" | \$113 | \$113 | _ | +\$13 |
| ر ااا ب | | INCPL6600-3F | 64" | 3 ½" | \$133 | \$133 | +\$581 | +\$15 |
| B B | | INCPL71-7700-3F | 71" | 3 ½" | \$147 | \$147 | _ | +\$16 |
| | | INCPL7700-3F | 78" | 3 ½" | \$156 | \$156 | _ | +\$17 |
| | | INCPL9900-3F | 91" | 3 ½" | \$187 | \$187 | | +\$20 |
| >== | Full Height "T" Connector | INCPTLW-3F | 24" | 3 ½" | \$80 | \$80 | _ | +\$9 |
| | | INCPT2220-3F | 29" | 3 ½" | \$119 | \$119 | | +\$13 |
| | | INCPT3330-3F | 37" | 3 ½" | \$128 | \$128 | +\$243 | +\$14 |
| | | INCPT4440-3F | 44" | 3 ½" | \$137 | \$137 | . – | +\$15 |
| | | INCPT5550-3F | 51" | 3 ½" | \$142 | \$142 | +\$294 | +\$15 |
| | | INCPT57-5550-3F | 57" | 3 ½" | \$170 | \$170 | – | +\$18 |
| | | INCPT6660-3F | 64" | 3 ½" | \$189 | \$189 | +\$358 | +\$20 |
| - | | INCPT71-7770-3F | 71" | 3 ½" | \$215 | \$215 | _ | +\$23 |
| | | INCPT7770-3F | 78" | 3 ½" | \$230 | \$230 | _ | +\$24 |
| | | INCPT9990-3F | 91" | 3 ½" | \$265 | \$265 | | +\$28 |
| >< | "X" Connector | INCPXLW-3F | 24" | 3 ½" | \$113 | \$113 | _ | +\$13 |
| | | INCPX2222-3F | 29" | 3 ½" | \$154 \$155 | \$154 | - | +\$17 |
| | | INCPX3333-3F | 37" | 3 ½" | \$165 | \$165 | +\$24 | +\$18 |
| | | INCPX4444-3F | 44" | 3 ½" | \$171 | \$171 | _ _ | +\$18 |
| | | INCPX5555-3F | 51" | 3 ½" | \$176 | \$176 | +\$26 | +\$19 |
| | | INCPX57-5555-3F | 57" | 3 ½" | \$190 | \$190 | _ | +\$20 |
| | | INCPX6666-3F | 64" | 3 ½" | \$203 | \$203 | +\$28 | +\$21 |
| ~ | | INCPX71-7777-3F | 71" | 3 ½" | \$217 | \$217 | _ | +\$23 |
| | | INCPX7777-3F | 78" | 3 ½" | \$224 | \$224 | _ | +\$23 |
| | | INCPX9999-3F | 91" | 3 ½" | \$250 | \$250 | _ | +\$26 |



Connectors and Trim

3 1/2" Thick 90° Stack-on Connector Kits

General information

- Available in heights matching incremental change of frame heights;
 6.75", 13.5", 20.25" and 27"h
- Veneer is available in specific sizes only and is not available on the tapered trim profile
- Specify based on configuration requirement
- May be used in conjunction with same height kits and end trim to create multi height configurations

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INCPT13.5-3F in Veneer would be \$38 +\$228

| Description | | Part number | Height | Thickness | Tapered | Flat | Veneer | Accent paint upcharge |
|-------------|----------------------------|---------------|--------|-----------|---------|---------|--------|-----------------------|
| | Straight Filler Connection | INCPS6.75-3F | 6.75" | 3 ½" | \$27 | \$27 | _ | +\$4 |
| | | INCPS13.5-3F | 13.5" | 3 1/2" | \$48 | \$48 | _ | +\$6 |
| | | INCPS20.25-3F | 20.25" | 3 1/2" | \$78 | \$78 | _ | +\$9 |
| | | INCPS27-3F | 27" | 3 ½" | \$88 | \$88 | _ | +\$10 |
| > | | | | | | | | |
| | "L" Connection | INCPL6.75-3F | 6.75" | 3 ½" | \$24 | \$24 | | +\$4 |
| TH | | INCPL13.5-3F | 13.5" | 3 ½" | \$38 | \$38 | +\$272 | +\$5 |
| 22 12 | | INCPL20.25-3F | 20.25" | 3 ½" | \$60 | \$60 | | +\$7 |
| | | INCPL27-3F | 27" | 3 ½" | \$78 | \$78 | +\$348 | +\$9 |
| | | | | | | | | |
| | "T" Connection | INCPT6.75-3F | 6.75" | 3 ½" | \$24 | \$24 | _ | +\$4 |
| | | INCPT13.5-3F | 13.5" | 3 ½" | \$38 | \$38 | +\$228 | +\$5 |
| | | INCPT20.25-3F | 20.25" | 3 ½" | \$61 | \$61 | _ | +\$7 |
| | | INCPT27-3F | 27" | 3 ½" | \$78 | \$78 | +\$264 | +\$9 |
| | | | | | | | | |
| | "X" Connection | INCPX6.75-3F | 6.75" | 3 ½" | \$16 | \$16 | _ | +\$3 |
| | | INCPX13.5-3F | 13.5" | 3 ½" | \$21 | \$21 | _ | +\$3 |
| | | INCPX20.25-3F | 20.25" | 3 ½" | \$24 | \$24 | _ | +\$4 |
| | | INCPX27-3F | 27" | 3 ½" | \$27 | \$27 | _ | +\$4 |



Connectors and Trim 3 1/2" Thick 90° Multi Height Connector Kits

General information

- These configurations facilitate specification of connector kits for various multi-height panel configurations which cannot be created by stacking trim kits
- Configurations include all hardware and finished trim to create the configuration

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

| Description | | Part number | Height | Thickness | Tapered | Flat | Veneer | Accent paint upcharge |
|-------------|------------------------------|--------------|--------------------|-----------|---------|-------|--------|-----------------------|
| | Multi Height "T" Connections | INCPT6560-3F | 64 - 51 - 64" | 3 ½" | \$189 | \$189 | _ | +\$20 |
| | • | INCPT6460-3F | 64 - 44 - 64" | 3 1/2" | \$194 | \$194 | _ | +\$21 |
| | | INCPT6360-3F | 64 - 37 - 64" | 3 1/2" | \$199 | \$199 | _ | +\$21 |
| | | INCPT5450-3F | 51 - 44 - 51" | 3 ½" | \$182 | \$182 | _ | +\$19 |
| | | INCPT5350-3F | 51 - 37 - 51" | 3 1/2" | \$171 | \$171 | _ | +\$18 |
| | | INCPT4340-3F | 44 - 37 - 44" | 3 1/2" | \$140 | \$140 | _ | +\$15 |
| | | INCPT6350-3F | 64 - 37 - 51" | 3 ½" | \$182 | \$182 | - | +\$19 |
| | Multi Height "X" Connections | INCPX6563-3F | 64 - 51 - 64 - 37" | 3 ½" | \$224 | \$224 | | +\$23 |





Connectors and Trim 3 1/2" Thick 120° Connector Kits

General information

- Connector kits include connector brackets, bolts, nuts and finished trim to create connection
- Specify code based on height of frames within connection

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

| Description | | Part number | Height | Thickness | Tapered | Flat | Veneer | Accent paint upcharge |
|--------------|-------------------------------|----------------|--------|-----------|---------|-------|--------|-----------------------|
| | Full Height "V" Connection | INCPV220-3F | 29" | 3 ½" | \$146 | \$146 | _ | +\$16 |
| | | INCPV330-3F | 37" | 3 ½" | \$154 | \$154 | _ | +\$17 |
| | | INCPV440-3F | 44" | 3 ½" | \$163 | \$163 | _ | +\$17 |
| | | INCPV550-3F | 51" | 3 ½" | \$171 | \$171 | _ | +\$18 |
| | | INCPV57-550-3F | 57" | 3 ½" | \$182 | \$182 | _ | +\$19 |
| | | INCPV660-3F | 64" | 3 ½" | \$199 | \$199 | _ | +\$21 |
| | Full Height "Y" Connection | INCPY222-3F | 29" | 3 ½" | \$276 | \$276 | | +\$29 |
| | <u> </u> | INCPY333-3F | 37" | 3 ½" | \$285 | \$285 | _ | +\$29 |
| | | INCPY444-3F | 44" | 3 ½" | \$298 | \$298 | _ | +\$31 |
| | | INCPY555-3F | 51" | 3 ½" | \$320 | \$320 | _ | +\$33 |
| | | INCPY57-555-3F | 57" | 3 1/2" | \$386 | \$386 | _ | +\$39 |
| 66 | | INCPY666-3F | 64" | 3 ½" | \$445 | \$445 | _ | +\$45 |
| 71 | Stack-On "V" Connection | INCPV6.75-3F | 6.75" | 3 ½" | \$154 | \$154 | _ | +\$17 |
| | | INCPV13.5-3F | 13.5" | 3 ½" | \$163 | \$163 | _ | +\$17 |
| | | INCPV20.25-3F | 20.25" | 3 ½" | \$171 | \$171 | _ | +\$18 |
| | | INCPV27-3F | 27" | 3 ½" | \$182 | \$182 | _ | +\$19 |
| | Stack-On "Y" Connection | INCPY6.75-3F | 6.75" | 3 ½" | \$14 | \$14 | | +\$3 |
| | | INCPY13.5-3F | 13.5" | 3 ½" | \$21 | \$21 | _ | +\$3 |
| | | INCPY20.25-3F | 20.25" | 3 ½" | \$24 | \$24 | _ | +\$4 |
| | | INCPY27-3F | 27" | 3 ½" | \$27 | \$27 | _ | +\$4 |
| / High frame | 120° Stack-On End Trim, Multi | INST6.75Y-3F | 6.75" | 3 ½" | \$154 | \$154 | _ | +\$17 |
| | Height | INST13.5Y-3F | 13.5" | 3 ½" | \$163 | \$163 | _ | +\$17 |
| H | | INST20.25Y-3F | 20.25" | 3 ½" | \$171 | \$171 | _ | +\$18 |
| Towerframe | | INST27Y-3F | 27" | 3 1/2" | \$182 | \$182 | _ | +\$19 |



General information

- Connectors and trim are specified independently of frames
- All mounting hardware and finish trim is included for corresponding frame thickness
- Composite veneer is available in specific sizes only and is not available on the tapered trim profile
- 2 ¾" thickness is not available in the tapered profile

Top Cap

- Top caps may span two frames. See Inscape System Application Guide for details
- Top caps up to 60"w requires two additional Jesters to be specified if spanning multiple frames (ie a 60"w top trim installed on 2-30" frames).

End Trim

- Stack-On End Trim is used when stack frames are specified and full height trim is not specified (whenever possible order full height trims when adding a stack on frame)
- Hi-Lo End trim is used where two frames in alignment are of different heights. The Hi-Lo End trim mounts to the side of the higher panel to finish it off
- Flat Hi-Lo End Trim may also be used in a stack on solution. The flat bottom profile allows for this trim to be used in multiple conditions

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INTC18-2F in Veneer would be \$36 +\$134

| Top Cap INTC18-2F | eer Accent paint upcharge |
|--|---------------------------|
| INTC30-2F | 34 +\$5 |
| INTC36-2F | 54 +\$6 |
| INTC42-2F | 70 +\$6 |
| INTC48-2F | 39 +\$7 |
| INTC54-2F | 10 +\$7 |
| INTC60-2F | 31 +\$8 |
| INTC66-2F | |
| INTC72-2F | |
| INTC78-2F | |
| INTC84-2F | - +\$11 |
| INTC90-2F | |
| INTC96-2F — 2 ¾" — \$125 End-of-Line Trim INET24-2F | +\$13 |
| End-of-Line Trim INET24-2F 24" 2 ¾" - \$29 INET29-2F 29" 2 ¾" - \$38 | - +\$13 |
| INET29-2F 29" 2 ³ 4" - \$38 | - +\$14 |
| | - +\$4 |
| INET37-2F 37" 2¾" − \$46 +\$1 | – +\$5 |
| | 53 +\$6 |
| INET44-2F 44" 2¾" — \$51 | |
| INET51-2F 51" 2¾" — \$58 +\$2 | 00 +\$7 |
| INET57-2F 57" 2 ¾" — \$67 | |
| INET64-2F 64" 2¾" — \$75 +\$2 | +\$9 |
| INET71-2F 71" 2¾" — \$86 | +\$10 |
| INET78-2F 78" 2¾" − \$95 | +\$11 |
| INET91-2F 91" 2 ¾" — \$116 | - +\$13 |
| Hi-Lo End Trim INETHL6.75-2F 6.75" 2 ¾" — \$23 | - +\$4 |
| INETHL13.5-2F 13.5" 2¾" − \$35 +\$ | 77 +\$5 |
| INETHL20.25-2F 20.25" 2 ¾" — \$43 | |
| INETHL27-2F 27" 2¾" — \$67 +\$1 | 04 +\$8 |



Connectors and Trim 2 3/4" Thick 90° Connector Kits

General information

- Inline connectors are required to be specified when frames are connected inline
- Off-module bracket "MP" when an off-module frame is to be mounted in the middle of the frame thickness specific)
- Off-module bracket "EP" when an off-module frame is be mounted at either end of the frame. See application guide
- For back to back off-module applications at either end of a panel, 2x "EP" off-module bracket codes are required
- Two sided off-module brackets are specified when frames are ofmodule on both sides of the "spine" frame
- Off-module bracket suffix (2F) is based on the frame thickness
- Off-module brackets cannot be used where monolithic tiles are present on spine. The lower bracket requires segmentation in tiles to attach to crossrail
- Specify wall start connector based on the height of the frame (64" to be cut on site when used with 57"h frame)

| Description | | Part number | Height | List Price |
|-------------------|----------------------------|---------------|---------------------|------------|
| | Inline Connector Kit | INLINE-1 | All Stack on Frame" | \$0 |
| (60+1+6) | | INLINE-2 | 24"h - 51"h Frame" | \$0 |
| | | INLINE-3 | 57"h - 64"h Frame" | \$0 |
| !> •001 | | INLINE-4 | 71"h - 91"h Frame" | \$0 |
| | Off-Module Bracket | INCPOFM-MP-2F | _ | \$81 |
| - | | INCPOFM-EP | - | \$80 |
| The state of | | | | |
| | | | | |
| 1 | | | | |
| | Off-Module Bracket for two | INCPOFMX-2F | _ | \$115 |
| | sided application | | | · |
| | | | | |
| | Wall Start Connector | INCPW2 | 24 & 29" | \$180 |
| | | INCPW3 | 37" | \$187 |
| ⊩ | | INCPW4 | 44" | \$208 |
| t II | | INCPW5 | 51" | \$228 |
| F | | INCPW6 | 57 & 64" | \$246 |
| H | | INCPW71 | 71" | \$250 |
| | | INCPW7 | 78" | \$250 |
| | | INCPW9 | 91" | \$254 |



Architecture
Connectors and Trim
2 3/4" Thick 90° Same Height Connector Kits

General information

- Configurations include all hardware and finished trim to create the configuration
- Composite veneer is available in specific sizes only
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multi-height connections

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INCPL3300-2F in Veneer would be \$126 +\$341

| Full Height Straight Filler Connector INCPS2020-2F 29" 2 ¾" - \$92 - 4\$10 INCPS3030-2F 37" 2 ¾" - \$92 - 4\$10 INCPS3030-2F 37" 2 ¾" - \$117 - 4\$13 INCPS4040-2F 44" 2 ¾" - \$117 - 4\$13 INCPS5050-2F 51" 2 ¾" - \$124 - 4\$14 INCPS6050-2F 57" 2 ¾" - \$1170 - 4\$18 INCPS6060-2F 64" 2 ¾" - \$1170 - 4\$18 Full Height "L" Connector INCPLLW-2F 1NCPL300-2F 22" 2 ¾" - \$116 - 4\$13 INCPL300-2F 37" 2 ¾" - \$116 - 4\$13 INCPL300-2F 37" 2 ¾" - \$126 +\$341 + \$14 INCPL4400-2F 44" 2 ¾" - \$126 +\$341 + \$14 INCPL57-550-2F 51" 2 ¾" - \$126 +\$341 + \$14 INCPL57-550-2F 51" 2 ¾" - \$128 +\$374 + \$15 INCPL57-5500-2F 57" 2 ¾" - \$210 - 4\$22 INCPL6600-2F 64" 2 ¾" - \$210 - 4\$22 INCPL6600-2F 64" 2 ¾" - \$218 +\$478 +\$23 Full Height "T" Connector INCPTLW-2F 24" 2 ¾" - \$119 - 4\$13 INCPT3330-2F 37" 2 ¾" - \$119 - \$45 INCPT5550-2F 57" 2 ¾" - \$128 +\$237 +\$14 INCPT440-2F 44" 2 ¾" - \$137 - \$515 INCPT5550-2F 57" 2 ¾" - \$128 +\$237 +\$14 INCPT440-2F 44" 2 ¾" - \$128 +\$237 +\$14 INCPT440-2F 44" 2 ¾" - \$128 +\$237 +\$14 INCPT440-2F 44" 2 ¾" - \$128 +\$237 +\$14 INCPT5550-2F 57" 2 ¾" - \$128 +\$286 +\$15 INCPT5550-2F 57" 2 ¾" - \$128 +\$286 +\$15 INCPT5550-2F 57" 2 ¾" - \$142 +\$286 +\$520 "X" Connector INCPX222-2F 29" 2 ¾" - \$113 - 4\$13 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX23333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX23333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX23333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$165 +\$17 +\$18 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$176 +\$17 +\$18 INCPX5555-2F 57" 2 ¾" - \$176 +\$17 +\$19 INCPX5555-2F 57" 2 ¾" - \$176 +\$17 +\$19 INCPX5555-2F 57" 2 ¾" - \$176 +\$17 +\$19 INCPX5666-2F 64" 2 ¾" - \$190 - \$203 +\$32 +\$21 | Description | | Part number | Height | Thickness | Tapered | Flat | Veneer | Accent paint upcharge |
|---|------------------|-----------------------------|-----------------|--------|-----------|---------|-------|--------|-----------------------|
| INCPS0030-2F 37" 2 ¼" - \$98 - 4\$11 INCPS0040-2F 44" 2 ½" - \$117 - \$118 INCPS050-2F 51" 2 ¾" - \$124 - \$14 INCPS050-2F 57" 2 ½" - \$170 - \$18 INCPS0600-2F 64" 2 ½" - \$170 - \$18 INCPS0600-2F 64" 2 ½" - \$116 - \$13 INCPL300-2F 29" 2 ¾" - \$116 - \$13 INCPL300-2F 29" 2 ¾" - \$116 - \$13 INCPL300-2F 37" 2 ¾" - \$126 +\$341 +\$14 INCPL300-2F 51" 2 ¾" - \$135 - \$15 INCPL5500-2F 51" 2 ¾" - \$142 +\$374 +\$15 INCPL5500-2F 51" 2 ¾" - \$210 - \$228 INCPL6600-2F 64" 2 ¾" - \$218 +\$478 +\$23 Full Height "T" Connector INCPTLW-2F 24" 2 ¾" - \$119 - \$119 INCPT3300-2F 51" 2 ¾" - \$119 - \$119 INCPT3300-2F 64" 2 ¾" - \$119 - \$119 INCPX4444-2F 44" 2 ¾" - \$119 - \$119 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX3333-2F 37" 2 ¾" - \$176 +\$17 +\$18 INCPX5555-2F 51" 2 ¾" - \$176 +\$17 +\$19 INCPX5555-2F 51" 2 ¾" - \$176 +\$17 +\$19 INCPX5555-2F 51" 2 ¾" - \$190 - \$20 | | Full Height Straight Filler | INCPSLW-2F | 24" | 2 ¾" | _ | \$76 | _ | +\$9 |
| INCPS4040-2F | 7 | Connector | INCPS2020-2F | 29" | 2 ¾" | _ | \$92 | _ | +\$10 |
| INCPS5050-2F 51" 2 ¾" - \$124 - +\$14 INCPS57-5050-2F 57" 2 ¾" - \$144 - +\$16 INCPS6060-2F 64" 2 ¾" - \$170 - +\$18 INCPL300-2F 64" 2 ¾" - \$170 - +\$18 INCPL2200-2F 29" 2 ¾" - \$116 - +\$13 INCPL2200-2F 29" 2 ¾" - \$116 - +\$13 INCPL300-2F 37" 2 ¾" - \$126 +\$341 +\$14 INCPL4300-2F 44" 2 ¾" - \$126 +\$341 +\$14 INCPL5500-2F 51" 2 ¾" - \$142 +\$374 +\$15 INCPL5500-2F 57" 2 ¾" - \$210 - +\$22 INCPL6600-2F 64" 2 ¾" - \$218 +\$478 +\$23 INCPL300-2F 29" 2 ¾" - \$119 - +\$13 INCPT300-2F 29" 2 ¾" - \$119 - +\$13 INCPT300-2F 57" 2 ¾" - \$128 +\$237 +\$14 INCPT4440-2F 44" 2 ¾" - \$137 - +\$15 INCPT550-2F 51" 2 ¾" - \$137 - +\$15 INCPT5500-2F 51" 2 ¾" - \$142 +\$286 +\$15 INCPT5550-2F 51" 2 ¾" - \$189 +\$346 +\$20 "X" Connector INCPXLW-2F 24" 2 ¾" - \$154 - +\$17 INCPX222-2F 29" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$176 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$176 +\$17 +\$18 INCPX575555-2F 51" 2 ¾" - \$176 +\$17 +\$18 INCPX575555-2F 51" 2 ¾" - \$170 - +\$20 | 1 | | INCPS3030-2F | 37" | 2 ¾" | _ | \$98 | _ | +\$11 |
| INCPS57-5050-2F 57" 2 ¾" - \$144 - 4\$16 INCPS6060-2F 64" 2 ¾" - \$170 - 4\$18 INCPLEW-2F 24" 2 ¾" - \$111 - 4\$12 INCPL200-2F 29" 2 ¾" - \$116 - 4\$13 INCPL3300-2F 37" 2 ¾" - \$126 +\$341 +\$14 INCPL4400-2F 44" 2 ¾" - \$135 - 4\$15 INCPL5500-2F 51" 2 ¾" - \$135 - 4\$15 INCPL57-5500-2F 57" 2 ¾" - \$210 - 4\$22 INCPL6600-2F 64" 2 ¾" - \$210 - 4\$22 INCPL6600-2F 64" 2 ¾" - \$218 +\$478 +\$23 INCPT3330-2F 37" 2 ¾" - \$128 +\$237 +\$14 INCPT3330-2F 37" 2 ¾" - \$128 +\$237 +\$14 INCPT330-2F 51" 2 ¾" - \$128 +\$237 +\$14 INCPT3500-2F 51" 2 ¾" - \$128 +\$237 +\$14 INCPT4440-2F 44" 2 ¾" - \$137 - 4\$13 INCPT4440-2F 44" 2 ¾" - \$170 - 4\$18 INCPT57-5550-2F 57" 2 ¾" - \$170 - 4\$18 INCPT6660-2F 64" 2 ¾" - \$165 +\$17 +\$18 INCPX2222-2F 29" 2 ¾" - \$154 - 4\$17 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$176 +\$17 +\$18 INCPX57-5555-2F 57" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$170 - 4\$20 INCPX57-5555-2F 57" 2 ¾" - \$165 +\$17 +\$18 INCPX57-5555-2F 57" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$190 - 4\$20 | | | INCPS4040-2F | 44" | 2 ¾" | _ | \$117 | _ | +\$13 |
| INCPLEW-2F | | | INCPS5050-2F | 51" | 2 ¾" | _ | \$124 | _ | +\$14 |
| Full Height "L" Connector INCPLLW-2F INCPL2200-2F INCPL3200-2F INCPL4400-2F INCPL4400-2F INCPL5500-2F INCPL5500-2F INCPL6600-2F INCPL6600-2F INCPT2220-2F INCPT220-2F INCPT3330-2F INCPT35550-2F INCPT35550-2F INCPT35550-2F INCPT35550-2F INCPT35550-2F INCPT35550-2F INCPT35550-2F INCPT35550-2F INCPT3333-2F INCPT35550-2F INCPT35550-2F INCPT3333-2F INCPT35555-2F INCPT355555-2F INCPT355555-2F INCPT35555-2F INCPT355555-2F INCPT355555-2F INCPT355555-2F | - | | INCPS57-5050-2F | 57" | 2 ¾" | _ | \$144 | _ | +\$16 |
| INCPL2200-2F 29" 2 ¾" - \$116 - \$131 INCPL3300-2F 37" 2 ¾" - \$126 \$4341 \$144 INCPL4400-2F 44" 2 ¾" - \$135 - \$155 INCPL5500-2F 51" 2 ¾" - \$210 - \$220 INCPL57-5500-2F 57" 2 ¾" - \$218 \$478 \$223 Full Height "T" Connector INCPTLW-2F 24" 2 ¾" - \$119 - \$113 INCPT3330-2F 37" 2 ¾" - \$128 \$237 \$141 INCPT3330-2F 51" 2 ¾" - \$128 \$237 \$151 INCPT3550-2F 51" 2 ¾" - \$128 \$237 \$151 INCPT57-5550-2F 51" 2 ¾" - \$142 \$286 \$15 INCPT57-5550-2F 57" 2 ¾" - \$170 - \$180 INCPT6660-2F 64" 2 ¾" - \$170 - \$180 INCPT6660-2F 64" 2 ¾" - \$154 - \$17 INCPX3333-2F 37" 2 ¾" - \$154 - \$17 INCPX3333-2F 37" 2 ¾" - \$154 - \$17 INCPX3333-2F 37" 2 ¾" - \$165 \$17 \$18 INCPX4444-2F 44" 2 ¾" - \$165 \$17 \$18 INCPX3433-2F 37" 2 ¾" - \$165 \$17 \$18 INCPX34444-2F 44" 2 ¾" - \$176 \$171 - \$18 INCPX3555-2F 51" 2 ¾" - \$176 \$171 - \$18 INCPX5555-2F 51" 2 ¾" - \$176 \$171 - \$18 INCPX57-5555-2F 57" 2 ¾" - \$176 \$176 \$177 \$19 INCPX57-5555-2F 57" 2 ¾" - \$190 - \$120 \$100 - \$100 \$100 | | | INCPS6060-2F | 64" | 2 ¾" | _ | \$170 | _ | +\$18 |
| INCPL3300-2F 37" 2 %" - \$126 +\$341 +\$14 INCPL4400-2F 44" 2 ¾" - \$135 - +\$15 INCPL5500-2F 51" 2 ¾" - \$142 +\$374 +\$15 INCPL57-5500-2F 57" 2 ¾" - \$210 - +\$22 INCPL6600-2F 64" 2 ¾" - \$218 +\$478 +\$23 | >= | Full Height "L" Connector | INCPLLW-2F | 24" | 2 ¾" | _ | \$111 | _ | +\$12 |
| INCPL4400-2F | M | | INCPL2200-2F | 29" | 2 ¾" | _ | \$116 | _ | +\$13 |
| INCPL5500-2F | $\exists \Vdash$ | | INCPL3300-2F | 37" | 2 ¾" | _ | \$126 | +\$341 | +\$14 |
| INCPL57-5500-2F 57" 2 ¾" - \$210 - +\$22 INCPL6600-2F 64" 2 ¾" - \$218 +\$478 +\$23 Full Height "T" Connector INCPTLW-2F 24" 2 ¾" - \$80 - +\$9 INCPT2220-2F 29" 2 ¾" - \$119 - +\$13 INCPT330-2F 37" 2 ¾" - \$128 +\$237 +\$14 INCPT4440-2F 44" 2 ¾" - \$137 - +\$15 INCPT5550-2F 51" 2 ¾" - \$142 +\$286 +\$15 INCPT5-5550-2F 57" 2 ¾" - \$170 - +\$18 INCPT6660-2F 64" 2 ¾" - \$189 +\$346 +\$20 "X" Connector INCPXLW-2F 24" 2 ¾" - \$154 - +\$17 INCPX333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$176 +\$17 +\$18 INCPX5555-2F 51" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$190 - +\$20 | | | INCPL4400-2F | 44" | 2 3/4" | _ | \$135 | _ | +\$15 |
| NCPL6600-2F 64" 2 ¾" - \$218 +\$478 +\$23 | E 1 | | INCPL5500-2F | 51" | 2 ¾" | _ | \$142 | +\$374 | +\$15 |
| Full Height "T" Connector INCPTLW-2F 24" 2 ¾" - \$80 - +\$9 INCPT2220-2F 29" 2 ¾" - \$119 - +\$13 INCPT3330-2F 37" 2 ¾" - \$128 +\$237 +\$14 INCPT4440-2F 44" 2 ¾" - \$137 - +\$15 INCPT5550-2F 51" 2 ¾" - \$142 +\$286 +\$15 INCPT57-5550-2F 57" 2 ¾" - \$170 - +\$18 INCPT6660-2F 64" 2 ¾" - \$189 +\$346 +\$20 "X" Connector INCPXLW-2F 24" 2 ¾" - \$154 - +\$17 INCPX3333-2F 37" 2 ¾" - \$154 - +\$17 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$170 - +\$18 INCPX55555-2F 51" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$170 - +\$18 INCPX55555-2F 51" 2 ¾" - \$165 +\$17 +\$18 INCPX55555-2F 51" 2 ¾" - \$170 - +\$170 - +\$18 | | | INCPL57-5500-2F | 57" | 2 ¾" | _ | \$210 | _ | +\$22 |
| INCPT2220-2F 29" 2 ¾" - \$119 - +\$13 INCPT3330-2F 37" 2 ¾" - \$128 +\$237 +\$14 INCPT4440-2F 44" 2 ¾" - \$137 - +\$15 INCPT5550-2F 51" 2 ¾" - \$142 +\$286 +\$15 INCPT5-5550-2F 57" 2 ¾" - \$170 - +\$18 INCPT6660-2F 64" 2 ¾" - \$189 +\$346 +\$20 "X" Connector INCPXLW-2F 24" 2 ¾" - \$113 - +\$13 INCPX2222-2F 29" 2 ¾" - \$154 - +\$17 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$171 - +\$18 INCPX5555-2F 51" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$176 +\$17 +\$19 | | | INCPL6600-2F | 64" | 2 ¾" | _ | \$218 | +\$478 | +\$23 |
| INCPT2220-2F 29 2 % - \$119 - +\$13 INCPT3330-2F 37" 2 ¾" - \$128 +\$237 +\$14 INCPT4440-2F 44" 2 ¾" - \$137 - +\$15 INCPT5550-2F 51" 2 ¾" - \$142 +\$286 +\$15 INCPT57-5550-2F 57" 2 ¾" - \$170 - +\$18 INCPT6660-2F 64" 2 ¾" - \$189 +\$346 +\$20 "X" Connector INCPXLW-2F 24" 2 ¾" - \$154 - +\$17 INCPX2222-2F 29" 2 ¾" - \$154 - +\$17 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$171 - +\$18 INCPX4444-2F 44" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$190 - +\$20 | | Full Height "T" Connector | INCPTLW-2F | 24" | 2 ¾" | _ | \$80 | _ | +\$9 |
| INCPT4440-2F | 7 | | INCPT2220-2F | 29" | 2 ¾" | _ | \$119 | _ | +\$13 |
| INCPT5550-2F 51" 2 ¾" - \$142 +\$286 +\$15 INCPT57-5550-2F 57" 2 ¾" - \$170 - +\$18 INCPT6660-2F 64" 2 ¾" - \$189 +\$346 +\$20 "X" Connector INCPXLW-2F 24" 2 ¾" - \$113 - +\$13 INCPX2222-2F 29" 2 ¾" - \$154 - +\$17 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$171 - +\$18 INCPX4444-2F 44" 2 ¾" - \$171 - +\$18 INCPX5555-2F 51" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$190 - +\$20 | | | INCPT3330-2F | 37" | 2 ¾" | _ | \$128 | +\$237 | +\$14 |
| INCPT57-5550-2F 57" 2 ¾" | | | INCPT4440-2F | 44" | 2 ¾" | _ | \$137 | _ | +\$15 |
| INCPT6660-2F 64" 2 ¾" - \$189 +\$346 +\$20 | | | INCPT5550-2F | 51" | 2 ¾" | _ | \$142 | +\$286 | +\$15 |
| "X" Connector INCPXLW-2F | | | INCPT57-5550-2F | 57" | 2 ¾" | _ | \$170 | _ | +\$18 |
| INCPX2222-2F 29" 2 ¾" - \$154 - +\$17 INCPX3333-2F 37" 2 ¾" - \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" - \$171 - +\$18 INCPX5555-2F 51" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$190 - +\$20 | | | INCPT6660-2F | 64" | 2 ¾" | _ | \$189 | +\$346 | +\$20 |
| INCPX2222-2F 29" 2 ¾" — \$154 — +\$17 INCPX3333-2F 37" 2 ¾" — \$165 +\$17 +\$18 INCPX4444-2F 44" 2 ¾" — \$171 — +\$18 INCPX5555-2F 51" 2 ¾" — \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" — \$190 — +\$20 | 36 | "X" Connector | INCPXLW-2F | 24" | 2 ¾" | _ | \$113 | _ | +\$13 |
| INCPX4444-2F 44" 2 ¾" - \$171 - +\$18 INCPX5555-2F 51" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$190 - +\$20 | | | INCPX2222-2F | 29" | 2 ¾" | _ | \$154 | _ | +\$17 |
| INCPX5555-2F 51" 2 ¾" - \$176 +\$17 +\$19 INCPX57-5555-2F 57" 2 ¾" - \$190 - +\$20 | | | INCPX3333-2F | 37" | 2 ¾" | _ | \$165 | +\$17 | +\$18 |
| INCPX57-5555-2F 57" 2 3/4" - \$190 - +\$20 | 1 | | INCPX4444-2F | 44" | 2 ¾" | _ | \$171 | _ | +\$18 |
| | | | INCPX5555-2F | 51" | 2 ¾" | _ | \$176 | +\$17 | +\$19 |
| INCPX6666-2F 64" 2 3/4" — \$203 +\$32 +\$21 | | | INCPX57-5555-2F | 57" | 2 ¾" | _ | \$190 | _ | +\$20 |
| | | | INCPX6666-2F | 64" | 2 ¾" | _ | \$203 | +\$32 | +\$21 |



Connectors and Trim

2 3/4" Thick 90° Stack-on Connector Kits

General information

- Available in heights matching incremental change of frame heights;
 6.75", 13.5", 20.25 and 27" high
- Composite veneer is available in specific sizes only
- Specify based on configuration requirement
- May be used in conjunction with same height kits and end trim to create multi height configurations

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INCPL13.5-2F in Veneer would be \$58 +\$265

| Description | | Part number | Height | Thickness | Tapered | Flat | Veneer | Accent pain upcharge |
|-------------|----------------------------|---------------|--------|-----------|---------|-------|--------|----------------------|
| | Straight Filler Connection | INCPS6.75-2F | 6.75" | 2 ¾" | _ | \$27 | _ | +\$4 |
| | | INCPS13.5-2F | 13.5" | 2 ¾" | _ | \$48 | _ | +\$6 |
| | | INCPS20.25-2F | 20.25" | 2 ¾" | _ | \$78 | _ | +\$9 |
| | | INCPS27-2F | 27" | 2 ¾" | _ | \$88 | _ | +\$10 |
| <u> </u> | "L" Connection | INCPL6.75-2F | 6.75" | 2 3/4" | | \$33 | | +\$5 |
| | E Connection | INCPL13.5-2F | 13.5" | 2 3/4" | _ | \$58 | +\$265 | +\$7 |
| III | | INCPL20.25-2F | 20.25" | 2 34" | _ | \$85 | - Ψ200 | +\$10 |
| | | INCPL27-2F | 27" | 2 3/4" | _ | \$111 | +\$326 | +\$12 |
| | | | | | | | | |
| | "T" Connection | INCPT6.75-2F | 6.75" | 2 ¾" | _ | \$24 | _ | +\$4 |
| | | INCPT13.5-2F | 13.5" | 2 ¾" | _ | \$38 | +\$226 | +\$5 |
| | | INCPT20.25-2F | 20.25" | 2 ¾" | _ | \$61 | _ | +\$7 |
| | | INCPT27-2F | 27" | 2 ¾" | _ | \$78 | +\$258 | +\$9 |
| | | | | | | | | |
| | "X" Connection | INCPX6.75-2F | 6.75" | 2 ¾" | _ | \$16 | _ | +\$3 |
| >>> | | INCPX13.5-2F | 13.5" | 2 ¾" | _ | \$21 | _ | +\$3 |
| | | INCPX20.25-2F | 20.25" | 2 ¾" | _ | \$24 | _ | +\$4 |
| | | INCPX27-2F | 27" | 2 ¾" | _ | \$27 | _ | +\$4 |



Connectors and Trim 2 3/4" Thick 90° Multi Height Connector Kits

General information

- These configurations facilitate specification of connector kits for various multi-height panel configurations which cannot be created by stacking trim kits
- Configurations include all hardware and finished trim to create the configuration

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

| Description | | Part number | Height | Thickness | Tapered | Flat | Veneer | Accent paint upcharge |
|-------------|------------------------------|--------------|-----------------|-----------|---------|-------|--------|-----------------------|
| _ | Multi Height "T" connections | INCPT6560-2F | 64, 51, 64" | 2 ¾" | _ | \$189 | _ | +\$20 |
| | · · | INCPT6460-2F | 64, 44, 64" | 2 ¾" | _ | \$194 | _ | +\$21 |
| | | INCPT6360-2F | 64, 37, 64" | 2 ¾" | _ | \$199 | _ | +\$21 |
| | | INCPT5450-2F | 51, 44, 51" | 2 ¾" | _ | \$182 | _ | +\$19 |
| | | INCPT5350-2F | 51, 37, 51" | 2 ¾" | _ | \$171 | _ | +\$18 |
| | | INCPT4340-2F | 44, 37, 44" | 2 ¾" | _ | \$140 | _ | +\$15 |
| | | INCPT6350-2F | 63, 37, 51" | 2 ¾" | _ | \$182 | _ | +\$19 |
| | Multi Height "X" connections | INCPX6563-2F | 64, 51, 64, 37" | 2 ¾" | _ | \$224 | _ | +\$23 |





Connectors and Trim 2 3/4" Thick 120° Connector Kits

General information

- Connector kits include connector brackets, bolts, nuts and finished trim to create connection
- Specify code based on height of frames within connection

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

| Description | | Part number | Height | Thickness | Flat | Accent paint upcharge |
|-------------|-------------------------------|----------------|---------|-----------|-------|-----------------------|
| | Full Height "V" Connector | INCPV220-2F | 29" | 2 ¾" | \$146 | +\$16 |
| | - | INCPV330-2F | 37" | 2 ¾" | \$154 | +\$17 |
| | | INCPV440-2F | 44" | 2 ¾" | \$163 | +\$17 |
| | | INCPV550-2F | 51" | 2 ¾" | \$171 | +\$18 |
| | | INCPV57-550-2F | 57" | 2 ¾" | \$182 | +\$19 |
| | | INCPV660-2F | 64" | 2 ¾" | \$199 | +\$21 |
| | Full Height "Y" Connector | INCPY222-2F | 29" | 2 3/4" | \$276 | +\$29 |
| | - | INCPY333-2F | 37" | 2 ¾" | \$285 | +\$29 |
| | | INCPY444-2F | 44" | 2 ¾" | \$298 | +\$31 |
| | | INCPY555-2F | 51" | 2 ¾" | \$320 | +\$33 |
| | | INCPV57-555-2F | 57" | 2 ¾" | \$386 | +\$39 |
| 68 | | INCPY666-2F | 64" | 2 ¾" | \$445 | +\$45 |
| 71 | Stack-On "V" Connector | INCPV6.75-2F | 6.75" | 2 3/4" | \$156 | +\$17 |
| | | INCPV13.5-2F | 13.5" | 2 ¾" | \$164 | +\$18 |
| | | INCPV20.25-2F | 20.25" | 2 ¾" | \$171 | +\$18 |
| | | INCPV27-2F | 27" | 2 ¾" | \$182 | +\$19 |
| | | INCPV10-2F | 10.125" | 2 ¾" | \$161 | +\$17 |
| <u> </u> | Stack-On "Y" Connector | INCPY6.75-2F | 6.75" | 2 3/4" | \$16 | +\$3 |
| /11/ | | INCPY13.5-2F | 13.5" | 2 ¾" | \$21 | +\$3 |
| | | INCPY20.25-2F | 20.25" | 2 ¾" | \$24 | +\$4 |
| | | INCPY27-2F | 27" | 2 ¾" | \$27 | +\$4 |
| - | | INCPY10-2F | 10.125" | 2 ¾" | \$18 | +\$3 |
| | 120° Stack-On End Trim, Multi | INST6.75Y-2F | 6.75" | 2 ¾" | \$156 | +\$17 |
| H / | Height | INST13.5Y-2F | 13.5" | 2 ¾" | \$164 | +\$18 |
| | | INST20.25Y-2F | 20.25" | 2 ¾" | \$171 | +\$18 |
| | | INST27Y-2F | 27" | 2 ¾" | \$182 | +\$19 |
| Lower Frame | | INST10Y-2F | 10.125" | 2 3/4" | \$161 | +\$17 |

Screen Connectors

System

Architecture

Connectors and Trim
1 1/2" Thick Screen Connectors

General information

- Inline Connectors differ from those of the Inscape System panel
- Universal connectors are self finished and solve all L, T and X connections
- Specify universal connector code based on height of the frames within connection

| Description | | Part number | Height | List price | Acent paint upcharge |
|-------------|----------------------|--------------------------------------|--------------------------|----------------------------------|----------------------------------|
| | Inline Connectors | FSSC FSSC64 | 37/44/51" 64" | \$24 \$34 | Ξ |
| 图 | Universal Connectors | FSUC37 FSUC44 FSUC51 FSUC64 | 37" 44" 51" 64" | \$104 \$112 \$118 \$161 | +\$12 +\$12 +\$13 +\$17 |
| | Wall Connectors | CFW | _ | \$40 | _ |



Connectors and Trim

1 1/2" Screen to 3 1/2" Frame Connector Kits

General information

- Configurations include all hardware and finished trim to create the configuration
- Two sided off-module brackets are specified when frames are off module on both sides of the "spine" panel
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multi-height connections
- 1.5" screen connectors are available for tapered trim only
- (3F) suffix is based on the spine panel thickness

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

| Description | | Part number | Height | Weight | List Price | Accent paint upcharge |
|-------------|---|----------------|--------|--------|------------|-----------------------|
| | Off-Module (1side) | INFSPOMC-3F | - | 2 | \$89 | _ |
| | Off-Module (2side) screens must be off module at same locations on spine back to back | INFSPOMBC-3F | _ | 2 | \$134 | _ |
| | "L" Connector | INFSPLC37LH-3F | 37" | 2 | \$120 | +\$13 |
| | 1 ½" left side | INFSPLC44LH-3F | 44" | 2 | \$129 | +\$14 |
| | . 72 1011 0100 | INFSPLC51LH-3F | 51" | 2 | \$131 | +\$14 |
| | | INFSPLC64LH-3F | 64" | 2 | \$166 | +\$18 |
| - | "L" Connector | INFSPLC37RH-3F | 37" | 2 | \$120 | +\$13 |
| | 1 ½" right side | INFSPLC44RH-3F | 44" | 2 | \$129 | +\$14 |
| | 1 /2 HgHt 5140 | INFSPLC51RH-3F | 51" | 2 | \$131 | +\$14 |
| | | INFSPLC64RH-3F | 64" | 2 | \$166 | +\$18 |



Architecture Connectors and Trim

1 1/2" Screen to 3 1/2" Frame Connector Kits

General information

- Configurations include all hardware and finished trim to create the configuration
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multi-height connections
- 1.5" screen connectors are available for tapered trim only.
- (3F) suffix is based on the spine panel thickness.

Notes

Be sure to specify correct thickness of connector kit based on the frame thickness

| Description | | Part number | Height | Weight | List Price | Accent paint upcharge |
|-------------|---|----------------|--------------------|--------|------------|-----------------------|
| | "T" Connector | INFPSTC37-3F | 37" | 2 | \$151 | +\$16 |
| | 1x3 1/2" Frame | INFPSTC44-3F | 44" | 2 | \$156 | +\$17 |
| | | INFPSTC51-3F | 51" | 2 | \$172 | +\$18 |
| | | INFPSTC64-3F | 64" | 2 | \$194 | +\$21 |
| | "X" Connection | INFPSXC37-3F | 37" | 2 | \$96 | +\$11 |
| | 2x1 1/2" Screens, 2x3 1/2" Frames | INFPSXC44-3F | 44" | 2 | \$98 | +\$11 |
| | , | INFPSXC51-3F | 51" | 2 | \$101 | +\$11 |
| | | INFPSXC64-3F | 64" | 2 | \$104 | +\$12 |
| | "T" Multi Height Connector | INFPSTC6560-3F | 64 - 51 - 64" | 2 | \$206 | +\$22 |
| | 1x1 ½" Frame | INFPSTC6460-3F | 64 - 44 - 64" | 2 | \$247 | +\$26 |
| | | INFPSTC6360-3F | 64 - 37 - 64" | 2 | \$239 | +\$25 |
| | | INFPSTC5450-3F | 51 - 44 - 51" | 2 | \$191 | +\$20 |
| | | INFPSTC5350-3F | 51 - 37 - 51" | 2 | \$186 | +\$20 |
| | | INFPSTC4340-3F | 44 - 37 - 44" | 2 | \$175 | +\$19 |
| | "X" Multi Height Connector | INFPSXC6665-3F | 64 - 64 - 64 - 51" | 2 | \$177 | +\$19 |
| A | 2x1 ½" Screens, 2x3 ½" Frames | INFPSXC6664-3F | 64 - 64 - 64 - 44" | 2 | \$183 | +\$19 |
| | , | INFPSXC6663-3F | 64 - 64 - 64 - 37" | 2 | \$189 | +\$20 |
| | | INFPSXC6565-3F | 64 - 51 - 64 - 51" | 2 | \$194 | +\$21 |
| | | INFPSXC6564-3F | 64 - 51 - 64 - 44" | 2 | \$199 | +\$21 |
| | | INFPSXC6563-3F | 64 - 51 - 64 - 37" | 2 | \$240 | +\$25 |
| ~ 1 | | INFPSXC6464-3F | 64 - 44 - 64 - 44" | 2 | \$242 | +\$25 |
| | | INFPSXC6463-3F | 64 - 44 - 64 - 37" | 2 | \$243 | +\$25 |
| | | INFPSXC6363-3F | 64 - 37 - 64 - 37" | 2 | \$245 | +\$26 |
| | | INFPSXC5554-3F | 51 - 51 - 51 - 44" | 2 | \$158 | +\$17 |
| | | INFPSXC5553-3F | 51 - 51 - 51 - 37" | 2 | \$162 | +\$17 |
| | | INFPSXC5454-3F | 51 - 44 - 51 - 44" | 2 | \$178 | +\$19 |
| | | INFPSXC5453-3F | 51 - 44 - 51 - 37" | 2 | \$183 | +\$19 |
| | | INFPSXC5353-3F | 51 - 37 - 51 - 37" | 2 | \$186 | +\$20 |
| | | INFPSXC4443-3F | 44 - 44 - 44 - 37" | 2 | \$158 | +\$17 |
| | | INFPSXC4343-3F | 44 - 37 - 44 - 37" | 2 | \$182 | +\$19 |



Connectors and Trim

2 3/4" Frame to 3 1/2" Frame Same Height Connector Kits

General information

- Configurations include all hardware and finished trim to create the configuration
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multi-height connections
- (3F) suffix is based on the spine panel thickness

Notes

- Number in diagrams depict panel thickness
- Lefts and rights are determined from the inside view of the connection

| Description | | Part number | Height | Thickness | List price | Accent paint upcharge |
|----------------------|----------------------------------|--------------|--------|-----------|------------|-----------------------|
| | "L" Connector | INCPL24-3R2L | 24" | 2 ¾" | \$130 | +\$14 |
| Trì | 2 ¾" to 3 ½" Frames | INCPL29-3R2L | 29" | 2 ¾" | \$143 | +\$15 |
| | | INCPL37-3R2L | 37" | 2 ¾" | \$154 | +\$17 |
| _ | | INCPL44-3R2L | 44" | 2 ¾" | \$168 | +\$18 |
| 3 2 | | INCPL51-3R2L | 51" | 2 ¾" | \$177 | +\$19 |
| | | INCPL57-3R2L | 57" | 2 ¾" | \$186 | +\$20 |
| | | INCPL64-3R2L | 64" | 2 ¾" | \$249 | +\$26 |
| V - 2000 CO - 00 000 | "L" Connector | INCPL24-2R3L | 24" | 2 ¾" | \$130 | +\$14 |
| Trì | 3 ½" to 2 ¾" Frames | INCPL29-2R3L | 29" | 2 ¾" | \$143 | +\$15 |
| 2 1 3 | | INCPL37-2R3L | 37" | 2 ¾" | \$154 | +\$17 |
| · _ _ · | | INCPL44-2R3L | 44" | 2 ¾" | \$168 | +\$18 |
| | | INCPL51-2R3L | 51" | 2 ¾" | \$177 | +\$19 |
| | | INCPL57-2R3L | 57" | 2 ¾" | \$186 | +\$20 |
| | | INCPL64-2R3L | 64" | 2 ¾" | \$249 | +\$26 |
| - | "T" Connector | INCPT24-223 | 24" | 2 ¾" | \$159 | +\$17 |
| 3 | 1x3 ½" Frame, 2x2 ¾" Frames | INCPT29-223 | 29" | 2 ¾" | \$163 | +\$17 |
| 2 2 | · | INCPT37-223 | 37" | 2 ¾" | \$168 | +\$18 |
| | | INCPT44-223 | 44" | 2 ¾" | \$174 | +\$19 |
| | | INCPT51-223 | 51" | 2 ¾" | \$179 | +\$19 |
| | | INCPT57-223 | 57" | 2 ¾" | \$183 | +\$19 |
| | | INCPT64-223 | 64" | 2 ¾" | \$251 | +\$26 |
| 2 | "T" Connector | INMHC24-332 | 24" | 2 ¾" | \$147 | +\$16 |
| | 2x3 1/2" Frame, 1x2 3/4" Frames | INMHC29-332 | 29" | 2 ¾" | \$149 | +\$16 |
| 3 3 | | INMHC37-332 | 37" | 2 ¾" | \$155 | +\$17 |
| - | | INMHC44-332 | 44" | 2 ¾" | \$161 | +\$17 |
| | | INMHC51-332 | 51" | 2 ¾" | \$165 | +\$18 |
| | | INMHC57-332 | 57" | 2 ¾" | \$170 | +\$18 |
| | | INMHC64-332 | 64" | 2 3/4" | \$251 | +\$26 |
| 2 2 | "X" Connector | INCPX24-3322 | 24" | 2 3/4" | \$108 | +\$12 |
| 2 | 2x3 1/2" Frames, 2x2 3/4" Frames | INCPX29-3322 | 29" | 2 ¾" | \$109 | +\$12 |
| 3 2 | | INCPX37-3322 | 37" | 2 ¾" | \$113 | +\$13 |
| | | INCPX44-3322 | 44" | 2 ¾" | \$113 | +\$13 |
| | | INCPX51-3322 | 51" | 2 ¾" | \$113 | +\$13 |
| 70.00 | | INCPX57-3322 | 57" | 2 ¾" | \$117 | +\$13 |
| | | INCPX64-3322 | 64" | 2 ¾" | \$164 | +\$18 |



| Description | | Part number | Thickness | List price |
|-------------|--|-------------|-----------|------------|
| 65.65 | 3 ½" Frame to ADDWALL Connection Bracket Straight Intersection | INSCBSIA-3F | 3 ½" | \$52 |
| | 2 ¾" Frame to ADDWALL Connection Bracket Straight Intersection | INSCBSIA-2F | 2 ¾" | \$52 |

System

Architecture

Connectors and Trim
Planna Storage Benching End Trim

General information

- Includes mounting hardware to attach to the adjacent storage cases
- 3 1/2" thick version only
- Specific for worksurface or cushion above storage
- Specify whether a cut out is required to allow electrical feed and data cabling to enter frame behind

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint upcharge |
|-------------|---|--------------|--------|-------|--------------|------------|-----------------------|
| | End Trim with Electrical Cutout, Worksurface compatible (worksurface above) | PLNCETCO | 25" | 3.5" | 2 | \$78 | +\$9 |
| • | End Trim without Cutout / Private Office Case Back Filler, Worksurface compatible (worksurface above) | PLNCET | 25" | 3.5" | 2 | \$75 | +\$9 |
| | End Trim with Electrical Cutout, Cushion compatible (cushion above) | PLNCETCOCUSH | 25" | 3.5" | 2 | \$63 | +\$8 |
| | End Trim without Cutout / Private Office Case Back Filler, Cushion compatible (cushion above) | PLNCETCUSH | 25" | 3.5" | 2 | \$59 | +\$7 |

General information

- Filler inserts omit small gap between the Storwal case and the frame where they join
 Must be specified with Storwal Connection Bracket (3 ½" and 2 ¾" thick frames)
- Storwal Connecting Bracket connects the frame to the Storwal unit

| Description | | Part number | Height | List Price | Accent paint upcharge |
|-------------|--|-------------------------------|-------------------|----------------------|-----------------------|
| - Taranta | Storwal to 1 ½" Screen Connecting Bracket | SWFFBKT | - | \$19 | +\$3 |
| | Storwal Connecting Bracket for use with both frame thicknesses | INSCBKT | - | \$79 | _ |
| 8 4 | Filler Insert (Pair) for use with both frame thicknesses | INFIL51 INFIL64 INFIL71 | 51" 64" 71" | \$65 \$72 \$78 | +\$8 +\$8 +\$9 |



I IIes General information

General information

Tiles are available as fabric, painted, tackable, veneer, Nuform, Double Glazed and whiteboard. Tiles are interchangeable between 2.75" and 3.5" frame thickness (the thickness of the frame is determined by the tile clips which come with the frame). Tile heights vary and must always align with a crossrail on the frame as this is where the tile clips are located. If alternative tile configurations are required, additional crossrails may be specified separately and installed in the field (crossrails will include tile clips depending on thickness opted for). Tiles may be positioned in any location unless otherwise stated or crossrail does not permit.

Tiles are held in place by tile clips. These clips snap between panel crossrails and may easily be removed and/or replaced if necessary when changing the thickness of the panel. Clips support panel tiles and top trim. The clips are made of Delrin which is a resin similar to nylon in strength but has more rigidity and superior memory. These characteristics allow the Inscape System clips to retain their original shape without permanently deforming under continual pressure. This ensures tiles and trim will snap into place with a solid "click" time after time.

Fabric and painted tiles

Fabric and painted tiles are available 27", 20.25" and 6.75" high, as well as 13.5" and are constructed from 24 gauge galvanized steel. Powder-coated and fabric-covered steel tiles have a flame spread rating of less than 200 when tested according to ASTM-E84. Fabric-covered tiles are available in standard fabrics or COM. COM fabrics are subject to approval. White or extremely light colored COM fabrics will incur an upcharge of 25% to the tile pricing with which the fabric is being applied. This is due to special handling of the fabric and tiles, in addition to painting of the tiles. Painted tiles are available in the colors shown in our Color Guide and are available in the following styles: plain steel, embossed, perforated, and steel screen. Fabric on tiles is applied in a railroad orientation.

Tackable tiles

Tackable tiles are constructed from 24 gauge cold rolled steel with a paint finish on all surfaces to prevent corrosion. The same general rules from the fabric tile section apply to the Tackable tiles. Fabric on tiles is applied in a railroad orientation. NRC 0.57, STC 9. Tackable Acoustical tiles are available through Standard Specials with NRC of .73 and an STC of 12.

Nuform Tiles consist of gray melamine-backed MDF substrate 0.375" thick, with vacuum-formed Nuform foil over the front's surface and sides. The back-side of the tile also has routing features that accept zinc diecast tile clips. All Nuform tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener limits where the tile may be placed on a 2.75" thick frame. Nuform tiles cannot be specified in a location where a power track is installed due to interference. A sticker on the back of Nuform tiles provides UL flame / smoke-rating information. Woodgrain pattern is vertical. Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut.

Composite veneer tiles

Composite veneer tiles are constructed utilizing 45 lbs. density particle board with an engineered balanced backer for structural integrity. Veneer thickness is 0.025". The backside of the tile has routing features that accept zinc die-cast tile clips. All Composite Veneer Tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener bar limits where the tile may be placed (See Inscape System Application Guide for details). Composite Veneer tiles cannot be specified in a location where a power track is installed due to interference on a 2.75" thick frame. Woodgrain pattern is vertical.

Whiteboard tiles

Whiteboard tiles are available in two heights, 13.5" and 20.25". Tiles are constructed from 24 gauge cold rolled steel with optional white, gray or black paint finishs that has been specifically formulated for dry erase markers. Whiteboards are seamless and fit same locations as standard painted tiles.

Note: Inscape whiteboards are specifically designed for use with DRY-ERASE markers only. WHITEBOARDS ARE NOT INTENDED FOR USE WITH PERMANENT MARKERS. Inscape advises the use of Sanford Expo Dry Erase markers with whiteboards. For a thorough cleaning, use Sanford Expo spray cleaner.

Paper management tiles

Paper management tiles support horizontal paper management accessories. Organizers may be positioned at any point along the width of the tile. Three slats structured into the tile allow for three different height options for the accessories to be installed. Accessories may be found under Horizontal Accessories under the "Storage and Accessories" section. Maximum load capacity is 75lbs. When specifying paper management tiles which will be supporting a monitor arm, a Paper Management Reinforcing kit is required for additional structure. The 54" and 60" w tiles are pre-structured with these kits.

Perforated and embossed tiles

Perforated and embossed tiles are constructed of 24 gauge galvanized steel, the Steel Screen tiles are constructed from 24 gauge cold rolled steel. Tiles may be painted in any of Inscape's standard colors or color matches.

Communication tiles

Communication tiles provide power OR data access. The 24" and 30" wide include one cut out while all wider tile widths include two cut outs. Tiles provide electrical access in frames 30"w and wider only and data access in all panel widths. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

Fabric/finishes & worksurface general notes Fabric patterns which are available in 54" and 55" both have limitations on the sizes of tiles available. Tile sizes longer than 42" are not available.

Codes with the following suffix have specific install locations

UD Upper DeckBL BeltlineBS Base

Multi access tiles

Multi access tiles provide electrical AND data access. Cut outs align with power track and proper tiles must be specified in specific areas if stated. Data and Electrical components may be specified from the Technology section. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight) as well with the data or electrical components. Bezels are flush with tile. NOT recessed.

Codes with the following suffix have specific install locations

UD Upper DeckBL BeltlineBS Base

Monolithic tiles

Monolithic tiles are specified based on the height and width of the frame with which they are being installed. Monolithic tiles are available in painted or fabric (fabric wrapped steel).



Monolithic tiles with multi access

Monolithic tiles with multi access provide electrical and data cut outs at the bottom of the frame (same as Multi Access tile). Cut outs align with power track and proper tiles must be specified in specific areas if stated. Data and Electrical components may be specified from the Technology section. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight) as well as with the data or electrical components.

Double glazed tiles

Double glazed tiles are available in 13.5" high and may be installed on frames 24" to 48" wide in place of a tile. Double Glazed tiles feature a double pane of frosted acrylic or clear acrylic framed by vertical and

horizontal trim. Double Glazed tiles may be installed one on top of another. If wider than 60" of glaze is desired; Stack on Double Glazed Kits may be specified.

The credenza storage multi access tile

The credenza storage multi access tile is required for termination of electrical and data at points behind the Credenza Storage case. The multi access tile can be optioned in any standard paint color. The multi access tile designed for Credenza Storage includes proper hardware to mount the tile to the Credenza Storage benching frame. Be sure to specify electrical components such as the Upper Deck electrical kit, duplexes and phone/data components separately. This tile is only structured in conjunction with the 3.5" thickness.

| | | | | | | | | Tile v | width | | | | | | |
|-------------------|---------------------------------|-----|-----|-----|-----|-----|-----|--------|-------|-----|-----|-----|-----|-----|----|
| Tile hei | ight & type | 18" | 24" | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 78" | 84" | 90" | 96 |
| 6.75"h | Painted | | | | | | | | | | | | | | |
| 13.5"h | Painted | | | | | | | | | | | | | | |
| 20.25"h | Painted | | | | | | | | | | | | | | |
| 27"h | Painted | | | | | | | | | | | | | | |
| 37"h | Monolithic painted | | | | | | | | | | | | | | |
| 44"h | Monolithic painted | | | | | | | | | | | | | | |
| 51"h | Monolithic painted | | | | | | | | | | | | | | |
| 57"h | Monolithic painted | | | | | | | | | | | | | | |
| 64"h | Monolithic painted | | İ | | | | | | | | | | | | |
| 6.75"h | Fabric | | | | | | | | | | | | | | |
| 13.5"h | Fabric | | | | | | | | | | | | | | |
| 20.25"h | Fabric | | | | | | | | | | | | | | |
| 27"h | Fabric | | | | | | | | | | | | | | |
| 37"h | Monolithic fabric | | | | | | | | | | | | | | |
| 44"h | Monolithic fabric | | | | | | | | | | | | | | |
| 51"h | Monolithic fabric | | | | | | | | | | | | | | |
| 57"h | Monolithic fabric | | | | | | | | | | | | | | |
| 64"h | Monolithic fabric | | | | | | 1 | | | | | | | | |
| 13.5"h | Tackable | | | | | | i | | | | | | | | |
| 20.25"h | Tackable | | | | | | | | | | | | | | |
| 27"h | Tackable | | | | | | | | | | | | | | |
| 6.75"h | Nuform/Woodgrain | | | | | | | | | | | | | | |
| 13.5"h | Nuform/Woodgrain | | | | | | | | | | | | | | |
| 20.25"h | Nuform/Woodgrain | | | | | | | | | | | | | | |
| 27"h | Nuform/Woodgrain | | | | | | | | | | | | | | |
| 13.5"h | Whiteboard | | | | | | | | | | | | | | |
| 20.25"h | Whiteboard | | | | | | | | | | | | | | |
| 6.75"h | Paper management | | | | | | | | | | | | | | |
| 13.5"h | Double glazed | | | | | | 1 | | | | | | | | |
| 6.75"h | Comm - UD - fabric/painted | | | | | | | | | | | | | | |
| 13.5"h | Comm - UD - fabric/painted | | | | | | 1 | | | | | | | | |
| 20.25"h | Comm - BS - fabric/painted | | | | | | | | | | | | | | |
| 6.75"h | Comm - BL - fabric/painted | | | | | | | | | | | | | | |
| 13.5"h | Comm - BL - fabric/painted | | | | | | | | | | | | | | |
| 37"h | Monolithic - comm painted | | | | | | | | | | | | | | |
| 37 II 44"h | Monolithic - comm painted | | | | | | | | | | | | | | |
| 51"h | Monolithic - comm painted | | | | | | | | | | | | | | |
| อา ก 57"h | • | | | | | | | | | | | | | | |
| | Monolithic - comm painted | | | | | | | | | | | | | | |
| 64"h 6.75"h | Monolithic - comm painted | | | | | | | | | | | | | | |
| 6.75 ii 6.75"h | Planna m/a - UD -fabric/painted | | | | | | | | | | | | | | |
| | M/A - UD - fabric/painted | | | | | | - | | | | | | | | |
| 13.5"h | M/A - UD - fabric/painted | | | | | | - | | | | | | | | |
| 20.25"h | M/A - BS - fabric/painted | | | | | | | | | | | | | | |
| 6.75"h | M/A - BL - fabric/painted | | | | | | | | | | | | | | |
| 13.5"h | M/A - BL - fabric/painted | | | | | | | | | | | | | | |
| 37"h | Monolithic - comm fabric | | | | | | | | | | | | | | |
| 44"h | Monolithic - comm fabric | | | | | | | | | | | | | | |
| 51"h | Monolithic - comm fabric | | | | | | | | | | | | | | |
| 57'h | Monolithic - comm fabric | | | | | | | | | | | | | | |
| 64"h | Monolithic - comm fabric | | | | | | | | | | | | | | |



Tiles Painted

Product code key example:

IN6.75P18

IN Inscape System6.75 6.75" highP painted18 18" wide

General information

- Painted tiles are available in any of Inscape's standard paint colours or a custom colour can be accomodated
- Painted tile is magnetic
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories
- Tiles 66"W or wider span two frames. See Application Guide for frame spanning guidlines

| Description | | Part number | Height | Width | Neutral paint, base price | Accent paint upcharge |
|-------------|-----------------------|--------------------------|-----------------|-----------|------------------------------|--------------------------|
| | 6.75" H Painted Tile | IN6.75P18 | 6.75" | 18" | \$49 | +\$6 |
| | | IN6.75P24 | 6.75" | 24" | \$54 | +\$7 |
| f | | IN6.75P30 | 6.75" | 30" | \$59 | +\$7 |
| | | IN6.75P36 | 6.75" | 36" | \$61 | +\$7 |
| | | IN6.75P42 | 6.75" | 42" | \$62 | +\$8 |
| | | IN6.75P48 | 6.75" | 48" | \$65 | +\$8 |
| 1 | | IN6.75P54 | 6.75" | 54" | \$67 | +\$8 |
| | | IN6.75P60 | 6.75" | 60" | \$71 | +\$8 |
| | 13.5" H Painted Tile | IN13.5P18 | 13.5" | 18" | \$50 | +\$6 |
| | | IN13.5P24 | 13.5" | 24" | \$56 | +\$7 |
| f | | IN13.5P30 | 13.5" | 30" | \$61 | +\$7 |
| | | IN13.5P36 | 13.5" | 36" | \$62 | +\$8 |
| | | IN13.5P42 | 13.5" | 42" | \$64 | +\$8 |
| | | IN13.5P48 | 13.5" | 48" | \$66 | +\$8 |
| 4 | | IN13.5P54 | 13.5" | 54" | \$69 | +\$8 |
| | | IN13.5P60 | 13.5" | 60" | \$73 | +\$9 |
| | | IN13.5P66 | 13.5" | 66" | \$154 | +\$17 |
| | | IN13.5P72 | 13.5" | 72" | \$160 | +\$17 |
| | | IN13.5P78 | 13.5" | 78" | \$163 | +\$17 |
| | | IN13.5P84 | 13.5" | 84" | \$167 | +\$18 |
| | | IN13.5P90 | 13.5" | 90" | \$170 | +\$18 |
| | | IN13.5P96 | 13.5" | 96" | \$170 \$172 | +\$18 |
| | 20.25" H Painted Tile | IN20.25P18 | 20.25" | 18" | \$66 | +\$8 |
| | 20.20 | IN20.25P24 | 20.25" | 24" | \$69 | +\$8 |
| A | | IN20.25P30 | 20.25" | 30" | \$73 | +\$9 |
| | | IN20.25P36 | 20.25" | 36" | \$77 | +\$9 |
| | | IN20.25P42 | 20.25" | 42" | \$79 | +\$9 |
| | | IN20.25P48 | 20.25" | 48" | \$81 | +\$9 |
| 4 | | IN20.25P54 | 20.25" | 54" | \$85 | +\$10 |
| | | IN20.25P60 | 20.25" | 60" | \$88 | +\$10 |
| | | IN20.25P66 | 20.25" | 66" | \$180 | +\$10 +\$19 |
| | | IN20.25P72 | 20.25" | 72" | \$185 | +\$20 |
| | | IN20.25F72 IN20.25P78 | 20.25" | 72 78" | \$190 | +\$20 |
| | | IN20.25P76 | 20.25" | 76 84" | \$190 \$194 | +\$20 +\$21 |
| | | | 20.25 20.25" | 90" | \$194 \$199 | +\$21 +\$21 |
| | | IN20.25P90 | | | • | |
| | | IN20.25P96 | 20.25" | 96" | \$202 | +\$21 |
| ` | 27" H Painted Tile | IN27P18 | 27" | 18" | \$79 | +\$9 |
| | | IN27P24 | 27" | 24" | \$81 | +\$9 |
| f | | IN27P30 | 27" | 30" | \$83 | +\$10 |
| | | IN27P36 | 27" | 36" | \$97 | +\$11 |
| | | IN27P42 | 27" | 42" | \$104 | +\$12 |
| | | 1142/1 42 | | 74 | Ψίσι | |



Product code key example: **IN6.75F18**

IN Inscape System6.75 6.75" highF fabric18" wide

General information

- Fabric applied in a railroad orientation as standard
- Fabric tile is magnetic
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories
- Tiles 66"W or wider span two frames. See Application Guide for frame spanning guidlines

Notes

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN6.75F18 in Grade 2 with scrim would be \$73 +\$4 +\$11

| Description | Part number | Width | Grade 1/COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
|--|-------------|-------|-------------|---------|---------|---------|---------|---------|---------|---------|--------|
| | IN6.75F18 | 18" | \$73 | +\$4 | +\$7 | +\$11 | +\$14 | +\$27 | +\$40 | +\$56 | +\$11 |
| | IN6.75F24 | 24" | \$76 | +\$5 | +\$8 | +\$13 | +\$17 | +\$31 | +\$45 | +\$63 | +\$11 |
| No. of the second | IN6.75F30 | 30" | \$78 | +\$6 | +\$9 | +\$13 | +\$17 | +\$32 | +\$46 | +\$65 | +\$11 |
| المسسس يونونون ا | IN6.75F36 | 36" | \$80 | +\$6 | +\$9 | +\$18 | +\$26 | +\$44 | +\$63 | +\$88 | +\$12 |
| 2000 | IN6.75F42 | 42" | \$82 | +\$7 | +\$12 | +\$20 | +\$27 | +\$46 | +\$66 | +\$92 | +\$12 |
| - | IN6.75F48 | 48" | \$84 | +\$7 | +\$12 | +\$20 | +\$27 | +\$46 | +\$66 | +\$92 | +\$12 |
| 6.75" H Fabric Tile | IN6.75F54 | 54" | \$85 | +\$8 | +\$16 | +\$22 | +\$28 | +\$49 | +\$71 | +\$98 | +\$12 |
| | IN6.75F60 | 60" | \$88 | +\$9 | +\$17 | +\$24 | +\$30 | +\$51 | +\$74 | +\$102 | +\$13 |
| 50.00 F0.00. | IN13.5F18 | 18" | \$84 | +\$4 | +\$18 | +\$20 | +\$26 | +\$38 | +\$52 | +\$74 | +\$12 |
| | IN13.5F24 | 24" | \$87 | +\$4 | +\$20 | +\$23 | +\$29 | +\$37 | +\$51 | +\$73 | +\$12 |
| A SECOND | IN13.5F30 | 30" | \$91 | +\$5 | +\$22 | +\$28 | +\$32 | +\$37 | +\$52 | +\$74 | +\$13 |
| المسسس الأرافي الم | IN13.5F36 | 36" | \$95 | +\$9 | +\$22 | +\$30 | +\$37 | +\$58 | +\$79 | +\$110 | +\$13 |
| The state of the s | IN13.5F42 | 42" | \$100 | +\$11 | +\$23 | +\$31 | +\$39 | +\$62 | +\$84 | +\$117 | +\$14 |
| n xc ve | IN13.5F48 | 48" | \$103 | +\$11 | +\$23 | +\$31 | +\$39 | +\$62 | +\$85 | +\$118 | +\$14 |
| 13.5" H Fabric Tile | IN13.5F54 | 54" | \$106 | +\$12 | +\$24 | +\$34 | +\$44 | +\$69 | +\$92 | +\$128 | +\$16 |
| | IN13.5F60 | 60" | \$111 | +\$12 | +\$24 | +\$34 | +\$44 | +\$69 | +\$92 | +\$128 | +\$16 |
| | IN13.5F66 | 66" | \$207 | +\$13 | +\$24 | +\$34 | +\$44 | +\$70 | +\$93 | +\$130 | +\$80 |
| | IN13.5F72 | 72" | \$211 | +\$13 | +\$14 | +\$21 | +\$28 | +\$57 | +\$85 | +\$118 | +\$81 |
| | IN13.5F78 | 78" | \$212 | +\$13 | +\$16 | +\$23 | +\$30 | +\$61 | +\$91 | +\$127 | +\$81 |
| | IN13.5F84 | 84" | \$222 | +\$14 | +\$16 | +\$23 | +\$30 | +\$61 | +\$91 | +\$127 | +\$82 |
| | IN13.5F90 | 90" | \$223 | +\$14 | +\$17 | +\$26 | +\$34 | +\$66 | +\$97 | +\$135 | +\$101 |
| | IN13.5F96 | 96" | \$225 | +\$15 | +\$18 | +\$28 | +\$37 | +\$71 | +\$102 | +\$143 | +\$101 |
| Name and a second | IN20.25F18 | 18" | \$100 | +\$4 | +\$10 | +\$19 | +\$28 | +\$46 | +\$65 | +\$91 | +\$23 |
| | IN20.25F24 | 24" | \$109 | +\$5 | +\$16 | +\$24 | +\$32 | +\$52 | +\$73 | +\$101 | +\$23 |
| 10000000000000000000000000000000000000 | IN20.25F30 | 30" | \$115 | +\$5 | +\$17 | +\$25 | +\$33 | +\$54 | +\$75 | +\$103 | +\$24 |
| المسسس الأرافي الم | IN20.25F36 | 36" | \$121 | +\$6 | +\$18 | +\$28 | +\$37 | +\$61 | +\$85 | +\$118 | +\$25 |
| The state of the s | IN20.25F42 | 42" | \$128 | +\$6 | +\$12 | +\$25 | +\$37 | +\$62 | +\$87 | +\$121 | +\$26 |
| | IN20.25F48 | 48" | \$134 | +\$8 | +\$24 | +\$34 | +\$44 | +\$73 | +\$99 | +\$139 | +\$26 |
| 20.25" H Fabric Tile | IN20.25F54 | 54" | \$138 | +\$8 | +\$26 | +\$38 | +\$50 | +\$81 | +\$110 | +\$153 | +\$27 |
| | IN20.25F60 | 60" | \$147 | +\$10 | +\$36 | +\$49 | +\$63 | +\$94 | +\$125 | +\$175 | +\$28 |
| | IN20.25F66 | 66" | \$255 | +\$10 | +\$36 | +\$50 | +\$64 | +\$95 | +\$126 | +\$176 | +\$83 |
| | IN20.25F72 | 72" | \$258 | +\$10 | +\$36 | +\$50 | +\$64 | +\$95 | +\$126 | +\$176 | +\$84 |
| | IN20.25F78 | 78" | \$264 | +\$23 | +\$28 | +\$40 | +\$51 | +\$93 | +\$134 | +\$188 | +\$84 |
| | IN20.25F84 | 84" | \$277 | +\$25 | +\$29 | +\$42 | +\$56 | +\$98 | +\$141 | +\$196 | +\$104 |
| | IN20.25F90 | 90" | \$280 | +\$26 | +\$32 | +\$46 | +\$60 | +\$104 | +\$149 | +\$208 | +\$104 |
| | IN20.25F96 | 96" | \$283 | +\$27 | +\$33 | +\$49 | +\$65 | +\$112 | +\$158 | +\$220 | +\$106 |
| 38137, 00200- | IN27F18 | 18" | \$116 | +\$4 | +\$11 | +\$21 | +\$30 | +\$54 | +\$77 | +\$107 | +\$23 |
| - All 1965 | IN27F24 | 24" | \$120 | +\$5 | +\$11 | +\$22 | +\$33 | +\$58 | +\$83 | +\$116 | +\$24 |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | IN27F30 | 30" | \$128 | +\$6 | +\$12 | +\$24 | +\$36 | +\$63 | +\$90 | +\$125 | +\$25 |
| المستسبب المؤلفان الم | IN27F36 | 36" | \$135 | +\$7 | +\$18 | +\$30 | +\$41 | +\$73 | +\$102 | +\$143 | +\$26 |
| 200.00 | IN27F42 | 42" | \$148 | +\$8 | +\$20 | +\$32 | +\$43 | +\$75 | +\$107 | +\$148 | +\$27 |
| 100 - 100 CO | IN27F48 | 48" | \$151 | +\$9 | +\$22 | +\$34 | +\$46 | +\$81 | +\$115 | +\$161 | +\$28 |
| 27" H Fabric Tile | | | | | • | • | | | | • | |
| | | | | | | | | | | | |

US Price List | April 2018



Tiles Tackable

Product code key example: IN13.5TK18

IN Inscape System13.5 13.5" highTK tackable18 18" wide

General information

- Fabric applied in a railroad orientation as standard
- Fabric tile is magnetic
- NRC 0.55, STC 9
- Wall Mount Tile Kit must match height of tile
- It is recommended that tackable tiles are not to be used on the outside of a workstation
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price

For example:

Product IN13.5TK18 in Grade 2 with scrim would be \$126 +\$4 +\$21

| Description | Part number | Width | Grade 1/COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
|---|---------------|-------|-------------|---------|---------|---------|---------|---------|---------|---------|-------|
| 10.000 10.000 | _ IN13.5TK18 | 18" | \$126 | +\$4 | +\$8 | +\$16 | +\$24 | +\$43 | +\$63 | +\$88 | +\$21 |
| | IN13.5TK24 | 24" | \$130 | +\$5 | +\$9 | +\$17 | +\$24 | +\$44 | +\$64 | +\$89 | +\$23 |
| 1 1 | IN13.5TK30 | 30" | \$134 | +\$6 | +\$9 | +\$17 | +\$24 | +\$45 | +\$66 | +\$92 | +\$24 |
| سسسس بالألاثارين | IN13.5TK36 | 36" | \$138 | +\$9 | +\$18 | +\$27 | +\$36 | +\$63 | +\$89 | +\$124 | +\$25 |
| Total Control of the | IN13.5TK42 | 42" | \$142 | +\$10 | +\$19 | +\$28 | +\$37 | +\$65 | +\$92 | +\$128 | +\$27 |
| 100000 | IN13.5TK48 | 48" | \$162 | +\$10 | +\$19 | +\$30 | +\$40 | +\$71 | +\$99 | +\$139 | +\$28 |
| 13.5" H Tackable | | | | | | | | | | | |
| Tile | | | | | | | | | | | |
| Name and | _ IN20.25TK18 | 18" | \$188 | +\$3 | +\$10 | +\$18 | +\$26 | +\$47 | +\$70 | +\$96 | +\$23 |
| | IN20.25TK24 | 24" | \$191 | +\$5 | +\$11 | +\$21 | +\$31 | +\$55 | +\$79 | +\$110 | +\$25 |
| 10000000000000000000000000000000000000 | IN20.25TK30 | 30" | \$194 | +\$6 | +\$11 | +\$22 | +\$33 | +\$65 | +\$97 | +\$135 | +\$27 |
| سسسه غالانان | IN20.25TK36 | 36" | \$198 | +\$7 | +\$18 | +\$28 | +\$38 | +\$69 | +\$98 | +\$138 | +\$29 |
| Total Control of the | IN20.25TK42 | 42" | \$201 | +\$7 | +\$12 | +\$23 | +\$33 | +\$63 | +\$92 | +\$128 | +\$31 |
| TO THE COLO | IN20.25TK48 | 48" | \$206 | +\$9 | +\$18 | +\$31 | +\$43 | +\$75 | +\$104 | +\$146 | +\$33 |
| 20.25" H Tackable | | | | | | | | | | | |
| Tile | | | | | | | | | | | |
| | _ IN33.75TK18 | 18" | \$282 | +\$11 | +\$18 | +\$25 | +\$32 | +\$63 | +\$94 | +\$131 | +\$27 |
| مان المان الم المان المان ا | IN33.75TK24 | 24" | \$297 | +\$12 | +\$18 | +\$25 | +\$32 | +\$65 | +\$97 | +\$135 | +\$30 |
| 1 | IN33.75TK30 | 30" | \$313 | +\$12 | +\$22 | +\$26 | +\$33 | +\$67 | +\$101 | +\$142 | +\$34 |
| سسس فالأولان | IN33.75TK36 | 36" | \$330 | +\$25 | +\$29 | +\$43 | +\$57 | +\$102 | +\$147 | +\$205 | +\$37 |
| Take to the same | IN33.75TK42 | 42" | \$347 | +\$25 | +\$30 | +\$43 | +\$57 | +\$104 | +\$151 | +\$212 | +\$40 |
| 10 | IN33.75TK48 | 48" | \$362 | +\$26 | +\$31 | +\$45 | +\$59 | +\$109 | +\$158 | +\$220 | +\$44 |
| 33.75" H Tackable | | | | | | | | | | | |

| Description | Part number | List price | Accent paint upcharge |
|-------------|-------------|------------|-----------------------|
| \sim | WMTL13 | \$51 | +\$6 |
| | WMTL20 | \$54 | +\$7 |

Wall Mount Tackable Tile Kits

Tile



Product code key example:

IN6.75NF18

IN Inscape System6.75 6.75" highNF nuform18" wide

General information

- Stiffener bar prevents installation of this tile in any location where power track is installed in a 2 ¾" frame. See Inscape System Application Guide
- Some tile configurations require crossrails to be cut and additional crossrails ordered separately, See Inscape System Application Guide
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories
- Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut
- Direction of woodgrain is vertical

| Description | Part number | Height | Width | List price |
|----------------------|-------------|--------|-------|------------|
| 6.75" H Nuform Tile | IN6.75NF18 | 6.75" | 18" | \$203 |
| | IN6.75NF24 | 6.75" | 24" | \$211 |
| f | IN6.75NF30 | 6.75" | 30" | \$217 |
| | IN6.75NF36 | 6.75" | 36" | \$222 |
| | IN6.75NF42 | 6.75" | 42" | \$227 |
| | IN6.75NF48 | 6.75" | 48" | \$233 |
| 13.5" H Nuform Tile | IN13.5NF18 | 13.5" | 18" | \$214 |
| | IN13.5NF24 | 13.5" | 24" | \$220 |
| f | IN13.5NF30 | 13.5" | 30" | \$228 |
| | IN13.5NF36 | 13.5" | 36" | \$237 |
| | IN13.5NF42 | 13.5" | 42" | \$248 |
| | IN13.5NF48 | 13.5" | 48" | \$255 |
| 20.25" H Nuform Tile | IN20.25NF18 | 20.25" | 18" | \$246 |
| | IN20.25NF24 | 20.25" | 24" | \$256 |
| f | IN20.25NF30 | 20.25" | 30" | \$274 |
| | IN20.25NF36 | 20.25" | 36" | \$288 |
| | IN20.25NF42 | 20.25" | 42" | \$299 |
| | IN20.25NF48 | 20.25" | 48" | \$311 |
| 27" H Nuform Tile | IN27NF18 | 27" | 18" | \$255 |
| | IN27NF24 | 27" | 24" | \$269 |
| f | IN27NF30 | 27" | 30" | \$286 |
| | IN27NF36 | 27" | 36" | \$300 |
| | IN27NF42 | 27" | 42" | \$315 |
| | IN27NF48 | 27" | 48" | \$330 |



Tiles Nuform Patterned

Product code key example: IN13.5NFPHE18

IN Inscape System13.5" high

NFP Nuform patterned tile

HE herringbone18 vide

General information

- Only available for use on 37", 44" and 51" high frames
- Patterned tiles must be applied in specific configurations based on the height of the frame in order for the pattern to line up correctly
- Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut
- Direction of woodgrain is vertical

Notes

Patterned tiles cannot be used with the following as they will interfere with the installation:

- Off-module brackets
- Power poles
- Worksurfaces front edge support brackets
- Up-mount bins
- Transaction Tops
- Electrical covers
- Dekko power tracks for 2 3/4" frames

Can only be used on the outside face of a workstation

| Description | | Part number | Height | Width | 2 ¾" thick frame | 3 ½" Thick frame |
|-------------|--------------------------------|-----------------|--------|-------|------------------|------------------|
| | 13.5" H Nuform Patterned Tile, | IN13.5NFPHE72 | 13.5" | 72" | \$524 | +\$18 |
| 777 | Herringbone | IN13.5NFPHE84 | 13.5" | 84" | \$544 | +\$39 |
| 1 | for top location only | IN13.5NFPHE96 | 13.5" | 96" | \$569 | +\$43 |
| | 20.25" H Nuform Patterned | IN20.25NFPHE72 | 20.25" | 72" | \$581 | +\$19 |
| | Tile, Herringbone | IN20.25NFPHE84 | 20.25" | 84" | \$609 | +\$40 |
| Y/Y/ | for top location only | IN20.25NFPHE96 | 20.25" | 96" | \$646 | +\$43 |
| 377 | 20.25" H Nuform Patterned | IN20.25NFPHEB72 | 20.25" | 72" | \$581 | +\$19 |
| 777 | Tile, Herringbone | IN20.25NFPHEB84 | 20.25" | 84" | \$609 | +\$40 |
| XXX | for bottom location only | IN20.25NFPHEB96 | 20.25" | 96" | \$646 | +\$43 |
| | 27" H Nuform Patterned Tile, | IN27NFPHEB72 | 27" | 72" | \$736 | +\$26 |
| PTX \ | Herringbone | IN27NFPHEB84 | 27" | 84" | \$774 | +\$59 |
| | for bottom location only | IN27NFPHEB96 | 27" | 96" | \$823 | +\$65 |



Product code key example:

IN6.75WV18

IN Inscape System6.75 6.75" highWV Composite veneer

18 18" wide

General information

- Stiffener bar prevents installation of this tile in any location where power track is installed in a 2 ¾" frame. See Inscape System Application Guide
- Some tile configurations require crossrails to be cut and additional crossrails ordered separately, See Inscape System Application Guide
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories
- Direction of woodgrain is vertical

| Description | | Part number | Height | Width | List price |
|---|----------------------|-------------|--------|-------|------------|
| | 6.75" H Veneer Tile | IN6.75WV18 | 6.75" | 18" | \$228 |
| - TAU !! !!! | | IN6.75WV24 | 6.75" | 24" | \$234 |
| DE TOTAL | | IN6.75WV30 | 6.75" | 30" | \$239 |
| Literature 1 | | IN6.75WV36 | 6.75" | 36" | \$245 |
| | | IN6.75WV42 | 6.75" | 42" | \$250 |
| | | IN6.75WV48 | 6.75" | 48" | \$255 |
| 1018 (10.04197) | 13.5" H Veneer Tile | IN13.5WV18 | 13.5" | 18" | \$235 |
| | | IN13.5WV24 | 13.5" | 24" | \$248 |
| CT 5 6 9/84 | | IN13.5WV30 | 13.5" | 30" | \$280 |
| 1 | | IN13.5WV36 | 13.5" | 36" | \$311 |
| III III | | IN13.5WV42 | 13.5" | 42" | \$344 |
| | | IN13.5WV48 | 13.5" | 48" | \$375 |
| | 20.25" H Veneer Tile | IN20.25WV18 | 20.25" | 18" | \$265 |
| | | IN20.25WV24 | 20.25" | 24" | \$309 |
| THE WAR | | IN20.25WV30 | 20.25" | 30" | \$356 |
| I TO YUT WAL | | IN20.25WV36 | 20.25" | 36" | \$403 |
| | | IN20.25WV42 | 20.25" | 42" | \$448 |
| | | IN20.25WV48 | 20.25" | 48" | \$495 |
| | 27" H Veneer Tile | IN27WV18 | 27" | 18" | \$309 |
| | | IN27WV24 | 27" | 24" | \$371 |
| TO THE MANAGE | | IN27WV30 | 27" | 30" | \$432 |
| TO ALL LAND | | IN27WV36 | 27" | 36" | \$493 |
| | | IN27WV42 | 27" | 42" | \$553 |
| 1 1 1 1 1 1 1 1 | | IN27WV48 | 27" | 48" | \$614 |
| - | | | | | |



Tiles Whiteboard

Product code key example:

IN13.5WB18

IN Inscape System13.5 13.5" highWB whiteboard18" wide

General information

- Only Expo Markers are to be used on any Inscape Whiteboard.
 Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers
- Be sure to confirm crossrail locations will accommodate tile height
- Wall Mount Tile Kit must match height of tile
- Tiles 66"W or wider span two frames. See Application Guide for frame spanning guidlines

| Description | | Part number | Height | Width | List price |
|-------------|-------------------------------|-------------|--------|-------|------------|
| | 13.5" H Whiteboard Tile | IN13.5WB18 | 13.5" | 18" | \$82 |
| | | IN13.5WB24 | 13.5" | 24" | \$86 |
| ff and | | IN13.5WB30 | 13.5" | 30" | \$89 |
| whiteboard | | IN13.5WB36 | 13.5" | 36" | \$91 |
| | | IN13.5WB42 | 13.5" | 42" | \$93 |
| | | IN13.5WB48 | 13.5" | 48" | \$98 |
| | | IN13.5WB54 | 13.5" | 54" | \$109 |
| | | IN13.5WB60 | 13.5" | 60" | \$114 |
| | | IN13.5WB66 | 13.5" | 66" | \$197 |
| | | IN13.5WB72 | 13.5" | 72" | \$202 |
| | | IN13.5WB78 | 13.5" | 78" | \$212 |
| | | IN13.5WB84 | 13.5" | 84" | \$217 |
| | | IN13.5WB90 | 13.5" | 90" | \$222 |
| | | IN13.5WB96 | 13.5" | 96" | \$227 |
| | 20.25" H Whiteboard Tile | IN20.25WB18 | 20.25" | 18" | \$90 |
| | | IN20.25WB24 | 20.25" | 24" | \$95 |
| frd | | IN20.25WB30 | 20.25" | 30" | \$99 |
| whiteboard | | IN20.25WB36 | 20.25" | 36" | \$103 |
| | | IN20.25WB42 | 20.25" | 42" | \$109 |
| | | IN20.25WB48 | 20.25" | 48" | \$113 |
| | | IN20.25WB54 | 20.25" | 54" | \$132 |
| | | IN20.25WB60 | 20.25" | 60" | \$137 |
| | | IN20.25WB66 | 20.25" | 66" | \$208 |
| | | IN20.25WB72 | 20.25" | 72" | \$215 |
| | | IN20.25WB78 | 20.25" | 78" | \$222 |
| | | IN20.25WB84 | 20.25" | 84" | \$229 |
| | | IN20.25WB90 | 20.25" | 90" | \$236 |
| | | IN20.25WB96 | 20.25" | 96" | \$244 |
| \sim | Wall Mount Tackable Tile Kits | WMTL13 | 13.5" | _ | \$51 |
| | | WMTL20 | 20.25" | _ | \$54 |
| | | | | | |



Product code key example: IN6.75PM18-3F

IN Inscape System 6.75 6.75" high PΜ paper management

18" wide 18

3F 3 1/2" thick frame application

General information

- "2F" denotes use with 2 ¾" thick frame, "3F" denotes use with 3 1/2" thick frame
- Be sure to confirm crossrail locations will accommodate tile configuration
- Paper management tiles are not to be installed below the work surface
- Tiles 66"W or wider span two frames. See Application Guide for frame spanning guidlines

Notes

54" and 60" wide Paper Management tiles include reinforcing brackets

| Description | | Part number | Height | Width | Neutral paint/ base price | Accent paint upcharges |
|--|-------------------------------|---------------|--------|-------|------------------------------|------------------------|
| 22.01 | 6.75" H Paper Management Tile | IN6.75PM18-3F | 6.75" | 18" | \$108 | +\$12 |
| | for use with 3 ½" T frames | IN6.75PM24-3F | 6.75" | 24" | \$121 | +\$13 |
| | | IN6.75PM30-3F | 6.75" | 30" | \$138 | +\$15 |
| and the same of th | | IN6.75PM36-3F | 6.75" | 36" | \$151 | +\$16 |
| | | IN6.75PM42-3F | 6.75" | 42" | \$168 | +\$18 |
| | | IN6.75PM48-3F | 6.75" | 48" | \$183 | +\$19 |
| | | IN6.75PM54-3F | 6.75" | 54" | \$197 | +\$21 |
| | | IN6.75PM60-3F | 6.75" | 60" | \$216 | +\$23 |
| | | IN6.75PM66-3F | 6.75" | 66" | \$292 | +\$30 |
| | | IN6.75PM72-3F | 6.75" | 72" | \$302 | +\$31 |
| | | IN6.75PM78-3F | 6.75" | 78" | \$311 | +\$32 |
| | | IN6.75PM84-3F | 6.75" | 84" | \$356 | +\$36 |
| | | IN6.75PM90-3F | 6.75" | 90" | \$368 | +\$38 |
| | | IN6.75PM96-3F | 6.75" | 96" | \$379 | +\$39 |
| 22012 | 6.75" H Paper Management Tile | IN6.75PM18-2F | 6.75" | 18" | \$108 | +\$12 |
| | for use with 2 ¾" T frames | IN6.75PM24-2F | 6.75" | 24" | \$121 | +\$13 |
| | | IN6.75PM30-2F | 6.75" | 30" | \$138 | +\$15 |
| | | IN6.75PM36-2F | 6.75" | 36" | \$151 | +\$16 |
| 0.508 | | IN6.75PM42-2F | 6.75" | 42" | \$168 | +\$18 |
| | | IN6.75PM48-2F | 6.75" | 48" | \$183 | +\$19 |
| | | IN6.75PM54-2F | 6.75" | 54" | \$197 | +\$21 |
| | | IN6.75PM60-2F | 6.75" | 60" | \$216 | +\$23 |
| | | IN6.75PM66-2F | 6.75" | 66" | \$285 | +\$29 |
| | | IN6.75PM72-2F | 6.75" | 72" | \$296 | +\$31 |
| | | IN6.75PM78-2F | 6.75" | 78" | \$306 | +\$32 |
| | | IN6.75PM84-2F | 6.75" | 84" | \$349 | +\$36 |
| | | IN6.75PM90-2F | 6.75" | 90" | \$360 | +\$37 |
| | | IN6.75PM96-2F | 6.75" | 96" | \$373 | +\$38 |



Tiles

Paper Management Tile Reinforcing Kit

Product code key example:

INPMRK-3F

IN Inscape System
PM paper management
RK reinforcement kit
3F 3.5" thick frame

General information

- "2F" denotes use with 2.75" thick frame, "3F" denotes use with 3.5" thick frame
- When specifying monitor arms to mount on paper management tile, reinforcing bracket must be specified (frame thickness specific)
- Reinforcement Kit includes reinforcing brackets for Paper Management Tile

| Description | | Part number | Height | Width | List price |
|-------------|---|-------------|--------|-------|------------|
| | Paper Management Reinforcing Kit for use with 3 ½" T frames | INPMRK-3F | - | 18" | \$108 |
| | Paper Management Reinforcing Kit for use with 2 ¾" T frames | INPMRK-2F | - | 18" | \$108 |



Product code key example:

IN13.5PF18

IN Inscape System13.5 13.5" highPF perforated18 18" wide

General information

- Perforated tiles are available in any of Inscape's standard paint colours or a custom colour can be accommodated
- Painted tile is magnetic
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

| Description | | Part number | Height | Width | Neutral paint/ base price | Accent paint upcharge |
|--|--------------------------|-------------|--------|-------|------------------------------|-----------------------|
| | 13.5" H Perforated Tile | IN13.5PF18 | 13.5" | 18" | \$64 | +\$8 |
| | | IN13.5PF24 | 13.5" | 24" | \$66 | +\$8 |
| | | IN13.5PF30 | 13.5" | 30" | \$73 | +\$9 |
| | | IN13.5PF36 | 13.5" | 36" | \$74 | +\$9 |
| Harris and the same of the sam | | IN13.5PF42 | 13.5" | 42" | \$75 | +\$9 |
| | | IN13.5PF48 | 13.5" | 48" | \$78 | +\$9 |
| | | IN13.5PF54 | 13.5" | 54" | \$79 | +\$9 |
| | | IN13.5PF60 | 13.5" | 60" | \$81 | +\$9 |
| | 20.25" H Perforated Tile | IN20.25PF18 | 20.25" | 18" | \$77 | +\$9 |
| | | IN20.25PF24 | 20.25" | 24" | \$79 | +\$9 |
| | | IN20.25PF30 | 20.25" | 30" | \$81 | +\$9 |
| | | IN20.25PF36 | 20.25" | 36" | \$86 | +\$10 |
| Harris and the same of the sam | | IN20.25PF42 | 20.25" | 42" | \$89 | +\$10 |
| | | IN20.25PF48 | 20.25" | 48" | \$93 | +\$11 |
| | | IN20.25PF54 | 20.25" | 54" | \$97 | +\$11 |
| | | IN20.25PF60 | 20.25" | 60" | \$100 | +\$11 |
| | 27" H Perforated Tile | IN27PF18 | 27" | 18" | \$88 | +\$10 |
| | | IN27PF24 | 27" | 24" | \$90 | +\$10 |
| | | IN27PF30 | 27" | 30" | \$92 | +\$10 |
| | | IN27PF36 | 27" | 36" | \$94 | +\$11 |
| Harris | | IN27PF42 | 27" | 42" | \$102 | +\$11 |
| | | IN27PF48 | 27" | 48" | \$109 | +\$12 |



Tiles Communication - Painted

Product code key example: **IN6.75CTP24-UD**

IN Inscape System6.75 6.75" high

CTP painted communication tile

24 24" wide

UD upper deck location

General information

- Painted tiles are available in any of Inscape's standard paint colours or a custom colour can be accomodated
- Painted tile is magnetic
- Specific locations where these tiles may be installed on frame; See Inscape System Application Guide
- Flush bezel color option of black, white and gray (default black)
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

Code suffix denote specific tile location:

UD = Upper deck BL = Beltline BS = Base

| Description | | Part number | Height | Width | Neutral paint/ base price | Accent paint upcharge |
|-------------|---------------------|-----------------|--------|-------|------------------------------|-----------------------|
| | 6.75" H Painted | IN6.75CTP24-UD | 6.75" | 24" | \$61 | +\$7 |
| | Communication Tile | IN6.75CTP30-UD | 6.75" | 30" | \$64 | +\$8 |
| | Upper Deck Location | IN6.75CTP36-UD | 6.75" | 36" | \$65 | +\$8 |
| | | IN6.75CTP42-UD | 6.75" | 42" | \$67 | +\$8 |
| | | IN6.75CTP48-UD | 6.75" | 48" | \$69 | +\$8 |
| | | IN6.75CTP54-UD | 6.75" | 54" | \$74 | +\$9 |
| | | IN6.75CTP60-UD | 6.75" | 60" | \$77 | +\$9 |
| | 13.5" H Painted | IN13.5CTP24-UD | 13.5" | 24" | \$85 | +\$10 |
| T 123 | Communication Tile | IN13.5CTP30-UD | 13.5" | 30" | \$88 | +\$10 |
| | Upper Deck Location | IN13.5CTP36-UD | 13.5" | 36" | \$93 | +\$11 |
| | | IN13.5CTP42-UD | 13.5" | 42" | \$97 | +\$11 |
| 1 | | IN13.5CTP48-UD | 13.5" | 48" | \$102 | +\$11 |
| | | IN13.5CTP54-UD | 13.5" | 54" | \$103 | +\$12 |
| | | IN13.5CTP60-UD | 13.5" | 60" | \$106 | +\$12 |
| | 6.75" H Painted | IN6.75CTP24-BL | 6.75" | 24" | \$61 | +\$7 |
| 00 | Communication Tile | IN6.75CTP30-BL | 6.75" | 30" | \$64 | +\$8 |
| | Beltline Location | IN6.75CTP36-BL | 6.75" | 36" | \$65 | +\$8 |
| | | IN6.75CTP42-BL | 6.75" | 42" | \$67 | +\$8 |
| | | IN6.75CTP48-BL | 6.75" | 48" | \$69 | +\$8 |
| | | IN6.75CTP54-BL | 6.75" | 54" | \$74 | +\$9 |
| | | IN6.75CTP60-BL | 6.75" | 60" | \$77 | +\$9 |
| | 13.5" H Painted | IN13.5CTP24-BL | 13.5" | 24" | \$85 | +\$10 |
| | Communication Tile | IN13.5CTP30-BL | 13.5" | 30" | \$88 | +\$10 |
| | Beltline Location | IN13.5CTP36-BL | 13.5" | 36" | \$93 | +\$11 |
| Said . | | IN13.5CTP42-BL | 13.5" | 42" | \$97 | +\$11 |
| | | IN13.5CTP48-BL | 13.5" | 48" | \$102 | +\$11 |
| | | IN13.5CTP54-BL | 13.5" | 54" | \$103 | +\$12 |
| | | IN13.5CTP60-BL | 13.5" | 60" | \$106 | +\$12 |
| | 20.25" H Painted | IN20.25CTP24-BS | 20.25" | 24" | \$106 | +\$12 |
| | Communication Tile | IN20.25CTP30-BS | 20.25" | 30" | \$110 | +\$12 |
| | Bottom Location | IN20.25CTP36-BS | 20.25" | 36" | \$117 | +\$13 |
| | | IN20.25CTP42-BS | 20.25" | 42" | \$125 | +\$14 |
| | | IN20.25CTP48-BS | 20.25" | 48" | \$130 | +\$14 |
| | | IN20.25CTP54-BS | 20.25" | 54" | \$146 | +\$16 |
| | | IN20.25CTP60-BS | 20.25" | 60" | \$149 | +\$16 |



Communication - Fabric

Product code key example: **IN6.75CTF24-UD**

IN Inscape System 6.75 6.75" high

CTF fabric communication tile

24" wide

UD upper deck location

General information

- Fabric applied in a railroad orientation as standard
- Fabric tile is magnetic.
- Specific locations where these tiles may be installed on frame; See Inscape System Application Guide
- Flush bezel color option of black, white and gray (default black)
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

Code suffix denote specific tile location:

UD = Upper deck BL = Beltline BS = Base

See finishes section for fabrics that requires scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN6.75CTF24-UD in Grade 2 with scrim would be \$78 +\$4 +\$11

| | | | | | | | scrim wo | ould be \$7 | 78 +\$4 +\$ | 11 | |
|--|-----------------|-------|-------------|---------|---------|---------|----------|-------------|-------------|---------|-------|
| Description | Part number | Width | Grade 1/COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
| | IN6.75CTF24-UD | 24" | \$78 | +\$4 | +\$6 | +\$10 | +\$14 | +\$30 | +\$45 | +\$63 | +\$11 |
| 7 8:41 | IN6.75CTF30-UD | 30" | \$80 | +\$4 | +\$6 | +\$10 | +\$14 | +\$30 | +\$45 | +\$63 | +\$11 |
| 18 0 19 W | IN6.75CTF36-UD | 36" | \$91 | +\$6 | +\$9 | +\$17 | +\$25 | +\$44 | +\$64 | +\$89 | +\$12 |
| 1 | IN6.75CTF42-UD | 42" | \$95 | +\$7 | +\$8 | +\$16 | +\$23 | +\$42 | +\$62 | +\$87 | +\$12 |
| 0.75 | IN6.75CTF48-UD | 48" | \$98 | +\$7 | +\$10 | +\$18 | +\$25 | +\$45 | +\$66 | +\$92 | +\$12 |
| 6.75" H Fabric | IN6.75CTF54-UD | 54" | \$103 | +\$8 | +\$10 | +\$18 | +\$25 | +\$46 | +\$67 | +\$94 | +\$12 |
| Communication Tile Upper Deck Location | IN6.75CTF60-UD | 60" | \$113 | +\$8 | +\$10 | +\$20 | +\$29 | +\$54 | +\$78 | +\$109 | +\$13 |
| | IN13.5CTF24-UD | 24" | \$98 | +\$6 | +\$11 | +\$19 | +\$26 | +\$46 | +\$67 | +\$94 | +\$12 |
| | IN13.5CTF30-UD | 30" | \$102 | +\$5 | +\$9 | +\$17 | +\$24 | +\$45 | +\$66 | +\$92 | +\$13 |
| 100 | IN13.5CTF36-UD | 36" | \$113 | +\$6 | +\$12 | +\$23 | +\$33 | +\$59 | +\$84 | +\$117 | +\$13 |
| 10000 | IN13.5CTF42-UD | 42" | \$116 | +\$7 | +\$16 | +\$24 | +\$32 | +\$61 | +\$86 | +\$121 | +\$14 |
| 10 Ell II Falaria | IN13.5CTF48-UD | 48" | \$120 | +\$9 | +\$21 | +\$30 | +\$38 | +\$65 | +\$92 | +\$128 | +\$14 |
| 13.5" H Fabric | IN13.5CTF54-UD | 54" | \$121 | +\$10 | +\$23 | +\$33 | +\$42 | +\$71 | +\$98 | +\$138 | +\$16 |
| Communication Tile Upper Deck Location | IN13.5CTF60-UD | 60" | \$132 | +\$11 | +\$12 | +\$23 | +\$34 | +\$63 | +\$91 | +\$127 | +\$16 |
| | IN6.75CTF24-BL | 24" | \$78 | +\$4 | +\$6 | +\$10 | +\$14 | +\$30 | +\$45 | +\$63 | +\$11 |
| 1 0 10 W | IN6.75CTF30-BL | 30" | \$80 | +\$4 | +\$6 | +\$10 | +\$14 | +\$30 | +\$45 | +\$63 | +\$11 |
| 880 | IN6.75CTF36-BL | 36" | \$91 | +\$6 | +\$7 | +\$17 | +\$21 | +\$44 | +\$64 | +\$89 | +\$12 |
| 1 | IN6.75CTF42-BL | 42" | \$95 | +\$7 | +\$8 | +\$17 | +\$23 | +\$42 | +\$62 | +\$87 | +\$12 |
| 0.75 | IN6.75CTF48-BL | 48" | \$98 | +\$7 | +\$9 | +\$18 | +\$25 | +\$45 | +\$66 | +\$92 | +\$12 |
| 6.75" H Fabric | IN6.75CTF54-BL | 54" | \$103 | +\$8 | +\$10 | +\$18 | +\$25 | +\$46 | +\$67 | +\$94 | +\$12 |
| Communication Tile Beltline Location | IN6.75CTF60-BL | 60" | \$113 | +\$8 | +\$10 | +\$20 | +\$29 | +\$54 | +\$78 | +\$109 | +\$13 |
| - B | IN13.5CTF24-BL | 24" | \$98 | +\$5 | +\$11 | +\$19 | +\$26 | +\$46 | +\$67 | +\$94 | +\$12 |
| 234.99 | IN13.5CTF30-BL | 30" | \$102 | +\$6 | +\$11 | +\$21 | +\$29 | +\$45 | +\$66 | +\$92 | +\$13 |
| | IN13.5CTF36-BL | 36" | \$113 | +\$6 | +\$12 | +\$23 | +\$33 | +\$59 | +\$84 | +\$117 | +\$13 |
| 200 | IN13.5CTF42-BL | 42" | \$116 | +\$7 | +\$16 | +\$24 | +\$35 | +\$61 | +\$86 | +\$124 | +\$14 |
| 40 50 11 5 1 1 | IN13.5CTF48-BL | 48" | \$120 | +\$9 | +\$21 | +\$30 | +\$38 | +\$65 | +\$92 | +\$128 | +\$14 |
| 13.5" H Fabric | IN13.5CTF54-BL | 54" | \$121 | +\$10 | +\$23 | +\$33 | +\$42 | +\$71 | +\$98 | +\$138 | +\$16 |
| Communication Tile Beltline Location | IN13.5CTF60-BL | 60" | \$132 | +\$11 | +\$23 | +\$34 | +\$44 | +\$73 | +\$100 | +\$140 | +\$16 |
| | IN20.25CTF24-BS | 24" | \$118 | +\$5 | +\$17 | +\$26 | +\$34 | +\$61 | +\$87 | +\$121 | +\$23 |
| (5/9) | IN20.25CTF30-BS | 30" | \$120 | +\$4 | +\$18 | +\$27 | +\$36 | +\$63 | +\$89 | +\$124 | +\$24 |
| V67- | IN20.25CTF36-BS | 36" | \$140 | +\$6 | +\$18 | +\$29 | +\$40 | +\$72 | +\$102 | +\$143 | +\$25 |
| 14.7 | IN20.25CTF42-BS | 42" | \$144 | +\$7 | +\$21 | +\$32 | +\$43 | +\$75 | +\$108 | +\$151 | +\$26 |
| 900 | IN20.25CTF48-BS | 48" | \$148 | +\$9 | +\$24 | +\$36 | +\$47 | +\$82 | +\$115 | +\$161 | +\$26 |
| 20.25" H Fabric | IN20.25CTF54-BS | 54" | \$151 | +\$9 | +\$26 | +\$39 | +\$52 | +\$89 | +\$124 | +\$174 | +\$27 |
| Communication Tile | IN20.25CTF60-BS | 60" | \$155 | +\$10 | +\$34 | +\$49 | +\$64 | +\$102 | +\$140 | +\$195 | +\$28 |

US Price List | April 2018

Bottom Location



Tiles Multi Access - Painted

Product code key example:

IN6.75MAP30-UD

IN Inscape System6.75 6.75" high

MAP painted multi access tile

30 30" wide

UD upper deck location

General information

- Painted tiles are available in any of Inscape's standard paint colours or a custom colour can be accomodated
- Painted tile is magnetic
- Specific locations where these tiles may be installed on frame; See Inscape System Application Guide
- Flush bezel color option of black (default), white and gray
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

Code suffix denote specific tile location:

UD = Upper deck BL = Beltline BS = Base

| Description | | Part number | Height | Width | Neutral paint/ base price | Accent paint upcharge |
|-------------|------------------------------------|-----------------|--------|-------|------------------------------|-----------------------|
| | 6.75" H Painted Multi Access Tile | IN6.75MAP30-UD | 6.75" | 30" | \$64 | +\$8 |
| 69 | Upper Deck Location | IN6.75MAP36-UD | 6.75" | 36" | \$65 | +\$8 |
| 8 8 | • • | IN6.75MAP42-UD | 6.75" | 42" | \$67 | +\$8 |
| | | IN6.75MAP48-UD | 6.75" | 48" | \$69 | +\$8 |
| | | IN6.75MAP54-UD | 6.75" | 54" | \$74 | +\$9 |
| | | IN6.75MAP60-UD | 6.75" | 60" | \$77 | +\$9 |
| | 13.5" H Painted Multi Access Tile | IN13.5MAP30-UD | 13.5" | 30" | \$89 | +\$10 |
| 98 | Upper Deck Location | IN13.5MAP36-UD | 13.5" | 36" | \$93 | +\$11 |
| 1 1 1 | | IN13.5MAP42-UD | 13.5" | 42" | \$97 | +\$11 |
| | | IN13.5MAP48-UD | 13.5" | 48" | \$102 | +\$11 |
| | | IN13.5MAP54-UD | 13.5" | 54" | \$103 | +\$12 |
| | | IN13.5MAP60-UD | 13.5" | 60" | \$106 | +\$12 |
| | 6.75" H Painted Multi Access Tile | IN6.75MAP30-BL | 6.75" | 30" | \$64 | +\$8 |
| - 69 | Beltline Location | IN6.75MAP36-BL | 6.75" | 36" | \$65 | +\$8 |
| 8 8 | | IN6.75MAP42-BL | 6.75" | 42" | \$67 | +\$8 |
| 1 | | IN6.75MAP48-BL | 6.75" | 48" | \$69 | +\$8 |
| | | IN6.75MAP54-BL | 6.75" | 54" | \$74 | +\$9 |
| | | IN6.75MAP60-BL | 6.75" | 60" | \$77 | +\$9 |
| | 13.5" H Painted Multi Access Tile | IN13.5MAP30-BL | 13.5" | 30" | \$89 | +\$10 |
| - 18 | Beltline Location | IN13.5MAP36-BL | 13.5" | 36" | \$93 | +\$11 |
| | | IN13.5MAP42-BL | 13.5" | 42" | \$97 | +\$11 |
| | | IN13.5MAP48-BL | 13.5" | 48" | \$102 | +\$11 |
| | | IN13.5MAP54-BL | 13.5" | 54" | \$103 | +\$12 |
| | | IN13.5MAP60-BL | 13.5" | 60" | \$106 | +\$12 |
| | 20.25" H Painted Multi Access Tile | IN20.25MAP30-BS | 20.25" | 30" | \$119 | +\$13 |
| | Bottom Location | IN20.25MAP36-BS | 20.25" | 36" | \$121 | +\$13 |
| | | IN20.25MAP42-BS | 20.25" | 42" | \$128 | +\$14 |
| - B | | IN20.25MAP48-BS | 20.25" | 48" | \$135 | +\$15 |
| 100 | | IN20.25MAP54-BS | 20.25" | 54" | \$151 | +\$16 |
| | | IN20.25MAP60-BS | 20.25" | 60" | \$154 | +\$17 |

System | **069**

Product code key example: **IN6.75MAF30**

IN Inscape System
6.75 6.75" high
MAF multi access fabric

30" wide

General information

- Fabric applied in a railroad orientation as standard
- Fabric tile is magnetic.
- Specific locations where these tiles may be installed on frame; See Inscape System Application Guide
- Flush bezel color option of black (default), white and gray
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

Code suffix denote specific tile location:

UD = Upper deck BL = Beltline BS = Base

See finishes section for fabrics that requires scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN6.75MAF30-UD in Grade 2 with scrim would be \$81 +\$4 +\$11

| Description | Part number | Width | Grade 1/COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
|--|-----------------|-------|-------------|---------|---------|---------|---------|---------|---------|---------|-------|
| N1-000* | IN6.75MAF30-UD | 30" | \$81 | +\$4 | +\$6 | +\$10 | +\$14 | +\$30 | +\$45 | +\$63 | +\$11 |
| 88 | IN6.75MAF36-UD | 36" | \$91 | +\$6 | +\$9 | +\$17 | +\$21 | +\$42 | +\$60 | +\$83 | +\$12 |
| flor 8 8 500 | IN6.75MAF42-UD | 42" | \$95 | +\$7 | +\$8 | +\$17 | +\$23 | +\$44 | +\$62 | +\$87 | +\$12 |
| The second | IN6.75MAF48-UD | 48" | \$98 | +\$7 | +\$10 | +\$18 | +\$25 | +\$45 | +\$66 | +\$92 | +\$12 |
| 0.75#.11.5-1-3- M. III | IN6.75MAF54-UD | 54" | \$103 | +\$8 | +\$10 | +\$18 | +\$25 | +\$46 | +\$67 | +\$94 | +\$12 |
| 6.75" H Fabric Multi | IN6.75MAF60-UD | 60" | \$113 | +\$8 | +\$10 | +\$20 | +\$29 | +\$54 | +\$78 | +\$109 | +\$13 |
| Access Tile | | | | | | | | | | | |
| Upper Deck Location | | | | | | | | | | | |
| | IN13.5MAF30-UD | 30" | \$103 | +\$5 | +\$9 | +\$17 | +\$24 | +\$45 | +\$66 | +\$92 | +\$13 |
| 1 8 8 | IN13.5MAF36-UD | 36" | \$113 | +\$6 | +\$12 | +\$23 | +\$33 | +\$59 | +\$84 | +\$117 | +\$13 |
| | IN13.5MAF42-UD | 42" | \$116 | +\$7 | +\$19 | +\$24 | +\$36 | +\$62 | +\$89 | +\$124 | +\$14 |
| 146 18 18 18 18 18 18 18 18 18 18 18 18 18 | IN13.5MAF48-UD | 48" | \$120 | +\$9 | +\$21 | +\$30 | +\$38 | +\$65 | +\$92 | +\$128 | +\$14 |
| | IN13.5MAF54-UD | 54" | \$121 | +\$10 | +\$23 | +\$33 | +\$42 | +\$71 | +\$98 | +\$138 | +\$16 |
| 13.5" H Fabric Multi | IN13.5MAF60-UD | 60" | \$132 | +\$11 | +\$25 | +\$35 | +\$44 | +\$74 | +\$100 | +\$140 | +\$16 |
| Access Tile | | | | | | | | | | | |
| Upper Deck | | | | | | | | | | | |
| Location | | | | | | | | | | | |
| - | IN6.75MAF30-BL | 30" | \$81 | +\$4 | +\$6 | +\$10 | +\$14 | +\$30 | +\$45 | +\$63 | +\$11 |
| B B B | IN6.75MAF36-BL | 36" | \$91 | +\$6 | +\$8 | +\$17 | +\$22 | +\$40 | +\$52 | +\$75 | +\$12 |
| The second second | IN6.75MAF42-BL | 42" | \$95 | +\$7 | +\$8 | +\$17 | +\$23 | +\$42 | +\$62 | +\$87 | +\$12 |
| 1 | IN6.75MAF48-BL | 48" | \$98 | +\$7 | +\$10 | +\$18 | +\$25 | +\$45 | +\$66 | +\$92 | +\$12 |
| 6.75" H Fabric Multi | IN6.75MAF54-BL | 54" | \$103 | +\$8 | +\$10 | +\$18 | +\$25 | +\$46 | +\$67 | +\$94 | +\$12 |
| Access Tile | IN6.75MAF60-BL | 60" | \$113 | +\$8 | +\$10 | +\$20 | +\$29 | +\$54 | +\$78 | +\$109 | +\$13 |
| Beltline Location | | | | | | | | | | | |
| | IN13.5MAF30-BL | 30" | \$103 | +\$4 | +\$9 | +\$17 | +\$24 | +\$45 | +\$66 | +\$92 | +\$13 |
| | IN13.5MAF36-BL | 36" | \$113 | +\$6 | +\$12 | +\$23 | +\$29 | +\$56 | +\$82 | +\$104 | +\$13 |
| | IN13.5MAF42-BL | 42" | \$116 | +\$5 | +\$16 | +\$24 | +\$32 | +\$58 | +\$84 | +\$117 | +\$14 |
| 36373 | IN13.5MAF48-BL | 48" | \$120 | +\$9 | +\$21 | +\$30 | +\$38 | +\$65 | +\$92 | +\$128 | +\$14 |
| 40.51115.1.1.14.111 | IN13.5MAF54-BL | 54" | \$121 | +\$10 | +\$23 | +\$33 | +\$42 | +\$71 | +\$98 | +\$138 | +\$16 |
| 13.5" H Fabric Multi | IN13.5MAF60-BL | 60" | \$132 | +\$3 | +\$12 | +\$23 | +\$34 | +\$63 | +\$91 | +\$127 | +\$16 |
| Access Tile Beltline Location | | | | | | | | | | | |
| | IN20.25MAF30-BS | 30" | \$121 | +\$4 | +\$18 | +\$27 | +\$36 | +\$63 | +\$89 | +\$124 | +\$24 |
| 11/2 | IN20.25MAF36-BS | 36" | \$140 | +\$6 | +\$18 | +\$29 | +\$40 | +\$72 | +\$102 | +\$143 | +\$25 |
| | IN20.25MAF42-BS | 42" | \$144 | +\$6 | +\$16 | +\$28 | +\$39 | +\$72 | +\$102 | +\$143 | +\$26 |
| 100 | IN20.25MAF48-BS | 48" | \$148 | +\$9 | +\$24 | +\$36 | +\$47 | +\$82 | +\$115 | +\$161 | +\$26 |
| | IN20.25MAF54-BS | 54" | \$151 | +\$9 | +\$26 | +\$39 | +\$52 | +\$89 | +\$124 | +\$174 | +\$27 |
| 7 11 | IN20.25MAF60-BS | 60" | \$155 | +\$11 | +\$28 | +\$49 | +\$64 | +\$102 | +\$140 | +\$195 | +\$28 |





Tiles Double Glazed

Product code key example:

IN13.5GL24-3F

IN Inscape System13.5 13.5" highGL double glaze24 24" wide

3F for 3.5" thick frame

General information

- "2F" denotes use with 2 ¾" thick frame, "3F" denotes use with 3 ½" thick frame
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

Standard tiles may NOT be installed in locations above Double Glaze Tile on the 2 %" thick frame

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

IN13.5GL24-3F in Frosted Acrylic would be \$286 +\$34

| Description | | Part number | Height | Width | Clear acrylic | Frosted acrylic | Accent paint upcharge |
|-------------|-------------------|---------------|--------|-------|---------------|-----------------|--------------------------|
| | Double Glaze Tile | IN13.5GL24-3F | 13.5" | 24" | \$286 | +\$34 | +\$30 |
| - Salari | for 3 ½" Frames | IN13.5GL30-3F | 13.5" | 30" | \$298 | +\$46 | +\$31 |
| 25555555 | | IN13.5GL36-3F | 13.5" | 36" | \$309 | +\$49 | +\$32 |
| 11 11 | | IN13.5GL42-3F | 13.5" | 42" | \$331 | +\$75 | +\$34 |
| | 3 | IN13.5GL48-3F | 13.5" | 48" | \$340 | +\$84 | +\$35 |
| | Double Glaze Tile | IN13.5GL24-2F | 13.5" | 24" | \$275 | +\$34 | +\$28 |
| No. | for 2 ¾" Frames | IN13.5GL30-2F | 13.5" | 30" | \$288 | +\$46 | +\$30 |
| 75555550 | | IN13.5GL36-2F | 13.5" | 36" | \$299 | +\$49 | +\$31 |
| 11 11 | | IN13.5GL42-2F | 13.5" | 42" | \$321 | +\$75 | +\$33 |
| | 3 | IN13.5GL48-2F | 13.5" | 48" | \$329 | +\$84 | +\$34 |



Product code key example:

IN37P18

IN Inscape System37 37" highP painted18" wide

General information

- Painted tiles are available in any of Inscape's standard paint colours or a custom colour can be accomodated
- Painted tile is magnetic.
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

| Description | | Part number | Height | Width | Neutral paint/ base price | Accent paint upcharge |
|-------------|-------------------------------|-------------|--------|-------|------------------------------|-----------------------|
| | 37" H Painted Monolithic Tile | IN37P18 | 37" | 18" | \$148 | +\$16 |
| | | IN37P24 | 37" | 24" | \$153 | +\$16 |
| | | IN37P30 | 37" | 30" | \$156 | +\$17 |
| | | IN37P36 | 37" | 36" | \$161 | +\$17 |
| | | IN37P42 | 37" | 42" | \$163 | +\$17 |
| | | IN37P48 | 37" | 48" | \$166 | +\$18 |
| | | | | | | |
| | 44" H Painted Monolithic Tile | IN44P18 | 44" | 18" | \$170 | +\$18 |
| | | IN44P24 | 44" | 24" | \$176 | +\$19 |
| | | IN44P30 | 44" | 30" | \$183 | +\$19 |
| | | IN44P36 | 44" | 36" | \$189 | +\$20 |
| | | IN44P42 | 44" | 42" | \$195 | +\$21 |
| | | IN44P48 | 44" | 48" | \$200 | +\$21 |
| | | | | | | |
| | 51" H Painted Monolithic Tile | IN51P18 | 51" | 18" | \$181 | +\$19 |
| | | IN51P24 | 51" | 24" | \$190 | +\$20 |
| | | IN51P30 | 51" | 30" | \$194 | +\$21 |
| | | IN51P36 | 51" | 36" | \$200 | +\$21 |
| | | IN51P42 | 51" | 42" | \$211 | +\$22 |
| | | IN51P48 | 51" | 48" | \$219 | +\$23 |
| | | | | | | |
| | 57" H Painted Monolithic Tile | IN57P18 | 57" | 18" | \$192 | +\$20 |
| | | IN57P24 | 57" | 24" | \$200 | +\$21 |
| | | IN57P30 | 57" | 30" | \$212 | +\$22 |
| | | IN57P36 | 57" | 36" | \$218 | +\$23 |
| | | IN57P42 | 57" | 42" | \$226 | +\$24 |
| | | IN57P48 | 57" | 48" | \$236 | +\$25 |
| | | | | | | |
| | 64" H Painted Monolithic Tile | IN64P18 | 64" | 18" | \$214 | +\$22 |
| | | IN64P24 | 64" | 24" | \$227 | +\$24 |
| | | IN64P30 | 64" | 30" | \$241 | +\$25 |
| | | IN64P36 | 64" | 36" | \$256 | +\$27 |
| | | IN64P42 | 64" | 42" | \$266 | +\$28 |
| | | IN64P48 | 64" | 48" | \$275 | +\$28 |
| | | | | | | |



Tiles Monolithic - Fabric

Product code key example: IN37F18

IN Inscape System37 37"" highF fabric18" wide

General information

- Fabric applied in a railroad orientation as standard
- Fabric tile is magnetic
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

See finishes section for fabrics that requires scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN37F18 in Grade 2 with scrim would be \$224 +\$11 +\$28

| Description | Part number | Width | Grade 1/COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrir |
|--|-------------|-------|-------------|---------|---------|---------|---------|---------|---------|---------|--------|
| | IN37F18 | 18" | \$224 | +\$11 | +\$17 | +\$25 | +\$32 | +\$63 | +\$94 | +\$131 | +\$2 |
| | IN37F24 | 24" | \$235 | +\$12 | +\$18 | +\$25 | +\$32 | +\$65 | +\$97 | +\$135 | +\$30 |
| the state of | IN37F30 | 30" | \$246 | +\$12 | +\$18 | +\$26 | +\$33 | +\$67 | +\$101 | +\$142 | +\$45 |
| 4 4 4 | IN37F36 | 36" | \$256 | +\$25 | +\$29 | +\$43 | +\$57 | +\$102 | +\$147 | +\$205 | +\$54 |
| W | IN37F42 | 42" | \$270 | +\$25 | +\$30 | +\$43 | +\$57 | +\$104 | +\$151 | +\$212 | +\$62 |
| | IN37F48 | 48" | \$280 | +\$26 | +\$31 | +\$45 | +\$59 | +\$109 | +\$158 | +\$220 | +\$72 |
| 37" H Fabric Monolithic Tile | | | | | | | | | | | |
| | IN44F18 | 18" | \$249 | +\$16 | +\$19 | +\$28 | +\$37 | +\$71 | +\$103 | +\$145 | +\$33 |
| 4/h | IN44F24 | 24" | \$264 | +\$16 | +\$19 | +\$28 | +\$37 | +\$73 | +\$108 | +\$150 | +\$44 |
| 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | IN44F30 | 30" | \$277 | +\$18 | +\$21 | +\$29 | +\$38 | +\$76 | +\$112 | +\$156 | +\$55 |
| 老 新春 | IN44F36 | 36" | \$290 | +\$28 | +\$34 | +\$37 | +\$63 | +\$115 | +\$167 | +\$236 | +\$65 |
| · 参考 | IN44F42 | 42" | \$302 | +\$28 | +\$34 | +\$48 | +\$66 | +\$120 | +\$173 | +\$239 | +\$77 |
| | IN44F48 | 48" | \$317 | +\$28 | +\$34 | +\$50 | +\$66 | +\$120 | +\$173 | +\$241 | +\$87 |
| I4" H Fabric Monolithic Tile | | | | | | | | | | | |
| | IN51F18 | 18" | \$272 | +\$17 | +\$21 | +\$31 | +\$39 | +\$76 | +\$111 | +\$154 | +\$38 |
| with the | IN51F24 | 24" | \$285 | +\$18 | +\$22 | +\$32 | +\$42 | +\$82 | +\$120 | +\$168 | +\$51 |
| · 新月) | IN51F30 | 30" | \$298 | +\$20 | +\$23 | +\$34 | +\$49 | +\$84 | +\$124 | +\$176 | +\$64 |
| 4 4 4 | IN51F36 | 36" | \$310 | +\$29 | +\$25 | +\$54 | +\$70 | +\$121 | +\$172 | +\$240 | +\$78 |
| W | IN51F42 | 42" | \$325 | +\$30 | +\$38 | +\$55 | +\$71 | +\$124 | +\$178 | +\$248 | +\$90 |
| | IN51F48 | 48" | \$337 | +\$32 | +\$40 | +\$57 | +\$74 | +\$126 | +\$182 | +\$254 | +\$103 |
| 51" H Fabric | | | | | | | | | | | |
| Monolithic Tile | | | | | | | | | | | |
| N. 645 | IN57F18 | 18" | \$283 | +\$22 | +\$27 | +\$38 | +\$48 | +\$90 | +\$131 | +\$183 | +\$43 |
| 新作 (A) | IN57F24 | 24" | \$297 | +\$24 | +\$28 | +\$39 | +\$50 | +\$96 | +\$141 | +\$196 | +\$57 |
| # W # | IN57F30 | 30" | \$310 | +\$29 | +\$32 | +\$40 | +\$52 | +\$100 | +\$147 | +\$205 | +\$72 |
| 2012 | IN57F36 | 36" | \$326 | +\$36 | +\$41 | +\$66 | +\$84 | +\$145 | +\$206 | +\$288 | +\$85 |
| *** | IN57F42 | 42" | \$342 | +\$37 | +\$45 | +\$69 | +\$85 | +\$147 | +\$210 | +\$292 | +\$99 |
| | IN57F48 | 48" | \$357 | +\$38 | +\$47 | +\$71 | +\$86 | +\$151 | +\$217 | +\$302 | +\$113 |
| 7" H Fabric | | | | | | | | | | | |
| Monolithic Tile | | | | | | | | | | | |
| N 684 | IN64F18 | 18" | \$302 | +\$22 | +\$27 | +\$38 | +\$48 | +\$90 | +\$131 | +\$183 | +\$48 |
| With the same | IN64F24 | 24" | \$321 | +\$24 | +\$29 | +\$39 | +\$50 | +\$96 | +\$141 | +\$196 | +\$64 |
| | IN64F30 | 30" | \$336 | +\$28 | +\$34 | +\$40 | +\$52 | +\$100 | +\$147 | +\$205 | +\$87 |
| 老 有 | IN64F36 | 36" | \$354 | +\$32 | +\$47 | +\$66 | +\$84 | +\$145 | +\$206 | +\$288 | +\$97 |
| 小 | IN64F42 | 42" | \$374 | +\$36 | +\$48 | +\$69 | +\$88 | +\$147 | +\$210 | +\$292 | +\$113 |
| 250 | IN64F48 | 48" | \$390 | +\$38 | +\$50 | +\$71 | +\$90 | +\$151 | +\$217 | +\$302 | +\$129 |

64" H Fabric Monolithic Tile



Architectu

Monolithic with Multi Access - Painted

Product code key example: IN37MAP30B

IN Inscape System37 37" high

MAP multi access - painted

30 30" wide B base cut outs

General information

- Painted tiles are available in any of Inscape's standard paint colours or a custom colour can be accomodated
- Painted tile is magnetic
- Flush bezel color option of black (default), white and gray
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

Multi access location at base only (includes 2 data cut outs and 2 electrical cut outs)

| Description | | Part number | Height | Width | Neutral paint/ base price | Accent paint upcharge |
|-------------|-------------------------------|-------------|--------|-------|------------------------------|-----------------------|
| | 37" H Painted Monolithic Tile | IN37MAP30B | 37" | 30" | \$162 | +\$17 |
| 1 1 | with Multi Access | IN37MAP36B | 37" | 36" | \$170 | +\$18 |
| 1 1 | | IN37MAP42B | 37" | 42" | \$176 | +\$19 |
| | | IN37MAP48B | 37" | 48" | \$180 | +\$19 |
| | | | | | | |
| | 44" H Painted Monolithic Tile | IN44MAP30B | 44" | 30" | \$189 | +\$20 |
| 1 1 | with Multi Access | IN44MAP36B | 44" | 36" | \$198 | +\$21 |
| 1 1 | | IN44MAP42B | 44" | 42" | \$206 | +\$22 |
| | | IN44MAP48B | 44" | 48" | \$214 | +\$22 |
| | | | | | | |
| | 51" H Painted Monolithic Tile | IN51MAP30B | 51" | 30" | \$197 | +\$21 |
| | with Multi Access | IN51MAP36B | 51" | 36" | \$212 | +\$22 |
| 1 1 | Will Mail / 100000 | IN51MAP42B | 51" | 42" | \$219 | +\$23 |
| | | IN51MAP48B | 51" | 48" | \$226 | +\$24 |
| | | | | | | |
| | 57" H Painted Monolithic Tile | IN57MAP30B | 57" | 30" | \$216 | +\$23 |
| 1 1 | with Multi Access | IN57MAP36B | 57" | 36" | \$227 | +\$24 |
| 1 1 | | IN57MAP42B | 57" | 42" | \$237 | +\$25 |
| | | IN57MAP48B | 57" | 48" | \$246 | +\$26 |
| | | | | | | |
| | 64" H Painted Monolithic Tile | IN64MAP30B | 64" | 30" | \$244 | +\$25 |
| | with Multi Access | IN64MAP36B | 64" | 36" | \$261 | +\$27 |
| | | IN64MAP42B | 64" | 42" | \$269 | +\$28 |
| | | IN64MAP48B | 64" | 48" | \$278 | +\$29 |
| | | | | | | |



Architecture

Tiles

Monolithic with Multi Access - Fabric

Product code key example: IN37MAF30B

Inscape System IN 37 37" high

MAF multi access - fabric

30 30" wide B base cut outs

General information

- Fabric applied in a railroad orientation
- Flush bezel color option of black (default), white and gray
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

Notes

Multi access location at base only (includes 2 data cut outs and 2 electrical cut outs)

See finishes section for fabrics that requires scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN37MAE30B in Grade 2 with scrim

| | | | | | | | | IN37MAF e \$255 +\$ | 30B in G 12 +\$45 | rade 2 wit | h scrin |
|--|-------------|-------|-------------|---------|---------|---------|---------|------------------------|----------------------|------------|---------|
| Description | Part number | Width | Grade 1/COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrir |
| | IN37MAF30B | 30" | \$255 | +\$12 | +\$18 | +\$26 | +\$33 | +\$67 | +\$101 | +\$142 | +\$4 |
| 1.2 | IN37MAF36B | 36" | \$272 | +\$25 | +\$29 | +\$39 | +\$50 | +\$102 | +\$147 | +\$205 | +\$54 |
| 1977 4.4 | IN37MAF42B | 42" | \$283 | +\$25 | +\$30 | +\$43 | +\$57 | +\$104 | +\$151 | +\$212 | +\$62 |
| | IN37MAF48B | 48" | \$294 | +\$26 | +\$31 | +\$45 | +\$59 | +\$109 | +\$158 | +\$220 | +\$72 |
| 37" H Fabric | | | | | | | | | | | |
| Monolithic Tile with | | | | | | | | | | | |
| Multi Access | | | | | | | | | | | |
| | IN44MAF30B | 30" | \$288 | +\$16 | +\$19 | +\$29 | +\$38 | +\$76 | +\$112 | +\$156 | +\$55 |
| 152 | IN44MAF36B | 36" | \$303 | +\$28 | +\$34 | +\$50 | +\$66 | +\$120 | +\$173 | +\$241 | +\$65 |
| 1912 x 14 | IN44MAF42B | 42" | \$317 | +\$31 | +\$36 | +\$52 | +\$70 | +\$124 | +\$177 | +\$247 | +\$77 |
| | IN44MAF48B | 48" | \$330 | +\$33 | +\$39 | +\$55 | +\$73 | +\$128 | +\$181 | +\$250 | +\$87 |
| 44" H Fabric | | | | | | | | | | | |
| Monolithic Tile with | | | | | | | | | | | |
| Multi Access | | | | | | | | | | | |
| | IN51MAF30B | 30" | \$300 | +\$18 | +\$22 | +\$32 | +\$42 | +\$100 | +\$120 | +\$168 | +\$64 |
| | IN51MAF36B | 36" | \$318 | +\$29 | +\$36 | +\$54 | +\$70 | +\$121 | +\$172 | +\$240 | +\$78 |
| 1977 4 14 | IN51MAF42B | 42" | \$331 | +\$30 | +\$38 | +\$55 | +\$71 | +\$124 | +\$178 | +\$248 | +\$90 |
| | IN51MAF48B | 48" | \$346 | +\$31 | +\$40 | +\$57 | +\$73 | +\$126 | +\$182 | +\$254 | +\$103 |
| 51" H Fabric | | | | | | | | | | | |
| Monolithic Tile with | | | | | | | | | | | |
| Multi Access | | | | | | | | | | | |
| | IN57MAF30B | 30" | \$323 | +\$24 | +\$28 | +\$40 | +\$52 | +\$100 | +\$147 | +\$205 | +\$72 |
| 1150 | IN57MAF36B | 36" | \$343 | +\$36 | +\$33 | +\$62 | +\$64 | +\$145 | +\$206 | +\$288 | +\$85 |
| 11/2 1/4 | IN57MAF42B | 42" | \$358 | +\$37 | +\$42 | +\$63 | +\$78 | +\$147 | +\$210 | +\$292 | +\$99 |
| | IN57MAF48B | 48" | \$375 | +\$38 | +\$47 | +\$67 | +\$86 | +\$151 | +\$217 | +\$302 | +\$113 |
| 57" H Fabric | | | | | | | | | | | |
| Monolithic Tile with Multi Access | | | | | | | | | | | |
| | IN64MAF30B | 30" | \$354 | +\$24 | +\$28 | +\$40 | +\$52 | +\$100 | +\$147 | +\$205 | +\$81 |
| 1134 | IN64MAF36B | 36" | \$394 | +\$30 | +\$33 | +\$54 | +\$64 | +\$145 | +\$206 | +\$288 | +\$97 |
| 11/2 2 1/4 | IN64MAF42B | 42" | \$408 | +\$32 | +\$42 | +\$63 | +\$78 | +\$147 | +\$210 | +\$292 | +\$113 |
| ************************************** | IN64MAF48B | 48" | \$421 | +\$38 | +\$47 | +\$67 | +\$86 | +\$151 | +\$217 | +\$302 | +\$129 |

64" H Fabric Monolithic Tile with Multi Access



Architectur

Planna Storage Benching Multi Access

Product code key example:

IN6.75MAP30

INPL Inscape System Planna

6.75 6.75" high

MAP multi access - painted

30 30" wide

General information

- Use with 3.5" thick panel only
- Paint finish only
- Painted tiles are available in any of Inscape's standard paint colours or a custom colour can be accomodated
- Painted tile is magnetic
- Flush bezel color option of black (default), white and gray
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

| Description | | Part number | Height | Width | Neutral paint/ base price | Accent paint upcharge |
|-------------|---|---|-------------------------|-------------------|------------------------------|-------------------------|
| | 6.75" H Painted Multi Access Tile for use with Planna Storage | INPL6.75MAP30 INPL6.75MAP36 INPL6.75MAP42 | 6.75" 6.75" 6.75" | 30" 36" 42" | \$90 \$93 \$99 | +\$10 +\$11 +\$11 |

Left blank intentionally.

system

Technology



TechnologyGeneral information

General information

Inscape System electrical is UL and CSA approved. New York City and Chicago solutions are also available as standard offering. The electrical system features 8 wires and 4 circuits that can be configured in a 2+2 or 3+1 circuit configuration. All electrical components, with the exception of the power feed (which must be connected to the building power supply by a licensed electrician) may be installed by furniture installers, unless otherwise stated by jurisdiction of the installation.

Inscape System electrical components consist of the following: Floor/Wall power in-feed, ceiling power in-feed, chimney feed, power tracks, jumper cables and duplex receptacles. Power components snap into place without the need of tools.

Power in-feed connections

Power in-feed connections can be made through a wall, column, or floor connection. Power in-feed connections consist of an 84" long liquid tight cable and a 45" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails. The liquid tight portion of the Power in-feed must be connected to the building power supply by an electrician.

If two power feeds are being specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks.


New York City has requirements for special power entry assemblies. A qualified electrician is required to hard-wire the **New York City In-feed** from the entry box to the power source. The New York City feed works for side feed, end feed or ceiling feed.

The City of Chicago does not permit the use of pre-wired modular electrical systems. To simplify hardwiring of the Inscape System panel, the City of Chicago Hold Down Bracket is available. When requiring power and data in the beltline location, it is required that basic frames be specified with the width specific code (ECHB-BL-_). The beltline location code includes the beltline cover as well as the City of Chicago Hold Down bracket which is based on the width of the frame. When specifying in locations other than at the beltline, an attachment bracket (INECHB) is available. Specify two INECHB for each power entry point, one for the power feed and one for the outlet. (The outlet box is NOT supplied by Inscape). INECHB's are available in packages of 6. Boxes should be sourced through Ental Industries or J&A Sheet both local Chicago suppliers of electrical junction boxes.

Note: Panels 30" wide will accept one double-sided outlet box. Panels 36" wide and wider will accept two boxes. INECHB's may also be specified to mount multi-user termination boxes inside the panel.

Wire designation


2 + 2 Circuit Configuration



2+2

- Circuits #1 and #2 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuits #3 and #4 share the other oversize neutral and isolated ground to provide isolated power to computers.

3 + 1 Circuit Configuration




3+1

- Circuits #1, #2 and #3 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuit #4 uses the other oversize neutral and isolated ground to provide isolated power to computers.



Ceiling power and data feeds kit

Ceiling power and data feeds kit includes a split top trim to facilitate cable entry into the panel, a ceiling grommet, a 16' long electrical cable and power pole featuring a septum to separate power from data cables to avoid electromagnetic interference (EMI). Specify ceiling power pole according to panel width. The ceiling power entry cable must be connected to the building power supply by an electrician. If two power feeds are being specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks. The entire power pole accommodates 61 Cat6 and 78 Cat5 cables at a 60% fill capacity if no electrical cable is routed through pole. If electrical is routed within power pole, at a 60% fill capacity, 46 Cat6 and 59 Cat5 cables may be accommodated.



The chimney ceiling feed

The chimney ceiling feed carries up to 99 Cat6 or 128 Cat5 cables from the ceiling into the panel at 60% capacity when electrical is routed within chimney feed as well. If only data is being routed through Chimney Feed 147 Cat6 or 189 Cat5 cables may be routed through the chimney feed. The chimney kit consists of an 18"w Basic frame which includes an internal channel, ceiling collar (white only), and top trim. A septum within the chimney feed separates power and data cables. All tiles and vertical end trim must be specified separately. The 16' power entry cable is optional and is specified by the appropriate code.



Power tracks

Power tracks are specified for frames 30" wide and wider. This power track mounts at the beltline location of a 3 ½" thick Standard frame by clips that are shipped with the frame. The 30" wide power track accepts one duplex per side. A power track 36" wide and wider accepts two duplexes per side. Power tracks do not include jumper cables. Jumper cables must be specified to carry power from track to track (see Application Guide for length requirements).

Power track kits

Power track kits consist of a power track and clips to attach the power track to a crossrail. The kit allows for power tracks to be mounted in all locations of the 2 ¾" thick panel and in locations other than the beltline location in the 3 ½" thick standard frames. Jumper cables and receptacles are specified separately. The 30" wide Power Track Kit accepts one duplex per side. Power Track Kits which are 36" wide and wider accept two duplexes per side. Power Track Kits may be specified below the following; Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles. Power Track Kits MAY NOT be specified below Twin Bins or Power Poles.

Jumper Cables

Jumper cables by-pass non-powered panels and also facilitates connections from power track to power track. Jumper cables must attach to power tracks only and cannot be attached to adjacent jumper cables or power in-feeds. Product codes indicate the width of the jumper cable which may be cross-referenced in the Inscape System Application Guide. Various widths of jumper cables are available to facilitate various applications and configurations. See Inscape System Application Guide for details.

Duplex receptacles

Duplex receptacles snap into power tracks back-to-back and may be accessed through cutouts in either the electrical cover plate with standard frames or multi-access and communication tiles in all other locations and basic frames. Duplexes are interchangeable amongst the varying power track locations. However, specific duplexes are required for various frame thicknesses and Electrified Storage, and need to be specified accordingly. Specify duplexes according to circuit configuration, 2+2 or 3+1. The IN3D3-_ duplex is specific to 2+2 wire configurations and the IN3DU3-_ duplex is specified for 3+1 wire configurations. General rule is no more than 12 receptacles per circuit per power in feed. Duplexes may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf.

Controlled receptacles to satisfy California Title 24 are available. These receptacles control circuits through building switches. When circuits are controlled through building switches, it is required to identify which circuit is controlled to the end user. To identify the receptacles on the controlled circuit, Inscape's controlled receptacles have a power mark (circle with the vertical line). The fit and function of these receptacles are same as the standard receptacle offering only application is in controlled circuits.

USB recepetacles are also availble. The snap into the standard power track. Each module provides 2 amp output via 2 USB ports and are available for both 2+2 and 3+1 wire configurations. Duplexes may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf.

Task lights

Task lights may be installed below shelf or bin without the need for tools. Horizontal task lights may be adjusted horizontally beneath the bin or shelf. Horizontal task lights are black in color. The LED task light is 20" in length and is silver in color. It is 7.5W and has light color of cool white; $4,500^{\circ}$ - $5,500^{\circ}$. The LED task light may be positioned on an overhead bin, shelf or twin bin. When mounted, because of its height of $\frac{7}{8}$ "h, it is not as visible as other task lights. This task light is magnetic.



Data components

Data hanger bracket

The Data Hanger Bracket provides a place for a voice/data box to be installed within the panel behind the tile (voice/data box not included). The bracket will accommodate up to a 6 outlet faceplate and is packaged in pairs.

Hinged cover (INHRC)

The hinged cover (INHRC) snaps into the cut outs which are found in multi access and communication tiles. When data faceplates and receptacles are not required the hinged cover provides a visual and protective cover.

Fiber optic outlet (INCFO)

Fiber optic outlet (INCFO) is specified to be installed in a cut out in a multi access or communication tile. May be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf).

Data and communication faceplate (INCDP)

The data and communication faceplate (INCDP) installs in a cut out in a multi access or communication tile where plug and play access is required. The faceplate provides three "slots" where the Category 5 (INCABRJ45), Category 6 (INCABR6J45), and/or Telephone Jacks (INCRJ11) may be inserted. All "openings" need to be filled with data or phone jacks, The Blank Data Plate Insert (INCB) fills in any which are not being used. Data components may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf). Telephone Jacks (INCRJ11) are not available in gray.

Worksurface grommets

Worksurface grommets are field installed and instructions are available. Inscape cannot and will not be held responsible for the quality of workmanship executed by any installation firm engaged to provide grommet-cutting services required for the field installation of our grommet sleeve/cap offering.

Clamp-on power

Clamp-on power may be clamped along edge of worksurface for plug and play access to electrical/voice/data. Unit has clear anodized aluminum case with white inserts. Different insert configurations available. Voice and data adapter kits are included. Voice and data jacks must be purchased separately. Clamp-on power module has 72" long extension cord. This module adjusts from .75 to 1.75" for varying surface thickness.

Cable hooks

Cable Hooks support and segregate data cables. Each frame 37" and higher ships with one cable manager. Cable hooks carry data cables to their termination voice/data point at a multi access or communication tile for plug and play access or to hanger brackets which are located behind the tile.

Wire management clips

Wire management clips are required when power is being routed from a Credenza Storage benching application frame to the worksurface. Where cabling is running from behind a Credenza Storage case, these wire management clips are mounted to the underside of the inside of the case and the wires are cleanly routed to the main surface. These clips come in a package of 10 and are white in color.

Wire casing

Wire casing manages cables and technology from a worksurface to the floor. Casing is 29" long but can be adjustable in length by removing or adding "links". Casing is available in gray. As standard the wire casing accommodates 28.5"h worksurface heights. The wire casing accommodates 30 Cat5 cables with electrical works at a 60% fill capacity which is recommended. Approximately 36 Cat5 cables may be accommodated in the wire casing at a 60% fill capacity without electrical works.

Power bar

Power bar is a white power bar consisting of 6 outlets and a 10' cord which may be specified to provide additional outlets. Addition of power bars should be taken into account when determining the amount of power required for a single or a cluster of stations. The power bar may be mounted under the worksurface.

Electrified storage compliment technology components

Electrified storage compliment technology components have been designed to fit within or compliment the Electrified Storage case. These components essentially work the same as the frame components but are specified based on specific lengths in relation to Electrified Storage.

Electrified storage cable closets

The electrified storage cable closets are designed to facilitate technology entering the Electrified Storage cases if a panel is not present. The cable closet is specified for the end of an Electrified Storage single case or run of cases. The closet is 1 ½" space thick, 18"w and is specified based on the height of the case with which it is mounting to. Technology may enter the cable closet via the floor or ceiling. Specify correct closet for desired application.

When ceiling feed is required, the **Cable Feed Kit** for the cable closet is required to be specified separately based on the ceiling height. Cable closets which attach to the 1 ½" screen are available to allow for technology to enter an Electrified Storage unit when the 1 ½" screen is being utilized which does not carry power. Be sure to specify inline connectors for the connection of this cable closet to the screen. Closets include all hardware to attach to the Electrified Storage case.

Note: Holes are required to be drilled in the case in order to attach cable closet brackets.

Electrical module side cover

Electrical module side cover is specified for the end of an Electrified Storage unit to conceal the technology zone when a panel, screen or cable closet is not specified. This is a value engineered solution for the finishing of an Electrified Storage run. This cover may be painted the same colors as the Electrified Storage cases.

Electrical module front cover

Electrical module front cover come standard with all Electrified Storage base cases; one side with cut out and one side without. When the configuration of an Electrified Storage base unit calls for additional cut outs or no cut outs on the other side of the unit, the appropriate front cover may be specified. The 30" wide front cover only includes one cut out.



- Power in-feed connections consist of an 84" long liquid tight cable and a 45" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails
- All electrical components are standard 8 wire configuration

| Description | | Part number | List Price |
|-------------------|--|-------------|------------|
| | Standard Floor/Wall Power In Feed Kits | INEFWK-8 | \$314 |
| Maria 101 . 18110 | New York City Power In Feed Kit | INEFWK-NY-8 | \$558 |



Technology

Power In Feeds Ceiling Power Pole Kits

General information

- The ceiling power pole accommodates a maximum ceiling height of 11' when placed atop any systems frame height
- See Inscape System Application Guide for compatibility with ceiling heights
- Power pole kit includes top trim, power pole (exposed height noted below) and electrical power in-feed
- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame

Notes

• Beltline Power Track or Power Track Kit must be located in frame where power pole is entering in order for in-feed to connect

| Description | | Part number | Height | Width | Tapered | Flat | Accent paint upcharge |
|-------------|------------------------------|---------------|--------|-------|---------|--------|-----------------------|
| | Ceiling Power Pole Kit | INECFK24-8-3F | 113" | 24" | \$1019 | \$1019 | +\$103 |
| | For use with 3 1/2" T Frames | INECFK30-8-3F | 113" | 30" | \$1025 | \$1025 | +\$103 |
| Ų | | INECFK36-8-3F | 113" | 36" | \$1032 | \$1032 | +\$104 |
| | | INECFK42-8-3F | 113" | 42" | \$1040 | \$1040 | +\$105 |
| | | INECFK48-8-3F | 113" | 48" | \$1046 | \$1046 | +\$105 |
| | | INECFK54-8-3F | 113" | 54" | \$1061 | \$1061 | +\$107 |
| | | INECFK60-8-3F | 113" | 60" | \$1066 | \$1066 | +\$107 |
| | Ceiling Power Pole Kit | INECFK24-8-2F | 113" | 24" | | \$1019 | +\$103 |
| | For use with 2 ¾" T Frames | INECFK30-8-2F | 113" | 30" | _ | \$1025 | +\$103 |
| Ų | | INECFK36-8-2F | 113" | 36" | _ | \$1032 | +\$104 |
| | | INECFK42-8-2F | 113" | 42" | _ | \$1040 | +\$105 |
| | | INECFK48-8-2F | 113" | 48" | _ | \$1046 | +\$105 |
| | | INECFK54-8-2F | 113" | 54" | _ | \$1061 | +\$107 |
| | | INECFK60-8-2F | 113" | 60" | _ | \$1066 | +\$107 |



- Chimney Feed Kit consists of an 18"w frame and top cap as well as electrical if optioned
- Tiles may span the 18"w Chimney frame along with adjacent frame (see Inscape System Application Guide for acceptable spans)
- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- 96" version is a 64"h frame with additional 27"h stack
- 104" version is a 64"h frame with additional 27" and 13.5"h stack

Notes

- Tiles, vertical trim, inline connectors or corner connectors are specified separately
- A Beltline power track or a Power Track Kit must be specified in directly adjacent panel to the Chimney Power Feed Frame
- 96"h Chimney Power Feed Frame to be ordered for ceiling heights of 8' +/-6"
- 104"h Chimney Power Feed Frame to be ordered for ceiling height of 9' +/-6"

| Description | | Part number | Height | Width | Tapered | Flat | Accent paint upcharge |
|-------------|--|-----------------------------------|-------------|------------|------------------|------------------|-----------------------|
| | Chimney Power Feed Frame with Electrical For use with 3 ½" T Frames | INCF1896E-8-3F INCF18104E-8-3F | 96" 104" | 18" 18" | \$1515 \$1756 | \$1515 \$1756 | +\$153 +\$176 |
| | Chimney Power Feed Frame without Electrical For use with 3 ½" T Frame | INCF1896-8-3F INCF18104-8-3F | 96" 104" | 18" 18" | \$1474 \$1715 | \$1474 \$1715 | +\$149 +\$172 |
| | Chimney Power Feed Frame with Electrical For use with 2 3/4" T Frames | INCF1896E-8-2F INCF18104E-8-2F | 96" 104" | 18" 18" | | \$1515 \$1756 | +\$153 +\$176 |
| | Chimney Power Feed Frame without Electrical For use with 2 ¾" T Frames | INCF1896-8-2F INCF18104-8-2F | 96" 104" | 18" 18" | _ | \$1474 \$1715 | +\$149 +\$172 |



TechnologyFrame Components Chicago Electrical Components

General information

- City of Chicago bracket for beltline is for 3 ½" thick frame beltline location only
- City of Chicago bracket is compatible with upper deck and base locations in 2 ¾" and 3 ½" thick frames
 • "2F" denotes use with 2 ¾" thick frame,
- "3F" denotes use with 3 1/2" thick frame
- Boxes should be sourced through Ental Industries or J&A Sheet both local Chicago suppliers of electrical junction boxes
- Brackets are painted in Eco Black

| Description | | Part number | Height | Width | List price |
|-------------|---|-----------------|--------|-------|------------|
| | City of Chicago Brackets (pkg of 6) | INECHB | _ | _ | \$77 |
| | | | | | |
| | City of Chicago Bracket for Beltline Location | INECHB-BL-30-3F | | 30" | \$211 |
| | For use with 3 ½" T Standard Frames | INECHB-BL-36-3F | _ | 36" | \$214 |
| | | INECHB-BL-42-3F | _ | 42" | \$216 |
| | | INECHB-BL-48-3F | _ | 48" | \$218 |
| | | INECHB-BL-54-3F | _ | 54" | \$223 |
| | | INECHB-BL-60-3F | _ | 60" | \$228 |
| | City of Chicago Bracket for Beltline Location | INECHB-BL-30-2F | _ | 30" | \$211 |
| | For use with 2 ¾" T Standard Frames | INECHB-BL-36-2F | _ | 36" | \$214 |
| | | INECHB-BL-42-2F | _ | 42" | \$216 |
| | | INECHB-BL-48-2F | _ | 48" | \$218 |
| | | INECHB-BL-54-2F | _ | 54" | \$223 |
| | | INECHB-BL-60-2F | _ | 60" | \$228 |

- Add beltline cover kit to a Basic Frame to provide power at beltline location (power track separate)
- Cover kits are painted in Eco Black

| Description | | Part number | Height | Width | List price |
|-------------|------------------------------|-----------------|--------|-------|------------|
| | Beltline Cover Kit | INBCVRKIT-18-3F | 6.75" | 18" | \$106 |
| | For use with 3 1/2" T Frames | INBCVRKIT-24-3F | 6.75" | 24" | \$109 |
| | | INBCVRKIT-30-3F | 6.75" | 30" | \$111 |
| | | INBCVRKIT-36-3F | 6.75" | 36" | \$113 |
| | | INBCVRKIT-42-3F | 6.75" | 42" | \$115 |
| | | INBCVRKIT-48-3F | 6.75" | 48" | \$117 |
| | | INBCVRKIT-54-3F | 6.75" | 54" | \$119 |
| | | INBCVRKIT-60-3F | 6.75" | 60" | \$123 |
| | Beltline Cover Kit | INBCVRKIT-18-2F | 6.75" | 18" | \$106 |
| | For use with 2 ¾" T Frames | INBCVRKIT-24-2F | 6.75" | 24" | \$109 |
| | | INBCVRKIT-30-2F | 6.75" | 30" | \$111 |
| | | INBCVRKIT-36-2F | 6.75" | 36" | \$113 |
| | | INBCVRKIT-42-2F | 6.75" | 42" | \$115 |
| | | INBCVRKIT-48-2F | 6.75" | 48" | \$117 |
| | | INBCVRKIT-54-2F | 6.75" | 54" | \$119 |
| | | INBCVRKIT-60-2F | 6.75" | 60" | \$123 |



- Specify power tracks for open beltline location in the 3.5" and 2.75" thick standard frames
- Specify Power Track Kit for all locations other than open beltline in 3.5" and 2.75" thick standard frames, where ever a communication or multi access tile is used
- Receptacles and Jumper Cables (track to track connectors) specified separately

Notes

- Power tracks are required to match the width of the frame it is being installed in
- Power Track Kits may be specified below the following;
 Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles
- Power Track Kits MAY NOT be specified below Twin Bins or Power Poles

| Description | | Part number | Width | List price |
|-------------|--|---------------|-------|------------|
| | Power Track | INETP30-8 | 30" | \$125 |
| | For use with standard frame at beltline only | INETP36-8 | 36" | \$138 |
| | | INETP42-8 | 42" | \$148 |
| | | INETP48-8 | 48" | \$158 |
| | | INETP54-8 | 54" | \$168 |
| Me De | | INETP60-8 | 60" | \$176 |
| a - A- | Power Track Kit | INRUDKIT-30-8 | 30" | \$161 |
| SEE THE | For use in all locations on basic frame | INRUDKIT-36-8 | 36" | \$174 |
| 360 | | INRUDKIT-42-8 | 42" | \$190 |
| | | INRUDKIT-48-8 | 48" | \$206 |
| | | INRUDKIT-54-8 | 54" | \$220 |
| [M. | | INRUDKIT-60-8 | 60" | \$236 |
| | Electrified Twin-Bin Power Track | INETPTWB-8 | 8" | \$75 |
| | | | | |
| | | | | |



- Jumper Cables do not connect together nor do they attach to power in feeds
- See Inscape System Application Guide for length requirements for varying panel configurations
 • 24" and 25" W jumper cables are made of a black flexible mesh
- material
- 28" W and larger jumper cables are made of a more rigid metal Conduit material

| Description | Part number | Width | List price |
|---|-------------|-------|------------|
| Jumper Cables | INETC24-8 | 24" | \$62 |
| | INETC25-8 | 25" | \$62 |
| THE REAL PROPERTY OF THE PARTY | INETC28-8 | 28" | \$62 |
| Jumper Cables | INETC31-8 | 31" | \$64 |
| | INETC44-8 | 44" | \$67 |
| | INETC53-8 | 53" | \$75 |
| | INETC64-8 | 64" | \$90 |
| | INETC88-8 | 88" | \$117 |
| | INETC104-8 | 104" | \$134 |
| | INETC122-8 | 122" | \$166 |
| | INETC141-8 | 141" | \$167 |
| | INETC158-8 | 158" | \$184 |
| | INETC182-8 | 182" | \$211 |



Technology Receptacles

General information

- Receptacles are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290
 Aluminum Leaf
- Receptacles are specific for frame thickness and location in which they are being specified
- The circuit 3 receptacle requires 2+2 or 3+1 wire designation ("U" in the code signifies 3+1 compatibility)
- The "UD" receptacles are to be specified in conjunction with the Electrified Twin Bin
- Controlled receptacles satisfy California Title 24 and are indicated with a "power mark" which is represented buy a circle with a line

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN3D1-8 in Gray would be \$23 +\$8

| Description | | Part number | Black | White | Gray |
|-------------|---|--------------|-------|-------|------|
| | Receptacle for open Beltline and | IN3D1-8 | \$23 | +\$8 | +\$8 |
| | Storwal Storage | IN3D2-8 | \$23 | +\$8 | +\$8 |
| | For use in 3 1/2" and 2 3/4" frames | IN3D3-8 | \$23 | +\$8 | +\$8 |
| 5 | | IN3D3U-8 | \$23 | +\$8 | +\$8 |
| | | IN3D4-8 | \$23 | +\$8 | +\$8 |
| -2-2 | Receptacle for cutout tiles application | IN3D1-UD-8 | \$23 | +\$8 | +\$8 |
| | in 3 ½" frames | IN3D2-UD-8 | \$23 | +\$8 | +\$8 |
| 1 | | IN3D3-UD-8 | \$23 | +\$8 | +\$8 |
| | | IN3D3U-UD-8 | \$23 | +\$8 | +\$8 |
| | | IN3D4-UD-8 | \$23 | +\$8 | +\$8 |
| - | Receptacle for cutout tiles application | IN2D1-8 | \$23 | +\$8 | +\$8 |
| | in 2 ¾" frames | IN2D2-8 | \$23 | +\$8 | +\$8 |
| | | IN2D3-8 | \$23 | +\$8 | +\$8 |
| 5 | | IN2D3U-8 | \$23 | +\$8 | +\$8 |
| | | IN2D4-8 | \$23 | +\$8 | +\$8 |
| | Controlled Receptacle for open Beltline and | IN3D1-8C | \$27 | +\$8 | +\$8 |
| 一一一门里 | Storwal Storage | IN3D2-8C | \$27 | +\$8 | +\$8 |
| | For use in 3 ½" and 2 ¾" frames | IN3D3-8C | \$27 | +\$8 | +\$8 |
| 5-1 | | IN3D3U-8C | \$27 | +\$8 | +\$8 |
| | | IN3D4-8C | \$27 | +\$8 | +\$8 |
| -2-2 | Controlled Receptacle for cutout tiles | IN3D1-UD-8C | \$27 | +\$8 | +\$8 |
| - 118 | application in 3 ½" frames | IN3D2-UD-8C | \$27 | +\$8 | +\$8 |
| | | IN3D3-UD-8C | \$27 | +\$8 | +\$8 |
| | | IN3D3U-UD-8C | \$27 | +\$8 | +\$8 |
| | | IN3D4-UD-8C | \$27 | +\$8 | +\$8 |
| - | Controlled Receptacle for cutout tiles | IN2D1-8C | \$27 | +\$8 | +\$8 |
| | application in 2 ¾" frames | IN2D2-8C | \$27 | +\$8 | +\$8 |
| | | IN2D3-8C | \$27 | +\$8 | +\$8 |
| | | IN2D3U-8C | \$27 | +\$8 | +\$8 |
| | | IN2D4-8C | \$27 | +\$8 | +\$8 |



- USB power modules are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290
 Aluminum Leaf
- USB power modules are specific for frame thickness and location in which they are being specified
- The circuit 3 USB power modules requires 2+2 or 3+1 wire designation ("U" in the code signifies 3+1 compatibility)
- The "UD" USB power modules are to be specified in conjunction with the Electrified Twin Bin

| Description | | Part number | List price |
|---------------------|------------------------------------|---------------|------------|
| - Las | USB outlet | IN2USB1-8 | \$143 |
| 5 | For use with 2 ¾" T cut out tile | IN2USB2-8 | \$143 |
| L. E. | | IN2USB3-8 | \$143 |
| 2 | | IN2USB3U-8 | \$143 |
| 7 | | IN2USB4-8 | \$143 |
| USB Charging Module | | | |
| 500 | USB outlet | IN3USB1-UD-8 | \$145 |
| 2 | For use with 3 1/2" T cut out tile | IN3USB2-UD-8 | \$145 |
| | | IN3USB3-UD-8 | \$145 |
| 89 2 | | IN3USB3U-UD-8 | \$145 |
| 7 | | IN3USB4-UD-8 | \$145 |
| USB Charging Module | | | |
| - Lab | USB outlet | IN3USB1-8 | \$141 |
| 5 | For use in open beltline location | IN3USB2-8 | \$141 |
| THE PERSON NAMED IN | · | IN3USB3-8 | \$141 |
| 2 | | IN3USB3U-8 | \$141 |
| 7 | | IN3USB4-8 | \$141 |
| USB Charging Module | | | · |



- Task Lights mount to the underside of Overhead Bins and Shelves
- A power track must be specified in frame to connect task light
- LED task light is magnetic and fits below a Twin Bin and other Overhead Storage

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|-------------|----------------------------------|-------------|--------|-------|--------------|------------|
| | LED Magnetic Task Light (silver) | INMAGTL | 7/8" | 20" | 1 | \$362 |
| | Horizontal Bin/Shelf Mounted | INTKL-VT-24 | 1 ½" | 24" | 1 | \$270 |
| - 10 mm | Task Light (black) | INTKL-VT-30 | 1 ½" | 30" | 2 | \$277 |
| 20,10 | | INTKL-VT-36 | 1 ½" | 36" | 2 | \$284 |
| | | INTKL-VT-42 | 1 ½" | 42" | 3 | \$328 |
| | | INTKL-VT-48 | 1 ½" | 48" | 3 | \$337 |



- Data components which are face mounted have optional color of black (default), white or gray
- White close match to 168 Glacier White and Gray close match to 290 Aluminum Leaf
- Data components are industry standard sized AMP product
- If specifying AMP Data Communication Plate, AMP jacks and blank inserts must be specified+
- Data hanger bracket is paint Eco Black and allows for industry standard face data plate mount

Notes

Data cannot be installed directly back to back in a 2 $\ensuremath{\mbox{3}}\xspace$ " thick frame application

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INHRC in Gray would be \$18 +\$8

| Description | | Part number | Weight (lbs) | List price/black | White | Gray |
|-------------|---------------------------------------|-------------|--------------|------------------|-------|-------|
| | Data Outlet Hanger Brackets (pair) | INDPMT-W | 2 | \$41 | _ | - |
| | Hinged Cover for Tiles with Cutouts | INHRC | - | \$18 | +\$8 | +\$8 |
| | Fiber Optic Outlet | INCFO | 0.1 | \$116 | - | _ |
| | Data Communication Plate | INCDP | 0.1 | \$23 | +\$6 | +\$6 |
| | Blank Data Plate Insert | INCB | 0.1 | \$12 | +\$5 | +\$5 |
| | Telephone Jack | INCRJ11 | 0.1 | \$25 | +\$5 | _ |
| | Category 5A & 5B, RJ45 Jack | INCABRJ45 | 0.1 | \$39 | +\$5 | +\$5 |
| | Category 6, RJ45 Jack | INC6ABRJ45 | 0.1 | \$77 | +\$14 | +\$14 |



Technology

Worksurfaces Technology Components

General information

- Grommets must be field installed
- Round Grommet = 2" diameter
- Rectangular Grommet = 3" x 5.25"
- Clamp on Power Modules have white inserts and a 72" long power cord. It attaches to 1" and 1 ¼" thick worksurfaces
- Flip-up Power & Data Module is finished with a clear anodized aluminum with white inserts and a 72" long power cord

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product PLNGRKIT in Stainless Steel would be +\$0 +\$72

| Description | | Part number | Dimensions | List price | Black | White | Silver | Stainless steel |
|-------------|---|-------------|------------|------------|-------|-------|--------|-----------------|
| | Grommet Sleeve & Cover Kit | PLNGRKIT | 5 ¼" | \$180 | +\$0 | - | _ | +\$72 |
| | Worksurface Grommet-PVC Sleeve & CAP | GROMMET-WS | _ | \$14 | +\$0 | _ | _ | |

| Description | | Part number | List price |
|-------------|---|---------------|------------|
| | Clamp-on Power Module 2 receptacles/2 voice/data ports | PVDMODTC | \$452 |
| | Clamp-on Power Module 1 receptacle/1 dual USB port | PVDMODTC-1P1U | \$488 |
| | Clamp-on Power Module 3 receptacle/1 dual USB port | PVDMODTC-3P1U | \$550 |



Flip-up Power & Data Module 2 outlets + 1 dual USB + 1 data

PVDMODFL

\$786

- One cable hook is included with each standard frame
- Wire Casing is 29" long and allows for electrical and data cables to neatly be brought from floor into a table – available in gray only, works with 28.5" worksurface heights
- Power bar available in white only
- Cable Management tray is available in two lengths black only and includes mounting hardware
- Wire Management clips are white and attach by double sided tape which is included

| Description | | Part number | Width | Weight (lbs) | List price |
|-------------|--------------------------------------|--------------------|------------|--------------|--------------|
| | Extension Cord for Recessed Duplexes | INEXTCORD-1 | 12" | - | \$62 |
| | Cable Hooks | INEPWMH | - | 0.1 | \$14 |
| P | Wire Management Clip (pkg of 10) | INWMCLIP | - | - | \$25 |
| | Wire Casing (Gray color) | INFWC | - | _ | \$112 |
| Hardish Co | Power Bar (6 outlets, 10' cord) | INPBAR | _ | _ | \$45 |
| (ha) | Cable Management Tray | INCMT18 INCMT30 | 18" 30" | = | \$31 \$39 |
| | Wire mesh cable tray (silver) | INWMTRAY | _ | _ | \$115 |



Technology Storwal Components

General information

- Receptacles and Jumper Cables (track to track connectors) specified separately
- Jumper Cables do not connect together nor do they attach to power in feeds
- See Inscape System Application Guide for length requirements for varying panel configurations
- 24" and 25" W jumper cables are made of a black flexable mesh material
- 28" W and larger jumper cables are made of a more rigid metal Conduit material
- Receptacles are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290
 Aluminum Leaf
- The circuit 3 receptacle requires 2+2 or 3+1 wire designation ("U" in the code signifies 3+1 compatibility)

Notes

Power tracks are required to match the width of the storage it is being installed in

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN3D1-8 in Gray would be \$23 +\$8

| Description | | Part number | Height | Width | List price | Accent pain upcharge |
|--|--|--|---------------------------------|-------------------|--------------------------------------|------------------------------|
| No. of the last of | Storwal Floor/Wall Power In Feed Cable Closet specified separately | INSWEFWK-8 | _ | - | \$314 | _ |
| | Storwal New York City Power In Feed Kit Cable Closet specified separately | INSWEFWK-NY-8 | - | - | \$523 | _ |
| | Ceiling Power Pole Kit Cable Closet specified separately | INSWECFK-86-8 INSWECFK-96-8 INSWECFK-106-8 | 86" 96" 106" | | \$453 \$491 \$732 | +\$46 +\$50 +\$75 |
| | Power Track | INETP30-8 INETP36-8 INETP42-8 | | 30" 36" 42" | \$125 \$138 \$148 | |
| C. Marine M. M. | Jumper Cables | INETC44-8 INETC88-8 | = | 44" 88" | \$67 \$117 | <u>-</u> |
| Description | Provide de ferrore Pall'er and | Part number | Bla | | White | Gray |
| | Receptacle for open Beltline and Storwal Storage | IN3D1-8 IN3D2-8 IN3D3-8 IN3D3U-8 IN3D4-8 | \$2 \$2 \$2 \$2 \$2 | 3 3 3 | +\$8 +\$8 +\$8 +\$8 +\$8 | +\$8 +\$8 +\$8 +\$8 |



- Ceiling Feed Kit must be specified in conjunction with Cable Closet for Ceiling Feed
- Specific Cable Closet for connection to 1 ½" Screens
- Connection bracket to connect Cable Closet to 2 ¾" or 3 ½" frame included

| Description | | Part number | Width | Weight (lbs) | List price | Accent paint upcharge |
|-------------|---|---|-----------------------|--------------|-------------------------|-------------------------|
| | Cable Closet for Floor/Wall Power In Feed In Feed specified separately | SWCBLCL48 SWCBLCL61.5 SWCBLCL67.5 | 48" 61 ½" 67 ½" | _ _ _ | \$265 \$292 \$303 | +\$28 +\$30 +\$31 |
| | Cable Closet for Ceiling Power Pole Kit In Feed specified separately | SWCBLCL48-C SWCBLCL61.5-C SWCBLCL67.5-C | 48" 61 ½" 67 ½" | | \$265 \$292 \$303 | +\$28 +\$30 +\$31 |
| | Cable Closet for Floor/Wall Power In Feed, 1 ½" thick screen In Feed specified separately | SWFFCBLCL48 SWFFCBLCL61.5 SWFFCBLCL67.5 | 48" 61 ½" 67 ½" | | \$265 \$292 \$303 | +\$28 +\$30 +\$31 |
| | Cable Closet for Ceiling Power Pole Kit, 1 ½" thick screen In Feed specified separately | SWFFCBLCL48-C SWFFCBLCL61.5-C SWFFCBLCL67.5-C | 48" 61 ½" 67 ½" | | \$265 \$292 \$303 | +\$28 +\$30 +\$31 |
| | Mounting Bracket for Cable Closet for Floor/ Wall Power In Feed , 1 ½" thick screen | SWFFCBLBKT | _ | _ | \$128 | +\$14 |



Technology Storwal Components

General information

- Data communication plate must be specified in conjunction with Data Bracket
- Electrical Module Side cover, covers the electrical zone between the base and stack unit when no panel or Cable Closet is required at end of run
- Electrical Module Front Cover is ordered based on the width of the case and is installed on site (when ordered separately)

| Description | | Part number | Width | List price |
|---------------------|----------------------------------|--------------|-------|------------|
| | Storwal Chicago Electrical Kit | SWCHELKIT-30 | 30" | \$47 |
| Secretary Secretary | • | SWCHELKIT-36 | 36" | \$62 |
| 200 | | SWCHELKIT-42 | 42" | \$78 |
| | Storwal Data Bracket | SWDB | - | \$21 |
| | J | | | |
| | Storwal Data Communication Plate | SWCDP | _ | \$22 |
| | | | | |

| Description | | Part number | Width | Neutral paint/ base price | Accent paint upcharge |
|-------------|--|--|-------------------|------------------------------|-----------------------|
| | Storwal Electrical Module Side Cover | ECOVER | 18" | \$32 | +\$5 |
| | Storwal Electrical Module Front Cover with Cutouts | EFRCOVER-30 EFRCOVER-36 EFRCOVER-42 | 30" 36" 42" | \$50 \$50 \$50 | +\$6 +\$6 +\$6 |
| | Storwal Electrical Module Front Cover without Cutouts | EFRCOVER-30-NC EFRCOVER-36-NC EFRCOVER-42-NC | 30" 36" 42" | \$39 \$39 \$39 | +\$5 +\$5 +\$5 |

system

Worksurfaces



Panel Mounted Worksurfaces
General information

General information

Depth dimension is nominal. Depths are 1" less than stated to provide a 1" gap between the worksurface and panel to facilitate wire management.

Imperial to Metric Conversions

| Inches | mm |
|--------|------|
| 18" | 457 |
| 24" | 610 |
| 30" | 762 |
| 36" | 914 |
| 42" | 1067 |
| 48" | 1219 |
| 54" | 1372 |
| 60" | 1524 |
| 66" | 1676 |
| 72" | 1829 |
| 78" | 1981 |
| 84" | 2134 |
| 90" | 2286 |
| 96" | 2438 |
| | |

Electrified storage worksurfaces


Electrified storage worksurface lengths are true size to what is printed in the price list and are 1" less in length than a module line (panel). This allows for a 1" gap between the Electrified Storage unit and the end of the worksurface facilitating wire management and space for the Electrified Storage worksurface support bracket. This 1" less in length also allows the worksurface to line up on-module with a panel. Optional pencil groove is available.

Nuform solid and nuform

woodgrain/pattern worksurfaces

The Nuform top is a thermo-formable polymer based sheet continuously bonded to a 1¼" or 1" thick MDF substrate. The polymer sheet is surface coated with a scratch resistant film. Colors are homogenous throughout the film thickness. Top and edge are one continuous surface with no edge seams. The underside of the top is finished in a low pressure melamine. Nuform tops have the option of a pencil groove running across the width of the worksurface as standard and depth for conference tables. Two price options are available - Nuform Solid and Nuform Woodgrain which includes patterns. Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces.

Edge detailed - nuform solid & nuform woodgrain



Top and edge are one continuous surface with no edge seams.

Composite veneer worksurfaces

Veneer thickness is 0.025". Overall thickness of top is 1.25". The stain color is impregnated throughout the veneer for color consistency. The open pore veneer is clear coated with a catalyzed lacquer utilizing a multi-step process and has a gloss value of 30° when dry. Tops are constructed utilizing 45lbs density particle board with an engineered balanced backer for structural integrity. Tops are edged in 3mm thick same species veneer and do not include a pencil groove.

Edge detail - composite veneer

Straight Edge




Laminate worksurfaces

Plastic laminate is laminated to 1.25" thick particle-board. The underside of the worksurface is finished with a man-made, wood-fiber veneer backer. Worksurfaces specified with a plastic laminate finish include a 2mm edge banding in a coordinating color. Plastic laminate tops do not include a pencil groove.

All worksurfaces default to 1.25" thick, Straight edge. Pencil Groove is only available on Nuform.

Edge detail - plastic veneer


Straight Edge



Load capacity for freestanding and panel mounted worksurfaces is 4.5lbs per linear inch.

Grain direction on Nuform Woodgrain and Veneer worksurfaces is as denoted below.





Adjustable height worksurfaces

Adjustable height worksurfaces are available in a panel mounted version which mounts on-module to the Inscape System frame. Worksurfaces provide gas cylinder height adjustment ranging from 28.5" to 49.5" with a lift capacity and calibration of a recommended 25lbs (not including the worksurface). Worksurfaces structured on the height adjustable mechanism are 1" less in stated width in the price list, and are meant to be installed on center to the base allowing for a gap between adjacent surfaces to eliminate pinch points. The base mechanism of the worksurface is available in gray only. See the Inscape System Application Guide for application notes and restrictions.



Panel Mounted Worksurfaces
Rectangular Tops

Product code key example INW2024

INW Inscape System worksurface

20 20" deep 24 24" wide

General information

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options

- 20"d tops should not be specified with cantilever brackets as mid span support
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
 ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INW2024 in Nuform Woodgrain with a tapered edge would be \$205 +\$24 +\$13

Product INW2024 in Nuform Woodgrain with a 1" straight edge would be \$205 +\$24 -\$23

Product INW2024 in veneer would be \$205 +\$507

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer |
|--------------------|-------------|-------|-------|--|---------------------------------|---------------------|----------------------------------|--|--------|
| , w | INW2024 | 24" | 20" | \$205 | +\$24 | +\$13 | -\$23 | +\$66 | +\$507 |
| | INW2030 | 30" | 20" | \$222 | +\$26 | +\$16 | -\$25 | +\$72 | +\$538 |
| D | INW2036 | 36" | 20" | \$251 | +\$28 | +\$16 | -\$27 | +\$81 | +\$550 |
| | INW2042 | 42" | 20" | \$264 | +\$28 | +\$17 | -\$27 | +\$85 | +\$587 |
| 20" D Rectangular | INW2048 | 48" | 20" | \$301 | +\$32 | +\$19 | -\$31 | +\$97 | +\$600 |
| Top | INW2054 | 54" | 20" | \$337 | +\$39 | +\$24 | -\$33 | +\$108 | +\$615 |
| ioρ | INW2060 | 60" | 20" | \$376 | +\$43 | +\$26 | -\$38 | +\$121 | +\$642 |
| | INW2066 | 66" | 20" | \$412 | +\$45 | +\$28 | -\$42 | +\$132 | +\$642 |
| | INW2072 | 72" | 20" | \$451 | +\$50 | +\$29 | -\$44 | +\$145 | +\$654 |
| | INW2078 | 78" | 20" | \$489 | +\$55 | +\$31 | -\$49 | +\$157 | +\$667 |
| | INW2084 | 84" | 20" | \$602 | +\$61 | +\$32 | -\$109 | +\$193 | +\$603 |
| | INW2090 | 90" | 20" | \$639 | +\$66 | +\$36 | -\$94 | +\$205 | +\$619 |
| | INW2096 | 96" | 20" | \$680 | +\$74 | +\$38 | -\$88 | +\$218 | +\$625 |
| w | INW2424 | 24" | 24" | \$254 | +\$28 | +\$13 | -\$27 | +\$82 | +\$538 |
| | INW2430 | 30" | 24" | \$276 | +\$30 | +\$16 | -\$29 | +\$89 | +\$567 |
| D | INW2436 | 36" | 24" | \$313 | +\$33 | +\$16 | -\$32 | +\$101 | +\$577 |
| | INW2442 | 42" | 24" | \$328 | +\$34 | +\$17 | -\$33 | +\$105 | +\$617 |
| 24" D Rectangular | INW2448 | 48" | 24" | \$376 | +\$39 | +\$19 | -\$38 | +\$121 | +\$628 |
| Тор | INW2454 | 54" | 24" | \$422 | +\$45 | +\$24 | -\$44 | +\$136 | +\$638 |
| • | INW2460 | 60" | 24" | \$468 | +\$48 | +\$26 | -\$47 | +\$150 | +\$663 |
| | INW2466 | 66" | 24" | \$514 | +\$52 | +\$28 | -\$51 | +\$165 | +\$658 |
| | INW2472 | 72" | 24" | \$563 | +\$58 | +\$29 | -\$57 | +\$181 | +\$666 |
| | INW2478 | 78" | 24" | \$611 | +\$63 | +\$31 | -\$62 | +\$196 | +\$675 |
| | INW2484 | 84" | 24" | \$658 | +\$67 | +\$32 | -\$66 | +\$211 | +\$682 |
| | INW2490 | 90" | 24" | \$707 | +\$74 | +\$36 | -\$73 | +\$227 | +\$692 |
| | INW2496 | 96" | 24" | \$755 | +\$77 | +\$38 | -\$76 | +\$242 | +\$693 |
| , w | INW3024 | 24" | 30" | \$324 | +\$34 | +\$17 | -\$33 | +\$104 | +\$583 |
| | INW3030 | 30" | 30" | \$341 | +\$37 | +\$21 | -\$36 | +\$110 | +\$635 |
| D | INW3036 | 36" | 30" | \$389 | +\$40 | +\$22 | -\$39 | +\$125 | +\$662 |
| | INW3042 | 42" | 30" | \$411 | +\$43 | +\$23 | -\$42 | +\$132 | +\$703 |
| 30" D Rectangular | INW3048 | 48" | 30" | \$468 | +\$48 | +\$26 | -\$47 | +\$150 | +\$708 |
| Тор | INW3054 | 54" | 30" | \$526 | +\$54 | +\$27 | -\$52 | +\$169 | +\$717 |
| | INW3060 | 60" | 30" | \$587 | +\$60 | +\$30 | -\$59 | +\$188 | +\$723 |
| | INW3066 | 66" | 30" | \$627 | +\$64 | +\$33 | -\$63 | +\$201 | +\$755 |
| | INW3072 | 72" | 30" | \$703 | +\$72 | +\$34 | -\$71 | +\$225 | +\$737 |
| | INW3078 | 78" | 30" | \$779 | +\$78 | +\$39 | -\$77 | +\$250 | +\$738 |
| | INW3084 | 84" | 30" | \$854 | +\$88 | +\$44 | -\$86 | +\$274 | +\$691 |
| | INW3090 | 90" | 30" | \$930 | +\$96 | +\$48 | -\$92 | +\$298 | +\$670 |
| | INW3096 | 96" | 30" | \$1007 | +\$103 | +\$51 | -\$101 | +\$323 | +\$656 |
| w w | INW3624 | 24" | 36" | \$375 | +\$40 | +\$58 | -\$40 | +\$120 | +\$597 |
| | INW3630 | 30" | 36" | \$397 | +\$43 | +\$62 | -\$43 | +\$128 | +\$652 |
| D | INW3636 | 36" | 36" | \$452 | +\$47 | +\$70 | -\$47 | +\$145 | +\$672 |
| | INW3642 | 42" | 36" | \$477 | +\$48 | +\$73 | -\$48 | +\$153 | +\$816 |
| 26" D. Dootonoud-: | INW3648 | 48" | 36" | \$541 | +\$57 | +\$83 | -\$60 | +\$174 | +\$843 |
| 36" D Rectangular | INW3654 | 54" | 36" | \$609 | +\$63 | +\$91 | -\$60 | +\$195 | +\$853 |
| Тор | INW3660 | 60" | 36" | \$682 | +\$71 | +\$101 | -\$71 | +\$219 | +\$905 |
| | INW3666 | 66" | 36" | \$723 | +\$74 | +\$106 | -\$74 | +\$232 | +\$942 |
| | INW3672 | 72" | 36" | \$814 | +\$81 | +\$111 | -\$80 | +\$261 | +\$931 |



Panel Mounted Worksurfaces Reducing Tops

Product code key example INRDL302430

IN Inscape System
RD reducing top
L left hand
3024 30-24" deep
30 30" wide

General information

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INRDL302430 in Nuform Woodgrain with a tapered edge would be \$340 +\$32 +\$18

Product INRDL302430in Nuform Woodgrain with a 1" straight edge would be \$340 +\$32 -\$31

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid | Nuform woodgrain/pattern | Nuform tapered edge | 1" straight edge nufrom solid | Veneer 1 1/4" straight edge only |
|--------------------|-------------|-------|--------|------------------------------------|--------------------------|------------------------|----------------------------------|----------------------------------|
| | INRDL302430 | 30" | 30-24" | \$340 | +\$32 | +\$18 | -\$31 | _ |
| | INRDL302436 | 36" | 30-24" | \$389 | +\$38 | +\$21 | -\$37 | _ |
| | INRDL302442 | 42" | 30-24" | \$411 | +\$39 | +\$22 | -\$38 | _ |
| | INRDL302448 | 48" | 30-24" | \$468 | +\$44 | +\$25 | -\$43 | _ |
| | INRDL302454 | 54" | 30-24" | \$526 | +\$48 | +\$27 | -\$47 | _ |
| Left Hand Reducing | INRDL302460 | 60" | 30-24" | \$587 | +\$54 | +\$30 | -\$52 | _ |
| Тор | INRDL302466 | 66" | 30-24" | \$627 | +\$58 | +\$32 | -\$57 | _ |
| | INRDL302472 | 72" | 30-24" | \$700 | +\$64 | +\$35 | -\$63 | _ |
| | INRDL302478 | 78" | 30-24" | \$735 | +\$67 | +\$36 | -\$64 | _ |
| | INRDL302484 | 84" | 30-24" | \$770 | +\$74 | +\$38 | -\$73 | _ |
| | INRDL302490 | 90" | 30-24" | \$804 | +\$73 | +\$44 | -\$73 | _ |
| | INRDL302496 | 96" | 30-24" | \$848 | +\$81 | +\$45 | -\$80 | _ |
| | INRDR243030 | 30" | 24-30" | \$340 | +\$32 | +\$18 | -\$31 | _ |
| | INRDR243036 | 36" | 24-30" | \$389 | +\$38 | +\$21 | -\$37 | _ |
| | INRDR243042 | 42" | 24-30" | \$411 | +\$39 | +\$22 | -\$38 | _ |
| | INRDR243048 | 48" | 24-30" | \$468 | +\$44 | +\$25 | -\$43 | _ |
| District Head | INRDR243054 | 54" | 24-30" | \$526 | +\$48 | +\$27 | -\$47 | _ |
| Right Hand | INRDR243060 | 60" | 24-30" | \$587 | +\$54 | +\$30 | -\$52 | _ |
| Reducing Top | INRDR243066 | 66" | 24-30" | \$627 | +\$58 | +\$32 | -\$57 | _ |
| | INRDR243072 | 72" | 24-30" | \$700 | +\$64 | +\$35 | -\$63 | _ |
| | INRDR243078 | 78" | 24-30" | \$735 | +\$67 | +\$36 | -\$64 | _ |
| | INRDR243084 | 84" | 24-30" | \$770 | +\$74 | +\$38 | -\$73 | _ |
| | INRDR243090 | 90" | 24-30" | \$804 | +\$73 | +\$44 | -\$73 | _ |
| | INRDR243096 | 96" | 24-30" | \$848 | +\$81 | +\$45 | -\$80 | _ |



Panel Mounted Worksurfaces Saddle Tops

Product code key example INSD3048

IN Inscape System worksurface

SD saddle top **30** 30" deep **48** 48" wide

General information

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INSD3048 in Nuform Woodgrain with a tapered edge would be \$492 +\$50 +\$27

Product INSD3048 in Nuform Woodgrain with a 1" straight edge would be \$492 +\$50 -\$49

Product INSD3048 in veneer would be \$492 +\$744

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 1/4" straight edge only | Veneer 1 1/4" straight edge only |
|------------------|-------------|-------|-------|--|---------------------------------|---------------------|----------------------------------|--|----------------------------------|
| w | INSD3048 | 48" | 30" | \$492 | +\$50 | +\$27 | -\$49 | +\$158 | +\$744 |
| | INSD3054 | 54" | 30" | \$552 | +\$57 | +\$28 | -\$55 | +\$177 | +\$753 |
| | INSD3060 | 60" | 30" | \$616 | +\$64 | +\$31 | -\$63 | +\$198 | +\$760 |
| | INSD3066 | 66" | 30" | \$656 | +\$66 | +\$34 | -\$65 | +\$210 | +\$793 |
| | INSD3072 | 72" | 30" | \$738 | +\$75 | +\$36 | -\$74 | +\$237 | +\$773 |
| 30" D Saddle Top | INSD3084 | 84" | 30" | \$886 | +\$92 | +\$46 | -\$80 | +\$284 | +\$734 |
| | INSD3096 | 96" | 30" | \$1045 | +\$108 | +\$55 | -\$92 | +\$335 | +\$645 |
| w | INSD3648 | 48" | 36" | \$563 | +\$55 | +\$28 | -\$60 | +\$181 | +\$846 |
| | INSD3654 | 54" | 36" | \$630 | +\$64 | +\$32 | -\$63 | +\$202 | +\$858 |
| | INSD3660 | 60" | 36" | \$703 | +\$74 | +\$35 | -\$73 | +\$225 | +\$865 |
| | INSD3666 | 66" | 36" | \$749 | +\$76 | +\$38 | -\$75 | +\$240 | +\$905 |
| | INSD3672 | 72" | 36" | \$841 | +\$84 | +\$42 | -\$83 | +\$270 | +\$883 |
| 6" D Saddle Top | INSD3684 | 84" | 36" | \$1038 | +\$103 | +\$47 | -\$92 | +\$333 | +\$790 |
| | INSD3696 | 96" | 36" | \$1222 | +\$120 | +\$55 | -\$110 | +\$392 | +\$717 |



Panel Mounted Worksurfaces
Galley Tops

Product code key example INWG362460

INW Inscape System worksurface G galley top

G galley top 3624 36-24" deep 60 60" wide

General information

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INWG362460 in Nuform Woodgrain with a tapered edge would be \$682 +\$71 +\$32

Product INWG362460 in Nuform Woodgrain with a 1" straight edge would be \$682 +\$71 -\$65

Product INWG362460 in veneer would be \$682 +\$1411

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer |
|--------------------------|-------------|-------|--------|--|---------------------------------|---------------------|----------------------------------|--|---------|
| | INWG362460 | 60" | 36-24" | \$682 | +\$71 | +\$32 | -\$65 | +\$219 | +\$1411 |
| | INWG362466 | 66" | 36-24" | \$733 | +\$75 | +\$35 | -\$74 | +\$235 | +\$1470 |
| Left Hand Galley Top | INWG362472 | 72" | 36-24" | \$814 | +\$82 | +\$40 | -\$81 | +\$261 | +\$1482 |
| | INWG362478 | 78" | 36-24" | \$902 | +\$91 | +\$46 | -\$89 | +\$289 | +\$1487 |
| | INWG362484 | 84" | 36-24" | \$991 | +\$102 | +\$50 | -\$100 | +\$318 | +\$1502 |
| | INWG362490 | 90" | 36-24" | \$1020 | +\$103 | +\$55 | -\$101 | +\$327 | +\$1575 |
| | INWG362496 | 96" | 36-24" | \$1070 | +\$108 | +\$59 | -\$106 | +\$343 | +\$1624 |
| | INWG243660 | 60" | 24-36" | \$682 | +\$71 | +\$32 | -\$65 | +\$219 | +\$1411 |
| - Total | INWG243666 | 66" | 24-36" | \$733 | +\$75 | +\$35 | -\$74 | +\$235 | +\$1470 |
| | INWG243672 | 72" | 24-36" | \$814 | +\$82 | +\$40 | -\$81 | +\$261 | +\$1482 |
| | INWG243678 | 78" | 24-36" | \$902 | +\$91 | +\$46 | -\$89 | +\$289 | +\$1487 |
| Right Hand Galley Top | INWG243684 | 84" | 24-36" | \$991 | +\$102 | +\$50 | -\$100 | +\$318 | +\$1502 |
| | INWG243690 | 90" | 24-36" | \$1020 | +\$103 | +\$55 | -\$101 | +\$327 | +\$1575 |
| | INWG243696 | 96" | 24-36" | \$1070 | +\$108 | +\$59 | -\$106 | +\$343 | +\$1624 |



Panel Mounted Worksurfaces
Funnel Tops

Product code key example INWF304272

INW Inscape System worksurface

F funnel top 3042 30-42" deep 72 72" wide

General information

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 20"d tops should not be specified with cantilever brackets as mid span support
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INWF304272 in Nuform Woodgrain with a tapered edge would be \$884 +\$90 +\$44

Product INWF304272 in Nuform Woodgrain with a 1" straight edge would be \$884 +\$90 -\$88

Product INWF304272 in veneer would be \$884 +\$1283

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer 1 ¼" straight edge only |
|------------------|-------------|-------|--------|--|---------------------------------|---------------------|----------------------------------|--|--------------------------------|
| F | INWF304272 | 72" | 30-42" | \$884 | +\$90 | +\$44 | -\$88 | +\$283 | +\$1283 |
| | INWF304278 | 78" | 30-42" | \$980 | +\$100 | +\$48 | -\$98 | +\$314 | +\$1268 |
| | INWF304284 | 84" | 30-42" | \$1075 | +\$110 | +\$54 | -\$108 | +\$344 | +\$1363 |
| | INWF304290 | 90" | 30-42" | \$1108 | +\$111 | +\$55 | -\$111 | +\$355 | +\$1547 |
| | INWF304296 | 96" | 30-42" | \$1164 | +\$117 | +\$58 | -\$115 | +\$373 | +\$1631 |
| English L. Tarak | | | | | | | | | |

Funnel Top



Panel Mounted Worksurfaces Radiused Tops

Product code key example INRER2460

INRE Inscape System radiused top

24 24" deep 60 60" wide

General information

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INRER2460 in Nuform Woodgrain with a tapered edge would be \$466 +\$48 +\$25

Product INRER2460 in Nuform Woodgrain with a 1" straight edge would be \$466 +\$48 -\$47

Product INRER2460 in veneer would be \$466 +\$1393

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 1/4" straight edge only | Venee 1 ¼" straight edge onl |
|-------------------------------|-------------|-------|-------|--|---------------------------------|---------------------|----------------------------------|--|---------------------------------|
| w | INRER2460 | 60" | 24" | \$466 | +\$48 | +\$25 | -\$47 | +\$150 | +\$1393 |
| 24° | INRER2466 | 66" | 24" | \$498 | +\$50 | +\$26 | -\$49 | +\$160 | +\$1437 |
| | INRER2472 | 72" | 24" | \$560 | +\$57 | +\$28 | -\$55 | +\$180 | +\$1459 |
| | INRER2478 | 78" | 24" | \$682 | +\$71 | +\$36 | -\$70 | +\$219 | +\$1553 |
| Right Hand | INRER2484 | 84" | 24" | \$824 | +\$84 | +\$47 | -\$83 | +\$264 | +\$1881 |
| Radiused End Top | INRER2490 | 90" | 24" | \$892 | +\$88 | +\$50 | -\$88 | +\$286 | +\$2295 |
| | INRER2496 | 96" | 24" | \$959 | +\$96 | +\$55 | -\$96 | +\$307 | +\$261 |
| W | INREL2460 | 60" | 24" | \$466 | +\$48 | +\$25 | -\$47 | +\$150 | +\$1393 |
| | INREL2466 | 66" | 24" | \$498 | +\$50 | +\$26 | -\$49 | +\$160 | +\$1437 |
| 24" | INREL2472 | 72" | 24" | \$560 | +\$57 | +\$28 | -\$55 | +\$180 | +\$1459 |
| | INREL2478 | 78" | 24" | \$682 | +\$71 | +\$36 | -\$70 | +\$219 | +\$1553 |
| Left Hand Radiused End Top | INREL2484 | 84" | 24" | \$824 | +\$84 | +\$47 | -\$83 | +\$264 | +\$1881 |
| | INREL2490 | 90" | 24" | \$892 | +\$88 | +\$50 | -\$88 | +\$286 | +\$2295 |
| | INREL2496 | 96" | 24" | \$959 | +\$96 | +\$55 | -\$96 | +\$307 | +\$2611 |



Worksurfaces Panel Mounted Worksurfaces Standard Corners

Product code key example INCR3636-22

INCR Inscape System standard corner3636 36 x 36" wide

22 24" depth

General information

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 48" Split Corner accommodates 24" or 30" returns
- Standard Corner and Split Corner include a

radius front edge

- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil
 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INCR3636-22 in Nuform Woodgrain with a tapered edge would be \$439 +\$44 +\$24

Product INCR3636-22 in Nuform Woodgrain with a 1" straight edge would be \$439 +\$44 -\$43

Product INCR3636-22 in veneer would be \$439 +\$1034

| | • | | | | | | | | |
|---------------------------------|---------------|-------|-----------|--|---------------------------------|---------------------|----------------------------------|--|--------------------------------|
| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 1/4" straight edge only | Veneer 1 ¼" straight edge only |
| 4:::::::: | INCR3636-22 | 36" | 24" | \$439 | +\$44 | +\$24 | -\$43 | +\$141 | +\$1034 |
| | INCR4242-22 | 42" | 24" | \$626 | +\$64 | +\$32 | -\$63 | +\$201 | +\$1075 |
| | INCR4848-22 | 48" | 24" | \$763 | +\$76 | +\$39 | -\$70 | +\$245 | +\$1217 |
| Standard Corners 24" returns | | | | | | | | | |
| 4 | INCR4242-33 | 42" | 30" | \$626 | +\$64 | +\$32 | -\$63 | +\$201 | +\$1164 |
| | INCR4848-33 | 48" | 30" | \$763 | +\$76 | +\$39 | -\$70 | +\$245 | +\$1217 |
| Standard Corners | | | | | | | | | |
| 30" returns | | | | | | | | | |
| æ:::::1 | INCSLS4242-22 | 42" | 24" | \$1348 | +\$55 | _ | -\$54 | +\$432 | _ |
| | INCSLS4848 | 48" | 24 or 30" | \$1492 | +\$60 | _ | -\$59 | +\$478 | _ |

Split Corners



Panel Mounted Worksurfaces Extended Corners

Product code key example INECR6036-22

IN Inscape System

ECR Extended corner worksurfaces

60 60" long **36**" wide

Extended Corners

-22 24" deep returns on both ends

General information

- Extended Corners accommodate 24" deep returns
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code

- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with thickness then build up options
- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil

 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
 ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INECR6036-22 in Nuform Woodgrain with a tapered edge would be \$719 +\$73 +\$37

Product INECR6036-22 in Nuform Woodgrain with a 1" straight edge would be \$719 +\$73 -\$72

| R6036-22 R6636-22 R7236-22 R7836-22 R8436-22 R9036-22 R9636-22 R3660-22 R3666-22 R3678-22 R3684-22 R3690-22 | 60" 66" 72" 78" 84" 90" 96" | 24" 24" 24" 24" 24" 24" 24" | \$719 \$734 \$748 \$763 \$781 \$797 \$812 | +\$73 +\$76 +\$77 +\$78 +\$79 +\$81 +\$81 | +\$37 +\$37 +\$39 +\$39 +\$40 +\$42 | -\$72 -\$75 -\$76 -\$77 -\$78 -\$80 -\$80 | +\$231 +\$235 +\$240 +\$245 +\$250 +\$256 +\$260 | - - - - - - |
|--|--|--|--|--|--|--|--|---|
| R7236-22 R7836-22 R8436-22 R9036-22 R9636-22 R3660-22 R3666-22 R3672-22 R3678-22 R3684-22 | 72" 78" 84" 90" 96" | 24" 24" 24" 24" 24" 24" | \$748 \$763 \$781 \$797 \$812 | +\$77 +\$78 +\$79 +\$81 +\$81 | +\$39 +\$39 +\$40 +\$40 +\$42 | -\$76 -\$77 -\$78 -\$80 -\$80 | +\$240 +\$245 +\$250 +\$256 +\$260 | - - - - - |
| R7836-22 R8436-22 R9036-22 R9636-22 R3660-22 R3666-22 R3672-22 R3678-22 R3684-22 | 78" 84" 90" 96" 60" 66" | 24" 24" 24" 24" 24" | \$763 \$781 \$797 \$812 | +\$78 +\$79 +\$81 +\$81 | +\$39 +\$40 +\$40 +\$42 | -\$77 -\$78 -\$80 -\$80 | +\$245 +\$250 +\$256 +\$260 | - - - - - |
| R8436-22 R9036-22 R9636-22 R3660-22 R3666-22 R3672-22 R3678-22 R3684-22 | 84" 90" 96" 60" 66" | 24" 24" 24" 24" | \$781 \$797 \$812 | +\$79 +\$81 +\$81 | +\$40 +\$40 +\$42 | -\$78 -\$80 -\$80 | +\$250 +\$256 +\$260 | - - - |
| R9036-22 R9636-22 R3660-22 R3666-22 R3672-22 R3678-22 R3684-22 | 90" 96" 96" | 24" 24" 24" | \$797 \$812 | +\$81 +\$81 | +\$40 +\$42 | -\$80 -\$80 | +\$256 +\$260 | - - |
| R3660-22 R3660-22 R3666-22 R3672-22 R3678-22 R3684-22 | 96" 60" 66" | 24" | \$812 | +\$81 | +\$42 | -\$80 | +\$260 | - |
| R3660-22 R3666-22 R3672-22 R3678-22 R3684-22 | 60" 66" | 24" | | +\$81 | +\$42 | -\$80 | +\$260 | - |
| R3666-22 R3672-22 R3678-22 R3684-22 | 66" | | <u>\$</u> 710 | | | | | |
| R3666-22 R3672-22 R3678-22 R3684-22 | 66" | | \$710 | 4 | | | | |
| R3672-22 R3678-22 R3684-22 | | 24" | ΨίΙΟ | +\$73 | +\$37 | -\$72 | +\$231 | - |
| R3678-22 R3684-22 | 72" | ~ 4 | \$734 | +\$76 | +\$37 | -\$75 | +\$235 | - |
| R3684-22 | | 24" | \$748 | +\$77 | +\$39 | -\$76 | +\$240 | - |
| | 78" | 24" | \$763 | +\$78 | +\$39 | -\$77 | +\$245 | |
| D2600.22 | 84" | 24" | \$781 | +\$79 | +\$40 | -\$78 | +\$250 | - |
| NJ03U-22 | 90" | 24" | \$797 | +\$81 | +\$40 | -\$80 | +\$256 | - |
| R3696-22 | 96" | 24" | \$812 | +\$81 | +\$42 | -\$80 | +\$260 | - |
| R6042-22 | 60" | 24" | \$757 | +\$76 | +\$38 | -\$75 | +\$243 | |
| R6642-22 | 66" | 24" 24" | \$771 | +\$78 | +\$38 | -\$73 -\$77 | +\$247 | - |
| R7242-22 | 72" | 24" 24" | \$788 | +\$76 | +\$39 | -\$77 -\$78 | +\$253 | • |
| | 72 78" | 24 24" | \$804 | | | • | | • |
| R7842-22 R8442-22 | 76 84" | 24 24" | \$822 | +\$81 | +\$40 | -\$80 | +\$258 | - |
| | | | T | +\$82 | +\$40 | -\$81 | +\$264 | |
| R9042-22 R9642-22 | 96" 96" | 24" | \$838 \$854 | +\$83 +\$88 | +\$43 | -\$83 -\$86 | +\$269 +\$274 | - |
| | | | | | | | | |
| R4260-22 | 60" | 24" | \$757 | +\$76 | +\$38 | -\$75 | +\$243 | - |
| R4266-22 | 66" | 24" | \$771 | +\$78 | +\$38 | -\$77 | +\$247 | - |
| R4272-22 | 72" | 24" | \$788 | +\$79 | +\$39 | -\$78 | +\$253 | - |
| R4278-22 | 78" | 24" | \$804 | +\$81 | +\$40 | -\$80 | +\$258 | - |
| R4284-22 | 84" | 24" | \$822 | +\$82 | +\$40 | -\$81 | +\$264 | - |
| R4290-22 | 90" | 24" | \$838 | +\$83 | +\$43 | -\$83 | +\$269 | - |
| R4296-22 | 96" | 24" | \$854 | +\$88 | +\$44 | -\$86 | +\$274 | - |
| | R9042-22 R9642-22 R4260-22 R4266-22 R4272-22 R4278-22 R4284-22 R4290-22 | R9042-22 90" R9642-22 96" R4260-22 60" R4266-22 66" R4272-22 72" R4278-22 78" R4284-22 84" R4290-22 90" | R9042-22 90" 24" R9642-22 96" 24" R4260-22 60" 24" R4266-22 66" 24" R4272-22 72" 24" R4278-22 78" 24" R4284-22 84" 24" R4290-22 90" 24" | R9042-22 90" 24" \$838 R9642-22 96" 24" \$854 R4260-22 60" 24" \$757 R4266-22 66" 24" \$771 R4272-22 72" 24" \$788 R4278-22 78" 24" \$804 R4284-22 84" 24" \$822 R4290-22 90" 24" \$838 | R9042-22 90" 24" \$838 +\$83 R9642-22 96" 24" \$854 +\$88 R4260-22 60" 24" \$757 +\$76 R4266-22 66" 24" \$771 +\$78 R4272-22 72" 24" \$788 +\$79 R4278-22 78" 24" \$804 +\$81 R4284-22 84" 24" \$822 +\$82 R4290-22 90" 24" \$838 +\$83 | R9042-22 90" 24" \$838 +\$83 +\$43 R9642-22 96" 24" \$854 +\$88 +\$44 R4260-22 60" 24" \$757 +\$76 +\$38 R4266-22 66" 24" \$771 +\$78 +\$38 R4272-22 72" 24" \$788 +\$79 +\$39 R4278-22 78" 24" \$804 +\$81 +\$40 R4284-22 84" 24" \$822 +\$82 +\$40 R4290-22 90" 24" \$838 +\$83 +\$43 | R9042-22 90" 24" \$838 +\$83 +\$43 -\$83 R9642-22 96" 24" \$854 +\$88 +\$44 -\$86 R4260-22 60" 24" \$757 +\$76 +\$38 -\$75 R4266-22 66" 24" \$771 +\$78 +\$38 -\$77 R4272-22 72" 24" \$788 +\$79 +\$39 -\$78 R4278-22 78" 24" \$804 +\$81 +\$40 -\$80 R4284-22 84" 24" \$822 +\$82 +\$40 -\$81 R4290-22 90" 24" \$838 +\$83 +\$43 -\$83 | R9042-22 90" 24" \$838 +\$83 +\$43 -\$83 +\$269 R9642-22 96" 24" \$854 +\$88 +\$44 -\$86 +\$274 R4260-22 60" 24" \$757 +\$76 +\$38 -\$75 +\$243 R4266-22 66" 24" \$771 +\$78 +\$38 -\$77 +\$247 R4272-22 72" 24" \$788 +\$79 +\$39 -\$78 +\$253 R4278-22 78" 24" \$804 +\$81 +\$40 -\$80 +\$258 R4284-22 84" 24" \$822 +\$82 +\$40 -\$81 +\$264 R4290-22 90" 24" \$838 +\$83 +\$43 -\$83 +\$269 |



Worksurfaces
Panel Mounted Worksurfaces
Extended Corners

Product code key example INECR6036-33

IN Inscape System

ECR Extended corner worksurfaces

60 60" long **36**" wide

-33 30" deep returns on both ends

General information

- Extended Corners accommodate 30" deep returns
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code

- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with thickness then build up options
- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil

 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INECR6042-33 in Nuform Woodgrain with a tapered edge would be \$886 +\$90 +\$44

Product INECR6042-33 in Nuform Woodgrain with a 1" straight edge would be \$886 +\$90 -\$88

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer 1 ¼" straight edge only |
|-----------------------------------|--------------|-------|-------|--|---------------------------------|---------------------|----------------------------------|--|--------------------------------|
| | INECR6042-33 | 60" | 30" | \$886 | +\$90 | +\$44 | -\$88 | +\$284 | _ |
| | INECR6642-33 | 66" | 30" | \$904 | +\$94 | +\$47 | -\$91 | +\$290 | _ |
| | INECR7242-33 | 72" | 30" | \$923 | +\$94 | +\$47 | -\$91 | +\$296 | _ |
| | INECR7842-33 | 78" | 30" | \$992 | +\$101 | +\$49 | -\$99 | +\$318 | _ |
| | INECR8442-33 | 84" | 30" | \$1011 | +\$153 | +\$62 | -\$99 | +\$324 | _ |
| | INECR9042-33 | 90" | 30" | \$1053 | +\$162 | +\$62 | -\$99 | +\$337 | _ |
| | INECR9642-33 | 96" | 30" | \$1078 | +\$170 | +\$62 | -\$97 | +\$345 | _ |
| 42" Left Hand Extended Corners | | | | | | | | | |
| | INECR4260-33 | 60" | 30" | \$886 | +\$90 | +\$44 | -\$88 | +\$284 | _ |
| | INECR4266-33 | 66" | 30" | \$904 | +\$94 | +\$47 | -\$91 | +\$290 | _ |
| | INECR4272-33 | 72" | 30" | \$923 | +\$94 | +\$47 | -\$91 | +\$296 | _ |
| | INECR4278-33 | 78" | 30" | \$992 | +\$101 | +\$49 | -\$99 | +\$318 | _ |
| | INECR4284-33 | 84" | 30" | \$1011 | +\$153 | +\$62 | -\$99 | +\$324 | _ |
| | INECR4290-33 | 90" | 30" | \$1053 | +\$162 | +\$62 | -\$99 | +\$337 | _ |
| \\ | INECR4296-33 | 96" | 30" | \$1078 | +\$170 | +\$62 | -\$97 | +\$345 | _ |





Panel Mounted Worksurfaces 120° Corners

Product code key example INCRV3636-3F

IN Inscape System
CRV 120 corner worksurfaces
3636 36" x 36" wide

3F 3 ½" thick frame application

General information

- 120° worksurfaces accommodate 24"d returns on either side
- "2F" denotes use with 2 ¾" thick frame, "3F" denotes use with 3 ½" thick frame
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code

- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil
 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
 ensure not to interfere with support brackets, cable trays or other work tools

Notes


In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INCRV3636-2F in Nuform Woodgrain with a tapered edge would be \$469 +\$46 +\$26

Product INCRV3636-2F in Nuform Woodgrain with a 1" straight edge would be \$469 +\$46 -\$45

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer 1 1/4" straight edge only |
|---|--------------|-------|-------|--|---------------------------------|---------------------|----------------------------------|--|----------------------------------|
| | INCRV3636-3F | 36" | 24" | \$469 | +\$46 | +\$26 | -\$45 | +\$151 | _ |
| 111111111111111111111111111111111111111 | INCRV4242-3F | 42" | 24" | \$668 | +\$67 | +\$35 | -\$66 | +\$214 | _ |
| | INCRV4848-3F | 48" | 24" | \$818 | +\$81 | +\$40 | -\$80 | +\$262 | _ |
| 120° Corner Worksu For use with 3 ½" T | Frames | | | | | | | | |
| -2 | INCRV3636-2F | 36" | 24" | \$469 | +\$46 | +\$26 | -\$45 | +\$151 | _ |
| 11110 | INCRV4242-2F | 42" | 24" | \$668 | +\$67 | +\$35 | -\$66 | +\$214 | _ |
| | INCRV4848-2F | 48" | 24" | \$818 | +\$81 | +\$40 | -\$80 | +\$262 | _ |



120° Corner Worksurfaces For use with 2 ¾" T Frames



Panel Mounted Worksurfaces
Conference Tops

Product code key example **INCTR3060**

IN Inscape SystemCTR Conference top30 30" deep60 60" wide

General information

- 1" less in width to provide 1" gap between worksurface and panel
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform

- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- Support brackets to panel and leg specified separately
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INCTR3060 in Nuform Woodgrain would be \$717 +\$75

Product INCTR3060 in Nuform Woodgrain with a 1" straight edge would be \$717 +\$75 -\$74

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer 1 1/4" straight edge only |
|--|-------------|----------|-------|--|---------------------------------|---------------------|----------------------------------|--|----------------------------------|
| Assessan Market | INCTR3060 | 60 (59)" | 30" | \$717 | +\$75 | _ | -\$74 | +\$230 | _ |
| T===== | INCTR3066 | 66 (65)" | 30" | \$763 | +\$78 | _ | -\$77 | +\$245 | _ |
| | INCTR3072 | 72 (71)" | 30" | \$848 | +\$81 | _ | -\$44 | +\$272 | _ |
| | INCTR3078 | 78 (77)" | 30" | \$952 | +\$97 | _ | -\$94 | +\$305 | _ |
| Rectangular Top Top only | | | | | | | | | |
| f===== | INCTB3060 | 60 (59)" | 30" | \$717 | +\$75 | _ | -\$74 | +\$230 | +\$893 |
| | INCTB3066 | 66 (65)" | 30" | \$764 | +\$78 | _ | -\$77 | +\$245 | +\$889 |
| | INCTB3072 | 72 (71)" | 30" | \$850 | +\$86 | _ | -\$65 | +\$272 | +\$865 |
| | INCTB3078 | 78 (77)" | 30" | \$952 | +\$97 | _ | -\$94 | +\$305 | +\$794 |
| ov. | | | | | | | | | |
| Bullet Top | | | | | | | | | |
| Top only | | | | | | | | | |
| Parane. | INCTCL3060 | 60 (59)" | 30" | \$753 | +\$79 | _ | -\$78 | +\$241 | _ |
| The state of the s | INCTCL3066 | 66 (65)" | 30" | \$803 | +\$82 | _ | -\$81 | +\$257 | _ |
| | INCTCL3072 | 72 (71)" | 30" | \$895 | +\$90 | _ | -\$88 | +\$287 | _ |
| | INCTCL3078 | 78 (77)" | 30" | \$1001 | +\$101 | _ | -\$99 | +\$321 | _ |
| John | | | | | | | | | |
| Left Hand P Shaped To Top only | pp | | | | | | | | |
| | INCTCR3060 | 60 (59)" | 30" | \$753 | +\$79 | _ | -\$78 | +\$241 | _ |
| | INCTCR3066 | 66 (65)" | 30" | \$803 | +\$82 | _ | -\$81 | +\$257 | _ |
| | INCTCR3072 | 72 (71)" | 30" | \$895 | +\$90 | _ | -\$88 | +\$287 | _ |
| ι , | INCTCR3078 | 78 (77)" | 30" | \$1001 | +\$101 | _ | -\$99 | +\$321 | |

Right Hand P Shaped Top Top only



Panel Mounted Worksurfaces Height Adjustable Worksurfaces

Product code key example INEZ2436

IN Inscape System worksurfacesEZ Panel mounted height adjustable

24 24" deep 36 36" wide

30" D Panel Mounted Height Adjustable Worksurface

General information

- The Inscape System Application Guide should be referenced for limitations in the installation of the pneumatic panel mounted height adjustable worksurface
- This manual pneumatic height adjustable table has a lift capacity of 25lbs (includes worksurface)
- Worksurfaces are structured with appropriate weight allotments dialed in to the gas cylinders; height adjustable mechanisms shall be installed with properly structured tops as outlined below
- Height adjustment is 28.5" to 48.5"; a total range of 20"

- Base comes in silver only
- Tops are adjustable by a paddle in the front right of the worksurface
- Worksurfaces are 1" less in width on both sides of worksurface to avoid pinch points (2")
- Recommended load 0-25lbs (does not include worksurface)
- Stretcher bars are included in desks of 60" and wider
- The Panel Stabilizer Bracket ensures the panel which the mechanism is being mounted to is stable in specific conditions. Refer to the Application Guide for specific details (at least one wing panel must be adjacent to the panel mounted height adjustable surface)
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INEZ2436 in Nuform Woodgrain with a tapered edge would be \$1788 +\$33 +\$16

Product INEZ2436 in Nuform Woodgrain with a 1" straight edge would be \$1788 +\$33 -\$32

Product INEZ2436 in veneer would be \$1788 +\$577

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 1/4" straight edge only | Veneer 1 ¼" straight edge only |
|--|-------------|-------|-------|--|---------------------------------|---------------------|----------------------------------|--|--------------------------------|
| | INEZ2436 | 36" | 24" | \$1788 | +\$33 | +\$16 | -\$32 | +\$573 | +\$577 |
| S. S. S. S. S. S. S. S. S. S. S. S. S. S | INEZ2442 | 42" | 24" | \$1803 | +\$34 | +\$17 | -\$33 | +\$577 | +\$617 |
| THE REAL PROPERTY. | INEZ2448 | 48" | 24" | \$1850 | +\$39 | +\$19 | -\$38 | +\$592 | +\$628 |
| THE REAL PROPERTY. | INEZ2454 | 54" | 24" | \$1897 | +\$45 | +\$24 | -\$44 | +\$608 | +\$638 |
| | INEZ2460 | 60" | 24" | \$2055 | +\$48 | +\$26 | -\$47 | +\$658 | +\$663 |
| | INEZ2466 | 66" | 24" | \$2332 | +\$52 | +\$28 | -\$51 | +\$747 | +\$658 |
| 4 | INEZ2472 | 72" | 24" | \$2394 | +\$58 | +\$29 | -\$57 | +\$767 | +\$666 |
| 24" D Panel | | | | | | | | | |
| Mounted Height | | | | | | | | | |
| Adjustable | | | | | | | | | |
| Worksurface | | | | | | | | | |
| | INEZ3036 | 36" | 30" | \$1864 | +\$40 | +\$22 | -\$39 | +\$597 | +\$662 |
| E STATE OF THE STA | INEZ3042 | 42" | 30" | \$1886 | +\$43 | +\$23 | -\$42 | +\$604 | +\$703 |
| The state of the s | INEZ3048 | 48" | 30" | \$2174 | +\$48 | +\$26 | -\$47 | +\$696 | +\$708 |
| PAIR | INEZ3054 | 54" | 30" | \$2231 | +\$54 | +\$27 | -\$52 | +\$714 | +\$717 |
| | INEZ3060 | 60" | 30" | \$2406 | +\$60 | +\$30 | -\$59 | +\$770 | +\$723 |
| | INEZ3066 | 66" | 30" | \$2444 | +\$64 | +\$33 | -\$63 | +\$783 | +\$755 |
| 1 | INEZ3072 | 72" | 30" | \$2533 | +\$72 | +\$34 | -\$71 | +\$811 | +\$737 |

| Description | | Part number | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|--------------------------|-----------------------------------|--------------|------------------------------|-----------------------|
| | Panel Stabilizer Bracket | INRHPSB12 left hand (illustrated) | _ | \$180 | +\$19 |
| | | INLHPSB12 right hand | _ | \$180 | +\$19 |



Panel Mounted Worksurfaces Storwal Rectangular Tops

Product code key example INSWW2423

IN Inscape System
SWW Storwal worksurface

24 20" deep23" wide

General information

- Storwal worksurfaces are 1" less in length than standard worksurfaces
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
 ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INSWW2423 in Nuform Woodgrain with a tapered edge would be \$254 +\$28 +\$13

Product INSWW2423 in Nuform Woodgrain with a 1" straight edge would be \$254 +\$28 -\$27

Product INSWW2423 in veneer would be \$254 +\$538

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer 1 1/4" straight edge only |
|-----------------|-------------|-------|-------|--|---------------------------------|---------------------|----------------------------------|--|----------------------------------|
| w | INSWW2423 | 23" | 24" | \$254 | +\$28 | +\$13 | -\$27 | +\$82 | +\$538 |
| | INSWW2429 | 29" | 24" | \$276 | +\$30 | +\$16 | -\$29 | +\$89 | +\$567 |
| D | INSWW2435 | 35" | 24" | \$313 | +\$33 | +\$16 | -\$32 | +\$101 | +\$577 |
| | INSWW2441 | 41" | 24" | \$328 | +\$34 | +\$17 | -\$33 | +\$105 | +\$617 |
| | INSWW2447 | 47" | 24" | \$376 | +\$39 | +\$19 | -\$38 | +\$121 | +\$628 |
| 24" D Storwal | INSWW2453 | 53" | 24" | \$422 | +\$45 | +\$24 | -\$44 | +\$136 | +\$638 |
| Rectangular Top | INSWW2459 | 59" | 24" | \$468 | +\$48 | +\$26 | -\$47 | +\$150 | +\$663 |
| | INSWW2465 | 65" | 24" | \$514 | +\$52 | +\$28 | -\$51 | +\$165 | +\$658 |
| | INSWW2471 | 71" | 24" | \$563 | +\$58 | +\$29 | -\$57 | +\$181 | +\$666 |
| | INSWW2477 | 77" | 24" | \$611 | +\$63 | +\$31 | -\$62 | +\$196 | +\$675 |
| | INSWW2483 | 83" | 24" | \$658 | +\$67 | +\$32 | -\$66 | +\$211 | +\$682 |
| | INSWW2489 | 89" | 24" | \$707 | +\$74 | +\$36 | -\$73 | +\$227 | +\$692 |
| | INSWW2495 | 95" | 24" | \$755 | +\$77 | +\$38 | -\$76 | +\$242 | +\$693 |
| W | INSWW3023 | 23" | 30" | \$324 | +\$34 | +\$17 | -\$33 | +\$104 | +\$583 |
| | INSWW3029 | 29" | 30" | \$341 | +\$37 | +\$21 | -\$36 | +\$110 | +\$635 |
| , | INSWW3035 | 35" | 30" | \$389 | +\$40 | +\$22 | -\$39 | +\$125 | +\$662 |
| | INSWW3041 | 41" | 30" | \$411 | +\$43 | +\$23 | -\$42 | +\$132 | +\$703 |
| | INSWW3047 | 47" | 30" | \$468 | +\$48 | +\$26 | -\$47 | +\$150 | +\$708 |
| 30" D Storwal | INSWW3053 | 53" | 30" | \$526 | +\$54 | +\$27 | -\$52 | +\$169 | +\$717 |
| Rectangular Top | INSWW3059 | 59" | 30" | \$587 | +\$60 | +\$30 | -\$59 | +\$188 | +\$723 |
| | INSWW3065 | 65" | 30" | \$627 | +\$64 | +\$33 | -\$63 | +\$201 | +\$755 |
| | INSWW3071 | 71" | 30" | \$703 | +\$72 | +\$34 | -\$71 | +\$225 | +\$737 |
| | INSWW3077 | 77" | 30" | \$779 | +\$78 | +\$39 | -\$77 | +\$250 | +\$738 |
| | INSWW3083 | 83" | 30" | \$854 | +\$88 | +\$44 | -\$86 | +\$274 | +\$691 |
| | INSWW3089 | 89" | 30" | \$930 | +\$96 | +\$48 | -\$92 | +\$298 | +\$670 |
| | INSWW3095 | 95" | 30" | \$1007 | +\$103 | +\$51 | -\$101 | +\$323 | +\$656 |
| w | INSWW3623 | 23" | 36" | \$375 | +\$40 | +\$58 | -\$40 | +\$120 | +\$597 |
| | INSWW3629 | 29" | 36" | \$397 | +\$43 | +\$62 | -\$43 | +\$128 | +\$652 |
| 0 | INSWW3635 | 35" | 36" | \$452 | +\$47 | +\$70 | -\$47 | +\$145 | +\$672 |
| | INSWW3641 | 41" | 36" | \$477 | +\$48 | +\$73 | -\$48 | +\$153 | +\$816 |
| | INSWW3647 | 47" | 36" | \$541 | +\$57 | +\$83 | -\$60 | +\$174 | +\$843 |
| 36" D Storwal | INSWW3653 | 53" | 36" | \$609 | +\$63 | +\$91 | -\$63 | +\$195 | +\$853 |
| Rectangular Top | INSWW3659 | 59" | 36" | \$682 | +\$71 | +\$101 | -\$71 | +\$219 | +\$905 |
| | INSWW3665 | 65" | 36" | \$723 | +\$74 | +\$106 | -\$74 | +\$232 | +\$942 |
| | INSWW3671 | 71" | 36" | \$814 | +\$81 | +\$111 | -\$80 | +\$261 | +\$931 |



Panel Mounted Worksurfaces Storwal Saddle Tops

Product code key example INSWSD3047

IN Inscape SystemSWSD Storwal saddle worksurface

30 30" deep47" wide

General information

- Storwal worksurfaces are 1" less in length than standard worksurfaces
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INSWSD3047 in Nuform Woodgrain with a tapered edge would be \$492 +\$50 +\$27

Product INSWSD3047 in Nuform Woodgrain with a 1" straight edge would be \$492 +\$50 -\$49

Product INSWSD3047 in veneer would be \$492 +\$744

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer |
|---------------------------|-------------|-------|-------|--|---------------------------------|---------------------|----------------------------------|--|--------|
| w | INSWSD3047 | 47" | 30" | \$492 | +\$50 | +\$27 | -\$49 | +\$158 | +\$744 |
| | INSWSD3053 | 53" | 30" | \$552 | +\$57 | +\$28 | -\$55 | +\$177 | +\$753 |
| D | INSWSD3059 | 59" | 30" | \$616 | +\$64 | +\$31 | -\$63 | +\$198 | +\$760 |
| | INSWSD3065 | 65" | 30" | \$656 | +\$66 | +\$34 | -\$65 | +\$210 | +\$793 |
| 30"Storwal Saddle | INSWSD3071 | 71" | 30" | \$738 | +\$75 | +\$36 | -\$74 | +\$237 | +\$773 |
| Тор | | | | | | | | | |
| w | INSWSD3647 | 47" | 36" | \$563 | +\$55 | +\$28 | -\$60 | +\$181 | +\$846 |
| | INSWSD3653 | 53" | 36" | \$630 | +\$64 | +\$32 | -\$63 | +\$202 | +\$858 |
| D | INSWSD3659 | 59" | 36" | \$703 | +\$74 | +\$35 | -\$73 | +\$225 | +\$865 |
| | INSWSD3665 | 65" | 36" | \$749 | +\$76 | +\$38 | -\$75 | +\$240 | +\$905 |
| 36" Storwal Saddle Top | INSWSD3671 | 71" | 36" | \$841 | +\$84 | +\$42 | -\$83 | +\$270 | +\$883 |



Panel Mounted Worksurfaces Storwal Galley Tops

Product code key example INSWWG362459

IN Inscape System
SWWG Storwal galley worksurface
3624 36-24" deep

3624 36-24" de **59**" wide

General information

- Storwal worksurfaces are 1" less in length than standard worksurfaces
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INSWWG362459 in Nuform Woodgrain with a tapered edge would be \$682 +\$71 +\$32

Product INSWWG362459 in Nuform Woodgrain with a 1" straight edge would be \$682 +\$71 -\$65

Product INSWWG362459 in veneer would be \$682 +\$1411

| Description | Part number | Width | Depth | 1 ¼" straight edge nuform solid/laminate | Nuform woodgrain/ pattern | Nuform tapered edge | 1" straight edge nufrom solid | Grade 1 laminate 1 ¼" straight edge only | Veneer 1 ¼" straight edge only |
|--------------------|--------------|-------|--------|--|---------------------------------|---------------------|----------------------------------|--|--------------------------------|
| | INSWWG362459 | 59" | 36-24" | \$682 | +\$71 | +\$32 | -\$65 | +\$219 | +\$1411 |
| | INSWWG362465 | 65" | 36-24" | \$733 | +\$75 | +\$35 | -\$74 | +\$235 | +\$1470 |
| | INSWWG362471 | 71" | 36-24" | \$814 | +\$82 | +\$40 | -\$81 | +\$261 | +\$1482 |
| | INSWWG362477 | 77" | 36-24" | \$902 | +\$91 | +\$46 | -\$89 | +\$289 | +\$1487 |
| | INSWWG362483 | 83" | 36-24" | \$991 | +\$102 | +\$50 | -\$100 | +\$318 | +\$1502 |
| eft Hand Storwal | INSWWG362489 | 89" | 36-24" | \$1020 | +\$103 | +\$55 | -\$101 | +\$327 | +\$1575 |
| Galley Top | INSWWG362495 | 95" | 36-24" | \$1070 | +\$108 | +\$59 | -\$106 | +\$343 | +\$1624 |
| | INSWWG243659 | 59" | 24-36" | \$682 | +\$71 | +\$32 | -\$65 | +\$219 | +\$1411 |
| | INSWWG243665 | 65" | 24-36" | \$733 | +\$75 | +\$35 | -\$74 | +\$235 | +\$1470 |
| | INSWWG243671 | 71" | 24-36" | \$814 | +\$82 | +\$40 | -\$81 | +\$261 | +\$1482 |
| | INSWWG243677 | 77" | 24-36" | \$902 | +\$91 | +\$46 | -\$89 | +\$289 | +\$1487 |
| 4 | INSWWG243683 | 83" | 24-36" | \$991 | +\$102 | +\$50 | -\$100 | +\$318 | +\$1502 |
| Right Hand Storwal | INSWWG243689 | 89" | 24-36" | \$1020 | +\$103 | +\$55 | -\$101 | +\$327 | +\$1575 |
| Galley Top | INSWWG243695 | 95" | 24-36" | \$1070 | +\$108 | +\$59 | -\$103 | +\$343 | +\$1624 |



Transaction tops are commonly specified for reception areas but have a variety of applications including help desks and banks.

Transaction Tops are commonly specified with 37" high panels. Widths indicated refer to panel width. Stanchions and top trim are included. Installed height of transaction top on 37" high panel is 41 ½". Transaction Top worksurfaces are 1" thick and available in Nuform options. The edge detail is straight only. Transaction tops are panel thickness specific.

The suffix "2F" denotes compatibility with 2 ¾" thick panel, "3F" denotes compatibility with 3 ½" thick panel. Hi-Lo Transaction Top must be specified when a transaction top is specified directly adjacent to a higher panel. The worksurface takes into account the profile of the end trim.

Note: 72", 84" and 96"w kits consist of two top caps and four stanchions (based on "Symmetrical Frame Configuration" module lines). Top Caps can be specified as an option and are included with the kit.

Product code key example

INTT1236-3F

INTT Inscape System rectangular transaction top

12 12" deep 36" wide

3F 3 ½" thick frame application


R in the code indicates one end has a right-handed 90° miter.

L in the code indicates one end has a left-handed 90° miter.

HL in the code indicates one end is for a hi-lo application.

General

- Straight-line and curved transaction tops are available
- Straight-line transaction tops are 12" deep and are available in the following widths: 24", 30", 36", 42", 48", 54", 60", 72", 84" and 96"
- Transaction tops may be specified for 37" standard frames. Overall height of 37" high frame and transaction top is 41 ½"
- Hi-Lo tops are shorter than the module line and may be specified for hi-lo applications
- All transaction tops, shorter than 72" wide, are supported by 2 stanchions
- Transaction tops 72" or wider include two top trims and four stanchions
- A top trim with two cut-outs, to accommodate the stanchions, is included with each transaction top
- Stanchions are not height adjustable
- Transaction tops are available in several shapes and sizes to accommodate a variety of configurations including hi-lo, straight line and 90°
- Transaction top codes indicate the size and shape of the top, see below.
- Do not specify upper deck electrical beneath



The above hypothetical configuration illustrates transaction tops specified in a variety of configurations.



- Straight Edge Nuform worksurface
- Specific frame configurations only for the spanning tops
- 1" thick worksurface
- 72" (36" top caps), 84" (42" top caps) and 96" (48" top caps) wide kits consist of two top caps and four stanchions
- On-module installation only
- Stanchions have a rectangular profile

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product NTT1224-3F in Nuform Woodgrain with tapered trim would be \$325 +\$17

| | | | | Tape | red trim | Fla | t trim | |
|------------------|--------------|--------|-------|----------------------------------|--------------------------------|----------------------------------|--------------------------------|-----------------------|
| Description | Part number | Height | Width | 1" Straight edge nuform solid | 1" Nuform woodgrain/pattern | 1" Straight edge nuform solid | 1" Nuform woodgrain/pattern | Accent paint upcharge |
| | INTT1224-3F | 12" | 24" | \$325 | +\$17 | \$325 | +\$17 | +\$33 |
| | INTT1230-3F | 12" | 30" | \$348 | +\$18 | \$348 | +\$18 | +\$36 |
| | INTT1236-3F | 12" | 36" | \$370 | +\$19 | \$370 | +\$19 | +\$38 |
| | INTT1242-3F | 12" | 42" | \$392 | +\$21 | \$392 | +\$21 | +\$40 |
| Rectangular | INTT1248-3F | 12" | 48" | \$423 | +\$23 | \$423 | +\$23 | +\$43 |
| Transaction Top | INTT1254-3F | 12" | 54" | \$445 | +\$24 | \$445 | +\$24 | +\$45 |
| | INTT1260-3F | 12" | 60" | \$450 | +\$24 | \$450 | +\$24 | +\$46 |
| | INTT1272-3F | 12" | 72" | \$739 | +\$37 | \$739 | +\$37 | +\$75 |
| | INTT1284-3F | 12" | 84" | \$782 | +\$39 | \$782 | +\$39 | +\$79 |
| | INTT1296-3F | 12" | 96" | \$837 | +\$42 | \$837 | +\$42 | +\$85 |
| | INTL1224-3F | 12" | 24" | \$351 | +\$18 | \$351 | +\$18 | +\$36 |
| | INTL1230-3F | 12" | 30" | \$374 | +\$19 | \$374 | +\$19 | +\$38 |
| | INTL1236-3F | 12" | 36" | \$394 | +\$21 | \$394 | +\$21 | +\$40 |
| | INTL1242-3F | 12" | 42" | \$419 | +\$22 | \$419 | +\$22 | +\$43 |
| | INTL1248-3F | 12" | 48" | \$448 | +\$24 | \$448 | +\$24 | +\$46 |
| 1.11.1 | INTL1254-3F | 12" | 54" | \$504 | +\$26 | \$504 | +\$26 | +\$51 |
| (117) | INTL1260-3F | 12" | 60" | \$518 | +\$27 | \$518 | +\$27 | +\$52 |
| Left Hand Miter | INTL1272-3F | 12" | 72" | \$761 | +\$38 | \$761 | +\$38 | +\$77 |
| Transaction Top | INTL1284-3F | 12" | 84" | \$803 | +\$40 | \$803 | +\$40 | +\$82 |
| | INTL1296-3F | 12" | 96" | \$859 | +\$43 | \$859 | +\$43 | +\$87 |
| | INTR1224-3F | 12" | 24" | \$351 | +\$18 | \$351 | +\$18 | +\$36 |
| X-00 | INTR1230-3F | 12" | 30" | \$374 | +\$19 | \$374 | +\$19 | +\$38 |
| | INTR1236-3F | 12" | 36" | \$394 | +\$21 | \$394 | +\$21 | +\$40 |
| | INTR1242-3F | 12" | 42" | \$419 | +\$22 | \$419 | +\$22 | +\$43 |
| 3 11 1 | INTR1248-3F | 12" | 48" | \$448 | +\$24 | \$448 | +\$24 | +\$46 |
| 1 11 1 | INTR1254-3F | 12" | 54" | \$504 | +\$26 | \$504 | +\$26 | +\$51 |
| (1111) | INTR1260-3F | 12" | 60" | \$518 | +\$27 | \$518 | +\$27 | +\$52 |
| Right Hand Miter | INTR1272-3F | 12" | 72" | \$761 | +\$38 | \$761 | +\$38 | +\$77 |
| Transaction Top | INTR1284-3F | 12" | 84" | \$803 | +\$40 | \$803 | +\$40 | +\$82 |
| mansaction top | INTR1296-3F | 12" | 96" | \$859 | +\$43 | \$859 | +\$43 | +\$87 |
| | INTHL1224-3F | 12" | 24" | \$323 | +\$17 | \$323 | +\$17 | +\$33 |
| + | INTHL1230-3F | 12" | 30" | \$346 | +\$18 | \$346 | +\$18 | +\$35 |
| | INTHL1236-3F | 12" | 36" | \$368 | +\$19 | \$368 | +\$19 | +\$38 |
| W. Land | INTHL1242-3F | 12" | 42" | \$390 | +\$21 | \$390 | +\$21 | +\$40 |
| N | INTHL1248-3F | 12" | 48" | \$421 | +\$23 | \$421 | +\$23 | +\$43 |
| H: 1 - 0 0: 4 | INTHL1254-3F | 12" | 54" | \$443 | +\$24 | \$443 | +\$24 | +\$45 |
| Hi Lo One Side | INTHL1260-3F | 12" | 60" | \$459 | +\$24 | \$459 | +\$24 | +\$47 |
| Rectangular | INTHL1272-3F | 12" | 72" | \$737 | +\$37 | \$737 | +\$37 | +\$75 |
| Transaction Top | INTHL1284-3F | 12" | 84" | \$780 | +\$38 | \$780 | +\$38 | +\$79 |
| | INTHL1296-3F | 12" | 96" | \$817 | +\$40 | \$817 | +\$40 | +\$83 |



Transaction Tops For 2 3/4" Thick Frames

General information

- Straight Edge Nuform worksurface
- Specific frame configurations only for the spanning tops
- 1" thick worksurface
- 72" (36" top caps), 84" (42" top caps) and 96" (48" top caps) wide kits consist of two top caps and four stanchions
- On-module installation only
- Stanchions have a rectangular profile

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INTT1224-2F in Nuform Woodgrain with flat trim would be \$325 +\$17

| | | | | | red trim | | at trim | |
|--|--------------|--------|-------|----------------------------------|-----------------------------|----------------------------------|--------------------------------|------------------------|
| Description | Part number | Height | Width | 1" Straight edge nuform solid | 1" Nuform woodgrain/pattern | 1" Straight edge nuform solid | 1" Nuform woodgrain/pattern | Accent pair upcharg |
| | INTT1224-2F | 12" | 24" | _ | _ | \$325 | +\$17 | +\$3 |
| | INTT1230-2F | 12" | 30" | _ | _ | \$348 | +\$18 | +\$30 |
| | INTT1236-2F | 12" | 36" | _ | _ | \$370 | +\$19 | +\$38 |
| | INTT1242-2F | 12" | 42" | _ | _ | \$392 | +\$21 | +\$4 |
| Rectangular | INTT1248-2F | 12" | 48" | _ | _ | \$423 | +\$23 | +\$4 |
| Transaction Top | INTT1254-2F | 12" | 54" | _ | _ | \$445 | +\$24 | +\$4 |
| Transaction Top | INTT1260-2F | 12" | 60" | _ | _ | \$450 | +\$24 | +\$4 |
| | INTT1272-2F | 12" | 72" | _ | _ | \$739 | +\$37 | +\$7 |
| | INTT1284-2F | 12" | 84" | _ | _ | \$782 | +\$39 | +\$7 |
| | INTT1296-2F | 12" | 96" | _ | _ | \$837 | +\$42 | +\$8 |
| 100.00 | INTL1224-2F | 12" | 24" | _ | _ | \$351 | +\$18 | +\$3 |
| | INTL1230-2F | 12" | 30" | _ | _ | \$374 | +\$19 | +\$3 |
| | INTL1236-2F | 12" | 36" | _ | _ | \$394 | +\$21 | +\$4 |
| | INTL1242-2F | 12" | 42" | _ | _ | \$419 | +\$22 | +\$4 |
| | INTL1248-2F | 12" | 48" | _ | _ | \$448 | +\$24 | +\$4 |
| | INTL1254-2F | 12" | 54" | _ | _ | \$504 | +\$26 | +\$5 |
| (11) | INTL1260-2F | 12" | 60" | _ | _ | \$518 | +\$27 | +\$5 |
| | INTL1272-2F | 12" | 72" | _ | _ | \$761 | +\$38 | +\$7 |
| Left Hand Miter | INTL1284-2F | 12" | 84" | _ | _ | \$803 | +\$40 | +\$8 |
| Transaction Top | INTL1296-2F | 12" | 96" | _ | _ | \$859 | +\$43 | +\$8 |
| | INTR1224-2F | 12" | 24" | _ | _ | \$351 | +\$18 | +\$3 |
| N. comment | INTR1230-2F | 12" | 30" | _ | _ | \$374 | +\$19 | +\$3 |
| | INTR1236-2F | 12" | 36" | _ | _ | \$394 | +\$21 | +\$4 |
| | INTR1242-2F | 12" | 42" | _ | _ | \$419 | +\$22 | +\$4 |
| 3 11 1 | INTR1248-2F | 12" | 48" | _ | _ | \$448 | +\$24 | +\$4 |
| 4 11 4 | INTR1254-2F | 12" | 54" | _ | _ | \$504 | +\$26 | +\$5 |
| | INTR1260-2F | 12" | 60" | _ | _ | \$518 | +\$27 | +\$5 |
| 94 R#148 | INTR1272-2F | 12" | 72" | _ | _ | \$761 | +\$38 | +\$7 |
| Right Hand Miter | INTR1284-2F | 12" | 84" | _ | _ | \$803 | +\$40 | +\$8 |
| Transaction Top | INTR1296-2F | 12" | 96" | _ | _ | \$859 | +\$43 | +\$8 |
| | INTHL1224-2F | 12" | 24" | _ | _ | \$323 | +\$17 | +\$3 |
| 4 | INTHL1230-2F | 12" | 30" | _ | _ | \$346 | +\$18 | +\$3 |
| | INTHL1236-2F | 12" | 36" | _ | _ | \$368 | +\$19 | +\$3 |
| The same of the sa | INTHL1242-2F | 12" | 42" | _ | _ | \$390 | +\$21 | +\$4 |
| Ser. | INTHL1248-2F | 12" | 48" | _ | _ | \$421 | +\$23 | +\$4 |
| 4 | INTHL1254-2F | 12" | 54" | _ | _ | \$443 | +\$24 | +\$4 |
| Hi Lo One Side | INTHL1260-2F | 12" | 60" | _ | _ | \$459 | +\$24 | +\$4 |
| Rectangular | INTHL1272-2F | 12" | 72" | _ | _ | \$737 | +\$37 | +\$7 |
| Transaction Top | INTHL1284-2F | 12" | 84" | _ | _ | \$780 | +\$38 | +\$7 |
| nanoaotion top | INTHL1296-2F | 12" | 96" | _ | _ | \$817 | +\$40 | +\$8 |



'L' Legs - height adjustable

'L' legs are manually height adjustable at 1.5" increments to achieve 5 standard worksurface heights: 25.5", 27", 28.5", 30" and 31.5". Feet are available in nominal widths of 24" and 30" for specification beneath 24" and 30" deep worksurfaces. Legs may be specified with a slide glide front and rear or with a caster on the rear and a slide glide on the front. Black nylon slide glides are dome-shaped at the bottom for easy maneuverability over carpeted floors. Dual wheel, non-locking fixed casters are also manufactured from black nylon. Casters are approximately 2 ¼" in diameter. Manual height adjustable 'L' legs adjust (without tools) by loosening a thumbscrew located on the inner side of the leg. Height adjustable 'L' legs are handed.

Leg docking bracket

Leg docking bracket information can be found in the "Inscape System Application Guide" section for specification guidelines. To be specified with 'L' legs on-module.

'C' Legs - height adjustable & fixed height

'C' legs - height adjustable & fixed height feet are 18" wide and may be specified beneath 24" and 30" deep worksurfaces where noted in the price list. Feet on 'C' legs are available with slide glides only. Foot docking brackets cannot be specified with 'C' legs.

End gable & end gable brackets

End gable & end gable brackets support panel mounted worksurfaces 28.5" high and. The left and right-handed brackets match the height of the end gable. End gables and brackets are available in any of Inscape's standard paint finishes and are frame thickness specific.

'H' Leg

'H' leg is a freestanding leg which may also be specified in a panel mounted application. Small glides provide leveling capability.

'O' leg

'O' leg is a fully welded 'O' structure which mounts to the underside of a worksurface. This leg is freestanding.

Framed leg

Framed leg is a panel mounted worksurface support that has the bracket to attach to panel incorporated in the design. Legs are specified based on depth of worksurface. Small leveling glide included with no glide cap. For version with glide cap see standard specials.

Cantilever bracket

Cantilever brackets support panel mounted worksurfaces on-module and are available in fixed or adjustable. Brackets are handed and adjustable to achieve 5 standard worksurface heights: 24.5", 27", 28.5", 30" and 31.5". Fixed cantilever brackets do not adjust vertically.

Mid span cantilever bracket

The mid span cantilever bracket is specified when there is a long tile being specified in the zone directly above the bottom 20.25"h tile which would interfere with the middle upright for a standard cantilever to attach into. The Mid Span Cantilever mounts lower to the upright allowing the wide tile aesthetic.

Corner cantilever bracket

The corner cantilever bracket is specified where the 1" gap behind a worksurface wraps around a corner.

Bridge bracket

Bridge bracket install onto Cantilever brackets only. These brackets are handed and an adjustable version is available to achieve the same five heights as Cantilever brackets. Fixed bridge brackets do not adjust vertically and must only be specified with fixed Cantilever brackets.

Flush brackets

Flush brackets are specified when two adjoining worksurfaces need to be held flush together and come in pairs. Maximum span of overhang when supported with a flush bracket is 18" per side.

Multi surface support brackets

Multi surface support brackets are adjustable to achieve five standard worksurface heights: 25.5", 27", 28.5", 30" and 31.5". MSSB's provide corner support for panel-mounted worksurfaces, support panel mounted conference tops and provide mid-span support for worksurfaces up to 72" wide. MSSB's are handed and may be specified for either thickness of Inscape System panel. Fixed Multisurface Support Brackets are available and do not adjust vertically.

Front edge support brackets

Front edge support brackets provide front edge support for 24" and 30" deep worksurfaces and also dock freestanding tables to panel's on-module. Brackets may be positioned to achieve five standard worksurface heights. Front Edge Support Brackets are handed and may be specified for either thickness of panel.

Framed leg front support bracket

The framed leg front support bracket provides additional stability to a wing panel which is longer than the depth of the adjacent worksurface. The bracket must have access to a crossrail (at any location within the height of the leg) via a segmentation in tiles. The bracket is then double side taped to the inside of the leg.

Planna support bracket

Planna support bracket is specified to be mounted on Planna rail and floats the worksurface off the bracket. Bracket is available in all standard paint colors. Bracket "snaps" into the rail without the need for tools. These are shipped as a pair and both must be installed per worksurface.

Hat channel

Hat channels are used to support a worksurface off of a 21"ID Planna storage case and are available in any of Inscape's standard paint finishes. They are nominal in height and support a worksurface at a standard 28.5" height.

Storwal support bracket

Bracket suspends a Storwal worksurface from a Storwal unit and is available as adjustable or fixed height. Available in all standard paint colors and tools are not required in order to "snap" into place on Storwal unit. Brackets ship in pairs and both must be installed per application.

Worksurface stretcher bar

Worksurface stretcher bar is additional structural support for unsupported worksurfaces of 54" or greater. It is 1 ½" high and the length of the stretcher bar is chosen based on the width of the worksurface. Be sure that there are no legs or panel mounted worksurface support brackets that may interfere with the stretcher bar.

Worksurface to tower bracket

This bracket is attached to a storage unit with screws (included) to support a worksurface from the underside. The 18"w bracket is used in a lateral, boookcase or locker application. The 24"w bracket is used with modular and workplace towers. These brackets are painted. Silicone caps to cover exposed screw tips are provided.

1.5" Screen docking brackets

Brackets dock the screen to a worksurface but are NOT worksurface supporting. Worksurfaces must always be freestanding. The Single Docking bracket docks one surface to a screen, the double docks two surfaces on either side of the screen. The Front edge docks the front edge of a freestanding table to the edge of a screen. Mid Span Docking bracket simply dock the mid of the worksurface to the 1.5" screen but does not support it.



Supports

Panel Mounted Worksurface Supports

General information

- Worksurface support brackets are universal between two panel thicknesses (unless otherwise stated)
- Value Engineer Option Eco Black finish
- If visible it is suggested the paint option be chosen
- Cantilevers cannot be specified to support 20"d or less worksurfaces

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

INLHCBFX in neutral paint would be \$38 +\$10

INLHCBFX in accent paint would be \$38 +\$10 +\$5

| Description | | Part number | Height | Weight (lbs) | Eco black/ base price | Neutral paint upcharge | Accent pain upcharge |
|-------------|--|----------------------------|----------|--------------|--------------------------|---------------------------|-------------------------|
| | Cantilever Bracket Fixed Height Handed | INLHCBFX INRHCBFX | <u>-</u> | 5 5 | \$38 \$38 | +\$10 +\$10 | +\$5 +\$5 |
| | Cantilever Bracket Adjustable Height Handed | INLHCB INRHCB | | 5 5 | \$46 \$46 | +\$16 +\$16 | +\$6 +\$6 |
| | Mid Span Cantilever Bracket Fixed Height Handed | INLHCBS INRHCBS | | 5 5 | \$69 \$69 | +\$10 +\$10 | +\$8 +\$8 |
| | Corner Cantilever Bracket Adjustable Height Handed | INLHCB1CRNR INRHCB1CRNR | = | 5 5 | \$80 \$80 | +\$10 +\$10 | +\$\$ +\$\$ |
| | Reform Cantilever Bracket Fixed Height Handed | INLHCBR INRHCBR | = | 5 5 | \$106 \$106 | +\$10 +\$10 | +\$12 +\$12 |
| Z7 | Bridge Bracket Fixed Height | INBBFX | _ | 1 | \$12 | +\$5 | +\$3 |
| | Bridge Bracket Adjustable Height Handed | INLBB INRBB | | 1 1 | \$21 \$21 | +\$8 +\$8 | +\$3 +\$3 |



Panel Mounted Worksurface Supports

General information

- Worksurface support brackets are universal between two panel thicknesses (unless otherwise stated)
- Value Engineer Option Eco Black finish
- If visible it is suggested the paint option be chosen
- A break in tile segmentation (horizontally) below the worksurface must be present for the Framed Leg Front Support Bracket to attach to the crossrail of the panel
- "H" Leg Docking Bracket ties an "H" leg or "O" leg into a frame

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

INLHMSSBFX in neutral paint would be \$18 +\$5

INLHMSSBFX in accent paint would be \$18 +\$5 +\$3

| Description | | Part number | Height | Weight (lbs) | Eco black/ base price | Neutral paint upcharge | Accent paint upcharge |
|-------------|--|----------------------------|-------------------|--------------|--------------------------|------------------------|-----------------------|
| | Reform Bridge Bracket Fixed Height | INLBBR INRBBR | _ _ | 1 1 | \$53 \$53 | +\$8 +\$8 | +\$7 +\$7 |
| | Multi Surface Support Bracket Fixed Height Handed | INLHMSSBFX INRHMSSBFX | | 2 2 | \$18 \$18 | +\$5 +\$5 | +\$3 +\$3 |
| | Multi Surface Support Bracket Adjustable Height Handed | INLHMSSB INRHMSSB | = | 2 2 | \$31 \$31 | +\$8 +\$8 | +\$4 +\$4 |
| 5 | Reform Multi Surface Support Bracket Fixed Height Handed | INLHMSSBR INRHMSSBR | Ξ | 2 2 | \$53 \$53 | +\$8 +\$8 | +\$7 +\$7 |
| | Front Edge Support Bracket Fixed Height Handed | INLHFSB INRHFSB | | 1 1 | \$23 \$23 | +\$16 +\$16 | +\$4 +\$4 |
| | Framed Leg Front Support Bracket Adjustable Height Handed | INLHPFRSB INRHPFRSB | | 1 1 | | \$32 \$32 | +\$5 +\$5 |
| | "H" Leg Docking Bracket For use with 3 ½" T Frames Handed | INLHHLDB-3F INRHHLDB-3F | - - | 1 | - | \$74 \$74 | +\$9 +\$9 |
| | "H" Leg Docking Bracket For use with 2 ¾" T Frames Handed | INLHHLDB-2F INRHHLDB-2F | | 1 1 | | \$74 \$74 | +\$9 +\$9 |



Supports

Panel Mounted Worksurface Supports

General information

- "2F" denotes use with 2 ¾" thick frame, "3F" denotes use with 3 ½" thick frame
- Worksurface support brackets are universal between two panel thicknesses (unless otherwise stated)
- Value Engineer Option Eco Black finish
- If support is visible it is suggested the paint option be chosen
- End panel must be docked to the frame with brackets
- Frame Support Leg mounts to both thicknesses of panel

- Frame Support Legs are handed and based on which side of frame attaching to
- The Center Frame Support Leg cannot be used in an end location

| Description | | Part number | Height | Weight (lbs) | Eco black/ base price | Neutral paint upcharge | Accent paint upcharge |
|-------------|---|----------------------------------|----------------|--------------|--------------------------|------------------------|-----------------------|
| | End Panel Bracket For use with 3 ½" T Frames Handed | INLHEGB28.5-3F INRHEGB28.5-3F | 28 ½" 28 ½" | 5 5 | _ | \$81 \$81 | +\$9 +\$9 |
| | End Panel Bracket For use with 2 ¾" T Frames Handed | INLHEGB28.5-2F INRHEGB28.5-2F | 28 ½" 28 ½" | 5 5 | = | \$81 \$81 | +\$9 +\$9 |
| 5 | End Panel | INEG2428.5 INEG3028.5 | 28 ½' 28 ½' | | _ | \$305 \$310 | +\$31 +\$32 |

| Description | | Part number | Height | Depth | Neutral paint/ base price | Accent paint upcharge |
|-------------|---|---|-------------------------|-------------------|------------------------------|-------------------------|
| - | Left Hand Frame Support Leg | INLFRMLEG2428.5 | 28 ½" | 24" | \$340 | +\$35 |
| | New Style | INLFRMLEG3028.5 | 28 ½" | 30" | \$381 | +\$39 |
| | · | INLFRMLEG3628.5 | 28 ½" | 36" | \$424 | +\$43 |
| | Right Hand Frame Support Leg New Style | INRFRMLEG2428.5 INRFRMLEG3028.5 INRFRMLEG3628.5 | 28 ½" 28 ½" 28 ½" | 24" 30" 36" | \$340 \$381 \$424 | +\$35 +\$39 +\$43 |
| | Centre Framed Support Leg New Style | INCFRMLEG2428.5 INCFRMLEG3028.5 INCFRMLEG3628.5 | 28 ½" 28 ½" 28 ½" | 24" 30" 36" | \$340 \$381 \$424 | +\$35 +\$39 +\$43 |



- Value Engineer Option Eco Black finish
- If bracket visible it is suggested the paint option be chosen
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
 ensure not to interfere with support brackets, cable trays or other work tools
- Stretcher bars are 1 1/2" high

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

INWMB24-36 in neutral paint would be \$28 +\$8

INWMB24-36 in accent paint would be \$28 +\$8 +\$4

| Description | | Part number | Weight (lbs) | List price |
|----------------------|--------------------------------------|-------------|--------------|------------|
| 00000 | Flush Bracket Kit of 2 | INFB | 0.2 | \$14 |
| Cirisi in the second | 20" Flush Bracket | INFB20 | 1 | \$22 |
| A | Screws for Worksurfaces (box of 100) | INCBSCREWS | 0.5 | \$24 |

| | Part number | Width | Weight (lbs) | Eco black/ base price | Neutral paint upcharge | Accent paint upcharge |
|---|---|--|--|---|--|--|
| Worksurface Stretcher Bar For use with worksurfaces 54" and wider | INSBK54 For use with 54" surface | 44" | - | \$66 | _ | _ |
| | INSBK60 For use with 60" surface | 50" | _ | \$98 | _ | _ |
| | INSBK72 For use with 72" surface | 62" | _ | \$117 | _ | _ |
| | INSBK84 For use with 84" surface | 74" | _ | \$140 | _ | _ |
| | INSBK96 For use with 96" surface | 86" | _ | \$159 | _ | - |
| Wall Mount Bracket | INWMB24-36 | 24-36" | _ | \$28 | +\$8 | +\$4 |
| | INWMB42-54 INWMB60-72 | 42-54" 60-72" | | \$36 \$50 | +\$10 +\$14 | +\$5 +\$6 |
| Storage to worksurface bracket | INMTWBKT-18 Lateral/locker application | 18" | _ | _ | \$31 | +\$4 |
| | INMTWBKT-24 Modular tower application | 24" | _ | _ | \$45 | +\$6 |
| | For use with worksurfaces 54" and wider Wall Mount Bracket | Worksurface Stretcher Bar For use with worksurfaces 54" and wider INSBK60 For use with 60" surface INSBK72 For use with 72" surface INSBK84 For use with 84" surface INSBK96 For use with 96" surface INSBK96 For use with 96" surface INSBK96 INSBK96 For use with 96" surface INSBK96 | Worksurface Stretcher Bar For use with worksurfaces 54" and wider INSBK60 For use with 60" surface INSBK72 For use with 72" surface INSBK84 For use with 84" surface INSBK96 For use with 84" surface INSBK96 For use with 96" surface INSBK96 For use with 96" surface INSBK96 For use with 96" surface INSBK96 INSBK | Worksurface Stretcher Bar For use with worksurfaces 54" and wider INSBK60 50" — | Worksurface Stretcher Bar For use with worksurfaces 54" and wider INSBK60 For use with 60" surface INSBK72 62" \$117 | Worksurface Stretcher Bar For use with worksurfaces 54" and wider INSBK60 For use with 60" surface INSBK72 For use with 72" surface INSBK84 For use with 72" surface INSBK84 For use with 72" surface INSBK96 For use with 96" surface INSBK96 Sor use with 96" surface Sor use with 96" surface Sor use with 96" surface INSBK96 Sor use with 96" surface Sor u |



Supports

Storwal and Planna Worksurface Support Brackets

General information

- Planna Storage Support Brackets are shipped as a pair and are both required per Planna Storage worksurface installation
- Hat Chanel heights are nominal and they support a standard worksurface height of 28.5"
- Storwal bracket adjustable to 5 standard heights

| Description | | Part number | Height | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|---|------------------------------------|--------|--------------|------------------------------|-----------------------|
| | Planna Bracket (pair) Adjustable Height | PSUPBKT | _ | 1 | \$79 | +\$9 |
| | 9" W x 2.89"H Hat Channel For use over Planna case with ½" top with no rail | HATCHNL2.89 | 2.89" | 2 | \$44 | +\$6 |
| | 9" W x 2.375"H Hat Channel For use over Planna case with ½" top and ½" rail | HATCHNL2.3759 | 2.375" | 2 | \$44 | +\$6 |
| n | Storwal Bracket (pair) | INSWSUPBT-28.5 Fixed Height | 1 ¼" | 1 | \$66 | +\$8 |
| | | INSWSUPBT-ADJ Adjustable Height | 1 1/4" | 1 | \$114 | +\$13 |



- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colors
- To adjust the height there are two bolts that unthread and then pull out so that inner leg can then move up and down

| Description | | Part number | Height | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|--|--|-------------------------|---|------------------------------|--------------------------|
| | "H" Leg Fixed Height | INHLEG2428.5 INHLEG3028.5 INHLEG3628.5 | 28 ½" 28 ½" 28 ½" | _ _ _ | \$422 \$445 \$460 | +\$43 +\$45 +\$47 |
| | "H" Leg Adjustable Height | INHLEG24-ADJ INHLEG30-ADJ INHLEG36-ADJ | 28 ½" 28 ½" 28 ½" | = = = | \$513 \$535 \$551 | +\$52 +\$54 +\$56 |
| | "O" Leg Fixed Height | INOLEG2428.5 INOLEG3028.5 INOLEG3628.5 | 28 ½" 28 ½" 28 ½" | ======================================= | \$351 \$362 \$366 | +\$36 +\$37 +\$37 |
| | Post Leg Fixed Height Existing Storwal Storage version | INLEG28.5F | 28 ½" | 3 | \$166 | +\$18 |
| | Post Leg Fixed Height | INPLEG28.5F | 28 ½" | 5 | \$172 | +\$18 |
| | Post Leg Adjustable Height | INPLEGM | 28 ½" | 7 | \$277 | +\$29 |

System

Worksurfaces

Supports

Legs and Leg Docking Brackets

General information

- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colors
- The Triangular post leg provides concealed wire management

| nd Post Leg d Height tangular Post Leg ngular Leg d Height | INFFLEG28.5 INRECPLEG-28.5 INRECPLEG-ADJ | 28 ½" 28 ½" ADJUSTABLE" | 4 | \$76 \$148 \$248 | +\$9 +\$16 +\$26 |
|--|--|--|---|---|--|
| ngular Leg | INRECPLEG-ADJ | 28 ½" ADJUSTABLE" | Ξ | \$148 \$248 | |
| ngular Leg d Height | INTWMLEG-28.5 | | | | |
| | | 28 ½" | - | \$224 | +\$23 |
| Leg d Height | INCL1828.5F | 28 ½" | 7 | \$334 | +\$34 |
| | INCLEG18MLH | _ | 8 | \$415 | +\$42 |
| | INCLEG18MRH right-handed | _ | 8 | \$415 | +\$42 |
| | INLLEG2428.5F INLLEG3028.5F | 28 ½" 28 ½" | 7 7 | \$340 \$353 | +\$35 +\$36 |
| | Leg d Height Leg nual Adjustable Height ded Leg d Height | Leg INCLEG18MLH left-handed ded INCLEG18MRH right-handed | Leg INCLEG18MLH — nual Adjustable Height ded INCLEG18MRH — right-handed Leg INCLEG18MRH — right-handed | Leg INCLEG18MLH — 8 nual Adjustable Height ded INCLEG18MRH — 8 right-handed Leg INCLEG18MRH — 8 right-handed | Leg INCLEG18MLH — 8 \$415 hual Adjustable Height ded INCLEG18MRH — 8 \$415 hright-handed |

- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"

- Legs are available in any of Inscape's standard paint colors
 Leg docking bracket for use with "L" legs only on module
 See "Inscape System Application Guide" for details of the Leg Docking Bracket

| Description | | Part number | Height | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|-----------------------------------|------------------------|--------|--------------|------------------------------|-----------------------|
| 0 | "L" Leg | INLLEG24MLH | _ | 8 | \$415 | +\$42 |
| | Manual Adjustable Height | INLLEG30MLH | _ | 8 | \$426 | +\$43 |
| | Handed | left-handed | | | | |
| | | INLLEG24MRH | _ | 8 | \$415 | +\$42 |
| | | INLLEG30MRH | _ | 8 | \$426 | +\$43 |
| 8 | | right-handed | | | | |
| [1] | "L" Leg Docking Bracket Handed | INFDBLH left-handed | _ | 1 | \$63 | +\$8 |
| 0 | | INFDBRH | _ | 1 | \$63 | +\$8 |
| | | right-handed | | | | |
| | | | | | | |

System

Worksurfaces

Supports 1 1/2" Screen Worksurfaces Docking Brackets

General information

- Docking brackets only, not worksurface supporting legs for surfaces are required
- Compatible with 1" and 1 1/4" thick worksurfaces
- Brackets are available in any of Inscape's standard paint colors

| Description | | Part number | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|--|-------------|--------------|------------------------------|--------------------------|
| 4 | 1.5" Screen Single Docking Bracket | FWSDB | 2 | \$25 | +\$4 |
| | 1.5" Screen Back to Back Docking Bracket | FWSBDB | 2 | \$39 | +\$5 |
| | 1.5" Screen Front Edge Docking Bracket | FWSFESB | 2 | \$28 | +\$4 |
| _ | 1.5" Screen Mid-Span Docking Bracket | FF-MSSB | 1 | \$19 | +\$3 |



- Brackets are available in any of Inscape's standard paint colors
- Brackets attach to ADDWALL only

| Description | | Part number | Neutral paint/ base price | Accent paint upcharge |
|-------------|---------------------------------------|------------------------|------------------------------|-----------------------|
| | ADDWALL Cantilever Bracket | INLHCBA INRHCBA | \$87 \$87 | +\$10 +\$10 |
| | ADDWALL Multi Surface Support Bracket | INLHMSSBA INRHMSSBA | \$55 \$55 | +\$7 +\$7 |
| | ADDWALL Front Edge Support Bracket | INLHFSBA INRHFSBA | \$58 \$58 | +\$7 +\$7 |

Left blank intentionally.

system

Storage



Storage

Pedestals
General information

Pedestals are of all-welded "wrap-around" construction of 20 and 22 gauge high quality, tension leveled, cold rolled steel. The steel gauge selected for drawer fronts, bodies and accessories ensure the highest quality durability and performance for all components. All glides on cases consist of flat glides with %" height adjustability. Pedestal corners are welded at junction of top and case, eliminating horizontal lines for a cleaner, flush appearance, and strengthened with reinforcing gussets. A completely enclosed case provides rigid construction and dust-free interiors.

ANSI/BIFMA

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications.

Construction features & benefits Box drawer sides are slotted on 1" centers to allow for maximum flexibility for drawer division. Double-wall construction allows lift-up doors to be picked up and recede smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. 7900 is single-wall construction. File (10.5" and 12") and EDP (15") drawer bodies have full-height sides to accommodate hanging file folders, eliminating the need for optional file frames. Fully progressive ball bearing suspensions on all drawers, including pencil and box drawers, are staged so that the left and right sides work in unison; this provides smooth drawer operation with minimum force. Staged suspensions allow the drawer to be completely pulled out, providing access to the entire drawer depth.

Special "claw-like" device incorporated in the suspension "grips" the fixed section of the suspension channel preventing drawer body bounce back or creep when drawer is closed. Modular interior allows complete interchangeability of drawer types within the pedestal case. For example, two 6" box drawers may be replaced by a 12" file drawer. Pedestals are standard with keyholes for attachment to underside of worksurface. For the 7900 only cases: 18" deep pedestals come standard with 18" deep drawers, 22" and 28" deep pedestals come standard with 22" deep drawers. For all other Series, pedestal drawers match case depth.

Pedestals are available in mobile and worksurface supporting. Worksurface supporting pedestals are designed for use with the Inscape System and are standard with flat glides. Worksurface supporting pedestals are available in two depths to fit under 24" and 30" deep worksurfaces and support finished worksurface height of 28.5". Pedestals with 3", 6" or 7.5" drawers include one pencil tray per pedestal. The 6" and 7.5" drawers also include a steel divider. The 10.5" and 12" drawers have one hang file suspension bar (two in a 28" deep pedestal) for side-to-side filing of legal or letter

size folders or printout binders. 7900 Pedestals do not include any suspension bars.

Note: System storage pedestal cases consist of holes in the top of the case and back of the case to allow for worksurface docking and panel mounted brackets to be secured.

Counterweights

Counterweights are required for ALL freestanding units that are not anchored or ganged to other cabinets or bolted to walls/ floor.

Counterweights come standard with ALL mobile pedestals and must be field installed.

Docking bracket

The pedestal docking bracket docks a pedestal to an Inscape System panel on-module. Specify bracket according to case front style and based on the thickness of panel. ADDWALL pedestal-to-wall bracket docks a pedestal supporting a 24" deep worksurface to an ADDWALL movable wall on-module. Pedestal -to-panel brackets are available in full height version.

Glides

Inscape System pedestals are standard with flat glides. Glides provide 0.125" height adjustment when docked and 0.75" height adjustment if unit is not docked. 2 glides in front and 2 in back are adjustable from inside the cabinet so that cabinets can be leveled regardless of whether they are backed against a wall or banked.

Locks

Standard with single bitted lock. If lock is not required add suffix '/NL' after product number and deduct \$48 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

9900 Series Note: Pedestals with 9900 series fronts must be specified beneath Wood Veneer and 1" Nuform worksurfaces only.

Finishes


All laterals are finished in standard 36.5° gloss baked enamel, electrostatically applied

in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.



Front details & pull options

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. 7900 is single-wall construction. Refer to the images and chart below for pull application on 7900 Series, Nuform, and Veneer fronts.



Pulls FP004, FP005, FP007 and FP008 meet the guidelines for ADA compliance.

FP005 is the default pull for 7900

FP001 is the default pull for Nuform and Veneer

Note: FP002 is not available on hinged door cabinets.


Cushion mobile pedestals

Cushion mobile pedestals are topped with 1.25" thick Cal.117 fire-retardant polyurethane foam with a 2.2lb/ft. density. This upholstery cushion is balanced with a 1%" board and is attached to a pedestal top with Velcro. Select from our graded upholstery program of solid color fabrics and vinyl's or choose COM option (Customers Own Material). To determine if a COM fabric has been pre-approved for use on our cushion topper, contact your client services representative or log into INSITE. For application of ALL fabrics, both from our graded program as well as COM (Customer Own Material) please specify layout orientation at time of order. If layup instructions are not provided Inscape will choose the direction to maximize production. Refer to the diagram for layup options.

After calculating the total amount of material needed in inches, divide the total number of inches by 36 for the total yardage and round up to the next full yard. Allow additional for repeat. Add 15% of total fabric required for small and medium pattern repeats. Add 20% of total fabric required for large patterns.

Due to the nature of the design and manufacture of our cushion, only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your client services representative for assistance.

Fabric lay up of pedestal cushions



System

Storage Pedestals

7900 Series Front Pedestals with Flat Glides

General information

- Consult General Information for pull options
- Includes worksurface mounting holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high

| Description | | Part number | Height | Width | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|-------------------------|--------------------------------|----------------|------------|------------|--------------|------------------------------|--------------------------|
| | 2-6" box, 12" file | GHF1522-2BF GHF1528-2BF | 26 %" 26 %" | 15" 15" | 22" 28" | 100 110 | \$892 \$938 | +\$90 +\$95 |
| | 2-12" files | GHF1522-2F GHF1528-2F | 26 %" 26 %" | 15" 15" | 22" 28" | 100 110 | \$783 \$808 | +\$80 +\$82 |
| | 3" pencil, 2-10.5" file | GHF1522-P2F10 GHF1528-P2F10 | 26 %" 26 %" | 15" 15" | 22" 28" | 100 110 | \$892 \$938 | +\$90 +\$95 |

7900 Series Front Pedestals with Rectangular Glides

General information

- Consult General Information for pull options
- Includes worksurface mounting holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high
- Rectangular glides are gray

| Description | | Part number | Height | Width | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|-------------------------------|----------------------------------|--------------------|------------|------------|--------------|------------------------------|-----------------------|
| | 10.5" file, 12" file | INGH1522-F10F INGH1528-F10F | 26 %" 26 %" | 15" 15" | 22" 28" | 93 105 | \$783 \$808 | +\$80 +\$82 |
| | 2-6" box, 10.5" file | INGH1522-2BF10 INGH1528-2BF10 | 26 7/s" 26 7/s" | 15" 15" | 22" 28" | 93 105 | \$892 \$938 | +\$90 +\$95 |
| | 3" pencil, 7.5" box, 12" file | INGH1522-PB7F INGH1528-PB7F | 26 %" 26 %" | 15" 15" | 22" 28" | 93 105 | \$892 \$938 | +\$90 +\$95 |



Storage

Pedestals 7900 Series Front Mobile Pedestals

General information

- Consult General Information for pull options
- 15" letter width pedestal

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product PH1518-BFMCNH in Grade B/COM fabric would be \$979 +\$48

PH1518-BFMCNH in Grade C fabric would be \$979 +\$89

| Description | | Part number | Height | Width | Depth | Weight (lbs) | List price/ Grade A | Accent paint upcharge |
|-------------|---|------------------------------|------------|------------|------------|--------------|------------------------|-----------------------|
| | 2-6" box, 10.5" file Mobile | PH1518-2BF10M | 26" | 15" | 18" | 85 | \$949 | +\$96 |
| | No cushion | PH1522-2BF10M | 26" | 15" | 22" | 95 | \$1052 | +\$106 |
| | | PH1528-2BF10M | 26" | 15" | 28" | 105 | \$1099 | +\$111 |
| | 10.5" file, 12" file Mobile No cushion | PH1518-F10FM PH1522-F10FM | 26" 26" | 15" 15" | 18" 22" | 85 95 | \$887 \$949 | +\$90 +\$96 |
| | | PH1528-F10FM | 26" | 15" | 28" | 105 | \$974 | +\$98 |
| ~ | 6" box, 12" file Mobile | PH1518-BFMCNH | 22 ¾" | 15" | 18" | 90 | \$979 | +\$99 |
| | Includes cushion, no handle | PH1522-BFMCNH | 22 ¾" | 15" | 22" | 100 | \$1015 | +\$102 |
| | | PH1528-BFMCNH | 22 3/4" | 15" | 28" | 105 | \$1057 | +\$107 |
| | 7.5"box, 10.5" file Mobile | PH1518B7F10MCNH | 22 ¾" | 15" | 18" | 90 | \$949 | +\$96 |
| | Includes cushion, no handle | PH1522B7F10MCNH | 22 ¾" | 15" | 22" | 100 | \$1057 | +\$107 |
| 100 | | PH1528B7F10MCNH | 22 ¾" | 15" | 28" | 105 | \$1099 | +\$111 |

Fabric upcharge for mobile cushion pedestals

Note: To price fabric grade options, add the upcharge (+\$) in the chart below to the base price of the List price (Grade A) column This will be the total cost for that product.

| Grade B/COM | Grade C | Grade D | Grade E | Grade F |
|-------------|---------|---------|---------|---------|
| +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |



- Includes worksurface mounting holes in top and bracket slots in back of case
- Worksurface supporting for 28.5" high
- Recommended installation below 1" worksurfaces or veneer only for clean aesthetic due to the tight corner radius of the worksurface

| Description | | Part number | Height | Width | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--|--------------------------|---------------|--------|-------|-------|--------------|------------------------------|-----------------------|
| | 2-12" files | GEF1522-2F | 26 %" | 15" | 22 ¾" | 100 | \$797 | +\$81 |
| | Flat Glides | GEF1528-2F | 26 %" | 15" | 28 ¾" | 110 | \$828 | +\$84 |
| | 3 | Letter Width | | | | | | |
| | _ | GEF1822-2F | 26 %" | 18" | 22 ¾" | 100 | \$930 | +\$94 |
| Taxas . | 1 | GEF1828-2F | 26 %" | 18" | 28 ¾" | 110 | \$968 | +\$98 |
| | J | Legal Width | | | | | | |
| | 2-6" box, 1-12" file | GEF1522-2BF | 26 %" | 15" | 22 ¾" | 100 | \$903 | +\$91 |
| | Flat Glides | GEF1528-2BF | 26 %" | 15" | 28 ¾" | 110 | \$946 | +\$96 |
| | 3 | Letter Width | | | | | | |
| 1 | 3 | GEF1822-2BF | 26 %" | 18" | 22 ¾" | 100 | \$1051 | +\$106 |
| | 3 | GEF1828-2BF | 26 %" | 18" | 28 ¾" | 95 | \$1103 | +\$111 |
| | J | Legal Width | | | | | | |
| _ | 3" pencil, 2-10.5" files | GEF1522-P2F10 | 26 %" | 15" | 22 ¾" | 100 | \$905 | +\$92 |
| _ | Flat Glides | GEF1528-P2F10 | 26 %" | 15" | 28 ¾" | 110 | \$950 | +\$96 |
| The state of the s | | Letter Width | | | | | | |
| | | GEF1822-P2F10 | 26 %" | 18" | 22 ¾" | 100 | \$1052 | +\$106 |
| - | | GEF1828-P2F10 | 26 %" | 18" | 28 ¾" | 110 | \$1100 | +\$111 |
| - 1 | l . | Legal Width | | | | | | |

System

Storage Pedestals

9900 Series Front Pedestals with Rectangular Glides

General information

- Includes worksurface mounting holes in top and bracket slots in back of case
- Worksurface supporting for 28.5" high
- Recommended installation below 1" worksurfaces or veneer only for clean aesthetic due to the tight corner radius of the worksurface
- Rectangular glides are gray

| Description | | Part number | Height | Width | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--------------|-----------------------------------|--------------------------------|--------|-------|-------|--------------|------------------------------|-----------------------|
| | 10.5" File, 12" File | INGE1522-F10F | 26 %" | 15" | 22 ¾" | 95 | \$797 | +\$81 |
| | Rectangular Glides | INGE1528-F10F Letter Width | 26 %" | 15" | 28 ¾" | 105 | \$828 | +\$84 |
| | | INGE1822-F10F | 26 %" | 18" | 22 ¾" | 100 | \$930 | +\$94 |
| | | INGE1828-F10F Legal Width | 26 %" | 18" | 28 ¾" | 110 | \$968 | +\$98 |
| n - 40005271 | 2-6" box, 1-10.5" file | INGE1522-2BF10 | 26 %" | 15" | 22 ¾" | 95 | \$903 | +\$91 |
| | Rectangular Glides | INGE1528-2BF10 Letter Width | 26 %" | 15" | 28 ¾" | 105 | \$946 | +\$96 |
| | | INGE1822-2BF10 | 26 %" | 18" | 22 ¾" | 100 | \$1051 | +\$106 |
| | | INGE1828-2BF10 Legal Width | 26 %" | 18" | 28 ¾" | 110 | \$1103 | +\$111 |
| | 3" pencil, 7.5" box, and 12" file | INGE1522-PB7F | 26 %" | 15" | 22 ¾" | 95 | \$905 | +\$92 |
| | Rectangular Glides | INGE1528-PB7F Letter Width | 26 %" | 15" | 28 ¾" | 105 | \$950 | +\$96 |
| - | | INGE1822-PB7F | 26 %" | 18" | 22 ¾" | 100 | \$1052 | +\$106 |
| | | INGE1828-PB7F Legal Width | 26 %" | 18" | 28 ¾" | 110 | \$1100 | +\$111 |

• 15" letter width mobile pedestals

Notes

Optional handle for mobile cushion pedestals, add \$27 list per pedestal.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product PF1518EBFMC in Grade B/COM fabric would be \$990 +\$48PF1518EBFMC in Grade C fabric would be \$990 +\$89

| Description | | Part number | Height | Width | Depth | Weight (lbs) | List price/ Grade A | Accent paint upcharge |
|-------------|--|--|--|-------------------|-------------------------|------------------|---------------------------|----------------------------|
| | 3" pencil, 6" box and 12" file | PE1518-PBFM | 24 ½" | 15" | 18 ¾" | 85 | \$945 | +\$96 |
| _ | No cushion | PE1522-PBFM | 24 ½" | 15" | 22 ¾" | 95 | \$1035 | +\$104 |
| | | PE1528-PBFM | 24 ½" | 15" | 28 ¾" | 105 | \$1079 | +\$109 |
| | | | | | | | | |
| | 2-10.5" files | PE1518-2F10.5M | 24 1/2" | 15" | 18 ¾" | 85 | \$899 | +\$91 |
| _ | No cushion | PE1522-2F10.5M | 24 1/2" | 15" | 22 ¾" | 95 | \$959 | +\$97 |
| | | PE1528-2F10.5M | 24 ½" | 15" | 28 ¾" | 105 | \$992 | +\$100 |
| | 6" box, 12" file Includes cushion | PF1518EBFMC PF1522EBFMC | 22 ³ / ₄ " | 15" 15" | 18 ¾" 22 ¾" | 90 100 | \$990 \$1029 | +\$100 +\$104 |
| | includes cusilion | PF1528EBFMC | 22 ¾" | 15" | 28 ¾" | 110 | \$1070 | +\$108 |
| | 7.5" box, 10.5" file Includes cushion | PF1518EB7F10MC PF1522EB7F10MC PF1528EB7F10MC | 22 ³ ⁄ ₄ " 22 ³ ⁄ ₄ " 22 ³ ⁄ ₄ " | 15" 15" 15" | 18 ¾" 22 ¾" 28 ¾" | 90 100 110 | \$990 \$1029 \$1070 | +\$100 +\$104 +\$108 |
| | • | PF1522EB7F10MC | 22 ¾" | 15" | 22 ¾" | 100 | \$1029 | +5 |

Fabric upcharge for mobile cushion pedestals

Note: To price fabric grade options, add the upcharge (+\$) in the chart below to the base price of the List price (Grade A) column This will be the total cost for that product.

| Grade B/COM | Grade C | Grade D | Grade E | Grade F |
|-------------|---------|---------|---------|---------|
| +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |

System

Storage Pedestals

Nuform Front Pedestals with Flat Glides

General information

- Consult General Information for pull options
- Includes worksurface mounting holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high
- Woodgrain and solid colors available

| Description | | Part number | Height | Width | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|-------------------------------------|----------------------------|----------------|------------|----------------|--------------|------------------------------|-----------------------|
| | 2-12" files Flat Glides | GQF1522-2F GQF1528-2F | 26 %" 26 %" | 15" 15" | 22 ¾" 28 ¾" | 95 105 | \$1073 \$1228 | +\$108 +\$123 |
| | | | | | | | | |
| | 2-6" box, 1-12" file Flat Glides | GQF1522-2BF GQF1528-2BF | 26 %" 26 %" | 15" 15" | 22 ¾" 28 ¾" | 95 105 | \$1200 | +\$121 |
| | riat Gildes | UQF1320-2DF | 20 /8 | 15 | 20 74 | 105 | \$1317 | +\$132 |

Composite Veneer Front Pedestals with Flat Glides

General information

- Consult General Information for pull options
- Includes worksurface mounting holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high

| Description | | Part number | Height | Width | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|---------------------|-------------|---------|-------|-------|--------------|------------------------------|--------------------------|
| ^ | 2-12" file | GWF1522-2F | 26 %" | 15" | 22 ¾" | 95 | \$1366 | +\$138 |
| | Flat Glides | GWF1528-2F | 26 1/8" | 15" | 28 ¾" | 105 | \$1500 | +\$151 |
| - History | 2-6" box 1-12" file | GWF1522-2BF | 26 %" | 15" | 22 ¾" | 95 | \$1568 | +\$158 |
| | Flat Glides | GWF1528-2BF | 26 %" | 15" | 28 ¾" | 105 | \$1670 | +\$168 |



Pedestal Brackets

Storage Pedestals

General information

- Pedestal brackets are full height and may be painted to match case finish
- The height is nominal and includes the thickness of the worksurface above the storage
- Specific brackets are required for case type and mounting application
- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Brackets are handed and are ordered based on which side of the frame the bracket is being mounted to

| escription | | Part number | Height | Weight (lbs) | Neutral paint/ base price | Accent pair upcharg |
|------------|--|--------------------------------|--------|--------------|------------------------------|---------------------|
| | Full Height Pedestal Docking Bracket for 7900 Series, Nuform and Veneer fronts For use with 3 ½" T frames | IN28.5PEDLH-3F left handed | 28 ½" | 2 | \$79 | +\$9 |
| 6 s | Handed | IN28.5PEDRH-3F right handed | 28 ½" | 2 | \$79 | +\$9 |
| | Full Height Pedestal Docking Bracket for 9900, Radius and Linear Series fronts For use with 3 ½" T frames | IN28.5PEDGLH-3F left handed | 28 ½" | 2 | \$79 | +\$9 |
| | Handed | IN28.5PEDGRH-3F right handed | 28 ½" | 2 | \$79 | +\$9 |
| | Full Height Pedestal Docking Bracket for 7900 Series, Nuform and Veneer fronts | IN28.5PEDLH-2F left handed | 28 ½" | 2 | \$79 | +\$9 |
| | For use with 2 ¾" T frames Handed Full Height Pedestal Docking Bracket for 9900, Radius and Linear Series fronts For use with 2 ¾" T frames | IN28.5PEDRH-2F right handed | 28 ½" | 2 | \$79 | +\$9 |
| | Radius and Linear Series fronts For use with 2 ¾" T frames Handed | IN28.5PEDGLH-2F left handed | 28 ½" | 2 | \$79 | +\$9 |
| | | IN28.5PEDGRH-2F right handed | 28 ½" | 2 | \$79 | +\$9 |
| | Full Height Pedestal Docking Bracket for 7900 Series, Nuform and Veneer fronts For use with 1 ½" T screens | PEDBRKTFLH left handed | 28 ½" | 2 | \$40 | +\${ |
| | Handed | PEDBRKTFRH right handed | 28 ½" | 2 | \$40 | +\${ |
| | Full Height Pedestal Docking Bracket for 9900, Radius and Linear Series fronts For use with 1 1/2" T screens | PEDBRKTFELH left handed | 28 ½" | 2 | \$40 | +\${ |
| | Handed | PEDBRKTFERH right handed | 28 ½" | 2 | \$40 | +\$5 |
| | Full Height Pedestal Docking Bracket For use with ADDWALL | INLHPSBFHA left handed | _ | 2 | \$96 | +\$1 |
| | Handed | INRHPSBFHA right handed | _ | 2 | \$96 | +\$1 |



Lateral cabinets are of all-welded construction using 20 and 22 gauge high quality, tension leveled, and cold rolled steel. Drawer fronts, lift-up doors, roll-out shelves and all steel accessories are manufactured of the steel gauge appropriate to function at the highest quality level.

ANSI/BIFMA

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications.

Construction features & benefits All interiors are completely modular and interchangeable so that cabinets can be retrofitted with new accessories and interiors as required. Cabinet corners are welded at junction of top and case, eliminating horizontal lines for cleaner, flush appearance, and strengthened with reinforcing gussets. Double-wall construction allows liftup doors to be picked up and receded smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. Lift-up door carrier mechanism has four nylon rollers two on each side - for smooth receding action with no binding or snagging. Self-closing, 110° opening, European style cupboard hinges for smooth door operations. 7900 Series storage is single-wall construction.

The absence of scissor mechanism in doors and drawers eliminates the potential for scissors binding, and facilitates reconfiguration of cabinet openings as needed. Front leading edge of pullout shelves is beaded and rolled to provide grip for pullout action and strengthen shelf; front leading edge of fixed shelf is flat for easy removal of material. Fully progressive ball bearing suspension slides provide smooth action with minimum force.

Special "claw-like" device incorporated in suspension slide channel "grips" the fixed section of the suspension channel preventing drawer bounce-back or creep when drawer is closed. A patented Safelock™ interlock mechanism provides complete security and user safety against accidental opening of two or more drawers simultaneously. Lock fingers are configured with right angle bend upward not downward so that lift-up doors cannot be pulled down to disengage fingers from door slots and be forced to circumvent lock system. Lock bars operate vertically on both sides of cabinet for maximum security.

Laterals include 1 pair of hang file bars in 10.5" and 12" fixed fronts, 1 EDP kit in 13.5" and 15" fixed fronts, pencil tray in 3" multifile drawer and steel divider in 7.5" multi-file drawer, steel divider in 6" multi-file drawers and 3 divider plates in 13.5" liftups. Fixed shelf in lift-up is slotted in 1" increments. Lateral-to-panel bracket is required if lateral is

positioned on-module.

Note: System storage laterals and multifiles consist of slots in the back of the case to allow for panel mounted brackets to be secured.

Counterweights

Counterweights are required for ALL freestanding units that are not anchored or ganged to other cabinets or bolted to walls/ floor.

Counterweights come standard with ALL mobile pedestals and must be field installed.

Docking bracket

The Lateral Docking Bracket docks a lateral to an Inscape System panel on-module. Specify bracket according to depth of worksurface and based on the thickness of panel. ADDWALL lateral-to-wall bracket docks a lateral supporting a 24"deep worksurface to an ADDWALL movable wall on-module. For 30" deep worksurfaces, specify an ADDWALL right and left handed MSSB to dock worksurface to an ADDWALL movable wall. Counterweights are not required for laterals which are tied into the panel and worksurface supporting.

Glides

Inscape System laterals are standard with flat glides. Glides provide 0.125" height adjustment when docked and 0.625" height adjustment if unit is not docked. 2 glides in front and 2 in back are adjustable from inside the cabinet so that cabinets can be leveled regardless of whether they are backed against a wall or banked.

Locks

Standard with single bitted lock. If lock is not required add suffix '/NL' after product number and deduct \$48 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

Storage stabilizer bracket

Storage Stabilizer Bracket is specified when a storage case/Planna Storage lateral or pedestal is positioned directly adjacent to an Inscape System panel. This bracket does not create a gap between the case and the panel like a pedestal or lateral bracket does. No factory holes are required to be in the back of the case and are added at time of installation.

Finishes

All laterals are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to Finishes section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.



Storage

Laterals
General information

Front details & pull options

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. 7900 is single-wall construction. Refer to the images and chart below for pull application on 7900 Series, Nuform, and Veneer fronts.

| Pull | 7900 Series | Nuform | Veneer |
|--|----------------|--------|--------|
| FP001 | | | |
| P290 Aluminum Leaf Finish | | | |
| FP002 | | | |
| Matte Chrome Finish | | | |
| FP004 Raushed Nickel | | | |
| Brushed Nickel Finish | | | |
| | | | |
| FP005 Satin Nickel Finish | | | |
| FP007 Brushed Nickel Finish | +\$70 | +\$70 | +\$70 |
| FP008 Matte Chrome Finish | +\$70 | +\$70 | +\$70 |
| FP009 Nickel Plated Matte Finish | +\$70 | +\$70 | +\$70 |
| Available | Unavaila | able | |

Pulls FP004, FP005, FP007 and FP008 meet the guidelines for ADA compliance.

FP005 is the default pull for 7900 FP001 is the default pull for Nuform & Veneer

Note: FP002 is not available on hinged door cabinets.



- Includes slots in back for lateral to panel bracket, no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- Consult General Information for pull options

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|-------------------------|---------------|--------|-------|--------------|------------------------------|--------------------------|
| _ | 3" pencil, 2-10.5" file | GHF3024-P2F10 | 26 %" | 30" | 105 | \$967 | +\$98 |
| | Flat Glides | GHF3624-P2F10 | 26 %" | 36" | 125 | \$1054 | +\$106 |
| | | GHF4224-P2F10 | 26 %" | 42" | 135 | \$1146 | +\$115 |
| | 2-12" files | GHF3024-FF | 26 %" | 30" | 105 | \$808 | +\$82 |
| | Flat Glides | GHF3624-FF | 26 %" | 36" | 125 | \$889 | +\$90 |
| | | GHF4224-FF | 26 %" | 42" | 135 | \$978 | +\$99 |
| | | | | | | | |

System

Storage Laterals

7900 Series Front Laterals with Rectangular Glides

General information

- Includes slots in back for lateral to panel bracket, no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- Consult General Information for pull options
- Rectangular glides have an upcharge of \$28 per unit

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|-------------------------------|-----------------|---------|-------|--------------|------------------------------|--------------------------|
| ^ | 10.5" file, 12" file | INGH3022.5-F10F | 25 ¼" | 30" | _ | \$954 | +\$96 |
| | Rectangular Glides | INGH3622.5-F10F | 25 ¼" | 36" | _ | \$1046 | +\$105 |
| | - | INGH4222.5-F10F | 25 ¼" | 42" | _ | \$1149 | +\$116 |
| | 3" pencil, 7.5" box, 12" file | INGH3022.5-PB7F | 25 ¼" | 30" | | \$978 | +\$99 |
| | Rectangular Glides | INGH3622.5-PB7F | 25 1/4" | 36" | _ | \$1070 | +\$108 |
| | nootangalai Gilooo | INGH4222.5-PB7F | 25 1/4" | 42" | _ | \$1171 | +\$118 |



- Includes slots in back for lateral to panel bracket, no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|-----------------------------------|---------------|--------|-------|--------------|------------------------------|-----------------------|
| | 13.5 bookcase Insert, 10.5" file | GEF3024-BKF10 | 26 %" | 30" | 100 | \$952 | +\$96 |
| | Flat Glides | GEF3624-BKF10 | 26 %" | 36" | 125 | \$1020 | +\$103 |
| | | GEF4224-BKF10 | 26 %" | 42" | 135 | \$1108 | +\$112 |
| | Display Cabinet | GEF3024-2MS | 26 %" | 30" | 100 | \$685 | +\$70 |
| | Flat Glides | GEF3624-2MS | 26 %" | 36" | 125 | \$725 | +\$74 |
| | | GEF4224-2MS | 26 %" | 42" | 135 | \$798 | +\$81 |
| | 7.5" box, 16.5" bookcase insert | GEF3024-B7BK | 26 %" | 30" | 98 | \$1054 | +\$106 |
| | Flat Glides | GEF3624-B7BK | 26 %" | 36" | 108 | \$1121 | +\$113 |
| | | GEF4224-B7BK | 26 %" | 42" | 121 | \$1208 | +\$121 |
| _ | Bookcase with 1 shelf | GF3024-1BK18 | 26 %" | 30" | 49 | \$829 | +\$84 |
| | Flat Glides | GF3624-1BK18 | 26 %" | 36" | 57 | \$855 | +\$87 |
| | Adjustable or fixed shelf options | GF4224-1BK18 | 26 %" | 42" | 65 | \$868 | +\$88 |
| | 2-12" files | GEF3024-FF | 26 %" | 30" | 105 | \$954 | +\$96 |
| | Flat Glides | GEF3624-FF | 26 %" | 36" | 125 | \$1046 | +\$105 |
| | | GEF4224-FF | 26 %" | 42" | 135 | \$1149 | +\$116 |
| | 2-6" box, 12" file | GEF3024-2BF | 26 %" | 30" | 105 | \$1091 | +\$110 |
| | Flat Glides | GEF3624-2BF | 26 %" | 36" | 125 | \$1197 | +\$120 |
| | | GEF4224-2BF | 26 %" | 42" | 135 | \$1318 | +\$132 |
| | 3" pencil, 2-10.5" files | GEF3024-P2F10 | 26 %" | 30" | 105 | \$1137 | +\$114 |
| | Flat Glides | GEF3624-P2F10 | 26 %" | 36" | 125 | \$1240 | +\$125 |
| | | GEF4224-P2F10 | 26 %" | 42" | 135 | \$1349 | +\$135 |
| ~ | 13.5 lift up with Fixed Shelf, | GEF3024-LUF10 | 26 %" | 30" | 105 | \$951 | +\$96 |
| - | 10.5" file | GEF3624-LUF10 | 26 %" | 36" | 125 | \$1050 | +\$106 |
| | Flat Glides | GEF4224-LUF10 | 26 %" | 42" | 135 | \$1163 | +\$117 |

Storage Laterals

9900 Series Front Laterals with Rectangular Glides

General information

- Includes slots in back for lateral to panel bracket, no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- Rectangular glides have an upcharge of \$28 per unit

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--|-------------------------------|-----------------|---------|-------|--------------|------------------------------|--------------------------|
| ^ | 10.5" file, 12" file | INGE3022.5-F10F | 25 ¼" | 30" | _ | \$954 | +\$96 |
| - 33 | Rectangular Glides | INGE3622.5-F10F | 25 ¼" | 36" | _ | \$1046 | +\$105 |
| - Annual Control of the Control of t | • | INGE4222.5-F10F | 25 ¼" | 42" | _ | \$1149 | +\$116 |
| | 2-6" box, 10.5" file | INGE3022.52BF10 | 25 ¼" | 30" | _ | \$1091 | +\$110 |
| | Rectangular Glides | INGE3622.52BF10 | 25 ¼" | 36" | _ | \$1206 | +\$121 |
| | • | INGE4222.52BF10 | 25 ¼" | 42" | - | \$1318 | +\$132 |
| ^ | 3" pencil, 7.5" box ,12" file | INGE3022.5-PB7F | 25 ¼" | 30" | _ | \$978 | +\$99 |
| | Rectangular Glides | INGE3622.5-PB7F | 25 1/4" | 36" | _ | \$1070 | +\$108 |
| A STATE OF THE PARTY OF THE PAR | | INGE4222.5-PB7F | 25 ¼" | 42" | _ | \$1171 | +\$118 |



- Includes slots in back for lateral to panel bracket, no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- FP001 pull is standard. Consult General Information for pull options
 Woodgrain and solid colors available

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--------------------|------------------------------|--------------|--------|-------|--------------|------------------------------|-----------------------|
| | 2-12" files | GQF3024-2FF | 26 %" | 30" | 95 | \$1284 | +\$129 |
| | Flat Glides | GQF3624-2FF | 26 %" | 36" | 105 | \$1380 | +\$139 |
| | | GQF4224-2FF | 26 %" | 42" | 115 | \$1430 | +\$144 |
| | 2-6" box, 12" file | GQF3024-2BF | 26 %" | 30" | 95 | \$1546 | +\$156 |
| | Flat Glides | GQF3624-2BF | 26 %" | 36" | 105 | \$1650 | +\$166 |
| | | GQF4224-2BF | 26 %" | 42" | 115 | \$1723 | +\$173 |
| | Nuform Front Hinged Door | GQF3024HD | 26 %" | 30" | 75 | \$966 | +\$98 |
| \sim | Cabinet with no interior | GQF3624HD | 26 %" | 36" | 95 | \$1044 | +\$105 |
| | accessories | GQF4224HD | 26 %" | 42" | 110 | \$1184 | +\$119 |
| 1000 - 1000 | Nuform Front Hinged Door | GQF3024HD-SH | 26 %" | 30" | 75 | \$1052 | +\$106 |
| | Cabinet with 1 slotted shelf | GQF3624HD-SH | 26 %" | 36" | 95 | \$1130 | +\$114 |
| | | GQF4224HD-SH | 26 %" | 42" | 110 | \$1271 | +\$128 |

Storage Laterals

Composite Veneer Front Laterals with Flat Glides

General information

- Includes slots in back for lateral to panel bracket, no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- FP001 pull is standard. Consult General Information for pull options

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|--------------------------|--------------|---------|-------|--------------|------------------------------|-----------------------|
| | 2-12" files | GWF3024-2FF | 26 %" | 30" | 95 | \$1843 | +\$185 |
| | Flat Glides | GWF3624-2FF | 26 %" | 36" | 105 | \$1907 | +\$191 |
| | | GWF4224-2FF | 26 %" | 42" | 115 | \$1942 | +\$195 |
| | 2-6" box, 12" file | GWF3024-2BF | 26 %" | 30" | 95 | \$2267 | +\$228 |
| | Flat Glides | GWF3624-2BF | 26 %" | 36" | 105 | \$2377 | +\$239 |
| | | GWF4224-2BF | 26 %" | 42" | 115 | \$2463 | +\$247 |
| 5-00 | Composite Veneer Front | GWF3024HD | 26 %" | 30" | 75 | \$1115 | +\$112 |
| | Hinged Door Cabinet with | GWF3624HD | 26 %" | 36" | 95 | \$1203 | +\$121 |
| | no interior accessories | GWF4224HD | 26 %" | 42" | 110 | \$1368 | +\$138 |
| Pa-1000 | Composite Veneer Front | GWF3024HD-SH | 26 %" | 30" | 75 | \$1200 | +\$121 |
| | Hinged Door Cabinet with | GWF3624HD-SH | 26 %" | 36" | 95 | \$1288 | +\$129 |
| | 1 slotted shelf | GWF4224HD-SH | 26 1/8" | 42" | 110 | \$1452 | +\$146 |



- Lateral brackets are full height and may be painted to match case finish
- The height is nominal and includes the thickness of the worksurface above the storage
- Specific brackets are required for case type and for worksurfaces depth
- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Brackets are handed and are ordered based on which side of the frame the bracket is being mounted to

| Description | | Part number | Height | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|--|---|----------------|--------------|------------------------------|-----------------------|
| | Full Height Lateral Docking Bracket for 24"D worksurfaces For 7900, 9900 and Radius series For use with 3 ½" T frames Handed | IN28.5LBLH-3F left handed IN28.5LBRH-3F right handed | 28 ½" 28 ½" | 5 | \$87 \$87 | +\$10 |
| | Full Height Lateral Docking Bracket for 24"D worksurfaces | IN28.5LBGLH-3F left handed | 28 ½" | 5 | \$87 | +\$10 |
| | For GRID series For use with 3 ½" T frames Handed | IN28.5LBGRH-3F right handed | 28 ½" | 5 | \$87 | +\$10 |
| | Full Height Lateral Docking Bracket for 30"D worksurfaces | IN28.5LB30LH-3F | 28 ½" | 5 | \$113 | +\$13 |
| | For all series For use with 3 ½" T frames Handed | IN28.5LB30RH-3F right handed | 28 ½" | 5 | \$113 | +\$13 |
| | Full Height Lateral Docking Bracket for 24"D worksurfaces | IN28.5LBLH-2F left handed | 28 ½" | 5 | \$87 | +\$10 |
| | For 7900, 9900 and Radius series For use with 2 ¾" T frames Handed | IN28.5LBRH-2F right handed | 28 ½" | 5 | \$87 | +\$10 |
| | Full Height Lateral Docking Bracket for 24"D worksurfaces | IN28.5LBGLH-2F left handed | 28 ½" | 5 | \$87 | +\$10 |
| | For GRID series For use with 2 ¾" T frames Handed | IN28.5LBGRH-2F right handed | 28 ½" | 5 | \$87 | +\$10 |
| | Full Height Lateral Docking Bracket for 30"D worksurfaces | IN28.5LB30LH-2F left handed | 28 ½" | 5 | \$113 | +\$13 |
| 6 | For all series For use with 2 ¾" T frames Handed | IN28.5LB30RH-2F right handed | 28 ½" | 5 | \$113 | +\$13 |

Storage Laterals

Lateral Brackets

General information

- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Stabilizer brackets cannot be used with Modular Towers as they have chamfered corners
- ADDWALL brackets are handed and are ordered based on which side of the frame the bracket is being mounted to

| Description | | Part number | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|---|-----------------------------|--------------|------------------------------|-----------------------|
| 0 | Storage to Panel Stabilizer Bracket For use with 3 ½" T frames | INPSSB-3F | 1 | \$40 | +\$5 |
| 0 | Storage to Panel Stabilizer Bracket For use with 2 ¾" T frames | INPSSB-2F | 1 | \$40 | +\$5 |
| | ADDWALL Lateral Bracket Handed | INLHPSBWSHA left handed | _ | \$111 | +\$12 |
| | | INRHPSBWSHA right handed | _ | \$111 | +\$12 |



Workplace Towers are constructed of all-welded construction using high quality, tension leveled cold rolled steel. The steel gauge selected for drawer fronts, bodies and accessories ensure the highest quality durability and performance for all components.

Safelock™

The patented Safelock mechanism is standard on the 42" wide locker and on towers and lockers that have more than one file (10.5" and 12") drawer. It provides complete security against accidental opening of two or more drawers simultaneously. When any drawer is extended, even fractionally, Safelock ensures that all other openings immediately become inoperable.

Drawer standard equipment On pre-configured units, Lockers and towers containing 3" or 6" drawers are provided with one pencil tray per cabinet. 6" drawers are additionally standard with one steel divider. 10.5", 12" and 15" letter-width file drawers have one suspension bar for side-to-side filing of letter or legal-size folders. Full-width pullout drawers are standard with one pair hang file bars for side-to-side suspended filing. Full-width fixed shelves are standard with 3 plate dividers. Optional accessories are available. Build ups are ordered separately.

Glides

Overall heights are inclusive of metal glides. Heights may be increased up to 3/4" by extending the standard glide. Glides are accessible from inside the cabinet when the bottom drawer is fully extended or removed and may be adjusted with a 0.25" socket driver. Optional 1.5" stem glides are available.

Standard with single bitted lock. If lock is not required add suffix '/NL' after product number and deduct \$48 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

Wardrobe units

Wardrobe units are available in two different variations; freestanding and Storwal Storage and widths of 12", 15" and 18(the Storwal Storage version includes a 24" version). The freestanding version matches panel heights of 44", 51", 57" and 64"h. The Storwal version matches 51" and 64" versions. Wardrobe units are available in 9900 series, Nuform solid and Woodgrain and veneer (Storwal Storage 24" version only). Wardrobe units include the option of a coat road and upper shelf or multiple shelves (quantities listed below)

44"h version includes 2 shelves 51"h version includes 2 shelves 57"h version includes 2 shelves 64"h version includes 3 shelves

Wardrobe units are locking and include flat glides on the freestanding versions. Storwal Storage versions include round or rectangular glide.

Finishes

All towers are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

Front details & pull options

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. 7900 is single-wall construction. Refer to the images and chart below for pull application on 7900 Series, Nuform, and Veneer fronts.

| Pull | 7900 Series | Nuform | Veneer |
|--|----------------|--------|--------|
| FP001 P290 Aluminum | | | |
| Leaf Finish | | | |
| FP002 Matte Chrome Finish | | | |
| FP004 Brushed Nickel Finish | | | |
| FP005 Satin Nickel Finish | | | |
| FP007 Brushed Nickel Finish | +\$70 | +\$70 | +\$70 |
| FP008 Matte Chrome Finish | +\$70 | +\$70 | +\$70 |
| FP009 Nickel Plated Matte Finish | +\$70 | +\$70 | +\$70 |
| Available | Unavaila | able | |

Pulls FP004, FP005, FP007 and FP008 meet the guidelines for ADA compliance.

FP005 is the default pull for 7900 FP001 is the default pull for Nuform & Veneer

Note: FP002 is not available on hinged door cabinets.

Storage Towers

7900 Series Front Workplace Towers

General information

- Consult General Information for pull options
- Towers are 24" deep
- Flat glides
 49 %" H matches 51"H frame
 62 %" H matches 64" H frame

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|--|--|---------|-------|--------------|------------------------------|-----------------------|
| | Full-length door 8 %" wide on one side, 27" hinged door insert and 2-10.5" file drawers | GHFTL2446-2F10 left-handed hinged door (illustrated) | 49 3/8" | 24" | 120 | \$2698 | +\$270 |
| | 13 %" wide on the other Flat Glides | GHFTR2446-2F10 right-handed hinged door | 49 %" | 24" | 120 | \$2698 | +\$270 |
| | Full-length door 8 %" wide on one side, 27" hinged door insert, 1-7.5" file and 1-12" | GHFTL2446-B7F left-handed hinged door (illustrated) | 49 %" | 24" | 120 | \$2698 | +\$270 |
| | drawers 13 %" wide on the other Flat Glides | GHFTR2446-B7F right-handed hinged door | 49 %" | 24" | 120 | \$2698 | +\$270 |
| | Full-length door 8 3/16" wide on one side, 36" high hinged door insert and 2-12" file drawers 13 | GHFTL2460-2F left-handed hinged door (illustrated) | 62 %" | 24" | 185 | \$2698 | +\$270 |
| | %" wide on the other Flat Glides | GHFTR2460-2F right-handed hinged door | 62 %" | 24" | 185 | \$2698 | +\$270 |
| | Full-length door 8 3/16" wide on one side, 36" high hinged door insert, 2-6" box and 1-12" file | GHFTL2460-2BF left-handed hinged door (illustrated) | 62 1/8" | 24" | 185 | \$2698 | +\$270 |
| | drawers 13 %" wide on the other Flat Glides | GHFTR2460-2BF right-handed hinged door | 62 1/8" | 24" | 185 | \$2698 | +\$270 |



- Towers are 24" deep
- Flat glides
- Glides which come standard with towers will level to lower than the actual frame height
- System glides are required to be ordered separately in order to match top of 64"h frame top trim

CAUTION: Un-level floors may result in towers with leveling higher than the frame top trim

| Description | | Part number | Height | Width | Weight (lbs) | List price | Rectangular glides | Accent paint upcharge |
|-------------|---|--|--------|-------|--------------|------------|-----------------------|-----------------------|
| | Full-length door 14 1/4" wide | GETL2458-PB7FF | 64" | 24" | _ | \$3220 | +\$28 | +\$323 |
| | on one side, 24" hinged door insert, 1-3" pencil, 1-7.5" box and 2-12" file drawers 13 %" | GETL3058-PB7FF left-handed hinged door (illustrated) | 64" | 30" | _ | \$3687 | +\$28 | +\$370 |
| | wide on the other | GETR2458-PB7FF | 64" | 24" | _ | \$3220 | +\$28 | +\$323 |
| | Optional Rectangular Glides | GETR3058-PB7FF | 64" | 30" | _ | \$3687 | +\$28 | +\$370 |
| | | right-handed hinged door | | | | | | |
| | Full-length door 14 ¼" wide | GETL2458-P3F10 | 64" | 24" | _ | \$3220 | +\$28 | +\$323 |
| | on one side, 24" hinged door insert, 1-3" pencil and 3-10.5" file drawers 13 %" wide on the | GETL3058-P3F10 left-handed hinged door (illustrated) | 64" | 30" | - | \$3687 | +\$28 | +\$370 |
| | other | GETR2458-P3F10 | 64" | 24" | _ | \$3220 | +\$28 | +\$323 |
| | Optional Rectangular Glides | GETR3058-P3F10 | 64" | 30" | _ | \$3687 | +\$28 | +\$370 |
| | | right-handed hinged door | | | | | , | |

Storage

Towers 9900 Series Front Wardrobes

General information

- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INVR121852E-HD with Rectangular Glides would be \$1329 +\$28

| | | | | | | Flat & rour | nd glides | | |
|-------------|----------------------------|---|--------|-------|-------|---------------------|-----------|-----------------------|--------------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Shelves | Rectangular glides | Accent paint upcharge |
| | 9900 Series Wardrobe Tower | INVL121839E-HD | 41 %" | 12" | 18" | \$1130 | \$1130 | +\$28 | +\$114 |
| | to match 44" h panel | INVL122439E-HD | 41 %" | 12" | 24" | \$1218 | \$1218 | +\$28 | +\$122 |
| | | INVL151839E-HD | 41 %" | 15" | 18" | \$1218 | \$1218 | +\$28 | +\$122 |
| | | INVL152439E-HD | 41 %" | 15" | 24" | \$1254 | \$1254 | +\$28 | +\$126 |
| | | INVL181839E-HD | 41 %" | 18" | 18" | \$1254 | \$1254 | +\$28 | +\$126 |
| | | INVL182439E-HD | 41 %" | 18" | 24" | \$1267 | \$1267 | +\$28 | +\$127 |
| | | left-handed hinged door | | | | | | | |
| | | INVR121839E-HD | 41 %" | 12" | 18" | \$1130 | \$1130 | +\$28 | +\$114 |
| | | INVR122439E-HD | 41 %" | 12" | 24" | \$1218 | \$1218 | +\$28 | +\$122 |
| | | INVR151839E-HD | 41 %" | 15" | 18" | \$1218 | \$1218 | +\$28 | +\$122 |
| | | INVR152439E-HD | 41 %" | 15" | 24" | \$1254 | \$1254 | +\$28 | +\$126 |
| * | | INVR181839E-HD | 41 %" | 18" | 18" | \$1254 | \$1254 | +\$28 | +\$126 |
| | | INVR182439E-HD | 41 %" | 18" | 24" | \$1267 | \$1267 | +\$28 | +\$127 |
| | | right-handed hinged door (illustrated) | ,6 | .0 | | V.20. | ψ.20. | . 420 | |
| | 9900 Series Wardrobe Tower | INVL121846E-HD | 49 ¾" | 12" | 18" | \$1222 | \$1222 | +\$28 | +\$123 |
| | to match 51" h panel | INVL122446E-HD | 49 %" | 12" | 24" | \$1290 | \$1290 | +\$28 | +\$129 |
| | | INVL151846E-HD | 49 %" | 15" | 18" | \$1290 | \$1290 | +\$28 | +\$129 |
| | | INVL152446E-HD | 49 %" | 15" | 24" | \$1362 | \$1362 | +\$28 | +\$138 |
| | | INVL181846E-HD | 49 %" | 18" | 18" | \$1362 | \$1362 | +\$28 | +\$138 |
| | | INVL182446E-HD | 49 %" | 18" | 24" | \$1434 | \$1434 | +\$28 | +\$145 |
| | | left-handed hinged door | | | | | | | |
| | | INVR121846E-HD | 49 ¾" | 12" | 18" | \$1222 | \$1222 | +\$28 | +\$123 |
| | | INVR122446E-HD | 49 %" | 12" | 24" | \$1290 | \$1290 | +\$28 | +\$129 |
| | | INVR151846E-HD | 49 %" | 15" | 18" | \$1290 | \$1290 | +\$28 | +\$129 |
| | J | INVR152446E-HD | 49 %" | 15" | 24" | \$1362 | \$1362 | +\$28 | +\$138 |
| | | INVR181846E-HD | 49 %" | 18" | 18" | \$1362 | \$1362 | +\$28 | +\$138 |
| | | INVR182446E-HD | 49 %" | 18" | 24" | \$1434 | \$1434 | +\$28 | +\$145 |
| | | right-handed hinged door (illustrated) | | | | | | | |
| | 9900 Series Wardrobe Tower | INVL121852E-HD | 55 %" | 12" | 18" | \$1329 | \$1329 | +\$28 | +\$133 |
| | to match 57" h panel | INVL122452E-HD | 55 ¾" | 12" | 24" | \$1375 | \$1375 | +\$28 | +\$139 |
| | | INVL151852E-HD | 55 ¾" | 15" | 18" | \$1375 | \$1375 | +\$28 | +\$139 |
| | | INVL152452E-HD | 55 ¾" | 15" | 24" | \$1424 | \$1424 | +\$28 | +\$144 |
| | | INVL181852E-HD | 55 ¾" | 18" | 18" | \$1424 | \$1424 | +\$28 | +\$144 |
| | | INVL182452E-HD | 55 ¾" | 18" | 24" | \$1471 | \$1471 | +\$28 | +\$148 |
| | | left-handed hinged door | 00 /0 | | | Ψ | Ψιπι | 1423 | 14110 |
| | | INVR121852E-HD | 55 %" | 12" | 18" | \$1329 | \$1329 | +\$28 | +\$133 |
| | | INVR122452E-HD | 55 %" | 12" | 24" | \$1375 | \$1375 | +\$28 | +\$139 |
| | | INVR151852E-HD | 55 %" | 15" | 18" | \$1375 | \$1375 | +\$28 | +\$139 |
| | | INVR152452E-HD | 55 ¾" | 15" | 24" | \$1424 | \$1424 | +\$28 | +\$144 |
| | | INVR181852E-HD | 55 ¾" | 18" | 18" | \$1424 | \$1424 | +\$28 | +\$144 |
| | | INVR182452E-HD | 55 ¾" | 18" | 24" | \$1471 | \$1471 | +\$28 | +\$148 |
| | | right-handed hinged door (illustrated) | 23 /3 | .0 | | ¥:!!! | Ψ | , 420 | |



- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INVR121860E-HD with Rectangular Glides would be \$1358 +\$28

| | | | | | | Flat & rou | nd glides | | | |
|-------------|----------------------------|---|--------|-------|-------|---------------------|-----------|-----------------------|-----------------------|--|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Shelves | Rectangular glides | Accent paint upcharge | |
| | 9900 Series Wardrobe Tower | INVL121860E-HD | 62 %" | 12" | 18" | \$1358 | \$1358 | +\$28 | +\$137 | |
| | to match 64" h panel | INVL122460E-HD | 62 %" | 12" | 24" | \$1434 | \$1434 | +\$28 | +\$145 | |
| | | INVL151860E-HD | 62 %" | 15" | 18" | \$1434 | \$1434 | +\$28 | +\$145 | |
| | | INVL152460E-HD | 62 %" | 15" | 24" | \$1475 | \$1475 | +\$28 | +\$149 | |
| | | INVL181860E-HD | 62 %" | 18" | 18" | \$1475 | \$1475 | +\$28 | +\$149 | |
| | | INVL182460E-HD | 62 %" | 18" | 24" | \$1517 | \$1517 | +\$28 | +\$153 | |
| | | left-handed hinged door | | | | | | | | |
| | | INVR121860E-HD | 62 %" | 12" | 18" | \$1358 | \$1358 | +\$28 | +\$137 | |
| | | INVR122460E-HD | 62 %" | 12" | 24" | \$1434 | \$1434 | +\$28 | +\$145 | |
| | | INVR151860E-HD | 62 %" | 15" | 18" | \$1434 | \$1434 | +\$28 | +\$145 | |
| | | INVR152460E-HD | 62 %" | 15" | 24" | \$1475 | \$1475 | +\$28 | +\$149 | |
| | | INVR181860E-HD | 62 %" | 18" | 18" | \$1475 | \$1475 | +\$28 | +\$149 | |
| | | INVR182460E-HD right-handed hinged door (illustrated) | 62 %" | 18" | 24" | \$1517 | \$1517 | +\$28 | +\$153 | |

Storage

Towers

Nuform Front Wardrobes

General information

- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height
- Consult General Information for pull options
- Woodgrain and solid colors available

Notes

Nu
form Wardrobes are available with an eLock option. Add \$310 to list price for eLock.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INVR121852Q-HD with Rectangular Glides would be \$1595 +\$28

| | | | | | | Flat & rour | d glides | | |
|-------------|-------------------------|--|--------|-------|-------|---------------------|----------|-----------------------|-----------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Shelves | Rectangular glides | Accent paint upcharge |
| | uform Wardrobe Tower to | INVL121839Q-HD | 41 %" | 12" | 18" | \$1358 | \$1358 | +\$28 | +\$137 |
| ma | atch 44" h panel | INVL122439Q-HD | 41 %" | 12" | 24" | \$1463 | \$1463 | +\$28 | +\$148 |
| | ock option available | INVL151839Q-HD | 41 %" | 15" | 18" | \$1463 | \$1463 | +\$28 | +\$148 |
| | ock option available | INVL152439Q-HD | 41 %" | 15" | 24" | \$1504 | \$1504 | +\$28 | +\$152 |
| | | INVL181839Q-HD | 41 %" | 18" | 18" | \$1504 | \$1504 | +\$28 | +\$152 |
| | | INVL182439Q-HD | 41 %" | 18" | 24" | \$1520 | \$1520 | +\$28 | +\$153 |
| | | left-handed hinged door | | | | | | | |
| | | INVR121839Q-HD | 41 %" | 12" | 18" | \$1358 | \$1358 | +\$28 | +\$137 |
| | | INVR122439Q-HD | 41 %" | 12" | 24" | \$1463 | \$1463 | +\$28 | +\$148 |
| | | INVR151839Q-HD | 41 %" | 15" | 18" | \$1463 | \$1463 | +\$28 | +\$148 |
| | | INVR152439Q-HD | 41 %" | 15" | 24" | \$1504 | \$1504 | +\$28 | +\$152 |
| | | INVR181839Q-HD | 41 %" | 18" | 18" | \$1504 | \$1504 | +\$28 | +\$152 |
| | | INVR182439Q-HD | 41 %" | 18" | 24" | \$1520 | \$1520 | +\$28 | +\$153 |
| | | right-handed hinged door (illustrated) | | | | | | | |
| Nu | uform Wardrobe Tower to | INVL121846Q-HD | 49 %" | 12" | 18" | \$1467 | \$1467 | +\$28 | +\$148 |
| ma | atch 51" h panel | INVL122446Q-HD | 49 %" | 12" | 24" | \$1547 | \$1547 | +\$28 | +\$156 |
| | • | INVL151846Q-HD | 49 %" | 15" | 18" | \$1547 | \$1547 | +\$28 | +\$156 |
| eL | ock option available | INVL152446Q-HD | 49 %" | 15" | 24" | \$1632 | \$1632 | +\$28 | +\$164 |
| | | INVL181846Q-HD | 49 %" | 18" | 18" | \$1632 | \$1632 | +\$28 | +\$164 |
| | | INVL182446Q-HD | 49 %" | 18" | 24" | \$1722 | \$1722 | +\$28 | +\$173 |
| | | left-handed hinged door | | | | | | | |
| | | INVR121846Q-HD | 49 %" | 12" | 18" | \$1467 | \$1467 | +\$28 | +\$148 |
| | | INVR122446Q-HD | 49 %" | 12" | 24" | \$1547 | \$1547 | +\$28 | +\$156 |
| | | INVR151846Q-HD | 49 %" | 15" | 18" | \$1547 | \$1547 | +\$28 | +\$156 |
| | | INVR152446Q-HD | 49 %" | 15" | 24" | \$1632 | \$1632 | +\$28 | +\$164 |
| | | INVR181846Q-HD | 49 %" | 18" | 18" | \$1632 | \$1632 | +\$28 | +\$164 |
| | | INVR182446Q-HD | 49 %" | 18" | 24" | \$1722 | \$1722 | +\$28 | +\$173 |
| | | right-handed hinged door (illustrated) | | | | | | | |
| Nu | uform Wardrobe Tower to | INVL121852Q-HD | 55 %" | 12" | 18" | \$1595 | \$1595 | +\$28 | +\$161 |
| _ ∫ ma | atch 57" h panel | INVL122452Q-HD | 55 %" | 12" | 24" | \$1650 | \$1650 | +\$28 | +\$166 |
| | ock option available | INVL151852Q-HD | 55 %" | 15" | 18" | \$1650 | \$1650 | +\$28 | +\$166 |
| | ock option available | INVL152452Q-HD | 55 %" | 15" | 24" | \$1706 | \$1706 | +\$28 | +\$171 |
| | | INVL181852Q-HD | 55 %" | 18" | 18" | \$1706 | \$1706 | +\$28 | +\$171 |
| | | INVL182452Q-HD | 55 %" | 18" | 24" | \$1765 | \$1765 | +\$28 | +\$177 |
| | | left-handed hinged door | | | | | | | |
| | | INVR121852Q-HD | 55 %" | 12" | 18" | \$1595 | \$1595 | +\$28 | +\$161 |
| | | INVR122452Q-HD | 55 %" | 12" | 24" | \$1650 | \$1650 | +\$28 | +\$166 |
| | | INVR151852Q-HD | 55 %" | 15" | 18" | \$1650 | \$1650 | +\$28 | +\$166 |
| | | INVR152452Q-HD | 55 %" | 15" | 24" | \$1706 | \$1706 | +\$28 | +\$171 |
| | | INVR181852Q-HD | 55 %" | 18" | 18" | \$1706 | \$1706 | +\$28 | +\$171 |
| | | INVR182452Q-HD | 55 ¾" | 18" | 24" | \$1765 | \$1765 | +\$28 | +\$177 |
| | | right-handed hinged door (illustrated) | | | | | | | |



- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height.
- Consult General Information for pull options
- Woodgrain and solid colors available

Notes

Nu
form Wardrobes are available with an eLock option. Add \$310 to list price for eLock.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INVR121860Q-HD with Rectangular Glides would be \$1629 +\$28

| | | | | | | Fial & rour | ia gilaes | | | |
|-------------|--------------------------|--|--------|-------|-------|------------------|-----------|-----------------------|-----------------------|--|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Shelves | Rectangular glides | Accent paint upcharge | |
| | Nuform Wardrobe Tower to | INVL121860Q-HD | 62 %" | 12" | 18" | \$1629 | \$1629 | +\$28 | +\$164 | |
| | match 64" h panel | INVL122460Q-HD | 62 %" | 12" | 24" | \$1722 | \$1722 | +\$28 | +\$173 | |
| | al aak antian available | INVL151860Q-HD | 62 %" | 15" | 18" | \$1722 | \$1722 | +\$28 | +\$173 | |
| | eLock option available | INVL152460Q-HD | 62 %" | 15" | 24" | \$1771 | \$1771 | +\$28 | +\$178 | |
| | | INVL181860Q-HD | 62 %" | 18" | 18" | \$1771 | \$1771 | +\$28 | +\$178 | |
| | | INVL182460Q-HD | 62 %" | 18" | 24" | \$1819 | \$1819 | +\$28 | +\$183 | |
| | | left-handed hinged door | | | | | | | | |
| | | | | | | | | | | |
| | | INVR121860Q-HD | 62 %" | 12" | 18" | \$1629 | \$1629 | +\$28 | +\$164 | |
| | | INVR122460Q-HD | 62 %" | 12" | 24" | \$1722 | \$1722 | +\$28 | +\$173 | |
| | | INVR151860Q-HD | 62 %" | 15" | 18" | \$1722 | \$1722 | +\$28 | +\$173 | |
| | | INVR152460Q-HD | 62 %" | 15" | 24" | \$1771 | \$1771 | +\$28 | +\$178 | |
| | | INVR181860Q-HD | 62 %" | 18" | 18" | \$1771 | \$1771 | +\$28 | +\$178 | |
| | | INVR182460Q-HD | 62 %" | 18" | 24" | \$1819 | \$1819 | +\$28 | +\$183 | |
| | | right-handed hinged door (illustrated) | | | | | | | | |



Storage

Overhead storage General information

Overhead storage bins

Overhead storage bins may be panel mounted on or off module as well as wall mounted. Overheard bins are fabricated from minimum 20 gauge steel with horizontal reinforcing channels. Task lights and bin-mounted sorters are easily installed beneath bins without tools. Bins are available in 6" increments from 24" to 48" wide. General maximum recommended load for overhead bins is 3lbs per linear inch. Bins are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process and are available in all colors shown in the Inscape color guide.


Overhead bins are 13 %" deep and have lift- up flipper doors that glide on ball bearing slides. Soft-down bins feature a soft-down mechanism that slows the speed at which the overhead doors close. Bins are available with and without locks. The lock mechanism engages both sides of the overhead case to prevent forcible entry. Vertical sides of the Radius bin fronts are capped with black ABS plastic. Standard and soft-down overhead bins may be specified with Nuform woodgrain fronts. Woodgrain fronts are available in any of our standard woodgrain finishes. Soft-down bins may be specified with Veneer fronts.

Veneer bins

Veneer bins have a no pull option. These fronts do not have a pull as the bottom edge of the door hangs slightly below the bottom edge of the case, providing a natural pull feature for easy opening. For the no pull option add suffix '/FP000'.

Overhead bin brackets

Overhead bin brackets are finished in black and mount into the panel upright for on module bracket or utilize special brackets for off-module condition. Off-module brackets are specific to frame thickness. Specific Overhead Bin brackets are required for mounting onto a 44" and 57"h frame as well as 6.75" and 20.25"h stack-ons (on module).



| On module bracket | Off-module |
|--|---|
| Both brackets attach into upright slots on upright | Both brackets are mounted off module only |
| Does not require tile behind | Must be further than %" from module line |
| | Requires tile behind |

Alignment brackets

Alignment brackets are required if overhead storage units are mounted bin-to-bin or bin-to-shelf or shelf-to-shelf. One bracket is required.

Twin-bins

Twin-bins are 5.75" deep on each side of the supporting frame. Twin-Bins may be specified to install in both the lower and upper position of the frame. Bins are manufactured from minimum 20 gauge steel with an extruded aluminum reinforced top. Double wall, sliding doors on each side of the unit, slide easily across the recessed groove built into the bin front. Twin-Bins are available with or without locks. The locking mechanism is individualized for each side of the unit, allowing for personal privacy on either side. Twin-Bins are available in 36", 42", 48" and 60" widths. Recommended maximum load for Twin-Bins is 3lbs per linear inch. Bins are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process and are available in any of the colors shown in our Color Guide. Side pulls on Radius fronts are manufactured from ABS black plastic. Woodgrain fronts are available in any of our standard woodgrain finishes.

Handles are standard in aluminum finish and are located on the front of the sliding door. Case may still be ordered in any of the colors shown in our Color Guide.

Electrified twin bin

The electrified twin bin is built on the same premise as the standard Twin Bin with the addition of electrical and a sliding door with locking capabilities in two positions. All electrical components are specified separately including power track, receptacles and jumper cables. The sliding door may lock either the binder storage portion (full depth of bin) or the electrified portion which is the center portion which is approximately 5"d. The back of the Electrified Twin Bin may be clad with either a tackboard or whiteboard which are both specific to this storage unit. A shelf may also be optioned for the electrified portion which is field installed midway between top and bottom of opening. A gap in the shelf allows for the cord of an electronic unit to plug into duplex (located near base of opening) and still sit on top of shelf.

NOTE: these accessories are NOT compatible with the standard Twin Bin. See Application Guide for more details.

Specify Twin-Bin mounting brackets separately according to location on frame. 1 bracket per Twin-Bin is required. Specify 13.5" high bottom tiles when lower position mounting bracket is specified. When stacking Twin-Bins a 6.75" high tile minimum must separate the two. Do not specify over Power Track Kit. Twin-Bins specified with 44"H frames cannot be used above a worksurface. It is not recommended to specify Twin-Bins on wing panels. Twin-Bins should only be specified on spine panels for adequate stability.

Overhead shelves

Overhead Shelves may be panel-mounted both on and off-module or wall-mounted. Shelves are manufactured from minimum 20 gauge steel. Shelves are 13.75" deep.

Task lights and shelf-mounted sorters may easily be installed beneath panel-mounted shelves without tools. General maximum recommended load for overhead shelves is 3 lbs. per linear inch. Shelves are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process.



Overhead Shelf Brackets

Overhead Shelf Brackets are specified to mount shelf on or off-module to the frame. The on-module bracket may be used with either thickness of panel. If a shelf is desired in an off module condition a special bracket is required. Wall mount brackets are also available. Drywall mounting brackets do not include fasteners. The installer must ensure the surface is adequately constructed and/or braced and that adequate fasteners are used to ensure a secure installation.

Up-mount bin

The Up-Mount Bin is constructed of 24 gauge steel on the back and 20 gauge steel on bottom, sides and top. The Up-Mount Bin is ordered and shipped independent of the stanchion kit, top trim and accessories to hang on back of bin. The stanchion kit includes hardware to mount the stanchions on the crossrail of the frame and top trim (tapered or flat). Stanchion kits are specified based on thickness of frame in which the Up-Mount Bin is being installed. The backs of all Up-Mount Bins require either a whiteboard or a tackboard to provide a clean aesthetic. These accessories are specific to the Up-Mount Bin and include mounting hardware. The stanchion and Up-Mount Bin provide an overall height of 20.25" module matching adjacent panel heights. The bin is12.75" deep and may be specified directly adjacent to another Up-Mount Bin facing the opposite direction; creating a "Twin-Bin" effect. Separate top cap and two stanchions will be required for each bin.

The Up-Mount Bin has the option to also be mounted on either thickness of frame like a traditional bin. When this option is selected covers will be included to hide the bracket hooks.

Locks

Standard with single bitted lock. If lock is not required add suffix '/NL' after product number and deduct \$48 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

Finishes

All overhead units are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an upcharge and are be subject to extended lead times. All interior drawers/shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

Front details & pull options

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. 7900 is single-wall construction. Refer to the images and chart below for pull application on 7900 Series, Nuform, and Veneer fronts.

| Pull | 7900 Series | Nuform | Veneer |
|----------------------------------|----------------|--------|--------|
| FP001 | | | |
| P290 Aluminum Leaf Finish | | | |
| FP002 | | | |
| Matte Chrome Finish | | | |
| FP004 Brushed Nickel Finish | | | |
| FP005 Satin Nickel Finish | | | |
| FP007 Brushed Nickel Finish | +\$70 | +\$70 | +\$70 |
| FP008 Matte Chrome Finish | +\$70 | +\$70 | +\$70 |
| FP009 Nickel Plated Matte Finish | +\$70 | +\$70 | +\$70 |
| Available | Unavaila | able | |

Pulls FP004, FP005, FP007 and FP008 meet the guidelines for ADA compliance.

FP005 is the default pull for 7900

FP001 is the default pull for Nuform and Veneer

Note: FP002 is not available on hinged door cabinets.

Storage Overhead Storage Storage Bins

General information

- Bracket ordered separately
- On module and aff module mounting options available
- Consult General Information for pull options
- Nuform woodgrain and solid colors available
 Cannot span tiles below overhead bins

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--|------------------------------|-----------------|-----------|-----------|--------------|------------------------------|--------------------------|
| 63742 | 7900 Series Front Standard | INPHHB24 | 14" | 24" | 34 | \$408 | +\$42 |
| | Overhead Bin | INPHHB30 | 14" | 30" | 40 | \$418 | +\$43 |
| No. of the last of | | INPHHB36 | 14" | 36" | 46 | \$429 | +\$44 |
| T | | INPHHB42 | 14" | 42" | 52 | \$455 | +\$46 |
| | | INPHHB48 | 14" | 48" | 58 | \$479 | +\$49 |
| | | | | | | | |
| | 9900 Series Front Standard | INPHEB24 | 14" | 24" | 34 | \$479 | +\$49 |
| | Overhead Bin | INPHEB30 | 14" | 30" | 40 | \$491 | +\$50 |
| | Overnead Bill | INPHEB36 | 14" | 36" | 46 | \$504 | +\$51 |
| | | INPHEB42 | 14" | 42" | 52 | \$533 | +\$54 |
| | | | | 42 48" | | · | |
| | | INPHEB48 | 14" | 48 | 58 | \$565 | +\$57 |
| | 9900 Series Front Soft-Down | INPHEB24SD | 14" | 24" | 34 | \$590 | +\$60 |
| | Overhead Bin | INPHEB30SD | 14" | 30" | 40 | \$599 | +\$60 |
| | Overnead Bill | INPHEB36SD | 14" | 36" | 46 | \$620 | +\$62 |
| | | INPHEB42SD | 14" | 42" | 52 | \$656 | +\$66 |
| | | INPHEB48SD | 14 14" | 42 48" | 52 58 | \$692 | +\$66 +\$71 |
| | | III 1125-1005 | 14 | 40 | 00 | Ψ002 | 1071 |
| | Nuform Front Standard | INPHQB24 | 14" | 24" | 34 | \$682 | +\$70 |
| - | Overhead Bin | INPHQB30 | 14" | 30" | 40 | \$693 | +\$71 |
| | 1.4() | INPHQB36 | 14" | 36" | 46 | \$716 | +\$73 |
| المسلمان المالا | <u> </u> | INPHQB42 | 14" | 42" | 52 | \$758 | +\$77 |
| 111111111111111111111111111111111111111 | | INPHQB48 | 14" | 48" | 58 | \$798 | +\$81 |
| | Nuform Front Soft-Down | INPHQB24SD | 14" | 24" | 34 | \$722 | +\$74 |
| | Overhead Bin | INPHQB30SD | 14" | 30" | 40 | \$747 | +\$76 |
| | Overnead bill | INPHQB36SD | 14" | 36" | 46 | \$747 \$771 | +\$78 |
| THE PARTY IN | W. W. | | | | | · | |
| 111111111111111111111111111111111111111 | | INPHQB42SD | 14" | 42" | 52 | \$796 | +\$81 |
| IAM TO THE REAL PROPERTY OF THE PARTY OF THE | | INPHQB48SD | 14" | 48" | 58 | \$822 | +\$83 |
| | Composite Veneer Front Soft- | INPHWB24SD | 14" | 24" | 34 | \$1051 | +\$106 |
| | Down Bin | INPHWB30SD | 14" | 30" | 40 | \$1124 | +\$113 |
| | A'8(I | INPHWB36SD | 14" | 36" | 46 | \$1198 | +\$120 |
| MARGINE | 414 | INPHWB42SD | 14" | 42" | 52 | \$1270 | +\$128 |
| (1) 11/1 | | INPHWB48SD | 14" | 48" | 58 | \$1343 | +\$135 |
| | | 1117 FT W D403D | 14 | 40 | 56 | Φ1343 | +φ133 |



- Hinged door bin is for wall mounted application only
- Hinged Door Bin options Nuform, laminate and veneer come with a lock. Options glass and acrylic do not
- Hinged door bins have a door that extends down a litle bit below the bin so that is acts like a handle. no face mounted handle is required
- Up-Mount Bin may be installed on a wall or panel using wall or panel brackets
- If the option to panel mount the Up-Mount Bin is selected cover will be included to hide the bracket hooks
- Optional colored insert available for Up-Mount bin only. See accessories section
- Optional top available for Up-mount bin only. See accessories section
- When the Up-Mount Bin is being mounted on a wall, the optional Flush Mount Kit can be installed on bottom side of bin to cover understructure typically used for stanchion mount
- The Flush Mount Kit is not to be used when stanchion mounting to the bin

Notes

Up-Mount Bins MUST always be specified to include a tack board or whiteboard specific to the up-mount bin width when installed on stanchion, as they cover holes on the back of the bin. See accessories section

If selecting the panel mounted option for the Up-Mount Bin, add \$94 list per bin.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INWMBHG24 in Veneer would be \$960 +\$156

| Description | Part number | Height | Width | Nuform & laminate | Grade 1 laminate | Veneer | Frosted glass | Frosted acrylic | Accent paint |
|-------------|-------------|--------|-------|----------------------|---------------------|--------|---------------|-----------------|--------------|
| | INWMBHG24 | 14" | 24" | \$960 | +\$308 | +\$156 | +\$408 | +\$332 | +\$97 |
| | INWMBHG30 | 14" | 30" | \$1012 | +\$324 | +\$182 | +\$448 | +\$357 | +\$102 |

Hinged Door Bin

| Description | | Part number | Height | Width | Neutral paint/ base price | Flush bottom required | Accent paint |
|-------------|--------------|-------------|--------|-------|------------------------------|-----------------------|--------------|
| ~ | Up-Mount Bin | INPHUMB24 | 14" | 24" | \$553 | +\$97 | +\$56 |
| | · | INPHUMB30 | 14" | 30" | \$572 | +\$100 | +\$58 |
| | | INPHUMB36 | 14" | 36" | \$589 | +\$103 | +\$59 |
| | | INPHUMB42 | 14" | 42" | \$617 | +\$110 | +\$62 |
| | | INPHUMB48 | 14" | 48" | \$631 | +\$116 | +\$64 |
| | | INPHUMB54 | 14" | 54" | \$658 | +\$123 | +\$66 |
| | | INPHUMB60 | 14" | 60" | \$722 | +\$130 | +\$74 |

Storage Overhead Storage Storage Bin Brackets

General information

- Brackets are for use with both standard and soft-down bins
- On-module and off module brackets are black and ship as pairs
- Off-module brackets must be situated so both sides are off module on the frame (min 5%" from module line)
- Wall mount bracket available in standard paint colors
- Alignment bracket must be specified when any overhead unit is specified adjacent to another
- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Specific Overhead Bin brackets are required for mounting onto a 44" and 57"h frame as well as 6.75" and 20.25"h stack-ons (on module)

| Description | | Part number | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|---|---|---------------------------------|------------------|---|---|
| | On Module Overhead Bin Bracket | INBBKT INBBKT-4457 for use with 44" H & 57" H frames | = | 0.2 0.2 | \$47 \$47 | <u>-</u> |
| | Off Module Overhead Bin Bracket For use with 3 ½" T frames | INOFBBKT-3F | _ | 0.2 | \$138 | _ |
| | Off Module Overhead Bin Bracket For use with 2 ¾" T frames | INOFBBKT-2F | _ | 0.2 | \$138 | _ |
| 77 8 8 | Alignment Bracket (pair) | INAB | _ | 0.1 | \$13 | |
| | Wall Mounted Bin Bracket | INWMBBKT-24 INWMBBKT-30 INWMBBKT-36 INWMBBKT-42 INWMBBKT-48 | 24" 30" 36" 42" 48" | 2 5 5 6 | \$228 \$230 \$232 \$239 \$242 | +\$24 +\$24 +\$24 +\$25 +\$25 |
| A | ADDWALL Overhead Bin Bracket | INLHOHBBA INRHOHBBA | | | \$83 \$83 | +\$10 +\$10 |
| 4. | Reform Overhead Bin Bracket | INBBKTR | _ | _ | \$83 | _ |



- Up-mount bins stanchions must be specified to suppport a frame mounte up-mount bin
- Top caps included with stantion kits and are specifyed to match frame and bin width
- Stanchions are specific to the Inscape System frame and can not be used with Bench

Alignment Bracket (pair)

- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Specific Overhead Bin brackets are required for mounting onto a 44" and 57"h frame as well as 6.75" and 20.25"h stack-ons (on module)

0.1

\$13

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|--|----------------|----------------------------------|-------|--------------|------------------------------|-----------------------|
| S. | Stanchion Kit for Up-Mount Bins | INUBSTNKT24-3F | 5 ¼" | 24" | _ | \$308 | +\$32 |
| | For use with 3 1/2" T frames | INUBSTNKT30-3F | 5 1/4" | 30" | _ | \$319 | +\$33 |
| | | INUBSTNKT36-3F | 5 1/4" | 36" | _ | \$326 | +\$34 |
| 10 | | INUBSTNKT42-3F | 5 1/4" | 42" | _ | \$335 | +\$34 |
| | | INUBSTNKT48-3F | 5 1/4" | 48" | _ | \$342 | +\$35 |
| | | INUBSTNKT54-3F | 5 1/4" | 54" | _ | \$353 | +\$36 |
| | | INUBSTNKT60-3F | 5 ¼" | 60" | _ | \$363 | +\$37 |
| S | Stanchion Kit for Up-Mount Bins | INUBSTNKT24-2F | 5 ¼" | 24" | _ | \$308 | +\$32 |
| | For use with 2 ¾" T frames | INUBSTNKT30-2F | 5 ¼" | 30" | _ | \$319 | +\$33 |
| | | INUBSTNKT36-2F | 5 ¼" | 36" | _ | \$326 | +\$34 |
| D | | INUBSTNKT42-2F | 5 ¼" | 42" | _ | \$335 | +\$34 |
| | | INUBSTNKT48-2F | 5 ¼" | 48" | _ | \$342 | +\$35 |
| | | INUBSTNKT54-2F | 5 ¼" | 54" | _ | \$353 | +\$36 |
| | | INUBSTNKT60-2F | 5 ¼" | 60" | _ | \$363 | +\$37 |
| Description | | Part n | ımber | | Width | Weight (lbs) | List price |
| ITAS: | On Module Overhead Bin Bracket | INBB | KTUP-3F | | _ | 0.2 | \$47 |
| | For use with the Up-Mount Bin on a 3 1/2" T frame | INBB | KTUP-3F44 with 44" H & 57 | - | _ | 0.2 | \$47 |
| # 1 | On Module Overhead Bin Bracket For use with the Up-Mount Bin on a 2 ¾" T frame | INBB | KT KT-4457 with 44" H & 57 | " H | _ _ _ | 0.2 0.2 | \$47 \$47 |

frames

INAB



Storage Overhead Storage Shelves + Brackets

General information

- On-module brackets are painted and ship as pairs
- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Alignment bracket must be specified when any shelf is specified adjacent to another

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent pain upcharge |
|--|--|-------------|--------|-------|--------------|------------------------------|----------------------|
| | 13 %" D Standard Shelf | INPS1324 | _ | 24" | 4 | \$62 | +\$8 |
| | | INPS1330 | _ | 30" | 6 | \$75 | +\$9 |
| The state of the s | | INPS1336 | _ | 36" | 8 | \$79 | +\$9 |
| War. | | INPS1342 | _ | 42" | 10 | \$85 | +\$10 |
| | | INPS1348 | _ | 48" | 12 | \$89 | +\$10 |
| | | INPS1354 | _ | 54" | 14 | \$102 | +\$11 |
| | | INPS1360 | _ | 60" | 16 | \$110 | +\$12 |
| | On Module Standard Shelf Bracket For use with 3 ½" T frames | INSB13-3F | _ | _ | 3 | \$127 | +\$14 |
| | On Module Standard Shelf Bracket For use with 2 ¾" T frames | INSB13-2F | - | _ | 3 | \$127 | +\$14 |
| | Wall Mount Standard Shelf Bracket | INSB1324W | _ | 24" | 7 | \$265 | +\$28 |
| 4 | | INSB1330W | _ | 30" | 8 | \$269 | +\$28 |
| - | | INSB1336W | _ | 36" | 8 | \$273 | +\$28 |
| 07 | | INSB1342W | _ | 42" | 9 | \$277 | +\$29 |
| | | INSB1348W | _ | 48" | 9 | \$281 | +\$29 |
| | ADDWALL Shelf Bracket | INLHP13A | _ | _ | _ | \$156 | +\$17 |
| | Reform Shelf Bracket | INSB13R | _ | _ | _ | \$156 | +\$17 |
| | Alignment Bracket (pair) | INAB | - | _ | 0.1 | \$13 | _ |



- Up-mount overhead bins MUST always be specified to include a tackboard or whiteboard specific to the up-mount bin width (cover holes in back) when mounted on stantions
- Overhead bin top is an optional aesthetic
- %" top is installation ready, complete with double sided tape for adhesion to case

Note

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint upcharge |
|-------------|--------------------------------|-------------|---------|-------|--------------|------------|-----------------------|
| | Colored Insert for back of bin | IN12INSRT24 | 12 %" | 24" | _ | \$90 | +\$10 |
| | For Up-Mounted bin only | IN12INSRT30 | 12 1/8" | 30" | _ | \$94 | +\$11 |
| | | IN12INSRT36 | 12 1/8" | 36" | _ | \$100 | +\$11 |
| | | IN12INSRT42 | 12 1/8" | 42" | _ | \$104 | +\$12 |
| | | IN12INSRT48 | 12 %" | 48" | _ | \$110 | +\$12 |
| | Up-Mount Bin Whiteboard | INUBWHB1424 | 14" | 24" | _ | \$37 | _ |
| | | INUBWHB1430 | 14" | 30" | _ | \$40 | _ |
| | | INUBWHB1436 | 14" | 36" | _ | \$44 | _ |
| | | INUBWHB1442 | 14" | 42" | _ | \$50 | _ |
| | | INUBWHB1448 | 14" | 48" | _ | \$56 | _ |
| | | INUBWHB1454 | 14" | 54" | _ | \$64 | _ |
| | | INUBWHB1460 | 14" | 60" | _ | \$66 | _ |

| Description | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 |
|--------------|-------------|--------|-------|-----------------|---------|---------|---------|---------|---------|---------|---------|
| | INUBTAC1424 | 14" | 24" | \$148 | +\$5 | +\$9 | _ | +\$24 | _ | +\$64 | _ |
| | INUBTAC1430 | 14" | 30" | \$168 | +\$4 | +\$9 | _ | +\$24 | _ | +\$66 | _ |
| 200 | INUBTAC1436 | 14" | 36" | \$171 | +\$9 | +\$18 | _ | +\$36 | _ | +\$89 | _ |
| 12 15 19 | INUBTAC1442 | 14" | 42" | \$176 | +\$10 | +\$19 | _ | +\$37 | _ | +\$92 | _ |
| 16 J. S. | INUBTAC1448 | 14" | 48" | \$181 | +\$10 | +\$19 | _ | +\$40 | _ | +\$99 | _ |
| | INUBTAC1454 | 14" | 54" | \$184 | +\$9 | +\$21 | _ | +\$39 | _ | +\$98 | _ |
| Up-Mount Bin | INUBTAC1460 | 14" | 60" | \$190 | +\$7 | +\$18 | _ | +\$38 | _ | +\$98 | _ |
| Tackboard | | | | | | | | | | | |

| Description | | Part number | Width | Depth | Nuform solid Nu | uform woodgrain pattern |
|-------------|-----------------------|---------------|-------|-------|-----------------|----------------------------|
| | %" T Up-Mount Bin Top | PHUMBTOP-1324 | 24" | 13" | \$137 | +\$16 |
| | | PHUMBTOP-1330 | 30" | 13" | \$162 | +\$16 |
| | | PHUMBTOP-1336 | 36" | 13" | \$192 | +\$13 |
| | | PHUMBTOP-1342 | 42" | 13" | \$212 | +\$23 |
| | | PHUMBTOP-1348 | 48" | 13" | \$235 | +\$25 |
| | | PHUMBTOP-1354 | 54" | 13" | \$259 | +\$26 |
| | | PHUMBTOP-1360 | 60" | 13" | \$284 | +\$29 |
| | | PHUMBTOP-1372 | 72" | 13" | \$373 | +\$37 |
| | | PHUMBTOP-1384 | 84" | 13" | \$417 | +\$40 |
| | | PHUMBTOP-1396 | 96" | 13" | \$458 | +\$46 |

Storage Overhead Storage Up-Mount Bin Accessories

General information

- Up-Mount shelf mounts below the Up-Mount Bin on module
- Wall mount bracket available in standard paint colors
- Sliding door must be mounted on two up-mount bins of equal size that are side by side

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--|--------------------------|-------------|--------|-------|--------------|------------------------------|-----------------------|
| | Up-Mount Bin shelf | INUMBSH24 | 4 1/8" | 24" | _ | \$264 | +\$27 |
| | | INUMBSH30 | 4 1/8" | 30" | _ | \$269 | +\$28 |
| | | INUMBSH36 | 4 1/8" | 36" | _ | \$273 | +\$28 |
| | | INUMBSH42 | 4 1/8" | 42" | _ | \$299 | +\$31 |
| | | INUMBSH48 | 4 1/8" | 48" | _ | \$308 | +\$32 |
| | Wall Mounted Bin Bracket | INWMBBKT-24 | | 24" | 2 | \$228 | +\$24 |
| THE REAL PROPERTY OF THE PARTY | | INWMBBKT-30 | _ | 30" | 5 | \$230 | +\$24 |
| S. Track | | INWMBBKT-36 | _ | 36" | 5 | \$232 | +\$24 |
| | | INWMBBKT-42 | _ | 42" | 6 | \$239 | +\$25 |
| STATE OF THE PARTY | | INWMBBKT-48 | _ | 48" | 6 | \$242 | +\$25 |

| Description | | Part number | Width | Nufrom & laminate | Grade 1 laminate | Veneer |
|-------------|--|---|---------------------------------|---|--|--|
| | Sliding Door & Track Up-Mount bin specified separately | INUMBSLDR24 INUMBSLDR30 INUMBSLDR36 INUMBSLDR42 INUMBSLDR48 | 24" 30" 36" 42" 48" | \$384 \$491 \$505 \$513 \$527 | +\$123 +\$158 +\$162 +\$165 +\$169 | +\$138 +\$135 +\$165 +\$196 +\$223 |



- Requires a 13.5" opening within either thickness of frame
- Twin-Bin cannot be installed directly above a worksurface as it causes interference
- Twin-Bin brackets are quoted separately and are specific to panel thickness
- Cannot span tiles below twin-bins
- Upperdeck electrical cannot be installed directly below a twin-bin
- Jumper cables and receptacles for the Electrified Twin Bin power track specified separately
- The "IN3D_-UD-8" receptacles are to be specified in conjunction with the Electrified Twin-Bin

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|-------------|--------------------------|-------------|--------|-------|--------------|------------|--------------|
| 100 | Nuform Front Twin-Bin | INTWQB36LH | 14" | 36" | 42 | \$1263 | +\$127 |
| | | INTWQB42LH | 14" | 42" | 52 | \$1313 | +\$132 |
| | | INTWQB48LH | 14" | 48" | 58 | \$1359 | +\$137 |
| | | INTWQB54LH | 14" | 54" | 62 | \$1374 | +\$139 |
| | | INTWQB60LH | 14" | 60" | 68 | \$1390 | +\$140 |
| 000 | Radius Front Twin-Bin | INTWRB36LH | 14" | 36" | 42 | \$1133 | +\$114 |
| | | INTWRB42LH | 14" | 42" | 52 | \$1175 | +\$118 |
| | | INTWRB48LH | 14" | 48" | 58 | \$1218 | +\$122 |
| | | INTWRB54LH | 14" | 54" | 62 | \$1236 | +\$124 |
| | | INTWRB60LH | 14" | 60" | 68 | \$1249 | +\$125 |
| | Composite Veneer Front | INTWVB36LH | 14" | 36" | 42 | \$1944 | +\$195 |
| | Twin-Bin | INTWVB42LH | 14" | 42" | 52 | \$2002 | +\$201 |
| | | INTWVB48LH | 14" | 48" | 58 | \$2112 | +\$212 |
| | | INTWVB54LH | 14" | 54" | 62 | \$2272 | +\$228 |
| | | INTWVB60LH | 14" | 60" | 68 | \$2556 | +\$256 |
| | Nuform Front Electrified | INETWBQ36 | 14" | 36" | 42 | \$1645 | +\$165 |
| | Twin-Bin | INETWBQ42 | 14" | 42" | 52 | \$1722 | +\$173 |
| 7 | | INETWBQ48 | 14" | 48" | 58 | \$1766 | +\$177 |
| | | INETWBQ54 | 14" | 54" | 62 | \$1786 | +\$179 |
| | | INETWBQ60 | 14" | 60" | 68 | \$1806 | +\$181 |
| | Composite Veneer Front | INETWBV36 | 14" | 36" | 42 | \$2526 | +\$253 |
| 2 | Electrified Twin-Bin | INETWBV42 | 14" | 42" | 52 | \$2630 | +\$264 |
| | | INETWBV48 | 14" | 48" | 58 | \$2778 | +\$279 |
| | | INETWBV54 | 14" | 54" | 62 | \$2954 | +\$296 |
| | | INETWBV60 | 14" | 60" | 68 | \$3339 | +\$334 |

Storage Overhead Storage Twin-Bin Brackets

General information

- The mid and lower brackets include crossrails which are required for installation of Twin-Bin
- Frame crossrail is required to be cut on site to install the mid Twin-Bin bracket
- See Inscape System Application Guide for bracket details and locations
- Twin-Bin brackets are specific to frame thickness
- "2F" denotes use with 2.75" thick frame,
- "3F" denotes use with 3.5" thick frame

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|--|--|---|-----------------------|---------------------------------|------------------|---|
| 4-5-5-5-3 4-5-5-5-3 7-5-5-3 | Upper Twin-Bin Bracket For use with 3 ½" T frames | INTWBKT-U-3F | - | - | 0.4 | \$98 |
| Standard Standard | Mid Twin-Bin Bracket For use with 3 ½" T frames | INTWBKTUH-36-3F INTWBKTUH-42-3F INTWBKTUH-48-3F INTWBKTUH-54-3F INTWBKTUH-60-3F | - - - - | 36" 42" 48" 54" 60" | - - - - | \$154 \$156 \$159 \$161 \$163 |
| Section 200 | Lower Twin-Bin Bracket For use with 3 ½" T frames | INTWBKT-B-36-3F INTWBKT-B-42-3F INTWBKT-B-48-3F INTWBKT-B-54-3F INTWBKT-B-60-3F | - - - - | 36" 42" 48" 54" 60" | - - - - | \$154 \$156 \$159 \$161 \$163 |
| 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - | Upper Twin-Bin Bracket For use with 2 ¾" T frames | INTWBKT-U-2F | - | _ | 0.4 | \$98 |
| State of the state | Mid Twin-Bin Bracket For use with 2 ¾" T frames | INTWBKTUH-36-2F INTWBKTUH-42-2F INTWBKTUH-48-2F INTWBKTUH-54-2F INTWBKTUH-60-2F | - - - - - | 36" 42" 48" 54" 60" | - - - - | \$154 \$156 \$159 \$161 \$163 |
| Section 2 and 3 | Lower Twin-Bin Bracket For use with 2 ¾" T frames | INTWBKT-B-36-2F INTWBKT-B-42-2F INTWBKT-B-48-2F INTWBKT-B-54-2F INTWBKT-B-60-2F | _ _ _ _ | 36" 42" 48" 54" 60" | - - - - | \$154 \$156 \$159 \$161 \$163 |



- Electrified Twin Bin shelf is installed in opening where electrical is located (center)
- Electrified Twin Bin Whiteboard + Tackboard only compatible with Electrified Twin Bin
- Receptacles are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290
 Aluminum Leaf
- The circuit 3 receptacle requires 2+2 or 3+1 wire designation ("4" in the code signifies 3+1 compatibility)
- USB power modules can be used with the Electrified Twin-Bin

Note

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

| Description | | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 |
|-------------|--------------------------------|-------------------|--------|-------|-----------------|---------|---------|---------|---------|---------|---------|---------|
| | Electrified Twin-Bin Tackboard | INTWBTB-12 | 14" | 12" | \$112 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | |
| . 130 | | INTWBTB-14 | 14" | 14" | \$115 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| 25/37 | | INTWBTB-16 | 14" | 16" | \$120 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| A. | | INTWBTB-18 | 14" | 18" | \$126 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| | | INTWBTB-20 | 14" | 20" | \$137 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| 12 | | | | | | | | | | | | |

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|--------------------|-------------------------------------|---------------------|--------|-------|--------------|------------|--------------|
| | Electrified Twin-Bin Shelf | INETWBSHF-12 | _ | 12" | _ | \$91 | +\$10 |
| | | INETWBSHF-14 | _ | 14" | _ | \$91 | +\$10 |
| THE REAL PROPERTY. | | INETWBSHF-16 | _ | 16" | _ | \$91 | +\$10 |
| *** | | INETWBSHF-18 | _ | 18" | _ | \$91 | +\$10 |
| | | INETWBSHF-20 | _ | 20" | _ | \$91 | +\$10 |
| _ | Electrified Twin-Bin Whiteboard | INTWBWB-12 | 14" | 12" | _ | \$33 | _ |
| | | INTWBWB-14 | 14" | 14" | _ | \$33 | _ |
| f | | INTWBWB-16 | 14" | 16" | _ | \$33 | _ |
| | | INTWBWB-18 | 14" | 18" | _ | \$37 | _ |
| | | INTWBWB-20 | 14" | 20" | _ | \$37 | - |
| | Electrified Twin-Bin Power Track | INETPTWB-8 | _ | 8" | | \$75 | _ |

| Description | | Part number | Black | White | Gray |
|-------------|-----------------------------------|-------------|-------|-------|------|
| | Receptacle for use in Electrified | IN3D1-UD-8 | \$23 | +\$8 | +\$8 |
| | Twin-Bin | IN3D2-UD-8 | \$23 | +\$8 | +\$8 |
| | | IN3D3-UD-8 | \$23 | +\$8 | +\$8 |
| | | IN3D3U-UD-8 | \$23 | +\$8 | +\$8 |
| | | IN3D4-UD-8 | \$23 | +\$8 | +\$8 |



Storage Planna Storage General Information

Planna Storage exterior cabinet heights are nominal, interior case height is 21". Lateral and pedestal options are available. Units include mounting rails (see Inscape System Application Guide) that are pre-installed by the factory to accommodate the Planna Storage lateral top which is specified separately (see Accessories section). These mounting rails are ready to accept application of this lateral top on site. Bench support bracket must also be specified separately. Lateral cabinets are priced inclusive of one pair of hang file bars in each 10.5" and 12" pull out openings.

ANSI/BIFMA

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications.

Counterweights

Counterweights are required for ALL freestanding units that are not anchored or ganged to other cabinets or bolted to walls/ floor.

Counterweights come standard with ALL mobile pedestals and must be field installed.

Glides

Planna units are standard with flat glides. Glides allow for 5%" height adjustability.

Locks

Cabinets come standard with lock. 9900 series cabinets can be ordered nonlocking.

Bookcase cabinets come standard without locks.

Standard with single bitted lock. If lock is not required add suffix '/NL' after product number and deduct \$48 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

9900 Series Note: Pedestals with 9900 series fronts must be specified beneath Wood Veneer and 1" Nuform worksurfaces only.

Finishes

All units are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

Front details & pull options 9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Refer to the images and chart below for pull application on Nuform, and Veneer fronts.



Pulls FP004, FP005, FP007 and FP008 meet the guidelines for ADA compliance.

FP001 is the default pull for Nuform & Veneer Note: FP002 is not available on hinged door cabinets.



General information

- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 18"d lateral case
- Height noted below includes 1/2" Planna Storage rail. Adding a Planna common top will add an additional 1/2"
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Note

If Planna Storage rail is not required deduct the following: 30" W unit deduct \$135 36" W unit deduct \$140 42" W unit deduct \$145

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--|---------------------------------|----------------|---------|-------|--------------|------------------------------|-----------------------|
| 1825 | Bookcase with 1 shelf | PLN3021BK-SH | 24 3/8" | 30" | 59 | \$929 | +\$94 |
| | | PLN3621BK-SH | 24 %" | 36" | 69 | \$971 | +\$98 |
| | | PLN4221BK-SH | 24 %" | 42" | 79 | \$1032 | +\$104 |
| | Bookcase with Electrical | PLN3021BKCO-SH | 24 %" | 30" | 59 | \$1144 | +\$115 |
| | Cut Out | PLN3621BKCO-SH | 24 %" | 36" | 69 | \$1179 | +\$119 |
| | | PLN4221BKCO-SH | 24 ¾" | 42" | 79 | \$1222 | +\$123 |
| 12.0726 | Bookcase with Electrical Cut | PLN3021BKCOPDM | 24 %" | 30" | 62 | \$1324 | +\$133 |
| | Out and Drop Down Hinge Door | PLN3621BKCOPDM | 24 %" | 36" | 72 | \$1369 | +\$138 |
| | | PLN4221BKCOPDM | 24 %" | 42" | 82 | \$1425 | +\$144 |
| _ | Bookcase with Magazine Shelf | PLN3021-SHMS | 24 ¾" | 30" | 59 | \$957 | +\$97 |
| The same of the sa | ŭ | PLN3621-SHMS | 24 3/8" | 36" | 69 | \$999 | +\$101 |
| | | PLN4221-SHMS | 24 ¾" | 42" | 79 | \$1051 | +\$106 |
| | 9900 Series Front 2-10.5" files | PLN30-2F10E | 24 ¾" | 30" | 80 | \$1092 | +\$110 |
| The state of the s | | PLN36-2F10E | 24 %" | 36" | 90 | \$1136 | +\$114 |
| | | PLN42-2F10E | 24 %" | 42" | 116 | \$1179 | +\$119 |
| | Nuform Front 2-10.5" files | PLN30-2F10Q | 24 ¾" | 30" | 80 | \$1353 | +\$137 |
| | | PLN36-2F10Q | 24 %" | 36" | 90 | \$1410 | +\$142 |
| | | PLN42-2F10Q | 24 ¾" | 42" | 116 | \$1467 | +\$148 |
| | Composite Veneer Front | PLN30-2F10W | 24 ¾" | 30" | 80 | \$2073 | +\$209 |
| - | 2-10.5" files | PLN36-2F10W | 24 %" | 36" | 90 | \$2136 | +\$215 |
| | | PLN42-2F10W | 24 %" | 42" | 116 | \$2182 | +\$219 |
| 123 | 9900 Series Front 3" pencil, 6" | PLN30-PBFE | 24 ¾" | 30" | 80 | \$1210 | +\$122 |
| No. of the last of | box, 12" file | PLN36-PBFE | 24 %" | 36" | 90 | \$1255 | +\$126 |
| | | PLN42-PBFE | 24 3/8" | 42" | 116 | \$1298 | +\$130 |
| | 9900 Series Front 3" pencil, | PLN30-PB7F10E | 24 3/8" | 30" | 80 | \$1155 | +\$116 |
| - | 7.5" box, 10.5" file | PLN36-PB7F10E | 24 3/8" | 36" | 90 | \$1203 | +\$121 |
| | | PLN42-PB7F10E | 24 %" | 42" | 116 | \$1236 | +\$124 |



Storage Planna Storage Base Modules Lateral

General information

- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 18"d lateral case
- Height noted below includes ½" Planna Storage rail. Adding a Planna common top will add an additional ½"
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Note

If Planna Storage rail is not required deduct the following: 30" W unit deduct \$135 36" W unit deduct \$140 42" W unit deduct \$145

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--|--------------------------------|----------------------------------|----------------|------------|--------------|------------------------------|-----------------------|
| 5777A-52-2009 | 9900 Series Front 4.5" box, 6" | PLN30-B4BF10E | 24 %" | 30" | 80 | \$1155 | +\$116 |
| | box, 10.5" file | PLN36-B4BF10E | 24 3/8" | 36" | 90 | \$1203 | +\$121 |
| | | PLN42-B4BF10E | 24 ¾" | 42" | 116 | \$1236 | +\$124 |
| | 9900 Series Front 6" box, | PLN3021-BBKE | 24 ¾" | 30" | 70 | \$1218 | +\$122 |
| The state of the s | bookcase | PLN3621-BBKE | 24 %" | 36" | 85 | \$1269 | +\$127 |
| | | PLN4221-BBKE | 24 3/8" | 42" | 100 | \$1322 | +\$133 |
| | 9900 Series Front Bookcase, | PLN3021-BKF10E | 24 3%" | 30" | 70 | \$1204 | +\$121 |
| | 10.5" file | PLN3621-BKF10E PLN4221-BKF10E | 24 ¾" 24 ¾" | 36" 42" | 90 100 | \$1247 \$1298 | +\$125 +\$130 |
| | 9900 Series Front 3" pencil, | PLN3021-PBKE | 24 ¾" | 30" | 70 | \$1156 | +\$116 |
| THE OWNER OF THE OWNER OWNER OF THE OWNER | bookcase | PLN3621-PBKE | 24 3/8" | 36" | 85 | \$1205 | +\$121 |
| | | PLN4221-PBKE | 24 3/8" | 42" | 100 | \$1257 | +\$126 |
| | | | | | | | |



- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 18"d lateral case
- height noted below includes ½" Planna Storage rail. Adding a Planna common top will add an additional ½"
- FP001 pull is standard for acrylic, Nuform and veneer fronts
- Consult General Information for pull options

Note

If Planna Storage rail is not required deduct the following: 30" W unit deduct \$135 36" W unit deduct \$140 42" W unit deduct \$145

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--|-------------------------------|--------------------------------|----------------|------------|--------------|------------------------------|-----------------------|
| - | 9900 Series Front Hinged Door | PLN3021HDE-SH | 24 %" | 30" | 57 | \$1099 | +\$111 |
| Secretary of the second | with 1 Shelf | PLN3621HDE-SH | 24 %" | 36" | 76 | \$1109 | +\$112 |
| | | PLN4221HDE-SH | 24 3/8" | 42" | 95 | \$1146 | +\$115 |
| | Frosted Acrylic Hinged Door | PLN3021HDJ-SH | 24 ¾" | 30" | 57 | \$1751 | +\$176 |
| | with 1 Shelf | PLN3621HDJ-SH | 24 %" | 36" | 76 | \$1860 | +\$187 |
| | water Grien | PLN4221HDJ-SH | 24 3/8" | 42" | 95 | \$1983 | +\$199 |
| | Nuform Front Hinged Door with | PLN3021HDQ-SH | 24 3/8" | 30" | 57 | \$1298 | +\$130 |
| | 1 Shelf | PLN3621HDQ-SH PLN4221HDQ-SH | 24 ¾" 24 ¾" | 36" 42" | 76 95 | \$1344 \$1391 | +\$135 +\$140 |
| and the same of th | Composite Veneer Front | PLN3021HDW-SH | 24 %" | 30" | 57 | \$1756 | +\$176 |
| | Hinged Door with 1 Shelf | PLN3621HDW-SH | 24 %" | 36" | 76 | \$1892 | +\$190 |
| | | PLN4221HDW-SH | 24 3/8" | 42" | 95 | \$2080 | +\$209 |

Storage Planna Storage Base Modules Pedestal

General information

- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 15" w pedestal case
- Height noted below includes 1/2" Planna Storage rail. Adding a Planna common top will add an additional 1/2"
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Note

If Planna Storage rail is not required deduct the following:

18" D unit deduct \$131

22" D unit deduct \$135

28" D unit deduct \$140

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|-------------|--|---|-------------------------|-------------------|----------------|------------------------------|----------------------------|
| | 9900 Series Front 2-10.5" files | PLN1518E-2F10.5 PLN1522E-2F10.5 PLN1528E-2F10.5 | 24 %" 24 %" 24 %" | 18" 22" 28" | 75 85 95 | \$841 \$903 \$934 | +\$85 +\$91 +\$94 |
| | 9900 Series Front 3" pencil, 6" box, 12" file | PLN1518E-PBF PLN1522E-PBF PLN1528E-PBF | 24 ¾" 24 ¾" 24 ¾" | 18" 22" 28" | 75 85 95 | \$887 \$978 \$1023 | +\$90 +\$99 +\$103 |
| | Nuform Front 2-10.5" file | PLN1518Q-2F10.5 PLN1522Q-2F10.5 PLN1528Q-2F10.5 | 24 %" 24 %" 24 %" | 18" 22" 28" | 75 85 95 | \$1126 \$1181 \$1334 | +\$113 +\$119 +\$134 |
| | Composite Veneer Front 2-10.5" files | PLN1518W-2F10.5 PLN1522W-2F10.5 PLN1528W-2F10.5 | 24 ¾" 24 ¾" 24 ¾" | 18" 22" 28" | 75 85 95 | \$1424 \$1472 \$1605 | +\$144 +\$148 +\$162 |

- Install on case where adjacent case is same width, allows for sliding door to cover both cases
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Pull includes a 2" silver pull detail in upper quadrant of doors edge
- Sliding door must be mounted on two up-mount bins of equal size that are side by side

| Nuform Solid Sliding Door SWBL3021SDS SWBL3621SDS SWBL4221SDS SWBL4221SDS SWBL4221SDS SWBL4221SDS SWBL4221SDS SWBR3021SDS SWBR3021SDS SWBR3021SDS SWBR3021SDS SWBR3021SDS SWBR3021SDS SWBR3021SDS SWBR3021SDS SWBR3021SDS SWBR3021SDQ SWBL3021SDQ SWBL3021SDQ SWBL3021SDQ SWBL3021SDQ SWBL3021SDQ SWBL3021SDQ SWBL3021SDQ SWBR3021SDQ SWBR3021SDW SWBL3021SDW SWBR3021SDW SWBR3DQ SWBR3DQ SWBR3DQ SWBR3DQ SWBR3DQ SWBR3DQ SWBR3DQ SWBR3DQ SWBR3DQ SWB | Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint upcharge |
|--|--|-------------------------------|----------------------------|--------|-------|--------------|------------------------------|-----------------------|
| SWBL4221SDS 25 ¾" 42" 11 | _ | Nuform Solid Sliding Door | SWBL3021SDS | 25 ¾" | 30" | 8 | \$562 | +\$57 |
| SWBR3021SDS 25 ¾" 30" 8 \$562 +\$57 \$\$WBR3621SDS 25 ¾" 36" 10 \$604 +\$61 \$\$WBR3021SDS 25 ¾" 42" 11 \$641 +\$65 \$\$WBL3021SDQ 25 ¾" 36" 10 \$604 +\$61 \$\$WBL3021SDQ 25 ¾" 36" 10 \$604 +\$65 \$\$WBL3021SDQ 25 ¾" 36" 10 \$604 +\$65 \$\$WBR3021SDQ 25 ¾" 36" 10 \$604 +\$61 \$\$WBR3021SDQ 25 ¾" 36" 10 \$604 +\$61 \$\$WBR3021SDQ 25 ¾" 36" 10 \$604 +\$61 \$\$WBR3021SDQ 25 ¾" 42" 11 \$641 +\$65 \$\$WBR3021SDW 25 ¾" 36" 10 \$11118 +\$113 \$\$WBL3021SDW 25 ¾" 36" 10 \$11118 +\$113 \$\$WBR3021SDW 25 ¾" 36" 10 \$11118 \$\$WBR3021SDW 25 ¾" 36" 10 \$11118 \$\$WBR3021SDW 25 ¾" 36" 10 \$11118 \$\$WBR3021SDW 25 ¾" 36" 10 \$\$WBR3021SDW 25 ¾" 36" 10 \$ | | | SWBL3621SDS | 25 ¾" | 36" | 10 | \$604 | +\$61 |
| SWBR3021SDS 25 ¾" 30" 8 \$562 +\$57 SWBR3621SDS 25 ¾" 36" 10 \$604 +\$61 \$500 | | | SWBL4221SDS | 25 ¾" | 42" | 11 | \$641 | +\$65 |
| Nuform Woodgrain Sliding Door SWBL3021SDQ 25 ¾" 30" 8 \$562 +\$57 \$SWBR3021SDQ 25 ¾" 30" 8 \$562 +\$57 \$SWBL3621SDQ 25 ¾" 30" 8 \$562 +\$61 \$SWBL3621SDQ 25 ¾" 30" 8 \$562 +\$61 \$SWBL3621SDQ 25 ¾" 30 | | | left-handed | | | | | |
| Nuform Woodgrain Sliding Door SWBL3021SDQ 25 ¾" 30" 8 \$562 \$457 \$57 \$588 \$562 \$457 \$588 \$588 \$562 \$457 \$588 \$588 \$562 \$588 \$562 \$588 | | | SWBR3021SDS | 25 ¾" | 30" | 8 | \$562 | +\$57 |
| Nuform Woodgrain Sliding Door SWBL3021SDQ 25 ¾" 30" 8 \$562 +\$57 \$SWBL3621SDQ 25 ¾" 36" 10 \$604 +\$61 \$SWBL4221SDQ 25 ¾" 42" 11 \$641 +\$65 \$SWBR3021SDQ 25 ¾" 30" 8 \$562 +\$57 \$SWBR3621SDQ 25 ¾" 30" 8 \$562 +\$57 \$SWBR3621SDQ 25 ¾" 36" 10 \$604 +\$61 \$SWBR4221SDQ 25 ¾" 36" 10 \$641 +\$65 \$SWBR4221SDQ 25 ¾" 42" 11 \$641 +\$65 \$SWBR4221SDQ 25 ¾" 30" 8 \$1198 +\$120 \$SWBL3621SDW 25 ¾" 36" 10 \$1118 +\$113 \$SWBL4221SDW 25 ¾" 36" 10 \$1118 +\$106 \$SWBR3021SDW 25 ¾" 42" 11 \$1054 +\$106 \$SWBR3621SDW 25 ¾" 36" 10 \$1118 +\$113 \$SWBR3621SDW 25 ¾" 42" 11 \$1054 +\$106 \$SWBR3621SDW 25 ¾" 42" 11 | | | SWBR3621SDS | 25 ¾" | 36" | 10 | \$604 | +\$61 |
| Nuform Woodgrain Sliding Door SWBL3021SDQ 25 ¾" 36" 10 \$604 +\$61 SWBL4221SDQ 25 ¾" 36" 11 \$641 +\$65 left-handed SWBR3021SDQ 25 ¾" 30" 8 \$562 +\$57 SWBR3021SDQ 25 ¾" 30" 8 \$562 +\$57 SWBR3021SDQ 25 ¾" 36" 10 \$604 +\$61 SWBR4221SDQ 25 ¾" 36" 10 \$604 +\$61 SWBR4221SDQ 25 ¾" 42" 11 \$641 +\$65 right-handed (illustrated) Veneer Sliding Door SWBL3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBL3021SDW 25 ¾" 36" 10 \$1118 +\$113 SWBL4221SDW 25 ¾" 42" 11 \$1054 +\$106 SWBR3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBR3021SDW 25 ¾" 36" 10 \$1118 +\$113 SWBL4221SDW 25 ¾" 36" 10 \$1118 +\$113 SWBR3021SDW 25 ¾" 36" 10 \$1118 +\$113 | | | SWBR4221SDS | 25 ¾" | 42" | 11 | \$641 | +\$65 |
| SWBL3621SDQ 25 ¾" 36" 10 | | | right-handed (illustrated) | | | | | |
| SWBL4221SDQ | 170740 | Nuform Woodgrain Sliding Door | SWBL3021SDQ | 25 ¾" | 30" | 8 | \$562 | +\$57 |
| SWBR3021SDQ 25 ¾" 30" 8 \$562 +\$57 | The state of the s | | SWBL3621SDQ | 25 ¾" | 36" | 10 | \$604 | +\$61 |
| SWBR3021SDQ 25 ¾" 30" 8 \$562 +\$57 | | | SWBL4221SDQ | 25 ¾" | 42" | 11 | \$641 | +\$65 |
| SWBR3621SDQ 25 ¾" 36" 10 | | | left-handed | | | | | |
| SWBR4221SDQ 25 ¾" 42" 11 \$641 +\$65 Veneer Sliding Door SWBL3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBL3621SDW 25 ¾" 36" 10 \$1118 +\$113 SWBL4221SDW 25 ¾" 42" 11 \$1054 +\$106 SWBR3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBR3621SDW 25 ¾" 36" 10 \$1118 +\$113 SWBR4221SDW 25 ¾" 42" 11 \$1054 +\$106 | | | SWBR3021SDQ | 25 ¾" | 30" | 8 | \$562 | +\$57 |
| Veneer Sliding Door SWBL3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBL3621SDW 25 ¾" 36" 10 \$1118 +\$113 SWBL4221SDW 25 ¾" 42" 11 \$1054 +\$106 SWBR3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBR3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBR3621SDW 25 ¾" 36" 10 \$1118 +\$113 SWBR4221SDW 25 ¾" 42" 11 \$1054 +\$106 | | | SWBR3621SDQ | 25 ¾" | 36" | 10 | \$604 | +\$61 |
| Veneer Sliding Door SWBL3021SDW SWBL3621SDW 25 ¾" 36" 10 \$1118 +\$113 \$WBL4221SDW 25 ¾" 42" 11 \$1054 +\$106 SWBR3021SDW 25 ¾" 30" 8 \$1198 +\$120 \$WBR3021SDW 25 ¾" 30" 8 \$1198 +\$120 \$WBR3021SDW 25 ¾" 36" 10 \$1118 +\$113 \$WBR3621SDW 25 ¾" 36" 10 \$1118 +\$113 \$WBR4221SDW 25 ¾" 42" 11 \$1054 +\$106 | | | SWBR4221SDQ | 25 ¾" | 42" | 11 | \$641 | +\$65 |
| SWBL3621SDW SWBL4221SDW left-handed 25 ¾" 36" 10 \$1118 +\$113 \$1054 +\$106 SWBL4221SDW left-banded 25 ¾" 30" 8 \$1198 +\$120 \$118 \$113 \$113 | | | right-handed (illustrated) | | | | | |
| SWBL4221SDW left-handed 25 ¾" 42" 11 \$1054 +\$106 SWBR3021SDW SWBR3621SDW SWBR4221SDW 25 ¾" 30" 8 \$1198 +\$120 SWBR3621SDW | 11000 | Veneer Sliding Door | SWBL3021SDW | 25 ¾" | 30" | 8 | \$1198 | +\$120 |
| SWBR3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBR3621SDW 25 ¾" 36" 10 \$1118 +\$113 SWBR4221SDW 25 ¾" 42" 11 \$1054 +\$106 | 1000 | | SWBL3621SDW | 25 ¾" | 36" | 10 | \$1118 | +\$113 |
| SWBR3021SDW 25 ¾" 30" 8 \$1198 +\$120 SWBR3621SDW 25 ¾" 36" 10 \$1118 +\$113 SWBR4221SDW 25 ¾" 42" 11 \$1054 +\$106 | BUSCO | | SWBL4221SDW | 25 ¾" | 42" | 11 | \$1054 | +\$106 |
| SWBR3621SDW 25 ¾" 36" 10 \$1118 +\$113 SWBR4221SDW 25 ¾" 42" 11 \$1054 +\$106 | | | left-handed | | | | | |
| SWBR4221SDW 25 ¾" 42" 11 \$1054 +\$106 | | | SWBR3021SDW | 25 ¾" | 30" | 8 | \$1198 | +\$120 |
| | | | SWBR3621SDW | 25 ¾" | 36" | 10 | \$1118 | +\$113 |
| right-handed (illustrated) | | | SWBR4221SDW | 25 ¾" | 42" | 11 | \$1054 | +\$106 |
| J (, | | | right-handed (illustrated) | | | | | |

Storage Planna Storage Benching End Trim

General information

- Includes mounting hardware to attach to the adjacent Planna Storage cases
- 3.5" thick version only
- Specific for worksurface or cushion above
 Specific whether a cut out is required to allow electrical feed and data cabling to enter frame behind

| Worksurface compatible (worksurface above) End Trim without Cutout / Private Office Case Back Filler, Worksurface compatible (worksurface above) | CETCO 25" | 3.5" | 2 | | |
|---|--|------|--------|--------------|----------------|
| Private Office Case Back Filler, Worksurface compatible (worksurface above) End Trim with Electrical Cutout, Cushion compatible | | | 2 | \$78 | +\$9 |
| Cushion compatible | CET 25" | 3.5" | 2 | \$75 | +\$9 |
| (cushion above) | CETCOCUSH 25" | 3.5" | 2 | \$63 | +\$8 |
| End Trim without Cutout / Private Office Case Back Filler, Cushion compatible (cushion above) | CETCUSH 25" | 3.5" | 2 | \$59 | +\$7 |
| | 6.75MAP30 6.75 | | 4 | \$90 | +\$10 |
| | 6.75MAP36 6.75 6.75MAP42 6.75 | | 5 6 | \$93 \$99 | +\$11 +\$11 |



Storwal Storage is a workplace alternative that supports collaborative and independent work styles in open plans with or without panels. An intelligent alternative to conventional panelbased systems, Inscape System's Storwal Storage addresses technology, workplace design and facility needs. Storwal Storage is comprised of static and movable components for a wide range of modifications in open office plans. Storwal Storage double sided storage wall with desk height lay in cabling provides easy access to upper deck voice/ data/power. Stack units are installed on top of base modules which include a technology zone. Three overall heights are achieved by the various stack units.

Base module

Exterior cabinet heights are nominal. includes a 4 ¾" hight electrical module.

Electrical zone

4 ¾" high electrical zone contains four hooks to manage data cables. 30" wide module has one electrical outlet. 36" and 42" wide electrical modules have two electrical cut outs. See chart below for capacity information.

| | CAT5 | CAT6 |
|---------------------------------|------------------|------------------|
| Storwal - Hooks (40%) | 25¹ | 19¹ |
| Storwal – Hooks (full capacity) | 64 ² | 49 ² |
| Storwal - Full Cavity | 153 ² | 118 ² |

¹40% Fill Capacity based on ceiling feed entry.

²Full capacity of hooks and/or electrical zone based on base feed entry.

Glides

Standard with Storwal Glides. Rectangular glides are an option. Glides provide 0.75" height adjustment.

Locks

Standard with single bitted lock. 9900 series cabinets can be ordered non-locking. Bookcase cabinets come standard without locks. If lock is not required add suffix '/NL' after product number and deduct \$48 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.


Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

Finishes

Cabinets, 9900 series fronts and electrical module are available in standard colors, 5 textured finishes and custom colors. Fronts are also available in Nuform Woodgrain and Veneer options with aluminum finished handle. Drawer bodies and accessories are finished in Eco Black.

Front details & pull options 9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Refer to the images and chart below for pull



Pulls FP004, FP005, FP007 and FP008 meet the guidelines for ADA compliance.

FP001 is the default pull for Nuform & Veneer Note: FP002 is not available on hinged door cabinets.



Storage Storwal Storage

Base Modules Open Bookcase

General information

- Base unit includes ganging hardware to gang adjacent Storwal storage units together
- Under Worksurface base module provides cut out for electrical on same side as open bookcase

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWB3024BK-SH with Rectangular Glides would be \$1215 +\$28

| Description | | Part number | Height | Width | Weight (lbs) | Round glides/ base price | Rectangular glides | Accent paint upcharge |
|-------------|---|----------------------------------|----------------|------------|--------------|-----------------------------|-----------------------|-----------------------|
| | Open Bookcase with | SWB3024BK-SH | 33 %" | 30" | 69 | \$1215 | +\$28 | +\$122 |
| | 1 adjustable shelf | SWB3624BK-SH | 33 1/8" | 36" | 79 | \$1275 | +\$28 | +\$128 |
| | Receptical openings on rear | SWB4224BK-SH | 33 1⁄8" | 42" | 89 | \$1328 | +\$28 | +\$133 |
| | Open Bookcase with | SWB3024BK-SH-R | 33 1/8" | 30" | 69 | \$1215 | +\$28 | +\$122 |
| | 1 adjustable shelf Receptical openings | SWB3624BK-SH-R SWB4224BK-SH-R | 33 %" 33 %" | 36" 42" | 79 89 | \$1275 \$1328 | +\$28 +\$28 | +\$128 +\$133 |
| | on front | | 33 /3 | | • | V 1925 | , 423 | . • . • |



- Base unit includes ganging hardware to gang adjacent Storwal storage units together
- Electrical front cover with cutouts is located on opposite side as case fronts; these may be switched on site

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWB30-2FFE with Rectangular Glides would be \$1707 +\$28

| Description | | Part number | Height | Width | Weight (lbs) | Round glides/ base price | Rectangular glides | Accent paint upcharge |
|--|-------------------------|----------------|---------|-------|--------------|-----------------------------|-----------------------|-----------------------|
| 100 to 100 and 100 to 1 | 2-12" files | SWB30-2FFE | 33 %" | 30" | 120 | \$1707 | +\$28 | +\$172 |
| | | SWB36-2FFE | 33 1/8" | 36" | 142 | \$1786 | +\$28 | +\$179 |
| | | SWB42-2FFE | 33 1/8" | 42" | 154 | \$1866 | +\$28 | +\$187 |
| | 2-6" box, 12" file | SWB30-2BFE | 33 1/8" | 30" | 125 | \$1707 | +\$28 | +\$172 |
| | | SWB36-2BFE | 33 1/8" | 36" | 147 | \$1786 | +\$28 | +\$179 |
| | | SWB42-2BFE | 33 1⁄8" | 42" | 159 | \$1866 | +\$28 | +\$187 |
| | 3" pencil, 2-12" files | SWB30-P2FFE | 33 %" | 30" | 120 | \$1707 | +\$28 | +\$172 |
| | , , | SWB36-P2FFE | 33 1/8" | 36" | 142 | \$1786 | +\$28 | +\$179 |
| | | SWB42-P2FFE | 33 1⁄8" | 42" | 154 | \$1866 | +\$28 | +\$187 |
| | 13.5" lift-up with | SWB30-13LU10FE | 33 %" | 30" | 120 | \$1707 | +\$28 | +\$172 |
| | fixed shelf, 10.5" file | SWB42-13LU10FE | 33 %" | 36" | 142 | \$1786 | +\$28 | +\$179 |
| | , | SWB36-13LU10FE | 33 1/8" | 42" | 154 | \$1866 | +\$28 | +\$187 |



Storage Storwal Storage Base Modules 9900 Series Front

General information

- Base unit includes ganging hardware to gang adjacent Storwal storage units together
- Electrical front cover with cutouts is located on opposite side as case fronts; these may be switched on site

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWB30L-2FFHDE with Rectangular Glides would be \$2065 +\$28

| Description | | Part number | Height | Width | Weight (lbs) | Round glides/ base price | Rectangular glides | Accent paint upcharge |
|--|-------------------------|--|---------|-------|--------------|-----------------------------|-----------------------|-----------------------|
| | 2-12" files on one | SWB30L-2FFHDE | 33 %" | 30" | 130 | \$2065 | +\$28 | +\$208 |
| | side, hinged door on | SWB36L-2FFHDE | 33 %" | 36" | 152 | \$2220 | +\$28 | +\$223 |
| | the other | SWB42L-2FFHDE | 33 %" | 42" | 164 | \$2299 | +\$28 | +\$231 |
| | | left-handed hinged door (illustrated) | | | | | | |
| | | SWB30R-2FFHDE | 33 %" | 30" | 130 | \$2065 | +\$28 | +\$208 |
| - | | SWB36R-2FFHDE | 33 1/8" | 36" | 152 | \$2220 | +\$28 | +\$223 |
| | | SWB42R-2FFHDE | 33 1/8" | 42" | 164 | \$2299 | +\$28 | +\$231 |
| | | right-handed hinged door | | | | | | |
| The state of the s | 2-6" box, 12" file | SWB30L-2BFHDE | 33 %" | 30" | 130 | \$2065 | +\$28 | +\$208 |
| | on one side, hinged | SWB36L-2BFHDE | 33 %" | 36" | 152 | \$2220 | +\$28 | +\$223 |
| | door on the other | SWB42L-2BFHDE | 33 1/8" | 42" | 164 | \$2299 | +\$28 | +\$231 |
| | | left-handed hinged door (illustrated) | | | | | | |
| | | SWB30R-2BFHDE | 33 1/8" | 30" | 130 | \$2065 | +\$28 | +\$208 |
| - | | SWB36R-2BFHDE | 33 %" | 36" | 152 | \$2220 | +\$28 | +\$223 |
| | | SWB42R-2BFHDE | 33 %" | 42" | 164 | \$2299 | +\$28 | +\$231 |
| | | right-handed hinged door | | | | • | • | • |
| - 2000000000000000000000000000000000000 | 2-6" box, 12" file on | SWB30L-2BF2FE | 33 1/8" | 30" | 130 | \$2065 | +\$28 | +\$208 |
| | one side, 2-12" files | SWB36L-2BF2FE | 33 1/8" | 36" | 152 | \$2220 | +\$28 | +\$223 |
| | on the other | SWB42L-2BF2FE | 33 1/8" | 42" | 164 | \$2299 | +\$28 | +\$231 |
| | | 2-12" files on left side (illustrated) | | | | | | |
| | | SWB30R-2BF2FE | 33 %" | 30" | 130 | \$2065 | +\$28 | +\$208 |
| | | SWB36R-2BF2FE | 33 1/8" | 36" | 152 | \$2220 | +\$28 | +\$223 |
| | | SWB42R-2BF2FE | 33 1/8" | 42" | 164 | \$2299 | +\$28 | +\$231 |
| | | 2-12" files on right side | | | | | | |
| | 3" pencil, 2-10.5" file | SWB30L-PFFHDE | 33 1/8" | 30" | 130 | \$2065 | +\$28 | +\$208 |
| | on one side, hinged | SWB36L-PFFHDE | 33 %" | 36" | 152 | \$2220 | +\$28 | +\$223 |
| | door on the other | SWB42L-PFFHDE | 33 %" | 42" | 164 | \$2299 | +\$28 | +\$231 |
| | | left-handed hinged door (illustrated) | | | | | | |
| | | SWB30R-PFFHDE | 33 1/8" | 30" | 130 | \$2065 | +\$28 | +\$208 |
| 0 | | SWB36R-PFFHDE | 33 %" | 36" | 152 | \$2220 | +\$28 | +\$223 |
| | | SWB42R-PFFHDE | 33 %" | 42" | 164 | \$2299 | +\$28 | +\$231 |
| | | right-handed hinged door | | | | | | |



- Base unit includes ganging hardware to gang adjacent Storwal storage units together
- Electrical front cover with cutouts is located on opposite side as case fronts; these may be switched on site
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options
- Woodgrain and solid colors available

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWB30-2FFQ with Rectangular Glides would be \$2288 +\$28

| Description | | Part number | Height | Width | Weight (lbs) | Round glides/ base price | Rectangular glides | Accent paint upcharge |
|--|-----------------------|---|---------|-------|--------------|-----------------------------|-----------------------|-----------------------|
| | 2-12" files | SWB30-2FFQ | 33 %" | 30" | 120 | \$2288 | +\$28 | +\$230 |
| 100 | | SWB36-2FFQ | 33 1/8" | 36" | 142 | \$2288 | +\$28 | +\$221 |
| | | SWB42-2FFQ | 33 1⁄8" | 42" | 154 | \$2288 | +\$28 | +\$240 |
| | 2-6" box, 12" file | SWB30-2BFQ | 33 %" | 30" | 125 | \$2288 | +\$28 | +\$230 |
| | | SWB36-2BFQ | 33 1/8" | 36" | 147 | \$2199 | +\$28 | +\$221 |
| | | SWB42-2BFQ | 33 1⁄8" | 42" | 159 | \$2391 | +\$28 | +\$240 |
| 167742641 | 2-12" files on one | SWB30L-2FFHDQ | 33 1/8" | 30" | 130 | \$2607 | +\$28 | +\$261 |
| | side, hinged door on | SWB36L-2FFHDQ | 33 1/8" | 36" | 152 | \$2875 | +\$28 | +\$289 |
| | the other | SWB42L-2FFHDQ left-handed hinged door | 33 1/8" | 42" | 164 | \$2997 | +\$28 | +\$301 |
| 1 | | SWB30R-2FFHDQ | 33 1/8" | 30" | 130 | \$2607 | +\$28 | +\$261 |
| 1000 | | SWB36R-2FFHDQ | 33 1/8" | 36" | 152 | \$2875 | +\$28 | +\$289 |
| | | SWB42R-2FFHDQ right-handed hinged door (illustrated) | 33 %" | 42" | 164 | \$2997 | +\$28 | +\$301 |
| | 2-6" box, 12" file | SWB30L-2BFHDQ | 33 1/8" | 30" | 130 | \$2607 | +\$28 | +\$261 |
| | on one side, hinged | SWB36L-2BFHDQ | 33 1/8" | 36" | 152 | \$2875 | +\$28 | +\$289 |
| | door on the other | SWB42L-2BFHDQ left-handed hinged door | 33 %" | 42" | 164 | \$2997 | +\$28 | +\$301 |
| IDITO I | | SWB30R-2BFHDQ | 33 1/8" | 30" | 130 | \$2607 | +\$28 | +\$261 |
| | | SWB36R-2BFHDQ | 33 1/8" | 36" | 152 | \$2875 | +\$28 | +\$289 |
| | | SWB42R-2BFHDQ right-handed hinged door (illustrated) | 33 %" | 42" | 164 | \$2997 | +\$28 | +\$301 |
| | 2-6" box, 12" file on | SWB30L-2BF2FQ | 33 1/8" | 30" | 130 | \$2607 | +\$28 | +\$261 |
| The state of the s | one side, 2-12" files | SWB36L-2BF2FQ | 33 %" | 36" | 152 | \$2875 | +\$28 | +\$289 |
| | on the other | SWB42L-2BF2FQ 2-12" files on left side | 33 %" | 42" | 164 | \$2997 | +\$28 | +\$301 |
| 1367 1397 | | SWB30R-2BF2FQ | 33 %" | 30" | 130 | \$2607 | +\$28 | +\$261 |
| | | SWB36R-2BF2FQ | 33 %" | 36" | 152 | \$2875 | +\$28 | +\$289 |
| 200 1-17 | | SWB42R-2BF2FQ 2-12" files on right side (illustrated) | 33 %" | 42" | 164 | \$2997 | +\$28 | +\$301 |



Storage

Storwal Storage

Base Modules Composite Veneer Front

General information

- Base unit includes ganging hardware to gang adjacent Storwal storage units together
- Electrical front cover with cutouts is located on opposite side as case fronts; these may be switched on site
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWB30-2FFW with Rectangular Glides would be \$2692 +\$28

| escription | | Part number | Height | Width | Weight (lbs) | Round glides/ base price | Rectangular glides | Accent pain upcharge |
|------------|-----------------------|---|---------|-------|--------------|-----------------------------|-----------------------|----------------------|
| - | 2-12" files | SWB30-2FFW | 33 %" | 30" | 120 | \$2692 | +\$28 | +\$270 |
| | | SWB36-2FFW | 33 1/8" | 36" | 142 | \$2919 | +\$28 | +\$293 |
| | | SWB42-2FFW | 33 1⁄8" | 42" | 154 | \$3055 | +\$28 | +\$306 |
| | 2-6" box, 12" file | SWB30-2BFW | 33 %" | 30" | 120 | \$2692 | +\$28 | +\$270 |
| | | SWB36-2BFW | 33 1/8" | 36" | 142 | \$2919 | +\$28 | +\$293 |
| | | SWB42-2BFW | 33 1⁄8" | 42" | 154 | \$3055 | +\$28 | +\$306 |
| - | 2-12" files on one | SWB30L-2FFHDW | 33 ½" | 30" | 130 | \$3010 | +\$28 | +\$302 |
| | side, hinged door on | SWB36L-2FFHDW | 33 1/8" | 36" | 154 | \$3740 | +\$28 | +\$375 |
| | the other | SWB42L-2FFHDW | 33 1/8" | 42" | 164 | \$3839 | +\$28 | +\$385 |
| DOM: | | left-handed hinged door | | | | | | |
| 1000 | | SWB30R-2FFHDW | 33 1/8" | 30" | 130 | \$3010 | +\$28 | +\$302 |
| | | SWB36R-2FFHDW | 33 %" | 36" | 154 | \$3740 | +\$28 | +\$375 |
| | | SWB42R-2FFHDW right-handed hinged door (illustrated) | 33 %" | 42" | 164 | \$3839 | +\$28 | +\$385 |
| | 2-6" box, 12" file | SWB30L-2BFHDW | 33 %" | 30" | 130 | \$3010 | +\$28 | +\$302 |
| | on one side, hinged | SWB36L-2BFHDW | 33 1/8" | 36" | 154 | \$3740 | +\$28 | +\$375 |
| | door on the other | SWB42L-2BFHDW left-handed hinged door | 33 %" | 42" | 164 | \$3839 | +\$28 | +\$385 |
| 1000 | | SWB30R-2BFHDW | 33 1/8" | 30" | 130 | \$3010 | +\$28 | +\$302 |
| - | | SWB36R-2BFHDW | 33 ½" | 36" | 154 | \$3740 | +\$28 | +\$375 |
| | | SWB42R-2BFHDW | 33 %" | 42" | 164 | \$3839 | +\$28 | +\$385 |
| | | right-handed hinged door (illustrated) | | | | · | | |
| - | 2-6" box, 12" file on | SWB30L-2BF2FW | 33 %" | 30" | 130 | \$3010 | +\$28 | +\$302 |
| 200 | one side, 2-12" files | SWB36L-2BF2FW | 33 %" | 36" | 154 | \$3740 | +\$28 | +\$375 |
| | on the other | SWB42L-2BF2FW 2-12" files on left side | 33 1⁄8" | 42" | 164 | \$3839 | +\$28 | +\$385 |
| WELLER ! | | SWB30R-2BF2FW | 33 1/8" | 30" | 130 | \$3010 | +\$28 | +\$302 |
| | | SWB36R-2BF2FW | 33 %" | 36" | 154 | \$3740 | +\$28 | +\$375 |
| | | SWB42R-2BF2FW 2-12" files on right side (illustrated) | 33 1⁄8" | 42" | 164 | \$3839 | +\$28 | +\$385 |



- Stack unit will achieve overall height of 51"h
- Install on Storwal Storage case where adjacent case is same width, allows for sliding door to cover either case
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- Consult General Information for pull options

- SuperStor insert available
- For 30"w insert add \$93 list
- For 36"w insert add \$109 list
- For 42"w insert add \$123 list
- SuperStore trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint upcharge |
|-------------|------------------------------|-----------------------------|--------|-------|--------------|------------|-----------------------|
| _ | Open Bookcase | SW3013.5BK | 16 %" | 30" | 26 | \$539 | +\$55 |
| | | SW3613.5BK | 16 ¾" | 36" | 32 | \$569 | +\$57 |
| | | SW4213.5BK | 16 %" | 42" | 36 | \$594 | +\$60 |
| | Nuform Solid Slidig Door | SWL3013.5SDS | 16 ¾" | 30" | 8 | \$489 | _ |
| | 3 1 1 1 1 3 | SWL3613.5SDS | 16 %" | 36" | 10 | \$513 | _ |
| | | SWL4213.5SDS left-handed | 16 %" | 42" | 12 | \$534 | _ |
| | | SWR3013.5SDS | 16 %" | 30" | 8 | \$489 | _ |
| | | SWR3613.5SDS | 16 %" | 36" | 10 | \$513 | _ |
| | | SWR4213.5SDS | 16 ¾" | 42" | 12 | \$534 | _ |
| | | right-handed | | | | | |
| | Nuform Woodgrain Slidig Door | SWL3013.5SDQ | 16 %" | 30" | 8 | \$489 | _ |
| CHILDREN | | SWL3613.5SDQ | 16 %" | 36" | 10 | \$513 | _ |
| | | SWL4213.5SDQ left-handed | 16 %" | 42" | 12 | \$534 | _ |
| | | SWR3013.5SDQ | 16 %" | 30" | 8 | \$489 | _ |
| | | SWR3613.5SDQ | 16 ¾" | 36" | 10 | \$513 | _ |
| | | SWR4213.5SDQ | 16 ¾" | 42" | 12 | \$534 | _ |
| | | right-handed | | | | | |
| _ | Composite Veneer Slidig Door | SWL3013.5SDW | 16 ¾" | 30" | 8 | \$779 | _ |
| 1001018 | | SWL3613.5SDW | 16 %" | 36" | 10 | \$843 | _ |
| 1883250 | | SWL4213.5SDW | 16 %" | 42" | 12 | \$898 | _ |
| 18 71 1 | | left-handed | | | | | |
| | | SWR3013.5SDW | 16 %" | 30" | 8 | \$779 | _ |
| | | SWR3613.5SDW | 16 %" | 36" | 10 | \$843 | _ |
| | | SWR4213.5SDW | 16 ¾" | 42" | 12 | \$898 | _ |
| | | right-handed | | | | | |



Storage Storwal Storage Stack Units 29 7/8" H

General information

- Stack unit will achieve overall height of 64"h
- Install on Storwal Storage case where adjacent case is same width, allows for sliding door to cover either case
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge.
- Consult General Information for pull options

- SuperStor insert available
- For 30"w insert add \$93 list
- For 36"w insert add \$109 list
- For 42"w insert add \$123 list
- SuperStore trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint upcharge |
|-----------------|-------------------------------|----------------------------|--------|-------|--------------|------------|-----------------------|
| | Open Bookcase | SW3027BK-SH | 29 %" | 30" | 53 | \$717 | +\$73 |
| | | SW3627BK-SH | 29 %" | 36" | 65 | \$732 | +\$75 |
| | | SW4227BK-SH | 29 %" | 42" | 72 | \$802 | +\$81 |
| | Nuform Solid Slidig Door | SWL3027SDS | 29 %" | 30" | 14 | \$587 | |
| | 3 | SWL3627SDS | 29 %" | 36" | 17 | \$632 | _ |
| | | SWL4227SDS left-handed | 29 %" | 42" | 19 | \$668 | _ |
| | | SWR3027SDS | 29 %" | 30" | 14 | \$587 | _ |
| | | SWR3627SDS | 29 %" | 36" | 17 | \$632 | _ |
| | | SWR4227SDS | 29 %" | 42" | 19 | \$668 | _ |
| | | right-handed | | | | | |
| | Nuform Woodgrain Slidig Door | SWL3027SDQ | 29 %" | 30" | 14 | \$587 | _ |
| CHILDRE | | SWL3627SDQ | 29 %" | 36" | 17 | \$632 | _ |
| | | SWL4227SDQ left-handed | 29 %" | 42" | 19 | \$668 | _ |
| | | SWR3027SDQ | 29 %" | 30" | 14 | \$587 | _ |
| | | SWR3627SDQ | 29 %" | 36" | 17 | \$632 | _ |
| | | SWR4227SDQ right-handed | 29 %" | 42" | 19 | \$668 | _ |
| - | | | | | | | |
| | Composite Veneer Slidig Door | SWL3027SDW | 29 %" | 30" | 14 | \$1078 | _ |
| COLUMN TO SERVE | | SWL3627SDW | 29 %" | 36" | 17 | \$1143 | _ |
| | | SWL4227SDW left-handed | 29 %" | 42" | 19 | \$1221 | _ |
| | | SWR3027SDW | 29 %" | 30" | 14 | \$1078 | _ |
| | | SWR3627SDW | 29 %" | 36" | 17 | \$1143 | _ |
| | | SWR4227SDW | 29 %" | 42" | 19 | \$1221 | _ |
| | | right-handed | | | | · | |
| | 1 Bookcase shelf with 1 | SW3027-SHMS | 29 %" | 30" | 53 | \$918 | +\$93 |
| - January | magazine shelf | SW3627-SHMS | 29 %" | 36" | 65 | \$966 | +\$98 |
| | | SW4227-SHMS | 29 %" | 42" | 72 | \$1014 | +\$102 |
| \sim | 9900 Series Front Hinged Door | SW3027HDE-SH | 29 %" | 30" | 83 | \$1050 | +\$106 |
| | with 1 Shelf | SW3627HDE-SH | 29 %" | 36" | 104 | \$1072 | +\$108 |
| | | SW4227HDE-SH | 29 %" | 42" | 120 | \$1125 | +\$113 |
| _ | Nuform Solid Front Hinged | SW3027HDS-SH | 29 %" | 30" | 90 | \$1120 | +\$113 |
| | Door with 1 Shelf | SW3627HDS-SH | 29 %" | 36" | 112 | \$1170 | +\$118 |
| | 200 Will 1 Orton | SW4227HDS-SH | 29 %" | 42" | 127 | \$1263 | +\$127 |



- Stack unit will achieve overall height of 64"h
- Install on Storwal Storage case where adjacent case is same width, allows for sliding door to cover either case
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- FP001 pull is standard for acrylic, Nuform and veneer fronts
- Consult General Information for pull options

- SuperStor insert available
- For 30"w insert add \$93 list
- For 36"w insert add \$109 list
- For 42"w insert add \$123 list
- SuperStore trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint upcharge |
|-------------|---------------------------|--------------|---------|-------|--------------|------------|-----------------------|
| 1 | Nuform Woodgrain Front | SW3027HDQ-SH | 29 %" | 30" | 90 | \$1120 | +\$113 |
| | Hinged Door with 1 Shelf | SW3627HDQ-SH | 29 %" | 36" | 112 | \$1170 | +\$118 |
| | | SW4227HDQ-SH | 29 %" | 42" | 127 | \$1263 | +\$127 |
| _ | Composite Veneer Front | SW3027HDW-SH | 29 %" | 30" | 90 | \$1796 | +\$180 |
| | Hinged Door with 1 Shelf | SW3627HDW-SH | 29 %" | 36" | 112 | \$1873 | +\$188 |
| | • | SW4227HDW-SH | 29 %" | 42" | 127 | \$2024 | +\$203 |
| | Glazed Front Hinged Door | SW3027HDJ-SH | 29 %" | 30" | 88 | \$2255 | +\$227 |
| | with 1 Shelf | SW3627HDJ-SH | 29 %" | 36" | 110 | \$2470 | +\$248 |
| | | SW4227HDJ-SH | 29 1/8" | 42" | 125 | \$2949 | +\$296 |
| _ | Tambour Door with 1 Shelf | SW3027TM-SH | 29 %" | 30" | 88 | \$1381 | +\$139 |
| | | SW3627TM-SH | 29 %" | 36" | 110 | \$1446 | +\$146 |
| | | SW4227TM-SH | 29 %" | 42" | 125 | \$1563 | +\$157 |



Storage Storwal Storage Stack Units 35 7/8" H

General information

- Stack unit will achieve overall height of 71"h
- Install on Storwal Storage case where adjacent case is same width, allows for sliding door to cover either case
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- Consult General Information for pull options

- SuperStor insert available
- For 30"w insert add \$93 list
- For 36"w insert add \$109 list
- For 42"w insert add \$123 list
- SuperStore trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint upcharge |
|---|-------------------------------|---------------------------|--------------|-------|--------------|-------------|-----------------------|
| | Open Bookcase | SW3033BK-SH | 35 %" | 30" | 70 | \$740 | +\$75 |
| | | SW3633BK-SH | 35 %" | 36" | 76 | \$771 | +\$78 |
| | | SW4233BK-SH | 35 1/8" | 42" | 80 | \$863 | +\$87 |
| | Nuform Solid Slidig Door | SWL3033SDS | 35 %" | 30" | 17 | \$632 | _ |
| | - | SWL3633SDS | 35 %" | 36" | 19 | \$682 | _ |
| | | SWL4233SDS left-handed | 35 %" | 42" | 23 | \$730 | _ |
| | | SWR3033SDS | 35 %" | 30" | 17 | \$632 | _ |
| | | SWR3633SDS | 35 %" | 36" | 19 | \$682 | _ |
| | | SWR4233SDS | 35 %" | 42" | 23 | \$730 | _ |
| | | right-handed | 55 75 | | | Ψ. σσ | |
| | Nuform Woodgrain Slidig Door | SWL3033SDQ | 35 %" | 30" | 17 | \$632 | _ |
| 100000000000000000000000000000000000000 | | SWL3633SDQ | 35 %" | 36" | 19 | \$682 | _ |
| · · · · · · · · · · · · · · · · · · · | | SWL4233SDQ | 35 %" | 42" | 23 | \$730 | _ |
| 1997 | | left-handed | | | | | |
| | | SWR3033SDQ | 35 %" | 30" | 17 | \$632 | _ |
| | | SWR3633SDQ | 35 %" | 36" | 19 | \$682 | _ |
| | | SWR4233SDQ | 35 %" | 42" | 23 | \$730 | _ |
| | | right-handed | /- | | | ***** | |
| | Composite Veneer Slidig Door | SWL3033SDW | 35 %" | 30" | 17 | \$1147 | _ |
| 11-11-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1 | | SWL3633SDW | 35 %" | 36" | 19 | \$1228 | _ |
| | | SWL4233SDW left-handed | 35 %" | 42" | 23 | \$1328 | _ |
| | | SWR3033SDW | 35 %" | 30" | 17 | \$1147 | _ |
| | | SWR3633SDW | 35 %" | 36" | 19 | \$1228 | _ |
| | | SWR4233SDW | 35 %" | 42" | 23 | \$1328 | _ |
| | | right-handed | 33 78 | 42 | 23 | Ψ1020 | |
| | 2 Bookcase shelf with | SW3033-2SHMS | 35 %" | 30" | 70 | \$1022 | +\$103 |
| | 1 magazine shelf | SW3633-2SHMS | 35 %" | 36" | 76 | \$1072 | +\$108 |
| | | SW4233-2SHMS | 35 %" | 42" | 80 | \$1126 | +\$113 |
| \sim | 9900 Series Front Hinged Door | SW3033HDE-SH | 35 %" | 30" | 90 | \$1072 | +\$108 |
| Ser | with 1 Shelf | SW3633HDE-SH | 35 %" | 36" | 115 | \$1108 | +\$112 |
| | | SW4233HDE-SH | 35 %" | 42" | 126 | \$1167 | +\$117 |
| MM | | | 55 /6 | - | 2 | Ţ . | |
| \sim | Nuform Solid Front Hinged | SW3033HDS-SH | 35 %" | 30" | 92 | \$1176 | +\$118 |
| | Door with 1 Shelf | SW3633HDS-SH | 35 %" | 36" | 117 | \$1247 | +\$125 |
| | | SW4233HDS-SH | 35 %" | 42" | 128 | \$1368 | +\$138 |
| | | | /0 | := | • | ÷.000 | . 4.33 |



- Stack unit will achieve overall height of 71"h
- Install on Storwal Storage case where adjacent case is same width, allows for sliding door to cover either case
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- FP001 pull is standard for acrylic, Nuform and veneer fronts
- Consult General Information for pull options

- SuperStor insert available
- For 30"w insert add \$93 list
- For 36"w insert add \$109 list
- For 42"w insert add \$123 list
- SuperStore trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint upcharge |
|-------------|---------------------------|--------------|---------|-------|--------------|------------|-----------------------|
| $\hat{}$ | Nuform Woodgrain Front | SW3033HDQ-SH | 35 %" | 30" | 92 | \$1176 | +\$118 |
| | Hinged Door with 1 Shelf | SW3633HDQ-SH | 35 %" | 36" | 117 | \$1247 | +\$125 |
| | | SW4233HDQ-SH | 35 %" | 42" | 128 | \$1368 | +\$138 |
| | Composite Veneer Front | SW3033HDW-SH | 35 %" | 30" | 92 | \$1886 | +\$189 |
| | Hinged Door with 1 Shelf | SW3633HDW-SH | 35 %" | 36" | 117 | \$1998 | +\$200 |
| | - | SW4233HDW-SH | 35 %" | 42" | 128 | \$2193 | +\$220 |
| ^ | Glazed Front Hinged Door | SW3033HDJ-SH | 35 %" | 30" | 90 | \$2725 | +\$274 |
| | with 1 Shelf | SW3633HDJ-SH | 35 %" | 36" | 115 | \$3044 | +\$305 |
| | | SW4233HDJ-SH | 35 1/8" | 42" | 126 | \$3389 | +\$340 |
| \sim | Tambour Door with 1 Shelf | SW3033TM-SH | 35 %" | 30" | 90 | \$1446 | +\$146 |
| | | SW3633TM-SH | 35 %" | 36" | 115 | \$1536 | +\$155 |
| | | SW4233TM-SH | 35 %" | 42" | 126 | \$1682 | +\$169 |

System

Storage Storwal Storage Wardrobe Towers 51" H

General information

- To be used with 51" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

Product SWVL121845E with a Rectangular Glide would be \$1222 +\$28

| | | | | 14P III | | Round glides Coat rod + | Rectangular | Accent paint |
|-------------|--------------------------------|--|---------------|-------------|-------|-------------------------------|-------------|--------------|
| Description | | Part number | Height | Width | Depth | shelf | glides | upcharge |
| | 9900 Series Front Single Sided | SWVL121845E | 49 %" | 12" | 18" | \$1222 | +\$28 | +\$123 |
| | Wardrobe | SWVL151845E | 49 %" | 15" | 18" | \$1290 | +\$28 | +\$129 |
| | | SWVL181845E | 49 %" | 18" | 18" | \$1360 | +\$28 | +\$137 |
| | | left-handed door | | | | | | |
| | | SWVR121845E | 49 %" | 12" | 18" | \$1222 | +\$28 | +\$123 |
| | | SWVR151845E | 49 %" | 15" | 18" | \$1290 | +\$28 | +\$129 |
| | | SWVR181845E | 49 %" | 18" | 18" | \$1360 | +\$28 | +\$137 |
| | | right-handed door (illustrated) | | | | | | |
| | 9900 Series Front Single Sided | SWVL121845EP | 49 ¾" | 12" | 18" | \$1283 | +\$28 | +\$129 |
| | Wardrobe with pass-thru | SWVL151845EP | 49 %" | 15" | 18" | \$1357 | +\$28 | +\$137 |
| cal | capability | SWVL181845EP left-handed door | 49 ¾" | 18" | 18" | \$1428 | +\$28 | +\$144 |
| | | SWVR121845EP | 49 %" | 12" | 18" | \$1283 | +\$28 | +\$129 |
| | | SWVR151845EP | 49 %" | 15" | 18" | \$1357 | +\$28 | +\$137 |
| | | SWVR181845EP | 49 %" | 18" | 18" | \$1428 | +\$28 | +\$144 |
| | | right-handed door (illustrated) | 40 /8 | .0 | .0 | ψ11 <u>2</u> 0 | 1420 | |
| | 9900 Series Front Double Sided | SWWLL121845E | 49 ¾" | 12" | 18" | \$1448 | +\$28 | +\$146 |
| 1 | Wardrobe | SWWLL151845E | 49 %" | 15" | 18" | \$1517 | +\$28 | +\$153 |
| - TS | | SWWLL181845E | 49 %" | 18" | 18" | \$1585 | +\$28 | +\$160 |
| | | SWWLL2445E | 49 %" | 24" | 18" | \$1896 | +\$28 | +\$190 |
| | | left-handed doors both sides | 75 /6 | LT | 10 | φίσσο | 1ψ20 | 10100 |
| | | SWWRR121845E | 49 %" | 12" | 18" | \$1448 | +\$28 | +\$146 |
| | | SWWRR151845E | 49 %" | 15" | 18" | \$1517 | +\$28 | +\$153 |
| 1 1 1 | | SWWRR181845E | 49 %" | 18" | 18" | \$1517 | +\$28 | +\$160 |
| | | SWWRR2445E | 49 %" | 24" | 18" | \$1896 | +\$28 | +\$190 |
| | ļ. | right-handed doors both sides (illustrated) | 45 /6 | LT | 10 | φίσσο | 1ψ20 | 14100 |
| | | SWWRL121845E | 49 %" | 12" | 18" | \$1448 | +\$28 | +\$146 |
| | | SWWRL151845E | 49 % 49 %" | 15" | 18" | \$1517 | +\$28 | +\$153 |
| | | SWWRL181845E | 49 % 49 %" | 18" | 18" | \$151 <i>7</i> \$1585 | +\$28 | +\$160 |
| | | SWWRL2445E | 49 % 49 %" | 24" | 18" | \$1896 | +\$28 | +\$190 |
| | | left-handed door on one side, right-handed door on | → | <u>-</u> -T | 10 | ψ1030 | ∓ψ∠Ο | гф190 |

side, right the other



- To be used with 51" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Woodgrain and solid colors available
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL121845EP with a Rectangular Glide would be \$1521 +\$28

| escription | | Part number | Lla:abi | Width | Depth | glides Coat rod + | Rectangular | Accent pain |
|--|-------------------------------|---|---------|--------|-------|----------------------|-------------|----------------|
| escription ———————————————————————————————————— | | Part number | Height | vviatn | Depth | shelf | glides | upcharge |
| | 9900 Series Front Double | SWWLL121845EP | 49 %" | 12" | 18" | \$1521 | +\$28 | +\$153 |
| | Sided Wardrobe with pass-thru | SWWLL151845EP | 49 %" | 15" | 18" | \$1592 | +\$28 | +\$160 |
| 7 | capability | SWWLL181845EP | 49 %" | 18" | 18" | \$1665 | +\$28 | +\$167 |
| | | SWWLL2445EP | 49 %" | 24" | 18" | \$2080 | +\$28 | +\$209 |
| | | left-handed doors both sides | .0 /0 | | | 4 | | |
| | | SWWRR121845EP | 49 %" | 12" | 18" | \$1521 | +\$28 | +\$153 |
| | | | | | | | • | • |
| | | SWWRR151845EP | 49 ¾" | 15" | 18" | \$1592 | +\$28 | +\$160 |
| | | SWWRR181845EP | 49 %" | 18" | 18" | \$1665 | +\$28 | +\$167 |
| | | SWWRR2445EP | 49 %" | 24" | 18" | \$2080 | +\$28 | +\$209 |
| | | right-handed doors both sides (illustrated) | | | | | | |
| | | SWWRL121845EP | 49 ¾" | 12" | 18" | \$1521 | +\$28 | +\$153 |
| | | SWWRL151845EP | 49 %" | 15" | 18" | \$1592 | +\$28 | +\$160 |
| | | | | 18" | 18" | \$1665 | +\$28 | |
| | | SWWRL181845EP | 49 %" | | | | • | +\$16 |
| | | SWWRL2445EP | 49 ¾" | 24" | 18" | \$2080 | +\$28 | +\$20 |
| | | left-handed door on one | | | | | | |
| | | side, right-handed door on the other | | | | | | |
| Nuform From Wardrobe | Nuform Front Single Sided | 011011 4040450 | 40 | 40" | 4.0" | A 4407 | Φ00 | |
| | <u> </u> | SWVL121845Q | 49 %" | 12" | 18" | \$1467 | +\$28 | +\$14 |
| | Waldiobe | SWVL151845Q | 49 %" | 15" | 18" | \$1547 | +\$28 | +\$15 |
| | | SWVL181845Q | 49 %" | 18" | 18" | \$1631 | +\$28 | +\$16 |
| | | left-handed door | | | | | | |
| | | SWVR121845Q | 49 %" | 12" | 18" | \$1467 | +\$28 | +\$14 |
| | | SWVR151845Q | 49 %" | 15" | 18" | \$1547 | +\$28 | +\$15 |
| | | | | 18" | 18" | | | +\$15 +\$16 |
| | | SWVR181845Q | 49 %" | 10 | 10 | \$1631 | +\$28 | +\$10 |
| | | right-handed door (illustrated) | | | | | | |
| | Nufarm Front Cingle Cided | SWVL121845QP | 40.3/" | 12" | 18" | \$1540 | . \$20 | +\$15 |
| | Nuform Front Single Sided | | 49 %" | | | | +\$28 | |
| | Wardrobe with pass-thru | SWVL151845QP | 49 %" | 15" | 18" | \$1626 | +\$28 | +\$16 |
| | capability | SWVL181845QP | 49 ¾" | 18" | 18" | \$1712 | +\$28 | +\$17 |
| | | left-handed door | | | | | | |
| | | SWVR121845QP | 49 %" | 12" | 18" | \$1540 | +\$28 | +\$15 |
| | | SWVR151845QP | 49 %" | 15" | 18" | \$1626 | +\$28 | +\$16 |
| 7 | | SWVR181845QP | 49 %" | 18" | 18" | \$1712 | +\$28 | +\$17 |
| | | right-handed door (illustrated) | 10 /8 | . • | . • | ¥11.1E | , 423 | ιψι/. |
| | | | | | | | | |

System

Storage Storwal Storage Wardrobe Towers 51" H

General information

- To be used with 51" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Woodgrain and solid colors available
- FP001 pull is standard for Nuform and veneer fronts

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL121845Q with a Rectangular Glide would be \$1738 +\$28

| | | | | | | glides | Do atau au ' | A+ : |
|-------------|---------------------------|--|--------|-------|-------|---------------------|-----------------------|-------------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent pain upcharge |
| 2 | Nuform Front Double Sided | SWWLL121845Q | 49 %" | 12" | 18" | \$1738 | +\$28 | +\$175 |
| | Wardrobe | SWWLL151845Q | 49 %" | 15" | 18" | \$1819 | +\$28 | +\$183 |
| - | P7 | SWWLL181845Q | 49 %" | 18" | 18" | \$1901 | +\$28 | +\$19 |
| | | SWWLL2445Q | 49 %" | 24" | 18" | \$2318 | +\$28 | +\$23 |
| | | left-handed doors both sides | | | | | | |
| | | SWWRR121845Q | 49 ¾" | 12" | 18" | \$1738 | +\$28 | +\$17 |
| 1 | | SWWRR151845Q | 49 %" | 15" | 18" | \$1819 | +\$28 | +\$18 |
| 1 1 1 | | SWWRR181845Q | 49 %" | 18" | 18" | \$1901 | +\$28 | +\$19 |
| | J | SWWRR2445Q right-handed doors both sides (illustrated) | 49 %" | 24" | 18" | \$2318 | +\$28 | +\$23 |
| | | SWWRL121845Q | 49 %" | 12" | 18" | \$1738 | +\$28 | +\$175 |
| | | SWWRL151845Q | 49 %" | 15" | 18" | \$1819 | +\$28 | +\$18 |
| | | SWWRL181845Q | 49 %" | 18" | 18" | \$1901 | +\$28 | +\$19 |
| | | SWWRL2445Q | 49 %" | 24" | 18" | \$2318 | +\$28 | +\$23 |
| | | left-handed door on one | | | | | | |
| | | side, right-handed door on the other | | | | | | |
| 2 | Nuform Front Double Sided | SWWLL121845QP | 49 ¾" | 12" | 18" | \$1825 | +\$28 | +\$18 |
| 1 | Wardrobe with pass-thru | SWWLL151845QP | 49 %" | 15" | 18" | \$1911 | +\$28 | +\$19 |
| | capability | SWWLL181845QP | 49 %" | 18" | 18" | \$1997 | +\$28 | +\$20 |
| | | SWWLL2445QP | 49 %" | 24" | 18" | \$2501 | +\$28 | +\$25 |
| | | left-handed doors both sides | | | | | | |
| | | SWWRR121845QP | 49 %" | 12" | 18" | \$1825 | +\$28 | +\$18 |
| | | SWWRR151845QP | 49 %" | 15" | 18" | \$1911 | +\$28 | +\$19 |
| 1 1 1 | | SWWRR181845QP | 49 %" | 18" | 18" | \$1997 | +\$28 | +\$20 |
| 1 1 1 | | SWWRR2445QP | 49 %" | 24" | 18" | \$2501 | +\$28 | +\$25 |
| | J | right-handed doors both sides (illustrated) | | | | | | |
| | | SWWRL121845QP | 49 ¾" | 12" | 18" | \$1825 | +\$28 | +\$18 |
| | | SWWRL151845QP | 49 %" | 15" | 18" | \$1911 | +\$28 | +\$19 |
| | | SWWRL181845QP | 49 %" | 18" | 18" | \$1997 | +\$28 | +\$20 |
| | | SWWRL2445QP left-handed door on one | 49 ¾" | 24" | 18" | \$2501 | +\$28 | +\$25 |
| | | side, right-handed door on | | | | | | |

190 | System US Price List | April 2018

the other



- To be used with 51" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- FP001 pull is standard for Nuform and veneer fronts
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL2445W with a Rectangular Glide would be \$2803 +\$28

| Consult General Inforn | nation for pull options | | | | | Round glides | | |
|------------------------|--|---|--------|-------|-------|---------------------|-----------------------|-----------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent paint upcharge |
| | Composite Veneer Front Double Sided Wardrobe | SWWLL2445W left-handed doors both sides | 49 ¾" | 24" | 18" | \$2803 | +\$28 | +\$282 |
| | | SWWRR2445W right-handed doors both sides (illustrated) | 49 ¾" | 24" | 18" | \$2803 | +\$28 | +\$282 |
| | | SWWRL2445W left-handed door on one side, right-handed door on the other | 49 ¾" | 24" | 18" | \$2803 | +\$28 | +\$282 |
| | | | | | | | | |
| | Composite Veneer Front Double Sided Wardrobe with pass-thru capability | SWWLL2445WP left-handed doors both sides | 49 %" | 24" | 18" | \$2989 | +\$28 | +\$300 |
| | разэ-ши саравшу | SWWRR2445WP right-handed doors both sides (illustrated) | 49 3%" | 24" | 18" | \$2989 | +\$28 | +\$300 |
| | | SWWRL2445WP left-handed door on one side, right-handed door on the other | 49 %" | 24" | 18" | \$2989 | +\$28 | +\$300 |
| | | | | | | | | |

System

Storage Storwal Storage Wardrobe Towers 64" H

General information

- To be used with 64" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWVL121858E with a Rectangular Glide would be \$1358 +\$28

| | | \$1330 + | \$ 20 | | | | | |
|-------------|--------------------------------|--|--------------|-------|-------|---------------------|-----------------------|------------------------|
| | | | | | | Round glides | | |
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent pair upcharg |
| | 9900 Series Front Single Sided | SWVL121858E | 62 %" | 12" | 18" | \$1358 | +\$28 | +\$137 |
| | Wardrobe | SWVL151858E | 62 %" | 15" | 18" | \$1434 | +\$28 | +\$14 |
| | | SWVL181858E | 62 %" | 18" | 18" | \$1475 | +\$28 | +\$149 |
| | | left-handed door | | | | | | |
| | | SWVR121858E | 62 %" | 12" | 18" | \$1358 | +\$28 | +\$13 |
| | | SWVR151858E | 62 %" | 15" | 18" | \$1434 | +\$28 | +\$14 |
| | | SWVR181858E right-handed door (illustrated) | 62 %" | 18" | 18" | \$1475 | +\$28 | +\$149 |
| | | | | | | | | |
| | 9900 Series Front Single Sided | SWVL121858EP | 62 %" | 12" | 18" | \$1426 | +\$28 | +\$144 |
| | Wardrobe with pass-thru | SWVL151858EP | 62 %" | 15" | 18" | \$1507 | +\$28 | +\$152 |
| | capability | SWVL181858EP left-handed door | 62 %" | 18" | 18" | \$1547 | +\$28 | +\$15 |
| | | SWVR121858EP | 62 %" | 12" | 18" | \$1426 | +\$28 | +\$14 |
| | | SWVR151858EP | 62 %" | 15" | 18" | \$1507 | +\$28 | +\$15 |
| | | SWVR181858EP | 62 %" | 18" | 18" | \$1547 | +\$28 | +\$15 |
| | | right-handed door (illustrated) | | | | | | |
| | 9900 Series Front Double Sided | SWWLL121858E | 62 %" | 12" | 18" | \$1584 | +\$28 | +\$159 |
| 1 | Wardrobe | SWWLL151858E | 62 %" | 15" | 18" | \$1660 | +\$28 | +\$167 |
| - T | Wardiese | SWWLL181858E | 62 %" | 18" | 18" | \$1701 | +\$28 | +\$17 |
| | | SWWLL2458.5E | 62 %" | 24" | 18" | \$2057 | +\$28 | +\$20 |
| | | left-handed doors both sides | OL 78 | | .0 | Ψ2007 | 1423 | , φ20 |
| | | SWWRR121858E | 62 %" | 12" | 18" | \$1584 | +\$28 | +\$159 |
| | | SWWRR151858E | 62 %" | 15" | 18" | \$1660 | +\$28 | +\$16 |
| 1 1 | | SWWRR181858E | 62 %" | 18" | 18" | \$1701 | +\$28 | +\$17 |
| 1 1 1 | | SWWRR2458.5E | 62 %" | 24" | 18" | \$2057 | +\$28 | +\$207 |
| | | right-handed doors both sides (illustrated) | | | | | | |
| - W | | SWWRL121858E | 62 %" | 12" | 18" | \$1584 | +\$28 | +\$159 |
| | | SWWRL151858E | 62 %" | 15" | 18" | \$1660 | +\$28 | +\$16 |
| | | SWWRL181858E | 62 %" | 18" | 18" | \$1701 | +\$28 | +\$17 |
| | | SWWRL2458.5E | 62 %" | 24" | 18" | \$2057 | +\$28 | +\$207 |
| | | left-handed door on one | - /- | - | - | | . 7-0 | +=0 |
| | | side, right-handed door on | | | | | | |

side, right-handed door on the other



- To be used with 64" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL121858E with a Rectangular Glide would be \$1584 +\$28

| | | , | | | | Round glides | | |
|-------------|-------------------------------|--|---------|-------|-------|------------------|-----------------------|-----------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent paint upcharge |
| | 9900 Series Front Double | SWWLL121858EP | 62 %" | 12" | 18" | \$1663 | +\$28 | +\$167 |
| | Sided Wardrobe with pass-thru | SWWLL151858EP | 62 %" | 15" | 18" | \$1742 | +\$28 | +\$175 |
| | capability | SWWLL181858EP | 62 %" | 18" | 18" | \$1786 | +\$28 | +\$179 |
| | . , | SWWLL2458.5EP | 62 %" | 24" | 18" | \$2241 | +\$28 | +\$225 |
| | | left-handed doors both sides | | | | · | , | • |
| | | SWWRR121858EP | 62 %" | 12" | 18" | \$1663 | +\$28 | +\$167 |
| | | SWWRR151858EP | 62 %" | 15" | 18" | \$1742 | +\$28 | +\$175 |
| J | | SWWRR181858EP | 62 %" | 18" | 18" | \$1786 | +\$28 | +\$179 |
| | | SWWRR2458.5EP right-handed doors both sides (illustrated) | 62 %" | 24" | 18" | \$2241 | +\$28 | +\$225 |
| | | CW/WDI 121050ED | 60 7/ " | 10" | 10" | ¢1662 | . 400 | . ¢167 |
| | | SWWRL121858EP | 62 %" | 12" | 18" | \$1663 | +\$28 | +\$167 |
| | | SWWRL151858EP | 62 %" | 15" | 18" | \$1742 | +\$28 | +\$175 |
| | | SWWRL181858EP | 62 %" | 18" | 18" | \$1786 | +\$28 | +\$179 |
| | | SWWRL2458.5EP | 62 %" | 24" | 18" | \$2241 | +\$28 | +\$225 |
| | | left-handed door on one side, right-handed door on the other | | | | | | |
| | Nuform Front Single Sided | SWVL121858Q | 62 %" | 12" | 18" | \$1629 | +\$28 | +\$164 |
| | Wardrobe | SWVL151858Q | 62 %" | 15" | 18" | \$1680 | +\$28 | +\$169 |
| | | SWVL181858Q left-handed door | 62 %" | 18" | 18" | \$1771 | +\$28 | +\$178 |
| | | SWVR121858Q | 62 %" | 12" | 18" | \$1629 | +\$28 | +\$164 |
| | | SWVR151858Q | 62 %" | 15" | 18" | \$1680 | +\$28 | +\$169 |
| | | SWVR181858Q right-handed door (illustrated) | 62 %" | 18" | 18" | \$1771 | +\$28 | +\$178 |
| | | | | | | | | |
| | Nuform Front Single Sided | SWVL121858QP | 62 %" | 12" | 18" | \$1709 | +\$28 | +\$172 |
| | Wardrobe with pass-thru | SWVL151858QP | 62 %" | 15" | 18" | \$1806 | +\$28 | +\$181 |
| | capability | SWVL181858QP | 62 %" | 18" | 18" | \$1858 | +\$28 | +\$186 |
| | | left-handed door | | 40" | 46" | A | ^ | A. =c |
| | | SWVR121858QP | 62 %" | 12" | 18" | \$1709 | +\$28 | +\$172 |
| | | SWVR151858QP | 62 %" | 15" | 18" | \$1806 | +\$28 | +\$181 |
| | | SWVR181858QP right-handed door (illustrated) | 62 %" | 18" | 18" | \$1858 | +\$28 | +\$186 |
| | | | | | | | | |

System

Storage Storwal Storage Wardrobe Towers 64" H

General information

- To be used with 64" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Woodgrain and solid colors available
- FP001 pull is standard for Nuform and veneer fronts

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL121845EP with a Rectangular Glide would be \$1468 +\$26

| 322 333141 | Information for pull options | | | | | Round glides | | |
|-------------|------------------------------|---|--------|-------|-------|------------------|-----------------------|------------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent pair upcharg |
| 2 | Nuform Front Double Sided | SWWLL121858Q | 62 %" | 12" | 18" | \$1900 | +\$28 | +\$19 |
| | Wardrobe | SWWLL151858Q | 62 %" | 15" | 18" | \$1993 | +\$28 | +\$20 |
| | 57 | SWWLL181858Q | 62 %" | 18" | 18" | \$2042 | +\$28 | +\$20 |
| | | SWWLL2458.5Q | 62 %" | 24" | 18" | \$2591 | +\$28 | +\$26 |
| 4 - 22 | | left-handed doors both sides | | | | | | |
| | | SWWRR121858Q | 62 %" | 12" | 18" | \$1900 | +\$28 | +\$19 |
| | | SWWRR151858Q | 62 %" | 15" | 18" | \$1993 | +\$28 | +\$20 |
| | | SWWRR181858Q | 62 %" | 18" | 18" | \$2042 | +\$28 | +\$20 |
| | | SWWRR2458.5Q | 62 %" | 24" | 18" | \$2591 | +\$28 | +\$26 |
| | J | right-handed doors both sides (illustrated) | | | | | | |
| | | SWWRL121858Q | 62 %" | 12" | 18" | \$1900 | +\$28 | +\$19 |
| | | SWWRL151858Q | 62 %" | 15" | 18" | \$1993 | +\$28 | +\$20 |
| | | SWWRL181858Q | 62 %" | 18" | 18" | \$2042 | +\$28 | +\$2 |
| | | SWWRL2458.5Q | 62 %" | 24" | 18" | \$2591 | +\$28 | +\$2 |
| | | left-handed door on one | | | | | | |
| | | side, right-handed door on the other | | | | | | |
| 12 | Nuform Front Double Sided | SWWLL121858QP | 62 %" | 12" | 18" | \$1996 | +\$28 | +\$20 |
| 1 | Wardrobe with pass-thru | SWWLL151858QP | 62 %" | 15" | 18" | \$2091 | +\$28 | +\$2 |
| | capability | SWWLL181858QP | 62 %" | 18" | 18" | \$2144 | +\$28 | +\$2 |
| | | SWWLL2458.5QP | 62 %" | 24" | 18" | \$2776 | +\$28 | +\$2 |
| | | left-handed doors both sides | | | | | | |
| | | SWWRR121858QP | 62 %" | 12" | 18" | \$1996 | +\$28 | +\$2 |
| | | SWWRR151858QP | 62 %" | 15" | 18" | \$2091 | +\$28 | +\$2 |
| | | SWWRR181858QP | 62 %" | 18" | 18" | \$2144 | +\$28 | +\$2 |
| | | SWWRR2458.5QP | 62 %" | 24" | 18" | \$2776 | +\$28 | +\$2 |
| | | right-handed doors both | | | | | | |
| |) | sides (illustrated) | | | | | | |
| IV | (a) | SWWRL121858QP | 62 %" | 12" | 18" | \$1996 | +\$28 | +\$20 |
| | | SWWRL151858QP | 62 %" | 15" | 18" | \$2091 | +\$28 | +\$2 |
| | | SWWRL181858QP | 62 %" | 18" | 18" | \$2144 | +\$28 | +\$2 |
| | | SWWRL2458.5QP | 62 %" | 24" | 18" | \$2776 | +\$28 | +\$2 |
| | | left-handed door on one | | | | | | |
| | | side, right-handed door on | | | | | | |

194 | System US Price List | April 2018

the other



- To be used with 64" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Nuform woodgrain and solid colors available
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL121858Q with a Rectangular Glide would be \$1900 +\$28

| | | | | | | Round glides | | |
|-------------|---|---|--------|-------|-------|---------------------|-----------------------|-----------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent paint upcharge |
| 1 | Composite Veneer Front Double Sided Wardrobe | SWWLL2458.5W left-handed doors both sides | 62 %" | 12" | 18" | \$3068 | +\$28 | +\$308 |
| | | SWWRR2458.5W right-handed doors both sides (illustrated) | 62 %" | 15" | 18" | \$3068 | +\$28 | +\$308 |
| | | SWWRL2458.5W left-handed door on one side, right-handed door on the other | 62 %" | 18" | 18" | \$3068 | +\$28 | +\$308 |
| A COM | Composite Veneer Front Double Sided Wardrobe with | SWWLL2458.5WP left-handed doors both sides | 62 %" | 12" | 18" | \$3252 | +\$28 | +\$326 |
| | pass-thru capability | SWWRR2458.5WP right-handed doors both sides (illustrated) | 62 %" | 15" | 18" | \$3252 | +\$28 | +\$326 |
| | | SWWRL2458.5WP left-handed door on one side, right-handed door on the other | 62 %" | 18" | 18" | \$3252 | +\$28 | +\$326 |



Storage Storwal Storage Wardrobe Towers 71" H

General information

- To be used with 71" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL2458.5WP with a Rectangular Glide would be \$3252 +\$28

| | | | | | Round glides | | |
|---|---|--|---|--|--|---|------------------------|
| | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent pair upcharg |
| ries Front Double Sided e | SWWLL2464.5E left-handed doors both sides | 68 %" | 24" | 18" | \$2121 | +\$28 | +\$21 |
| | SWWRR2464.5E right-handed doors both sides (illustrated) | 68 %" | 24" | 18" | \$2121 | +\$28 | +\$21 |
| | SWWRL2464.5E left-handed door on one side, right-handed door on the other | 68 %" | 24" | 18" | \$2121 | +\$28 | +\$21 |
| ries Front Double ardrobe with pass-thru | SWWLL2464.5EP left-handed doors both sides | 68 %" | 24" | 18" | \$2307 | +\$28 | +\$23 |
| у | SWWRR2464.5EP right-handed doors both sides (illustrated) | 68 %" | 24" | 18" | \$2307 | +\$28 | +\$23 |
| | SWWRL2464.5EP left-handed door on one side, right-handed door on the other | 68 %" | 24" | 18" | \$2307 | +\$28 | +\$23 |
| | ries Front Double | ries Front Double Sided e SWWLL2464.5E left-handed doors both sides SWWRR2464.5E right-handed doors both sides (illustrated) SWWRL2464.5E left-handed door on one side, right-handed door on the other SWWLL2464.5EP left-handed doors both sides SWWRR2464.5EP right-handed doors both sides (illustrated) SWWRR2464.5EP left-handed door on one side, right-handed door on one side, right-handed door on one side, right-handed door on | ries Front Double Sided e SWWLL2464.5E left-handed doors both sides SWWRR2464.5E right-handed doors both sides (illustrated) SWWRL2464.5E left-handed door on one side, right-handed door on the other SWWLL2464.5E left-handed door sboth sides SWWLL2464.5EP left-handed doors both sides SWWRR2464.5EP right-handed doors both sides SWWRR2464.5EP right-handed doors both sides (illustrated) SWWRL2464.5EP left-handed door on one side, right-handed door on one side, right-handed door on | ries Front Double Sided e SWWLL2464.5E left-handed doors both sides SWWRR2464.5E right-handed doors both sides (illustrated) SWWRL2464.5E left-handed door on one side, right-handed door on the other SWWLL2464.5EP left-handed door sboth sides SWWRL2464.5EP left-handed doors both sides SWWRR2464.5EP right-handed doors both sides SWWRR2464.5EP right-handed doors both sides (illustrated) SWWRR2464.5EP left-handed doors both sides (illustrated) SWWRL2464.5EP left-handed door on one side, right-handed door on side, right-handed door on | ries Front Double Sided e left-handed doors both sides SWWRR2464.5E | Part number Height Width Depth Coat rod + shelf ries Front Double Sided e SWWLL2464.5E 68 %" 24" 18" \$2121 eft-handed doors both sides (illustrated) SWWR2464.5E 68 %" 24" 18" \$2121 sides (illustrated) SWWRL2464.5E 68 %" 24" 18" \$2121 eft-handed door on one side, right-handed door on the other SWWL2464.5E 68 %" 24" 18" \$2307 eft-handed doors both sides SWWL2464.5EP 68 %" 24" 18" \$2307 eft-handed doors both sides SWWRR2464.5EP 68 %" 24" 18" \$2307 eft-handed doors both sides (illustrated) SWWRL2464.5EP 68 %" 24" 18" \$2307 eft-handed door on one side, right-handed door one side, right-handed door one side, right-handed door one side, right-h | Part number |



- To be used with 71" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL2464.5E with a Rectangular Glide would be \$2121 +\$28

| | | | | | | Round glides | | |
|-------------|--|--|---------|-------|-------|---------------------|-----------------------|-----------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent paint upcharge |
| 1 | Nuform Front Double Sided Wardrobe | SWWLL2464.5Q left-handed doors both sides | 68 %" | 24" | 18" | \$2653 | +\$28 | +\$266 |
| | | SWWRR2464.5Q right-handed doors both sides (illustrated) | 68 %" | 24" | 18" | \$2653 | +\$28 | +\$266 |
| | | SWWRL2464.5Q left-handed door on one side, right-handed door on the other | 68 1/8" | 24" | 18" | \$2653 | +\$28 | +\$266 |
| | Nuform Front Double Sided Wardrobe with pass-thru capability | SWWLL2464.5QP left-handed doors both sides | 68 %" | 24" | 18" | \$2836 | +\$28 | +\$285 |
| | | SWWRR2464.5QP right-handed doors both sides (illustrated) | 68 %" | 24" | 18" | \$2836 | +\$28 | +\$285 |
| | | SWWRL2464.5QP left-handed door on one side, right-handed door on the other | 68 %" | 24" | 18" | \$2836 | +\$28 | +\$285 |



Storage Storwal Storage Wardrobe Towers 71" H

General information

- To be used with 71" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Woodgrain and solid colors available
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example

Product SWWLL2464.5Q with a Rectangular Glide would be \$2653 +\$28

| Consult General Infor | mation for pull options | | | | | Round glides | | |
|-----------------------|---|--|--------|-------|-------|------------------|-----------------------|-----------------------|
| Description | | Part number | Height | Width | Depth | Coat rod + shelf | Rectangular glides | Accent paint upcharge |
| 1 | Composite Veneer Front Double Sided Wardrobe | SWWLL2464.5W left-handed doors both sides | 68 %" | 24" | 18" | \$3254 | +\$28 | +\$326 |
| | | SWWRR2464.5W right-handed doors both sides (illustrated) | 68 %" | 24" | 18" | \$3254 | +\$28 | +\$326 |
| | | SWWRL2464.5W left-handed door on one side, right-handed door on the other | 68 %" | 24" | 18" | \$3254 | +\$28 | +\$326 |
| 4 | Composite Veneer Front Double Sided Wardrobe with | SWWLL2464.5WP | 68 %" | 24" | 18" | \$3439 | +\$28 | +\$345 |
| | pass-thru capability | SWWRR2464.5WP right-handed doors both sides (illustrated) | 68 %" | 24" | 18" | \$3439 | +\$28 | +\$345 |
| | | SWWRL2464.5WP left-handed door on one side, right-handed door on the other | 68 %" | 24" | 18" | \$3439 | +\$28 | +\$345 |
| | | | | | | | | |

system

Accessories



Accessories General information

General information

Inscape System accessories include panel and table-mounted organizers, bin/shelf-mounted slanted sorters, whiteboards, wall-mounted tack boards, panel mounted accessory shelves, pencil drawer, signage, a picture hook, coat hook and table-mounted accessory shelves. The panel and table-mounted organizers are easy to install, move and reconfigure and provide a comprehensive solution for effectively managing paper and other office supplies.

Horizontal organizers

A variety of work tool Horizontal Organizers may be positioned at any point along the width of the paper management tiles. The three slat design allows for three different height options - customizing and providing adjustability to suit individual needs and preferences. Re-positioning the height of the trays can be easily done by lifting the trays out of the slats on the tile. Horizontal paper management accessories are available in colors shown in the Color Guide. These paper management organizers can withstand max 5lbs. The storage compartments are clear plastic. **The Personal Box** is 32" wide and may be mounted on a paper management tile. The maximum weight capacity of the personal box is 22lbs. The sliding door may be painted in colors shown in the Color Guide. The "box" portion is constructed of an MDF substrate wrapped in white laminate.

Coat hooks, picture hooks and signage

Coat Hooks, Picture Hooks and Signage are manufactured from steel and snap onto panel crossrails without tools. Signage is available 9" wide. The sign insert channel is 1" high. Insert is customer generated and can be printed on any printer compatible paper. Printing instructions are included. A strip of clear plastic slides into the channel to protect the printed identification card.

Pencil drawers

Pencil Drawers can be installed under any Inscape System worksurface and are available in two different widths, increasing the amount of usable storage within the workstation.

Panel-mounted accessory shelves

Panel-Mounted Accessory Shelves mount onto Inscape System panels and hold small items such as picture frames and clocks. Manufactured from extruded aluminum, accessory shelves are available in seven widths and protrude only 5 1/8" from the panel once installed.

Table mounted accessory shelves

Table Mounted Accessory Shelves are 8" deep and available in a variety of widths. Shelves are shipped with mounting hardware to clamp onto the 1" or 1.25" thick surface.

Touch up paint

Touch Up Paint is available in ½ pint cans to repair minor scratches on trim, tiles and cabinets. Paint may also be specified in aerosol cans for any of our standard paint colors with the exception of mica and textured paint finishes. Custom enamel finishes are available in liquid only.

NOTE: Restrictions may apply to shipping aerosol cans; contact your Client Services Representative.

CPU holder

The CPU Holder mounts to the underside of any 1" or 1.25" thick worksurface. The AU200CU is non-locking and has a track size of 17". This CPU holder has a weight capacity of 13lbs. This CPU holder has a plastic glide track style. The AU300CU is non-locking with a weight capacity of 17lbs and has a track size of 17" with a ball bearing style track. All CPU holders have a height range of 14.5"/22.5" and a width range of 3.5"/9.3".

Tile reveal strips

Tile Reveal Strips install onto the edge of 13.5" high tiles to conceal cabling passing between tiles. Two tile reveal strips per tile abutment are required to conceal opening. (Reveal strips are included with 6.75" high tiles).

NOTE: Reveal strips for steel/upholstered tiles are not interchangeable with reveal strips for Woodgrain tiles. To be used when a brick pattern tile configuration is specified.

Worksurface stretcher bar

Worksurface stretcher bar is additional structural support for unsupported worksurfaces of 54" or greater. It is 1 ½" high and the length of the stretcher bar is chosen based on the width of the worksurface. Be sure that there are no legs or panel mounted worksurface support brackets that may interfere with the stretcher bar.

Panel-mounted whiteboards

Panel-Mounted Whiteboards are available in two tile heights and in five tile widths. They are manufactured from steel and are powder-coated with white paint specially formulated for dry erase markers.

NOTE: Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

Crossrails

Crossrails are available for order when a tile configuration requires a different mount of the tile from where crossrails are placed when shipped. These crossrails are based on the width of the panel as well as the thickness, either 2.75" or 3.5". Crossrails are shipped with mounting hardware as well as tile clips.

Modesty Panels

Modesty Panels are available in a variety of options including painted, Nuform, laminate, veneer, acrylic and frame frosted acrylic. Panels are available in Partial Height of 13.5" and Full Height of 24" versions and a number of widths. Calculations must be made to determine the correct width dimension of Modesty Panel should be specified to accommodate the desired space. All mounting hardware is included in the product code and are installed on-site.



Table mounted fabric screen

The Table Mounted Fabric Screen is constructed of a 1.5" thick extruded aluminum frame and is designed to provide modesty and privacy to adjacent work areas. This 37" high screen mounts onto a 1" or 1.25" thick worksurface and may be adjusted vertically to create the desired privacy or modesty. The tackable 0.5" thick core may be specified in any of Inscape's standard fabrics or COM. Height adjustable brackets allow for various screen height positions. It is recommended that the table mounted screen be installed 20" above the surface with 16" below. Table mounted screens cannot be attached at 90° connections to 3.5" thick frames.

Table mounted acrylic screens

Table Mounted Acrylic Screens ship with standoff hardware to mount to a 1" or a 1.25" thick worksurface. The acrylic is a white finish with pre-drilled holes. When mounted, the screen extends 15.5" above the worksurface. Mounting hardware is included within the kit.

Freestanding table screens

The Freestanding Side Screen acts as a portable or stationary screen that separates two spaces adjacent to one another. The screen is made of 6mm thick frosted acrylic which is 13" high, seated in a painted aluminum extrusion, which can be painted any of Inscape's standard colors. The width of the screens is such that they are 5" less than the depth of our standard worksurfaces.

Add-on glazing

Add-on Glazing is manufactured from ¼" tempered glass. A ¾" tempered glass is also available. Glazing may be mounted to the top of any equivalent Inscape System frame or combination of frames outlined in the Application Guide. Glazing is available in clear, gray, etched one or two sides and designer glass Strie options. Add-on Glazing includes top trim, glass mounting extrusion and specified glass. Add-on Glazing is specified based on the thickness of the panel.

NOTE: Hi-lo Add-on Glazing must be specified when installed directly adjacent to a higher panel at an inline situation only. The glaze and extrusion are inset on one side to allow for hi-lo vertical trim on the adjacent higher panel. If the situation calls for hi-lo on both sides, a special may be required. An Add on Glazing alignment clip is included with each Add on Glaze ordered.

Wall Mounted Accessories

Wall Mounted Accessories include tackboards, whiteboards and paper management rails. These accessories ship with mounting hardware and instructions on how to install them onto the wall. Re-enforcing of the wall should be taken into account when wall mounting any accessory for additional weight. Tackboards may be specified with any of our standard fabrics or a COM all are applied railroad orientation. The paper management rail may be specified with any of the colors found in the Color Guide.

Bin/Shelf-Mounted sorters install beneath overhead bins and shelves and hold literature, correspondence, notes, etc. Sorters are available in right and left-handed models and are easily repositioned by sliding horizontally along the length of the bin or shelf. Sorters ship in packages of three and may be painted in any of Inscape's color options. Bin and shelf sorters are specific to the unit they are being mounted on. Sorters are suitable for paper literature. Sliding Dividers may be placed in the overhead bin within a channel and slid to divide binders and other literature.

Magnetic whiteboards

Magnetic Whiteboards are available to mount on the side access tower. Available in 13.25" width only and two heights, the magnetic whiteboard is manufactured from steel and powder-coated with white paint formulated for use with dry-erase markers. Magnetic whiteboards include a 10.5" wide marker tray.

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

Hangfile bars

Hangfile Bars are shipped as a pair and are used for 10.5", 12", 13.5", 15" and 16.5" pullout shelves/drawers.

Inviromass counterweights

Inviromass Counterweights for field installation "IMCW-30, IMCW-36 and IMCW-42" consist of one Inviromass plate and one retaining wire. These plates are to be field installed into lateral file cabinet by inserting the 30", 36" or 42" wide retaining wire into holes in the left and right hand rear stripe's.

The "INCW" for field installation consists of two 24lbs steel plates. These are affixed to back interior of case using peel and stripe two way tape.

System care kits

System Care Kits are panel thickness specific. Included in this care kit is the following: panel hook and latch assembly, 2-way 90° connectors, tile clips, end of line plugs, Dekko electrical clips, inline connector and trim clips.

Back painted glass

Back Painted Glass is a 6mm tempered glass addition to the back of Planna Storage cases. This glass is installed on the back of the case with stand off assemblies and holes that are field drilled into the case. Glass is painted on one side and available in white. Mounting hardware included.

SuperStor inserts

SuperStor Inserts can be specified as an 'option' in the upper stack unit of the Storwal Storage system. It may also be purchased separately and field installed using #10 self-drilling 'Tek' screws. The pre slotted back panel of the insert accepts SuperStor Trays which are available in any of Inscape's standard paint colors plus textured finishes. Trays must be specified separately and for ease of specification are sold in packages: standard trays - package of 6, small trays - package of 3. The 30" insert is slotted to accept 12 Standard Trays (2 pkgs) and 3 Small Trays (1 pkg), the 36" insert is slotted to accept 18 Standard Trays (3 pkgs) and the 42" insert is slotted to accept 18 Standard Trays (3 pkgs) and 3 Small Trays (1 pkg).

Planna support bracket

Planna support bracket is specified to be mounted on Planna rail and floats the worksurface off the bracket. Bracket is available in all standard paint colors. Bracket "snaps" into the rail without the need for tools. These are shipped as a pair and both must be installed per worksurface.

Hat Channel

Hat channels are used to support a worksurface off of a 21"ID Planna storage case and are available in any of Inscape's standard paint finishes. They are nominal in height and support a worksurface at a standard 28.5" height.



AccessoriesGeneral information

Lateral and pedestal rail kits

Lateral and Pedestal Rail Kits are available for separate purchase to create alternative applications when mounted on standard Office Specialty cases. These kits must be field installed. Rail Kits consist of a pair of extruded aluminum rails painted in 'Aluminum Leaf' and a pair of mounting rails that act as a 'reveal' and secure the Planna Storage rails into a box substructure to support the Planna Storage 0.5 " thick lateral top.

End anchor units must be 36" wide. Specify CREDENZA STORAGE-KIT36 separately. Center units will be positioned back-to-back and may be 30", 36" or 42" wide.

If Center Units = 30" wide, specify 2 x CREDENZA STORAGEKIT3615

If Center Units = 36" wide, specify 2 x CREDENZA STORAGEKIT36

If Center Units = 42" wide, specify 2 x CREDENZA STORAGEKIT3621

Using pre-configured or buildup cases with 36" I.D. (interior dimension) will provide finished height to top of worksurface of 43". Use adjustment in Planna Storage brackets to lower worksurface height to suit seating height.

Lateral tops

The Lateral Tops are available in ½" and ¾" thick options. The ½" thick option has been designed for Planna Storage applications in freestanding, benching or private office applications (may be specified on any lateral case). When being specified with the top fully spanning the Planna Storage benching frame or partially, there are a number of tops to accommodate the clean visual of having a continuous top over the panel. Depths are 1.75" or 3.5" deeper than standard tops to accommodate the various Planna Storage benching applications. The 21.5" deep Planna Storage lateral tops work in conjunction with the two Planna Storage units which access electrical through the back of the case. The 3.5" gap created behind the case provides space for cables to be plugged in and routed into the case. The same concept may be applied when specifying lateral tops for Private Office applications and requiring an additional 3.5" deep top. The "top is ideal for Storwal Storage applications and freestanding laterals. These are NOT to be specified on Planna Storage cases.

Cushion program


The Cushion Program consists of a slim line 1.25" thick 5-piece cushion featuring double row top stitching for a crisp, rectilinear styling. Interior is Cal. 117 fire-retardant polyurethane foam with a 2.2lb/ft. density. This upholstered cushion is balanced with a %" board and is attached to the cabinet top with Velcro. Select from our graded upholstery program of solid color fabrics and vinyl's or choose COM option (Customers Own Material). To determine if a COM fabric has been pre-approved for use on our cushion topper, contact your Client Services Representative or go to www.inscapesolutions.com.

For application of all fabrics, both from our graded program as well as COM (Customers Own Material) please specify lay-up orientation at time of order. If lay-up instructions are not provided we will choose the direction to maximize our production. Refer to diagram for lay-up instructions. Please contact your Client Services Representative to confirm yardage requirements for your order. All COM fabric must be pre-approved. Your CSR can determine if your COM has already been pretested for application. A fully graded program has been set up for cushions. Various sizes of cushion have been designed for applications ranging from freestanding, benching and private office applications.


Cushion application notes

When ordering a Planna Storage cushion to lie flush next to a Planna Storage case with rail/lateral surface, select your Planna Storage case with 'no rails' option.

Pedestal fabric lay up instructions



Lateral fabric lay up instructions



Due to the nature of the design and manufacture of our cushion, only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your Client Services Representative for assistance.

Storwal storage support brackets

Storwal Storage Support Brackets support one side of a worksurface off the Storwal Storage case. The other side must be supported by using a combination of post legs, cantilevers and/or MSSB brackets. Support brackets are used to support worksurfaces from storage cases. A fixed height and an adjustable height bracket allow for the option of adjustment or not. Be sure to specify correct support with adjustment at all points along the worksurface if height adjustment is a priority. Adjustment is available in five heights to support various working styles.

Storwal storage tackboards

Storwal Storage Tackboards mount to the back of an Storwal Storage stacked case and should be specified based on this width and height. Tack boards are available in any of Inscape's standard fabric offerings in addition to COM. White or extremely light colored COM fabric will incur an up charge of 25% to the tackboard pricing due to special handling of the fabric. Fabric is applied in a railroad orientation.



Storwal storage whiteboards

Storwal Storage Whiteboards are specified based on whether they are or are not being installed adjacent to sliding doors. If one is being specified adjacent to a case where there is a sliding door, then the appropriate code is to be specified as the whiteboard will not ship with the whiteboard mounting hardware as it will come with the sliding door. If there is no sliding door adjacent then the appropriate code will ensure mounting hardware is shipped. Whiteboards are powder coated with paint specially formulated for dry erase markers.

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

Storwal storage back painted glass whiteboards

Storwal Storage Back Painted Glass Whiteboards are specified for the backs of Storwal Storage stack units. The glass is installed on-site and all additional hardware is included. Back Painted Glass Whiteboards come with a white back paint. Cannot be installed adjacent to a sliding door.

Electrical module side cover

Electrical Module Side Cover is specified for the end of an Storwal Storage unit to conceal the technology zone when a panel, screen or Cable Closet is not specified. This is a value engineered solution for the finishing of an Storwal Storage run. This cover may be painted the same colors as the Storwal Storage cases.

Electrical module front cover

An Electrical Module Front Cover is standard with all Storwal Storage base cases; one side with cut out and one side without. When the configuration of an Storwal Storage base unit calls for additional cut outs or no cut outs on the other side of the unit, the appropriate front cover may be specified. The 30" wide front cover only includes one cut out.

The Storwal Storage Adapter Frames provide a method of attaching various panel systems (3" or less) to Storwal Storage cases. The Adapter Frame Filler Kit installs between two Storwal Storage cases and an Adapter Frame End Kit installs on the end of a row of Storwal Storage cases. The adapter frames provide a surface to secure panel wall start brackets from other panel systems. Adapter frames are available in three heights to match Storwal Storage case heights.

Storwal storage to frame connecting brackets

Storwal Storage to Frame Connecting Brackets secure a frame to the Storwal Storage unit. There is a shared version for the 2.75" and 3.5" version and a 1.5" screen has its own bracket. When specifying the connection bracket for 2.75" and 3.5" the Filler Inserts (which ship as a pair) are required at each connecting location.



Horizontal

General information

Horizontal Paper Management accessories hang on panel mounted or wall hung paper management tile

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|-------------|-------------------------------|---------------------------------------|--------|--------|--------------|------------|--------------|
| | Storage Compartment | INSC4334 | 1 ½" | 3" | 0.1 | \$21 | _ |
| | Acrylic | INSC4534 | 1 ½" | 5" | 0.1 | \$23 | _ |
| | | INSC4734 | 1 ½" | 7" | 0.1 | \$24 | _ |
| 4 | | INSC41134 | 1 ½" | 11" | 0.1 | \$26 | |
| 00000 | Hang file Brackets Acrylic | INSBKT | 2" | 1 ¼" | 0.3 | \$47 | - |
| | Slanted Sorter | INHLHSS left-handed | 11 ¾" | 2 1/4" | 4 | \$65 | +\$8 |
| | | INHRHSS right-handed (illustrated) | 11 ¾" | 2 1/4" | 4 | \$65 | +\$8 |
| | Filing Box | INBTFB | 9" | 10" | 2 | \$112 | +\$12 |
| | Storage Box | INBTSB | 2" | 12" | 2 | \$127 | +\$14 |
| | Closed Shelf | INBTSHC | 2" | 12" | 2 | \$144 | +\$16 |
| | Open Shelf | INBTSHF | 2" | 12" | 2 | \$96 | +\$11 |
| | Open Shelf, Short | INBTSHFSH | 2" | 9" | 2 | \$96 | +\$11 |

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ laminate | Grade 1 laminate | Accent paint upcharge |
|-------------|--------------|-------------|--------|-------|--------------|----------------------------|---------------------|-----------------------|
| | Personal Box | INBTPB | 8" | 32" | 15 | \$718 | +\$230 | +\$73 |



- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Storage Catchall is available in black only
- Pencil Drawer is available in black only
- \bullet Table mounted shelf mounts to 1" or 1 ¼" thick worksurfaces and sits 7 ½" off the main worksurface

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|-------------|---|--|----------------------------|---|----------------------------|---|--|
| 1111 | Signage (Qty of 6) | INPS2259-1 | 2 1/4" | 9" | 1 | \$91 | +\$10 |
| | Coat Hook | INCOATHOOK-3F INCOATHOOK-2F | _ | _ | 1 1 | \$26 \$26 | +\$4 +\$4 |
| | Picture Hook | INPICHOOK-3F INPICHOOK-2F | = | = | 1 1 | \$23 \$23 | +\$4 +\$4 |
| | Storage Catchall | INTTO | 2 ¼" | 9 1⁄4" | 1 | \$44 | _ |
| | 15" W Pencil Drawer | INPFPD15 INPFPD22.75 | _ _ | 15" 22 ¾" | 3 4 | \$71 \$78 | _ _ |
| | Panel Mounted Accessory Shelf | INPAS5.524 INPAS5.530 INPAS5.536 INPAS5.542 INPAS5.548 INPAS5.554 INPAS5.560 | - - - - - - | 24" 30" 36" 42" 48" 54" 60" | 3 3 3 4 4 4 | \$174 \$183 \$193 \$202 \$216 \$223 \$232 | +\$19 +\$19 +\$20 +\$21 +\$23 +\$23 |
| | ADDWALL Accessory Shelf | INPUSBA5.524 INPUSBA5.530 INPUSBA5.536 INPUSBA5.542 INPUSBA5.548 INPUSBA5.554 INPUSBA5.560 | - - - - - - | 24" 30" 36" 42" 48" 54" 60" | 3 3 3 4 4 4 | \$174 \$183 \$193 \$202 \$216 \$223 \$232 | +\$19 +\$19 +\$20 +\$21 +\$23 +\$23 |
| | Touch-up paint for standard enamel finishes Specify finish. Can contains a half pint | PAINT | 0" | 0" | 0.5 | \$37 | _ |

| Description | | Part number | Height | Width | Weight (lbs) | Nuform solid/ Neutral paint/ base price | Nuform woodgrain/ pattern | Accent paint upcharge |
|----------------------------|---------------------|-------------|--------|-------|--------------|---|---------------------------------|-----------------------|
| at an annual source of the | Table Mounted Shelf | INTMS24 | 7 ½" | 24" | 7 | \$331 | +\$13 | +\$34 |
| i'm | | INTMS30 | 7 ½" | 30" | 8 | \$356 | +\$18 | +\$36 |
| | | INTMS36 | 7 ½" | 36" | 9 | \$375 | +\$23 | +\$38 |
| | | INTMS42 | 7 ½" | 42" | 10 | \$408 | +\$22 | +\$41 |



Accessories

Panel and Table

General information

- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- CPU holder mounts to the underside of a worksurface (See Inscape System Application Guide)

Notes

Only Expo Markers are to be used on any Inscape Whiteboard.
 Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|-------------|---|--|---|---------------------------------|----------------------------|---|
| | CPU Holder | INAU200CU INAU300CU | 14.5"-22.5" 14.5"-22.5" | 3.5"-9.3" 3.5"-9.3" | 13 13 | \$333 \$405 |
| | Tile Reveal Strips (Qty of 6) | INTRS13.5 INTRSWG13.5 | = | Ξ | 0.1 0.1 | \$25 \$34 |
| | System Care Kit For use with 3 ½" T frames | INCAREKT-3F INCAREKT-2F | = | Ξ | Ξ | \$120 \$99 |
| | 13.5" H Panel Mounted Whiteboard For use with 3 ½" T frames | INWHBD24135-3F INWHBD30135-3F INWHBD36135-3F INWHBD42135-3F INWHBD48135-3F | 13.5" 13.5" 13.5" 13.5" 13.5" | 24" 30" 36" 42" 48" | 10 13 14 16 18 | \$239 \$247 \$254 \$264 \$270 |
| | 27" H Panel Mounted Whiteboard For use with 3 ½" T frames | INWHBD2427-3F INWHBD3027-3F INWHBD3627-3F INWHBD4227-3F INWHBD4827-3F | 27" 27" 27" 27" 27" | 24" 30" 36" 42" 48" | 11 13 14 16 18 | \$318 \$326 \$333 \$340 \$349 |
| | 13.5" H Panel Mounted Whiteboard For use with 2 ¾" T frames | INWHBD24135-2F INWHBD30135-2F INWHBD36135-2F INWHBD42135-2F INWHBD48135-2F | 13.5" 13.5" 13.5" 13.5" 13.5" | 24" 30" 36" 42" 48" | 10 13 14 16 18 | \$239 \$247 \$254 \$264 \$270 |
| | 27" H Panel Mounted Whiteboard For use with 2 ¾" T frames | INWHBD2427-2F INWHBD3027-2F INWHBD3627-2F INWHBD4227-2F INWHBD4827-2F | 27" 27" 27" 27" 27" | 24" 30" 36" 42" 48" | 11 13 14 16 18 | \$318 \$326 \$333 \$340 \$349 |



- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Crossrails may be installed on a frame of the same thickness in predrilled locations in frame

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|--|---|----------------|--------|-------|--------------|------------|
| | Crossrail | INCRAIL18-3F | _ | 18" | 1 | \$24 |
| The state of the s | For use with 3 1/2" T frames | INCRAIL24-3F | _ | 24" | 1 | \$26 |
| accesses 2 | Includes tile clips | INCRAIL30-3F | _ | 30" | 1 | \$29 |
| - | · | INCRAIL36-3F | _ | 36" | 1 | \$31 |
| | | INCRAIL42-3F | _ | 42" | 2 | \$33 |
| | | INCRAIL48-3F | _ | 48" | 2 | \$35 |
| | | INCRAIL54-3F | _ | 54" | 2 | \$39 |
| Section 6 | | INCRAIL60-3F | _ | 60" | 2 | \$41 |
| | Crossrail | INCRAIL18-2F | _ | 18" | 1 | \$24 |
| The second second | For use with 2 ¾" T frames | INCRAIL24-2F | _ | 24" | 1 | \$26 |
| (Secretaries | Includes tile clips | INCRAIL30-2F | _ | 30" | 1 | \$29 |
| - | · | INCRAIL36-2F | _ | 36" | 1 | \$31 |
| | | INCRAIL42-2F | _ | 42" | 2 | \$33 |
| | | INCRAIL48-2F | _ | 48" | 2 | \$35 |
| | | INCRAIL54-2F | _ | 54" | 2 | \$39 |
| Section 6 | | INCRAIL60-2F | _ | 60" | 2 | \$41 |
| | Rectangular Glide (Pair) Gray finish | INFRMREC-GLIDE | _ | _ | - | \$43 |



Accessories Modesty Panel

General information


- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Modesty panel use with a Height Adjustable Table, specify modesty panel 12" shorter in length than the surface
- Nuform finish is on one side with white backer


Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INMDPNW30 in Veneer would be \$270 +\$129







- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Modesty panel use with a Height Adjustable Table, specify modesty panel 12" shorter in length than the surface

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint |
|-------------|-------------------------------|-------------|--------|-------|--------------|------------------------------|--------------|
| | Acrylic Partial Height | INMDPNA30 | 13 ½" | 30" | 4 | \$444 | +\$45 |
| | Modesty Panel | INMDPNA33 | 13 ½" | 33" | 4.5 | \$448 | +\$46 |
| | | INMDPNA36 | 13 ½" | 36" | 5 | \$455 | +\$46 |
| ' | | INMDPNA39 | 13 ½" | 39" | 5.5 | \$460 | +\$47 |
| | | INMDPNA42 | 13 ½" | 42" | 6 | \$466 | +\$47 |
| | | INMDPNA45 | 13 ½" | 45" | 6 | \$476 | +\$48 |
| | | INMDPNA48 | 13 ½" | 48" | 6.5 | \$481 | +\$49 |
| | | INMDPNA51 | 13 ½" | 51" | 7 | \$501 | +\$51 |
| | | INMDPNA54 | 13 ½" | 54" | 7.5 | \$524 | +\$53 |
| | | INMDPNA57 | 13 ½" | 57" | 8 | \$544 | +\$55 |
| | | INMDPNA60 | 13 ½" | 60" | 8 | \$572 | +\$58 |
| | | INMDPNA63 | 13 ½" | 63" | 8.5 | \$598 | +\$60 |
| | | INMDPNA66 | 13 ½" | 66" | 9 | \$627 | +\$63 |
| | | INMDPNA69 | 13 ½" | 69" | 9.5 | \$652 | +\$66 |
| | | INMDPNA72 | 13 ½" | 72" | 10 | \$681 | +\$69 |
| | | INMDPNA75 | 13 ½" | 75" | 10 | \$694 | +\$71 |
| | | INMDPNA78 | 13 ½" | 78" | 10.5 | \$710 | +\$72 |
| | | INMDPNA81 | 13 ½" | 81" | 11 | \$724 | +\$74 |
| | | INMDPNA84 | 13 ½" | 84" | 11.5 | \$740 | +\$75 |
| | | INMDPNA87 | 13 ½" | 87" | 12 | \$755 | +\$77 |
| | | INMDPNA90 | 13 ½" | 90" | 12 | \$771 | +\$78 |
| | Frame Frosted Acrylic Partial | INMDPNG30 | 13 ½" | 30" | 4.3 | \$666 | +\$67 |
| 200000 | Height Modesty Panel | INMDPNG33 | 13 ½" | 33" | 4.7 | \$689 | +\$70 |
| | | INMDPNG36 | 13 ½" | 36" | 5 | \$710 | +\$72 |
| | | INMDPNG39 | 13 ½" | 39" | 5.4 | \$732 | +\$75 |
| | | INMDPNG42 | 13 ½" | 42" | 5.7 | \$753 | +\$77 |
| | | INMDPNG45 | 13 ½" | 45" | 6.1 | \$776 | +\$79 |
| | | INMDPNG48 | 13 ½" | 48" | 6.4 | \$797 | +\$81 |
| | | INMDPNG51 | 13 ½" | 51" | 6.8 | \$820 | +\$83 |
| | | INMDPNG54 | 13 ½" | 54" | 7.1 | \$841 | +\$85 |
| | | INMDPNG57 | 13 ½" | 57" | 7.5 | \$862 | +\$87 |
| | | INMDPNG60 | 13 ½" | 60" | 7.9 | \$885 | +\$90 |
| | | INMDPNG63 | 13 ½" | 63" | 8.2 | \$1032 | +\$104 |
| | | INMDPNG66 | 13 ½" | 66" | 8.6 | \$1053 | +\$106 |
| | | INMDPNG69 | 13 ½" | 69" | 8.9 | \$1075 | +\$108 |
| | | INMDPNG72 | 13 ½" | 72" | 9.3 | \$1098 | +\$111 |
| | | INMDPNG75 | 13 ½" | 75" | 9.6 | \$1119 | +\$113 |
| | | INMDPNG78 | 13 ½" | 78" | 10 | \$1139 | +\$115 |
| | | INMDPNG81 | 13 ½" | 81" | 10.4 | \$1163 | +\$117 |
| | | INMDPNG84 | 13 ½" | 84" | 10.7 | \$1183 | +\$119 |
| | | INMDPNG87 | 13 ½" | 87" | 11.1 | \$1207 | +\$121 |
| | | INMDPNG90 | 13 ½" | 90" | 11.4 | \$1229 | +\$123 |



Accessories Modesty Panel

General information

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Modesty panel use with a Height Adjustable Table, specify modesty panel 12" shorter in length than the surface
- Nuform finish is on one side with white backer

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INMDFHPNW30 in Veneer would be \$349 +\$221

| • Nutorm tinish is on o | one side with white backer | | | | | | | | | |
|--|----------------------------|-------------|--------|-------|--------------|--------|----------|---------------------|-------------|-----------------|
| Description | | Part number | Height | Width | Weight (lbs) | Nuform | Laminate | Grade 1 laminate | Veneer | Accent paint |
| | Wood Core Full Height | INMDFHPNW30 | 24" | 30" | 21.5 | \$349 | \$349 | +\$112 | +\$221 | +\$36 |
| | Modesty Panel | INMDFHPNW33 | 24" | 33" | 23.6 | \$380 | \$380 | +\$122 | +\$226 | +\$39 |
| | | INMDFHPNW36 | 24" | 36" | 25.8 | \$388 | \$388 | +\$125 | +\$253 | +\$40 |
| | | INMDFHPNW39 | 24" | 39" | 27.9 | \$443 | \$443 | +\$142 | +\$237 | +\$45 |
| 7- | | INMDFHPNW42 | 24" | 42" | 30.1 | \$452 | \$452 | +\$145 | +\$265 | +\$46 |
| | | INMDFHPNW45 | 24" | 45" | 32.3 | \$404 | \$404 | +\$130 | +\$350 | +\$41 |
| | | INMDFHPNW48 | 24" | 48" | 34.4 | \$470 | \$470 | +\$151 | +\$329 | +\$48 |
| | | INMDFHPNW51 | 24" | 51" | 36.6 | \$582 | \$582 | +\$187 | +\$255 | +\$59 |
| | | INMDFHPNW54 | 24" | 54" | 38.7 | \$592 | \$592 | +\$190 | +\$292 | +\$60 |
| | | INMDFHPNW57 | 24" | 57" | 40.9 | \$600 | \$600 | +\$192 | +\$320 | +\$61 |
| | | INMDFHPNW60 | 24" | 60" | 47 | \$616 | \$616 | +\$198 | +\$341 | +\$62 |
| | | INMDFHPNW63 | 24" | 63" | 45.2 | \$642 | \$642 | +\$206 | +\$351 | +\$65 |
| | | INMDFHPNW66 | 24" | 66" | 47.3 | \$659 | \$659 | +\$211 | +\$371 | +\$66 |
| | | INMDFHPNW69 | 24" | 69" | 49.5 | \$678 | \$678 | +\$217 | +\$392 | +\$69 |
| | | INMDFHPNW72 | 24" | 72" | 51.7 | \$691 | \$691 | +\$222 | +\$422 | +\$70 |
| | | INMDFHPNW75 | 24" | 75" | 52.8 | \$789 | \$789 | +\$253 | +\$362 | +\$80 |
| | | INMDFHPNW78 | 24" | 78" | 56 | \$795 | \$795 | +\$255 | +\$393 | +\$81 |
| | | INMDFHPNW81 | 24" | 81" | 58.1 | \$800 | \$800 | +\$256 | +\$425 | +\$81 |
| | | INMDFHPNW84 | 24" | 84" | 60.3 | \$805 | \$805 | +\$258 | +\$455 | +\$82 |
| | | INMDFHPNW87 | 24" | 87" | 62.4 | \$809 | \$809 | +\$259 | +\$488 | +\$82 |
| | | INMDFHPNW90 | 24" | 90" | 64.6 | \$818 | \$818 | +\$262 | +\$517 | +\$83 |
| Description | | Part number | Heiç | ght | Width | Weigh | t (lbs) | Neutral pai | int/ A | ccent paint |
| | Frame Frosted Acrylic Full | INMDFHPNG30 | 24 | ." | 30" | 6. | 4 | \$79 | 95 | +\$81 |
| | Height Modesty Panel | INMDFHPNG33 | 24 | | 33" | 6. | | \$82 | | +\$84 |
| To the same of the | rieight meassly rams | INMDFHPNG36 | 24 | | 36" | 7. | | \$8 | | +\$87 |
| | | INMDFHPNG39 | 24 | | 39" | 7. | 9 | \$89 | | +\$90 |
| | | INMDFHPNG42 | 24 | | 42" | 8. | | \$9 | | +\$93 |
| | | INMDFHPNG45 | 24 | | 45" | 8. | | \$98 | | +\$96 |
| | | INMDFHPNG48 | 24 | l" | 48" | 9. | 4 | \$98 | | +\$99 |
| | | INMDFHPNG51 | 24 | | 51" | 9. | | \$10 ⁻ | | +\$102 |
| | | INMDFHPNG54 | 24 | | 54" | 10 | | \$104 | | +\$105 |
| | | INMDFHPNG57 | 24 | | 57" | 10 | | \$107 | | +\$108 |
| | | INMDFHPNG60 | 24 | | 60" | 11 | | \$110 | | +\$112 |
| | | INMDFHPNG63 | 24 | | 63" | 11 | | \$126 | | +\$127 |
| | | INMDFHPNG66 | 24 | | 66" | 12 | | \$129 | | +\$130 |
| | | INMDFHPNG69 | 24 | | 69" | 1 | | \$132 | | +\$133 |
| | | | | | | | _ | Ψ102 | | ιψ.ισο |

INMDFHPNG72

INMDFHPNG75

INMDFHPNG78

INMDFHPNG81

INMDFHPNG84

INMDFHPNG87

INMDFHPNG90

24"

24"

24"

24"

24"

24"

24"

72"

75"

78"

81"

84"

87"

90"

13.5

14

14.5

15

15.5

16

16.5

+\$137

+\$140

+\$144

+\$147

+\$150

+\$153

+\$156

\$1360

\$1390

\$1423

\$1455

\$1483

\$1516

\$1544



- Table mounted screens mount to worksurfaces
- It is recommended that the Adjustable Framed Table Mounted Screen is installed to allow 20" of visual privacy
- Freestanding Table Screen is made of 6mm thick frosted acrylic which is 13" high, seated in a painted aluminum extrusion, which can be painted any of Inscape's standard colors. This screen is 5" less in depth than depth of worksurface it will be placed on
- Table Mounted Screen/Modesty has 14" of the tackboard mounted above the surface and 13 ½" below

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:


Product MST3736 in Grade 5 Fabric would be \$529 +\$134

Product SWTMS48 in White Acrylic would be \$755 +\$91

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM/ base price | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accent paint |
|---|-------------|--------|-------|--------------|--------------------------------|---------|---------|---------|---------|---------|---------|---------|--------------|
| | MST3736 | 37" | 36" | 13 | \$529 | +\$49 | +\$77 | _ | +\$134 | _ | +\$370 | _ | +\$54 |
| CONTRACTOR OF THE PARTY OF THE | MST3742 | 37" | 42" | 15 | \$551 | +\$50 | +\$78 | _ | +\$134 | _ | +\$374 | _ | +\$56 |
| F333333 | MST3748 | 37" | 48" | 16 | \$573 | +\$55 | +\$79 | _ | +\$135 | _ | +\$378 | _ | +\$58 |
| 1 + | MST3754 | 37" | 54" | 18 | \$593 | +\$57 | +\$84 | _ | +\$138 | _ | +\$387 | _ | +\$60 |
| - I | MST3760 | 37" | 60" | 19 | \$614 | +\$62 | +\$89 | _ | +\$138 | _ | +\$396 | _ | +\$62 |

37" H Adjustable Framed Table Mounted Screen Tackable

| Description | | Part number | Height | Width | Weight (lbs) | Clear acrylic | White acrylic | Frosted acrylic |
|-------------|------------------------|-------------|--------|-------|--------------|------------------|---------------|-----------------|
| Table | Mounted Acrylic Screen | SWTMS48 | 20" | 48" | 4 | \$755 | +\$91 | +\$89 |
| | | SWTMS54 | 20" | 54" | 5 | \$1185 | +\$190 | +\$186 |
| | | SWTMS60 | 20" | 60" | 6 | \$1373 | +\$189 | +\$185 |



| Description | Part number | Height | Width | Weight (lbs) | Grade A/ base price | Grade B/ COM | Grade C | Grade D | Grade E | Grade F | Accent paint |
|-------------|-------------|--------|-------|--------------|------------------------|-----------------|---------|---------|---------|---------|--------------|
| | INTMSF2948 | 29" | 48" | _ | \$1117 | +\$158 | +\$434 | +\$842 | +\$1015 | +\$1387 | +\$112 |
| | INTMSF2954 | 29" | 54" | _ | \$1133 | +\$307 | +\$601 | +\$1020 | +\$1215 | +\$1706 | +\$114 |
| | INTMSF2960 | 29" | 60" | _ | \$1209 | +\$353 | +\$680 | +\$1138 | +\$1356 | +\$1897 | +\$122 |

Table Mounted Screen/Modesty Tackable



Accessories Add-on Glazing

General information

- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add on Glazing
- Add-on Glazing up to 60"w require two additional Jesters to be specified if spanning multiple frames (ie a 60"w AOG installed on 2-30" frames)
- Tapered is not available in 66" or wider
- List/Base for 0.25" thick is clear glass
- 0.38" thick is NOT available in tapered

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG6.7518-3F 0.25" thick glass with Gray would be \$138 +\$79

The same product upgraded to 0.38" thick glass would be \$138 +\$67 +\$184

| • 0.38" thick is NOT a | avallable in tapered | | | Glazing thickness option | | | 0.25" thick | finish optio | ns | | 0.38" | ' thick finish | options | |
|------------------------|------------------------------------|------------|--|--------------------------------|---|------------|------------------|------------------|------------------|---|------------|------------------|------------------|----------------|
| Description | Part number | Width | List/base /0.25" thick glazing price | 0.38" thick glazing | (| Clear | Gray | Etched 1 side | Etched 2 side | С | lear | Gray | Etched 1 side | Accent paint |
| | INAG6.7518-3F | 18" | \$138 | +\$67 | | \$0 | +\$79 | +\$79 | +\$145 | + | \$0 | +\$184 | +\$184 | +\$15 |
| | INAG6.7524-3F | 24" | \$171 | +\$84 | | \$0 | +\$76 | +\$76 | +\$146 | | \$0 | +\$195 | +\$195 | +\$18 |
| | INAG6.7530-3F | 30" | \$195 | +\$97 | | \$0 | +\$94 | +\$94 | +\$185 | | \$0 | +\$236 | +\$236 | +\$21 |
| | INAG6.7536-3F | 36" | \$215 | +\$106 | | \$0 | +\$102 | +\$102 | +\$226 | + | \$0 | +\$257 | +\$257 | +\$23 |
| 6.75" H Add-On | INAG6.7542-3F | 42" | \$230 | +\$114 | | \$0 | +\$106 | +\$106 | +\$234 | + | \$0 | +\$270 | +\$270 | +\$24 |
| Glazing | INAG6.7548-3F | 48" | \$248 | +\$121 | | \$0 | +\$110 | +\$110 | +\$239 | + | \$0 | +\$286 | +\$286 | +\$26 |
| For use with 3 1/2" T | INAG6.7554-3F | 54" | \$265 | +\$131 | | \$0 | +\$113 | +\$113 | +\$243 | + | \$0 | +\$298 | +\$298 | +\$28 |
| frames | INAG6.7560-3F | 60" | \$286 | +\$141 | | \$0 | +\$125 | +\$125 | +\$269 | + | \$0 | +\$327 | +\$327 | +\$30 |
| | INAG6.7566-3F | 66" | \$296 | +\$145 | | \$0 | +\$155 | +\$155 | +\$292 | + | \$0 | +\$377 | +\$377 | +\$31 |
| | INAG6.7572-3F | 72" | \$311 | +\$154 | | \$0 | +\$172 | +\$172 | +\$320 | + | \$0 | +\$410 | +\$410 | +\$32 |
| | INAG6.7578-3F | 78" | \$397 | +\$194 | | \$0 | +\$133 | +\$133 | +\$274 | + | \$0 | +\$394 | +\$394 | +\$41 |
| | INAG6.7584-3F | 84" | \$464 | +\$228 | | \$0 | +\$111 | +\$111 | +\$245 | + | \$0 | +\$394 | +\$394 | +\$47 |
| | INAG6.7590-3F | 90" | \$532 | +\$262 | | \$0 | +\$88 | +\$88 | +\$217 | + | \$0 | +\$394 | +\$394 | +\$54 |
| | INAG6.7596-3F | 96" | \$600 | +\$295 | | \$0 | +\$66 | +\$66 | +\$189 | + | \$0 | +\$394 | +\$394 | +\$61 |
| | INAGHL6.7518-3F | 18" | \$138 | +\$67 | | \$0 | +\$79 | +\$79 | +\$145 | | \$0 | +\$184 | +\$184 | +\$15 |
| | INAGHL6.7524-3F | 24" | \$171 | +\$84 | | \$0 | +\$76 | +\$76 | +\$146 | | \$0 | +\$195 | +\$195 | +\$18 |
| / | INAGHL6.7530-3F | 30" | \$195 | +\$97 | | \$0 | +\$94 | +\$94 | +\$185 | | \$0 | +\$236 | +\$236 | +\$21 |
| | INAGHL6.7536-3F | 36" | \$215 | +\$106 | | \$0 | +\$102 | +\$102 | +\$226 | | \$0 | +\$257 | +\$257 | +\$23 |
| 0.757111111 4.11 | INAGHL6.7542-3F | 42" | \$230 | +\$114 | | \$0 | +\$106 | +\$106 | +\$234 | | \$0 | +\$270 | +\$270 | +\$24 |
| 6.75" H Hi-Lo Add- | INAGHL6.7548-3F | 48" | \$248 | +\$121 | | \$0 | +\$110 | +\$110 | +\$239 | | \$0 | +\$286 | +\$286 | +\$26 |
| On Glazing | INAGHL6.7554-3F | 54" | \$265 | +\$131 | | \$0 | +\$113 | +\$113 | +\$243 | | \$0 | +\$298 | +\$298 | +\$28 |
| For use with 3 ½" T | INAGHL6.7560-3F | 60" | \$286 | +\$141 | | \$0 | +\$125 | +\$125 | +\$269 | | \$0 | +\$327 | +\$327 | +\$30 |
| frames | INAGHL6.7566-3F | 66" | \$296 | +\$145 | | \$0 | +\$155 | +\$155 | +\$292 | | \$0 | +\$377 | +\$377 | +\$31 |
| | INAGHL6.7572-3F | 72" | \$311 | +\$154 | | \$0 | +\$172 | +\$172 | +\$320 | | \$0 | +\$410 | +\$410 | +\$32 |
| | INAGHL6.7578-3F | 78" | \$397 | +\$194 | | \$0 | +\$133 | +\$133 | +\$274 | | \$0 | +\$394 | +\$394 | +\$41 |
| | INAGHL6.7584-3F | 84" | \$464 | +\$228 | | \$0 | +\$111 | +\$111 | +\$245 | | \$0 | +\$394 | +\$394 | +\$47 |
| | INAGHL6.7590-3F INAGHL6.7596-3F | 90" 96" | \$532 \$600 | +\$262 +\$295 | | \$0 \$0 | +\$88 +\$66 | +\$88 +\$66 | +\$217 +\$189 | | \$0 \$0 | +\$394 +\$394 | +\$394 +\$394 | +\$54 +\$61 |
| | | | | | | | | | | | | | | |
| // | INAG13.518-3F | 18" | \$146 | +\$73 | | \$0 | +\$75 | +\$75 | +\$139 | | \$0 | +\$182 | +\$182 | +\$16 |
| / | INAG13.524-3F | 24" | \$173 | +\$85 | | \$0 | +\$77 | +\$77 | +\$148 | | \$0 | +\$197 | +\$197 | +\$18 |
| | INAG13.530-3F | 30" | \$197 | +\$98 | | \$0 | +\$97 | +\$97 | +\$186 | | \$0 | +\$240 | +\$240 | +\$21 |
| 13.5" H Add-On | INAG13.536-3F | 36" | \$223 | +\$110 | | \$0 ••• | +\$115 | +\$115 | +\$224 | | \$0 | +\$282 | +\$282 | +\$23 |
| Glazing | INAG13.542-3F | 42" | \$249 | +\$123 | | \$0 | +\$134 | +\$134 | +\$261 | | \$0 | +\$323 | +\$323 | +\$26 |
| For use with 3 1/2" T | INAG13.548-3F | 48" | \$275 | +\$135 | | \$0 | +\$154 | +\$154 | +\$298 | | \$0 | +\$366 | +\$366 | +\$28 |
| frames | INAG13.554-3F | 54" | \$301 | +\$148 | | \$0 ••• | +\$172 | +\$172 | +\$333 | | \$0 | +\$404 | +\$404 | +\$31 |
| | INAG13.560-3F | 60" | \$327 | +\$161 | | \$0 | +\$191 | +\$191 | +\$371 | | \$0 | +\$447 | +\$447 | +\$34 |
| | INAG13.566-3F | 66" | \$352 | +\$173 | | \$0 ••• | +\$212 | +\$212 | +\$400 | | \$0 | +\$488 | +\$488 | +\$36 |
| | INAG13.572-3F | 72" | \$409 | +\$199 | | \$0 ••• | +\$191 | +\$191 | +\$378 | | \$0 | +\$487 | +\$487 | +\$42 |
| | INAG13.578-3F | 78" | \$466 | +\$229 | | \$0 ••• | +\$180 | +\$180 | +\$359 | | \$0 | +\$497 | +\$497 | +\$47 |
| | INAG13.584-3F | 84" | \$526 | +\$258 | | \$0 ••• | +\$169 | +\$169 | +\$341 | | \$0 | +\$510 | +\$510 | +\$53 |
| | INAG13.590-3F INAG13.596-3F | 90" 96" | \$584 \$644 | +\$288 +\$318 | | \$0 \$0 | +\$150 +\$138 | +\$150 +\$138 | +\$323 +\$302 | | \$0 \$0 | +\$510 +\$521 | +\$510 +\$521 | +\$59 +\$65 |
| | | | | | | | | | | | | | | |



- "2F" denotes use with 2 3/4" thick frame "3F" denotes use with 3 1/2" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add on Glazing
- Add-on Glazing up to 60"w require two additional Jesters to be specified if spanning multiple frames (ie a 60"w AOG installed on 2-30" frames)
- Tapered is not available in 66" or wider
- List/Base for 0.25" thick is clear glass

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAGHL13.518-3F 0.25" thick glass with Gray would be \$146 +\$75

The same product upgraded to 0.38" thick glass would be \$146 +\$73 +\$182

| • 0.38" thick is NOT a | - 0.30 tillok is 1401 available ili tapered | | | Glazing thickness 0.25" thick finish options option | | | | | 0.38 | 0.38" thick finish options | | | |
|------------------------|---|-------|--|---|-------|--------|---------------|---------------|-------|----------------------------|------------------|--------------|--|
| Description | Part number | Width | List/base /0.25" thick glazing price | 0.38" thick glazing | Clear | Gray | Etched 1 side | Etched 2 side | Clear | Gray | Etched 1 side | Accent paint | |
| | INAGHL13.518-3F | 18" | \$146 | +\$73 | \$0 | +\$75 | +\$75 | +\$139 | +\$0 | +\$182 | +\$182 | +\$16 | |
| | INAGHL13.524-3F | 24" | \$173 | +\$85 | \$0 | +\$77 | +\$77 | +\$148 | +\$0 | +\$197 | +\$197 | +\$18 | |
| <i>j</i> | INAGHL13.530-3F | 30" | \$197 | +\$98 | \$0 | +\$97 | +\$97 | +\$186 | +\$0 | +\$240 | +\$240 | +\$21 | |
| 4 | INAGHL13.536-3F | 36" | \$223 | +\$110 | \$0 | +\$115 | +\$115 | +\$224 | +\$0 | +\$282 | +\$282 | +\$23 | |
| | INAGHL13.542-3F | 42" | \$249 | +\$123 | \$0 | +\$134 | +\$134 | +\$261 | +\$0 | +\$323 | +\$323 | +\$26 | |
| 13.5" H Hi-Lo Add- | INAGHL13.548-3F | 48" | \$275 | +\$135 | \$0 | +\$154 | +\$154 | +\$298 | +\$0 | +\$366 | +\$366 | +\$28 | |
| On Glazing | INAGHL13.554-3F | 54" | \$301 | +\$148 | \$0 | +\$172 | +\$172 | +\$333 | +\$0 | +\$404 | +\$404 | +\$31 | |
| For use with 3 ½" T | INAGHL13.560-3F | 60" | \$327 | +\$161 | \$0 | +\$191 | +\$191 | +\$371 | +\$0 | +\$447 | +\$447 | +\$34 | |
| frames | INAGHL13.566-3F | 66" | \$352 | +\$173 | \$0 | +\$212 | +\$212 | +\$400 | +\$0 | +\$488 | +\$488 | +\$36 | |
| | INAGHL13.572-3F | 72" | \$409 | +\$199 | \$0 | +\$191 | +\$191 | +\$378 | +\$0 | +\$487 | +\$487 | +\$42 | |
| | INAGHL13.578-3F | 78" | \$466 | +\$229 | \$0 | +\$180 | +\$180 | +\$359 | +\$0 | +\$497 | +\$497 | +\$47 | |
| | INAGHL13.584-3F | 84" | \$526 | +\$258 | \$0 | +\$169 | +\$169 | +\$341 | +\$0 | +\$510 | +\$510 | +\$53 | |
| | INAGHL13.590-3F | 90" | \$584 | +\$288 | \$0 | +\$150 | +\$150 | +\$323 | +\$0 | +\$510 | +\$510 | +\$59 | |
| | INAGHL13.596-3F | 96" | \$644 | +\$318 | \$0 | +\$138 | +\$138 | +\$302 | +\$0 | +\$521 | +\$521 | +\$65 | |

| Description | | Part number | List price |
|-------------|---|----------------|------------|
| | Add-On Glazing Top Cap Clip for 3 ½" T Flat Trim Applications | QCCLIPASSY-3F | \$6 |
| | | | |
| | | | |
| | Add-On Glazing Ton Can Clin for 3 1/3" T Tanered | OCCLIPASSY-3FT | \$5 |



Add-On Glazing Top Cap Clip for 3 1/2" T Tapered Trim Applications

QCCLIPASSY-3FT



Accessories Add-on Glazing

General information

- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add on Glazing
- Add-on Glazing up to 60"w require two additional Jesters to be specified if spanning multiple frames (ie a 60"w AOG installed on 2-30" frames)
- Tapered is not available in 2 3/4"T
- List/Base for 0.25" thick is clear glass
- 0.38" thick is NOT available in tapered

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG6.7518-2F 0.25" thick glass with Gray would be \$138 +\$79

The same product upgraded to 0.38" thick glass would be \$138 + 67 + 184

| • 0.38" thick is NOT a | valiable in tapered | | | Glazing thickness option | | 0.25" thick | finish optio | ns | d |).38" | thick finish | options | |
|------------------------|------------------------------------|------------|--|--------------------------------|------------|------------------|------------------|------------------|----|----------|------------------|------------------|----------------|
| Description | Part number | Width | List/base /0.25" thick glazing price | 0.38" thick glazing | Clear | Gray | Etched 1 side | Etched 2 side | Cl | ear | Gray | Etched 1 side | Accent paint |
| // | INAG6.7518-2F | 18" | \$138 | +\$67 | \$0 | +\$79 | +\$79 | +\$145 | +5 | 08 | +\$184 | +\$184 | +\$15 |
| // | INAG6.7524-2F | 24" | \$171 | +\$84 | \$0 | +\$76 | +\$76 | +\$146 | +5 | 60 | +\$195 | +\$195 | +\$18 |
| 7 | INAG6.7530-2F | 30" | \$195 | +\$97 | \$0 | +\$94 | +\$94 | +\$185 | +5 | 08 | +\$236 | +\$236 | +\$21 |
| 6.75" H Add-On | INAG6.7536-2F | 36" | \$215 | +\$106 | \$0 | +\$102 | +\$102 | +\$226 | +5 | 08 | +\$257 | +\$257 | +\$23 |
| Glazing | INAG6.7542-2F | 42" | \$230 | +\$114 | \$0 | +\$106 | +\$106 | +\$234 | +5 | \$0 | +\$270 | +\$270 | +\$24 |
| For use with 2 ¾" T | INAG6.7548-2F | 48" | \$248 | +\$121 | \$0 | +\$110 | +\$110 | +\$239 | +5 | \$0 | +\$286 | +\$286 | +\$26 |
| frames | INAG6.7554-2F | 54" | \$265 | +\$131 | \$0 | +\$113 | +\$113 | +\$243 | +5 | 08 | +\$298 | +\$298 | +\$28 |
| Harries | INAG6.7560-2F | 60" | \$286 | +\$141 | \$0 | +\$125 | +\$125 | +\$269 | +8 | \$0 | +\$327 | +\$327 | +\$30 |
| | INAG6.7566-2F | 66" | \$296 | +\$145 | \$0 | +\$155 | +\$155 | +\$292 | +5 | 80 | +\$377 | +\$377 | +\$31 |
| | INAG6.7572-2F | 72" | \$311 | +\$154 | \$0 | +\$172 | +\$172 | +\$320 | +8 | \$0 | +\$410 | +\$410 | +\$32 |
| | INAG6.7578-2F | 78" | \$397 | +\$194 | \$0 | +\$133 | +\$133 | +\$274 | +8 | \$0 | +\$394 | +\$394 | +\$41 |
| | INAG6.7584-2F | 84" | \$464 | +\$228 | \$0 | +\$111 | +\$111 | +\$245 | +9 | \$0 | +\$394 | +\$394 | +\$47 |
| | INAG6.7590-2F | 90" | \$532 | +\$262 | \$0 | +\$88 | +\$88 | +\$217 | | \$0 | +\$394 | +\$394 | +\$54 |
| | INAG6.7596-2F | 96" | \$600 | +\$295 | \$0 | +\$66 | +\$66 | +\$189 | +5 | \$0 | +\$394 | +\$394 | +\$61 |
| | INAGHL6.7518-2F | 18" | \$138 | +\$67 | \$0 | +\$79 | +\$79 | +\$145 | | 03 | +\$184 | +\$184 | +\$15 |
| | INAGHL6.7524-2F | 24" | \$171 | +\$84 | \$0 | +\$76 | +\$76 | +\$146 | +9 | | +\$195 | +\$195 | +\$18 |
| / | INAGHL6.7530-2F | 30" | \$195 | +\$97 | \$0 | +\$94 | +\$94 | +\$185 | | 0 | +\$236 | +\$236 | +\$21 |
| | INAGHL6.7536-2F | 36" | \$215 | +\$106 | \$0 | +\$102 | +\$102 | +\$226 | | 0 | +\$257 | +\$257 | +\$23 |
| 0.75" | INAGHL6.7542-2F | 42" | \$230 | +\$114 | \$0 | +\$106 | +\$106 | +\$234 | | 0 | +\$270 | +\$270 | +\$24 |
| 6.75" H Hi-Lo Add- | INAGHL6.7548-2F | 48" | \$248 | +\$121 | \$0 | +\$110 | +\$110 | +\$239 | +9 | | +\$286 | +\$286 | +\$26 |
| On Glazing | INAGHL6.7554-2F | 54" | \$265 | +\$131 | \$0 00 | +\$113 | +\$113 | +\$243 | +9 | | +\$298 | +\$298 | +\$28 |
| For use with 2 ¾" T | INACHL 6 7566-2F | 60" 66" | \$286 \$296 | +\$141 +\$145 | \$0 \$0 | +\$125 +\$155 | +\$125 +\$155 | +\$269 +\$292 | +3 | 0 | +\$327 +\$377 | +\$327 +\$377 | +\$30 +\$31 |
| frames | INAGHL6.7566-2F INAGHL6.7572-2F | 72" | \$311 | +\$145 +\$154 | \$0 \$0 | +\$172 | +\$172 | +\$292 | | ъО ВО | +\$377 +\$410 | +\$377 +\$410 | +\$31 +\$32 |
| | INAGHL6.7572-2F | 72 78" | \$397 | +\$154 | \$0 \$0 | +\$172 | +\$172 | +\$320 | | βO | +\$410 | +\$410 | +\$32 +\$41 |
| | INAGHL6.7576-2F | 76 84" | \$464 | +\$194 | \$0 \$0 | +\$133 +\$111 | +\$111 | +\$274 | | рО ВО | +\$394 | +\$394 | +\$41 +\$47 |
| | INAGHL6.7590-2F | 90" | \$532 | +\$262 | \$0 | +\$88 | +\$88 | +\$217 | | BO | +\$394 | +\$394 | +\$54 |
| | INAGHL6.7596-2F | 96" | \$600 | +\$295 | \$0 | +\$66 | +\$66 | +\$189 | | \$O | +\$394 | +\$394 | +\$61 |
| [λ | INAG13.518-2F | 18" | \$146 | +\$73 | \$0 | +\$75 | +\$75 | +\$139 | +5 | 80 | +\$182 | +\$182 | +\$16 |
| // | INAG13.524-2F | 24" | \$173 | +\$85 | \$0 | +\$77 | +\$77 | +\$148 | | 08 | +\$197 | +\$197 | +\$18 |
| // | INAG13.530-2F | 30" | \$197 | +\$98 | \$0 | +\$97 | +\$97 | +\$186 | | 08 | +\$240 | +\$240 | +\$21 |
| 13.5" H Add-On | INAG13.536-2F | 36" | \$223 | +\$110 | \$0 | +\$115 | +\$115 | +\$224 | +5 | 60 | +\$282 | +\$282 | +\$23 |
| | INAG13.542-2F | 42" | \$249 | +\$123 | \$0 | +\$134 | +\$134 | +\$261 | | \$0 | +\$323 | +\$323 | +\$26 |
| Glazing | INAG13.548-2F | 48" | \$275 | +\$135 | \$0 | +\$154 | +\$154 | +\$298 | +5 | 60 | +\$366 | +\$366 | +\$28 |
| For use with 2 ¾" T | INAG13.554-2F | 54" | \$301 | +\$148 | \$0 | +\$172 | +\$172 | +\$333 | +5 | \$0 | +\$404 | +\$404 | +\$31 |
| frames | INAG13.560-2F | 60" | \$327 | +\$161 | \$0 | +\$191 | +\$191 | +\$371 | +5 | 08 | +\$447 | +\$447 | +\$34 |
| | INAG13.566-2F | 66" | \$352 | +\$173 | \$0 | +\$212 | +\$212 | +\$400 | +5 | 08 | +\$488 | +\$488 | +\$36 |
| | INAG13.572-2F | 72" | \$409 | +\$199 | \$0 | +\$191 | +\$191 | +\$409 | +5 | \$0 | +\$487 | +\$487 | +\$42 |
| | INAG13.578-2F | 78" | \$466 | +\$229 | \$0 | +\$180 | +\$180 | +\$359 | +5 | \$0 | +\$497 | +\$497 | +\$47 |
| | INAG13.584-2F | 84" | \$526 | +\$258 | \$0 | +\$169 | +\$169 | +\$341 | +5 | \$0 | +\$510 | +\$510 | +\$53 |
| | INAG13.590-2F | 90" | \$584 | +\$288 | \$0 | +\$150 | +\$150 | +\$323 | | 0 | +\$510 | +\$510 | +\$59 |
| | INAG13.596-2F | 96" | \$644 | +\$318 | \$0 | +\$138 | +\$138 | +\$302 | +5 | \$0 | +\$521 | +\$521 | +\$65 |



- "2F" denotes use with 2 3/4" thick frame "3F" denotes use with 3 1/2" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add on Glazing
- Add-on Glazing up to 60"w require two additional Jesters to be specified if spanning multiple frames (ie a 60"w AOG installed on 2-30" frames)
- Tapered is not available in 2 3/4" T
- List/Base for 0.25" thick is clear glass

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAGHL13.518-2F 0.25" thick glass with Gray would be \$146 +\$75

The same product upgraded to 0.38" thick glass would be \$146 +\$73 +\$182

| • 0.38" thick is NOT a | vailable in tapered | | | Glazing thickness option | | 0.25" thick | finish optic | ons | 0.38" | ' thick finish | options | |
|------------------------|---------------------|-------|--|--------------------------------|-------|-------------|---------------|---------------|-------|----------------|------------------|--------------|
| Description | Part number | Width | List/base /0.25" thick glazing price | 0.38" thick glazing | Clear | Gray | Etched 1 side | Etched 2 side | Clear | Gray | Etched 1 side | Accent paint |
| | INAGHL13.518-2F | 18" | \$146 | +\$73 | \$0 | +\$75 | +\$75 | +\$139 | +\$0 | +\$182 | +\$182 | +\$16 |
| | INAGHL13.524-2F | 24" | \$173 | +\$85 | \$0 | +\$77 | +\$77 | +\$148 | +\$0 | +\$197 | +\$197 | +\$18 |
| į. | INAGHL13.530-2F | 30" | \$197 | +\$98 | \$0 | +\$97 | +\$97 | +\$186 | +\$0 | +\$240 | +\$240 | +\$21 |
| | INAGHL13.536-2F | 36" | \$223 | +\$110 | \$0 | +\$115 | +\$115 | +\$224 | +\$0 | +\$282 | +\$282 | +\$23 |
| 1 1 1 | INAGHL13.542-2F | 42" | \$249 | +\$123 | \$0 | +\$134 | +\$134 | +\$261 | +\$0 | +\$323 | +\$323 | +\$26 |
| 13.5" H Hi-Lo Add- | INAGHL13.548-2F | 48" | \$275 | +\$135 | \$0 | +\$154 | +\$154 | +\$298 | +\$0 | +\$366 | +\$366 | +\$28 |
| On Glazing | INAGHL13.554-2F | 54" | \$301 | +\$148 | \$0 | +\$172 | +\$172 | +\$333 | +\$0 | +\$404 | +\$404 | +\$31 |
| For use with 2 ¾" T | INAGHL13.560-2F | 60" | \$327 | +\$161 | \$0 | +\$191 | +\$191 | +\$371 | +\$0 | +\$447 | +\$447 | +\$34 |
| frames | INAGHL13.566-2F | 66" | \$352 | +\$173 | \$0 | +\$212 | +\$212 | +\$400 | +\$0 | +\$488 | +\$488 | +\$36 |
| | INAGHL13.572-2F | 72" | \$409 | +\$199 | \$0 | +\$191 | +\$191 | +\$409 | +\$0 | +\$487 | +\$487 | +\$42 |
| | INAGHL13.578-2F | 78" | \$466 | +\$229 | \$0 | +\$180 | +\$180 | +\$359 | +\$0 | +\$497 | +\$497 | +\$47 |
| | INAGHL13.584-2F | 84" | \$526 | +\$258 | \$0 | +\$169 | +\$169 | +\$341 | +\$0 | +\$510 | +\$510 | +\$53 |
| | INAGHL13.590-2F | 90" | \$584 | +\$288 | \$0 | +\$150 | +\$150 | +\$323 | +\$0 | +\$510 | +\$510 | +\$59 |
| | INAGHL13.596-2F | 96" | \$644 | +\$318 | \$0 | +\$138 | +\$138 | +\$302 | +\$0 | +\$521 | +\$521 | +\$65 |

Description Part number List price



Add-On Glazing Top Cap Clip for 2 3/4" T Flat Trim Applications

QCCLIPASSY-2F

\$6



Accessories Wall Mounted

General information

- Wall mounted accessories may be specified to mount to any drywall application
- Additional wall bracing should be taken into consideration when ordering any wall hung component which will carry additional weight
- Ensure wall in adequately constructed and/or braced to ensure a secure installation
- All wall mount brackets are included

Notes

Only Expo Markers are to be used on any Inscape Whiteboard.
 Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|-------------|-------------------------------|--------------|--------|-------|--------------|------------|
| | 13.5" H Wall Mount Whiteboard | IN13.5WB30W | 13.5" | 30" | 3 | \$212 |
| | Tile | IN13.5WB36W | 13.5" | 36" | 4 | \$217 |
| f I | | IN13.5WB42W | 13.5" | 42" | 4 | \$221 |
| | | IN13.5WB48W | 13.5" | 48" | 5 | \$224 |
| | | IN13.5WB54W | 13.5" | 54" | 6 | \$226 |
| | | IN13.5WB60W | 13.5" | 60" | 6 | \$230 |
| • | 20.25" H Wall Mount | IN20.25WB30W | 20.25" | 30" | 5 | \$221 |
| | Whiteboard Tile | IN20.25WB36W | 20.25" | 36" | 6 | \$227 |
| f I | | IN20.25WB42W | 20.25" | 42" | 7 | \$232 |
| | | IN20.25WB48W | 20.25" | 48" | 8 | \$236 |
| | | IN20.25WB54W | 20.25" | 54" | 9 | \$239 |
| | | IN20.25WB60W | 20.25" | 60" | 9 | \$248 |
| | 23.6" H Wall Mount Whiteboard | IN23.6WMWB24 | 23.6" | 24" | 4 | \$227 |
| | To be used above Planna cases | IN23.6WMWB30 | 23.6" | 30" | 5 | \$235 |
| | | IN23.6WMWB36 | 23.6" | 36" | 6 | \$243 |
| - card | | IN23.6WMWB42 | 23.6" | 42" | 7 | \$249 |
| wniteboard | | IN23.6WMWB48 | 23.6" | 48" | 8 | \$252 |

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint |
|-------------|--|--------------|--------|-------|--------------|------------------------------|--------------|
| | 6.75" H Wall Mount Paper | IN6.75PM30W | 6.75" | 30" | 5 | \$186 | +\$20 |
| | Management | IN6.75PM36W | 6.75" | 36" | 6.5 | \$200 | +\$21 |
| | _ | IN6.75PM42W | 6.75" | 42" | 8.5 | \$221 | +\$23 |
| 3333 | | IN6.75PM48W | 6.75" | 48" | 9 | \$236 | +\$25 |
| | | IN6.75PM54W | 6.75" | 54" | 11 | \$253 | +\$26 |
| | | IN6.75PM60W | 6.75" | 60" | 12.5 | \$269 | +\$28 |
| | 20.25" H Wall Mount Paper | IN20.25PM24W | 20.25" | 24" | 12 | \$440 | +\$45 |
| | Management | IN20.25PM30W | 20.25" | 30" | 15 | \$581 | +\$59 |
| | , and the second | IN20.25PM36W | 20.25" | 36" | 18 | \$606 | +\$61 |
| | | IN20.25PM42W | 20.25" | 42" | 21 | \$658 | +\$66 |
| | | IN20.25PM48W | 20.25" | 48" | 24 | \$709 | +\$72 |
| | | | | | | | |



- Wall mounted accessories may be specified to mount to any drywall application
- Additional wall bracing should be taken into consideration when ordering any wall hung component which will carry additional weight
- Ensure wall in adequately constructed and/or braced to ensure a secure installation
- All wall mount brackets are included

Notes

• See finishes section for fabrics that require scrim

| Description | Part number | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
|---------------------------------|--------------|-------|--------------|-----------------|---------|---------|---------|---------|---------|---------|---------|-------|
| | IN13.5TB18W | 18" | 2 | \$220 | +\$6 | +\$11 | +\$18 | +\$24 | +\$38 | +\$52 | +\$38 | +\$20 |
| 11/2 | IN13.5TB24W | 24" | 3 | \$227 | +\$4 | +\$9 | +\$16 | +\$22 | +\$37 | +\$51 | +\$37 | +\$22 |
| 1000 | IN13.5TB30W | 30" | 3 | \$248 | +\$5 | +\$9 | +\$16 | +\$22 | +\$37 | +\$52 | +\$37 | +\$23 |
| 34.50 | IN13.5TB36W | 36" | 4 | \$253 | +\$9 | +\$22 | +\$30 | +\$37 | +\$58 | +\$79 | +\$58 | +\$24 |
| 10 10 10 10 | IN13.5TB42W | 42" | 4 | \$261 | +\$8 | +\$23 | +\$31 | +\$39 | +\$62 | +\$84 | +\$62 | +\$26 |
| 3000 | IN13.5TB48W | 48" | 5 | \$268 | +\$11 | +\$23 | +\$31 | +\$39 | +\$62 | +\$85 | +\$62 | +\$27 |
| 13.5" H Wall Mount Tackboard | | | | | | | | | | | | |
| 12/ | IN20.25TB18W | 18" | 3 | \$252 | +\$4 | +\$10 | +\$19 | +\$28 | +\$46 | +\$65 | +\$91 | +\$22 |
| . 10 | IN20.25TB24W | 24" | 4 | \$272 | +\$5 | +\$16 | +\$24 | +\$32 | +\$52 | +\$73 | +\$101 | +\$24 |
| 1000 | IN20.25TB30W | 30" | 5 | \$281 | +\$4 | +\$17 | +\$25 | +\$33 | +\$54 | +\$75 | +\$103 | +\$26 |
| 5-16-20 1-16-20 | IN20.25TB36W | 36" | 6 | \$287 | +\$7 | +\$18 | +\$28 | +\$37 | +\$61 | +\$85 | +\$118 | +\$28 |
| in the same | IN20.25TB42W | 42" | 7 | \$296 | +\$6 | +\$12 | +\$25 | +\$37 | +\$62 | +\$87 | +\$121 | +\$30 |
| 1000 | IN20.25TB48W | 48" | 8 | \$302 | +\$8 | +\$24 | +\$34 | +\$44 | +\$73 | +\$99 | +\$139 | +\$32 |
| 20.25" H Wall Mount | | | | | | | | | | | | |
| Tackboard | | | | | | | | | | | | |
| | IN23.6WMTK24 | 24" | 4 | \$369 | +\$5 | +\$11 | +\$22 | +\$33 | +\$58 | +\$83 | +\$116 | +\$25 |
| 4.68 | IN23.6WMTK30 | 30" | 5 | \$382 | +\$4 | +\$12 | +\$24 | +\$36 | +\$63 | +\$90 | +\$125 | +\$27 |
| | IN23.6WMTK36 | 36" | 6 | \$389 | +\$8 | +\$18 | +\$30 | +\$41 | +\$73 | +\$102 | +\$143 | +\$29 |
| | IN23.6WMTK42 | 42" | 7 | \$401 | +\$6 | +\$12 | +\$25 | +\$38 | +\$71 | +\$102 | +\$143 | +\$31 |
| 47/40 | IN23.6WMTK48 | 48" | 8 | \$410 | +\$9 | +\$22 | +\$34 | +\$46 | +\$81 | +\$115 | +\$161 | +\$33 |

23.6" H Wall Mount Tackboard To be used above Planna cases

Accessories Storage

General information

Notes

Only Expo Markers are to be used on any Inscape Whiteboard.
 Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|--|--|-------------|--------|-------|--------------|------------|
| | 19.5" H Magnetic Whiteboard | WHBDM137195 | 19.5" | 14" | 3 | \$253 |
| | 33" H Magnetic Whiteboard | WHBDM13733 | 33" | 14" | 5 | \$269 |
| Same of the same o | Replacement Key Specify key number found on face of lock | RKEY | _ | - | _ | \$9 |
| The state of the s | Master Key Specify key number found on face of lock | MKEY | - | _ | - | \$43 |
| | Extractor Key Specify key number found on face of lock | EKEY | _ | - | - | \$43 |



- Overhead Storage sorters are to be ordered for use with overhead bin and shelves only
- No tools required to install components
- The sliding dividers are for use with Overhead Bin only

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint |
|-------------|---|---------------------------------------|--------|-------|--------------|------------------------------|--------------|
| Pour | Bin-Mounted Sorter (pkg. of 3) | INLHSSB left-handed | _ | _ | 9 | \$181 | +\$19 |
| | | INRHSSB right-handed (illustrated) | - | _ | 9 | \$181 | +\$19 |
| pm | Shelf-Mounted Sorter (pkg. of 3) | INLHSSS left-handed | _ | _ | 9 | \$181 | +\$19 |
| | | INRHSSS right-handed (illustrated) | _ | _ | 9 | \$181 | +\$19 |
| | Sliding Divider (qty of 3) Compatible with overhead bins | SDV | - | _ | 5 | \$89 | +\$10 |

AccesoriesElectrified Twin-Bin

General information

- The Electrified Twin-Bin accessories are able to mount onto the back of the Electrified Twin-Bin only
- Do not specify these accessories with the standard Twin-Bin as they will interfere with the sliding door
- Electrified Twin-Bin Tackboard available in all grades of fabric
- Electrified Twin-Bin Shelf is only compatible with the Electrified Twin-Bin
- The width of the Electrified Twin-Bin accessories specified should be $\frac{1}{2}$ the overall width of the case (i.e. $36 \div 3 = 12$)

Notes

Only Expo Markers are to be used on any Inscape Whiteboard.
 Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint |
|--|---------------------------------|---------------------|--------|-------|--------------|------------------------------|--------------|
| | Electrified Twin-Bin Shelf | INETWBSHF-12 | _ | 12" | _ | \$91 | +\$10 |
| | | INETWBSHF-14 | _ | 14" | _ | \$91 | +\$10 |
| ALTERNATION OF THE PARTY OF THE | | INETWBSHF-16 | _ | 16" | _ | \$91 | +\$10 |
| 57 | | INETWBSHF-18 | _ | 18" | _ | \$91 | +\$10 |
| | | INETWBSHF-20 | _ | 20" | - | \$91 | +\$10 |
| _ | Electrified Twin-Bin Whiteboard | INTWBWB-12 | 14" | 12" | _ | \$33 | _ |
| | | INTWBWB-14 | 14" | 14" | _ | \$33 | _ |
| f | | INTWBWB-16 | 14" | 16" | _ | \$33 | _ |
| | | INTWBWB-18 | 14" | 18" | _ | \$37 | _ |
| | | INTWBWB-20 | 14" | 20" | _ | \$37 | _ |
| | | | | | | | |

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 |
|-------------|-------------------|--------|-------|--------------|-----------------|---------|---------|---------|---------|---------|---------|---------|
| | INTWBTB-12 | 14" | 12" | _ | \$112 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| | INTWBTB-14 | 14" | 14" | _ | \$115 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| 137.7 | INTWBTB-16 | 14" | 16" | _ | \$120 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| 45.77 | INTWBTB-18 | 14" | 18" | _ | \$126 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| J. *** | INTWBTB-20 | 14" | 20" | _ | \$137 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |

Electrified Twin-Bin Tackboard



- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Shared Twin Bin Top span the frame to give one complete finished top (no top trim required to be specified in this location)
- Single Twin Bin and Shared Twin Bin Tops are specified for the top of the Twin Bin
- Two Single Twin Bin Tops are required to finish one Twin Bin as there are two sides (either side of frame)
- Twin Bin tops are shipped complete with ability to mount directly on case
- Nuform and Veneer Twin Bin Tops are 3/8" thick

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INTWBTOP36-3F 0.25" in veneer would be \$242 +\$458

| Description | | Part number | Height | Width | Weight (lbs) | Neutral base | paint/ price | Accent paint |
|-------------|------------------------------|---------------|--------|-------|--------------|-----------------|---------------------------------|--------------|
| | Shared Twin Bin Top, painted | INTWST-30 | _ | 30" | _ | | \$278 | +\$29 |
| | | INTWST-36 | _ | 36" | _ | ; | \$337 | +\$35 |
| | | INTWST-42 | _ | 42" | _ | ; | \$351 | +\$36 |
| | | INTWST-48 | _ | 48" | _ | ; | \$385 | +\$39 |
| | | INTWST-54 | _ | 54" | _ | ; | \$419 | +\$43 |
| | | INTWST-60 | _ | 60" | _ | : | \$451 | +\$46 |
| Description | | Part number | Depth | Width | Weight (lbs) | Nuform solid | Nuform woodgrain/ pattern | Veneer |
| | Single Twin Bin Top | INTWBTOP36-3F | 5" | 36" | 2 | \$242 | +\$26 | +\$458 |
| | For use with 3 ½" T frames | INTWBTOP42-3F | 5" | 42" | 2 | \$251 | +\$27 | +\$496 |
| | Required 2 per bin | INTWBTOP48-3F | 5" | 48" | 2 | \$276 | +\$29 | +\$524 |
| | | INTWBTOP60-3F | 5" | 60" | 3 | \$323 | +\$29 | +\$529 |
| | Single Twin Bin Top | INTWBTOP36-2F | 5.4" | 36" | 2 | \$242 | +\$26 | +\$458 |
| | For use with 2 ¾" T frames | INTWBTOP42-2F | 5.4" | 42" | 2 | \$251 | +\$27 | +\$496 |
| | Required 2 per bin | INTWBTOP48-2F | 5.4" | 48" | 2 | \$276 | +\$29 | +\$524 |
| | • • | INTWBTOP60-2F | 5.4" | 60" | 3 | \$323 | +\$29 | +\$529 |

• Pedestal Extended leveling glide consists of a 1.5" stem

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|-------------|--|---------------------------|--------|-------|--------------|--------------|
| | Pencil tray for letter width box drawer Black plastic | PFWS-PT15 Letter Width | _ | 15" | 1 | \$31 |
| | Diack plastic | PFWS-PT18 Legal Width | _ | 18" | 1 | \$32 |
| | Divider for box drawer | PFWS-DV15 Letter Width | _ | 15" | 0.5 | \$17 |
| | 3 | PFWS-DV18 Legal Width | _ | 18" | 0.5 | \$18 |
| | Set of 4 modular sloped stationery dividers fits box drawer letter width pedestal | PFMD-SO15 Letter Width | _ | 15" | 1 | \$64 |
| | drawer letter width pedestal | PFMD-SO18 Legal Width | - | 18"" | 1 | \$67 |
| | Rectangular Pedestal Glides, Gray Set of 4 | LV019 | _ | - | - | \$38 |
| | 1.5" stem leveling glides Set of 4 | LG | 3 ½" | - | 1 | \$24 |
| | Platform leveling glide for lateral files (set of 4). 3 ½" diameter x 1 ½" high plastic 'shoe'. 1 ¾" leveling adjustment | PLG-L3 PLG-L3-GRY | Ξ | | = | \$26 \$26 |

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|-------------|--|-------------------------------------|----------------------|-------------------|----------------|----------------------|-------------------------|
| W Jan | Plate divider for 3" and 4.5" shelves/drawers | PFDVP-3 | _ | - | 0.5 | \$13 | _ |
| | Plate divider for 6", 7.5" and 9" shelves/drawers | PFDVP6-9 | _ | - | 0.75 | \$13 | _ |
| | Plate divider for 10.5", 12", 13.5", 15" and 16.5" drawers or slotted shelves | PFDVP | _ | _ | 1 | \$13 | _ |
| | Slotted Shelf Fixed slotted shelf installs behind 12", 13.5", 15" and 16.5" lift-up door or in hinged door cabinet. Shelf is adjustable on a 1.5" increment. | PFSH-30 PFSH-36 PFSH-42 | - - - | 30" 36" 42" | 11 12 13 | \$87 \$87 \$87 | +\$10 +\$10 +\$10 |
| | Adjustable non-slotted shelf 15" deep | BKSH-3015 BKSH-3615 BKSH-4215 | 0.5" 0.5" 0.5" | 30" 36" 42" | 11 11 11 | \$87 \$87 \$87 | +\$10 +\$10 +\$10 |
| | Adjustable shelf for split base units 15" deep | SWSH-15 | 0.5" | 15" | 4 | \$76 | +\$9 |
| | Standard Paper Related Accessories Hangfile bars for 10.5", 12", 13.5", 15" and 16.5" pullout shelves/drawers set of 2 | PFHF-30 PFHF-36 PFHF-42 | _ _ _ | 30" 36" 42" | 2 3 4 | \$37 \$37 \$37 | |
| | Sliding rails used in conjunction with HF bars for front-to-back filing, sold individually | PFSR | _ | 1.1875" | 1 | \$12 | _ |
| | Ganging Kit | PFGK | - | - | - | \$11 | _ |
| | 18" mobile support frame, for 30" and 36" wide lateral files with maximum of three pullout drawers and maximum interior height of 43.5" Note: Counterweight must be installed in lateral file | PFMFK18 | 4 1/8" | - | 10 | \$470 | _ |

System

Accessories

Lateral

General information

- Counterweight recommended for all freestanding lateral file cabinets
- Counterweight secure with 2-way tape
- Lateral Extended leveling glide consists of a 1.5" stem
- Nuform and Veneer lateral tops are 3/8" thick
- Lateral tops are not available with plywood edge band

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|-------------|--|----------------------|--------|-------|---------------|--------------|
| | 24" mobile support frame, for 24" and 30" wide Workplace Towers with maximum of three pullout drawers and maximum height of 58 ¾" Note: Counterweight is recommended | PFMFK24 | 4 %" | 24" | 11 | \$470 |
| | Counterweight, recommended | IMCW-30 | _ | 30" | 38 | \$125 |
| | for all freestanding lateral file | IMCW-36 | _ | 36" | 38 | \$125 |
| | cabinets with 22.5" interior dimension or higher | IMCW-42 | _ | 42" | 52 | \$125 |
| | Counterweight, recommended for all freestanding lateral file cabinets with less than 22.5" interior dimension | CW | _ | - | 48 | \$125 |
| | Rectangular Lateral Glides, Gray Set of 4 | LV018 | _ | _ | - | \$38 |
| | 1.5" stem leveling glides Set of 4 | LG | 3 ½" | - | 1 | \$24 |
| | Platform leveling glide for lateral files (set of 4). 3 ½" diameter x 1 ½" high plastic 'shoe'. 1 ¾" leveling adjustment | PLG-L3 PLG-L3-GRY | = | = | <u>-</u> - | \$26 \$26 |

| Description | | Part number | Width | Depth | Nuform solid/laminate | Nuform woodgrain/ pattern | Grade 1 laminate | Veneer |
|-------------|----------------------------|-------------|-------|-------|--------------------------|---------------------------------|---------------------|--------|
| _ | 15" D x 3/4" T Lateral Top | INSWTOP1530 | 30" | 15" | \$176 | +\$13 | +\$57 | +\$297 |
| | | INSWTOP1536 | 36" | 15" | \$190 | +\$27 | +\$61 | +\$336 |
| | | INSWTOP1542 | 42" | 15" | \$215 | +\$30 | +\$69 | +\$368 |
| | | INSWTOP1548 | 48" | 15" | \$239 | +\$35 | +\$77 | +\$395 |
| | | INSWTOP1554 | 54" | 15" | \$263 | +\$40 | +\$85 | +\$418 |
| | | INSWTOP1560 | 60" | 15" | \$325 | +\$92 | +\$104 | +\$473 |
| | | INSWTOP1572 | 72" | 15" | \$353 | +\$109 | +\$113 | +\$493 |
| | | INSWTOP1578 | 78" | 15" | \$384 | +\$99 | +\$123 | +\$522 |
| | 18" D x ¾" T Lateral Top | INSWTOP1830 | 30" | 18" | \$192 | +\$11 | +\$62 | +\$333 |
| | | INSWTOP1836 | 36" | 18" | \$206 | +\$30 | +\$66 | +\$379 |
| | | INSWTOP1842 | 42" | 18" | \$232 | +\$37 | +\$75 | +\$413 |
| - | | INSWTOP1848 | 48" | 18" | \$257 | +\$44 | +\$83 | +\$449 |
| | | INSWTOP1854 | 54" | 18" | \$285 | +\$45 | +\$92 | +\$489 |
| | | INSWTOP1860 | 60" | 18" | \$441 | +\$47 | +\$142 | +\$846 |
| | | INSWTOP1872 | 72" | 18" | \$527 | +\$54 | +\$169 | +\$860 |
| | | INSWTOP1878 | 78" | 18" | \$613 | +\$63 | +\$197 | +\$836 |
| | | | | | | | | |



- Includes stand offs to mount on back of case in the fieldAvailable in White only, colors as special

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|-------------|-----------------------------|-------------------------------------|-------------------|-------------------|----------------|-------------------------|
| | Lateral Back Painted Glass | PLN30LBPG PLN36LBPG PLN42LBPG | 24" 24" 24" | 30" 36" 42" | 16 19 22 | \$696 \$771 \$847 |
| _ | Pedestal Back Painted Glass | PLN15LBPG | 24" | 15" | 16 | \$547 |



System | **225** US Price List | April 2018



Accessories SuperStor^T

General information

- SuperStor inserts for use with Storwal and laterals
- 30"w SuperStor insert accepts 12 Standard Trays and 3 Small Trays
- 36"w SuperStor insert accepts 18 Standard Trays
- 42"w SuperStor insert accepts 18 Standard Trays and 3 Small Trays
 Insert and trays may be painted in Inscape System standard color options

| SuperStor Inserts INSW13.5SS-30 13.5" 30" 10 \$93 INSW13.5SS-36 13.5" 36" 12 \$109 INSW13.5SS-42 13.5" 42" 14 \$123 INSW13.5SS-42 Insert I |
|---|
| INSW13.5SS-36 13.5" 36" 12 \$109 |
| Standard SuperStor Trays (pkg. SWSSTRAY 6 \$212 |
| |
| |
| Small SuperStor Trays (pkg. SWSSTRAY-SM 3 \$109 |



- Cushions may be installed on any storage case
- Velcro is included with the cushion for adhesion on the case
- Cushions are 1.25" thick and are to be specified with using only approved Upholstery standards from Inscape or COM
- If optioning a cushion on a Planna case, remove Planna rail

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product CSH15X18X125 in Grade C fabric would be \$238 +\$89

| Description | Part number | Height | Width | Depth | Weight (lbs) | Grade A | Grade B/ COM | Grade C | Grade D | Grade E | Grade F |
|---|-----------------|--------|-------|-------|--------------|---------|-----------------|---------|---------|---------|---------|
| | CSH15X18X125 | 1 ¼" | 15" | 18" | 5 | \$238 | +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |
| | CSH15X22X125 | 1 1/4" | 15" | 22" | 6 | \$244 | +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |
| | CSH15X28X125 | 1 ¼" | 15" | 28" | 13 | \$253 | +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |
| 15"W Pedestal Cushion (Planna, 7900 Series, Radius, Grid pedestals) | | | | | | | | | | | |
| | CSH15X18.75X125 | 1 1/4" | 15" | 18 ¾" | 8 | \$239 | +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |
| | CSH15X22.75X125 | 1 1/4" | 15" | 22 ¾" | 9 | \$245 | +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |
| | CSH15X28.75X125 | 1 ¼" | 15" | 28 ¾" | 13 | \$254 | +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |
| 15"w Pedestal Cushion (9900 Series, Storage Center) | | | | | | | | | | | |
| | CSH15X36X125 | 1 ¼" | 15" | 36" | 15 | \$273 | +\$48 | +\$89 | +\$126 | +\$151 | +\$216 |

36" d Pedestal Cushion (for back to back Planna, 7900 Series, Radius, Grid pedestal application)



Accessories

Cushions

General information

- Cushions may be installed on any storage case
- Velcro is included with the cushion for adhesion on the case
- Cushions are 1.25" thick and are to be specified with using only approved Upholstery standards from Inscape or COM
- If optioning a cushion on a Planna case, remove Planna rail

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product LATCUSH1830SL in Grade C fabric would be \$369 +\$142

| Description | Part number | Height | Width | Depth | Weight (lbs) | Grade A | Grade B/ COM | Grade C | Grade D | Grade E | Grade |
|-------------------|-----------------|--------|-------|-------|--------------|---------|-----------------|---------|---------|---------|-------|
| | LATCUSH1830SL | 1 1/4" | 30" | 18" | 7 | \$369 | +\$71 | +\$142 | +\$172 | +\$214 | +\$3 |
| | LATCUSH1836SL | 1 ¼" | 36" | 18" | 8 | \$401 | +\$83 | +\$166 | +\$201 | +\$249 | +\$36 |
| 18" d Lateral | LATCUSH1842SL | 1 ¼" | 42" | 18" | 10 | \$435 | +\$95 | +\$131 | +\$232 | +\$286 | +\$42 |
| Cushion | LATCUSH1860SL | 1 ¼" | 60" | 18" | 14 | \$527 | +\$151 | +\$280 | +\$375 | +\$451 | +\$6 |
| standard | LATCUSH1866SL | 1 1/4" | 66" | 18" | 15 | \$573 | +\$144 | +\$234 | +\$350 | +\$431 | +\$6 |
| application) | LATCUSH1872SL | 1 ¼" | 72" | 18" | 15 | \$621 | +\$155 | +\$307 | +\$379 | +\$465 | +\$6 |
| | LATCUSH1878SL | 1 1/4" | 78" | 18" | 17 | \$770 | +\$180 | +\$355 | +\$439 | +\$539 | +\$7 |
| | LATCUSH1884SL | 1 1/4" | 84" | 18" | 24 | \$680 | +\$180 | +\$355 | +\$439 | +\$539 | +\$7 |
| ^ | LATCUSH19830SL | 1 1/4" | 30" | 19 ¾" | 7 | \$378 | +\$71 | +\$141 | +\$172 | +\$213 | +\$3 |
| | LATCUSH19836SL | 1 ¼" | 36" | 19 ¾" | 8 | \$414 | +\$82 | +\$165 | +\$200 | +\$248 | +\$3 |
| | LATCUSH19842SL | 1 1/4" | 42" | 19 ¾" | 10 | \$449 | +\$94 | +\$188 | +\$231 | +\$285 | +\$5 |
| | LATCUSH19860SL | 1 1/4" | 60" | 19 ¾" | 14 | \$558 | +\$130 | +\$259 | +\$319 | +\$393 | +\$5 |
| | LATCUSH19866SL | 1 ¼" | 66" | 19 ¾" | 15 | \$594 | +\$143 | +\$283 | +\$348 | +\$430 | +\$6 |
| | LATCUSH19872SL | 1 ¼" | 72" | 19 ¾" | 15 | \$629 | +\$125 | +\$306 | +\$378 | +\$465 | +\$6 |
| | LATCUSH19878SL | 1 ¼" | 78" | 19 ¾" | 17 | \$666 | +\$117 | +\$330 | +\$406 | +\$501 | +\$7 |
| 9 ¾" d Lateral | LATCUSH19884SL | 1 1/4" | 84" | 19 ¾" | 24 | \$702 | +\$179 | +\$354 | +\$437 | +\$537 | +\$7 |
| Dushion | | | | | | | | | | | |
| Benching | | | | | | | | | | | |
| application with | | | | | | | | | | | |
| electrical) | | | | | | | | | | | |
| ^ | LATCUSH21530SL | 1 1/4" | 30" | 21 ½" | 7 | \$378 | +\$76 | +\$147 | +\$177 | +\$218 | +\$3 |
| | LATCUSH21536SL | 1 1/4" | 36" | 21 ½" | 8 | \$420 | +\$82 | +\$165 | +\$200 | +\$248 | +\$3 |
| | LATCUSH21542SL | 1 1/4" | 42" | 21 ½" | 11 | \$451 | +\$94 | +\$188 | +\$230 | +\$285 | +\$4 |
| | LATCUSH21560SL | 1 1/4" | 60" | 21 ½" | 15 | \$574 | +\$130 | +\$258 | +\$318 | +\$392 | +\$5 |
| | LATCUSH21566SL | 1 1/4" | 66" | 21 ½" | 16 | \$611 | +\$142 | +\$283 | +\$347 | +\$428 | +\$6 |
| | LATCUSH21572SL | 1 1/4" | 72" | 21 ½" | 17 | \$649 | +\$154 | +\$306 | +\$377 | +\$463 | +\$6 |
| | LATCUSH21578SL | 1 1/4" | 78" | 21 ½" | 18 | \$661 | +\$333 | +\$333 | +\$476 | +\$573 | +\$8 |
| | LATCUSH21584SL | 1 1/4" | 84" | 21 ½" | 19 | \$691 | +\$205 | +\$380 | +\$508 | +\$613 | +\$8 |
| 21 1/2" d Lateral | EA100011210040E | 1 /4 | 0. | 21 /2 | .0 | ΨΟΟΙ | 1 42.00 | 1 4000 | ΙΨΟΟΟ | 14010 | Ι Ψ |
| Cushion | | | | | | | | | | | |
| (Private Office | | | | | | | | | | | |
| application with | | | | | | | | | | | |
| electrical) | | | | | | | | | | | |
| | LATCUSH3630SL | 1 ¼" | 30" | 36" | 14 | \$456 | +\$67 | +\$139 | +\$166 | +\$207 | +\$3 |
| | LATCUSH3636SL | 1 ¼" | 36" | 36" | 19 | \$502 | +\$79 | +\$162 | +\$194 | +\$242 | +\$3 |
| 36" d Lateral | LATCUSH3642SL | 1 ¼" | 42" | 36" | 19 | \$530 | +\$91 | +\$185 | +\$225 | +\$279 | +\$4 |
| Cushion | | | | | | | | | | | |
| back-to-back | | | | | | | | | | | |
| application) | | | | | | | | | | | |
| ^ | LATCUSH39530SL | 1 1/4" | 30" | 39 ½" | 14 | \$463 | +\$67 | +\$138 | +\$165 | +\$206 | +\$3 |
| | LATCUSH39536SL | 1 1/4" | 36" | 39 ½" | 19 | \$505 | +\$116 | +\$184 | +\$218 | +\$266 | +\$3 |
| | | | | | | | | | | | |



39 ½" d Lateral Cushion (Back-to-back benching application with electrical)



- Planna Storage Support Brackets are shipped as a pair and are both required per Planna Storage worksurface installation
- Hat Channel heights are nominal and they support a standard worksurface height of 28.5"
- Planna Storage rail kits are optional on Planna Storage cases, DO NOT specify if a cushion is to be installed
- Lateral kits install with the rail running the width of the case (side to side)
- Pedestal kits install with the rail running the depth of the case (front to back) EXCEPT for the 18"d which runs side to side
- Planna Storage rails are only available in silver (match to P290 Aluminum Leaf)
- Planna Storage Rail kits include mounting hardware to adhere to the case if ordered separate from Planna Storage case

| Description | | Part number | Width | Depth | Weight (lbs) | List price | Accent paint |
|-------------|---|--|-------------------|-------------------|--------------|-------------------------|--------------|
| | Planna Bracket (pair) Adjustable Height | PSUPBKT | _ | _ | 1 | \$79 | +\$9 |
| | 9" W x 2.89"H Hat Channel For use over Planna case with ½" top with no rail | HATCHNL2.89 | 2.89" | 2 | _ | \$44 | +\$6 |
| | 9" W x 2.375"H Hat Channel For use over Planna case with ½" top and ½" rail | HATCHNL2.3759 | 2.375" | 2 | - | \$44 | +\$6 |
| > | Lateral Rail Kit (rails run case width) | PLANNA-KIT30 PLANNA-KIT36 PLANNA-KIT42 | 30" 36" 42" | 18" 18" 18" | 5 6 6 | \$139 \$143 \$148 | |
| \Diamond | Pedestal Rail Kit (rails run case depth) | PLANNA-KIT1518 PLANNA-KIT1522 PLANNA-KIT1528 | 15" 15" 15" | 15" 22" 28" | 3 4 5 | \$134 \$139 \$143 | |
| | Rail Kit for collaborative Area (rails run depth of back-to-back cases) | PLANNA-KIT3615 PLANNA-KIT3621 | 36" 36" | 15" 21" | 5 5 | \$163 \$180 | = |



Accessories

Planna Storage Pedestals and Lateral Tops

General information

- Planna Storage tops are ½" thick to withstand weight that may be placed on the Planna Storage case
- Various depths and widths have been created for multiple configurations. Refer to drawing in left column for details
- Planna Storage tops are shipped with double sided tape to adhere on the Planna Storage rails

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product PLN1518 in Nuform woodgrain would be \$73 +\$13

| Description | | Part number | Width | Depth | Weight (lbs) | Nuform solid | Nuform woodgrain/ pattern | Veneer |
|-------------|--------------------------------|-------------|-------|-------|--------------|-----------------|---------------------------------|--------|
| | Pedestal Top | PLN1518 | 15" | 18" | 4 | \$73 | +\$13 | +\$397 |
| | | PLN1522 | 15" | 22" | 5 | \$96 | +\$13 | +\$402 |
| | | PLN1528 | 15" | 28" | 6 | \$119 | +\$13 | +\$409 |
| | | | | | | | | |
| | Single Depth Lateral Top | PLN1830 | 30" | 18" | 7 | \$127 | +\$16 | +\$417 |
| | | PLN1836 | 36" | 18" | 8 | \$147 | +\$18 | +\$415 |
| | | PLN1842 | 42" | 18" | 10 | \$167 | +\$19 | +\$455 |
| | | PLN1845 | 45" | 18" | 11 | \$182 | +\$22 | +\$501 |
| TU | | PLN1851 | 51" | 18" | 12 | \$195 | +\$24 | +\$546 |
| 1 | | PLN1857 | 57" | 18" | 13 | \$212 | +\$26 | +\$591 |
| | | PLN1860 | 60" | 18" | 14 | \$224 | +\$27 | +\$637 |
| | | PLN1866 | 66" | 18" | 16 | \$245 | +\$27 | +\$675 |
| | | PLN1872 | 72" | 18" | 17 | \$264 | +\$31 | +\$717 |
| | | PLN1878 | 78" | 18" | 18 | \$284 | +\$32 | +\$766 |
| | | PLN1884 | 84" | 18" | 20 | \$302 | +\$37 | +\$817 |
| | | PLN1890 | 90" | 18" | 21 | \$324 | +\$35 | +\$864 |
| | | PLN1896 | 96" | 18" | 23 | \$338 | +\$42 | +\$921 |
| | 21 ½" D Lateral Top | PLNP2130 | 30" | 21 ½" | 7 | \$142 | +\$17 | +\$422 |
| | | PLNP2136 | 36" | 21 ½" | 8 | \$162 | +\$19 | +\$420 |
| | | PLNP2142 | 42" | 21 ½" | 11 | \$184 | +\$21 | +\$456 |
| \sim | | PLNP2145 | 45" | 21 ½" | 11 | \$198 | +\$23 | +\$501 |
| . | | PLNP2151 | 51" | 21 ½" | 13 | \$216 | +\$25 | +\$545 |
| | | PLNP2157 | 57" | 21 ½" | 15 | \$230 | +\$27 | +\$589 |
| | | PLNP2160 | 60" | 21 ½" | 15 | \$247 | +\$29 | +\$632 |
| | | PLNP2166 | 66" | 21 ½" | 16 | \$270 | +\$32 | +\$669 |
| | | PLNP2172 | 72" | 21 ½" | 18 | \$290 | +\$43 | +\$712 |
| | | PLNP2178 | 78" | 21 ½" | 19 | \$311 | +\$34 | +\$761 |
| | | PLNP2184 | 84" | 21 ½" | 21 | \$331 | +\$40 | +\$811 |
| | | PLNP2190 | 90" | 21 ½" | 23 | \$355 | +\$52 | +\$858 |
| | | PLNP2196 | 96" | 21 ½" | 24 | \$389 | +\$58 | +\$894 |
| / | Back to Back Depth Lateral Top | PLN3630 | 30" | 36" | 14 | \$217 | +\$33 | _ |
| | | PLN3636 | 36" | 36" | 17 | \$247 | +\$40 | _ |
| | | PLN3642 | 42" | 36" | 20 | \$278 | +\$46 | _ |
| | | PLN3645 | 45" | 36" | 22 | \$305 | +\$50 | _ |
| - | | PLN3651 | 51" | 36" | 25 | \$327 | +\$55 | _ |
| | | PLN3657 | 57" | 36" | 27 | \$349 | +\$60 | _ |
| | | PLN3660 | 60" | 36" | 28 | \$371 | +\$65 | _ |
| | | PLN3666 | 66" | 36" | 31 | \$390 | +\$65 | _ |
| | | PLN3672 | 72" | 36" | 34 | \$431 | +\$79 | _ |
| | | PLN3678 | 78" | 36" | 37 | \$452 | +\$78 | _ |
| | | PLN3684 | 84" | 36" | 39 | \$493 | +\$91 | _ |
| | | PLN3690 | 90" | 36" | 42 | \$515 | +\$91 | _ |
| | | PLN3696 | 96" | 36" | 45 | \$554 | +\$104 | _ |



Accessories Planna Storage

Tops to Accommodate Benching Electrical

General information

- Planna Storage tops are ½" thick to withstand weight that may be placed on the Planna Storage case
- Various depths and widths have been created for multiple configurations. Refer to drawing in left column for details
- Planna Storage tops are shipped with double sided tape to adhere on the Planna Storage rails

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product PLNB1930 in Nuform woodgrain would be \$127 +\$16

| Description | | Part number | Height | Width | Weight (lbs) | Nuform solid | Nuform woodgrain/ pattern | Veneer |
|-------------|------------------------------|-------------|--------|-------|--------------|-----------------|---------------------------------|--------|
| 1 | Single Depth Lateral Top | PLNB1930 | 30" | 19 ¾" | 6 | \$127 | +\$16 | _ |
| | with 1 3/4" D Overhang | PLNB1936 | 36" | 19 ¾" | 7 | \$147 | +\$18 | _ |
| 1 | | PLNB1942 | 42" | 19 ¾" | 8 | \$167 | +\$19 | _ |
| | | PLNB1945 | 45" | 19 ¾" | 9 | \$184 | +\$21 | _ |
| Ma A | | PLNB1951 | 51" | 19 ¾" | 10 | \$199 | +\$22 | _ |
| . 4D | | PLNB1957 | 57" | 19 ¾" | 11 | \$218 | +\$23 | _ |
| | | PLNB1960 | 60" | 19 ¾" | 11 | \$224 | +\$27 | _ |
| | | PLNB1972 | 72" | 19 ¾" | 14 | \$264 | +\$31 | _ |
| | | PLNB1984 | 84" | 19 ¾" | 14 | \$302 | +\$37 | _ |
| 11. | Double Depth Back to Back | PLNB3930 | 30" | 39 ½" | 12 | \$217 | +\$33 | _ |
| | with 3 1/2" Additional Depth | PLNB3936 | 36" | 39 ½" | 14 | \$247 | +\$40 | _ |
| | | PLNB3942 | 42" | 39 ½" | 16 | \$278 | +\$46 | _ |
| | | PLNB3945 | 45" | 39 ½" | 17 | \$305 | +\$50 | _ |
| J D | | PLNB3951 | 51" | 39 ½" | 20 | \$335 | +\$55 | _ |
| | | PLNB3957 | 57" | 39 ½" | 22 | \$371 | +\$65 | _ |
| | Single Depth Lateral | PLNB1831 | 31 ¾" | 18" | 6 | \$127 | +\$16 | _ |
| | Top with 1 3/4" Additional | PLNB1837 | 37 ¾" | 18" | 7 | \$147 | +\$18 | _ |
| 11/1/1 | Overhang 1/2" thick | PLNB1843 | 43 ¾" | 18" | 8 | \$167 | +\$19 | _ |
| | | PLNB1846 | 46 ¾" | 18" | 8 | \$184 | +\$21 | _ |
| | | PLNB1852 | 52 ¾" | 18" | 9 | \$199 | +\$22 | _ |
| | | PLNB1858 | 58 ¾" | 18" | 9 | \$218 | +\$23 | _ |
| . 4 | | PLNB1861 | 61 ¾" | 18" | 11 | \$224 | +\$27 | _ |
| | | PLNB1873 | 73 ¾" | 18" | 13 | \$264 | +\$31 | _ |
| | | PLNB1885 | 85 ¾" | 18" | 15 | \$302 | +\$37 | _ |
| 504 802 | Double Depth Lateral Top | PLNB3631 | 31 ¾" | 36" | 11 | \$217 | +\$33 | _ |
| | with 1 ¾" Length Overhang | PLNB3637 | 37 ¾" | 36" | 13 | \$247 | +\$40 | _ |
| | | PLNB3643 | 43 ¾" | 36" | 15 | \$278 | +\$46 | _ |
| | | PLNB3646 | 46 ¾" | 36" | 16 | \$305 | +\$50 | _ |
| | | PLNB3652 | 52 ¾" | 36" | 18 | \$326 | +\$50 | _ |
| | | PLNB3658 | 58 ¾" | 36" | 20 | \$340 | +\$50 | _ |
| | | PLNB3661 | 61 ¾" | 36" | 22 | \$371 | +\$65 | _ |
| | | PLNB3667 | 67 ¾" | 36" | 24 | \$390 | +\$65 | _ |
| | | PLNB3673 | 73 ¾" | 36" | 26 | \$431 | +\$79 | _ |
| | | PLNB3679 | 79 ¾" | 36" | 28 | \$452 | +\$78 | _ |
| | | PLNB3685 | 85 ¾" | 36" | 30 | \$493 | +\$91 | _ |
| | | PLNB3691 | 91 ¾" | 36" | 32 | \$515 | +\$91 | _ |
| | | PLNB3697 | 97 ¾" | 36" | 34 | \$554 | +\$104 | _ |



Accessories

Storwal Storage Worksurfaces Support Bracket

General information

- Storwal Worksurface Support Bracket are shipped as a pair and both are to require per Storwal worksurface applications
- Brackets may be optioned in any of Inscape Systems standard paint colors
- Adjustable bracket adjusts vertically to match the Inscape Standard 5 worksurface heights: 25.5", 27", 28.5", 30", and 31.5"

| Description | | Part number | Height | Width | Weight (lbs) | Natural paint/ base price | Accent paint |
|-------------|------------------------|------------------------------------|--------|-------|--------------|------------------------------|--------------|
| 9-7 | Storwal Bracket (pair) | INSWSUPBT-28.5 Fixed Height | 1 ¼" | | 1 | \$66 | +\$8 |
| | | INSWSUPBT-ADJ Adjustable Height | 1 ¼" | _ | 1 | \$114 | +\$13 |



- Storwal tackboards may not be specified adjacent to a sliding door
- Attachment hardware to attach to Storwal is included with the tackboard
- Standard panel fabric or COM may be specified on the tackboard
- Fabric applied in a railroad orientation
- See finishes section for fabrics that require scrim

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SW13.5TC-30 in Grade 5 fabric would be \$477 +\$20

| Description | Part number | Height | Width | Weight (lbs) | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 |
|--|------------------------|------------|------------|--------------|-----------------|--------------|---------|---------|----------------|---------|------------------|---------|
| | SW13.5TC-30 | 13 ½" | 30" | 1 | \$477 | +\$5 | _ | _ | +\$20 | _ | +\$27 | _ |
| 1. A. C. | SW13.5TC-36 | 13 ½" | 36" | 1 | \$490 | +\$8 | _ | _ | +\$29 | _ | +\$121 | _ |
| 10 March 1988 | SW13.5TC-42 | 13 ½" | 42" | 1 | \$498 | +\$7 | _ | _ | +\$47 | _ | +\$144 | _ |
| Tackboard for 16 %" H Stack Units | | | | | | | | | | | | |
| 3. | SW27TC-30 | 27" | 30" | 2 | \$553 | +\$5 | _ | _ | +\$43 | _ | +\$138 | _ |
| | SW27TC-36 SW27TC-42 | 27" 27" | 36" 42" | 2 3 | \$580 \$594 | +\$7 +\$6 | _ | _ | +\$47 +\$44 | _ | +\$154 +\$152 | _ |
| Tackboard for 29 1/8" H Stack Units | | | | | | | | | | | | |
| _ | SW33TC-30 | 33" | 30" | 2 | \$656 | +\$6 | _ | _ | +\$44 | _ | +\$142 | _ |
| 1137 | SW33TC-36 | 33" | 36" | 2 | \$711 | +\$8 | _ | _ | +\$48 | _ | +\$169 | _ |
| (4.) () | SW33TC-42 | 33" | 42" | 3 | \$750 | +\$7 | _ | _ | +\$46 | _ | +\$160 | _ |

Tackboard for 38 %" H Stack Units



Accessories

Storwal Storage Whiteboards Not Adjacent to Sliding Doors

General information

- This whiteboard is only to be specified when it is NOT being installed adjacent to a Storwal Sliding Door
- Mounting hardware is included with this kit

Notes

Only Expo Markers are to be used on any Inscape Whiteboard.
 Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|-------------|---|---|-------------------------|-------------------|----------------|-------------------------|
| | Whiteboard for 16 %" H Stack Units (not adjacent to sliding door) | SW13.5WB-30 SW13.5WB-36 SW13.5WB-42 | 13 ½" 13 ½" 13 ½" | 30" 36" 42" | 6 7 8 | \$156 \$176 \$199 |
| | Whiteboard for 29 %" H Stack Units (not adjacent to sliding door) | SW27WB-30 SW27WB-36 SW27WB-42 | 27" 27" 27" | 30" 36" 42" | 11 14 16 | \$202 \$225 \$255 |
| | Whiteboard for 38 %" H Stack Units (not adjacent to sliding door) | SW33WB-30 SW33WB-36 SW33WB-42 | 33" 33" 33" | 30" 36" 42" | 14 17 19 | \$211 \$231 \$261 |
| | | | | | | |



- This Whiteboard is only to be specified when a Storwal Sliding Door is being installed directly adjacent to the Whiteboard – this is due to the Sliding Door having the mounting hardware for the whiteboard
- Mounting hardware is included with this kit

Notes

Only Expo Markers are to be used on any Inscape Whiteboard.
 Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

| Description | | Part number | Height | Width | Weight (lbs) | List price |
|-------------|---|--|-------------------|-------------------|----------------|------------------------|
| | Whiteboard for 16 ¾" H | SW13.5WBS-30 | 13 ½" | 30" | 6 | \$48 |
| | Stack Units | SW13.5WBS-36 | 13 ½" | 36" | 7 | \$52 |
| | (adjacent to sliding door) | SW13.5WBS-42 | 13 ½" | 42" | 8 | \$56 |
| | Whiteboard for 29 %" H Stack Units (adjacent to sliding door) | SW27WBS-30 SW27WBS-36 SW27WBS-42 | 27" 27" 27" | 30" 36" 42" | 11 14 16 | \$96 \$102 \$112 |
| | (adjacent to sharing door) | 0W21W20 W2 | _, | | .0 | Ψ |
| | | | | | | |
| | Whiteboard for 38 %" H | SW33WBS-30 | 33" | 30" | 14 | \$102 |
| | Stack Units | SW33WBS-36 | 33" | 36" | 17 | \$109 |
| | (adjacent to sliding door) | SW33WBS-42 | 33" | 42" | 19 | \$118 |
| | | | | | | |
| | | | | | | |



Accessories

Storwal Storage Back Painted Glass Whiteboards

General information

- All mounting hardware is included with the whiteboard kit to mount to a Storwal case
- White back paint only
- Sliding doors cannot be installed adjacent to Back Painted Glass whiteboards

Notes

Only Expo Markers are to be used on any Inscape Whiteboard.
 Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

| | Part number | Height | Width | Weight (lbs) | List price |
|-------------------------------|---|--|---|---|--|
| Back Painted Glass Whiteboard | SW13.5BPGWB-30 | 13 ½" | 30" | 5 | \$504 |
| for 16 3/8" H Stack Units | SW13.5BPGWB-36 | 13 ½" | 36" | 6 | \$594 |
| | SW13.5BPGWB-42 | 13 ½" | 42" | 7 | \$683 |
| Back Painted Glass Whiteboard | SW27BPGWB-30 | 27" | 30" | 9 | \$769 |
| for 29 %" H Stack Units | | | | | \$911 \$1052 |
| | | | | | |
| Back Painted Glass Whiteboard | SW33BPGWB-30 | 33" | 30" | 11 | \$902 |
| for 38 %" H Stack Units | SW33BPGWB-36 | 33" | 36" | 12 | \$1070 |
| | SW33BPGWB-42 | 33" | 42" | 14 | \$1237 |
| | for 16 %" H Stack Units Back Painted Glass Whiteboard for 29 %" H Stack Units Back Painted Glass Whiteboard | Back Painted Glass Whiteboard for 16 3/4" H Stack Units Back Painted Glass Whiteboard for 29 7/4" H Stack Units Back Painted Glass Whiteboard for 38 7/4" H Stack Units SW13.5BPGWB-36 SW13.5BPGWB-30 SW27BPGWB-36 SW27BPGWB-42 SW27BPGWB-42 SW33BPGWB-30 SW33BPGWB-30 SW33BPGWB-36 | Back Painted Glass Whiteboard for 16 3/4" H Stack Units Back Painted Glass Whiteboard SW13.5BPGWB-36 SW13.5BPGWB-42 Back Painted Glass Whiteboard for 29 7/4" H Stack Units Back Painted Glass Whiteboard SW27BPGWB-36 SW27BPGWB-42 Back Painted Glass Whiteboard SW27BPGWB-30 SW27BPGWB-42 Back Painted Glass Whiteboard for 38 7/4" H Stack Units SW33BPGWB-30 33" SW33BPGWB-36 33" | Back Painted Glass Whiteboard for 16 ¾" H Stack Units Back Painted Glass Whiteboard SW13.5BPGWB-36 SW13.5BPGWB-42 Back Painted Glass Whiteboard for 29 ¾" H Stack Units Back Painted Glass Whiteboard SW27BPGWB-36 SW27BPGWB-42 Back Painted Glass Whiteboard SW27BPGWB-42 Back Painted Glass Whiteboard for 38 ¾" H Stack Units SW33BPGWB-30 33" 30" 36" | Back Painted Glass Whiteboard for 16 %" H Stack Units SW13.5BPGWB-36 SW13.5BPGWB-36 SW13.5BPGWB-42 SW13.5BPGWB-42 SW13.5BPGWB-42 SW13.5BPGWB-42 SW27BPGWB-30 SW27BPGWB-36 SW27BPGWB-36 SW27BPGWB-36 SW27BPGWB-42 SW27 |



| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|-------------|--|-------------------------------------|-------------|-------------------|----------------|----------------------|-------------------------|
| | Adjustable Shelf for Hinged Door Cabinets | SWSvH-30 SWSH-36 SWSH-42 | _ _ _ | 30" 36" 42" | 11 12 13 | \$85 \$85 \$85 | +\$10 +\$10 +\$10 |
| | Adjustable Shelf for Bookcases and Tambour Door Cabinets | SWBKSH-30 SWBKSH-36 SWBKSH-42 | _ _ _ | 30" 36" 42" | 12 13 14 | \$85 \$85 \$85 | +\$10 +\$10 +\$10 |
| | Adjustable shelf for split base units 15" deep | SWSH-15 | 0.5" | 15" | 4 | \$76 | +\$9 |
| | Hang File Bar for Lateral File Unit set of 2 | SWHF-30 SWHF-36 SWHF-42 | _ _ _ | 30" 36" 42" | 2 3 4 | \$35 \$35 \$35 | |
| | Hang File Bar for Split Unit set of 2 | SWHF-36SPLIT SWHF-42SPLIT | = | 21" 27" | 3 4 | \$35 \$35 | |
| | Sliding rails used in conjunction with HF bars for front-to-back filing, sold individually | SWSR | _ | _ | 1 | \$12 | |



Accessories Storwal Storage Case Accessories

General information

- SuperStor inserts for use with Storwal and laterals
- 30"w SuperStor insert accepts 12 Standard Trays and 3 Small Trays
- 36"w SuperStor insert accepts 18 Standard Trays
- 42"w SuperStor insert accepts 18 Standard Trays and 3 Small Trays
 Insert and trays may be painted in Inscape System standard color options

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|---|--|--|-------------------------|-------------------|------------------|------------------------------|-------------------------|
| | Storwal Electrical Module Side Cover | ECOVER | _ | 18" | 1 | \$32 | +\$5 |
| | Storwal Electrical Module Front Cover with Cutouts | EFRCOVER-30 EFRCOVER-36 EFRCOVER-42 | | 30" 36" 42" | | \$50 \$50 \$50 | +\$6 +\$6 |
| | Storwal Electrical Module Front Cover without Cutouts | EFRCOVER-30-NC EFRCOVER-36-NC EFRCOVER-42-NC | _ _ _ | 30° 36° 42° | , – | \$39 \$39 \$39 | +\$5 +\$5 +\$5 |
| CZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ | 2" Round Storwal Glides, Black Set of 4 | SWLG1-B3 SWLG1-B3-GRY SWLG1-L3 SWLG1-L3-GRY | - - - - | | - - - - | \$25 \$25 \$23 \$23 | - - - - - |
| | SuperStor Inserts | INSW13.5SS-30 INSW13.5SS-36 INSW13.5SS-42 | 13.5" 13.5" 13.5" | 30" 36" 42" | 10 12 14 | \$93 \$109 \$123 | +\$11 +\$12 +\$14 |
| | Standard SuperStor Trays (pkg. of 6) | SWSSTRAY | - | _ | 6 | \$212 | +\$22 |
| | Small SuperStor Trays (pkg. of 3) | SWSSTRAY-SM | - | _ | 3 | \$109 | +\$12 |



- The Adapter Frame Filler Kit is to be installed between two Storwal units when a frame is required for space division
- The Adapter Frame End Kit is to be installed at the end of an Storwal unit
- The Adapter kit accommodates any panel 3" in thickness and less
- Competitor panel wall mount bracket is to be installed on Adapter kit in order to attach frame to kit
- Mounting hardware included with kit to attach to Storwal Storage case
- Adapter Frames allow for competitor panels to be used with Storwal

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|-------------|--------------------------|---|-----------------------|-------|----------------|-------------------------|-------------------------|
| | Adapter Frame Filler Kit | SWAFKIT3-48 SWAFKIT3-61.5 SWAFKIT3-67.5 | 48" 61.5" 67.5" | - | 12 14 16 | \$186 \$215 \$244 | +\$20 +\$23 +\$25 |
| | Adapter Frame End Kit | SWAEKIT3-48 SWAEKIT3-61.5 SWAEKIT3-67.5 | 48" 61.5" 67.5" | | 14 16 17 | \$258 \$328 \$353 | +\$27 +\$34 +\$36 |
| | | | | | | | |



Accessories

Storwal Storage Frame to Storwal Components

General information

- Filler inserts omit small gap between the Storwal case and the frame where they join
- Must be specified with Storwal Connection Bracket (3 ½' and 2 ¾" thick frames)
- Storwal Connecting Bracket connects the frame to the Storwal unit

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|-------------|--|-------------------------------|-------------------|-------|--------------|----------------------|----------------------|
| 523 × 3 | Storwal to 1 ½" Screen Connecting Bracket | SWFFBKT | _ | - | _ | \$19 | +\$3 |
| | Storwal Connecting Bracket for use with both frame thicknesses | INSCBKT | _ | _ | - | \$79 | _ |
| | Filler Insert (Pair) for use with both frame thicknesses | INFIL51 INFIL64 INFIL71 | 51" 64" 71" | | Ξ | \$65 \$72 \$78 | +\$8 +\$8 +\$9 |
| 2 | | | | | | | |

- Nuform and Veneer lateral Tops are ¾" thick
 Lateral tops are not available with plywood edge band

| Description | | Part number | Width | Depth | Nuform solid/laminate | Nuform woodgrain/ pattern | Grade 1 laminate | Veneer |
|--|----------------------------|-------------|-------|-------|-----------------------|---------------------------------|---------------------|--------|
| | 15" D x 3/8" T Lateral Top | INSWTOP1530 | 30" | 15" | \$176 | +\$13 | +\$57 | +\$297 |
| | · | INSWTOP1536 | 36" | 15" | \$190 | +\$27 | +\$61 | +\$336 |
| | | INSWTOP1542 | 42" | 15" | \$215 | +\$30 | +\$69 | +\$368 |
| | | INSWTOP1548 | 48" | 15" | \$239 | +\$35 | +\$77 | +\$395 |
| | | INSWTOP1554 | 54" | 15" | \$263 | +\$40 | +\$85 | +\$418 |
| | | INSWTOP1560 | 60" | 15" | \$325 | +\$92 | +\$104 | +\$473 |
| | | INSWTOP1572 | 72" | 15" | \$353 | +\$109 | +\$113 | +\$493 |
| | | INSWTOP1578 | 78" | 15" | \$384 | +\$99 | +\$123 | +\$522 |
| | 18" D x %" T Lateral Top | INSWTOP1830 | 30" | 18" | \$192 | +\$11 | +\$62 | +\$333 |
| | | INSWTOP1836 | 36" | 18" | \$206 | +\$30 | +\$66 | +\$379 |
| | | INSWTOP1842 | 42" | 18" | \$232 | +\$37 | +\$75 | +\$413 |
| A CONTRACTOR OF THE PARTY OF TH | | INSWTOP1848 | 48" | 18" | \$257 | +\$44 | +\$83 | +\$449 |
| | | INSWTOP1854 | 54" | 18" | \$285 | +\$45 | +\$92 | +\$489 |
| | | INSWTOP1860 | 60" | 18" | \$441 | +\$47 | +\$142 | +\$846 |
| | | INSWTOP1872 | 72" | 18" | \$527 | +\$54 | +\$169 | +\$860 |
| | | INSWTOP1878 | 78" | 18" | \$613 | +\$63 | +\$197 | +\$836 |

Left blank intentionally.

Bench US Price List April 2018



bench

Architecture

Left blank intentionally.



Inscape bench spine

Inscape Bench spine frames are constructed of 16 gauge tubular steel uprights with welded 18 gauge steel crossrails. This strong yet lightweight construction provides ease of movement and reconfiguration.

The simplicity of the spine structure provides an intelligent solution to cable management. The absence of baseplates, apertures and corner posts eliminate barriers that restrict the routing of cables. Cabling may be routed both vertically and horizontally through the panel. Cables are laid into cable managers that easily install between panel crossrails throughout the framework. Cable managers safely cradle and segregate cables. An aperture free system means installation and reconfiguration costs are kept to a minimum. Reconfiguration is easy and economical. Cabling simply eases out of the cable managers and is laid back in at the desired point, eliminating the costly need to cut and re-terminate cables for every reconfiguration. *See Inscape Bench Application Guide for quantity of cables achievable in the various spines.

Spines

Spines do not include the electrical cover kit but may house power which is to be accessed in alternate locations with a "cut out" tile. The spine comes with one wire manager. Electrical and data components must be specified separately.

Spine glides provide 1.5" height adjustment allowing air to circulate. Spines are available in 6" increments in widths ranging from 30" wide to 60" wide.

Mid Spine Support Leg

A Mid Spine Support Leg must be specified when the Partial Height Spine or the Filing Spine are specified. This leg is a support between two spine frames. There also is a 120° and standing height version available. The legs are specific to parallel and perpendicular applications. The mid spine support legs specific to perpendicular applications are available in wood, straight metal and T metal styles. The wood style come in a Clear Maple or Black finish. The metal styles are painted and come in all standard options.

End Spine Support Leg

An End Spine Support Leg must be specified at the very end of a Partial Height Spine frame run. This leg is specific to perpendicular applications. It is available in wood, straight metal and T metal styles. The wood style come in a Clear Maple or Black finish. The metal styles are painted and come in all standard options.

90° Spine Support Leg

A 90° Spine Support Leg must be specified at the connection point when two Partial Height Benching spine frames are connected at a 90° angle This leg is specific to perpendicular applications. It is available in wood and straight metal. The wood style come in a Clear Maple or Black finish. The metal styles are painted and come in all standard options.

Stack-on frame

The Stack-on Frame consists of a 6.75", 10.125", 13.5", 20.25" and 27" frame which may be installed on any Inscape Bench spine of the same width or combination of two frames as outlined in the Inscape Bench Application Guide only. The Stack-on frame is load bearing and can be stacked one high above spine frame. Tiles and trim are specified separately. Stack-on frames are frame thickness specific and should be specified accordingly.

Double glazed stack-on kit

Double Glazed Stack-On Kit is a stack-on with a double glazed insert. The 30" to 48" wide Double Glazed Stack-on is a fully welded frame stack-on. Double Glazed Stacks which are 54" and wider are kitted and are installed on site. The Double Glazed Stack-on is not load bearing and no stacks can be stacked on top of the Double Glaze. Finishes are available in Clear or Frosted Acrylic to match Double Glazed tile.

Trim & connectors

All Top Caps, End of Line Trim, and Connectors must be specified independently from the frame.

Inline Connectors

Inline Connectors are specified to join two units together which are in alignment. These connectors are specified based as INLINE-2 which will connect any of the Inscape Bench spines as well as the stack-ons. Be sure to specify inline connectors for the Stack-ons and Double Glaze Kits separately.

Connector trim kits

Connectors are specified independantly from the inline connectors and include all necessary brackets and trim for the condition. They are available in two styles; 90° and 120°.

90° corner connectors are used in perpendicular applications only.

120° connectors are available in "Y" connectors are for 3-way connections and "V" connectors are for 2-way connections.

Top Caps

Top Caps are specified separately. The Top Cap includes clips to mount on spine or Stack-on in addition to the option of spanning two frames as outlined in the Inscape Bench Application Guide.

End Trim

End Trim is kit structured to include all brackets, bolts and finished trim; Flat profile. Trim is manufactured from aluminum and always aligns straight and true at end of the Filing spine. All painted aluminum vertical trim and top trim are easily removed to facilitate lay in of cables.

Stack-on End Trim

Stack-on End Trim is used when a higher Stack-on requires vertical end trim at a connection. Hi-Lo trim may be used in this application for Flat profile trim because there is no 'scribing' that is required for this profile.

Tiles

Tiles are available as Fabric, Painted, Tackable, Veneer, Nuform, Double Glazed, Paper Management and Whiteboard. 13.5"h tiles are interchangeable between Inscape System and Inscape Bench. Tile heights vary and must always align with the spine they are to be installed on.

ie. 23.6"h tiles = Full Height Spine, 10.125"h tiles = Stack-on, 13.5"h tiles = Partial Height and Storage Spine. Tile clips support spine tiles and top trim.

Fabric and painted tiles

Fabric and Painted Tiles are available 23.6", 10.125" and 13.5" high and are constructed of 24 gauge galvanized steel. Powder-coated and fabric-covered steel tiles have a flame spread rating of less than 200 when tested according to ASTM-E84. Fabric-covered tiles are available in standard fabrics or COM. COM fabrics are subject to approval. White or extremely light colored COM fabrics will incur an upcharge of 25% to the tile pricing with which the fabric is being applied. This is due to special handling of the fabric and tiles, in addition to painting of the tiles. Painted tiles are available in the colors shown in our Color Guide and are available in the following styles: plain steel, embossed, perforated, and steel screen. Fabric on tiles is applied in a railroad orientation.

Tackable tiles

Tackable Tiles are constructed from 24 gauge cold rolled steel with a paint finish on all surfaces to prevent corrosion. The same general rules from the fabric tile section apply to the Tackable tiles. Fabric on tiles is applied in a railroad orientation. NRC 0.57, STC 9. Tackable Acoustical tiles are available through Standard Specials with and NRC .73 and an STC of 12.

Bench

Architecture General information

Nuform tiles

Nuform Tiles consist of white melamine-backed MDF substrate 0.375" thick, with vacuum-formed Nuform foil over the front's surface and sides. The back-side of the tile also has routing features that accept zinc die-cast tile clips. All Nuform tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener limits where the tile may be placed on the Inscape Bench spine. Nuform tiles cannot be specified in a location where a power track is installed due to interference. A sticker on the back of Nuform tiles provides UL flame/smoke-rating information. Woodgrain pattern is vertical. Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut.

Composite veneer tiles

Composite Veneer Tiles are constructed utilizing 45 lbs density particle board with an engineered balanced backer for structural integrity. Veneer thickness is 0.025". The backside of the tile has routing features that accept zinc die-cast tile clips. All Composite Veneer tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener bar limits where the tile may be placed. Composite Veneer tiles cannot be specified in a location where a power track is installed due to interference on an Inscape Bench spine. Woodgrain pattern is vertical.

Whiteboard tiles

Whiteboard Tiles are available in heights of 13.5". Tiles are constructed from 24 gauge cold rolled steel with a white paint finish that has been specifically formulated for dry erase markers. Whiteboards are seamless and fit same locations as standard painted tiles.

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

Paper Management Tiles

Paper Management Tiles support horizontal paper management accessories. Organizers may be positioned at any point along the width of the tile. Three slats structured into the tile allow for three different height options for the accessories to be installed. Accessories may be found under Horizontal Accessories under the "Storage and Accessories" section. Maximum load capacity is 75lbs. When specifying paper management tiles which will be supporting a monitor arm, a Paper Management Reinforcing kit is required for additional structure. The 54" and 60" w tiles are pre-structured with these kits.

Perforated and embossed tiles

Perforated and Embossed Tiles are constructed of 24 gauge galvanized steel, the Steel Screen Tiles are constructed from 24 gauge cold rolled steel. Tiles may be painted in any of Inscape's standard colors or color matches.

Communication tiles

Communication Tiles provide power OR data access. The 30" wide includes one cut out while all wider tile widths include two cut outs. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

Multi access tiles

Multi Access Tiles provide electrical AND data access. Cut outs align with power track and proper tiles must be specified in specific areas if stated. Data and Electrical components may be specified from the Technology section. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

Communication and Multi Access tiles with single sided cut outs

Communication and multi access tiles with single sided cut outs have one cut out per tile (or two above each other for multi access) and the cut outs are left or right justified making the tiles handed. They are intended to be specified so that the cut outs are hiden below the worksurface. Use one left and and one right hand collaborative communication tile for each Bench Collaborative area

Double glazed tiles

Double Glazed Tiles are available in 13.5" high and may be installed on frames 24" to 48" wide in place of a tile. Double Glazed tiles feature a double pane of frosted acrylic or clear acrylic framed by vertical and horizontal trim. Double Glazed tiles may be installed one on top of another. If wider than 60" of glaze is desired; Stack on Double Glazed kits may be specified.

- 2 3/4" thick spine when clad with tiles
- Power Track Kit (Upper Deck) only no electrical clips included
- Includes one cable hook
- Bench spine frames come standard with rectangular glides. Black and gray options available

| Description | | Part number | Height | Width | Thickness | List price |
|-------------|-------------------------------|--------------|--------|-------|-----------|------------|
| 80- | Full Height Benching Spine | INBFHF2730 | 27" | 30" | 2 ¾" | \$177 |
| | | INBFHF2736 | 27" | 36" | 2 ¾" | \$182 |
| | | INBFHF2742 | 27" | 42" | 2 ¾" | \$185 |
| | | INBFHF2748 | 27" | 48" | 2 ¾" | \$188 |
| | | INBFHF2754 | 27" | 54" | 2 ¾" | \$191 |
| | | INBFHF2760 | 27" | 60" | 2 3/4" | \$221 |
| | Partial Height Benching Spine | INBPHF13.530 | 13.5" | 30" | 2 ¾" | \$144 |
| | | INBPHF13.536 | 13.5" | 36" | 2 ¾" | \$148 |
| | | INBPHF13.542 | 13.5" | 42" | 2 ¾" | \$152 |
| * | | INBPHF13.548 | 13.5" | 48" | 2 ¾" | \$155 |
| [3] | | INBPHF13.554 | 13.5" | 54" | 2 ¾" | \$161 |
| 49 | | INBPHF13.560 | 13.5" | 60" | 2 ¾" | \$188 |
| 80 | Storage Anchored | INBFF30 | 13.5" | 30" | 2 3/4" | \$159 |
| | Benching Spine | INBFF36 | 13.5" | 36" | 2 ¾" | \$162 |
| | | INBFF42 | 13.5" | 42" | 2 ¾" | \$166 |
| | | INBFF48 | 13.5" | 48" | 2 ¾" | \$170 |
| A | | INBFF54 | 13.5" | 54" | 2 ¾" | \$173 |
| | | INBFF60 | 13.5" | 60" | 2 3/4" | \$200 |
| | Standing Height, | INBSHF2730 | 27" | 30" | 2 3/4" | \$178 |
| | Partial Height Spine | INBSHF2736 | 27" | 36" | 2 ¾" | \$183 |
| | | INBSHF2742 | 27" | 42" | 2 ¾" | \$187 |
| | | INBSHF2748 | 27" | 48" | 2 ¾" | \$190 |
| | | INBSHF2754 | 27" | 54" | 2 ¾" | \$193 |
| | | INBSHF2760 | 27" | 60" | 2 ¾" | \$223 |

Bench

Architecture

Spines Stack-on Frames

General information

- 2 3/4" thick when clad with tiles
- No Twin Bin placement on the 13.5"h Stack-on
- 20.25"h requires an additional crossrail (separately) if Twin Bin or 13.5"h tile being specified
- Fully welded stack on kits easily installed and removed to adjust panel height
- Load bearing
- Stack on frames may span multiple frames
- See Application Guide for spanning guidelines

Note

With the exception of the 10.125" H stack-on frame, standard Inscape System tiles can be used for Bench Stack-On frames.

| Description | | Part number | Height | Width | Thickness | List price |
|-------------|-------------------------------|--------------|---------|-------|-----------|------------|
| | 6.75" H Single Stack-On, | INSF030-2F | 6.75" | 30" | 2 ¾" | \$140 |
| | 2 ¾" T | INSF036-2F | 6.75" | 36" | 2 ¾" | \$143 |
| | | INSF042-2F | 6.75" | 42" | 2 ¾" | \$146 |
| | | INSF048-2F | 6.75" | 48" | 2 ¾" | \$151 |
| | | INSF054-2F | 6.75" | 54" | 2 ¾" | \$152 |
| | | INSF060-2F | 6.75" | 60" | 2 ¾" | \$155 |
| | 10.125" H Single Stack-On, | INSF1030-2F | 10.125" | 30" | 2 ¾" | \$142 |
| | 2 ¾" T | INSF1036-2F | 10.125" | 36" | 2 3/4" | \$145 |
| | | INSF1042-2F | 10.125" | 42" | 2 3/4" | \$148 |
| | | INSF1048-2F | 10.125" | 48" | 2 ¾" | \$154 |
| | | INSF1054-2F | 10.125" | 54" | 2 ¾" | \$155 |
| N | | INSF1060-2F | 10.125" | 60" | 2 ¾" | \$159 |
| | 13.5" H Single Stack-On, 2 | INSF130-2F | 13.5" | 30" | 2 3/4" | \$144 |
| | ¾" T | INSF136-2F | 13.5" | 36" | 2 ¾" | \$147 |
| | | INSF142-2F | 13.5" | 42" | 2 ¾" | \$151 |
| | | INSF148-2F | 13.5" | 48" | 2 ¾" | \$156 |
| | | INSF154-2F | 13.5" | 54" | 2 ¾" | \$159 |
| | | INSF160-2F | 13.5" | 60" | 2 ¾" | \$160 |
| 3111 | 20.25" H Single Stack-On, | INSF2030D-2F | 20.25" | 30" | 2 3/4" | \$154 |
| | 2 ¾" T | INSF2036D-2F | 20.25" | 36" | 2 3/4" | \$159 |
| 8 | | INSF2042D-2F | 20.25" | 42" | 2 3/4" | \$162 |
| | | INSF2048D-2F | 20.25" | 48" | 2 3/4" | \$165 |
| | | INSF2054D-2F | 20.25" | 54" | 2 3/4" | \$166 |
| | | INSF2060D-2F | 20.25" | 60" | 2 3/4" | \$168 |
| | | | | | | |
| | 27" H Single Stack-On, 2 ¾" T | INSF230-2F | 27" | 30" | 2 ¾" | \$168 |
| | - | INSF236-2F | 27" | 36" | 2 ¾" | \$172 |
| | | INSF242-2F | 27" | 42" | 2 ¾" | \$174 |
| | | INSF248-2F | 27" | 48" | 2 ¾" | \$179 |
| | | INSF254-2F | 27" | 54" | 2 ¾" | \$180 |
| | | INSF260-2F | 27" | 60" | 2 3/4" | \$181 |
| | | | | | | |



- Stack on Double Glaze is non-load bearing
- Stack on Double Glaze may span two frames. See Application Guide for spanning guidelines
- 30" to 48" wide kits consist of welded frames
- 54" to 96" wide kits are kitted and must be assembled on-site
- Clear and Frosted Acrylic options available
- May be located in the top location only

 Be sure to specify correct thickness of stack-on frame based on the frame it is being installed on

Note

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product INSTGL30-2F in Frosted Acrylic would be \$453 +\$79

| Description | | Part number | Height | Width | Thickness | List price | Frosted acrylic | Accent paint |
|-------------|----------------------|-------------|--------|-------|-----------|------------|-----------------|--------------|
| V | 13.5" H Double Glaze | INSTGL30-2F | 13.5" | 30" | 2 ¾" | \$453 | +\$79 | +\$46 |
| V | Stack-On Acrylic | INSTGL36-2F | 13.5" | 36" | 2 ¾" | \$518 | +\$89 | +\$52 |
| | | INSTGL42-2F | 13.5" | 42" | 2 ¾" | \$562 | +\$98 | +\$57 |
| Į. | | INSTGL48-2F | 13.5" | 48" | 2 ¾" | \$622 | +\$108 | +\$63 |
| - | | INSTGL54-2F | 13.5" | 54" | 2 ¾" | \$682 | +\$106 | +\$70 |
| | | INSTGL60-2F | 13.5" | 60" | 2 ¾" | \$751 | +\$117 | +\$76 |
| | | INSTGL66-2F | 13.5" | 66" | 2 ¾" | \$799 | +\$138 | +\$81 |
| | | INSTGL72-2F | 13.5" | 72" | 2 ¾" | \$823 | +\$141 | +\$83 |
| | | INSTGL78-2F | 13.5" | 78" | 2 ¾" | \$848 | +\$145 | +\$86 |
| | | INSTGL84-2F | 13.5" | 84" | 2 ¾" | \$871 | +\$148 | +\$88 |
| | | INSTGL90-2F | 13.5" | 90" | 2 ¾" | \$898 | +\$154 | +\$91 |
| | | INSTGL96-2F | 13.5" | 96" | 2 3/4" | \$922 | +\$158 | +\$93 |

Bench

Architecture

Spines Spine Support Legs

General information

- Mid spine support legs supports the Partial Height Benching spine when it is placed adjacent to another inline
- Glide option on spine support legs are black and gray with the exception on the perpendicular application legs comming in black only
- Wood spine support legs are available in Clear Maple and Black finishes
- Straight and T metal spine support legs are painted and avilable in all standard colors
- For freestanding height adjustable perpendicular applications the Metal T Legs must be use with a Bench Height Adjustable Foot Docking Bracket. See Worksurface Support setion of this price list
- The Height Adjustable Tables (2 or 3 stage base) found in the Ergonomic Price List are compatable with perpendicular applications in 48", 54" and 60" widths only

| Description | | Part number | Height | List price | Accent paint option |
|-------------|---|-------------|--------|------------|---------------------|
| | Mid Spine Support Leg for parallel applications only | INBMSL10 | 10" | \$215 | +\$23 |
| | Straight Wood Partial Height Bench Frame Mid Spine Support Leg for perpendicular applications only | INBMSLW10 | 10" | \$254 | _ |
| U | Metal T Partial Height Bench Frame Mid Spine Support Leg for perpendicular applications only | INBMSLT10 | 10" | \$334 | +\$34 |
| | Straight Metal Partial Height Bench Frame Mid Spine Support Leg for perpendicular applications only | INBMSLSM10 | 10" | \$215 | +\$23 |
| | 120° Mid Spine Support Leg | INBYMSL10 | 10" | \$215 | +\$23 |
| | Standing Height Mid Spine Support Leg | INBMSL13 | 13" | \$228 | +\$24 |



General information

- End spine support leg supports the very end Partial Height Benching spine run
- 90° spine support legs supports the connection point when two Partial Height Benching spine frames are connected at a 90° angle
- Glide option on spine support legs is black
- Wood spine support legs are available in Clear Maple and Black finishes
- Straight and T metal spine support legs are painted and avilable in all standard colors
- Metal 90° spine support legs are intended to be installed on the worksurface supporting spine
- Metal 90° spine support legs are shipped right handed. if left handed is required, the legs can be field adjusted
- For freestanding height adjustable perpendicular applications the Metal T Legs must be use with a Bench Height Adjustable Foot Docking Bracket. See Worksurface Support setion of this price list
- The Height Adjustable Tables (2 or 3 stage base) found in the Ergonomic Price List are compatable with perpendicular applications in 48", 54" and 60" widths only

| Description | | Part number | Height | List price | Accent paint option |
|-------------|---|-------------|--------|------------|---------------------|
| | Straight Wood Partial Height Bench Frame End Spine Support Leg for perpendicular applications only | INBESLW10 | 10" | \$254 | _ |
| | Metal T Partial Height Bench Frame End Spine Support Leg for perpendicular applications only | INBESLT10 | 10" | \$310 | +\$32 |
| | Straight Metal Partial Height Bench Frame End Spine Support Leg for perpendicular applications only | INBESLSM10 | 10" | \$215 | +\$23 |
| | Straight Wood Partial Height Bench Frame 90° Spine Support Leg for perpendicular applications only | INB90SLW10 | 10" | \$254 | _ |
| | Straight Metal Partial Height Bench Frame 90° Spine Support Leg for perpendicular applications only | INB90SLSM10 | 10" | \$215 | +\$23 |

Architecture

Connectors and Trim

General information

- Inline Connectors are required to be specified when frames are connected inline
- Specified independently of frame and may span two frames.
- See Inscape System Application Guide
- All mounting hardware is included for corresponding frame thickness
- Veneer trim is up to a maximum length of 48"
- Top Trim up to 60"w requires two additional Jesters to be specified if spanning multiple frames (i.e. a 60"w top trim installed on two 30" frames)
- Veneer trim available in specific height only (not 10.125"height)
- Stack-on End Trim is specified when stack frames are specified
- End of line trim is specified when storage is being specified and there is visibility to the end of the frame (all other end conditions include finished appearance with no end trim needed)


Note

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INTC30-2F in Veneer would be \$51 +\$170

| Description | | Part number | Height | List price |
|-------------|----------------------|----------------------|---|------------|
| (Alle) | Inline Connector Kit | INLINE-1 INLINE-2 | All Stack on Frame 24"h - 51"h Frame | \$0 \$0 |





General information

- Connector Kits include connector brackets, bolts, nuts and finished trim to create connection
- Specify code based on height of frames within connection
- Full Height to Partial Height Spine Trim finishes the full height bench frame when adjcent (inline) to a partial height spine frame

| Description | | Part number | Height | List price | Accent paint |
|-------------|--|--|---------------------------|-------------------------|-------------------------|
| | 90° Corner Connector for perpendicular applications only | INBCPLC13.5-2F with rounded profile | 13.5" | \$58 | +\$7 |
| | | INBCPLS13.5-2F with straight profile | 13.5" | \$58 | +\$7 |
| | | | | | |
| | 120° Y Connector, Partial Height 2 ¾" Thick Frame - same height configurations | INCPYBPH-2F INCPYBFH-2F | 13.5" 27" | \$66 \$145 | +\$8 +\$16 |
| | | | | | |
| | 120° Stack-On "V" Connector | INCPV6.75-2F INCPV10-2F INCPV13.5-2F | 6.75" 10.125" 13.5" | \$156 \$161 \$164 | +\$17 +\$17 +\$18 |
| | | | | | |
| | 120° Stack-On "Y" Connector | INCPY6.75-2F INCPY10-2F INCPY13.5-2F | 6.75" 10.125" 13.5" | \$16 \$18 \$21 | +\$3 +\$3 +\$3 |
| Lower Frame | 120° Stack-On End Trim, Multi Height | INST6.75Y-2F INST10Y-2F INST13.5Y-2F | 6.75" 10.125" 13.5" | \$156 \$161 \$164 | +\$17 +\$17 +\$18 |
| | Full Height to Partial Height Spine Trim | INBPFHETC10 | 10" | \$65 | +\$7 |

Architecture

Tiles Full Height Spine Tiles

General information

- 23.6"h tiles may only be mounted on Full Height bench spine
- Communication Tiles include cutouts for power and data
- Multi Access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data
- Collaborative tiles have one cutout per tile and the cutouts are left or righ justified making the tiles handed. They are intended to be specified to hide below the worksurface. Use one left and and one right hand for each Bench Collaborative area

| Description | | | | Part nu | mber | | Heig | ght | Width | Neutral base | paint/ price | Accent paint |
|--|----------------------------------|--------------|-------|-----------------|-------------------------|------------|---------|---------|---------|-----------------|-----------------|--------------|
| | 23.6" H Painted Tile | . | | INB2 | 3.6P30 | | 23.6 | 25" | 30" | | \$82 | +\$9 |
| | | | | INB2 | 3.6P36 | | 23.6 | 25" | 36" | | \$97 | +\$11 |
| f | | | | INB2 | 3.6P42 | | 23.6 | 25" | 42" | \$ | \$103 | +\$12 |
| | | | | INB2 | 3.6P48 | | 23.6 | 25" | 48" | \$ | S117 | +\$13 |
| | | | | INB2 | 3.6P54 | | 23.6 | 25" | 54" | \$ | 3126 | +\$14 |
| | | | | INB2 | 3.6P60 | | 23.6 | 25" | 60" | \$ | 6145 | +\$16 |
| | 23.6" H Perforated Tile | e | | INB2 | 3.6PF30 | | 23.6 | 25" | 30" | | \$91 | +\$10 |
| | | | | INB2 | 3.6PF36 | | 23.6 | 25" | 36" | \$ | \$109 | +\$12 |
| | | | | INB2 | 3.6PF42 | | 23.6 | 25" | 42" | \$ | \$117 | +\$13 |
| | | | | INB2 | 3.6PF48 | | 23.6 | 25" | 48" | \$ | \$138 | +\$15 |
| | | | | INB2 | 3.6PF54 | | 23.6 | 25" | 54" | \$ | \$153 | +\$16 |
| | | | | INB2 | 3.6PF60 | | 23.6 | 25" | 60" | \$ | \$168 | +\$18 |
| | 23.6" H Painted | | | INB2 | 3.6CTP30 | 0 | 23.6 | 25" | 30" | \$ | 6154 | +\$17 |
| E23 | Communication Tile | | | INB2 | 3.6CTP36 | 6 | 23.6 | 25" | 36" | \$ | \$159 | +\$17 |
| | | | | INB2 | 3.6CTP42 | 2 | 23.6 | 25" | 42" | \$ | 3167 | +\$18 |
| | | | | INB2 | 3.6CTP48 | 8 | 23.6 | 25" | 48" | \$ | 3176 | +\$19 |
| 1 | | | | INB2 | 3.6CTP54 | 4 | 23.6 | 25" | 54" | \$ | 3195 | +\$21 |
| | | | | INB2 | 3.6CTP60 | 0 | 23.6 | 25" | 60" | \$ | \$199 | +\$21 |
| | 23.6" H Painted Multi | Access Tile |) | INB2 | 3.6MAP3 | 0 | 23.6 | 25" | 30" | \$ | 6154 | +\$17 |
| 7 8 | | | | INB2 | 3.6MAP3 | 6 | 23.6 | 25" | 36" | \$ | \$159 | +\$17 |
| | | | | INB2 | 3.6MAP4 | 2 | 23.6 | 25" | 42" | \$ | 3167 | +\$18 |
| | | | | INB2 | 3.6MAP4 | 8 | 23.6 | 25" | 48" | \$ | 3176 | +\$19 |
| | | | | INB2 | 3.6MAP5 | 4 | 23.6 | 25" | 54" | \$ | \$195 | +\$21 |
| | | | | INB2 | 3.6MAP6 | 0 | 23.6 | 25" | 60" | \$ | \$199 | +\$21 |
| - Andrewson | 23.6" H Painted Collal | borative | | INBC | LB23CTI | P36UL | 23.6 | 25" | 36" | \$ | S148 | +\$16 |
| and the same of th | Communication Tile | | | INBC | LB23CTI | P42UL | 23.6 | 25" | 42" | \$ | \$155 | +\$17 |
| | with single sided cuto | uts | | cutout | on the left (il | lustrated) | | | | | | |
| | | | | INBC | LB23CTI | P36UR | 23.6 | 25" | 36" | \$ | §148 | +\$16 |
| | | | | | LB23CTI on the right | P42UR | 23.6 | 25" | 42" | \$ | \$155 | +\$17 |
| | | | | | | | | | | | | |
| Description | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
| | INBCLB23CTF36UL | 23.625" | 36" | \$150 | +\$8 | +\$19 | +\$30 | +\$41 | +\$72 | +\$102 | +\$143 | +\$26 |
| Market Ma | INBCLB23CTF42UL | 23.625" | 42" | \$153 | +\$10 | +\$22 | +\$32 | +\$43 | +\$75 | +\$106 | +\$148 | +\$29 |
| | cutout on the left (illustrated) | | | | | | | | | | | |
| | INBCLB23CTF36UR | 23.625" | 36" | \$150 | +\$8 | +\$19 | +\$30 | +\$41 | +\$72 | +\$102 | +\$143 | +\$26 |
| | INBCLB23CTF42UR | 23.625" | 42" | \$153 | +\$10 | +\$22 | +\$32 | +\$43 | +\$75 | +\$106 | +\$148 | +\$29 |
| 23.6" H Fabric | cutout on the right | | | Ţ.00 | | | . + | | . 4. 5 | | | . 420 |
| Collaborative | - | | | | | | | | | | | |
| Communication Tile | | | | | | | | | | | | |
| - the street and street | | | | | | | | | | | | |

with single sided cutouts



Architecture

Partial Height Spine Tiles

General information

- 13.5"h tile may be specified with Partial Height Spine or Filing Spine
- Tiles are standard 13.5"h Inscape System
- 13.5" H Tiles may be specified on 13.5" stack on frame
- Tiles 66"W or wide span two frames. See Application Guide for frame spanning guidelines

Note

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN13.5F18 in a Grade 5 Fabric with Scrim would be \$84 +\$26 +\$12

| Description | Part number | Height | Width | Neutral paint/ base price | Accent paint |
|-------------------------|--------------------------|--------|-------|------------------------------|--------------|
| 13.5" H Painted Tile | IN13.5P30 | 13.5" | 30" | \$61 | +\$7 |
| | IN13.5P36 | 13.5" | 36" | \$62 | +\$8 |
| f | IN13.5P42 | 13.5" | 42" | \$64 | +\$8 |
| | IN13.5P48 | 13.5" | 48" | \$66 | +\$8 |
| | IN13.5P54 | 13.5" | 54" | \$69 | +\$8 |
| | IN13.5P60 | 13.5" | 60" | \$73 | +\$9 |
| 13.5" H Perforated Tile | IN13.5PF30 | 13.5" | 30" | \$73 | +\$9 |
| | IN13.5PF36 | 13.5" | 36" | \$74 | +\$9 |
| | IN13.5PF42 | 13.5" | 42" | \$75 | +\$9 |
| | | 10 5" | 48" | \$78 | +\$9 |
| | IN13.5PF48 | 13.5" | 40 | | |
| | IN13.5PF48 IN13.5PF54 | 13.5" | 54" | \$79 | +\$9 |

| Description | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
|-------------------------|-------------|--------|-------|-----------------|---------|---------|---------|---------|---------|---------|---------|--------|
| | IN13.5F18 | 13.5" | 18" | \$84 | +\$4 | +\$18 | +\$20 | +\$26 | +\$38 | +\$52 | +\$74 | +\$12 |
| | IN13.5F24 | 13.5" | 24" | \$87 | +\$4 | +\$20 | +\$23 | +\$29 | +\$37 | +\$51 | +\$73 | +\$12 |
| | IN13.5F30 | 13.5" | 30" | \$91 | +\$5 | +\$22 | +\$28 | +\$32 | +\$37 | +\$52 | +\$74 | +\$13 |
| المسسس المرافق من | IN13.5F36 | 13.5" | 36" | \$95 | +\$9 | +\$22 | +\$30 | +\$37 | +\$58 | +\$79 | +\$110 | +\$13 |
| Total Control | IN13.5F42 | 13.5" | 42" | \$100 | +\$11 | +\$23 | +\$31 | +\$39 | +\$62 | +\$84 | +\$117 | +\$14 |
| 13.5" H Fabric Tile | IN13.5F48 | 13.5" | 48" | \$103 | +\$11 | +\$23 | +\$31 | +\$39 | +\$62 | +\$85 | +\$118 | +\$14 |
| 13.3 TH ADITO THE | IN13.5F54 | 13.5" | 54" | \$106 | +\$12 | +\$24 | +\$34 | +\$44 | +\$69 | +\$92 | +\$128 | +\$16 |
| | IN13.5F60 | 13.5" | 60" | \$111 | +\$12 | +\$24 | +\$34 | +\$44 | +\$69 | +\$92 | +\$128 | +\$16 |
| | IN13.5F66 | 13.5" | 66" | \$207 | +\$13 | +\$24 | +\$34 | +\$44 | +\$70 | +\$93 | +\$130 | +\$80 |
| | IN13.5F72 | 13.5" | 72" | \$211 | +\$13 | +\$14 | +\$21 | +\$28 | +\$57 | +\$85 | +\$118 | +\$81 |
| | IN13.5F78 | 13.5" | 78" | \$212 | +\$13 | +\$16 | +\$23 | +\$30 | +\$61 | +\$91 | +\$127 | +\$81 |
| | IN13.5F84 | 13.5" | 84" | \$222 | +\$14 | +\$16 | +\$23 | +\$30 | +\$61 | +\$91 | +\$127 | +\$82 |
| | IN13.5F90 | 13.5" | 90" | \$223 | +\$14 | +\$17 | +\$26 | +\$34 | +\$66 | +\$97 | +\$135 | +\$101 |
| | IN13.5F96 | 13.5" | 96" | \$225 | +\$15 | +\$18 | +\$28 | +\$37 | +\$71 | +\$102 | +\$143 | +\$101 |
| | IN13.5TK18 | 13.5" | 18" | \$126 | +\$4 | +\$8 | +\$16 | +\$24 | +\$43 | +\$63 | +\$88 | +\$21 |
| 45.0 | IN13.5TK24 | 13.5" | 24" | \$130 | +\$5 | +\$9 | +\$17 | +\$24 | +\$44 | +\$64 | +\$89 | +\$23 |
| | IN13.5TK30 | 13.5" | 30" | \$134 | +\$6 | +\$9 | +\$17 | +\$24 | +\$45 | +\$66 | +\$92 | +\$24 |
| المستسب المرافق المرافق | IN13.5TK36 | 13.5" | 36" | \$138 | +\$9 | +\$18 | +\$27 | +\$36 | +\$63 | +\$89 | +\$124 | +\$25 |
| AND THE PROPERTY OF | IN13.5TK42 | 13.5" | 42" | \$142 | +\$10 | +\$19 | +\$28 | +\$37 | +\$65 | +\$92 | +\$128 | +\$27 |
| 13.5" H Tackable Tile | IN13.5TK48 | 13.5" | 48" | \$162 | +\$10 | +\$19 | +\$30 | +\$40 | +\$71 | +\$99 | +\$139 | +\$28 |

Architecture

Tiles

Partial Height Spine Tiles

General information

- 13.5"h tile may be specified with Partial Height Spine or Filing Spine
- Tiles are standard 13.5"h Inscape System
- May be specified on Stack-On Frame
- Multi Access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data
- When specifying monitor arms to mount on paper management tile, reinforcing bracket must be specified
- Reinforcement Kit includes reinforcing brackets for Paper Management Tile

| Description | | Part number | Height | Width | List price | Accent paint |
|--|---|---------------|--------|-------|------------|--------------|
| | 13.5" H Nuform Tile | IN13.5NF30 | 13.5" | 30" | \$228 | _ |
| | | IN13.5NF36 | 13.5" | 36" | \$237 | _ |
| f | | IN13.5NF42 | 13.5" | 42" | \$248 | _ |
| | | IN13.5NF48 | 13.5" | 48" | \$255 | _ |
| | | | | | | |
| | 13.5" H Veneer Tile | IN13.5WV30 | 13.5" | 30" | \$280 | _ |
| | | IN13.5WV36 | 13.5" | 36" | \$311 | _ |
| TITLE WALL | | IN13.5WV42 | 13.5" | 42" | \$344 | _ |
| | | IN13.5WV48 | 13.5" | 48" | \$375 | _ |
| | 13.5" H Whiteboard Tile | IN13.5WB30 | 13.5" | 30" | \$89 | |
| | | IN13.5WB36 | 13.5" | 36" | \$91 | _ |
| fard | | IN13.5WB42 | 13.5" | 42" | \$93 | _ |
| whiteboard | | IN13.5WB48 | 13.5" | 48" | \$98 | _ |
| | | IN13.5WB54 | 13.5" | 54" | \$109 | _ |
| | | IN13.5WB60 | 13.5" | 60" | \$114 | _ |
| - | | IN13.5WB66 | 13.5" | 66" | \$197 | _ |
| | | IN13.5WB72 | 13.5" | 72" | \$202 | _ |
| | | IN13.5WB78 | 13.5" | 78" | \$212 | _ |
| | | IN13.5WB84 | 13.5" | 84" | \$217 | _ |
| | | IN13.5WB90 | 13.5" | 90" | \$222 | _ |
| | | IN13.5WB96 | 13.5" | 96" | \$227 | _ |
| | 6.75" H Paper Management Tile | IN6.75PM30-2F | 6.75" | 30" | \$138 | +\$15 |
| | for use with 2 3/4" T frames | IN6.75PM36-2F | 6.75" | 36" | \$151 | +\$16 |
| | | IN6.75PM42-2F | 6.75" | 42" | \$168 | +\$18 |
| and the same of th | | IN6.75PM48-2F | 6.75" | 48" | \$183 | +\$19 |
| | | IN6.75PM54-2F | 6.75" | 54" | \$197 | +\$21 |
| | | IN6.75PM60-2F | 6.75" | 60" | \$216 | +\$23 |
| | | IN6.75PM66-2F | 6.75" | 66" | \$285 | +\$29 |
| | | IN6.75PM72-2F | 6.75" | 72" | \$296 | +\$31 |
| | | IN6.75PM78-2F | 6.75" | 78" | \$306 | +\$32 |
| | | IN6.75PM84-2F | 6.75" | 84" | \$349 | +\$36 |
| | | IN6.75PM90-2F | 6.75" | 90" | \$360 | +\$37 |
| | | IN6.75PM96-2F | 6.75" | 96" | \$373 | +\$38 |
| | Paper Management Reinforcing Kit for use with 2 ¾" T frames | INPMRK-2F | - | 18" | \$108 | _ |
| | | | | | | |



Architecture

Partial Height Spine Tiles

General information

- 13.5"h tile may be specified with Partial Height Spine or Filing Spine
- Tiles are standard 13.5"h Inscape System
- 13.5" H tiles may be specified on 13.5" Stack-On Frame
- Multi Access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data
- Collaborative communication and multi access tiles with single sided cutouts have one cutout per tile (2 stacked for multi access) and the cutouts are left or right justified making the tiles handed. They are intended to be specified so that the cutouts are hiden below the worksurface

• Use one left and and one right hand collaborative communication tile for each Bench Collaborative area

| Description | | Part number | Height | Width | List price | Accent paint |
|--|-----------------------------------|--|--------|-------|------------|--------------|
| | 13.5" H Painted | IN13.5CTP24-UD | 13.5" | 24" | \$85 | +\$10 |
| E33 | Communication Tile | IN13.5CTP30-UD | 13.5" | 30" | \$88 | +\$10 |
| 9 000 | Upper Deck Location | IN13.5CTP36-UD | 13.5" | 36" | \$93 | +\$11 |
| | | IN13.5CTP42-UD | 13.5" | 42" | \$97 | +\$11 |
| 1 | | IN13.5CTP48-UD | 13.5" | 48" | \$102 | +\$11 |
| | | IN13.5CTP54-UD | 13.5" | 54" | \$103 | +\$12 |
| | | IN13.5CTP60-UD | 13.5" | 60" | \$106 | \$106 |
| | 13.5" H Painted Multi Access Tile | IN13.5MAP30-UD | 13.5" | 30" | \$89 | +\$10 |
| 98 | | IN13.5MAP36-UD | 13.5" | 36" | \$93 | +\$11 |
| | | IN13.5MAP42-UD | 13.5" | 42" | \$97 | +\$11 |
| | | IN13.5MAP48-UD | 13.5" | 48" | \$102 | +\$11 |
| | | IN13.5MAP54-UD | 13.5" | 54" | \$103 | +\$12 |
| | | IN13.5MAP60-UD | 13.5" | 60" | \$106 | +\$12 |
| | 13.5" H Painted Collaborative | INBCLB13CTP36UL | 13.5" | 36" | \$82 | +\$9 |
| and the same of th | Communication Tile | INBCLB13CTP42UL | 13.5" | 42" | \$87 | +\$10 |
| Tall . | with single sided cutouts | cutout on the left (illustrated) | | | | |
| | | INBCLB13CTP36UR | 13.5" | 36" | \$82 | +\$9 |
| | | INBCLB13CTP42UR cutout on the right | 13.5" | 42" | \$87 | +\$10 |
| | 13.5" H Painted Multi Access Tile | IN13.5MAP60UL | 13.5" | 60" | \$106 | +\$12 |
| | with single sided cutouts | IN13.5MAP72UL cutout on the left (illustrated) | 13.5" | 72" | \$207 | +\$22 |
| | | IN13.5MAP60UR | 13.5" | 60" | \$106 | +\$12 |
| | | IN13.5MAP72UR | 13.5" | 72" | \$207 | +\$22 |
| | | cutout on the right | | | | |

Architecture

Tiles Partial Height Spine Tiles

General information

- 13.5"h tile may be specified with Partial Height Spine or Filing Spine
- Tiles are standard 13.5"h Inscape System
- 13.5" H tiles may be specified on 13.5" Stack-On Frame
- Multi Access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data
- Collaborative communication and multi access tiles with single sided cutouts have one cutout per tile (2 stacked for multi access) and the cutouts are left or right justified making the tiles handed. They are intended to be specified so that the cutouts are hiden below the works urface
- Use one left and and one right hand collaborative communication tile for each Bench Collaborative area

Note

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN13.5CTF24-UD in a Grade 5 Fabric with Scrim would be \$98 +\$26 +\$12

| each bench Collabor | alive alea | | | | | | | | | | | |
|--|--|----------------|------------|-----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|------------------|----------------|
| Description | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
| | IN13.5CTF24-UD | 13.5" | 24" | \$98 | +\$6 | +\$11 | +\$19 | +\$26 | +\$46 | +\$67 | +\$94 | +\$12 |
| *** / 3/2 | IN13.5CTF30-UD | 13.5" | 30" | \$102 | +\$5 | +\$9 | +\$17 | +\$24 | +\$45 | +\$66 | +\$92 | +\$13 |
| | IN13.5CTF36-UD | 13.5" | 36" | \$113 | +\$6 | +\$12 | +\$23 | +\$33 | +\$59 | +\$84 | +\$117 | +\$13 |
| William Street | IN13.5CTF42-UD | 13.5" | 42" | \$116 | +\$7 | +\$16 | +\$24 | +\$32 | +\$61 | +\$86 | +\$121 | +\$14 |
| 1 | IN13.5CTF48-UD | 13.5" | 48" | \$120 | +\$9 | +\$21 | +\$30 | +\$38 | +\$65 | +\$92 | +\$128 | +\$14 |
| 13.5" H Fabric | IN13.5CTF54-UD | 13.5" | 54" | \$121 | +\$10 | +\$23 | +\$33 | +\$42 | +\$71 | +\$98 | +\$138 | +\$16 |
| Communication Tile Upper Deck Location | IN13.5CTF60-UD | 13.5" | 60" | \$132 | +\$11 | +\$12 | +\$23 | +\$34 | +\$63 | +\$91 | +\$127 | +\$16 |
| | IN13.5MAF30-UD | 13.5" | 30" | \$103 | +\$5 | +\$9 | +\$17 | +\$24 | +\$45 | +\$66 | +\$92 | +\$13 |
| 1 8 8 8 | IN13.5MAF36-UD | 13.5" | 36" | \$113 | +\$6 | +\$12 | +\$23 | +\$33 | +\$59 | +\$84 | +\$117 | +\$13 |
| | IN13.5MAF42-UD | 13.5" | 42" | \$116 | +\$7 | +\$19 | +\$24 | +\$36 | +\$62 | +\$89 | +\$124 | +\$14 |
| 18 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | IN13.5MAF48-UD | 13.5" | 48" | \$120 | +\$9 | +\$21 | +\$30 | +\$38 | +\$65 | +\$92 | +\$128 | +\$14 |
| 10 FILL Falania Multi | IN13.5MAF54-UD | 13.5" | 54" | \$121 | +\$10 | +\$23 | +\$33 | +\$42 | +\$71 | +\$98 | +\$138 | +\$16 |
| 13.5" H Fabric Multi | IN13.5MAF60-UD | 13.5" | 60" | \$132 | +\$11 | +\$25 | +\$35 | +\$44 | +\$74 | +\$100 | +\$140 | +\$16 |
| Access Tile | | | | | | | | | | | | |
| Upper Deck Location | | | | | | | | | | | | |
| Location | | | | A | ^ - | • | | | | *** | * | |
| and the same of th | INBCLB13CTF36UL | 13.5" | 36" | \$102 | +\$5 | +\$11 | +\$22 | +\$32 | +\$57 | +\$82 | +\$114 | +\$12 |
| | INBCLB13CTF42UL cutout on the left (illustrated) | 13.5" | 42" | \$107 | +\$6 | +\$15 | +\$23 | +\$35 | +\$59 | +\$85 | +\$118 | +\$13 |
| | INBCLB13CTF36UR | 13.5" | 36" | \$102 | +\$5 | +\$11 | +\$22 | +\$32 | +\$57 | +\$82 | +\$114 | +\$12 |
| 13.5" H Fabric Collaborative Communication Tile with single sided cutouts | INBCLB13CTF42UR cutout on the right | 13.5" | 42" | \$107 | +\$6 | +\$15 | +\$23 | +\$35 | +\$59 | +\$85 | +\$118 | +\$13 |
| | IN13.5MAF60UL IN13.5MAF72UL cutout on the left (illustrated) | 13.5" 13.5" | 60" 72" | \$132 \$257 | +\$12 +\$22 | +\$24 +\$45 | +\$34 +\$64 | +\$44 +\$84 | +\$69 +\$130 | +\$92 +\$174 | +\$128 +\$244 | +\$16 +\$46 |
| 13.5" H Fabric Multi Access Tile with single sided | IN13.5MAF60UR IN13.5MAF72UR cutout on the right | 13.5" 13.5" | 60" 72" | \$132 \$257 | +\$12 +\$22 | +\$24 +\$45 | +\$34 +\$64 | +\$44 +\$84 | +\$69 +\$130 | +\$92 +\$174 | +\$128 +\$244 | +\$16 +\$46 |

cutouts



10.125" H Stack-On Tiles

General information

- Tiles may only be installed on 10.125" H Stack on
- May be specified op Stack-On Frame
- Multi Access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data

Note

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN10.125F30 in a Grade 5 Fabric with Scrim would be \$91 +\$22 +\$13

| Description | | Part number | Height | Width | List price | Accent paint |
|-------------|--------------------------------------|-----------------|---------|-------|------------|--------------|
| | 10.125" H Painted Tile | IN10.125P30 | 10.125" | 30" | \$61 | +\$7 |
| | | IN10.125P36 | 10.125" | 36" | \$62 | +\$8 |
| f | | IN10.125P42 | 10.125" | 42" | \$64 | +\$8 |
| | | IN10.125P48 | 10.125" | 48" | \$66 | +\$8 |
| | | IN10.125P54 | 10.125" | 54" | \$69 | +\$8 |
| | | IN10.125P60 | 10.125" | 60" | \$73 | +\$9 |
| | 10.125" H Painted Multi-Access Tile | IN10.12MAP30-UD | 10.125" | 30" | \$88 | +\$10 |
| 1000 | | IN10.12MAP36-UD | 10.125" | 36" | \$93 | +\$11 |
| | | IN10.12MAP42-UD | 10.125" | 42" | \$97 | +\$11 |
| | | IN10.12MAP48-UD | 10.125" | 48" | \$102 | +\$11 |
| | | IN10.12MAP54-UD | 10.125" | 54" | \$103 | +\$12 |
| | | IN10.12MAP60-UD | 10.125" | 60" | \$106 | +\$12 |
| | 10.125" H Painted Communication Tile | IN10.12CTP30-UD | 10.125" | 30" | \$88 | +\$10 |
| - E3 | | IN10.12CTP36-UD | 10.125" | 36" | \$93 | +\$11 |
| EED | | IN10.12CTP42-UD | 10.125" | 42" | \$97 | +\$11 |
| | | IN10.12CTP48-UD | 10.125" | 48" | \$102 | +\$11 |
| 1 | | IN10.12CTP54-UD | 10.125" | 54" | \$103 | +\$12 |
| | | IN10.12CTP60-UD | 10.125" | 60" | \$106 | +\$12 |

| Description | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Scrim |
|---|-----------------|---------|-------|-----------------|---------|---------|---------|---------|---------|---------|---------|-------|
| 50.00 F0.002 | IN10.125F30 | 10.125" | 30" | \$91 | +\$5 | +\$9 | _ | +\$22 | _ | +\$52 | _ | +\$13 |
| | IN10.125F36 | 10.125" | 36" | \$95 | +\$9 | +\$22 | _ | +\$37 | _ | +\$79 | _ | +\$13 |
| 10000000000000000000000000000000000000 | IN10.125F42 | 10.125" | 42" | \$100 | +\$8 | +\$23 | _ | +\$39 | _ | +\$84 | _ | +\$14 |
| المستسب الإنافة المرادا | IN10.125F48 | 10.125" | 48" | \$103 | +\$11 | +\$23 | _ | +\$39 | _ | +\$85 | _ | +\$14 |
| 300 | IN10.125F54 | 10.125" | 54" | \$106 | +\$12 | +\$24 | _ | +\$44 | _ | +\$92 | _ | +\$16 |
| 10.125" H Fabric Tile | IN10.125F60 | 10.125" | 60" | \$111 | +\$12 | +\$24 | _ | +\$44 | _ | +\$92 | _ | +\$16 |
| | IN10.12MAF30-UD | 10.125" | 30" | \$102 | +\$5 | +\$9 | _ | +\$24 | _ | +\$66 | _ | +\$13 |
| 夏 泉(水) | IN10.12MAF36-UD | 10.125" | 36" | \$113 | +\$6 | +\$12 | _ | +\$33 | _ | +\$84 | _ | +\$13 |
| | IN10.12MAF42-UD | 10.125" | 42" | \$116 | +\$5 | +\$16 | _ | +\$32 | _ | +\$84 | _ | +\$14 |
| W. Train | IN10.12MAF48-UD | 10.125" | 48" | \$120 | +\$9 | +\$21 | _ | +\$38 | _ | +\$92 | _ | +\$14 |
| 1 | IN10.12MAF54-UD | 10.125" | 54" | \$121 | +\$10 | +\$23 | _ | +\$42 | _ | +\$98 | _ | +\$16 |
| 10.125" H Fabric | IN10.12MAF60-UD | 10.125" | 60" | \$132 | +\$3 | +\$12 | _ | +\$34 | _ | +\$91 | _ | +\$16 |
| Multi-Access Tile | | | | | | | | | | | | |
| | IN10.12CTF30-UD | 10.125" | 30" | \$102 | +\$5 | +\$9 | _ | +\$24 | _ | +\$66 | _ | +\$13 |
| 2 mg 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | IN10.12CTF36-UD | 10.125" | 36" | \$113 | +\$6 | +\$12 | _ | +\$33 | _ | +\$84 | _ | +\$13 |
| | IN10.12CTF42-UD | 10.125" | 42" | \$116 | +\$5 | +\$16 | _ | +\$32 | _ | +\$84 | _ | +\$14 |
| 100 787 2 | IN10.12CTF48-UD | 10.125" | 48" | \$120 | +\$9 | +\$21 | _ | +\$38 | _ | +\$92 | _ | +\$14 |
| A The same of the | IN10.12CTF54-UD | 10.125" | 54" | \$121 | +\$10 | +\$23 | _ | +\$42 | _ | +\$98 | _ | +\$16 |
| 10.125" H Fabric | IN10.12CTF60-UD | 10.125" | 60" | \$132 | +\$3 | +\$12 | _ | +\$34 | - | +\$91 | - | +\$16 |
| Communication Tile | | | | | | | | | | | | |

Left blank intentionally.

bench

Technology

Technology

General information

General information

Inscape Bench electrical is UL and CSA approved. New York City and Chicago solutions are also available as standard offering. The electrical system features 8 wires and 4 circuits that can be configured in a 2+2 or 3+1 circuit configuration. All electrical components, with the exception of the power feed (which must be connected to the building power supply by a licensed electrician) may be installed by furniture installers, unless otherwise stated by jurisdiction of the installation.

Inscape Bench electrical components consist of the following: Floor/Wall power in-feed, power tracks, jumper cables and duplex receptacles. Power components snap into place without the need of tools and are the same components as offered in Inscape System.

Power In-Feed

Power In-Feed connections can be made through a wall, column, or floor connection. Power in-feed connections for Full Height applications consist of an 84" long liquid tight cable and a 45" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails. Power in-feed connections for Partial Height applications consist of an 84" long liquid tight cable and a 12" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails. The liquid tight portion of the Power in-feed must be connected to the building power supply by an electrician. If two power feeds are being specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks.

Two versions of the power in-feed exist. One version is to be used with the Full Height Spine and the other is to be used with the Partial height or Storage Spine and includes a wire casing.

Standing Height Power In-feed kit

Standing Height Power In-feed kit is specified when power is required in a fixed standing height table. This power track is same as noted above however its length allows for seamless entry from floor/wall to the spine.

New York City In-Feed

New York City has requirements for special power entry assemblies. A qualified electrician is required to hard-wire the New York City In-Feed from the entry box to the power source. The New York City feed works for side feed, end feed or ceiling feed.

City of Chicago Hold Down Bracket

The City of Chicago does not permit the use of pre-wired modular electrical systems. To simplify hardwiring of the Inscape Bench Spine, the City of Chicago Hold Down Bracket (INECHB) is available. Specify two INECHB for each power entry point, one for the power feed and one for the outlet. (The outlet box is NOT supplied by Inscape). INECHB's are available in packages of 6.

Boxes should be sourced through Ental Industries or J&A Sheet both local Chicago suppliers of electrical junction boxes.


Note: Spines 30" wide will accept one double-sided outlet box. Spines 36" wide and wider will accept two boxes. INECHB's may also be specified to mount multi-user termination boxes inside the panel.

Power Pole

The Bench power pole brings power and data into the station from the ceiling. It includes a split top trim to facilitate cable entry into the spine panel, a ceiling grommet, an optional 16' or 22' long electrical cable and an expandable power pole featuring a septum to separate power from data cables to avoid electromagnetic interference (EMI). Specify ceiling power pole according to panel width. The ceiling power entry cable must be connected to the building power supply by an electrician. If two power feeds are being specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks. The entire power pole accommodates 61 Cat6 and 78 Cat5 cables at a 60% fill capacity if no electrical cable is routed through pole. If electrical is routed within power pole, at a 60% fill capacity, 46 Cat6 and 59 Cat5 cables may be accommodated.

2 + 2 Circuit configuration

2 + 2 Circuit Configuration




2+2

- Circuits #1 and #2 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuits #3 and #4 share the other oversize neutral and isolated ground to provide isolated power to computers.

3+ 1 Circuit configuration

3 + 1 Circuit Configuration



- Circuits #1, #2 and #3 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuit #4 uses the other oversize neutral and isolated ground to provide isolated power to computers.



Power track kits

Power Track Kits consist of a power track and clips to attach the power track to a crossrail. The kit allows for power tracks to be mounted in specified locations (above or below the worksurface). Jumper cables and receptacles are specified separately. The 30" wide Power Track Kit accepts one duplex per side. Power Track Kits which are 36" wide and wider accept two duplexes per side. Power Track Kits may be specified below the following; Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles. Power Track Kits MAY NOT be specified below Twin Bins or Power Poles.

Jumper Cables

Jumper Cables by-pass non-powered spines and also facilitates connections from power track to power track. Jumper cables must attach to power tracks only and cannot be attached to adjacent jumper cables or power in-feeds. Product codes indicate the width of the jumper cable which may be cross-referenced in the Inscape Bench Application Guide. Various widths of jumper cables are available to facilitate various applications and configurations. See Inscape Bench Application Guide for details.

Duplex Receptacles

Duplex Receptacles snap into power tracks back-to-back and may be accessed through cutouts in either the electrical cover plate with standard frames or multi-access and communication tiles in all other locations and basic frames. Duplexes are interchangeable amongst the varying power track locations. Specify duplexes according to circuit configuration, 2+2 or 3+1. The IN2D3-_ duplex is specific to 2+2 wire configurations and the IN2DU3-_ duplex is specified for 3+1 wire configurations. General rule is no more than 12 receptacles per circuit per power in feed. Duplexes may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf).

Controlled receptacles to satisfy California Title 24 are available. These receptacles control circuits through building switches. When circuits are controlled through building switches, it is required to identify which circuit is controlled to the end user. To identify the receptacles on the controlled circuit, Inscape's controlled receptacles have a power mark (circle with the vertical line). The fit and function of these receptacles are same as the standard receptacle offering only application is in controlled circuits.

Data components

Hinged cover (INHRC)

The hinged cover (INHRC) snaps into the cut outs which are found in multi access and communication tiles. When data faceplates and receptacles are not required the hinged cover provides a visual and protective cover.

Fiber optic outlet

Fiber optic outlet (INCFO) is specified to be installed in a cut out in a multi access or communication tile. May be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf).

Data and communication faceplate

The **Data and Communication Faceplate (INCDP)** installs in a cut out in a multi access or communication tile where plug and play access is required. The faceplate provides three "slots" where the **Category 5 (INCABRJ45)**, **Category 6 (INCABR6J45)**, and/or **Telephone Jacks (INCRJ11)** may be inserted. All "openings" need to be filled with data or phone jacks, the **Blank Data Plate Insert (INCB)** fills in any which are not being used. Data components may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf). Telephone Jacks (INCRJ11) are not available in gray.

Clamp on power

Clamp-on power may be clamped along edge of worksurface for plug and play access to electrical/voice/data. Unit has clear anodized aluminum case with white inserts. Different insert configurations available. Voice and data adapter kits are included. Voice and data jacks must be purchased separately. Clamp-on power module has 72" long extension cord. This module adjusts from .75 to 1.75" for varying surface thickness.

Cable Hooks

Cable Hooks support and segregate data cables. Each frame 37" and higher ships with one cable manager. Cable hooks carry data cables to their termination voice/data point at a multi access or communication tile for plug and play access or to hanger brackets which are located behind the tile.

Wire management clips

Wire Management Clips are required when power is being routed from a Credenza Storage benching application frame to the worksurface. Where cabling is running from behind a Credenza Storage case, these wire management clips are mounted to the underside of the inside of the case and the wires are cleanly routed to the main surface. These clips come in a package of 10 and are white in color.

Wire casing

Wire casing manages cables and technology from a worksurface to the floor. Casing is 29" long but can be adjustable in length by removing or adding "links". Casing is available in gray. As standard the wire casing accommodates 28.5"h worksurface heights. The wire casing accommodates 30 Cat5 cables with electrical works at a 60% fill capacity which is recommended. Approximately 36 Cat5 cables may be accommodated in the wire casing at a 60% fill capacity without electrical works.

US Price List | April 2018 Bench | 265



TechnologyPower In Feeds

General information

- Partial Height In Feed Kit is slightly shorter then the Full Height Kit and includes wire management casing
- All electrical components are standard 8 wire configuration
- New York City Power In Feed Kit is for use with a full height spine. To
 use it with Partial Height, Storage or Standing Height spine application,
 a wire management casing (INBWFWC) needs to be specified
- Standing Height Power In Feed Kit includes in-feed and wire management casing
- The power pole is expandable and accommodate either the option of a 16' or 22' whip

| Description | | Part number | List price |
|--------------|--|---|------------|
| | Standard Floor/Wall Power In Feed Kits | INEFWK-8 (use with full spine) | \$314 |
| | | INBWFWK-8 (use with partial height spine) | \$558 |
| AND TO RELIE | New York City Power In Feed Kit | INEFWK-NY-8 | \$558 |
| | Standing Height Power In Feed Kit | INBSHFWK-8 | \$558 |
| | Wire Management Casing Gray | INBWFWC | \$112 |

| Description | | Part number | Accent paint/ base price | Optional 22" whip | No power option | Accent paint option |
|-------------|------------|--------------|-----------------------------|-------------------|-----------------|---------------------|
| | Power Pole | INBPWRPOLE-8 | \$1412 | +\$198 | -\$210 | +\$143 |



General information

- All electrical components are standard 8 wire configuration
- See Inscape System Application Guide for jumper cable length requirements for varying panel configurations
- Jumper Cables do not connect together nor do they attach to power in feeds
- Circuit 3 receptacle requires 2+2 or 3+1 wire designation ("U" in the code signifies 3+1 wire configuration)
- White is a close match to 168 Glacier White, Gray is a close match to 290 Aluminum Leaf
- The "UD" duplexes are to be specified in conjunction with the Electrified Twin Bin (Inscape System Price List)
- Controlled receptacles satisfy California Title 24 and are indicated with a "power mark" which is represented buy a circle with a line

Notes

- Power tracks are required to match the width of the frame they are being installed in
- Power Track Kits may be specified below the following;
 Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles
- Power Track Kits MAY NOT be specified below Twin Bins or Power Poles

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN2D1-8 in Gray would be +\$23 +\$8

| Description | | Part number | Width | | List price |
|-----------------------------|--|-------------------------------------|-------------------|------------|----------------------|
| 9 29 | Power Track Kit | INRUDKIT-30-8 | 30" | | \$161 |
| | | INRUDKIT-36-8 | 36" | | \$174 |
| | | INRUDKIT-42-8 | 42" | | \$190 |
| | | INRUDKIT-48-8 | 48" | | \$206 |
| | | INRUDKIT-54-8 | 54" | | \$220 |
| [B B | | INRUDKIT-60-8 | 60" | | \$236 |
| | Electrified Twin-Bin Power Track | INETPTWB-8 | 8" | | \$75 |
| Communication of the second | Jumper Cables | INETC24-8 INETC25-8 INETC28-8 | 24" 25" 28" | | \$62 \$62 \$62 |
| Set Million | | INETC31-8 | 31" | | \$64 |
| | | INETC44-8 | 44" | | \$67 |
| | | INETC53-8 | 53" | | \$75 |
| | | INETC64-8 | 64" | | \$90 |
| | | INETC88-8 | 88" | | \$117 |
| | | INETC104-8 | 104" | | \$134 |
| | | INETC122-8 | 122" | | \$166 |
| | | INETC141-8 | 141" | | \$167 |
| | | INETC158-8 | 158" | | \$184 |
| | | INETC182-8 | 182" | | \$211 |
| escription | | Part number | Black | White | Gray |
| <u> </u> | Receptacle for cutout tiles application in 2 ¾" frames | IN2D1-8 | \$23 | +\$8 | +\$8 |
| | recoptable for output thes application in 2 /4 marries | IN2D2-8 | \$23 | +\$8 | +\$8 |
| | | IN2D3-8 | \$23 | +\$8 | +\$8 |
| | | IN2D3U-8 | \$23 | +\$8 | +\$8 |
| | | IN2D4-8 | \$23 | +\$8 | +\$8 |
| | Controlled Receptacle for cutout tiles | IN2D1-8C | \$27 | +\$8 | - +\$8 |
| - 1 | application in 2 ¾" frames | IN2D2-8C | \$27 | +\$8 | +\$8 |
| | • • | IN2D3-8C | \$27 | +\$8 | +\$8 |
| | | IN2D3U-8C | \$27 | +\$8 | +\$8 |
| | | IN2D4-8C | \$27 | +\$8 | +\$8 |
| -1-7 | Receptacle for use in Electrified Twin-Bin | IN3D1-UD-8 | \$23 | +\$8 | +\$8 |
| | | IN3D2-UD-8 | \$23 | +\$8 | +\$8 |
| | | IN3D3-UD-8 | \$23 | +\$8 | +\$8 |
| Election | | | | <u>.</u> _ | |

US Price List | April 2018 Bench | 267

IN3D3U-UD-8

IN3D4-UD-8

\$23

\$23

+\$8

+\$8

+\$8

+\$8

TechnologyData Components

General information

- Data components which are face mounted have optional color of black (default), white or gray
- Data cannot be installed directly back to back in a benching spine
- Data components are industry standard sized AMP product

Note

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INHRC in Gray would be \$18 +\$8

| Description | | Part number | Black | White | Gray |
|-------------|-------------------------------------|-------------|-------|-------|------|
| | Hinged Cover for Tiles with Cutouts | INHRC | \$18 | +\$8 | +\$8 |
| CP1 | Fiber Optic Outlet | INCFO | \$116 | _ | _ |
| | Data Communication Plate | INCDP | \$23 | +\$6 | +\$6 |
| | Blank Data Plate Insert | INCB | \$12 | +\$5 | +\$5 |
| | Telephone Jack | INCRJ11 | \$25 | +\$5 | |
| | Category 5A & 5B, RJ45 Jack | INCABRJ45 | \$39 | +\$5 | +\$5 |



General information

- Wire Management clips are white and attach by double sided tape which is included
- Wire Casing is 29" long and allows for electrical and data cables to neatly be brought from floor into a table – available in gray only, works with 28.5" worksurface heights
- Cable Management tray is available in two lengths, painted Eco Black and includes mounting hardware
- Height Adjustable Cable Manager includes tray and wire sleeve (gray)
- Cable Manager Tray and Hinged Cable Manager Tray include tray and wire sleeve

| optionDescription | | Part number | List price | Accent paint option |
|-------------------|---|--------------------|--------------|---------------------|
| P | Wire Management Clip (pkg of 10) | INWMCLIP | \$25 | _ |
| | Wire Casing (Gray color) | INFWC | \$112 | _ |
| fa) | Cable Management Tray | INCMT18 INCMT30 | \$31 \$39 | |
| | Wire mesh cable tray (silver) | INWMTRAY | \$115 | _ |
| Z T J | Height Adjustable Cable Manager | INHACMT18 | \$76 | _ |
| | 18"w Cable Manager Tray For use with Electric Freestanding and Bench (illustrated) height adjustable applications | INHACHCMT18 | \$223 | +\$23 |
| | Hinged Cable Manager Tray For use with Electric Freestanding and Bench (illustrated) height adjustable applications | INHACMTHINGE | \$463 | +\$47 |

US Price List | April 2018 Bench | 269

Tables

Accessories

Electrical Accessories

General information

 Clamp on Power Modules have white inserts and a 72" long power cord. It attaches to 1" and 1 ¼" thick worksurfaces

| Description | | Part number | List price |
|-------------|---|---------------|------------|
| | Clamp-on Power Module 2 receptacles/2 voice/data ports | PVDMODTC | \$452 |
| | Clamp-on Power Module 1 receptacle/1 dual USB port | PVDMODTC-1P1U | \$488 |
| | Clamp-on Power Module 3 receptacle/1 dual USB port | PVDMODTC-3P1U | \$550 |

bench

Worksurfaces

Left blank intentionally.



General information

Depth dimension is nominal. Depths are .325" less than stated to provide a gap between the worksurface and panel to facilitate wire management. Worksurfaces are specific to the worksurface support they are being installed on. Codes and dimensions are outlined in the following pages and Inscape Bench Application Guide showing which worksurface is to be specified with the End Gable, Open "H" Leg or Storage Support.

All worksurfaces default to 1.25" thick, Straight edge, Pencil Groove.

Nuform solid & nuform

woodgrain/pattern worksurfaces

The Nuform top is a thermo-formable polymer based sheet continuously bonded to a 1.25". The polymer sheet is surface coated with a scratch resistant film. Colors are homogenous throughout the film thickness. Top and edge are one continuous surface with no edge seams. The underside of the top is finished in a low pressure melamine. Nuform tops have the option of a pencil groove running across the width of the worksurface as standard and depth for conference tables. Two price options are available - Nuform Solid and Nuform Woodgrain which includes patterns. Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces.

Edge Detail - Nuform Solid and Nuform Woodgrain

1 1/4" Straight Edge



1 1/4" Tapered Edge



Top and edge are one continuous surface with no edge seams.


Note that the tapered edge style is only availble on the front or user edge of the worksurface.

Laminate worksurfaces

Plastic laminate is laminated to 1.25" thick particle-board. The underside of the worksurface is finished with a man-made, wood-fiber veneer backer. Worksurfaces specified with a plastic laminate finish include a 2mm edge banding in a coordinating color. Plastic laminate tops do not include a pencil groove.

Edge Detail - Plastic Laminate

Straight Edge



Composite veneer worksurfaces

Veneer thickness is 0.025". Overall thickness of top is 1.25". The stain color is impregnated throughout the veneer for color consistency. The open pore veneer is clear coated with a catalyzed lacquer utilizing a multi-step process and has a gloss value of 30° when dry. Tops are constructed utilizing 45lbs density particle board with an engineered balanced backer for structural integrity. Tops are edged in 3mm thick same species veneer and do not include a pencil groove.


Edge Detail - Plastic Laminate

Straight Edge



Load capacity for freestanding and panel mounted worksurfaces is 4.5lbs per linear inch.

Grain direction on Nuform Woodgrain and Veneer worksurfaces is as denoted below.



Worksurface extension

The Worksurface Extension is a cantilevered worksurface which is situated perpendicular to the spine. This top is available in all the worksurface finishes of the standard worksurfaces (if woodgrain is chosen, pattern will run perpendicular to the main worksurfaces). This extension CANNOT be specified adjacent to the Height Adjustable Worksurfaces.

Worksurface for electrical access

The Worksurface for Electrical Access is a worksurface which provides easy access to power/data ports below the worksurface within the spine. The hinged access cover is an aluminum component which is inset into the Laminate or Veneer surfaces only. Worksurfaces are specific to the frame width in order to allow the hinged access cover to line up with the port in the spine beneath.

Adjustable height worksurfaces

Panel Mounted Pneumatic and Electrical height adjustable worksurfaces available for the Inscape Bench.

Panel Mounted Pneumatic Height Adjustable Worksurface provide gas cylinder height adjustment ranging from 28.5" to 48.5" with a lift capacity and calibration of a recommended 25lbs (includes worksurface). Electrical Height Adjustable Worksurfaces provide height adjustment ranging from 28.5" to 44.5" with a lift capacity and calibration of a recommended 195lbs (includes worksurface).

Worksurfaces structured on the height adjustable mechanism are 1" less in stated width in the price list, and are meant to be installed on center to the base allowing for a gap between adjacent surfaces to eliminate pinch points. The base mechanism of the worksurface is available in Silver only. See the Inscape Bench Application Guide for application notes and restrictions.

US Price List | April 2018



Worksurfaces

General information

Worksurface support brackets & accessories

Cantilever bracket

Cantilever Bracket is fixed. Cantilever brackets support panel mounted worksurfaces on-module.

Flush brackets

Flush Brackets are specified when two adjoining worksurfaces need to be held flush together. These brackets (INFB) come as a pair. Maximum span of overhang when supported with a flush bracket is 18" per side. These are not required for Height Adjustable worksurfaces.

Spacers

Spacers are specified when storage is being specified within the bench. The appropriate height of storage to use within the bench is 22.5"id with FLAT GLIDE (Rectangular glides will not line up below the worksurface)

Pedestal brackets

Pedestal Brackets are specified when a pedestal unit is being specified. This allows for docking of the storage pieces to the benching spine. End Location Bracket is to be specified when the pedestal is at the end of a run. The Middle Location Bracket is to be specified when a pedestal is situated below the bench within the bench. *See Inscape Bench Application Guide.

Storage docking bracket

Storage Docking Bracket is used when lateral or bookcase units are specified perpendicular to the spine. This bracket docks the storage and worksurface to the spine. *See Inscape Bench Application Guide

Perpendicular worksurface support brackets

Perpendicular worksurface to spine support bracekts support a perpendicular worksurface off of a spine frame. These brackets are handed left or right and there is a double sided option. The handedness of the support bracket is from the user perspective. Brackets are available in all standard paint finishes.

Shared worksurface support brackets

Shared worksurface support brackets are used to support either a 30"d or 36"d shared worksurface off of a spine frame(s) and are available in on module and mid module applications. See Inscape Bench Application Guide for application guidelines. Brackets are available in all standard paint finishes

Angled wood support leg

The angled wood fixed worsurface support leg supports the end of a perpendicular or shared worksurface that is not bracketed to the spine frames. The angled wood fixed worksurface support leg come in two finish options; Clear Maple and Black.

Lateral tops

The Lateral Tops are available as ¾" thick. These tops are to be specified atop the 22.5"id storage units, FLAT GLIDE only on storage. Tops are available in all standard Nuform finishes.

End support

There are three main ways to support the Inscape Bench from and end support perspective. One option is a Full End Gable. This end gable unit spans the entire depth of the bench beneath the worksurfaces, which are specific to this support type. The End Gable is a fully kitted product code which includes trim, tiles, glides and structure. The trim can be painted in any standard paint color. Tiles are to be specified on the inside and outside of the end gable. Tiles on the interior consist of two separate tiles whereas the outside is one full tile. Woodgrain on the exterior tile will run vertical on the tile. The Full End Gable is only to be used with the Full Height Spine.

An alternative support is the Open End Leg which is available in the "H" and "O" options. This open leg structure has the ability to span the entire depth of the bench as well as carry multiple storage/accessories components. These units may be found in the Accessories section and are specific to the Open End Leg. The Open End Leg is only to be used with the Partial Height Spine; unless the Height Adjustable version is being used.

Open O legs have the option to add a glazed insert to wither the double or single sided applications. The inserts is glass and is available in clear, gray and etched 1 side finish options.

H Leg hole covers are available for use with H Legs that have been optioned for electric height adjustable worksurfaces as hole are visible. These covers are a small flat rectangular powder coated (any color) sheet steel part that has double sided tape attached and will ship 4 per pack.

Both support types have a mid-span support which matches the overall end aesthetic. These are available in 12" and 18"d. The 12" version is to be specified with 24" and 30" deep worksurfaces and the 18"d with 36"d worksurfaces. Tiles on the Full Gable version are painted only.

When the Height Adjustable Worksurface is specified, either the Full End Gable or the Open End Leg which is specific to the Height Adjustable may be specified. See Inscape Bench Application Guide for more details.

Single sided bench

Single Sided Bench may be specified to create single sided bench configuration. This application may only be used with a full height spine only. End Gable or Open End Legs are end support options. The legs include supports to tie into the spine or worksurface. Mid Supports, whether Full Gable or Open End Legs must be specified between two worksurfaces and tie into the spine on module. Use 18" mid support for 24"d worksurface and 24" mid support for 30"d worksurface. Benching worksurfaces are to be specified in the same way for single sided version of the bench. 36"d worksurfaces are not available in single sided version. When tiling full height tiles are to be specified. Nuform, laminate and veneer tiles cannot be used on single sided frames with electrical. When integrating height adjustable in a single sided application, specific end supports must be specified. The Single Sided Frame to Worksurface bracket must be specified to tie the worksurface into the spine.

Standing height fixed bench

Standing Height Fixed Bench is a fixed version of the bench which sits at a standing height. The Full Height Spine utilizes the Full Height tiles. The Standing Height Mid Spine Support it be specified at each location where two panels meet inline. This support is 13"h and provides the overall height to the spine. Specific Standing Height "H" Legs are specified to be used with the Standing Height Spine. Worksurfaces are specified same as a regular height bench and only 24" and 30"d versions are available. If the desire is to have a full worksurface appearance on the top, a Top Filler Cap may be specified. This cap mounts on the top of the spine and must be specified similar to a worksurface with location of end or middle being called out to ensure proper length and overhang.



Worksurfaces Rectangular Tops Middle Application

General information

- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBW2442 in Nuform Woodgrain with Tapered Edge would be \$328 +\$34 +\$17

| Description | | Part number | Width | Depth | Nuform/ laminate/ base | Nuform woodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight |
|-------------|-----------------------|----------------------|------------|------------|------------------------------|---------------------------------|-------------------|---------------------|---------------------|--------------------|
| w | 24" D Rectangular Top | INBW2442 | 42" | 24" | \$328 | +\$34 | +\$17 | +\$105 | +\$309 | +\$617 |
| w | Middle Application | INBW2448 | 48" | 24" | \$376 | +\$39 | +\$19 | +\$121 | +\$315 | +\$628 |
| D | | INBW2454 | 54" | 24" | \$422 | +\$45 | +\$24 | +\$136 | +\$320 | +\$638 |
| | | INBW2460 | 60" | 24" | \$468 | +\$48 | +\$26 | +\$150 | +\$332 | +\$663 |
| | | INBW2472 | 72" | 24" | \$563 | +\$58 | +\$29 | +\$181 | +\$334 | +\$666 |
| | | INBW2484 | 84" | 24" | \$658 | +\$67 | +\$32 | +\$211 | +\$342 | +\$682 |
| | | INBW2496 | 96" | 24" | \$755 | +\$77 | +\$38 | +\$242 | +\$347 | +\$693 |
| . w | 30" D Rectangular Top | INBW3042 | 42" | 30" | \$411 | +\$43 | +\$23 | +\$132 | +\$352 | +\$703 |
| | Middle Application | INBW3048 | 48" | 30" | \$468 | +\$48 | +\$26 | +\$150 | +\$355 | +\$708 |
| D | | INBW3054 | 54" | 30" | \$526 | +\$54 | +\$27 | +\$169 | +\$359 | +\$717 |
| | | INBW3060 | 60" | 30" | \$587 | +\$60 | +\$30 | +\$188 | +\$362 | +\$723 |
| | | INBW3072 | 72" | 30" | \$703 | +\$72 | +\$34 | +\$225 | +\$370 | +\$737 |
| | | INBW3084 | 84" | 30" | \$854 | +\$88 | +\$44 | +\$274 | +\$346 | +\$691 |
| | | INBW3096 | 96" | 30" | \$1007 | +\$103 | +\$51 | +\$323 | +\$329 | +\$656 |
| w w | 36" D Rectangular Top | INBW3642 | 42" | 36" | \$477 | +\$48 | +\$73 | +\$153 | +\$409 | +\$816 |
| | Middle Application | INBW3648 | 48" | 36" | \$541 | +\$57 | +\$83 | +\$174 | +\$423 | +\$843 |
| D | | INBW3654 | 54" | 36" | \$609 | +\$63 | +\$91 | +\$195 | +\$428 | +\$853 |
| | | INBW3660 | 60" | 36" | \$682 | +\$71 | +\$101 | +\$219 | +\$453 | +\$905 |
| | | INBW3672 | 72" | 36" | \$814 | +\$81 | +\$111 | +\$261 | +\$466 | +\$931 |
| w w | 24" D Rectangular Top | INBW2441.5 | 41.5" | 24" | \$328 | +\$34 | +\$17 | +\$105 | +\$309 | +\$617 |
| | Middle Application, | INBW2447.5 | 47.5" | 24" | \$376 | +\$39 | +\$19 | +\$121 | +\$315 | +\$628 |
| D | between one height | INBW2453.5 | 53.5" | 24" | \$422 | +\$45 | +\$24 | +\$136 | +\$320 | +\$638 |
| | adjustable and one | INBW2459.5 | 59.5" | 24" | \$468 | +\$48 | +\$26 | +\$150 | +\$332 | +\$663 |
| | fixed surface | INBW2471.5 | 71.5" | 24" | \$563 | +\$58 | +\$29 | +\$181 | +\$334 | +\$666 |
| | | INBW2483.5 | 83.5" | 24" | \$658 | +\$67 | +\$32 | +\$211 | +\$342 | +\$682 |
| | | INBW2495.5 | 95.5" | 24" | \$755 | +\$77 | +\$38 | +\$242 | +\$347 | +\$693 |
| . w | 30" D Rectangular Top | INBW3041.5 | 41.5" | 30" | \$411 | +\$43 | +\$23 | +\$132 | +\$352 | +\$703 |
| | Middle Application, | INBW3047.5 | 47.5" | 30" | \$468 | +\$48 | +\$26 | +\$150 | +\$355 | +\$708 |
| D | between one height | INBW3053.5 | 53.5" | 30" | \$526 | +\$54 | +\$27 | +\$169 | +\$359 | +\$717 |
| | adjustable and one | INBW3059.5 | 59.5" | 30" | \$587 | +\$60 | +\$30 | +\$188 | +\$362 | +\$723 |
| | fixed surface | INBW3071.5 | 71.5" | 30" | \$703 | +\$72 | +\$34 | +\$225 | +\$370 | +\$737 |
| | | INBW3083.5 | 83.5" | 30" | \$854 | +\$88 | +\$44 | +\$274 | +\$346 | +\$691 |
| | | INBW3095.5 | 95.5" | 30" | \$1007 | +\$103 | +\$51 | +\$323 | +\$329 | +\$656 |
| . w | 24" D Rectangular Top | INBW2441 | 41" | 24" | \$328 | +\$25 | +\$17 | +\$105 | +\$309 | +\$617 |
| | Middle Application, | INBW2447 | 47" | 24" | \$376 | +\$39 | +\$19 | +\$121 | +\$315 | +\$628 |
| D | between two height | INBW2453 | 53" | 24" | \$422 | +\$45 | +\$24 | +\$136 | +\$320 | +\$638 |
| | adjustable surfaces | INBW2459 | 59" | 24" | \$468 | +\$48 | +\$26 | +\$150 | +\$332 | +\$663 |
| | | INBW2471 | 71" | 24" | \$563 | +\$58 | +\$29 | +\$181 | +\$334 | +\$666 |
| | | INBW2483 INBW2495 | 83" 95" | 24" 24" | \$658 \$755 | +\$6 <i>7</i> +\$77 | +\$32 +\$38 | +\$211 +\$242 | +\$342 +\$347 | +\$682 +\$693 |
| | 00 D D = -t T | | | | | | | | | |
| . w | 30" D Rectangular Top | INBW3041 | 41" 47" | 30" | \$411 \$469 | +\$43 | +\$23 | +\$132 | +\$352 | +\$703 |
| | Middle Application, | INBW3047 | 47" | 30" | \$468 | +\$48 | +\$26 | +\$150 | +\$355 | +\$708 |
| D | between two height | INBW3053 | 53" | 30" | \$526 \$507 | +\$54 | +\$27 | +\$169 | +\$359 | +\$717 |
| | adjustable surfaces | INBW3059 | 59" | 30" | \$587 | +\$60 | +\$30 | +\$188 | +\$362 | +\$723 |
| | | INBW3071 | 71" | 30" | \$703 | +\$72 | +\$34 | +\$225 | +\$370 | +\$737 |
| | | | | | | | | | | |
| | | INBW3083 INBW3095 | 83" 95" | 30" 30" | \$854 \$1007 | +\$88 +\$103 | +\$44 +\$51 | +\$274 +\$323 | +\$346 +\$329 | +\$691 +\$656 |

Worksurfaces

Rectangular Tops
Full End Gable Application

General information

- Worksurfaces are to be specified with End Gable end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWE2442 in Nuform Woodgrain with Tapered Edge would be \$343 +\$36 +\$18

| Description | | Part number | Width | Depth | Nuform/ laminate/ base | Nuform woodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight |
|-------------|-----------------------|--------------|--------|-------|------------------------------|---------------------------------|-------------------|---------------------|---------------------|--------------------|
| . w | 24" D Rectangular Top | INBWEv2442 | 44.75" | 24" | \$343 | +\$36 | +\$18 | +\$110 | +\$324 | +\$647 |
| | Full End Gable | INBWE2448 | 50.75" | 24" | \$393 | +\$42 | +\$21 | +\$126 | +\$330 | +\$658 |
| D | Application | INBWE2454 | 56.75" | 24" | \$443 | +\$47 | +\$25 | +\$142 | +\$335 | +\$668 |
| · | | INBWE2460 | 62.75" | 24" | \$492 | +\$50 | +\$27 | +\$158 | +\$349 | +\$697 |
| | | INBWE2472 | 74.75" | 24" | \$592 | +\$61 | +\$30 | +\$190 | +\$351 | +\$700 |
| | | INBWE2484 | 86.75" | 24" | \$692 | +\$72 | +\$33 | +\$222 | +\$359 | +\$716 |
| | | INBWE2496 | 98.75" | 24" | \$793 | +\$80 | +\$40 | +\$254 | +\$365 | +\$728 |
| . w | 30" D Rectangular Top | INBWE3042 | 44.75" | 30" | \$431 | +\$45 | +\$24 | +\$138 | +\$370 | +\$738 |
| | Full End Gable | INBWE3048 | 50.75" | 30" | \$492 | +\$50 | +\$27 | +\$158 | +\$373 | +\$744 |
| D | Application | INBWE3054 | 56.75" | 30" | \$552 | +\$57 | +\$28 | +\$177 | +\$378 | +\$754 |
| | | INBWE3060 | 62.75" | 30" | \$616 | +\$63 | +\$31 | +\$198 | +\$380 | +\$758 |
| | | INBWE3072 | 74.75" | 30" | \$738 | +\$75 | +\$36 | +\$237 | +\$388 | +\$774 |
| | | INBWE3084 | 86.75" | 30" | \$898 | +\$92 | +\$46 | +\$288 | +\$363 | +\$724 |
| | | INBWE3096 | 98.75" | 30" | \$1056 | +\$109 | +\$54 | +\$338 | +\$346 | +\$691 |
| . w | 36" D Rectangular Top | INBWE3642 | 44.75" | 36" | \$499 | +\$50 | +\$76 | +\$160 | +\$430 | +\$857 |
| | Full End Gable | INBWE3648 | 50.75" | 36" | \$569 | +\$60 | +\$87 | +\$183 | +\$443 | +\$886 |
| D | Application | INBWE3654 | 56.75" | 36" | \$640 | +\$66 | +\$97 | +\$205 | +\$448 | +\$895 |
| | | INBWE3660 | 62.75" | 36" | \$715 | +\$74 | +\$107 | +\$229 | +\$477 | +\$951 |
| | | INBWE3672 | 74.75" | 36" | \$854 | +\$85 | +\$116 | +\$274 | +\$490 | +\$977 |
| . w | 24" D Rectangular Top | INBWE2444.25 | 44.25" | 24" | \$343 | +\$36 | +\$18 | +\$110 | +\$324 | +\$647 |
| | Full End Gable | INBWE2450.25 | 50.25" | 24" | \$393 | +\$42 | +\$21 | +\$126 | +\$330 | +\$658 |
| D | Application, beside | INBWE2456.25 | 56.25" | 24" | \$443 | +\$47 | +\$25 | +\$142 | +\$335 | +\$668 |
| | one height adjustable | INBWE2462.25 | 62.25" | 24" | \$492 | +\$50 | +\$27 | +\$158 | +\$349 | +\$697 |
| | surface | INBWE2474.25 | 74.25" | 24" | \$592 | +\$61 | +\$30 | +\$190 | +\$351 | +\$700 |
| | | INBWE2486.25 | 86.25" | 24" | \$692 | +\$72 | +\$33 | +\$222 | +\$359 | +\$716 |
| | | INBWE2498.25 | 98.25" | 24" | \$793 | +\$80 | +\$40 | +\$254 | +\$365 | +\$728 |
| | 30" D Rectangular Top | INBWE3044.25 | 44.25" | 30" | \$431 | +\$45 | +\$24 | +\$138 | +\$370 | +\$738 |
| . w | Full End Gable | INBWE3050.25 | 50.25" | 30" | \$492 | +\$50 | +\$27 | +\$158 | +\$373 | +\$744 |
| | Application, beside | INBWE3056.25 | 56.25" | 30" | \$552 | +\$57 | +\$28 | +\$177 | +\$378 | +\$754 |
| D | one height adjustable | INBWE3062.25 | 62.25" | 30" | \$616 | +\$63 | +\$31 | +\$198 | +\$380 | +\$758 |
| | surface | INBWE3074.25 | 74.25" | 30" | \$738 | +\$75 | +\$36 | +\$237 | +\$388 | +\$774 |
| | | INBWE3086.25 | 86.25" | 30" | \$898 | +\$92 | +\$46 | +\$288 | +\$363 | +\$724 |
| | | INBWE3098.25 | 98.25" | 30" | \$1056 | +\$109 | +\$54 | +\$338 | +\$346 | +\$691 |
| | | | | | | | | | | |



Worksurfaces

Rectangular Tops Open End Leg Application

General information

- Worksurfaces are to be specified with Open End Leg end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWO2442 in Nuform Woodgrain with Tapered Edge would be \$343 +\$36 +\$18

| Description | | Part number | Width | Depth | Nuform/ laminate/ base | Nuform woodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight |
|--------------|-----------------------|--------------|---------|-------|------------------------------|---------------------------------|-------------------|---------------------|---------------------|--------------------|
| | 24" D Rectangular Top | INBWO2442 | 44.036" | 24" | \$343 | +\$36 | +\$18 | +\$110 | +\$324 | +\$647 |
| , w | Open End Leg | INBWO2448 | 50.036" | 24" | \$393 | +\$42 | +\$21 | +\$126 | +\$330 | +\$658 |
| D | Application | INBWO2454 | 56.036" | 24" | \$443 | +\$47 | +\$25 | +\$142 | +\$335 | +\$668 |
| ⁰ | • • | INBWO2460 | 62.036" | 24" | \$492 | +\$50 | +\$27 | +\$158 | +\$349 | +\$697 |
| | | INBWO2472 | 74.036" | 24" | \$592 | +\$61 | +\$30 | +\$190 | +\$351 | +\$700 |
| | | INBWO2484 | 86.036" | 24" | \$692 | +\$72 | +\$33 | +\$222 | +\$359 | +\$716 |
| | | INBWO2496 | 98.036" | 24" | \$793 | +\$80 | +\$40 | +\$254 | +\$365 | +\$728 |
| . w | 30" D Rectangular Top | INBWO3042 | 44.036" | 30" | \$431 | +\$45 | +\$24 | +\$138 | +\$370 | +\$738 |
| | Open End Leg | INBWO3048 | 50.036" | 30" | \$492 | +\$50 | +\$27 | +\$158 | +\$373 | +\$744 |
| D | Application | INBWO3054 | 56.036" | 30" | \$552 | +\$57 | +\$28 | +\$177 | +\$378 | +\$754 |
| | | INBWO3060 | 62.036" | 30" | \$616 | +\$63 | +\$31 | +\$198 | +\$380 | +\$758 |
| | | INBWO3072 | 74.036" | 30" | \$738 | +\$75 | +\$36 | +\$237 | +\$388 | +\$774 |
| | | INBWO3084 | 86.036" | 30" | \$898 | +\$92 | +\$46 | +\$288 | +\$363 | +\$724 |
| | | INBWO3096 | 98.036" | 30" | \$1056 | +\$109 | +\$54 | +\$338 | +\$346 | +\$691 |
| . w | 36" D Rectangular Top | INBWO3642 | 44.036" | 36" | \$499 | +\$50 | +\$76 | +\$160 | +\$430 | +\$857 |
| | Open End Leg | INBWO3648 | 50.036" | 36" | \$569 | +\$60 | +\$87 | +\$183 | +\$443 | +\$886 |
| D | Application | INBWO3654 | 56.036" | 36" | \$640 | +\$66 | +\$97 | +\$205 | +\$448 | +\$895 |
| | | INBWO3660 | 62.036" | 36" | \$715 | +\$74 | +\$107 | +\$229 | +\$477 | +\$951 |
| | | INBWO3672 | 74.036" | 36" | \$854 | +\$85 | +\$116 | +\$274 | +\$490 | +\$977 |
| . w | 24" D Rectangular Top | INBWO2443.53 | 43.536" | 24" | \$343 | +\$36 | +\$18 | +\$110 | +\$324 | +\$647 |
| | Open End Leg | INBWO2449.53 | 49.536" | 24" | \$393 | +\$42 | +\$21 | +\$126 | +\$330 | +\$658 |
| D | Application, beside | INBWO2455.53 | 55.536" | 24" | \$443 | +\$47 | +\$25 | +\$142 | +\$335 | +\$668 |
| · | one height adjustable | INBWO2461.53 | 61.536" | 24" | \$492 | +\$50 | +\$27 | +\$158 | +\$349 | +\$697 |
| | surface | INBWO2473.53 | 73.536" | 24" | \$592 | +\$61 | +\$30 | +\$190 | +\$351 | +\$700 |
| | | INBWO2485.53 | 85.536" | 24" | \$692 | +\$72 | +\$33 | +\$222 | +\$359 | +\$716 |
| | | INBWO2497.53 | 97.536" | 24" | \$793 | +\$80 | +\$40 | +\$254 | +\$365 | +\$728 |
| | 30" D Rectangular Top | INBWO3043.53 | 43.536" | 30" | \$431 | +\$45 | +\$24 | +\$138 | +\$370 | +\$738 |
| . w | Open End Leg | INBWO3049.53 | 49.536" | 30" | \$492 | +\$50 | +\$27 | +\$158 | +\$373 | +\$744 |
| | Application, beside | INBWO3055.53 | 55.536" | 30" | \$552 | +\$57 | +\$28 | +\$177 | +\$378 | +\$754 |
| D | one height adjustable | INBWO3061.53 | 61.536" | 30" | \$616 | +\$63 | +\$31 | +\$198 | +\$380 | +\$758 |
| | surface | INBWO3073.53 | 73.536" | 30" | \$738 | +\$75 | +\$36 | +\$237 | +\$388 | +\$774 |
| | 36/1400 | INBWO3085.53 | 85.536" | 30" | \$898 | +\$92 | +\$46 | +\$288 | +\$363 | +\$724 |
| | | INBWO3097.53 | 97.536" | 30" | \$1056 | +\$109 | +\$54 | +\$338 | +\$346 | +\$691 |
| | | | | | | | | | | |

US Price List | April 2018

Worksurfaces

Rectangular Tops End Storage Application

General information

- Worksurfaces are to be specified when storage is being used as end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWF2442 in Nuform Woodgrain with Tapered Edge would be \$343 +\$36 +\$18

| Description | Part number | Width | Depth | Nuform/ laminate/ base | Nuform woodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight |
|-----------------------|-------------|-------|-------|------------------------------|---------------------------------|-------------------|---------------------|---------------------|--------------------|
| 24" D Rectangular Top | INBWF2442 | 42.3" | 24" | \$343 | +\$36 | +\$18 | +\$110 | +\$324 | +\$647 |
| End Storage | INBWF2448 | 48.3" | 24" | \$393 | +\$42 | +\$21 | +\$126 | +\$330 | +\$658 |
| Application | INBWF2454 | 54.3" | 24" | \$443 | +\$47 | +\$25 | +\$142 | +\$335 | +\$668 |
| | INBWF2460 | 60.3" | 24" | \$492 | +\$50 | +\$27 | +\$158 | +\$349 | +\$697 |
| | INBWF2472 | 72.3" | 24" | \$592 | +\$61 | +\$30 | +\$190 | +\$351 | +\$700 |
| | INBWF2484 | 84.3" | 24" | \$692 | +\$72 | +\$33 | +\$222 | +\$359 | +\$716 |
| | INBWF2496 | 96.3" | 24" | \$793 | +\$80 | +\$40 | +\$254 | +\$365 | +\$728 |
| 30" D Rectangular Top | INBWF3042 | 42.3" | 30" | \$431 | +\$45 | +\$24 | +\$138 | +\$370 | +\$738 |
| End Storage | INBWF3048 | 48.3" | 30" | \$492 | +\$50 | +\$27 | +\$158 | +\$373 | +\$744 |
| Application | INBWF3054 | 54.3" | 30" | \$552 | +\$57 | +\$28 | +\$177 | +\$378 | +\$754 |
| р | INBWF3060 | 60.3" | 30" | \$616 | +\$63 | +\$31 | +\$198 | +\$380 | +\$758 |
| | INBWF3072 | 72.3" | 30" | \$738 | +\$75 | +\$36 | +\$237 | +\$388 | +\$774 |
| | INBWF3084 | 84.3" | 30" | \$898 | +\$92 | +\$46 | +\$288 | +\$363 | +\$724 |
| | INBWF3096 | 96.3" | 30" | \$1056 | +\$109 | +\$54 | +\$338 | +\$346 | +\$691 |
| 36" D Rectangular Top | INBWF3642 | 42.3" | 36" | \$499 | +\$50 | +\$76 | +\$160 | +\$430 | +\$857 |
| End Storage | INBWF3648 | 48.3" | 36" | \$569 | +\$60 | +\$87 | +\$183 | +\$443 | +\$886 |
| Application | INBWF3654 | 54.3" | 36" | \$640 | +\$66 | +\$97 | +\$205 | +\$448 | +\$895 |
| р | INBWF3660 | 60.3" | 36" | \$715 | +\$74 | +\$107 | +\$229 | +\$477 | +\$951 |
| | INBWF3672 | 72.3" | 36" | \$854 | +\$85 | +\$116 | +\$274 | +\$490 | +\$977 |



Worksurfaces

Electrical Access Worksurface
Middle Application

General information

- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- Laminate & Veneer only Nuform not available
- 84" and 96" worksurfaces require same support as two surfaces
- See Inscape Bench Application Guide for cut-out placement and quantities on various widths
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWEA2448 in Veneer would be \$750 +\$1255

| Description | | Part number | Width | Depth | Laminate/ base | Grade 1 laminate | Grade 2 laminate | Veneer |
|-------------|-------------------------------|-------------|-------|-------|-------------------|---------------------|---------------------|---------|
| | 24" D Rectangvular Electrical | INBWEA2448 | 48" | 24" | \$750 | +\$240 | +\$629 | +\$1255 |
| | Access Worksurface | INBWEA2454 | 54" | 24" | \$843 | +\$270 | +\$638 | +\$1273 |
| | Middle Application | INBWEA2460 | 60" | 24" | \$936 | +\$300 | +\$663 | +\$1325 |
| | P.P. | INBWEA2472 | 72" | 24" | \$1125 | +\$360 | +\$666 | +\$1331 |
| | | INBWEA2484 | 84" | 24" | \$1318 | +\$422 | +\$683 | +\$1364 |
| | | INBWEA2496 | 96" | 24" | \$1511 | +\$484 | +\$692 | +\$1382 |
| | 30" D Rectangular Electrical | INBWEA3048 | 48" | 30" | \$936 | +\$300 | +\$709 | +\$1416 |
| | Access Worksurface | INBWEA3054 | 54" | 30" | \$1051 | +\$337 | +\$717 | +\$1434 |
| | Middle Application | INBWEA3060 | 60" | 30" | \$1173 | +\$376 | +\$723 | +\$1445 |
| | | INBWEA3072 | 72" | 30" | \$1404 | +\$450 | +\$738 | +\$1474 |
| | | INBWEA3084 | 84" | 30" | \$1706 | +\$546 | +\$690 | +\$1378 |
| | | INBWEA3096 | 96" | 30" | \$2011 | +\$644 | +\$656 | +\$1312 |
| | 36" D Rectangular Electrical | INBWEA3648 | 48" | 36" | \$1136 | +\$364 | +\$817 | +\$1632 |
| | Access Worksurface | INBWEA3654 | 54" | 36" | \$1279 | +\$410 | +\$823 | +\$1644 |
| | Middle Application | INBWEA3660 | 60" | 36" | \$1429 | +\$458 | +\$871 | +\$1742 |
| | | INBWEA3672 | 72" | 36" | \$1706 | +\$546 | +\$892 | +\$1782 |

US Price List | April 2018 Bench | 279

Worksurfaces

Electrical Access Worksurface Full End Gable Application

General information

- Worksurfaces are to be specified when Full End Gable are used as end support
- Laminate & Veneer only Nuform not available
- 84" and 96" worksurfaces require same support as two surfaces
- See Inscape Bench Application Guide for cut-out placement and quantities on various widths
- Place left hand version if end support is on left side, place right hand version if end support is on right side
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWEAEL2448 in Veneer would be \$788 +\$1318

| Description | | Part number | Width | Depth | Laminate/ base | Grade 1 | Grade 2 | Veneer |
|-------------|------------------------------|-----------------------------|--------|-------|-------------------|---------|--------------|-------------|
| | 24" D Rectangular Electrical | INBWEAEL2448 | 50.75" | 24" | \$788 | +\$253 | +\$659 | +\$1318 |
| | Access Worksurface | INBWEAEL2454 | 56.75" | 24" | \$885 | +\$284 | +\$669 | +\$1338 |
| 8 8 | Full End Gable Application | INBWEAEL2460 | 62.75" | 24" | \$982 | +\$315 | +\$697 | +\$1392 |
| | ruii Liid Gable Application | INBWEAEL2472 | 74.75" | 24" | \$1181 | +\$378 | +\$700 | +\$1398 |
| | | INBWEAEL2484 | 86.75" | 24" | \$1383 | +\$443 | +\$716 | +\$1432 |
| | | INBWEAEL2496 | 98.75" | 24" | \$1586 | +\$508 | +\$727 | +\$1452 |
| | | left-handed | 30.73 | 24 | Ψ1300 | +ψ500 | ΤΨΙΖΙ | τψ143Z |
| | | INBWEAER2448 | 50.75" | 24" | \$788 | +\$253 | +\$659 | +\$1318 |
| | | INBWEAER2454 | 56.75" | 24" | \$885 | +\$284 | +\$669 | +\$1338 |
| | | INBWEAER2460 | 62.75" | 24" | \$982 | +\$315 | +\$697 | +\$1392 |
| | | INBWEAER2472 | 74.75" | 24" | \$1181 | +\$378 | +\$700 | +\$1398 |
| | | INBWEAER2484 | 86.75" | 24" | \$1383 | +\$443 | +\$716 | +\$1432 |
| | | INBWEAER2496 | 98.75" | 24" | \$1586 | +\$508 | +\$710 | +\$1452 |
| | | right-handed | 90.73 | 24 | Ψ1300 | +ψ500 | ΤΨΙΖΙ | τψ143Z |
| | 30" D Rectangular Electrical | INBWEAEL3048 | 50.75" | 30" | \$982 | +\$315 | +\$744 | +\$1486 |
| | Access Worksurface | INBWEAEL3054 | 56.75" | 30" | \$1103 | +\$353 | +\$754 | +\$1507 |
| | Full End Gable Application | INBWEAEL3060 | 62.75" | 30" | \$1232 | +\$395 | +\$759 | +\$1517 |
| | • • | INBWEAEL3072 | 74.75" | 30" | \$1474 | +\$472 | +\$774 | +\$1546 |
| | | INBWEAEL3084 | 86.75" | 30" | \$1791 | +\$574 | +\$724 | +\$1448 |
| | | INBWEAEL3096 | 98.75" | 30" | \$2113 | +\$677 | +\$690 | +\$1377 |
| | | left-handed | | | | | | |
| | | INBWEAER3048 | 50.75" | 30" | \$982 | +\$315 | +\$744 | +\$1486 |
| | | INBWEAER3054 | 56.75" | 30" | \$1103 | +\$353 | +\$754 | +\$1507 |
| | | INBWEAER3060 | 62.75" | 30" | \$1232 | +\$395 | +\$759 | +\$1517 |
| | | INBWEAER3072 | 74.75" | 30" | \$1474 | +\$472 | +\$774 | +\$1546 |
| | | INBWEAER3084 | 86.75" | 30" | \$1791 | +\$574 | +\$724 | +\$1448 |
| | | INBWEAER3096 | 98.75" | 30" | \$2113 | +\$677 | +\$690 | +\$1377 |
| | | right-handed | | | | | | |
| | 36" D Rectangular Electrical | INBWEAEL3648 | 50.75" | 36" | \$1136 | +\$364 | +\$886 | +\$1770 |
| | Access Worksurface | INBWEAEL3654 | 56.75" | 36" | \$1279 | +\$410 | +\$896 | +\$1789 |
| | Full End Gable Application | INBWEAEL3660 | 62.75" | 36" | \$1429 | +\$458 | +\$951 | +\$1900 |
| | | INBWEAEL3672 left-handed | 74.75" | 36" | \$1706 | +\$546 | +\$978 | +\$1955 |
| | | INBWEAER3648 | 50.75" | 36" | \$1136 | +\$364 | +\$886 | +\$1770 |
| | | INBWEAER3654 | 56.75" | 36" | \$1279 | +\$410 | +\$896 | +\$1789 |
| | | INBWEAER3660 | 62.75" | 36" | \$1429 | +\$458 | +\$951 | +\$1900 |
| | | INBWEAER3672 | 74.75" | 36" | \$1706 | +\$546 | +\$978 | +\$1955 |
| | | right-handed | 0 | 00 | ψσσ | 14010 | 14010 | . ψ ι σ σ σ |
| | | J | | | | | | |



Worksurfaces

Electrical Access Worksurface Open End Leg Application

General information

- Worksurfaces are to be specified when Open End Legs are used as end support
- Laminate & Veneer only Nuform not available
- 84" and 96" worksurfaces require same support as two surfaces
- See Inscape Bench Application Guide for cut-out placement and quantities on various widths
- Place left hand version if end support is on left side, place right hand version if end support is on right side
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWEAOL2448 in Veneer would be \$788 +\$1318

| Description | | Part number | Width | Depth | Laminate/ base | Grade 1 | Grade 2 laminate | Veneer |
|-------------|------------------------------|-----------------------------|---------|-------|-------------------|---------|---------------------|---------|
| | 24" D Rectangular Electrical | INBWEAOL2448 | 50.036" | 24" | \$788 | +\$253 | +\$659 | +\$1318 |
| | Access Worksurface | INBWEAOL2454 | 56.036" | 24" | \$885 | +\$284 | +\$669 | +\$1338 |
| | Open End Leg Application | INBWEAOL2460 | 62.036" | 24" | \$982 | +\$315 | +\$697 | +\$1392 |
| | Open End Log Application | INBWEAOL2472 | 74.036" | 24" | \$1181 | +\$378 | +\$700 | +\$1398 |
| | | INBWEAOL2484 | 86.036" | 24" | \$1383 | +\$443 | +\$716 | +\$1432 |
| | | INBWEAOL2496 | 98.036" | 24" | \$1586 | +\$508 | +\$727 | +\$1452 |
| | | left-handed | | | ****** | | . • | |
| | | INBWEAOR2448 | 50.036" | 24" | \$788 | +\$253 | +\$659 | +\$1318 |
| | | INBWEAOR2454 | 56.036" | 24" | \$885 | +\$284 | +\$669 | +\$1338 |
| | | INBWEAOR2460 | 62.036" | 24" | \$982 | +\$315 | +\$697 | +\$1392 |
| | | INBWEAOR2472 | 74.036" | 24" | \$1181 | +\$378 | +\$700 | +\$1398 |
| | | INBWEAOR2484 | 86.036" | 24" | \$1383 | +\$443 | +\$716 | +\$1432 |
| | | INBWEAOR2496 | 98.036" | 24" | \$1586 | +\$508 | +\$727 | +\$1452 |
| | | right-handed | | | | | | |
| | 30" D Rectangular Electrical | INBWEAOL3048 | 50.036" | 30" | \$982 | +\$315 | +\$744 | +\$1486 |
| | Access Worksurface | INBWEAOL3054 | 56.036" | 30" | \$1103 | +\$353 | +\$754 | +\$1507 |
| | Open End Leg Application | INBWEAOL3060 | 62.036" | 30" | \$1232 | +\$395 | +\$759 | +\$1517 |
| | | INBWEAOL3072 | 74.036" | 30" | \$1474 | +\$472 | +\$774 | +\$1546 |
| | | INBWEAOL3084 | 86.036" | 30" | \$1791 | +\$574 | +\$724 | +\$1448 |
| | | INBWEAOL3096 left-handed | 98.036" | 30" | \$2113 | +\$677 | +\$690 | +\$1377 |
| | | INBWEAOR3048 | 50.036" | 30" | \$982 | +\$315 | +\$744 | +\$1486 |
| | | INBWEAOR3054 | 56.036" | 30" | \$1103 | +\$353 | +\$754 | +\$1507 |
| | | INBWEAOR3060 | 62.036" | 30" | \$1232 | +\$395 | +\$759 | +\$1517 |
| | | INBWEAOR3072 | 74.036" | 30" | \$1474 | +\$472 | +\$774 | +\$1546 |
| | | INBWEAOR3084 | 86.036" | 30" | \$1791 | +\$574 | +\$724 | +\$1448 |
| | | INBWEAOR3096 right-handed | 98.036" | 30" | \$2113 | +\$677 | +\$690 | +\$1377 |
| | 36" D Rectangular Electrical | INBWEAOL3648 | 50.036" | 36" | \$1136 | +\$364 | +\$886 | +\$1770 |
| | Access Worksurface | INBWEAOL3654 | 56.036" | 36" | \$1279 | +\$410 | +\$896 | +\$1789 |
| | Open End Leg Application | INBWEAOL3660 | 62.036" | 36" | \$1429 | +\$458 | +\$951 | +\$1900 |
| | opon zna zog / ippnoanon | INBWEAOL3672 | 74.036" | 36" | \$1706 | +\$546 | +\$978 | +\$1955 |
| | | left-handed | | | Ţ 2 | . +2 | | + |
| | | INBWEAOR3648 | 50.036" | 36" | \$1136 | +\$364 | +\$886 | +\$1770 |
| | | INBWEAOR3654 | 56.036" | 36" | \$1279 | +\$410 | +\$896 | +\$1789 |
| | | INBWEAOR3660 | 62.036" | 36" | \$1429 | +\$458 | +\$951 | +\$1900 |
| | | INBWEAOR3672 right-handed | 74.036" | 36" | \$1706 | +\$546 | +\$978 | +\$1955 |

US Price List | April 2018 Bench | 281

Worksurfaces

Perpendicular worksurface

General information

- Rectangular Curved worksurfaces have curved back corners and straight 90° front corners
- Stretcher bars are included with all perpendicular worksurfaces
- The curved rectangular perpendicular worksurface will overhang 4.5" from the spine end line
- The straight rectangular perpendicular worksurfaces will overhang .300" from the spine end line which will bring it flush with the end trim
- The shared worksurface is not available with a tapered edge and freestanding end support legs must be specified separately

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWCP2448 in Nuform Woodgrain with Tapered Edge would be \$376 +\$39 +\$19

| Description | | Part number | Width | Depth | Nuform/ laminate/ base | Nuform woodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate |
|-------------|--------------------------|--------------|-------|-------|------------------------------|---------------------------------|-------------------|---------------------|---------------------|
| | | | | | | | | | |
| | Curved Rectangular | INBWCP2448 | 48" | 24" | \$376 | +\$39 | +\$19 | +\$120 | +\$309 |
| | Perpendicular | INBWCP2454 | 54" | 24" | \$422 | +\$45 | +\$24 | +\$139 | +\$320 |
| | Worksurface | INBWCP2460 | 60" | 24" | \$468 | +\$48 | +\$26 | +\$149 | +\$332 |
| | with back curved corners | INBWCP3048 | 48" | 30" | \$468 | +\$48 | +\$26 | +\$149 | +\$355 |
| | | INBWCP3054 | 54" | 30" | \$526 | +\$54 | +\$27 | +\$167 | +\$359 |
| | | INBWCP3060 | 60" | 30" | \$587 | +\$60 | +\$30 | +\$186 | +\$362 |
| | Straight Rectangular | INBWSP2448 | 48" | 24" | \$376 | +\$39 | +\$19 | +\$120 | +\$315 |
| | Perpendicular | INBWSP2454 | 54" | 24" | \$422 | +\$45 | +\$24 | +\$139 | +\$320 |
| | Worksurface | INBWSP2460 | 60" | 24" | \$468 | +\$48 | +\$26 | +\$149 | +\$332 |
| | | INBWSP3048 | 48" | 30" | \$468 | +\$48 | +\$26 | +\$149 | +\$355 |
| | | INBWSP3054 | 54" | 30" | \$526 | +\$54 | +\$27 | +\$167 | +\$359 |
| | | INBWSP3060 | 60" | 30" | \$587 | +\$60 | +\$30 | +\$186 | +\$362 |
| | Straight Rectangular | INBWSHSP3048 | 48" | 30" | \$468 | +\$48 | _ | +\$149 | +\$355 |
| | Shared Worksurface | INBWSHSP3054 | 54" | 30" | \$526 | +\$54 | _ | +\$167 | +\$359 |
| | | INBWSHSP3060 | 60" | 30" | \$587 | +\$60 | _ | +\$186 | +\$362 |
| | | INBWSHSP3648 | 48" | 36" | \$541 | +\$57 | _ | +\$177 | +\$423 |
| | | INBWSHSP3654 | 54" | 36" | \$609 | +\$63 | _ | +\$195 | +\$428 |
| | | INBWSHSP3660 | 60" | 36" | \$682 | +\$71 | _ | +\$218 | +\$453 |



General information

- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- 24"d worksurfaces have a front dimension of 38"
- 30"d worksurfaces have a front dimension of 32"
- Specific worksurfaces must be used in specific applications based on location and end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWVM363624 in Veneer would be \$469 +\$1053

| Description | | Part number | Width | Depth | Nuform/ laminate | Nuform woodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight |
|-------------|--------------------|--------------|-------|-------|---------------------|---------------------------------|-------------------|---------------------|---------------------|--------------------|
| | 24" D 120° | INBWVM363624 | 36" | 23" | \$469 | +\$46 | +\$26 | +\$151 | +\$527 | +\$1053 |
| / / | Worksurface | INBWVM424224 | 42" | 23" | \$668 | +\$67 | +\$35 | +\$214 | +\$592 | +\$1183 |
| | Middle Application | INBWVM484824 | 48" | 23" | \$818 | +\$83 | +\$40 | +\$262 | +\$698 | +\$1394 |
| | | INBWVM545424 | 54" | 23" | \$904 | _ | _ | +\$290 | _ | +\$1728 |
| | | INBWVM606024 | 60" | 23" | \$1138 | _ | _ | +\$365 | _ | +\$2177 |
| | 30" D 120° | INBWVM363630 | 36" | 29" | \$580 | +\$58 | +\$29 | +\$186 | +\$555 | +\$1109 |
| / / | Worksurface | INBWVM424230 | 42" | 29" | \$702 | +\$71 | +\$35 | +\$225 | +\$671 | +\$1341 |
| | Middle Application | INBWVM484830 | 48" | 29" | \$846 | _ | _ | +\$271 | _ | +\$1616 |
| | | INBWVM545430 | 54" | 29" | \$989 | _ | _ | +\$317 | _ | +\$1887 |
| | | INBWVM606030 | 60" | 29" | \$1239 | _ | _ | +\$397 | _ | +\$2371 |

US Price List | April 2018 Bench | 283

Worksurfaces

120° Worksurface Full End Gable Application

General information

- Worksurfaces are to be specified when Full End Gable are used as end support
- 24"d worksurfaces have a front dimension of 38"
- 30"d worksurfaces have a front dimension of 32"
- Specific worksurfaces must be used in specific applications based on location and end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWVLHE363624 in Veneer would be \$493 +\$1124

| Description | | Part number | Width | Depth | Nuform/ laminate v | Nuform voodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight |
|-------------|-------------------|-------------------------------|-------|-------|-----------------------|---------------------------------|-------------------|---------------------|---------------------|--------------------|
| | 24" D 120° | INBWVLHE363624 | 36" | 23" | \$493 | +\$49 | +\$26 | +\$158 | +\$563 | +\$1124 |
| | Worksurface | INBWVLHE424224 | 42" | 23" | \$702 | +\$71 | +\$35 | +\$225 | +\$629 | +\$1256 |
| | Full End Gable | INBWVLHE484824 | 48" | 23" | \$858 | +\$85 | +\$43 | +\$275 | +\$734 | +\$1467 |
| | Application | INBWVLHE545424 | 54" | 23" | \$950 | _ | _ | +\$304 | _ | +\$1809 |
| | | INBWVLHE606024 left-handed | 60" | 23" | \$1197 | _ | - | +\$384 | - | +\$2268 |
| | | INBWVRHE363624 | 36" | 23" | \$493 | +\$49 | +\$26 | +\$158 | +\$563 | +\$1124 |
| | | INBWVRHE424224 | 42" | 23" | \$702 | +\$71 | +\$35 | +\$225 | +\$629 | +\$1256 |
| | | INBWVRHE484824 | 48" | 23" | \$858 | +\$85 | +\$43 | +\$275 | +\$734 | +\$1467 |
| | | INBWVRHE545424 | 54" | 23" | \$950 | _ | _ | +\$304 | _ | +\$1809 |
| | | INBWVRHE606024 right-handed | 60" | 23" | \$1197 | _ | _ | +\$384 | _ | +\$2268 |
| | 30" D 120° | INBWVLHE363630 | 36" | 29" | \$608 | +\$61 | +\$31 | +\$195 | +\$592 | +\$1182 |
| | Worksurface | INBWVLHE424230 | 42" | 29" | \$737 | +\$74 | +\$37 | +\$236 | +\$710 | +\$1418 |
| | Full End Gable | INBWVLHE484830 | 48" | 29" | \$888 | _ | _ | +\$285 | _ | +\$1697 |
| | Application | INBWVLHE545430 | 54" | 29" | \$1039 | _ | _ | +\$333 | _ | +\$1970 |
| | | INBWVLHE606030 left-handed | 60" | 29" | \$1302 | - | _ | +\$417 | _ | +\$2466 |
| | | INBWVRHE363630 | 36" | 29" | \$608 | +\$61 | +\$31 | +\$195 | +\$592 | +\$1182 |
| | | INBWVRHE424230 | 42" | 29" | \$737 | +\$74 | +\$37 | +\$236 | +\$710 | +\$1418 |
| | | INBWVRHE484830 | 48" | 29" | \$888 | _ | _ | +\$285 | _ | +\$1697 |
| | | INBWVRHE545430 | 54" | 29" | \$1039 | _ | _ | +\$333 | _ | +\$1970 |
| | | INBWVRHE606030 right-handed | 60" | 29" | \$1302 | - | _ | +\$417 | - | +\$2466 |
| | 24" D 120° | INBWVDE363624 | 36" | 23" | \$516 | +\$51 | +\$27 | +\$166 | | +\$1196 |
| / / | Worksurface | INBWVDE424224 | 42" | 23" | \$735 | +\$74 | +\$36 | +\$236 | | +\$1327 |
| | Double Full End | INBWVDE484824 | 48" | 23" | \$900 | +\$89 | +\$45 | +\$288 | +\$771 | +\$1541 |
| ~ | Gable Application | INBWVDE545424 | 54" | 23" | \$994 | _ | _ | +\$319 | _ | +\$1891 |
| | | INBWVDE606024 | 60" | 23" | \$1254 | _ | _ | +\$402 | | +\$2361 |
| | 30" D 120° | INBWVDE363630 | 36" | 29" | \$638 | +\$63 | +\$32 | +\$205 | | +\$1255 |
| | Worksurface | INBWVDE424230 | 42" | 29" | \$772 | +\$77 | +\$38 | +\$248 | • | +\$1494 |
| | Double Full End | INBWVDE484830 | 48" | 29" | \$930 | _ | _ | +\$298 | _ | +\$1777 |
| | Gable Application | INBWVDE545430 | 54" | 29" | \$1088 | _ | _ | +\$349 | _ | +\$2051 |
| | | INBWVDE606030 | 60" | 29" | \$1365 | _ | _ | +\$437 | _ | +\$2559 |



Worksurfaces 120° Worksurface Open End Leg Application

General information

- Worksurfaces are to be specified when Open End Legs are used as end support
- 24"d worksurfaces have a front dimension of 38"
- 30"d worksurfaces have a front dimension of 32"
- Specific worksurfaces must be used in specific applications based on location and end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWVLHO363624 in Veneer would be \$493 +\$1124

| Description | | Part number | Width | Depth | Nuform/ laminate | Nuform oodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight |
|-------------|-----------------|--------------------------------|-------|-------|---------------------|--------------------------------|-------------------|---------------------|---------------------|--------------------|
| | 24" D 120° | INBWVLHO363624 | 36" | 23" | \$493 | +\$49 | +\$25 | +\$158 | | +\$1124 |
| / / | Worksurface | INBWVLHO424224 | 42" | 23" | \$702 | +\$71 | +\$35 | +\$225 | +\$629 | |
| | Open End Leg | INBWVLHO484824 | 48" | 23" | \$858 | +\$85 | +\$43 | +\$275 | +\$734 | +\$1467 |
| | Application | INBWVLHO545424 | 54" | 23" | \$950 | _ | _ | +\$304 | _ | +\$1809 |
| | | INBWVLHO606024 left-handed | 60" | 23" | \$1197 | _ | _ | +\$384 | _ | +\$2268 |
| | | INBWVRHO363624 | 36" | 23" | \$493 | +\$49 | +\$26 | +\$158 | +\$563 | +\$1124 |
| | | INBWVRHO424224 | 42" | 23" | \$702 | +\$71 | +\$35 | +\$225 | +\$629 | +\$1256 |
| | | INBWVRHO484824 | 48" | 23" | \$858 | +\$85 | +\$43 | +\$275 | | +\$1467 |
| | | INBWVRHO545424 | 54" | 23" | \$950 | _ | _ | +\$304 | | +\$1809 |
| | | INBWVRHO606024 right-handed | 60" | 23" | \$1197 | _ | _ | +\$384 | _ | +\$2268 |
| | 30" D 120° | INBWVLHO363630 | 36" | 29" | \$608 | +\$61 | +\$31 | +\$195 | +\$592 | +\$1182 |
| / / | Worksurface | INBWVLHO424230 | 42" | 29" | \$737 | +\$74 | +\$37 | +\$236 | | +\$1418 |
| | Open End Leg | INBWVLHO484830 | 48" | 29" | \$888 | _ | _ | +\$285 | | +\$1697 |
| | Application | INBWVLHO545430 | 54" | 29" | \$1039 | _ | _ | +\$333 | | +\$1970 |
| | | INBWVLHO606030 left-handed | 60" | 29" | \$1302 | _ | _ | +\$417 | _ | +\$2466 |
| | | INBWVRHO363630 | 36" | 29" | \$608 | +\$61 | +\$31 | +\$195 | +\$592 | +\$1182 |
| | | INBWVRHO424230 | 42" | 29" | \$737 | +\$74 | +\$37 | +\$236 | +\$710 | +\$1418 |
| | | INBWVRHO484830 | 48" | 29" | \$888 | _ | _ | +\$285 | _ | +\$1697 |
| | | INBWVRHO545430 | 54" | 29" | \$1039 | _ | _ | +\$333 | _ | +\$1970 |
| | | INBWVRHO606030 right-handed | 60" | 29" | \$1302 | _ | _ | +\$417 | _ | +\$2466 |
| | 24" D 120° | INBWVDO363624 | 36" | 23" | \$516 | +\$51 | +\$27 | +\$166 | +\$598 | +\$1196 |
| / / | Worksurface | INBWVDO424224 | 42" | 23" | \$735 | +\$74 | +\$36 | +\$236 | +\$664 | +\$1327 |
| | Double Open End | INBWVDO484824 | 48" | 23" | \$900 | +\$89 | +\$45 | +\$288 | +\$771 | • |
| ~ | Leg Application | INBWVDO545424 | 54" | 23" | \$994 | _ | _ | +\$319 | _ | +\$1891 |
| | | INBWVDO606024 | 60" | 23" | \$1254 | _ | _ | +\$402 | _ | +\$2361 |
| | 30" D 120° | INBWVDO363630 | 36" | 29" | \$638 | +\$63 | +\$32 | +\$205 | | +\$1255 |
| / / | Worksurface | INBWVDO424230 | 42" | 29" | \$772 | +\$77 | +\$38 | +\$248 | +\$748 | +\$1494 |
| | Double Open End | INBWVDO484830 | 48" | 29" | \$930 | _ | _ | +\$298 | _ | +\$1777 |
| | Leg Application | INBWVDO545430 | 54" | 29" | \$1088 | _ | _ | +\$349 | _ | +\$2051 |
| | | INBWVDO606030 | 60" | 29" | \$1365 | _ | _ | +\$437 | _ | +\$2559 |

US Price List | April 2018

Worksurfaces

Height Adjustable Worksurface Manual Pneumatic

General information

- Specific worksurfaces must be used in specific applications based on location and end support
- This manual pneumatic height adjustable table has a lift capacity of 25lbs (includes worksurface)
- Height adjustment is 28.5" to 48.5"; a total range of 20"
- Base comes in silver only
- Tops are adjustable by a paddle in the front right of the worksurface
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- End units are ½" shorter in length and Middle units are ½" shorter on each end eliminating potential pinch points

- Only to be installed on Full Height Spine option with either full height end gable or open end leg
- See Inscape Bench Application Guide for more details
- Stretcher bars not required for Height Adjustable worksurfaces

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBEZ2436 in Veneer would be \$2108 +\$577

| Description | | Part number | Width | Depth | Nuform/ laminate | Nuform woodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight |
|--|--------------------|-------------|---------|---------|---------------------|---------------------------------|-------------------|---------------------|---------------------|--------------------|
| | 24" D Manual | INBEZ2436 | 35" | 23.675" | \$2108 | +\$33 | +\$16 | +\$675 | +\$289 | +\$577 |
| | Pneumatic | INBEZ2442 | 41" | 23.675" | \$2134 | +\$34 | +\$17 | +\$683 | +\$309 | +\$617 |
| | Height Adjustable | INBEZ2448 | 47" | 23.675" | \$2181 | +\$39 | +\$19 | +\$698 | +\$315 | +\$628 |
| TO THE REAL PROPERTY. | Worksurface | INBEZ2454 | 53" | 23.675" | \$2240 | +\$45 | +\$24 | +\$717 | +\$320 | +\$638 |
| | Middle Application | INBEZ2460 | 59" | 23.675" | \$2286 | +\$48 | +\$26 | +\$732 | +\$332 | +\$663 |
| | | INBEZ2472 | 71" | 23.675" | \$2721 | +\$58 | +\$29 | +\$871 | +\$334 | +\$666 |
| | 30" D Manual | INBEZ3036 | 35" | 29.675" | \$2185 | +\$33 | +\$16 | +\$700 | +\$332 | +\$662 |
| | Pneumatic | INBEZ3042 | 41" | 29.675" | \$2228 | +\$34 | +\$17 | +\$713 | +\$352 | +\$703 |
| | Height Adjustable | INBEZ3048 | 47" | 29.675" | \$2286 | +\$39 | +\$19 | +\$732 | +\$355 | +\$708 |
| TREETE | Worksurface | INBEZ3054 | 53" | 29.675" | \$2580 | +\$45 | +\$24 | +\$826 | +\$359 | +\$717 |
| | Middle Application | INBEZ3060 | 59" | 29.675" | \$2641 | +\$48 | +\$26 | +\$846 | +\$362 | +\$723 |
| | | INBEZ3072 | 71" | 29.675" | \$2855 | +\$58 | +\$29 | +\$914 | +\$370 | +\$737 |
| | 24" D Manual | INBEZE2436 | 38.25" | 23.675" | \$2108 | +\$33 | +\$16 | +\$675 | +\$289 | +\$577 |
| | Pneumatic | INBEZE2442 | 44.25" | 23.675" | \$2134 | +\$34 | +\$17 | +\$683 | +\$309 | +\$617 |
| | Height Adjustable | INBEZE2448 | 50.25" | 23.675" | \$2181 | +\$39 | +\$19 | +\$698 | +\$315 | +\$628 |
| | Worksurface | INBEZE2454 | 56.25" | 23.675" | \$2240 | +\$45 | +\$24 | +\$717 | +\$320 | +\$638 |
| | Full End Gable | INBEZE2460 | 62.25" | 23.675" | \$2286 | +\$48 | +\$26 | +\$732 | +\$332 | +\$663 |
| 4 | Application | INBEZE2472 | 74.75" | 23.675" | \$2721 | +\$58 | +\$29 | +\$871 | +\$334 | +\$666 |
| | 30" D Manual | INBEZE3036 | 38.25" | 29.675" | \$2185 | +\$33 | +\$16 | +\$700 | +\$332 | +\$662 |
| | Pneumatic | INBEZE3042 | 44.25" | 29.675" | \$2228 | +\$34 | +\$17 | +\$713 | +\$352 | +\$703 |
| | Height Adjustable | INBEZE3048 | 50.25" | 29.675" | \$2286 | +\$39 | +\$19 | +\$732 | +\$355 | +\$708 |
| THE PERSON OF TH | Worksurface | INBEZE3054 | 56.25" | 29.675" | \$2580 | +\$45 | +\$24 | +\$826 | +\$359 | +\$717 |
| | Full End Gable | INBEZE3060 | 62.25" | 29.675" | \$2641 | +\$48 | +\$26 | +\$846 | +\$362 | +\$723 |
| | Application | INBEZE3072 | 74.75" | 29.675" | \$2855 | +\$58 | +\$29 | +\$914 | +\$370 | +\$737 |
| | 24" D Manual | INBEZOE2436 | 38.536" | 23.675" | \$2108 | +\$33 | +\$16 | +\$675 | +\$289 | +\$577 |
| | Pneumatic | INBEZOE2442 | 44.536" | 23.675" | \$2134 | +\$34 | +\$17 | +\$683 | +\$309 | +\$617 |
| | Height Adjustable | INBEZOE2448 | 50.536" | 23.675" | \$2181 | +\$39 | +\$19 | +\$698 | +\$315 | +\$628 |
| TO THE PERSON OF | Worksurface | INBEZOE2454 | 56.536" | 23.675" | \$2240 | +\$45 | +\$24 | +\$717 | +\$320 | +\$638 |
| | Open End Leg | INBEZOE2460 | 62.536" | 23.675" | \$2286 | +\$48 | +\$26 | +\$732 | +\$332 | +\$663 |
| | Application | INBEZOE2472 | 74.536" | 23.675" | \$2721 | +\$58 | +\$29 | +\$871 | +\$334 | +\$666 |
| | 30" D Manual | INBEZOE3036 | 38.536" | 29.675" | \$2185 | +\$33 | +\$16 | +\$700 | +\$332 | +\$662 |
| | Pneumatic | INBEZOE3042 | 44.536" | 29.675" | \$2228 | +\$34 | +\$17 | +\$713 | +\$352 | +\$703 |
| | Height Adjustable | INBEZOE3048 | 50.536" | 29.675" | \$2286 | +\$39 | +\$19 | +\$732 | +\$355 | +\$708 |
| | Worksurface | INBEZOE3054 | 56.536" | 29.675" | \$2580 | +\$45 | +\$24 | +\$826 | +\$359 | +\$717 |
| | Open End Leg | INBEZOE3060 | 62.536" | 29.675" | \$2641 | +\$48 | +\$26 | +\$846 | +\$362 | +\$723 |
| 1 | Application | INBEZOE3072 | 74.536" | 29.675" | \$2855 | +\$58 | +\$29 | +\$914 | +\$370 | +\$737 |



DOITO

Worksurfaces
Height Adjustable Worksurface

General information

- Specific worksurfaces must be used in specific applications based on location and end support
- This electric height adjustable table with two motors has a lift capacity of 195lbs (includes worksurface)
- Height adjustment is 28.5" to 44.5"; a total range of 16"
- Base comes in silver only
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- End units are ½" shorter in length and Middle units are ½" shorter on each end eliminating potential pinch points
- Can be installed on a Full Height of Partial Height Spine with Full able End support. No mid support is required
- Only to be installed on Full Height Panel option with either full height end gable or open end leg
- See Inscape Bench Application Guide for more details
- Stretcher bars not required for Height Adjustable worksurfaces

Digital handset

For optional digital handset, add +\$79 to list price.

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBELAKM2448 in Veneer would be \$3375 +\$564

| Description | | Part number | Width | Depth | Nuform/ laminate | Nuform woodgrain/ pattern | Nuform tapered | Grade 1 laminate | Grade 2 laminate | Veneer straight | Accent paint |
|-------------|---|--|--------------------------|--|--------------------------------------|----------------------------------|----------------------------------|--|--------------------------------------|--------------------------------------|--------------------------------------|
| | 24" D Electric Height Adjustable Worksurface Middle Application | INBELAKM2448 INBELAKM2454 INBELAKM2460 INBELAKM2472 | 47" 53" 59" 71" | 23.675" 23.675" 23.675" 23.675" | \$3375 \$3416 \$3458 \$3544 | +\$39 +\$45 +\$48 +\$58 | +\$19 +\$24 +\$26 +\$29 | +\$1080 +\$1094 +\$1107 +\$1135 | +\$283 +\$287 +\$298 +\$321 | +\$564 +\$573 +\$595 +\$641 | +\$338 +\$343 +\$347 +\$356 |
| | 30" D Electric Height Adjustable Worksurface Middle Application | INBELAKM3048 INBELAKM3054 INBELAKM3060 INBELAKM3072 | 47" 53" 59" 71" | 29.675" 29.675" 29.675" 29.675" | \$3458 \$3509 \$3565 \$3669 | +\$43 +\$54 +\$61 +\$72 | +\$19 +\$24 +\$26 +\$29 | +\$1107 +\$1123 +\$1141 +\$1175 | +\$319 +\$323 +\$325 +\$333 | +\$637 +\$645 +\$649 +\$665 | +\$347 +\$352 +\$358 +\$368 |
| | 24" D Electric Height Adjustable Worksurface Full End Gable Application | INBELAKE2448 INBELAKE2454 INBELAKE2460 INBELAKE2472 | 56.25" 62.25" | 23.675" 23.675" 23.675" 23.675" | \$3544 \$3589 \$3631 \$3719 | +\$39 +\$45 +\$48 +\$58 | +\$19 +\$24 +\$26 +\$29 | +\$1135 +\$1149 +\$1162 +\$1191 | +\$297 +\$301 +\$314 +\$337 | +\$592 +\$600 +\$626 +\$672 | +\$356 +\$360 +\$364 +\$373 |
| | 30" D Electric Height Adjustable Worksurface Full End Gable Application | INBELAKE3048 INBELAKE3054 INBELAKE3060 INBELAKE3072 | 56.25" 62.25" | 29.675" 29.675" 29.675" 29.675" | \$3631 \$3686 \$3743 \$3852 | +\$43 +\$54 +\$60 +\$72 | +\$19 +\$24 +\$26 +\$29 | +\$1162 +\$1180 +\$1198 +\$1233 | +\$335 +\$340 +\$342 +\$350 | +\$668 +\$678 +\$682 +\$699 | +\$364 +\$370 +\$375 +\$386 |
| | 24" D Electric Height Adjustable Worksurface Open End Leg Application | INBELAKO2448 INBELAKO2454 INBELAKO2460 INBELAKO2472 | 56.536" 62.536" | 23.675" 23.675" 23.675" 23.675" | \$3544 \$3589 \$3631 \$3719 | +\$39 +\$45 +\$48 +\$58 | +\$19 +\$24 +\$26 +\$29 | +\$1135 +\$1149 +\$1162 +\$1191 | +\$297 +\$301 +\$314 +\$337 | +\$592 +\$600 +\$626 +\$672 | +\$356 +\$360 +\$364 +\$373 |
| | 30" D Electric Height Adjustable Worksurface Open End Leg Application | INBELAKO3048 INBELAKO3054 INBELAKO3060 INBELAKO3072 | 56.536" 62.536" | 29.675" 29.675" 29.675" 29.675" | \$3631 \$3686 \$3743 \$3852 | +\$43 +\$54 +\$60 +\$72 | +\$19 +\$24 +\$26 +\$29 | +\$1162 +\$1180 +\$1198 +\$1233 | +\$335 +\$340 +\$342 +\$350 | +\$668 +\$678 +\$682 +\$699 | +\$364 +\$370 +\$375 +\$386 |

US Price List | April 2018 Bench | 287

Worksurfaces

Worksurfaces Supports

General information

- Cantilever brackets support worksurfaces at mid-span
- Spacers are to be specified in conjunction with 22.5"id cases and %" thick tops to support worksurfaces
- Pedestal brackets dock pedestal cases to the benching spine. See Inscape Bench Application Guide
- Frame to Worksurface is to be specified in certain configurations where storage is the anchor. See Inscape Bench Application Guide
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces
- Stretcher bars are 1 1/2" high

| | 0 111 D 1 1 | | | | List price | paint | paint |
|-------------------|--|-------------------------------|------------------------------|------|------------|-----------|---------|
| \ \ \ | Cantilever Bracket Fixed Height Handed | | INBRHCB right-handed | _ | \$79 | +\$4 | +\$9 |
| 11 11 11 11 11 11 | Handed | | INBLHCB left-handed | _ | \$79 | +\$4 | +\$9 |
| 187 | 120° Cantilever Bracket | | INB120CB | _ | \$67 | +\$10 | +\$8 |
| 00 | Spacers (pkg.4) | | WSPACERLAT For Laterals | 1.3" | \$59 | +\$0 | +\$7 |
| 00 | | | WSPACERPED For Pedestals | 1.3" | \$31 | +\$0 | +\$4 |
| | Pedestal Bracket, End Location | | INBPEDLHBREDE left-handed | _ | \$79 | +\$0 | +\$9 |
| | | | INBPEDRHBREDE right-handed | _ | \$79 | +\$0 | +\$9 |
| [] _{IB} | Pedestal Bracket, Middle Location | on | INBPEDLHBRMDE left-handed | _ | \$79 | +\$0 | +\$9 |
| | | | INBPEDRHBRMDE right-handed | _ | \$79 | +\$0 | +\$9 |
| | Frame to Worksurface Connection | on Bracket | INBSPWSBRKT Double Sided | _ | \$78 | +\$0 | +\$9 |
| | | | INBSPWBRKTSS Single Sided | _ | \$79 | +\$0 | +\$9 |
| escription | | Part number | Width | Wei | ght (lbs) | Eco black | Painted |
| | Worksurface Stretcher Bar For use with worksurfaces 54" | INSBK54 For use with 54" s | 44" urface | | | \$66 | _ |
| | and wider | INSBK60 For use with 60" s | 50" urface | | _ | \$98 | _ |
| | | INSBK72 For use with 72" s | 62" urface | | _ | \$117 | _ |
| | | INSBK84 For use with 84" s | 74" urface | | _ | \$140 | _ |
| | | INSBK96 For use with 96" s | 86" | | _ | \$159 | _ |



Worksurfaces

Worksurfaces Supports Perpendicular Application

General information

- Perpendicular worksurface to spine support brackets support a
 perpendicular worksurface at the end of a spine frame at 28.5" high.
 These brackets are handed left or right and there is a double sided option
- The handedness of the support bracket is determined from the user perspective (i.e. a left handed bracket would install on the left hand side of the user)
- Shared worksurface support brackets are used to support either a 30"d or 36"d shared worksurface off of a spine frame(s) and are available in on module and mid module applications. See Inscape Bench Application Guide for application guidelines
- Brackets are available in all standard paint finishes
- The angled wood fixed worsurface support leg supports the end of a perpendicular or shared worksurface that is not bracketed to the spine frames
- Wood support legs are available in Clear Maple and Black finishes
- Height Adjustable Foot Docking Bracket must be specified when spine is freestanding with height adjustable tables
- Foot Docking Bracket for use with no accessories can be used in parallel or perpendicular applications
- Foot Docking Bracket for use with accessories can only be used in perpendicular applications

| Description | | Part number | Height | Neutral paint | Accent paint |
|----------------------|--|---|--------|---------------|--------------|
| | Perpendicular Worksuface to Spine Support Bracket | INBWSBPERPLH Single left hand bracket | _ | \$149 | +\$16 |
| | | INBWSBPERPRH Single right hand bracket | _ | \$149 | +\$16 |
| Left hand bracket | | INBWSBPERPBB Double sided back-to-back bracket | _ | \$222 | +\$23 |
| Back to back bracket | | | | | |
| | Shared Worksurface Support Bracket | INWSHSBRKT-OM For on module applications | _ | \$108 | +\$12 |
| | | INWSHSBRKT-OFF For mid module applications | - | \$208 | +\$22 |
| Mid module | | | | | |
| Wild Hiddele | Height Adjustable Foot Docking Bracket | INBHAFDBRKTACCY For Bench Spine with Accessories Attached | _ | \$20 | +\$3 |
| With Accessories | | INBHAFDBRKTACCN For Bench Spine with No Accessories | _ | \$20 | +\$3 |
| No Accessories | | | | | |

| Description | | Part number | Height | List price |
|-------------------------|--|-----------------------------|--------|------------|
| $\overline{\mathbb{T}}$ | Angled Wood Fixed Worksurface Support Leg | TANGCONPL28.5 Single leg | 27 ¾" | \$438 |
| | | | | |
| | | | | |

Worksurfaces

Worksurfaces Supports

General information

- %" thick tops are available in Nuform (straight edge), Laminate and Veneer
- Tops are specified on 22.5"id cases along with spacers to support surfaces at 28.5"h
- Pedestal top depths are sized so that the tops line up flush with the front of the pedestals and go all the way to the front of the tile behind, covering the docking bracket space
- Tops are not available with plywood edge band

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INSWTOP1836 in Veneer would be \$206 +\$379

| Description | | Part number | Width | Depth | Nuform solid/ laminate | Nuform woodgrain/ pattern | Grade 1 laminate | Veneer |
|-------------|---------------------------|------------------------------------|-------|-------|---------------------------|---------------------------------|---------------------|--------|
| | 22" D x ¾" T Pedestal Top | INBPEDTOP1522 For 7900 series | 15" | 23 %" | \$96 | +\$13 | +\$31 | +\$402 |
| | | INBPEDTOP1522.7 For 9900 series | 15" | 24 ⅓" | \$106 | +\$11 | +\$34 | +\$409 |
| | 28" D x %" T Pedestal Top | INBPEDTOP1528 For 7900 series | 15" | 29 %" | \$119 | +\$13 | +\$39 | +\$409 |
| | | INBPEDTOP1528.7 For 9900 series | 15" | 30 ⅓" | \$126 | +\$21 | +\$41 | +\$424 |
| | 18" D x %" T Lateral Top | INSWTOP1830 | 30" | 18" | \$192 | +\$11 | +\$62 | +\$333 |
| | > | INSWTOP1836 | 36" | 18" | \$206 | +\$30 | +\$66 | +\$379 |
| | | INSWTOP1842 | 42" | 18" | \$232 | +\$37 | +\$75 | +\$413 |
| | | INSWTOP1848 | 48" | 18" | \$257 | +\$44 | +\$83 | +\$449 |
| | | INSWTOP1854 | 54" | 18" | \$285 | +\$45 | +\$92 | +\$489 |
| | | INSWTOP1860 | 60" | 18" | \$441 | +\$47 | +\$142 | +\$846 |
| | | INSWTOP1872 | 72" | 18" | \$527 | +\$54 | +\$169 | +\$860 |
| | | INSWTOP1878 | 78" | 18" | \$613 | +\$63 | +\$197 | +\$836 |



Worksurfaces

Worksurfaces Supports

General information

- When specifying a Full Gable End Supports, choose the base, then option of inside and outside tiles and finally choose the worksurface support option
- Full Gable End Supports have options of Nuform, laminate, paint, veneer or no tile
- Full Gable Mid Support is available in paint and no tile
- Option "NO" interior tile when a Trading Desk unit is being installed
- Nuform, Laminate or Veneer with a pattern will run the length of the gable
- Full Gable Supports must be used with Full Height Spine Frames
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces
- 36" D single-sided Bench applications are not available
- Nuform Herringbone tile options is only available on the outside of the end gable.

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBFEG28.548 with inside and outisde in Laminate with fixed height worksurfaces supports on both sides would be \$798 +\$703 +\$772 +\$191


| | | | | | Inside tile finish options | | | | | Outside tile finish options | | | | | | | |
|--------------|---------|-------|---------------------------------|---------|----------------------------|--------|----------|---------------------|---------|-----------------------------|--------|--------|-----------------------|----------|---------------------|---------|--------------|
| Part number | Height | Width | Neutral paint/ base price | No tile | Paint | Nuform | Laminate | Grade 1 laminate | Veneer | No tile | Paint | Nuform | Nuform Herringbone | Laminate | Grade 1 laminate | Veneer | Accent paint |
| INBFEG28.548 | 28 ½" | 48" | \$798 | +\$0 | +\$140 | +\$456 | +\$703 | +\$719 | +\$753 | +\$0 | +\$198 | +\$772 | +\$864 | +\$772 | +\$823 | +\$926 | +\$81 |
| INBFEG28.560 | 28 1/2" | 60" | \$860 | +\$0 | +\$296 | +\$475 | +\$709 | +\$768 | +\$886 | +\$0 | +\$200 | +\$824 | +\$922 | +\$824 | +\$902 | +\$1058 | +\$87 |
| INBFEG28.572 | 28 1/2" | 72" | \$885 | +\$0 | +\$303 | +\$501 | +\$717 | +\$818 | +\$1019 | +\$0 | +\$219 | +\$864 | +\$968 | +\$864 | +\$972 | +\$1188 | +\$90 |



Full Gable End Support

| Worksurface support options | | | | | | | | | | | |
|-----------------------------|--------------|-----------------------------|-------------------------------|--|---------------------------------------|-------------------------------------|--|--|--|--|--|
| Product number | Fixed height | Manual Height Adjustable | Electric Height Adjustable | Electric and Manual Height Adjustable | Electric Height Adjustable & Fixed | Manual Height adjustable & Fixed | | | | | |
| INBFEG28.548 | +\$191 | +\$191 | +\$0 | +\$96 | +\$96 | +\$191 | | | | | |
| INBFEG28.560 | +\$191 | +\$191 | +\$0 | +\$96 | +\$96 | +\$191 | | | | | |
| INDEEC 20 EZ2 | . \$101 | | | | | | | | | | |

| INBSFEG28.524 | 28 ½" | 24" | \$494 | +\$0 | +\$104 | +\$404 | +\$404 | +\$431 | +\$486 | +\$0 | +\$104 | +\$404 | +\$453 | +\$404 | +\$431 | +\$486 | +\$50 |
|---------------|---------|-----|-------|------|--------|--------|--------|--------|--------|------|--------|--------|--------|--------|--------|--------|-------|
| INBSFEG28.530 | 28 1/2" | 30" | \$532 | +\$0 | +\$107 | +\$432 | +\$432 | +\$473 | +\$555 | +\$0 | +\$107 | +\$432 | +\$484 | +\$432 | +\$473 | +\$555 | +\$54 |



| worksurface support options | | | | | | | | | | | |
|-----------------------------|--------------|-----------------------------|-------------------------------|--|---------------------------------------|-------------------------------------|--|--|--|--|--|
| Product number | Fixed height | Manual Height Adjustable | Electric Height Adjustable | Electric and Manual Height Adjustable | Electric Height Adjustable & Fixed | Manual Height adjustable & Fixed | | | | | |
| INBSFEG28.524 | +\$96 | +\$96 | +\$0 | _ | _ | _ | | | | | |
| INBSFEG28.530 | +\$96 | +\$96 | +\$0 | _ | _ | _ | | | | | |

| INBFEG28.512 | 28 ½" | 12" | \$594 | -\$79 | +\$0 | _ | _ | _ | _ | -\$79 | +\$0 | _ | _ | _ | _ | _ | +\$60 |
|--------------|---------|-----|-------|-------|------|---|---|---|---|-------|------|---|---|---|---|---|-------|
| INBFEG28.518 | 28 1/2" | 18" | \$622 | -\$90 | +\$0 | _ | _ | _ | _ | -\$90 | +\$0 | _ | _ | _ | _ | _ | +\$63 |
| INBFEG28.524 | 28 ½" | 24" | \$651 | _ | +\$0 | _ | _ | _ | _ | _ | +\$0 | - | _ | _ | - | _ | +\$66 |



| worksurface support options | | | | | | | | | | | |
|-----------------------------|--------------|-----------------------------|-------------------------------|--|---------------------------------------|----------------------------------|--|--|--|--|--|
| Product number | Fixed height | Manual Height Adjustable | Electric Height Adjustable | Electric and Manual Height Adjustable | Electric Height Adjustable & Fixed | Manual Height adjustable & Fixed | Manual height adjustable (M) on left & fixed (F) on right | Fixed (F) on left & manual height adjustable (M) on right | | | |
| INBFEG28.512 | +\$0 | +\$0 | _ | _ | - | _ | +\$0 | +\$0 | | | |
| INBFEG28.518 | +\$0 | +\$0 | _ | _ | - | _ | +\$0 | +\$0 | | | |
| INBFEG28.524 | +\$0 | +\$0 | - | _ | - | - | +\$0 | +\$0 | | | |
| | | | | | | | M F | F M | | | |

Worksurfaces

Worksurfaces Supports Full Gable Brackets

General information

- Brackets for field reconfiguration purposes only
- The handedness of these brackets is chosen from the user perspective of the fixed worksurface

| Description | | Part number | Height | Depth | Neutral paint/ base price | Accent paint |
|------------------|---|--|--------|-------|------------------------------|--------------|
| | Full Gable Mid Support Bracket Only for Supporting 2 Fixed Height Surfaces | INBKTEGFF12 12" D Full Gable | 28 ½" | 12" | \$84 | +\$10 |
| | | INBKTEGFF18 18" D Full Gable | 28 ½" | 18" | \$91 | +\$10 |
| | | INBKTEGFF24 24" D Full Gable | 28 ½" | 24" | \$98 | +\$11 |
| | Full Gable Mid Support Bracket Only for Supporting Manual Height Adjustable (M) Surface on Left, Fixed (F) Surface on Right | INBKTEGPLFR12 12" D Full Gable | 28 ½" | 12" | \$84 | +\$10 |
| | Curtable on Left, Tixed (F) Curtable on Flight | INBKTEGPLFR18 18" D Full Gable | 28 ½" | 18" | \$91 | +\$10 |
| M F | | INBKTEGPLFR24 24" D Full Gable | 28 ½" | 24" | \$98 | +\$11 |
| | Full Gable Mid Support Bracket Only for Supporting Fixed (F) Surface on Left, Manual Height Adjustable (M) Surface on Right | INBKTEGFLPR12 12" D Full Gable | 28 ½" | 12" | \$84 | +\$10 |
| | rioight Adjustable (W) duriace dirriight | INBKTEGFLPR18 18" D Full Gable | 28 ½" | 18" | \$91 | +\$10 |
| F M | | INBKTEGFLPR24 24" D Full Gable | 28 ½" | 24" | \$98 | +\$11 |
| | Full Gable Mid Support Bracket Only for Supporting 2 Manual Height Adjustable Surfaces | INBKTEGPP12 12" D Full Gable | 28 ½" | 12" | \$84 | +\$10 |
| الناهنات المالية | Junaces | INBKTEGPP18 18" D Full Gable | 28 ½" | 18" | \$91 | +\$10 |
| Ч <u>.</u> ј | | INBKTEGPP24 24" D Full Gable | 28 ½" | 24" | \$98 | +\$11 |
| | Electric Height Adjustable (E) to Fixed (F) Worksurface Support Bracket | INBEHAADBKT-LH left-handed (illustrated) | _ | _ | \$94 | +\$11 |
| | | INBEHAADBKT-RH right-handed F ■ E | - | - | \$94 | +\$11 |



Worksurfaces

Worksurfaces Supports
Open H Leq

General information

- When specifying an Open H Leg Support, choose the base, then choose the worksurface support option
- Can be used with Full Height, Partial Height and Storage Spine Frames
- Regular height (28.5") and standing height options available
- Standing Height Open H Leg support fixed height worksurfaces only
- Has the ability to support various accessories which hang from the support bar of the leg
- When the Electric Height Adjustable worksurface support option is selected there will be exposed bracket mounting holes visible. For no holes, specify For Electric Height Adjustable Application Only
- Covers for "H" leg are specified when the holes on the interior of the leg are exposed when electric height adjustable is specified. These covers come 4 in a package and two are required under each worksruface

- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces
- 36" D single-sided Bench applications are not available

Votes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBAHLEG28.548 with fixed height worksurfaces supports on both sides would be \$1042 +\$241

| Description | | Part number | | Height | Width | Neutral paint/ base price | Accent pain |
|--------------|---|------------------------------------|-----------------------------|-------------------------------|--|---------------------------------------|-------------------------------------|
| 6.0 | Open H Leg End Support | INBAHLEG28 | 3.548 | 28 ½" | 48" | \$1042 | +\$105 |
| | For use with regular height applications | INBAHLEG28 | 3.560 | 28 1/2" | 60" | \$1063 | +\$107 |
| | | INBAHLEG28 | 3.572 | 28 ½" | 72" | \$1068 | +\$108 |
| | | | Worksur | face support options | | | |
| | Product number | r Fixed height | Manual Height Adjustable | Electric Height Adjustable | Electric and Manual Height Adjustable | Electric Height Adjustable & Fixed | Manual Height adjustable & Fixed |
| | INBAHLEG28.548 | +\$241 | +\$107 | +\$0 | +\$54 | +\$121 | +\$174 |
| U | INBAHLEG28.560 | +\$241 | +\$107 | +\$0 | +\$54 | +\$121 | +\$174 |
| | INBAHLEG28.572 | +\$241 | - | - | - | _ | - |
| | | | | | | | |
| | Single-Sided Open H Leg End Support For use with regular height applications | INBAHEG28. left-handed (illustr | | 28 ½" | 24" | \$689 | +\$70 |
| | | INBAHEG28. right-handed | 524RH | 28 ½" | 24" | \$689 | +\$70 |
| | | INBAHEG28. left-handed (illustr | | 28 ½" | 30" | \$738 | +\$75 |
| \mathbb{V} | | INBAHEG28. right-handed | 530RH | 28 ½" | 30" | \$738 | +\$75 |
| | | | Worksur | face support options | | | |
| | Product number | r Fixed height | Manual Height Adjustable | Electric Height Adjustable | Electric and Manual Height Adjustable | Electric Height Adjustable & Fixed | Manual Height adjustable & Fixed |
| | INBAHEG28.524LH | +\$121 | +\$54 | +\$0 | - | _ | - |
| | INBAHEG28.524RH | +\$121 | +\$54 | +\$0 | _ | _ | - |
| | INBAHEG28.530LH | +\$121 | +\$54 | +\$0 | - | _ | - |
| | INBAHEG28.530RH | +\$121 | +\$54 | +\$0 | _ | _ | - |
| | | | | | _ _ | - | |

Open H Leg Mid Support
For use with regular height applications

INBHEG28.512 28 ½" 12" \$378 +\$39 INBHEG28.518 28 ½" 18" \$422 +\$43 INBHEG28.524 28 ½" 24" \$485 +\$49

Worksurface support options

| Product number | Fixed height | Manual Height Adjustable | Electric Height Adjustable | Electric and Manual Height Adjustable | Electric Height Adjustable & Fixed | Manual Height adjustable & Fixed | adjustable (M) on left & fixed (F) on right | & manual height adjustable (M) on right |
|----------------|--------------|-----------------------------|-------------------------------|--|---------------------------------------|-------------------------------------|---|---|
| INBHEG28.512 | - | _ | _ | _ | _ | _ | _ | _ |
| INBHEG28.518 | - | _ | _ | _ | _ | _ | - | _ |
| INBHEG28.524 | - | _ | _ | _ | _ | _ | _ | _ |
| | | | | | | | ME | Е М |

M F F M

H Leg Hole Covers

INBHLEGCOVR-4

7/8"

1 ¾"

\$16

+\$3

US Price List | April 2018

Worksurfaces

Worksurfaces Supports Open H Leg

General information

- When specifying an Open H Leg Support, choose the base, then choose the worksurface support option
- Open H Leg Supports can be used with Full Height, Partial Height and Storage Spine Frames
- Regular height (28.5") and standing height options available
- Standing Height Open H Leg support fixed height worksurfaces only
- Has the ability to support various accessories which hang from the support bar of the leq
- When the Electric Height Adjustable worksurface support option is selected there will be exposed bracket mounting holes visible. For no holes, specify For Electric Height Adjustable Application Only
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces
- 36" D single-sided Bench applications are not available

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBAHLEG28.548 with fixed height worksurfaces supports on both sides would be \$1042 +\$241

| scription | | Part number | Height | Width | List price | Accent Paint |
|-----------|---|----------------------------|------------|------------|------------------|------------------|
| | Open H Leg End Support For use with standing height applications | INBSHEG4248 INBSHEG4260 | 42" 42" | 48" 60" | \$1398 \$1749 | +\$141 +\$176 |
| | Open H Leg Mid Support For use with standing height applications | INBSHEG4212 | 42" | 12" | \$614 | +\$62 |



Worksurfaces

Worksurfaces Supports Open O Leg

General information

- When specifying an Open O Leg Support, choose the base, then choose the worksurface support option
- Open O Leg Supports can be used with Full Height, Partial Height and Storage Spine Frames
- Open O legs have the option to add glazed inserts which are avalable in clear, gray and etched 1 side glass. See example for how to price g;azed inserts
- Has the ability to support various accessories which hang from the support bar of the leg
- Use Open H leg Mid Supports to support mid applications
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces
- 36" D single-sided Bench applications are not available

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBAHLEG28.548 with fixed height worksurfaces supports on both sides would be \$885 +\$241 Product INBAHLEG28.548 with fixed height worksurfaces supports on both sides and Gray glazed insert would be \$885 +\$241 + \$405 +\$46

| | | | | | | Glazed | l insert opti | ions | |
|-----------|--|--|-------------------------------------|---|--|--|--------------------------|---------------------|--|
| scription | | Part number | Height | Width | Neutral paint/ base price | Clear/ base | Gray | Etched 1 Side | Accer pair |
| | Open O Leg End Support | INBAOLEG28.548 | 28 ½" | 48" | \$885 | \$405 | +\$46 | +\$140 | +\$9 |
| | For use with regular height applications | INBAOLEG28.560 | 28 ½" | 60" | \$917 | \$579 | +\$66 | +\$199 | +\$9 |
| | • • | | | Worksu | rface support options | | | | |
| | | Product number | Fixed height | Manual Height Adjustable | Electric Height Adjustable | Electric and Manual Height Adjustable | Electric Adjustable 8 | Height & Fixed a | Manual Height adjustable & Fixed |
| | | INBAOLEG28.548 | +\$241 | +\$107 | +\$0 | +\$54 | +\$ | \$121 | +\$174 |
| | | INBAOLEG28.560 | +\$241 | +\$107 | +\$0 | +\$54 | +\$ | \$121 | +\$174 |
| | | | | | | | | | |
| | Single-Sided Open O Leg | INBAOEG28.524LI left-handed (illustrated) | d 28 ½" | 24" | \$694 | \$311 | +\$47 | +\$91 | +\$7 |
| | End Support For use with regular height applications | INBAOEG28.524R | H 28 ½" | 24" | \$694 | \$311 | +\$47 | +\$91 | +\$7 |
| | For use with regular height | INBAOEG28.524Ri | | | · | · | | • | |
| | For use with regular height | INBAOEG28.524R | | 24" 30" | \$694 \$759 | \$311 \$348 | +\$47 +\$40 | +\$91 +\$120 | |
| | For use with regular height | INBAOEG28.524Rl right-handed INBAOEG28.530LI | d 28 ½" | | · | · | | • | +\$7 |
| | For use with regular height | INBAOEG28.524Right-handed INBAOEG28.530Lieft-handed (illustrated) INBAOEG28.530Ri | d 28 ½" | 30" 30" | \$759 | \$348 | +\$40 | +\$120 | +\$7 |
| | For use with regular height | INBAOEG28.524Right-handed INBAOEG28.530Lieft-handed (illustrated) INBAOEG28.530Ri | d 28 ½" | 30" 30" | \$759 \$759 | \$348 | +\$40 | +\$120 +\$120 | +\$7 |
| | For use with regular height | INBAOEG28.524R right-handed INBAOEG28.530L left-handed (illustrated) INBAOEG28.530R right-handed | H 28 ½" | 30" 30" Worksu | \$759 \$759 | \$348 \$348 | +\$40 +\$40 | +\$120 +\$120 | +\$7 +\$7 |
| | For use with regular height | INBAOEG28.524R right-handed INBAOEG28.530LI left-handed (illustrated) INBAOEG28.530R right-handed | H 28 ½" | 30" 30" Worksu Manual Height Adjustable | \$759 \$759 frace support options Electric Height Adjustable | \$348 \$348 Electric and Manual Height Adjustable | +\$40 +\$40 | +\$120 +\$120 | +\$7 |
| | For use with regular height | INBAOEG28.524R right-handed INBAOEG28.530LI left-handed (illustrated) INBAOEG28.530Ri right-handed | H 28 ½" H 28 ½" Fixed height +\$121 | 30" 30" Worksu Manual Height Adjustable +\$54 | \$759 \$759 trace support options Electric Height Adjustable +\$0 | \$348 \$348 Electric and Manual Height Adjustable | +\$40 +\$40 | +\$120 +\$120 | +\$7 +\$7 Manual Heigi Manual Heigi Manual Heigi |

Worksurfaces

Worksurfaces Supports For Electric Height Adjustable Application Only

General information

- Supports for Electric Height Adjustable applications only
 No holes will be visible on these supports
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces

 • 36" D single-sided Bench applications are not available

| Description | | Part number | Width | Depth | Neutral paint/ base price | Accent paint |
|-------------|---|----------------|-------|-------|------------------------------|--------------|
| | Open H Leg End Support for Height | INBHLEGHAW48 | 28 ½" | 48" | \$902 | +\$91 |
| | Adjustable Worksurfaces only For use with regular height applications | INBHLEGHAW60 | 28 ½" | 60" | \$906 | +\$92 |
| <u>"</u> | Single-Sided Open H Leg End Support for | INBHLEGHAW24LH | 28 ½" | 24" | \$559 | +\$56 |
| | Height Adjustable Worksurfaces only | INBHLEGHAW24RH | 28 ½" | 24" | \$559 | +\$56 |
| | For use with regular height applications | INBHLEGHAW30LH | 28 ½" | 30" | \$624 | +\$63 |
| | | INBHLEGHAW30RH | 28 ½" | 30" | \$624 | +\$63 |
| 1 | Full Gable Mid Support for Height | INBFEGADJ12 | 28 ½" | 12" | \$594 | +\$60 |
| | Adjustable Worksurfaces only | INBFEGADJ18 | 28 ½" | 18" | \$603 | +\$61 |
| | For use with regular height applications | INBFEGADJ24 | 28 ½" | 24" | \$633 | +\$64 |

Worksurfaces Worksurface Top Filler Cap

General information

- Specified based on where filler is to be installed (mid or end)
- Provides a gap for cord management between the filler and the main worksurface (to accommodate adapters, the filler can easily be removed and replaced)

| Description | | Part number | Width | Depth | Neutral paint/ Laminate/ base price | Grade 1 laminate | Veneer | Accent paint |
|-------------|-----------------------------|-------------|-------|--------|---|---------------------|--------|--------------|
| | Worksurface Top Filler Cap, | INBWFM42 | 42" | 2 ¾" | \$471 | +\$151 | +\$278 | +\$48 |
| | Middle Application | INBWFM48 | 48" | 2 ¾" | \$484 | +\$155 | +\$285 | +\$49 |
| | | INBWFM54 | 54" | 2 ¾" | \$513 | +\$165 | +\$302 | +\$52 |
| | | INBWFM60 | 60" | 2 ¾" | \$521 | +\$167 | +\$306 | +\$53 |
| | | INBWFM72 | 72" | 2 ¾" | \$617 | +\$198 | +\$363 | +\$62 |
| | | INBWFM84 | 84" | 2 3/4" | \$683 | +\$219 | +\$401 | +\$70 |
| | | INBWFM96 | 96" | 2 ¾" | \$699 | +\$224 | +\$412 | +\$71 |
| | Worksurface Top Filler Cap, | INBWFE42 | 42" | 2 ¾" | \$477 | +\$153 | +\$281 | +\$48 |
| | Full End Gable Application | INBWFE48 | 48" | 2 ¾" | \$488 | +\$157 | +\$288 | +\$49 |
| | | INBWFE54 | 54" | 2 3/4" | \$518 | +\$166 | +\$305 | +\$52 |
| | | INBWFE60 | 60" | 2 3/4" | \$526 | +\$169 | +\$309 | +\$53 |
| | | INBWFE72 | 72" | 2 3/4" | \$629 | +\$202 | +\$371 | +\$63 |
| | | INBWFE84 | 84" | 2 3/4" | \$696 | +\$223 | +\$410 | +\$71 |
| | | INBWFE96 | 96" | 2 ¾" | \$794 | +\$255 | +\$466 | +\$81 |
| | Worksurface Top Filler Cap, | INBWFO42 | 42" | 2 ¾" | \$477 | +\$153 | +\$281 | +\$48 |
| | Open "H" Leg Application | INBWFO48 | 48" | 2 ¾" | \$488 | +\$157 | +\$288 | +\$49 |
| | | INBWFO54 | 54" | 2 3/4" | \$518 | +\$166 | +\$305 | +\$52 |
| | | INBWFO60 | 60" | 2 ¾" | \$526 | +\$169 | +\$309 | +\$53 |
| | | INBWF072 | 72" | 2 3/4" | \$629 | +\$202 | +\$371 | +\$63 |
| | | INBWFO84 | 84" | 2 ¾" | \$696 | +\$223 | +\$410 | +\$71 |
| | | INBWFO96 | 96" | 2 ¾" | \$794 | +\$255 | +\$466 | +\$81 |

Left blank intentionally.

bench

Storage

Storage

General information

Pedestals

Pedestals are of all-welded "wrap-around" construction of 20 and 22 gauge high quality, tension leveled, cold rolled steel. The steel gauge selected for drawer fronts, bodies and accessories ensure the highest quality durability and performance for all components. All glides on cases must be specified as flat glides (%" height adjustability) to work with Inscape Bench. Pedestal corners are welded at junction of top and case, eliminating horizontal lines for a cleaner, flush appearance, and strengthened with reinforcing gussets. A completely enclosed case provides rigid construction and dust-free interiors.

Box drawer sides are slotted on 1" centers to allow for maximum flexibility for drawer division. Double-wall construction allows lift-up doors to be picked up and recede smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. 7900 is single-wall construction. File (10.5" and 12") and EDP (15") drawer bodies have full height sides to accommodate hanging file folders, eliminating the need for optional file frames. Fully progressive ball bearing suspensions on all drawers, including pencil and box drawers, are staged so that the left and right sides work in unison; this provides smooth drawer operation with minimum force. Staged suspensions allow the drawer to be completely pulled out, providing access to the entire drawer depth.

Special "claw-like" device incorporated in the suspension "grips" the fixed section of the suspension channel preventing drawer body bounce back or creep when drawer is closed. Modular interior allows complete interchangeability of drawer types within the pedestal case. For example, two 6" box drawers may be replaced by a 12" file drawer. Pedestals are standard with keyholes for attachment to underside of worksurface. For the 7900 only cases: 18" deep pedestals come standard with 18" deep drawers, 22" and 28" deep pedestals come standard with 22" deep drawers. For all other Series, pedestal drawers match case depth.

Worksurface supporting pedestals are designed for use with the Inscape Bench when used with flat glides. Worksurface supporting pedestals are available in two depths to fit 24" and 30" deep worksurfaces and support finished worksurface height of 28.5". Pedestals with 3", 6" or 7.5" drawers include one pencil tray per pedestal. The 6" and 7.5" drawers also include a steel divider. The 10.5" and 12" drawers have one hang file suspension bar (two in a 28" deep pedestal) for side-to-side filing of legal or letter size folders or printout binders. 7900 Pedestals do not include any suspension bars.

Note: System storage pedestal cases consist of holes in the top of the case and back of the case to allow for worksurface docking and panel mounted brackets to be secured.

Cushion Mobile Pedestals


Cushion Mobile Pedestals are topped with 1.25" thick Cal.117 fire-retardant polyurethane foam with a 2.2lb/ft. density. This upholstery cushion is balanced with a 7/6" board and is attached to a pedestal top with Velcro. Select from our graded upholstery program of solid color fabrics and vinyl's or choose COM option (Customers Own Material). To determine if a COM fabric has been pre-approved for use on our cushion topper, contact your client services representative or go to www.inscapesolutions.com. For application of ALL fabrics, both from our graded program as well as COM (Customer Own Material) please specify layout orientation at time of order. If layup instructions are not provided Inscape will choose the direction to maximize production. Refer to the diagram for layup options.

After calculating the total amount of material needed in inches, divide the total number of inches by 36 for the total yardage and round up to the next full yard. Allow additional for repeat. Add 15% of total fabric required for small and medium pattern repeats. Add 20% of total fabric required for large patterns.

Due to the nature of the design and manufacture of our cushion,

only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your client services representative for assistance.

Fabric lay up of Pedestal Cushions



Pedestals come standard with lock. If lock is not required add suffix '/NL' after product number and deduct \$48 list per lock. Random keying is standard, and keyed alike may be ordered.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number. Note: Locks cannot be field installed on hinged door cabinets.

Laterals

Lateral cabinets are of all-welded construction using 20 and 22 gauge high quality, tension leveled, and cold rolled steel. Drawer fronts, lift-up doors, roll-out shelves and all steel accessories are manufactured of the steel gauge appropriate to function at the highest quality level. Laterals must be specified with flat glides to work with Inscape Bench. Flat Glides provide 0.125" height adjustment when docked and 0.75" height adjustment if unit is not docked.

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications. All interiors are completely modular and interchangeable so that cabinets can be retrofitted with new accessories and interiors as required. Cabinet corners (except for 7900) are welded at junction of top and case, eliminating horizontal lines for cleaner, flush appearance, and strengthened with reinforcing gussets. Double-wall construction allows lift-up doors to be picked up and receded smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. Lift-up door carrier mechanism has four nylon rollers two on each side - for smooth receding action with no binding or snagging. Self-closing, 110° opening, European style cupboard hinges for smooth door operations.

The absence of scissor mechanism in doors and drawers eliminates the potential for scissors binding, and facilitates reconfiguration of cabinet openings as needed. Front leading edge of pullout shelves is beaded and rolled to provide grip for pullout action and strengthen shelf; front leading edge of fixed shelf is flat for easy removal of material. Fully progressive ball bearing suspension slides provide smooth action with minimum force.

Special "claw-like" device incorporated in suspension slide channel "grips" the fixed section of the suspension channel preventing drawer bounce-back or creep when drawer is closed. A patented Safelock™ interlock mechanism provides complete security and user safety against accidental opening of two or more drawers simultaneously. Lock fingers are configured with right angle bend upward not downward so that lift-up doors cannot be pulled down to disengage fingers from door slots and be forced to circumvent lock system. Lock bars operate vertically on both sides of cabinet for maximum security.

Knockouts that are included on case sides, top and bottom facilitate ganging and leveling. Glides - 2 in front and 2 in back - are adjustable from inside the cabinet so that cabinets can be leveled regardless of whether they are backed against a wall or banked.

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. 7900 Series fronts are available with 2 pull options. The standard pull option is the radius aluminum pull. A rectangular aluminum pull option is also available at no additional cost. 7900 is single-wall construction. Nuform fronts include a Q- pull. Veneer fronts are available with 2 pull options. The standard Veneer pull option is the same Q- Pull that comes with the Nuform front. A continuous pull is also available on most veneer units.

Laterals include 1 pair of hang file bars in 10.5" and 12" fixed fronts, 1 EDP kit in 13.5" and 15" fixed fronts, pencil tray in 3" multi-file drawer and steel divider in 7.5" multi-file drawer, steel divider in 6" multi-file drawers and 3 divider plates in 13.5" lift-ups. Fixed shelf in lift-up is slotted in 1" increments. Lateral to panel bracket is required if lateral is positioned on-module.

Note: laterals and multi-files consist of slots in the back of the case to allow for panel mounted brackets to be secured.

Cabinets ship standard with single bitted lock. For applications requiring higher security a double bitted solution is available. If lock is not required it may be optioned as such. Random keying is standard, keyed alike is optional. Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts. Locks may not be field installed in hinged door and sliding door cabinets. Master keys are available; refer to the accessories section to specify. Locks are standard with two keys, one of which has a black neoprene plastic cover.

All laterals are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an upcharge and are be subject to extended lead times. For laterals specified in custom micas, specials whites or metallic, add an up-charge of 10% to the list price. All interior drawers/shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

Twin-bins

Twin-Bins are 5.75" deep on each side of the supporting frame. Twin-Bins may be specified to install in stack frames above the worksurface. Bins are manufactured from minimum 20 gauge steel with an extruded aluminum reinforced top. Double wall, sliding doors on each side of the unit, slide easily across the recessed groove built into the bin front. Twin-Bins are available with or without locks. The locking mechanism is individualized for each side of the unit, allowing for personal privacy on either side. Twin-Bins are available in 36", 42", 48" and 60" widths. Recommended maximum load for Twin-Bins is 3lbs per linear inch. Bins are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process and are available in any of the colors shown in our Color Guide. Side pulls on Radius fronts are manufactured from ABS black plastic. Woodgrain fronts are available in any of our standard woodgrain finishes.

Handles are standard in aluminum finish and are located on the front of the sliding door. Case may still be ordered in any of the colors shown in our Color Guide.

Electrified twin bin

The Electrified Twin Bin is built on the same premise as the standard Twin Bin with the addition of electrical and a sliding door with locking capabilities in two positions. All electrical components are specified separately including power track, receptacles and jumper cables. The sliding door may lock either the binder storage portion (full depth of bin) or the electrified portion which is the center portion which is approximately 5"d. The back of the Electrified Twin Bin may be clad with either a tackboard or whiteboard which are both specific to this storage unit. A shelf may also be optioned for the electrified portion which is field installed midway between top and bottom of opening. A gap in the shelf allows for the cord of an electronic unit to plug into duplex (located near base of opening) and still sit on top of shelf.

Note: These accessories are NOT compatible with the standard Twin Bin.

See Inscape Bench Application Guide for criteria on which heights of stack-on to use in conjunction with the Twin Bin and Electrified Twin Bin

Specify twin-bin mounting brackets

Specify Twin-Bin Mounting Brackets separately according to location on frame. 1 bracket per Twin-Bin is required. When stacking Twin-Bins a 6.75" high tile minimum must separate the two. Do not specify over Power Track Kit. It is not recommended to specify Twin-Bins on wing panels. Twin-Bins should only be specified on spine panels for adequate stability. See Inscape Bench Application Guide for details.

Drawer standard equipment

Lockers and towers containing 3" or 6" drawers are provided with one pencil tray per cabinet. 6" drawers are additionally standard with one steel divider. 10.5", 12" and 15" letter-width file drawers have one suspension bar for side-to-side filing of letter or legal-size folders. Full-width pullout drawers are standard with one pair hang file bars for side-to-side suspended filing. Full-width fixed shelves are standard with 3 plate dividers. Optional accessories are available.

Glides

Overall heights are inclusive of metal glides. Heights may be increased up to %" by extending the standard glide. Glides are accessible from inside the cabinet when the bottom drawer is fully extended or removed and may be adjusted with a 0.25" socket driver. Optional 1.5" stem glides are available. Specify and add \$24 list to the cabinet price. Requires field installation.

Storage

General information

Front details & pull options

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. 7900 is single-wall construction. Refer to the images and chart below for pull application on 7900 Series, Nuform, and Veneer fronts.



Pulls FP004, FP005, FP007 and FP008 meet the guidelines for ADA compliance.

FP005 is the default pull for 7900

Locks

Workplace Towers and Lockers come standard with lock with single bitted lock. For applications requiring higher security, a double bitted solution is available. If lock is not required add suffix '/NL' after product number. Deduct \$48 list per lock.

Locks are available in chrome and black finish. Specify. Random keying is standard. Files may be ordered keyed alike. Locks feature removable core and are standard with two keys, one of which has a black Neoprene plastic key cover. Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Please contact Inscape Client Services for required parts. Locks may not be field installed in hinged and sliding door cabinets. Specify lateral file height and width or model number. Master keys are available at \$43 list.

Custom colors

Inscape System offers color matched to a customers' specification when possible. This matching is done through a database of over 2,000 existing color formulas or the development of a new custom color. A minimum order value of \$3,000 net per custom color, applies to each order. A \$250 net fee applies for each custom color below this minimum. In addition, Custom premium colors (bright whites and bright colors; textured paints; and reflection paints that use mica, aluminum or special chemical to create their reflective properties) will be subject to a 10% upcharge to the net value of the product.



General information

- Includes holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high
- Be sure to specify a ¾" top along with spacers to achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

| Description | | Part number | Height | Width | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint |
|-------------|-------------------------------|----------------------------------|--------------|------------|------------|--------------|------------------------------|----------------|
| | 10.5" file, 12" file | INGH1522-F10F INGH1528-F10F | 25 % 25 % | 15" 15" | 22" 28" | 93 105 | \$783 \$808 | +\$80 +\$82 |
| | 2-6" box, 10.5" file | INGH1522-2BF10 INGH1528-2BF10 | 25 % 25 % | 15" 15" | 22" 28" | 93 105 | \$892 \$938 | +\$90 +\$95 |
| | 3" pencil, 7.5" box, 12" file | INGH1522-PB7F INGH1528-PB7F | 25 % 25 % | 15" 15" | 22" 28" | 93 105 | \$892 \$938 | +\$90 +\$95 |

Storage Pedestals

Pedestals 9900 Series Front

General information

- Includes holes in top and bracket slots in back of case
- Worksurface supporting for 28.5" high
- Be sure to specify a ¾" top along with spacers to achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

| Description | | Part number | Height | Width | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint |
|--------------------|-----------------------------------|----------------|--------|-------|-------|--------------|------------------------------|--------------|
| | 10.5" File, 12" File | INGE1522-F10F | 25 ¾ | 15" | 22 ¾" | 95 | \$797 | +\$81 |
| | Flat Glides | INGE1528-F10F | 25 ¾ | 15" | 28 ¾" | 105 | \$828 | +\$84 |
| | | Letter Width | | | | | | |
| | | INGE1822-F10F | 25 ¾ | 18" | 22 ¾" | 100 | \$930 | +\$94 |
| | | INGE1828-F10F | 25 ¾ | 18" | 28 ¾" | 110 | \$968 | +\$98 |
| | | Legal Width | | | | | | |
| | 2-6" box, 1-10.5" file | INGE1522-2BF10 | 25 ¾ | 15" | 22 ¾" | 95 | \$903 | +\$91 |
| | Flat Glides | INGE1528-2BF10 | 25 ¾ | 15" | 28 ¾" | 105 | \$946 | +\$96 |
| | | Letter Width | | | | | | |
| | | INGE1822-2BF10 | 25 % | 18" | 22 ¾" | 100 | \$1051 | +\$106 |
| | | INGE1828-2BF10 | 25 % | 18" | 28 ¾" | 110 | \$1103 | +\$111 |
| | | Legal Width | | | | | | |
| 520 | 3" pencil, 7.5" box, and 12" file | INGE1522-PB7F | 25 ¾ | 15" | 22 ¾" | 95 | \$905 | +\$92 |
| | Flat Glides | INGE1528-PB7F | 25 % | 15" | 28 ¾" | 105 | \$950 | +\$96 |
| THE REAL PROPERTY. | | Letter Width | | | | | | |
| | | INGE1822-PB7F | 25 ¾ | 18" | 22 ¾" | 100 | \$1052 | +\$106 |
| | | INGE1828-PB7F | 25 ¾ | 18" | 28 ¾" | 110 | \$1100 | +\$111 |
| | | Legal Width | | | | | | |



General information

- Worksurface supporting for 28.5" high
 Be sure to specify a %" top along with spacers to achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

| Description | | Part number | Height | Width | Depth | Weight lbs) | Neutral paint/ base price | Accent paint |
|-------------|-------------------------------|--------------|--------|-------|-------|-------------|------------------------------|--------------|
| _ | 10.5" file, 12" file | 3022.5H-F10F | 25 %" | 30" | 18" | _ | \$943 | +\$95 |
| | Flat Glides | 3622.5H-F10F | 25 %" | 36" | 18" | _ | \$1035 | +\$104 |
| | | 4222.5H-F10F | 25 ¾" | 42" | 18" | _ | \$1138 | +\$115 |
| | 3" pencil, 7.5" box, 12" file | 3022.5H-PB7F | 25 3%" | 30" | 18" | | \$969 | +\$98 |
| | Flat Glides | 3622.5H-PB7F | 25 %" | 36" | 18" | _ | \$1057 | +\$107 |
| | | 4222.5H-PB7F | 25 %" | 42" | 18" | _ | \$1161 | +\$117 |

Storage Laterals

9900 Series Front

General information

- Worksurface supporting for 28.5" high
- Be sure to specify a ¾" top along with spacers to achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

| Description | | Part number | Height | Width | Depth | Weight lbs) | Neutral paint/ base price | Accent paint |
|--|-------------------------------|----------------------------------|----------------|------------|------------|-------------|------------------------------|-----------------|
| ^ | 10.5" file, 12" file | IN3022.5E-F10F | 25 %" | 30" | 18" | _ | \$954 | +\$96 |
| | Flat Glides | IN3622.5E-F10F | 25 %" | 36" | 18" | _ | \$1046 | +\$105 |
| and the same of th | 1 | IN4222.5E-F10F | 25 ¾" | 42" | 18" | - | \$1149 | +\$116 |
| | 2-6" box, 10.5" file | IN3022.5E-2BF10 | 25 ¾" | 30" | 18" | | \$1091 | +\$110 |
| | Flat Glides | IN3622.5E-2BF10 | 25 %" | 36" | 18" | _ | \$1206 | +\$121 |
| | | IN4222.5E-2BF10 | 25 %" | 42" | 18" | - | \$1318 | +\$132 |
| | 3" pencil, 7.5" box, 12" file | IN3022.5E-PB7F IN3622.5E-PB7F | 25 ¾" 25 ¾" | 30" 36" | 18" 18" | | \$978 \$1070 | +\$99 +\$108 |
| | | IN4222.5E-PB7F | 25 ¾" | 42" | 18" | _ | \$1171 | +\$118 |



General information

- Worksurface supporting for 28.5" high
 Be sure to specify a %" top along with spacers to achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

| Description | | Part number | Height | Width | Depth | Weight lbs) | Neutral paint/ base price | Accent paint |
|-------------|---------------------------------------|--|-------------------------|-------------------|-------------------|-------------|------------------------------|--------------------------|
| | Inscape Bench Bookcase Flat Glides | IN3022.5-1BK18 IN3622.5-1BK18 IN4222.5-1BK18 | 25 %" 25 %" 25 %" | 30" 36" 42" | 18" 18" 18" | - - - | \$929 \$971 \$1032 | +\$94 +\$98 +\$104 |

Storage

Twin-Bins and Brackets

General information

- See Inscape Bench Application Guide for bracket details & locations
- Twin-Bin brackets are quoted separately and are specific to panel thickness
- Twin-Bin cannot be installed directly above a worksurface as it causes interference
- Jumper cables and receptacles for the Electrified Twin Bin power track specified separately
- The "IN3D_-UD-8" receptacles are to be specified in conjunction with the Electrified Twin-Bin
- See Inscape System Application Guide for bracket details and locations
- Twin-Bin brackets are specific to frame thickness
- "2F" denotes use with 2.75" thick frame
- Brackets are for use with Bench stack-on frames only

| Description | | Part number | Height | Width | Weight (lbs) | Neutral paint/ base price | Accent paint |
|-----------------|--------------------------------------|------------------|--------|-------------|--------------|------------------------------|----------------|
| 16 | Nuform Front Twin-Bin | INTWQB36LH | 14" | 36" | 42 | \$1263 | +\$127 |
| | 1 | INTWQB42LH | 14" | 42" | 52 | \$1313 | +\$132 |
| | J | INTWQB48LH | 14" | 48" | 58 | \$1359 | +\$137 |
| | | INTWQB54LH | 14" | 54" | 62 | \$1374 | +\$139 |
| | | INTWQB60LH | 14" | 60" | 68 | \$1390 | +\$140 |
| | Radius Front Twin-Bin | INTWRB36LH | 14" | 36" | 42 | \$1133 | +\$114 |
| | | INTWRB42LH | 14" | 42" | 52 | \$1175 | +\$118 |
| | | INTWRB48LH | 14" | 48" | 58 | \$1218 | +\$122 |
| //// | , | INTWRB54LH | 14" | 54" | 62 | \$1236 | +\$124 |
| | | INTWRB60LH | 14" | 60" | 68 | \$1249 | +\$125 |
| 1 | Composite Veneer Front Twin- | INTWVB36LH | 14" | 36" | 42 | \$1944 | +\$195 |
| | Bin | INTWVB42LH | 14" | 42" | 52 | \$2002 | +\$201 |
| | J | INTWVB48LH | 14" | 48" | 58 | \$2112 | +\$212 |
| | | INTWVB54LH | 14" | 54" | 62 | \$2272 | +\$228 |
| | | INTWVB60LH | 14" | 60" | 68 | \$2556 | +\$256 |
| //2 | Nuform Front Electrified Twin- | INETWBQ36 | 14" | 36" | 42 | \$1645 | +\$165 |
| 3 | Bin | INETWBQ42 | 14" | 42" | 52 | \$1722 | +\$173 |
| | | INETWBQ48 | 14" | 48" | 58 | \$1766 | +\$177 |
| 1 8 | I | INETWBQ54 | 14" | 54" | 62 | \$1786 | +\$179 |
| | | INETWBQ60 | 14" | 60" | 68 | \$1806 | +\$181 |
| | Composite Veneer Front | INETWBV36 | 14" | 36" | 42 | \$2526 | +\$253 |
| 0 | Electrified Twin-Bin | INETWBV42 | 14" | 42" | 52 | \$2630 | +\$264 |
| | | INETWBV48 | 14" | 48" | 58 | \$2778 | +\$279 |
| 1 83 | | INETWBV54 | 14" | 54" | 62 | \$2954 | +\$296 |
| | | INETWBV60 | 14" | 60" | 68 | \$3339 | +\$334 |
| Description | | | | Part number | | Width | List price |
| Çu _n | Twin-Bin Bracket for install on a | 20 25" 🏻 | | INTWBKTUH- | 26-2E | 36" | \$154 |
| 3 \$ | Stack-on | ZU.ZJ 11 | | INTWBKTUH- | | 36 42" | \$154 \$156 |
| | GLACK-OH | | | INTWBKTUH- | | 42 48" | \$150 \$159 |
| ₽ | | | | INTWBKTUH- | | 54" | \$161 |
| 9 | | | | INTWBKTUH- | | 60" | \$163 |
| 십 | Twin-Bin Bracket for install on a on | 27" H Stack- | | INTWBKT-U | | _ | \$98 |
| 6.5 | | | | | | | |



General information


- Electrified Twin Bin shelf is installed in opening where electrical is located (center)
- Electrified Twin Bin Whiteboard + Tackboard only compatible with Electrified Twin Bin
- Receptacles are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290
 Aluminum Leaf
- The circuit 3 receptacle requires 2+2 or 3+1 wire designation ("4" in the code signifies 3+1 compatibility)
- USB power modules can be used with the Electrified Twin-Bin

Note

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

| Description | | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 |
|-------------|--------------------------------|-------------------|--------|-------|-----------------|---------|---------|---------|---------|---------|---------|---------|
| | Electrified Twin-Bin Tackboard | INTWBTB-12 | 14" | 12" | \$112 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| . 13. | | INTWBTB-14 | 14" | 14" | \$115 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| 100 | | INTWBTB-16 | 14" | 16" | \$120 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| A | | INTWBTB-18 | 14" | 18" | \$126 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| | | INTWBTB-20 | 14" | 20" | \$137 | +\$5 | +\$12 | _ | +\$24 | _ | +\$64 | _ |
| 3 | | | | | | | | | | | | |

| Description | | Part number | Height | Width | Weight (lbs) | List price | Accent paint |
|--|-------------------------------------|---------------------|--------|-------|--------------|------------|--------------|
| | Electrified Twin-Bin Shelf | INETWBSHF-12 | _ | 12" | _ | \$91 | +\$10 |
| | | INETWBSHF-14 | _ | 14" | _ | \$91 | +\$10 |
| and the same of th | | INETWBSHF-16 | _ | 16" | _ | \$91 | +\$10 |
| 3 | | INETWBSHF-18 | _ | 18" | _ | \$91 | +\$10 |
| | | INETWBSHF-20 | _ | 20" | _ | \$91 | +\$10 |
| _ | Electrified Twin-Bin Whiteboard | INTWBWB-12 | 14" | 12" | _ | \$33 | _ |
| | | INTWBWB-14 | 14" | 14" | _ | \$33 | _ |
| f | | INTWBWB-16 | 14" | 16" | _ | \$33 | _ |
| | | INTWBWB-18 | 14" | 18" | _ | \$37 | _ |
| | | INTWBWB-20 | 14" | 20" | - | \$37 | _ |
| | Electrified Twin-Bin Power Track | INETPTWB-8 | _ | 8" | _ | \$75 | _ |



Storage Trading Desk

General information

- Kit includes all components to create cavity for technology in a back to back or single sided application as specified
- End and middle units are specific to location being installed
- May only be specified with Full Height Benching Spine

Note

Make sure to option "no tile" for inside of gables as trading desk comes with tile

| Description | | Part number | Width | Depth | Neutral paint/ base price | Accent paint |
|-------------|---------------------------------------|--------------|-------|-------|------------------------------|-----------------|
| | Back to Back 30" D End Section Kit | INTD30E42 | 42" | 12" | \$2475 | +\$248 |
| | | INTD30E48 | 48" | 12" | \$2512 | +\$252 |
| | | INTD30E54 | 54" | 12" | \$2573 | +\$258 |
| | | INTD30E60 | 60" | 12" | \$2586 | +\$259 |
| | | INTD30E72 | 72" | 12" | \$2942 | +\$295 |
| 1 | Back to Back 36" D End Section Kit | INTD36E42 | 42" | 12" | \$3125 | +\$313 |
| | | INTD36E48 | 48" | 12" | \$3137 | +\$314 |
| | | INTD36E54 | 54" | 12" | \$3184 | +\$319 |
| | | INTD36E60 | 60" | 12" | \$3198 | +\$320 |
| | | INTD36E72 | 72" | 12" | \$3561 | +\$357 |
| | Single Sided 30" D End Section Kit | INTDSLH30E42 | 42" | 12" | \$1356 | +\$137 |
| 13 | Handed | INTDSLH30E48 | 48" | 12" | \$1362 | +\$138 |
| | | INTDSLH30E54 | 54" | 12" | \$1374 | +\$139 |
| | | INTDSLH30E60 | 60" | 12" | \$1380 | +\$139 |
| " | | INTDSLH30E72 | 72" | 12" | \$1572 | +\$158 |
| | | left-handed | | | | |
| | | INTDSRH30E42 | 42" | 12" | \$1341 | +\$135 |
| | | INTDSRH30E48 | 48" | 12" | \$1362 | +\$138 |
| | | INTDSRH30E54 | 54" | 12" | \$1374 | +\$139 |
| | | INTDSRH30E60 | 60" | 12" | \$1380 | +\$139 |
| | | INTDSRH30E72 | 72" | 12" | \$1572 | +\$158 |
| | | right-handed | | | | |
| 25 1 | Back to Back 30" D Middle Section Kit | INTD30M42 | 42" | 12" | \$2251 | +\$226 |
| | | INTD30M48 | 48" | 12" | \$2283 | +\$229 |
| | | INTD30M54 | 54" | 12" | \$2343 | +\$235 |
| | | INTD30M60 | 60" | 12" | \$2351 | +\$236 |
| " | | INTD30M72 | 72" | 12" | \$2673 | +\$268 |
| 1 | Back to Back 36" D Middle Section Kit | INTD36M42 | 42" | 12" | \$2895 | +\$291 |
| | | INTD36M48 | 48" | 12" | \$2908 | +\$292 |
| | | INTD36M54 | 54" | 12" | \$2956 | +\$297 |
| | | INTD36M60 | 60" | 12" | \$2969 | +\$298 |
| * | | INTD36M72 | 72" | 12" | \$3292 | +\$330 |
| 1 | Single Sided 30" D Middle Section Kit | INTDS30M42 | 42" | 12" | \$1218 | +\$122 |
| | | INTDS30M48 | 48" | 12" | \$1237 | +\$124 |
| | | INTDS30M54 | 54" | 12" | \$1253 | +\$126 |
| | | INTDS30M60 | 60" | 12" | \$1256 | +\$126 |
| | | | | | | |

bench

Accessories

Left blank intentionally.

Spine Accessories are units that may be specified to sit on top of any of the benching spines. The units are specified to include the stanchion kit or not (see notes on page). Height Adjustable worksurfaces must not be specified when spine accessories are specified due to interference with the lift mechanism. The only aception to this is Add on Glazing.

Add-on glazing

Add-on Glazing is manufactured from ¼" tempered glass. A ¾" tempered glass is also available. Glazing may be mounted to the top of any equivalent Inscape Bench spine or combination of bases outlined in the Application Guide. Glazing is available in clear, gray, etched one or two sides and designer glass Strie options. Add-on Glazing includes top trim, glass mounting extrusion and specified glass. Add-on Glazing is specified based on the thickness of the panel. Note: Hi-lo Add-on Glazing must be specified when installed directly adjacent to a higher panel at an inline situation only. The glaze and extrusion are inset on one side to allow for hi-lo vertical trim on the adjacent higher panel. If the situation calls for hi-lo on both sides, a special may be required. An Add on Glazing alignment clip is included with each Add on Glaze ordered in the ¼" thickness option.

Transaction tops

Transaction Tops are specific to spine width they are to be installed on. Stanchions and top trim are included in the kit, as well as a 1" thick Nuform or laminate top. Hi-Lo Transaction Top must be specified when a transaction top is specified directly adjacent to a higher panel. The worksurface takes into account the profile of the end trim.

Note: 72", 84" and 96"w kits consist of two top caps and four stanchions (based on "Symmetrical Frame Configuration" module lines). Top Caps can be specified as an option and are included with the kit.

Up-Mount bin

The Up-mount Bin is constructed of 24 gauge steel on the back and 20 gauge steel on bottom, sides and top. The Up-mount Bin is ordered and shipped independent of the stanchion kit, top trim and accessories to hang on back of bin. The stanchion kit includes hardware to mount the stanchions on the crossrail of the frame and top trim (tapered or flat). Stanchion kits are specified based on thickness of frame in which the Up-mount Bin is being installed. The backs of all Up-mount Bins require either a whiteboard or a tackboard to provide a clean aesthetic. These accessories are specific to the Up-mount Bin and include mounting hardware. The stanchion and Up-mount Bin provide an overall height of 20.25" module matching adjacent panel heights. The bin is12.75" deep and may be specified directly adjacent to another Up-mount Bin facing the opposite direction; creating a "Twin- Bin" effect. Separate top cap and two stanchions will be required for each bin.

Open "H" leg accessories

Open "H" Leg Accessories are units which hang from the Open "H" Leg on the Inscape Bench. These units are constructed of laminate and come complete with all brackets to hang. With the exception of the Worksurface Extention and the Upper Bookcase which are not compatable with height adjustable worksurfaces, these units may be specified when a Height Adjustable worksurface is being used. The units sit 2" lower than the worksurface so there is no concern of pinch points when lowering the worksurface. The Upper Bookcase is cantilevered over the end of the worksurface (similar to the Worksurface Extension). The weight capacity of shelves is 100 lbs and all other units are 200 lbs.

Spine dividers

Spine Dividers are situated on top of the bench spine only – full height or partial. They come complete with brackets and hardware to mount on the frame as well as a top cap. Dividers may span over two frame (see application guide). Accessories for the spine divider may only be hung on the laminate and veneer versions. The tackable version is for tackability only. The two heights of divider match overall A.F.F heights of 37" and 44". Tackable Spine Divider is a 1.125" thick fabric wrapped panel.

Worksurface divider

Worksurface Divider with Accessory Rail is a 6.75" and 13.5" screen which runs perpendicular to the spine. These may only be used with bench as the depth correlates with the worksurface depth of the benching surfaces. The laminate and veneer versions allow for accessories to be hung on them, the tackable version does not. All hardware is included to mount the divider on the worksurface. It does not deface the worksurface and can be used with either 1" or 1 ¼" thick surfaces. Spine Divider Accessories have a slightly different aesthetic as Inscape System paper accessories. Accessories cannot hang on the tackboard spine divider.

Worksurface mounted corner screens

Worksurface mounted corner screens mount to main surface to provide privacy for the user. All worksurface mounted corner screens are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would install on the left hand side of the user). The overall screen height is half way between a 44"h and a 51"h frame; 3.37" above the 44" frame height. Screens are available in two types; curved wood and metal. Both screen types have an optional feature for a tackable fabric "skin" on the inside. Screens are worksurface specific due to corner detail differences between wood and metal.

Wood curved worksurface mounted corner screens have 16 %" above the worksurface and 8 %" below. The optional fabric skin on a wood screen wraps all the way around the interior of the screen. These screens are finished in a clear coat on maple and must be mounted on a Curved Rectangular Perpendicular Worksurface.

Metal worksurface mounted corner screens can be painted any of the standard colour. The optional fabric skin on a metal screen is only on the interior back. Only metal worksurface mounted corner screens are compatible with freestanding height adjustable worksurfaces.

Upmount shelf

Upmount shelves have a transaction top style shelf with a wrap around screen. Upmount shelves can be use with either parallel or perpendicular worksurface applications. The overall height is half way between a 44"h and a 51"h frame when mounted on a Bench spine frame (3.37" above the 44" frame height) and matches the over all height of a Worksurface Mounted Corner Screen. The shelf can be optioned in Nuform and laminate. The screens are available in two types; curved wood and metal. Both screens types have an optional feature for a tackable fabric "skin" on the inside.

The curved wood screens on the upmont shelves are finished in a clear coat on maple. The optional fabric skin on a wood screen wraps all the way around the interior of the screen.

The metal screens on the upmont shelves can be painted any of the standard colour. The optional fabric skin on a metal screen is only on the interior back.

Back to back metal upmount shelves are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would be open on the left hand side when user is looking at the spine).

Accessories

Spine Accessories

General information

- Planter box, Cubbi Stor and Transaction Counter include painted stanchions kits and trim for spine mount
- Transaction Counter is available in 1" Nuform or Laminate
- Flat trim profile only
- Cubbi Stor and Planter box are constructed of laminate
- Cubbi Stor and Planter box are not available with plywood edge band
- Cubbi Stor is 6" deep

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBTRANTOP-36 in Laminate would be \$370 \$370

| Description | | Part number | | Height | Width | Depth | Laminat neutral pai | | Grade 1 aminate | Accent paint |
|-------------|---------------------|--------------------------|---------|----------------|------------|------------------------------|------------------------|---------------------|---------------------|------------------|
| <u> </u> | Planter Box | INBPLNTTOP- | 36 | 6" | 36" | 6" | \$192 | 4 + | -\$616 | +\$193 |
| | Laminate | INBPLNTTOP- | 42 | 6" | 42" | 6" | \$203 | 8 + | -\$653 | +\$205 |
| | | INBPLNTTOP- | 48 | 6" | 48" | 6" | \$215 | 0 н | -\$688 | +\$216 |
| | | INBPLNTTOP: | 60 | 6" | 60" | 6" | \$226 | 3 + | -\$725 | +\$227 |
| | Cubbi Stor | INBUPPCUBL | | 13 3/5" | 30" | 6" | \$181 | | -\$582 | +\$182 |
| | Laminate | INBUPPCUBL | | 13 ¾" | 36" | 6" | \$197 | | -\$631 | +\$197 |
| | | INBUPPCUBL | | 13 3/5" | 42" | 6" | \$227 | | -\$728 | +\$228 |
| | | INBUPPCUBL | | 13 3/5" | 48" | 6" | \$250 | | -\$800 | +\$251 |
| | | INBUPPCUBL | - | 13 3/5" | 54" | 6" | \$259 | | -\$830 | +\$260 |
| | | INBUPPCUBL | | 13 3/5" | 60" | 6" | \$270 | | -\$867 | +\$272 |
| | | INBUPPCUBL | | 13 3/5" | 72" | 6" | \$283 | | -\$906 | +\$284 |
| ~ | | INBUPPCUBR | | 13 3/5" | 30" | 6" | \$181 | | -\$582 | +\$182 |
| | | INBUPPCUBR INBUPPCUBR | | 13 3/5" | 36" 42" | 6" 6" | \$197 | | -\$631 •\$700 | +\$197 |
| | | INBUPPCUBR | | 13 3/5" | 42" 48" | - | \$227 | | -\$728 -\$000 | +\$228 |
| | | INBUPPCUBR | | 13 3/5" | 48" 54" | 6" 6" | \$250 \$259 | | -\$800 -\$830 | +\$251 +\$260 |
| | | INBUPPCUBR | | 13 ¾" 13 ¾" | 60" | 6" | \$259 \$270 | | -\$630 -\$867 | +\$272 |
| | | INBUPPCUBP | | 13 %" | 72" | 6" | \$283 | | -\$906 | +\$284 |
| Description | | Part number | Height | Width | Depth | Nuform solid/ laminate | Nuform woodgrain | Grade 1 laminate | Grade 2 laminate | Accent paint |
| ^ | Transaction Counter | INBTRANTOP-36 | 6 5/16" | 36" | 12" | \$370 | +\$19 | +\$123 | +\$246 | +\$38 |
| | | INBTRANTOP-42 | 6 5/16" | 42" | 12" | \$392 | +\$21 | +\$120 | +\$239 | +\$40 |
| | | INBTRANTOP-48 | 6 5/16" | 48" | 12" | \$423 | +\$23 | +\$129 | +\$258 | +\$43 |
| | | INBTRANTOP-54 | 6 5/16" | 54" | 12" | \$445 | +\$24 | +\$135 | +\$270 | +\$45 |
| | | INBTRANTOP-60 | 6 5/16" | 60" | 12" | \$450 | +\$24 | +\$139 | +\$277 | +\$46 |
| | | INBTRANTOP-72 | 6 5/16" | 72" | 12" | \$739 | +\$37 | +\$227 | +\$452 | +\$75 |



Up-Mount Bins

General information

- Up-mount overhead bins MUST always be specified to include a tackboard or whiteboard
- Up-mount bins stanchions must be specified to support a frame mounted up-mount bin
- "INB" Stanchion Kit must be used with Inscape Bench only
- Top caps included with stanchion kits and are specified to match frame and bin width
- Optional colored insert and shelf available for Up-Mount bin only
- Up-Mount shelf mounts below the Up-Mount Bin on module
- Stanchions are specific to the Bench frame and can not be used with Inscape System

Note

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

| Description | | Part number | Height | Width | Depth | Neutral paint/ base price | Accent paint |
|---------------|---------------------------------|--------------|---------|-------|-------|------------------------------|--------------|
| _ | Up-Mount Bin | INPHUMB30 | 14" | 30" | _ | \$572 | +\$58 |
| | | INPHUMB36 | 14" | 36" | _ | \$589 | +\$59 |
| | | INPHUMB42 | 14" | 42" | _ | \$617 | +\$62 |
| | | INPHUMB48 | 14" | 48" | _ | \$631 | +\$64 |
| | | INPHUMB54 | 14" | 54" | _ | \$658 | +\$66 |
| | | INPHUMB60 | 14" | 60" | _ | \$722 | +\$74 |
| 95 | Stanchion Kit for Up-Mount Bins | INBUSKT30-2F | 13 ½" | 30" | 2 ¾" | \$572 | +\$58 |
| | For use with Bench spine frames | INBUSKT36-2F | 13 ½" | 36" | 2 ¾" | \$589 | +\$59 |
| | | INBUSKT42-2F | 13 ½" | 42" | 2 ¾" | \$617 | +\$62 |
| TD. | | INBUSKT48-2F | 13 ½" | 48" | 2 ¾" | \$631 | +\$64 |
| lat. | | INBUSKT54-2F | 13 ½" | 54" | 2 ¾" | \$658 | +\$66 |
| | | INBUSKT60-2F | 13 ½" | 60" | 2 ¾" | \$722 | +\$74 |
| | Colored Insert for back of bin | IN12INSRT30 | 12 1/8" | 30" | _ | \$94 | +\$11 |
| | For Up-Mounted bin only | IN12INSRT36 | 12 1/8" | 36" | _ | \$100 | +\$11 |
| | | IN12INSRT42 | 12 1/8" | 42" | _ | \$104 | +\$12 |
| | | IN12INSRT48 | 12 1/8" | 48" | _ | \$110 | +\$12 |
| | Up-Mount Bin Whiteboard | INUBWHB1430 | 14" | 30" | _ | \$40 | |
| | | INUBWHB1436 | 14" | 36" | _ | \$44 | _ |
| | | INUBWHB1442 | 14" | 42" | _ | \$50 | _ |
| | | INUBWHB1448 | 14" | 48" | _ | \$56 | _ |
| | | INUBWHB1454 | 14" | 54" | _ | \$64 | _ |
| 777.299.200.2 | | INUBWHB1460 | 14" | 60" | _ | \$66 | _ |

| Description | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 |
|-------------|-------------|--------|-------|-----------------|---------|---------|---------|---------|---------|---------|---------|
| | INUBTAC1430 | 14" | 30" | \$168 | +\$4 | +\$9 | _ | +\$24 | _ | +\$66 | _ |
| 人為 | INUBTAC1436 | 14" | 36" | \$171 | +\$9 | +\$18 | _ | +\$36 | _ | +\$89 | _ |
| | INUBTAC1442 | 14" | 42" | \$176 | +\$10 | +\$19 | _ | +\$37 | _ | +\$92 | _ |
| 42 PM, W | INUBTAC1448 | 14" | 48" | \$181 | +\$10 | +\$19 | _ | +\$40 | _ | +\$99 | _ |
| 140 M | INUBTAC1454 | 14" | 54" | \$184 | +\$9 | +\$21 | _ | +\$39 | _ | +\$98 | _ |
| | INUBTAC1460 | 14" | 60" | \$190 | +\$7 | +\$18 | _ | +\$38 | _ | +\$98 | _ |

Up-Mount Bin Tackboard

Accessories

Spine Accessories Up-Mount Bins

General information

- %" top is installation ready, complete with double sided tape for adhesion to case
- Sliding door must be mounted on two up-mount bins of equal size that are side by side

| Description | | Part number | Width | Depth | Nuform solid | Nuform woodgrain pattern |
|-------------|-----------------------|---------------|-------|-------|--------------|--------------------------|
| | %" T Up-Mount Bin Top | PHUMBTOP-1330 | 30" | 13" | \$162 | +\$16 |
| | · | PHUMBTOP-1336 | 36" | 13" | \$192 | +\$13 |
| | | PHUMBTOP-1342 | 42" | 13" | \$212 | +\$23 |
| | | PHUMBTOP-1348 | 48" | 13" | \$235 | +\$25 |
| | | PHUMBTOP-1354 | 54" | 13" | \$259 | +\$26 |
| | | PHUMBTOP-1360 | 60" | 13" | \$284 | +\$29 |
| | | PHUMBTOP-1372 | 72" | 13" | \$373 | +\$37 |
| | | PHUMBTOP-1384 | 84" | 13" | \$417 | +\$40 |
| | | PHUMBTOP-1396 | 96" | 13" | \$458 | +\$46 |

| Description | | Part number | Width | Nuform solid/ laminate | Grade 1 laminate | Veneer |
|-------------|-----------------------------------|-------------|-------|---------------------------|---------------------|--------|
| | Sliding Door & Track | INUMBSLDR30 | 30" | \$491 | +\$158 | +\$135 |
| | Up-Mount bin specified separately | INUMBSLDR36 | 36" | \$505 | +\$162 | +\$165 |
| | | INUMBSLDR42 | 42" | \$513 | +\$165 | +\$196 |
| | | INUMBSLDR48 | 48" | \$527 | +\$169 | +\$223 |



Accessories

Spine Accessories Add-on Glazing

General information

- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the Inscape Bench Application Guide
- 10.125" T glaze available in .25" T
- One glaze Alignment clip is included with each Add on Glazing
- Add-on Glazing up to 60"w require two additional Jesters to be specified if spanning multiple frames (ie a 60"w AOG installed on 2-30" frames)
- List/Base for 0.25" thick is clear glass

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG6.7530-2F 0.25" thick glass with Gray would be \$195 +\$94

The same product upgraded to 0.38" thick glass would be \$195 +\$97 +\$236

| | | | | Glazing thickness option | | 0.25" thick | finish optio | ns | 0.38 | ' thick finish | options | |
|----------------------|-----------------|-------|--|--------------------------------|------------|-------------|---------------|---------------|-------|----------------|------------------|--------------|
| Description | Part number | Width | List/base /0.25" thick glazing price | 0.38" thick glazing | Clear | Gray | Etched 1 side | Etched 2 side | Clear | Gray | Etched 1 side | Accent paint |
| // | INAG6.7530-2F | 30" | \$195 | +\$97 | \$0 | +\$94 | +\$94 | +\$185 | +\$0 | +\$236 | +\$236 | +\$21 |
| l" // | INAG6.7536-2F | 36" | \$215 | +\$106 | \$0 | +\$102 | +\$102 | +\$226 | +\$0 | +\$257 | +\$257 | +\$23 |
| 7 | INAG6.7542-2F | 42" | \$230 | +\$114 | \$0 | +\$106 | +\$106 | +\$234 | +\$0 | +\$270 | +\$270 | +\$24 |
| 6.75" H Add-On | INAG6.7548-2F | 48" | \$248 | +\$121 | \$0 | +\$110 | +\$110 | +\$239 | +\$0 | +\$286 | +\$286 | +\$26 |
| Glazing | INAG6.7554-2F | 54" | \$265 | +\$131 | \$0 | +\$113 | +\$113 | +\$243 | +\$0 | +\$298 | +\$298 | +\$28 |
| For use with 2 ¾" T | INAG6.7560-2F | 60" | \$286 | +\$141 | \$0 | +\$125 | +\$125 | +\$269 | +\$0 | +\$327 | +\$327 | +\$30 |
| frames | INAG6.7566-2F | 66" | \$296 | +\$145 | \$0 | +\$155 | +\$155 | +\$292 | +\$0 | +\$377 | +\$377 | +\$31 |
| II di II e S | INAG6.7572-2F | 72" | \$311 | +\$154 | \$0 | +\$172 | +\$172 | +\$320 | +\$0 | +\$410 | +\$410 | +\$32 |
| | INAG6.7578-2F | 78" | \$397 | +\$194 | \$0 | +\$133 | +\$133 | +\$274 | +\$0 | +\$394 | +\$394 | +\$41 |
| | INAG6.7584-2F | 84" | \$464 | +\$228 | \$0 | +\$111 | +\$111 | +\$245 | +\$0 | +\$394 | +\$394 | +\$47 |
| | INAG6.7590-2F | 90" | \$532 | +\$262 | \$0 | +\$88 | +\$88 | +\$217 | +\$0 | +\$394 | +\$394 | +\$54 |
| | INAG6.7596-2F | 96" | \$600 | +\$295 | \$0 | +\$66 | +\$66 | +\$189 | +\$0 | +\$394 | +\$394 | +\$61 |
| | INAGHL6.7530-2F | 30" | \$195 | +\$97 | \$0 | +\$94 | +\$94 | +\$185 | +\$0 | +\$236 | +\$236 | +\$21 |
| | INAGHL6.7536-2F | 36" | \$215 | +\$106 | \$0 | +\$102 | +\$102 | +\$226 | +\$0 | +\$257 | +\$257 | +\$23 |
| / | INAGHL6.7542-2F | 42" | \$230 | +\$114 | \$0 | +\$106 | +\$106 | +\$234 | +\$0 | +\$270 | +\$270 | +\$24 |
| | INAGHL6.7548-2F | 48" | \$248 | +\$121 | \$0 | +\$110 | +\$110 | +\$239 | +\$0 | +\$286 | +\$286 | +\$26 |
| | INAGHL6.7554-2F | 54" | \$265 | +\$131 | \$0 | +\$113 | +\$113 | +\$243 | +\$0 | +\$298 | +\$298 | +\$28 |
| 6.75" H Hi-Lo Add- | INAGHL6.7560-2F | 60" | \$286 | +\$141 | \$0 | +\$125 | +\$125 | +\$269 | +\$0 | +\$327 | +\$327 | +\$30 |
| On Glazing | INAGHL6.7566-2F | 66" | \$296 | +\$145 | \$0 | +\$155 | +\$155 | +\$292 | +\$0 | +\$377 | +\$377 | +\$31 |
| For use with 2 ¾" T | INAGHL6.7572-2F | 72" | \$311 | +\$154 | \$0 | +\$172 | +\$172 | +\$320 | +\$0 | +\$410 | +\$410 | +\$32 |
| frames | INAGHL6.7578-2F | 78" | \$397 | +\$194 | \$0 | +\$133 | +\$133 | +\$274 | +\$0 | +\$394 | +\$394 | +\$41 |
| | INAGHL6.7584-2F | 84" | \$464 | +\$228 | \$0 | +\$111 | +\$111 | +\$245 | +\$0 | +\$394 | +\$394 | +\$47 |
| | INAGHL6.7590-2F | 90" | \$532 | +\$262 | \$0 | +\$88 | +\$88 | +\$217 | +\$0 | +\$394 | +\$394 | +\$54 |
| | INAGHL6.7596-2F | 96" | \$600 | +\$295 | \$0 | +\$66 | +\$66 | +\$189 | +\$0 | +\$394 | +\$394 | +\$61 |
| // | INAG10.12530-2F | 30" | \$196 | +\$115 | \$0 | +\$96 | +\$96 | +\$186 | +\$0 | +\$176 | +\$176 | +\$21 |
| 1 | INAG10.12536-2F | 36" | \$219 | +\$117 | \$0 | +\$109 | +\$109 | +\$225 | +\$0 | +\$179 | +\$179 | +\$23 |
| 40.405 11.4.1.1.0. | INAG10.12542-2F | 42" | \$240 | +\$120 | \$0 | +\$119 | +\$119 | +\$247 | +\$0 | +\$182 | +\$182 | +\$25 |
| 10.125" H Add-On | INAG10.12548-2F | 48" | \$261 | +\$138 | \$0 | +\$132 | +\$132 | +\$269 | +\$0 | +\$207 | +\$207 | +\$27 |
| Glazing | INAG10.12554-2F | 54" | \$282 | +\$155 | \$0 | +\$143 | +\$143 | +\$289 | +\$0 | +\$233 | +\$233 | +\$29 |
| For use with 2 ¾" T | INAG10.12560-2F | 60" | \$306 | +\$161 | \$0 | +\$159 | +\$159 | +\$321 | +\$0 | +\$247 | +\$247 | +\$32 |
| frames | INAG10.12566-2F | 66" | \$324 | +\$173 | \$0 | +\$183 | +\$183 | +\$346 | +\$0 | +\$268 | +\$268 | +\$33 |
| | INAG10.12572-2F | 72" | \$361 | +\$186 | \$0 | +\$182 | +\$182 | +\$348 | +\$0 | +\$290 | +\$290 | +\$37 |
| | INAG10.12578-2F | 78" | \$432 | +\$199 | \$0 | +\$156 | +\$156 | +\$318 | +\$0 | +\$311 | +\$311 | +\$44 |
| | INAG10.12584-2F | 84" | \$495 | +\$213 | \$0 | +\$140 | +\$140 | +\$293 | +\$0 | +\$333 | +\$333 | +\$50 |
| | INAG10.12590-2F | 90" | \$559 | +\$225 | \$0 | +\$119 | +\$119 | +\$269 | +\$0 | +\$355 | +\$355 | +\$56 |
| | INAG10.12596-2F | 96" | \$625 | +\$237 | \$0 | +\$102 | +\$102 | +\$246 | +\$0 | +\$377 | +\$377 | +\$63 |
| // | INAGHL10.130-2F | 30" | \$196 | +\$115 | \$0 \$0 | +\$96 | +\$96 | +\$186 | +\$0 | +\$176 | +\$176 | +\$21 |
| 4/ | INAGHL10.136-2F | 36" | \$219 | +\$117 | \$0 | +\$109 | +\$109 | +\$225 | +\$0 | +\$179 | +\$179 | +\$23 |
| 10.125" H Hi-Lo | INAGHL10.142-2F | 42" | \$240 | +\$120 | \$0 \$0 | +\$119 | +\$119 | +\$225 | +\$0 | +\$182 | +\$182 | +\$25 |
| Add-On Glazing | INAGHL10.148-2F | 48" | \$261 | +\$138 | \$0 \$0 | +\$132 | +\$132 | +\$269 | +\$0 | +\$207 | +\$207 | +\$27 |
| For use with 2 ¾ T | INAGHL10.154-2F | 54" | \$282 | +\$155 | \$0 #0 | +\$143 | +\$143 | +\$289 | +\$0 | +\$233 | +\$233 | +\$29 |
| frames | INAGHL10.160-2F | 60" | \$306 | +\$161 | \$0 #0 | +\$159 | +\$159 | +\$321 | +\$0 | +\$247 | +\$247 | +\$32 |
| ii di ii oo | INAGHL10.166-2F | 66" | \$324 | +\$173 | \$0 | +\$183 | +\$183 | +\$346 | +\$0 | +\$268 | +\$268 | +\$33 |
| | INAGHL10.172-2F | 72" | \$361 | +\$186 | \$0 | +\$182 | +\$182 | +\$348 | +\$0 | +\$290 | +\$290 | +\$37 |
| | INAGHL10.178-2F | 78" | \$432 | +\$199 | \$0 | +\$156 | +\$156 | +\$318 | +\$0 | +\$311 | +\$311 | +\$44 |
| | INAGHL10.184-2F | 84" | \$495 | +\$213 | \$0 | +\$140 | +\$140 | +\$293 | +\$0 | +\$333 | +\$333 | +\$50 |
| | INAGHL10.190-2F | 90" | \$559 | +\$225 | \$0 | +\$119 | +\$119 | +\$269 | +\$0 | +\$355 | +\$355 | +\$56 |
| | INAGHL10.196-2F | 96" | \$625 | +\$237 | \$0 | +\$102 | +\$102 | +\$246 | +\$0 | +\$377 | +\$377 | +\$63 |

US Price List | April 2018

Accessories

Spine Accessories Add-on Glazing

General information

- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the Inscape Bench Application Guide
- 10.125" T glaze available in .25" T
- One glaze Alignment clip is included with each Add on Glazing
- Add-on Glazing up to 60"w require two additional Jesters to be specified if spanning multiple frames (ie a 60"w AOG installed on 2-30" frames)
- List/Base for 0.25" thick is clear glass

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG6.7530-2F 0.25" thick glass with Etre would be \$195 + \$94

The same product upgraded to 0.38" thick glass would be \$195 +\$98 +\$236

| | | | | Glazing thickness option | | 0.25" thick | finish optio | ns | 0.38" | thick finish | options | |
|-----------------------|-----------------|-------|--|--------------------------------|-------|-------------|---------------|---------------|-------|--------------|---------------|---------------|
| Description | Part number | Width | List/base /0.25" thick glazing price | 0.38" thick glazing | Clear | Gray | Etched 1 side | Etched 2 side | Clear | Gray | Etched 1 side | Accer pair |
| // | INAG13.530-2F | 30" | \$197 | +\$98 | \$0 | +\$97 | +\$97 | +\$186 | +\$0 | +\$240 | +\$240 | +\$2 |
| // | INAG13.536-2F | 36" | \$223 | +\$110 | \$0 | +\$115 | +\$115 | +\$224 | +\$0 | +\$282 | +\$282 | +\$2 |
| 7 | INAG13.542-2F | 42" | \$249 | +\$123 | \$0 | +\$134 | +\$134 | +\$261 | +\$0 | +\$323 | +\$323 | +\$2 |
| 13.5" H Add-On | INAG13.548-2F | 48" | \$275 | +\$135 | \$0 | +\$154 | +\$154 | +\$298 | +\$0 | +\$366 | +\$366 | +\$2 |
| Glazing | INAG13.554-2F | 54" | \$301 | +\$148 | \$0 | +\$172 | +\$172 | +\$333 | +\$0 | +\$404 | +\$404 | +\$3 |
| For use with 2 ¾" T | INAG13.560-2F | 60" | \$327 | +\$161 | \$0 | +\$191 | +\$191 | +\$371 | +\$0 | +\$447 | +\$447 | +\$3 |
| frames | INAG13.566-2F | 66" | \$352 | +\$173 | \$0 | +\$212 | +\$212 | +\$400 | +\$0 | +\$488 | +\$488 | +\$3 |
| iiaiiies | INAG13.572-2F | 72" | \$409 | +\$199 | \$0 | +\$191 | +\$191 | +\$409 | +\$0 | +\$487 | +\$487 | +\$4 |
| | INAG13.578-2F | 78" | \$466 | +\$229 | \$0 | +\$180 | +\$180 | +\$359 | +\$0 | +\$497 | +\$497 | +\$4 |
| | INAG13.584-2F | 84" | \$526 | +\$258 | \$0 | +\$169 | +\$169 | +\$341 | +\$0 | +\$510 | +\$510 | +\$5 |
| | INAG13.590-2F | 90" | \$584 | +\$288 | \$0 | +\$150 | +\$150 | +\$323 | +\$0 | +\$510 | +\$510 | +\$5 |
| | INAG13.596-2F | 96" | \$644 | +\$318 | \$0 | +\$138 | +\$138 | +\$302 | +\$0 | +\$521 | +\$521 | +\$6 |
| | INAGHL13.530-2F | 30" | \$197 | +\$98 | \$0 | +\$97 | +\$97 | +\$186 | +\$0 | +\$240 | +\$240 | +\$2 |
| | INAGHL13.536-2F | 36" | \$223 | +\$110 | \$0 | +\$115 | +\$115 | +\$224 | +\$0 | +\$282 | +\$282 | +\$2 |
| <i>j</i> | INAGHL13.542-2F | 42" | \$249 | +\$123 | \$0 | +\$134 | +\$134 | +\$261 | +\$0 | +\$323 | +\$323 | +\$2 |
| | INAGHL13.548-2F | 48" | \$275 | +\$135 | \$0 | +\$154 | +\$154 | +\$298 | +\$0 | +\$366 | +\$366 | +\$2 |
| 1 1 1 | INAGHL13.554-2F | 54" | \$301 | +\$148 | \$0 | +\$172 | +\$172 | +\$333 | +\$0 | +\$404 | +\$404 | +\$3 |
| 13.5" H Hi-Lo Add- | INAGHL13.560-2F | 60" | \$327 | +\$161 | \$0 | +\$191 | +\$191 | +\$371 | +\$0 | +\$447 | +\$447 | +\$3 |
| On Glazing | INAGHL13.566-2F | 66" | \$352 | +\$173 | \$0 | +\$212 | +\$212 | +\$400 | +\$0 | +\$488 | +\$488 | +\$3 |
| For use with 2 3/4" T | INAGHL13.572-2F | 72" | \$409 | +\$199 | \$0 | +\$191 | +\$191 | +\$409 | +\$0 | +\$487 | +\$487 | +\$4 |
| frames | INAGHL13.578-2F | 78" | \$466 | +\$229 | \$0 | +\$180 | +\$180 | +\$359 | +\$0 | +\$497 | +\$497 | +\$4 |
| | INAGHL13.584-2F | 84" | \$526 | +\$258 | \$0 | +\$169 | +\$169 | +\$341 | +\$0 | +\$510 | +\$510 | +\$5 |
| | INAGHL13.590-2F | 90" | \$584 | +\$288 | \$0 | +\$150 | +\$150 | +\$323 | +\$0 | +\$510 | +\$510 | +\$5 |
| | INAGHL13.596-2F | 96" | \$644 | +\$318 | \$0 | +\$138 | +\$138 | +\$302 | +\$0 | +\$521 | +\$521 | +\$6 |



Accessories

Spine Accessories Spine Divider with Accessory Rail

General information

- For use with Inscape Bench only
- Includes hardware and top cap
- Same rules as other spanning components spanning over two frames only (see application guide)
- Laminate divider accessories are compatible with this divider
- Dividers are not compatible with System Horizontal accessories
- These items are not available with plywood edge banding

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBAP1036 in Veneer would be \$477 +\$172

| Description | | Part number | Height | Width | Thickness) | Laminate/ base price | Grade 1 laminate | Veneer | Accent paint |
|-------------|--------------------------------|-------------|---------|-------|------------|-------------------------|---------------------|--------|--------------|
| | 10.125" H Spine Divider with | INBAP1036 | 10.125" | 36" | 3/4" | \$477 | +\$153 | +\$172 | +\$48 |
| | Accessory Rail | INBAP1042 | 10.125" | 42" | 3/4" | \$536 | +\$172 | +\$168 | +\$54 |
| | To match 37" H Frame Height | INBAP1048 | 10.125" | 48" | 3/4" | \$573 | +\$184 | +\$168 | +\$58 |
| | | INBAP1054 | 10.125" | 54" | 3/4" | \$602 | +\$193 | +\$218 | +\$61 |
| | | INBAP1060 | 10.125" | 60" | 3/4" | \$666 | +\$214 | +\$198 | +\$67 |
| | | INBAP1066 | 10.125" | 66" | 3/4" | \$743 | +\$238 | +\$243 | +\$76 |
| | | INBAP1072 | 10.125" | 72" | 3/4" | \$864 | +\$277 | +\$167 | +\$88 |
| | | INBAP1078 | 10.125" | 78" | 3/4" | \$893 | +\$286 | +\$216 | +\$90 |
| | | INBAP1084 | 10.125" | 84" | 3/4" | \$896 | +\$287 | +\$258 | +\$91 |
| | | INBAP1090 | 10.125" | 90" | 3/4" | \$898 | +\$288 | +\$301 | +\$91 |
| | | INBAP1096 | 10.125" | 96" | 3/4" | \$901 | +\$289 | +\$345 | +\$91 |
| | 16.875" H Spine Divider with | INBAP1636 | 16.875" | 36" | 3/4" | \$512 | +\$164 | +\$379 | +\$52 |
| | Accessory Rail | INBAP1642 | 16.875" | 42" | 3/4" | \$605 | +\$194 | +\$369 | +\$61 |
| | To match 44" H Frame | INBAP1648 | 16.875" | 48" | 3/4" | \$600 | +\$192 | +\$443 | +\$61 |
| | Height and 13.5" H Laminate | INBAP1654 | 16.875" | 54" | 3/4" | \$794 | +\$255 | +\$351 | +\$81 |
| | Worksurface Divider Panel with | INBAP1660 | 16.875" | 60" | 3/4" | \$798 | +\$256 | +\$422 | +\$81 |
| | Accessory Rail | INBAP1666 | 16.875" | 66" | 3/4" | \$873 | +\$280 | +\$492 | +\$88 |
| | | INBAP1672 | 16.875" | 72" | 3/4" | \$876 | +\$281 | +\$568 | +\$89 |
| 1 | | INBAP1678 | 16.875" | 78" | 3/4" | \$1068 | +\$342 | +\$476 | +\$108 |
| | | INBAP1684 | 16.875" | 84" | 3/4" | \$1070 | +\$343 | +\$547 | +\$108 |
| | | INBAP1690 | 16.875" | 90" | 3/4" | \$1073 | +\$344 | +\$546 | +\$108 |
| | | INBAP1696 | 16.875" | 96" | 3/4" | \$1076 | +\$345 | +\$617 | +\$108 |

Accessories

Spine Accessories Spine Tackable Divider

General information


- For use with Inscape Bench only
- 1.125" thick soft feel fabric wrapped tackboard panel
- Includes hardware and top cap
- Laminate divider accessories are not compatible with this panel

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.


For example:

Product INBAPF1636 in Grade C would be \$708 +\$243



16.875" H Spine Tackable Divider To match 44" H Frame Height and 13.5" H Worksurface Tackable Divider

| Part number | Height | Width | Thickness) | Grade A | Grade B/ COM | Grade C | Grade D | Grade E | Grade F | Accent paint upcharge |
|-------------|---------|-------|------------|---------|-----------------|---------|---------|---------|---------|-----------------------|
| INBAPF1636 | 16.875" | 36" | 1 1/8" | \$708 | +\$128 | +\$243 | +\$318 | +\$384 | +\$548 | +\$72 |
| INBAPF1642 | 16.875" | 42" | 1 1/8" | \$755 | +\$149 | +\$258 | +\$370 | +\$446 | +\$637 | +\$77 |
| INBAPF1648 | 16.875" | 48" | 1 1/8" | \$806 | +\$144 | +\$257 | +\$408 | +\$495 | +\$712 | +\$82 |
| INBAPF1660 | 16.875" | 60" | 1 1/8" | \$904 | +\$236 | +\$382 | +\$500 | +\$607 | +\$878 | +\$91 |
| INBAPF1666 | 16.875" | 66" | 1 1/8" | \$976 | +\$222 | +\$458 | +\$565 | +\$685 | +\$981 | +\$99 |
| INBAPF1672 | 16.875" | 72" | 1 1/8" | \$1036 | +\$164 | +\$414 | +\$531 | +\$660 | +\$673 | +\$104 |
| INBAPF1684 | 16.875" | 84" | 1 1/8" | \$1149 | +\$198 | +\$458 | +\$595 | +\$747 | +\$1123 | +\$116 |
| INBAPF1696 | 16.875" | 96" | 1 1/8" | \$1328 | +\$293 | +\$543 | +\$706 | +\$877 | +\$1309 | +\$133 |



16.875" H Rectangular Framed Spine Divider, Tackable To match 44" H Frame Height

| Part number | Height | Width | Weight | Grade 1/ | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accent paint |
|-------------|---------|-------|--------|----------|---------|---------|---------|---------|---------|---------|---------|-------------------|
| INBRFD1630 | 16.875" | 30" | 2 3/4" | \$666 | +\$5 | +\$17 | +\$25 | +\$33 | +\$54 | +\$75 | +\$103 | upcharge +\$67 |
| INBRFD1636 | 16.875" | 36" | 2 ¾" | \$736 | +\$6 | +\$18 | +\$28 | +\$37 | +\$61 | +\$85 | +\$118 | +\$74 |
| INBRFD1642 | 16.875" | 42" | 2 ¾" | \$806 | +\$6 | +\$12 | +\$25 | +\$37 | +\$62 | +\$87 | +\$121 | +\$82 |
| INBRFD1648 | 16.875" | 48" | 2 ¾" | \$827 | +\$8 | +\$24 | +\$34 | +\$44 | +\$73 | +\$99 | +\$139 | +\$83 |
| INBRFD1654 | 16.875" | 54" | 2 ¾" | \$892 | +\$8 | +\$26 | +\$38 | +\$50 | +\$81 | +\$110 | +\$153 | +\$90 |
| INBRFD1660 | 16.875" | 60" | 2 ¾" | \$898 | +\$10 | +\$36 | +\$49 | +\$63 | +\$94 | +\$125 | +\$175 | +\$90 |



General information

- Lower units are hung from the Open H or O Leg
- Lower units may be specified when a Height Adjustable worksurface is installed
- Upper bookcase may not specified adjcent to a Height Adjustable worksurface
- Accessories are constructed of laminate
- Specify units based on width of the bench
- Shelves, hook and acrylic modesty hang from the Open H or O Leg
- These items are not available with plywood edge banding

| Description | | Part number | Height | Width | Depth | Laminate/ base price | Grade 1 laminate | Accent paint |
|-------------|--|-----------------------|---------|---------|-------|-------------------------|---------------------|--------------|
| | Lower Bookcase with | INBLWRBRECY-48 | 14.011" | 51 1/3" | 15" | \$3565 | +\$1141 | +\$358 |
| | Recycling and Garbage | INBLWRBRECY-60 | 14.011" | 63 1/3" | 15" | \$3847 | +\$1232 | +\$385 |
| | Laminate case with metal door fronts | INBLWRBRECY-72 | 14.011" | 75 1⁄3" | 15" | \$4185 | +\$1340 | +\$420 |
| | Lower Bookcase | INBLWRBOOK-48 | 14.011" | 51 1/3" | 15" | \$3281 | +\$1050 | +\$329 |
| | | INBLWRBOOK-60 | 14.011" | 63 1/3" | 15" | \$3621 | +\$1159 | +\$363 |
| | | INBLWRBOOK-72 | 14.011" | 75 1⁄3" | 15" | \$3960 | +\$1268 | +\$397 |
| | Lower Bookcase with | INBLWRBPERS-48 | 14.011" | 51 1/3" | 15" | \$4300 | +\$1376 | +\$431 |
| | Personal Centre | INBLWRBPERS-60 | 14.011" | 63 1/3" | 15" | \$4752 | +\$1521 | +\$477 |
| | | INBLWRBPERS-72 | 14.011" | 75 1/3" | 15" | \$5091 | +\$1630 | +\$510 |
| | Personalized Side Access | INBLWRPERSA-48 | 14.011" | 51 1/3" | 15" | \$3136 | +\$1004 | +\$314 |
| | Bookcase | INBLWRPERSA-60 | 14.011" | 63 1/3" | 15" | \$3708 | +\$1187 | +\$372 |
| | | INBLWRPERSA-72 | 14.011" | 75 1⁄3" | 15" | \$4215 | +\$1349 | +\$423 |
| | Upper Bookcase | INBUPPBOOK-48 | 14.011" | 51 1/3" | 15" | \$3281 | +\$1050 | +\$329 |
| | | INBUPPBOOK-60 | 14.011" | 63 1/3" | 15" | \$3621 | +\$1159 | +\$363 |
| A | | INBUPPBOOK-72 | 14.011" | 75 1/3" | 15" | \$3960 | +\$1268 | +\$397 |
| | Lower Bookcase with | INBLWRBSLID-48 | 14.011" | 51 1/3" | 15" | \$3281 | +\$1050 | +\$329 |
| | Glazed Sliding Panel | INBLWRBSLID-60 | 14.011" | 63 1/3" | 15" | \$3621 | +\$1159 | +\$363 |
| | white or frosted panel options available | INBLWRBSLID-72 | 14.011" | 75 1⁄3" | 15" | \$3847 | +\$1232 | +\$385 |
| | Planter Box | INBPLNTEND-48 | 6" | 51 1/3" | 6" | \$2150 | +\$688 | +\$216 |
| | | INBPLNTEND-60 | 6" | 63 1/3" | 6" | \$2377 | +\$761 | +\$239 |
| | | INBPLNTEND-72 | 6" | 75 ⅓" | 6" | \$2603 | +\$833 | +\$261 |
| | Shelf | INBSHELF-48 | 14.011" | 51 1/3" | 13" | \$1359 | +\$435 | +\$137 |
| | | INBSHELF-60 | 14.011" | 63 1/3" | 13" | \$1472 | +\$472 | +\$148 |
| | | INBSHELF-72 | 14.011" | 75 1⁄3" | 13" | \$1585 | +\$508 | +\$160 |
| | Shelf with Planter | INBSHELFPLT-48 | 14.011" | 51 1/3" | 13" | \$3507 | +\$1123 | +\$352 |
| | | INBSHELFPLT-60 | 14.011" | 63 1/3" | 13" | \$3735 | +\$1196 | +\$374 |
| | | INBSHELFPLT-72 | 14.011" | 75 1⁄3" | 13" | \$3960 | +\$1268 | +\$397 |
| | Open Leg Accessory Hook | INBAHOOK | - | - | _ | \$63 | _ | +\$8 |

Accessories

Open leg Accessories

General information

- Worksurface Extension are mounted to the surface and may not specified when a Height Adjustable worksurface is installed
- Woodgrain pattern when applied on Worksurface Extension will run perpendicularly to main worksurfaces
- Worksurface Extension only to be used with Open H and O Leg end support
- Shelves, hooks hang from the Open H or O Leg; however acrylic modesty is sized to fit H Leg only
- Acrylic modesty and privacy screens may be specified when a Height Adjustable worksurface is installed
- Acrylic modesty and privacy screens can be use with both H Legs and O Legs (when no glazed insert is optioned)
- Acrylic white and frosted one side only

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWX1848 in Grade 2 Laminate would be \$499 +\$423

| Description | Part number | Height | Depth | Straight edge nuform solid laminate | Nuform woodgrain pattern | Nuform tapered edge | Grade 1 laminate | Grade 2 laminate | Veneer | Accent paint |
|-------------|-------------|---------|-------|---|--------------------------------|---------------------|---------------------|---------------------|--------|--------------|
| \ | INBWX1848 | 51 ⅓" | 18" | \$499 | +\$39 | +\$19 | +\$160 | +\$423 | +\$843 | +\$51 |
| | INBWX1860 | 63 1/3" | 18" | \$566 | +\$48 | +\$26 | +\$182 | +\$438 | +\$874 | +\$57 |
| | INBWX1872 | 75 ⅓" | 18" | \$696 | +\$58 | +\$29 | +\$223 | +\$436 | +\$870 | +\$71 |

Worksurface Extension

| Description | | Part number | Height | Width | White | Frosted | Accent paint |
|-------------|------------------------------------|----------------------------|----------------|----------------|----------------|------------------|----------------|
| / | Acrylic Modesty Panel | INBAMP-24 | 24 1/6" | 22 1/5" | \$431 | +\$431 | +\$44 |
| / | for use with H Leg only | INBAMP-30 | 24 %" | 28 1/5" | \$504 | +\$504 | +\$51 |
| | | INBAMP-36 | 24 %" | 34 1/5" | \$577 | +\$577 | +\$58 |
| | Acrylic Privacy Screen For privacy | INBAPS-1948 INBAPS-1960 | 18 %" 18 %" | 50 ¾" 62 ¾" | \$645 \$721 | +\$645 +\$721 | +\$65 +\$73 |
| | Matches 44" H overall | INBAPS-1972 | 18 %" | 74 ¾" | \$798 | +\$798 | +\$81 |
| | Acrylic Privacy Screen | INBAPS-2948 | 28 ¾" | 50 ¾" | \$816 | +\$816 | +\$83 |
| | For modesty and privacy | INBAPS-2960 | 28 ¾" | 62 ¾" | \$857 | +\$857 | +\$87 |
| <u> </u> | Matches 44" H overall | INBAPS-2972 | 28 ¾" | 74 ¾" | \$1048 | +\$1048 | +\$106 |



Accent

+\$50

+\$55

+\$58

General information

- For use with Inscape Bench only
- Tackable divider is a 1.125" thick fabric wrapped tackboard panel
- Laminate divider accessories are not compatible with tackable divider
- Dividers Include hardware to mount worksurface perpendicular to spine
- Divider Screen for straight edge worksurfaces are available in a mid or end application option
- The end application Divider Screen can also be used on a height adjustable worksurfaces
- Divider Screen specific to tapered edge worksurfaces is 2" shorter then width stated to accommodate tapered edge and is easier to move

Notes

Width

24"

30"

36"

Thickness

1 1/8"

1 %"

1 1/8"

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Grade A

\$490

\$540

\$578

Product INBSDPF1324 in Grade C would be \$490 +\$180

Grade C

+\$180

+\$225

+\$264

Grade D

+\$251

+\$292

+\$345

Grade E

+\$296

+\$347

+\$410

Grade F

+\$406

+\$484


+\$575

Grade B

+\$108

+\$111

+\$131



13.5" H Worksurface Tackable Divider for Mid Application

With mounting brackets on front and back For use with straight edge worksurfaces Matches 44" H panel and 16.875" H Spine Tackable Divider



| INBSDPFED1324 | 13.5" | 24" | 1 1/8" | \$490 | +\$108 | +\$180 | +\$251 | +\$296 | +\$406 | +\$50 |
|---------------|-------|-----|--------|-------|--------|--------|--------|--------|--------|-------|
| INBSDPFED1330 | 13.5" | 30" | 1 1/8" | \$540 | +\$111 | +\$225 | +\$292 | +\$347 | +\$484 | +\$55 |
| INBSDPFED1336 | 13.5" | 36" | 1 1/8" | \$578 | +\$131 | +\$264 | +\$345 | +\$410 | +\$575 | +\$58 |

13.5" H Worksurface Tackable Divider for End Application

With mounting brackets on front and back For use with straight edge worksurfaces Matches 44" H panel and 16.875" H Spine Tackable Divider



| INBSDSF1324 | 13.5" | 24" | 1 1/4" | \$452 | +\$123 | +\$176 | +\$258 | +\$300 | +\$401 | +\$46 |
|-------------|-------|-----|--------|-------|--------|--------|--------|--------|--------|-------|
| INBSDSF1330 | 13.5" | 30" | 1 1/8" | * | | | | +\$341 | | +\$52 |
| INBSDSF1336 | 13.5" | 36" | 1 1/8" | \$549 | +\$142 | +\$268 | +\$344 | +\$405 | +\$561 | +\$55 |

13.5" H Worksurface Tackable Divider With single bracket to be mount at back of surface only

For use with tapered edge worksurfaces Matches 44" H panel and 16.875" H Spine Tackable Divider

Accessories

Worksurface Dividers

General information

- For use with Inscape Bench only
- Laminate divider accessories are compatible with this divider
- Dividers Include hardware to mount worksurface perpendicular to spine
- Divider Screen for straight edge worksurfaces are available in a mid or end application option
- The end application Divider Screen can also be used on a height adjustable worksurfaces
- Divider Screen specific to tapered edge worksurfaces is 2" shorter then width stated to accommodate tapered edge and is easier to move
- Dividers are not compatible with System Horizontal accessories
- These items are not available with plywood edge banding

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBSDP624 in Veneer would be \$315 +\$43

| Description | | Part number | Height | Width | Thickness | Laminate/ base price | Grade 1 laminate | Veneer | Accent paint |
|-------------|--|--|-------------------------|-------------------|----------------------|-------------------------|----------------------------|----------------------------|-------------------------|
| | 6.75" H Worksurface Divider with Accessory Rail With mounting brackets on front and back For use with straight edge worksurfaces Matches 37" H panel & 10.125" H Add-On Panel and Glazing | INBSDP624 INBSDP630 INBSDP636 | 6.75" 6.75" 6.75" | 24" 30" 36" | 3/4" 3/4" 3/4" | \$315 \$337 \$363 | +\$101 +\$108 +\$117 | +\$43 +\$46 +\$50 | +\$32 +\$35 +\$37 |
| | 6.75" H Worksurface Divider Panel with Accessory Rail With single bracket to be mount at back of surface only For use with tapered edge worksurfaces Matches 37" H panel & 10.125" H Add-On Panel and Glazing | INBSDS624 INBSDS630 INBSDS636 | 6.75" 6.75" 6.75" | 24" 30" 36" | 3/4" 3/4" 3/4" | \$353 \$373 \$390 | +\$113 +\$120 +\$125 | +\$43 +\$46 +\$50 | +\$36 +\$38 +\$40 |
| | 13.5" H Worksurface Divider with Accessory Rail for Mid Application With mounting brackets on front and back For use with straight edge worksurfaces Matches 44" H panel and 16.875" H Spine Divider with Accessory Rail | INBSDP1324 INBSDP1330 INBSDP1336 | 13.5" 13.5" 13.5" | 24" 30" 36" | 3/4" 3/4" 3/4" | \$348 \$374 \$401 | +\$112 +\$120 +\$129 | +\$162 +\$173 +\$186 | +\$36 +\$38 +\$41 |
| | 13.5" H Worksurface Divider with Accessory Rail for End Application With mounting brackets on front and back For use with straight edge worksurfaces Matches 44" H panel and 16.875" H Spine Divider with Accessory Rail | INBSDPED1324 INBSDPED1330 INBSDPED1336 | 13.5" 13.5" 13.5" | 24" 30" 36" | 3/4" 3/4" 3/4" | \$348 \$374 \$401 | +\$112 +\$120 +\$129 | +\$162 +\$173 +\$186 | +\$36 +\$38 +\$41 |
| | 13.5" H Worksurface Divider Panel with Accessory Rail With single bracket to be mount at back of surface only For use with tapered edge worksurfaces Matches 44" H panel and 16.875" H Spine Divider with Accessory Rail | INBSDS1324 INBSDS1330 INBSDS1336 | 13.5" 13.5" 13.5" | 24" 30" 36" | 3/4" 3/4" 3/4" | \$408 \$433 \$459 | +\$131 +\$139 +\$147 | +\$162 +\$173 +\$186 | +\$42 +\$44 +\$47 |

AccessoriesLaminate Divider Accessories

General information

- Accessories do not hang on the tackable version of the dividers
- Slightly different design detail from Inscape System paper trays

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBTTS1330 in Grade 5 would be \$333 +\$21

| | Part number | Height | Width | Depth | Neutral paint/ base price | Accent paint |
|---|---|---|--|--|--|---|
| Paper Tray No holes in bottom | INBAPTRY | 2" | 12" | 9" | \$72 | +\$8 |
| Personal Accessory Tray | INBAPSHF | 2" | 18" | 6" | \$108 | +\$12 |
| Personal Accessory Tray Divider with Felt Pad For use with Personal Accessory Tray | INBAPSHFDV | _ | _ | _ | \$85 | +\$10 |
| Accessory Rail Magnetic Screen | INBTMS1330 INBTMS1336 INBTMS1342 INBTMS1348 | 13" 13" 13" 13" | 30" 36" 42" 48" | _ _ _ _ | \$214 \$236 \$259 \$282 | +\$22 +\$25 +\$27 +\$29 |
| | Personal Accessory Tray Personal Accessory Tray Divider with Felt Pad For use with Personal Accessory Tray | Paper Tray No holes in bottom Personal Accessory Tray INBAPSHF Personal Accessory Tray Divider with Felt Pad For use with Personal Accessory Tray Accessory Rail Magnetic Screen INBTMS1330 INBTMS1336 INBTMS1342 | Personal Accessory Tray Personal Accessory Tray INBAPSHF 2" Personal Accessory Tray Divider with Felt Pad For use with Personal Accessory Tray Accessory Rail Magnetic Screen INBTMS1330 INBTMS1336 INBTMS1342 INBTMS1344 INBTMS1444 INBTMS1444 INBTMS1444 INBTMS1444 INBTMS1444 INBTMS1444 INBTMS1444 INBTMS1 | Personal Accessory Tray Personal Accessory Tray INBAPSHF 2" 18" Personal Accessory Tray Divider with Felt Pad For use with Personal Accessory Tray Accessory Rail Magnetic Screen INBTMS1330 INBTMS1336 INBTMS1342 13" 36" INBTMS1342 | Personal Accessory Tray INBAPSHF Personal Accessory Tray INBAPSHF INBAPSHF INBAPSHF INBAPSHFDV Accessory Tray Divider with Felt Pad For use with Personal Accessory Tray INBAPSHFDV INBAPSHFD | Paper Tray No holes in bottom INBAPTRY 2" 12" 9" \$72 |

| Description | Part number | Height | Width | Grade 1/ COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accent paint |
|-------------|-------------|--------|-------|-----------------|---------|---------|---------|---------|---------|---------|---------|--------------|
| | INBTTS1330 | 13" | 30" | \$333 | +\$5 | +\$10 | _ | +\$21 | _ | +\$52 | _ | +\$34 |
| | INBTTS1336 | 13" | 36" | \$357 | +\$8 | +\$17 | _ | +\$37 | _ | +\$80 | _ | +\$37 |
| | INBTTS1342 | 13" | 42" | \$381 | +\$9 | +\$18 | _ | +\$38 | _ | +\$84 | _ | +\$39 |
| | INBTTS1348 | 13" | 48" | \$405 | +\$11 | +\$20 | _ | +\$39 | _ | +\$84 | _ | +\$41 |
| | | | | | | | | | | | | |

Accessory Rail Tackboard

US Price List | April 2018 Bench | 325

Accessories

Collaborative Collection

General information

- For use with Inscape Bench only
- The chair matches an adjacent worksurface depth of 30" and the sled style legs are available in all paint colors
- Different brackets are optioned depending on which type of surface is adjacent to the chair; fixed height, electric height adjustable or freestanding height adjustable
- Remember to oder adjacent worksurface supports separately
- The chair can NOT be used with manual height adjustable worksurfaces
- Table base is available in all paint colors
- The table and shelf sit flush with the spine top cap
- The table and shelf have straight fronts and backs with curved sides. They are available in 11/4" thick Nuform and laminate options only
- Shelf brackets are available in all paint colors
- 72"w spine space = Two chairs with shelf
- 84"w spine space = Two chairs with shelf or table
- 8" clearance under the shelf for legs when seated in chair

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBCLBCHAIR in Grade D would be \$2660 +\$772

| | | | | | | | Fabric | options | | | |
|-------------|-------------|--------|--------|-------|-----------------|---------|---------|---------|---------|---------|--------------|
| Description | Part number | Height | Width | Depth | Grade A/ COM | Grade B | Grade C | Grade D | Grade E | Grade F | Accent paint |
| | INBCLBCHAIR | 29 ½" | 29 5%" | 25 ½" | \$2660 | +\$236 | +\$604 | +\$772 | +\$914 | +\$1168 | +\$266 |



Collaborative Chair

Collaborative Shelf

| Product number | Fixed height | Freestanding Height Adjustable | Electric Height Adjustable |
|----------------|--------------|--------------------------------------|----------------------------------|
| INBCLBCHAIR | +\$82 | +\$0 | +\$0 |

Worksurface support options

| Description | Part number | Height | Width | Depth | Nuform solid/ laminate wood | Nuform grain/pattern | Grade 1 laminate | Accent paint |
|---------------------|-------------|--------|-------|-------|--------------------------------|-------------------------|---------------------|--------------|
| | INBCLBTBL | 26" | 33 ¾" | 29 %" | \$1320 | +\$66 | +\$423 | +\$132 |
| Collaborative Table | , | | | | | | | |
| | INBCLBSHELF | 26" | 27 ¼" | 10" | \$528 | +\$26 | +\$169 | +\$53 |

326 |Bench US Price List | April 2018



The Arrivals Collection

General information

- For use with perpendicular worksurface applications only
- Screens and shelves (both metal and wood) have an OPTIONAL feature for a tackable fabric "skin" on the inside. Base price is without skin
- The fabric skin on the wood screens wraps all the way around the interior of the screen. On metal screens it is only on interior back
- All worksurface mounted corner screens have 16 %" above the worksurface. The curved wood screen is 8 1/2" below the surface and the metal is 6"
- Worksurface mounted corner wood curved screens are finished in a clear coat on maple
- Worksurface mounted corner metal screens can be painted in all standard colours
- All worksurface mounted corner screens are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would install on the left hand side of the user)
- Screens are worksurface specific due to corner detail differences between wood and metal
- ONLY metal worksurface mounted corner screens are compatible with freestanding height adjustable worksurfaces
- There will be a 1" wire management gap between the screen and the

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWMCSWLH with a Grade D fabric skin would be \$971 ++\$0 +\$105

| back side of the work | surface | | | | | | | | | | | | |
|--|--|--------|---------|-------|---------------------|--------------------|-----------------|---------|--------------|---------|---------|---------|--------------|
| | | | | | | | | Fabi | ric skin opt | ions | | | |
| Description | Part number | Height | Width | Depth | Screen list/base | No fabric layer | Grade A/ COM | Grade B | Grade C | Grade D | Grade E | Grade F | Accent paint |
| | INBWMCSvWLH left handed (illustrated) | 26 ½" | 38 1/4" | 17" | \$971 | -\$192 | +\$0 | +\$67 | +\$87 | +\$105 | +\$118 | +\$134 | +\$98 |
| | INBWMCSWRH right handed | 26 ½" | 38 ¼" | 17" | \$971 | -\$192 | +\$0 | +\$67 | +\$87 | +\$105 | +\$118 | +\$134 | +\$98 |
| Worksurface Mounted | | | | | | | | | | | | | |
| Corner Wood Curved Screen | ON HOL | _D | | | | | | | | | | | |
| For use with curved perpendicular worksurfaces | | | | | | | | | | | | | |
| | INBWMCSMLH left handed (illustrated) | 24" | 41" | 17" | \$575 | -\$172 | +\$0 | +\$67 | +\$87 | +\$105 | +\$118 | +\$134 | +\$58 |
| | INBWMCSMRH right handed | 24" | 41" | 17" | \$575 | -\$172 | +\$0 | +\$67 | +\$87 | +\$105 | +\$118 | +\$134 | +\$58 |
| Worksurface Mounted Corner Metal Screen | | | | | | | | | | | | | |

| Description | Part number | Height | Width | Depth | List price |
|-------------|----------------|--------|-------|-------|------------|
| 9 | INBAWHTBRD1816 | 16" | 18" | _ | \$60 |
| | INBAWHTBRD1116 | 16" | 9 ½" | _ | \$56 |

Hand-On Whiteboard Accessory for worksurface Mounted Wood Screens

For use with straight perpendicular worksurfaces

US Price List | April 2018 Bench | 327

Bench

Accessories

The Arrivals Collection Upmont Shelves

General information

- For use with Inscape Bench only
- Screens and shelves (both metal and wood) have an OPTIONAL feature for a tackable fabric "skin" on the inside. Base price is without skin
- The fabric skin on the wood screens wraps all the way around the interior of the screen. On metal screens it is only on interior back
- Wood upmount shelf screens are finished in a clear coat on maple
- Wood upmount shelves and screens have a 5.5" curved corner while metal upmount shelves and screens have a 1" corner
- Metal upmount shelf screens can be painted in all standard colours
- Back to back metal upmount shelves are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would be open on the left hand side when user is looking at the spine)
- Upmount shelves can be use with either parallel or perpendicular worksurface applications; however, they can NOT be used on fully freestanding straight applications. Even one where docking brackets are used
- 72" sizes come with a 72" top cap

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBUPSHELFW-36 with a Grade D fabric skin and a Grade 1 laminate shelf would be \$1221 +\$0 +\$53 +\$123

Grade 2 lamainte

| | | | | | | | | Fabr | ic skin opt | tions | | | |
|-------------------------------|---|---------|-------|-------|-----------|----------------------|----------------|------------------------|-------------|-----------------------|----------|---------|---------------------|
| Description | Part number | Height | Width | Depth | List/base | No fabric G layer | rade A/ COM | Grade B | Grade C | Grade D | Grade E | Grade F | Accent paint |
| | INBUPSHELFW-36 For use with a 36"w spine frame | 15 ½" | 26" | 10 %" | \$1221 | -\$155 | +\$0 | +\$35 | +\$44 | +\$53 | +\$59 | +\$69 | +\$123 |
| | INBUPSHELFW-60 For use with a 60"w spine | 15 ½" | 50" | 10 %" | \$1288 | -\$171 | +\$0 | +\$35 | +\$44 | +\$53 | +\$59 | +\$69 | +\$129 |
| | frame | | | | | | Nlufe | orm solid/ | | elf finish o uform | Grade | 1 | Grade 2 |
| Single Wood | ON HOL | ח | | | Pro | oduct number | | laminate | | dgrain | laminate | | lamainte |
| Upmount Shelf | ON HOL | | | | INBUI | PSHELFW-36 | | +\$0 | | +\$19 | +\$123 | 3 | +\$246 |
| | | | | | INBUI | PSHELFW-60 | | +\$0 | | +\$24 | +\$139 | 9 | +\$277 |
| | INBUPSHELFM-36 For use with a 36°w spine frame | 14.062" | 26" | 9 ½" | \$820 | -\$134 | +\$0 | +\$35 | +\$44 | +\$53 | +\$59 | +\$69 | +\$83 |
| | INBUPSHELFM-60 For use with a 60"w spine frame | 14.062" | 50" | 9 ½" | \$971 | -\$152 | +\$0 | +\$35 | +\$44 | +\$53 | +\$59 | +\$69 | +\$98 |
| Single Metal Upmount Shelf | INBUPSHELFM-72 For use with a 72"w (2x 36") | 14.062" | 62" | 9 ½" | \$1132 | -\$178 | +\$0 | +\$50 | +\$64 | +\$79 | +\$88 | +\$100 | +\$114 |
| opou oo | spine frame | | | | | | | | She | elf finish o | ptions | | |
| | | | | | Pro | oduct number | Nufo | orm solid/ laminate | | uform Igrain | Grade 1 | | Grade 2 lamainte |
| | | | | | INBUI | PSHELFM-36 | | +\$0 | | +\$19 | +\$120 | 3 | +\$246 |
| | | | | | INBUI | PSHELFM-60 | | +\$0 | | +\$24 | +\$139 | 9 | +\$277 |
| | | | | | INBUI | PSHELFM-72 | | +\$0 | | +\$37 | +\$227 | 7 | +\$452 |
| | INBUPSHELFM72LH For use with a 72"w (2x 36") spine frame left handed (illustrated) | 14 1/8" | 62" | 9 ½" | \$1117 | -\$141 | +\$0 | +\$26 | +\$33 | +\$40 | +\$45 | +\$51 | +\$112 |
| Back to Back Metal | INBUPSHELFM72RH For use with a 72"w (2x 36") spine frame right handed | 14 %" | 62" | 9 ½" | \$1117 | -\$141 | +\$0 | +\$26 | +\$33 | +\$40 | +\$45 | +\$51 | +\$112 |
| Upmount Shelf | ng nanaoa | | | | | | | | S | helf finish | options | | |

 INBUPSHELFM72LH
 +\$0
 +\$37
 +\$246
 +\$492

 INBUPSHELFM72RH
 +\$0
 +\$37
 +\$246
 +\$492

Nuform solid/

Product number

Nuform

woodgrain

Grade 1 laminate

328 | Bench US Price List | April 2018



• For replacement parts only

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWMCSWSKIN in Grade D would be \$192 +\$105

| Description | Part number | Height | Width | Grade A/COM/ base | Grade B | Grade C | Grade D | Grade E | Grade F |
|--|--------------|---------|-------|----------------------|---------|---------|---------|---------|---------|
| | INBWMCSWSKIN | 16 1/8" | 51 %" | \$192 | +\$67 | +\$87 | +\$105 | +\$118 | +\$134 |
| Replacement Fabric Skin for Corner Wood Curved Screen left and right hand compatible | | | | | | | | | |
| | INBWMCSMSKIN | 16 1/8" | 39 ⅓" | \$172 | +\$67 | +\$87 | +\$105 | +\$118 | +\$134 |

Replacement Fabric Skin for Corner Metal Screen left and right hand compatible

Bench

Accessories

The Arrivals Collection Replacement Fabric Skins

General information

• For replacement parts only


Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBSHELFWSKIN36 in Grade D would be \$155 +\$53

| Description | Part number | Height | Width | Grade A/COM/ base | Grade B | Grade C | Grade D | Grade E | Grade F |
|--|--|-------------------|---------|----------------------|---------|---------|---------|---------|---------|
| | INBSHELFWSKIN36 When shelf is used on a 36"w spine frame | 11 ½ " | 39 %" | \$155 | +\$35 | +\$44 | +\$53 | +\$59 | +\$69 |
| | INBSHELFWSKIN60 When shelf is used on a 60"w spine frame | 11 4/7" | 63 %" | \$171 | +\$35 | +\$44 | +\$53 | +\$59 | +\$69 |
| Replacement Fabric Skin for Single Wood Upmount Shelf | | | | | | | | | |
| | INBSHELFMSKIN36 When shelf is used on a 36"w spine frame | 11 5/8" | 24 1/7" | \$134 | +\$35 | +\$44 | +\$53 | +\$59 | +\$69 |
| | INBSHELFMSKIN60 When shelf is used on a 60"w spine frame | 11 %" | 48 1/7" | \$152 | +\$35 | +\$44 | +\$53 | +\$59 | +\$69 |
| Replacement Fabric Skin for Single Metal Upmount Shelf | INBSHELFMSKIN72 When shelf is used on a 72"w (2x 36") spine frame | 11 5/8" | 60 1/7" | \$178 | +\$50 | +\$64 | +\$79 | +\$88 | +\$100 |
| | INBSHELFMSK72 When shelf is used on a 72"w (2x | 11 %" | 29 1/9" | \$141 | +\$26 | +\$33 | +\$40 | +\$45 | +\$51 |



Replacement Fabric Skin for Back to Back Metal Upmount Shelf left and right hand compatible single side replacement part

When shelf is used on a 72"w (2x 36") spine frame

330 |Bench US Price List | April 2018



Accessories

The Arrivals Collection Transaction Tops

General information

- Transaction Top is available in 1" thick Nuform or Laminate finishes
- Flat trim profile only
- 1" thick worksurface
- Worksurface is inset 5" on each side from the ends of the top cap
- 72" (36" top caps) wide kits consist of two top caps and four stanchions
- On-module installation only
- Stanchions have a rectangular profile

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INBACTRTOP-36 in Nuform Woodgrain would be \$392 +\$19

| Description | | Part number | Height | Width | Depth | Nuform solid/ laminate | Nuform woodgrain | Grade 1 laminate | Grade 2 laminate | Accent paint |
|-------------|---------------------|----------------------|---------|-------|-------|------------------------------|---------------------|---------------------|---------------------|--------------|
| | Arrivals Collection | INBACTRTOP-36 | 6 5/16" | 36" | 12" | \$392 | +\$19 | +\$123 | +\$246 | +\$40 |
| 1 | Transaction Top | INBACTRTOP-42 | 6 5/16" | 42" | 12" | \$402 | +\$21 | +\$120 | +\$239 | +\$41 |
| | | INBACTRTOP-48 | 6 5/16" | 48" | 12" | \$423 | +\$23 | +\$129 | +\$258 | +\$43 |
| | | INBACTRTOP-54 | 6 5/16" | 54" | 12" | \$445 | +\$24 | +\$135 | +\$270 | +\$45 |
| | | INBACTRTOP-60 | 6 5/16" | 60" | 12" | \$450 | +\$24 | +\$139 | +\$277 | +\$46 |
| | | INBACTRTOP-72 | 6 5/16" | 72" | 12" | \$739 | +\$37 | +\$227 | +\$452 | +\$75 |

US Price List | April 2018 Bench | 331

Left blank intentionally.

332 |Bench US Price List | April 2018

Tables US Price List April 2018



tables

Arrivals Tables Collection

Arrivals Tables Collection

Standing Height Tables

General information

- Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cut out(s)
- Worksurfaces are 1 1/4" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- Laminate is available in straight edge only
- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default, Black Oak and Clear Maple finishes
- Standing Height Tables include a foot rail that is available in all standard paint colors. Accent paint colours have an upcharge.
- The Flip-up power module is available in matte black, matte white and aluminium finishes
- The Mini Tap power module has a 72" long cord and is available in black only

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TCRSTA3060 in Nuform Woodgrain with a Tapered Edge and 2 power modules would be \$2183 +\$60 +\$31 +\$631

| , , , , , , , , , , , , , , , , , , | | | | | | | | | | | Power or | otions | |
|-------------------------------------|-------------|--------|-------|-------|-----------|---|---------------------------------|------------------------|---|------|----------|-----------|--------------|
| Description | Part number | Height | Width | Depth | Thickness | Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | Grade 1 laminate Straight Edge only | None | 1 module | 2 modules | Accent paint |
| | TCRSTA3060 | 39" | 60" | 30" | 1 1/4" | \$2183 | +\$60 | +\$31 | +\$186 | +\$0 | +\$322 | +\$631 | +\$219 |
| | TCRSTA3072 | 39" | 72" | 30" | 1 1/4" | \$2236 | +\$72 | +\$51 | +\$221 | +\$0 | +\$322 | +\$631 | +\$225 |
| | TCRSTA3660 | 39" | 60" | 36" | 1 1/4" | \$2351 | +\$71 | +\$101 | +\$233 | +\$0 | +\$322 | +\$631 | +\$236 |
| | TCRSTA3672 | 39" | 72" | 36" | 1 1/4" | \$2464 | +\$81 | +\$111 | +\$249 | +\$0 | +\$322 | +\$631 | +\$247 |
| Curved Rectangular | | | | | | | | | | | | | |
| Standing Height Tabl | е | | | | | | | | | | | | |
| available with Mini | | | | | | | | | | | | | |
| Tap power option | | | | | | | | | | | | | |
| | TRECSTA3060 | 39" | 60" | 30" | 1 1/4" | \$2183 | +\$60 | +\$31 | +\$186 | +\$0 | +\$322 | +\$631 | +\$219 |
| | TRECSTA3072 | 39" | 72" | 30" | 1 1/4" | \$2236 | +\$72 | +\$51 | +\$221 | +\$0 | +\$322 | +\$631 | +\$225 |
| | TRECSTA3660 | 39" | 60" | 36" | 1 1/4" | \$2351 | +\$71 | +\$101 | +\$233 | +\$0 | +\$322 | +\$631 | +\$236 |
| | TRECSTA3672 | 39" | 72" | 36" | 1 1/4" | \$2470 | +\$81 | +\$111 | +\$249 | +\$0 | +\$322 | +\$631 | +\$248 |
| Rectangular Standing | g | | | | | | | | | | | | |
| Height Table | - | | | | | | | | | | | | |
| available with Mini | | | | | | | | | | | | | |
| Tap power option | | | | | | | | | | | | | |
| | TRNDSTA36 | 39" | 36" | 36" | 1 1/4" | \$2186 | +\$39 | +\$21 | +\$120 | +\$0 | +\$322 | +\$631 | +\$220 |
| | TRNDSTA42 | 39" | 42" | 42" | 1 1/4" | \$2266 | +\$55 | +\$29 | +\$170 | +\$0 | +\$322 | +\$631 | +\$228 |
| | TRNDSTA48 | 39" | 48" | 48" | 1 1/4" | \$2350 | +\$72 | +\$36 | +\$221 | +\$0 | +\$322 | +\$631 | +\$236 |

Round Standing Height Table available with Mini Tap power option

Round Meeting Table available with Mini Tap power option

- Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cut out(s)
- Worksurfaces are 1 1/4" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- Laminate is available in straight edge only
- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default, Black Oak and Clear Maple finishes
- The Flip-up power module is available in matte black, matte white and aluminium finishes
- The Mini Tap power module has a 72" long cord and is available in black only
- 60"w and 72"w meeting tables can accomodate 1 flip-up power module only
- 84"w and 96"w meeting tables can accomodate 2 flip-up power modules only

| finishes | | | | | | | | | | P | ower optio | ns |
|---|--------------|--------|-------|-------|-----------|---|---------------------------------|---------------------|---|----------|------------|-----------|
| Description | Part number | Height | Width | Depth | Thickness | Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered Edge | Grade 1 laminate Straight Edge only | None | 1 module | 2 modules |
| | TCRECMTG3660 | 28.5" | 60" | 36" | 1 1/4" | \$1795 | +\$71 | +\$101 | +\$218 | +\$0 | +\$436 | _ |
| | TCRECMTG3672 | 28.5" | 72" | 36" | 1 1/4" | \$1845 | +\$81 | +\$111 | +\$249 | +\$0 | +\$436 | _ |
| | TCRECMTG3684 | 28.5" | 84" | 36" | 1 1/4" | \$2036 | +\$99 | +\$135 | +\$305 | +\$0 | _ | +\$851 |
| 1 1 | TCRECMTG3696 | 28.5" | 96" | 36" | 1 1/4" | \$2122 | +\$120 | +\$165 | +\$371 | +\$0 | _ | +\$851 |
| | TCRECMTG4260 | 28.5" | 60" | 42" | 1 1/4" | \$1826 | +\$80 | +\$117 | +\$245 | +\$0 | +\$436 | _ |
| | TCRECMTG4272 | 28.5" | 72" | 42" | 1 1/4" | \$1881 | +\$94 | +\$140 | +\$290 | +\$0 | +\$436 | _ |
| Curved Rectangular | TCRECMTG4284 | 28.5" | 84" | 42" | 1 1/4" | \$2076 | +\$114 | +\$168 | +\$352 | +\$0 | _ | +\$851 |
| Meeting Table | TCRECMTG4296 | 28.5" | 96" | 42" | 1 1/4" | \$2167 | +\$139 | +\$203 | +\$428 | +\$0 | _ | +\$851 |
| available with Flip- | TCRECMTG4860 | 28.5" | 60" | 48" | 1 1/4" | \$1858 | +\$91 | +\$134 | +\$280 | +\$0 | +\$436 | _ |
| up power option | TCRECMTG4872 | 28.5" | 72" | 48" | 1 1/4" | \$1917 | +\$107 | +\$161 | +\$330 | +\$0 | +\$436 | _ |
| | TCRECMTG4884 | 28.5" | 84" | 48" | 1 1/4" | \$2117 | +\$131 | +\$193 | +\$405 | +\$0 | _ | +\$851 |
| | TCRECMTG4896 | 28.5" | 96" | 48" | 1 1/4" | \$2212 | +\$161 | +\$234 | +\$497 | +\$0 | _ | +\$851 |
| | TCRECMTG3636 | 28.5" | 36" | 36" | 1 1/4" | \$1546 | +\$47 | +\$70 | +\$146 | +\$0 | +\$322 | +\$631 |
| | TCRECMTG4242 | 28.5" | 42" | 42" | 1 1/4" | \$1594 | +\$57 | +\$83 | +\$176 | +\$0 | +\$322 | +\$631 |
| | TCRECMTG4848 | 28.5" | 48" | 48" | 1 ¼" | \$1647 | +\$75 | +\$108 | +\$230 | +\$0 | +\$322 | +\$631 |
| Curved Rectangular Meeting Table | | | | | | | | | | | | |
| available with Mini | | | | | | | | | | | | |
| Tap power option | | | | | | | | | | | | |
| | TRECMTG3660 | 28.5" | 60" | 36" | 1 1/4" | \$1795 | +\$71 | +\$101 | +\$218 | +\$0 | +\$436 | _ |
| | TRECMTG3672 | 28.5" | 72" | 36" | 1 1/4" | \$1845 | +\$81 | +\$111 | +\$249 | +\$0 | +\$436 | _ |
| | TRECMTG3684 | 28.5" | 84" | 36" | 1 1/4" | \$2036 | +\$99 | +\$135 | +\$305 | +\$0 | _ | +\$851 |
| 1 | TRECMTG3696 | 28.5" | 96" | 36" | 1 1/4" | \$2122 | +\$120 | +\$165 | +\$371 | +\$0 | _ | +\$851 |
| | TRECMTG4260 | 28.5" | 60" | 42" | 1 1/4" | \$1826 | +\$80 | +\$117 | +\$245 | +\$0 | +\$436 | _ |
| Desta de la Martina | TRECMTG4272 | 28.5" | 72" | 42" | 1 1/4" | \$1881 | +\$94 | +\$140 | +\$290 | +\$0 | +\$436 | _ |
| Rectangular Meeting | TRECMTG4284 | 28.5" | 84" | 42" | 1 1/4" | \$2076 | +\$114 | +\$168 | +\$352 | +\$0 | _ | +\$851 |
| Table | TRECMTG4296 | 28.5" | 96" | 42" | 1 1/4" | \$2167 | +\$139 | +\$203 | +\$428 | +\$0 | _ | +\$851 |
| available with Flip- | TRECMTG4848 | 28.5" | 48" | 48" | 1 1/4" | \$1647 | +\$75 | +\$108 | +\$230 | +\$0 | +\$322 | +\$631 |
| up power option | TRECMTG4872 | 28.5" | 72" | 48" | 1 1/4" | \$1917 | +\$107 | +\$161 | +\$330 | +\$0 | +\$436 | _ |
| | TRECMTG4884 | 28.5" | 84" | 48" | 1 1/4" | \$2117 | +\$131 | +\$193 | +\$405 | +\$0 | _ | +\$851 |
| | TRECMTG4896 | 28.5" | 96" | 48" | 1 1/4" | \$2212 | +\$161 | +\$234 | +\$497 | +\$0 | _ | +\$851 |
| | TRECMTG3636 | 28.5" | 36" | 36" | 1 1/4" | \$1546 | +\$47 | +\$70 | +\$146 | +\$0 | +\$322 | +\$631 |
| | TRECMTG4242 | 28.5" | 42" | 42" | 1 ¼" | \$1594 | +\$57 | +\$83 | +\$176 | +\$0 | +\$322 | +\$631 |
| | TRECMTG4848 | 28.5" | 48" | 48" | 1 1⁄4" | \$1647 | +\$75 | +\$108 | +\$230 | +\$0 | +\$322 | +\$631 |
| Rectangular Meeting Table available with Mini Tap power option | | | | | | | | | | | | |
| Tap power option | TRUBUTAGA | 00 =" | 00" | 65" | 4 | A :==== | A = - | A = - | A | A | 0000 | |
| | TRNDMTG36 | 28.5" | 36" | 36" | 1 ¼" | \$1525 | +\$39 | +\$22 | +\$120 | +\$0 | | |
| | TRNDMTG42 | 28.5" | 42" | 42" | 1 1/4" | \$1588 | +\$55 | +\$29 | +\$170 | | +\$322 | |
| | TRNDMTG48 | 28.5" | 48" | 48" | 1 ¼" | \$1659 | +\$72 | +\$36 | +\$221 | +\$0 | +\$322 | +\$631 |

US Price List | April 2018 Tables | 337

Arrivals Tables Collection

Coffee Tables

General information

- Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cut out(s)
- Worksurfaces are 1 1/4" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- Laminate is available in straight edge only
- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default, Black Oak and Clear Maple finishes
- The Mini Tap power module has a 72" long cord and is available in black only

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TCRCOF30 in Nuform Woodgrain with a Tapered Edge and 2 power modules would be \$1059 +\$37 +\$21 +\$631

| | | | | | | | | | | Р | ower optio | ns |
|---|-------------|--------|-------|-------|-----------|---|---------------------------------|---------------------|---|------|------------|----------|
| Description | Part number | Height | Width | Depth | Thickness | Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered Edge | Grade 1 laminate Straight Edge only | None | 1 module | 2 module |
| | TCRCOF30 | 17" | 36" | 36" | 1 1/4" | \$1059 | +\$37 | +\$21 | +\$114 | +\$0 | +\$322 | +\$63 |
| | TCRCOF36 | 17" | 42" | 42" | 1 1/4" | \$1137 | +\$47 | +\$70 | +\$146 | +\$0 | +\$322 | +\$63 |
| | TCRCOF42 | 17" | 48" | 48" | 1 ¼" | \$1185 | +\$57 | +\$83 | +\$176 | +\$0 | +\$322 | +\$63 |
| Curved Rectangular Coffee Table available with Mini Tap power option | | | | | | | | | | | | |
| | TSQUCOF30 | 17" | 36" | 36" | 1 1/4" | \$1059 | +\$37 | +\$21 | +\$114 | +\$0 | +\$322 | +\$63 |
| | TSQUCOF36 | 17" | 42" | 42" | 1 1/4" | \$1137 | +\$47 | +\$70 | +\$146 | +\$0 | +\$322 | +\$63 |
| | TSQUCOF42 | 17" | 48" | 48" | 1 ¼" | \$1185 | +\$57 | +\$83 | +\$176 | +\$0 | +\$322 | +\$631 |
| Rectangular Coffee | | | | | | | | | | | | |
| Table | | | | | | | | | | | | |
| available with Mini | | | | | | | | | | | | |
| Tap power option | | | | | | | | | | | | |
| | TRNDCOF30 | 17" | 36" | 36" | 1 1/4" | \$1059 | +\$35 | +\$21 | +\$108 | +\$0 | +\$322 | +\$631 |
| | TRNDCOF36 | 17" | 42" | 42" | 1 1/4" | \$1116 | +\$39 | +\$22 | +\$120 | +\$0 | +\$322 | +\$631 |
| | TRNDCOF42 | 17" | 48" | 48" | 1 1/4" | \$1180 | +\$55 | +\$29 | +\$170 | +\$0 | +\$322 | +\$631 |

tables

Worksurfaces

Left blank intentionally.

340 | Tables US Price List | April 2018

Square and Rectangular Tops

General information

- 60"-72" W rectangular tops require a stretcher bar
- 78" W and over rectangular tops require a center leg
- Tables are true to size
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TW3030 in Nuform Woodgrain with a Tapered Edge would be \$341 +\$37 +\$21

Product TW3030 in Nuform Woodgrain with a 1" Straight Edge would be \$341 +\$37 -\$36

Product TW3030 in Veneer would be \$341 +\$635

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | 1" Straight edge nuform solid | Grade 1 laminate Straight Edge onl | Veneer 1.25" Straight Edge only |
|-------------------|-------------|-------|-------|---|---------------------------------|------------------------|----------------------------------|--|------------------------------------|
| | TW3030 | 30" | 30" | \$341 | +\$37 | +\$21 | -\$36 | +\$110 | +\$635 |
| | TW3036 | 36" | 30" | \$389 | +\$40 | +\$22 | -\$39 | +\$125 | +\$662 |
| | TW3042 | 42" | 30" | \$411 | +\$43 | +\$22 | -\$42 | +\$132 | +\$703 |
| | TW3048 | 48" | 30" | \$468 | +\$49 | +\$26 | -\$47 | +\$150 | +\$709 |
| 30" D Rectangular | TW3054 | 54" | 30" | \$526 | +\$54 | +\$27 | -\$52 | +\$169 | +\$717 |
| Top | TW3060 | 60" | 30" | \$587 | +\$59 | +\$29 | -\$59 | +\$188 | +\$722 |
| 100 | TW3066 | 66" | 30" | \$627 | +\$63 | +\$32 | -\$63 | +\$201 | +\$755 |
| | TW3072 | 72" | 30" | \$703 | +\$71 | +\$34 | -\$71 | +\$225 | +\$737 |
| | TW3078 | 78" | 30" | \$779 | +\$78 | +\$39 | -\$77 | +\$250 | +\$738 |
| | TW3084 | 84" | 30" | \$854 | +\$88 | +\$44 | -\$87 | +\$274 | +\$690 |
| | TW3090 | 90" | 30" | \$930 | +\$94 | +\$48 | -\$94 | +\$298 | +\$670 |
| | TW3096 | 96" | 30" | \$1007 | +\$102 | +\$51 | -\$101 | +\$323 | +\$655 |
| | TW3636 | 36" | 36" | \$452 | +\$47 | +\$70 | -\$47 | +\$145 | +\$672 |
| | TW3642 | 42" | 36" | \$477 | +\$48 | +\$73 | -\$49 | +\$153 | +\$816 |
| | TW3648 | 48" | 36" | \$541 | +\$57 | +\$84 | -\$59 | +\$174 | +\$843 |
| | TW3654 | 54" | 36" | \$609 | +\$63 | +\$92 | -\$59 | +\$195 | +\$853 |
| | TW3660 | 60" | 36" | \$682 | +\$71 | +\$101 | -\$71 | +\$219 | +\$905 |
| 36" D Rectangular | TW3666 | 66" | 36" | \$723 | +\$74 | +\$106 | -\$74 | +\$232 | +\$944 |
| Тор | TW3672 | 72" | 36" | \$814 | +\$81 | +\$111 | -\$81 | +\$261 | +\$931 |
| | TW3678 | 78" | 36" | \$903 | +\$89 | +\$123 | -\$87 | +\$289 | +\$913 |
| | TW3684 | 84" | 36" | \$992 | +\$99 | +\$135 | -\$96 | +\$318 | +\$889 |
| | TW3690 | 90" | 36" | \$1091 | +\$110 | +\$150 | -\$104 | +\$350 | +\$857 |
| | TW3696 | 96" | 36" | \$1198 | +\$120 | +\$165 | -\$114 | +\$384 | +\$818 |
| | TW4242 | 42" | 42" | \$556 | +\$57 | +\$83 | _ | +\$178 | +\$1003 |
| | TW4260 | 60" | 42" | \$792 | +\$80 | +\$117 | _ | +\$254 | +\$1119 |
| | TW4272 | 72" | 42" | \$943 | +\$94 | +\$140 | _ | +\$302 | +\$1158 |
| | TW4284 | 84" | 42" | \$1138 | +\$114 | +\$168 | _ | +\$365 | +\$1114 |
| 36" D Rectangular | TW4296 | 96" | 42" | \$1375 | +\$139 | +\$203 | _ | +\$440 | +\$1041 |
| Тор | | | | | | | | | |
| | TW4848 | 48" | 48" | \$724 | +\$75 | +\$108 | _ | +\$232 | +\$1276 |
| | TW4860 | 60" | 48" | \$909 | +\$91 | +\$134 | _ | +\$291 | +\$1380 |
| | TW4872 | 72" | 48" | \$1084 | +\$107 | +\$161 | _ | +\$347 | +\$1434 |
| | TW4884 | 84" | 48" | \$1309 | +\$131 | +\$193 | _ | +\$419 | +\$1392 |
| | TW4896 | 96" | 48" | \$1579 | +\$161 | +\$234 | _ | +\$506 | +\$1316 |

48" D Rectangular

Top

Worksurfaces

Racetrack and Boat Tops

General information

- Racetrack Tops for use with 2 cylindrical table bases
- Bases are not included. See Legs and Bases section
- Tables are true to size

48" D Boat Top

- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWRT3672 in Nuform Woodgrain with a Tapered Edge would be \$862 +\$85 +\$116

Product TWRT3672 in Veneer would be \$862 +\$977

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | 1" Straight edge nuform solid | Grade 1 laminate Straight Edge onl | Veneer 1.25" Straight Edge only |
|---|-------------|-------|-------|---|---------------------------------|------------------------|-------------------------------|--|------------------------------------|
| | TWRT3672 | 72" | 36" | \$862 | +\$85 | +\$116 | _ | +\$276 | +\$977 |
| | TWRT4284 | 84" | 42" | \$1197 | +\$119 | +\$177 | _ | +\$384 | +\$1170 |
| | TWRT4896 | 96" | 48" | \$1657 | +\$168 | +\$245 | _ | +\$531 | +\$1381 |
| Racetrack Top For use with 2 cylindrical table bases | | | | | | | | | |
| | TWBT3672 | 72" | 36" | \$862 | +\$85 | +\$116 | _ | +\$276 | +\$977 |
| 36" D Boat Top | | | | | | | | | |
| | TWBT4284 | 84" | 42" | \$1197 | +\$119 | +\$177 | _ | +\$384 | +\$1170 |
| | TWBT4296 | 96" | 42" | \$1444 | +\$145 | +\$214 | _ | +\$463 | +\$1094 |
| 42" D Boat Top | | | | | | | | | |
| | TWBT4884 | 84" | 48" | \$1374 | +\$138 | +\$245 | _ | +\$440 | +\$1462 |
| | TWBT4896 | 96" | 48" | \$1657 | +\$1793 | +\$1870 | _ | +\$531 | +\$3007 |



- Tables are true to size
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWRND30 in Nuform Woodgrain with a Tapered Edge would be \$375 +\$35 +\$21

Product TWRND30 in Nuform Woodgrain with a 1" Straight Edge would be \$375 +\$35 -\$21

Product TWRND30 in Veneer would be \$375 +\$298

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | 1" Straight edge nuform solid | Grade 1 laminate Straight Edge onl | Veneer 1.25" Straight Edge only |
|-----------------|-------------|-------|-------|---|---------------------------------|------------------------|----------------------------------|--|------------------------------------|
| | TWRND30 | 30" | 30" | \$375 | +\$35 | +\$21 | -\$21 | +\$120 | +\$298 |
| 30" D Round Top | | | | | | | | | |
| | TWRND36 | 36" | 36" | \$412 | +\$39 | +\$22 | -\$23 | +\$132 | +\$476 |
| 36" D Round Top | | | | | | | | | |
| | TWRND42 | 42" | 42" | \$573 | +\$55 | +\$29 | -\$29 | +\$184 | +\$564 |
| 42" D Round Top | | | | | | | | | |
| | TWRND48 | 48" | 48" | \$722 | +\$72 | +\$36 | -\$36 | +\$232 | +\$698 |

48" D Round Top

Worksurfaces Semi-circle Tops

General information

- Requires 2 legs and 2 flush brackets
- Legs and brackets are not included. See Legs and Bases section
- Tables are true to size
- Grain direction runs from straight edge towards arc on the 42"W and 48"W surfaces
- Grain direction runs from side to side on the 60"W and 72"W surfaces
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWSC4221 in Nuform Woodgrain with a Tapered Edge would be \$413 +\$46 +\$25

Product TWSC4221 in Nuform Woodgrain with a 1" Straight Edge would be \$413 +\$46 -\$44

Product TWSC4221 in Veneer would be \$413 +\$324

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | 1" Straight edge nuform solid | Grade 1 laminate Straight Edge onl | Veneer 1.25" Straight Edge only |
|--------------------------|-------------|-------|-------|---|---------------------------------|------------------------|----------------------------------|--|------------------------------------|
| | TWSC4221 | 42" | 21" | \$413 | +\$46 | +\$25 | -\$44 | +\$133 | +\$324 |
| 42" W Semi-circle Top | | | | | | | | | |
| | TWSC4824 | 48" | 24" | \$515 | +\$54 | +\$27 | -\$54 | +\$165 | +\$403 |
| 48" W Semi-circle Top | | | | | | | | | |
| | TWSC6030 | 60" | 30" | \$717 | +\$73 | +\$34 | -\$72 | +\$230 | +\$563 |
| 60" W Semi-circle Top | | | | | | | | | |
| | TWSC7236 | 72" | 36" | \$918 | +\$90 | +\$40 | -\$88 | +\$294 | +\$722 |
| 72" W Semi-circle | | | | | | | | | |

Top

- Requires one post leg and 2 flush mount brackets
- Legs and brackets are not included. See Legs and Bases section
- Tables are true to size
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWQC30 in Nuform Woodgrain with a Tapered Edge would be \$359 +\$36 +\$18

Product TWQC30 in Nuform Woodgrain with a 1" Straight Edge would be \$359 +\$36 -\$35

Product TWQC30 in Veneer would be \$359 +\$282

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | 1" Straight edge nuform solid | Grade 1 laminate Straight Edge onl | Veneer 1.25" Straight Edge only |
|----------------------|-------------|-------|-------|---|---------------------------------|------------------------|-------------------------------|--|------------------------------------|
| 30" D Quarter-circle | TWQC30 | 30" | 30" | \$359 | +\$36 | +\$18 | -\$35 | +\$115 | +\$282 |
| Тор | | | | | | | | | |
| | TWQC36 | 36" | 36" | \$460 | +\$46 | +\$22 | -\$44 | +\$148 | +\$361 |

36" D Quarter-circle

Top

Worksurfaces

Trapezoid Tops

General information

- Tables are true to size
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWTRAP3060 in Nuform Woodgrain with a 1" Straight Edge would be \$643 +\$64 -\$63

Product TWTRAP3060 in Veneer would be \$643 +\$781

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | 1" Straight edge nuform solid | Grade 1 laminate Straight Edge onl | Veneer 1.25" Straight Edge only |
|------------------------------|-------------|-------|-------|---|---------------------------------|------------------------|-------------------------------|--|------------------------------------|
| | TWTRAP3060 | 60" | _ | \$643 | +\$64 | _ | -\$63 | +\$206 | +\$781 |
| Trapezoid Top 30"x30"x60" | | | | | | | | | |
| | TWTRAP2448 | 48" | _ | \$484 | +\$48 | _ | -\$48 | +\$155 | +\$586 |
| | | | | | | | | | |

Trapezoid Top 24"x24"x48"

Worksurfaces

Hex, Pebble and Rhombus Tops

General information

- Tables are true to size
- Not available in tapered edge
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code
- Pebble Top for use with 1 cylindrical table base only
- Rhombus Top for use with 2 cylindrical table bases only

Note

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWHEXL3072 in Nuform Woodgrain with a 1" Straight Edge would be \$768 +\$77 -\$76

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/pattern | Nuform tapered edge | 1" Straight edge nuform solid | Veneer 1.25" Straight Edge only |
|------------------|----------------------------|-------|-------|---|-----------------------------|------------------------|----------------------------------|------------------------------------|
| How Top | TWHEXL3072 left-handed | 72" | 30" | \$768 | +\$77 | _ | -\$76 | _ |
| Hex Top Hex Top | TWHEXR3072 right-handed | 72" | 30" | \$768 | +\$77 | _ | -\$76 | _ |
| | TWPEB3648 | 48" | 36" | \$759 | +\$75 | - | -\$38 | _ |
| Pebble Top | | | | | | | | |
| | TWROM4890 | 90" | 48" | \$1657 | +\$168 | _ | -\$159 | _ |

Rhombus Top

US Price List | April 2018 Tables | 347

Worksurfaces

module

Rectangular Tops with Power Module

General information

- 60" & 72" W rectangular tops require a stretcher bar
- 78" W and over rectangular tops require a center leg
- 30" & 36" deep surfaces include power modules positioned 2" in from the back edge. 60" and 72" wide have one module and 84" & 96" have two modules
- 42" & 48" deep surfaces include power modules centered front to back.
 60" & 72" wide have one module and 84" and 96" have two modules
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider
- Rectangular Tops with Power Module are not available in Nuform

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWP3060-S in Veneer would be \$1380 +\$722

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | 1" Straight edge nuform solid | Grade 1 laminate Straight Edge onl | Veneer 1.25 Straight Edge on |
|---|-------------|-------|-------|---|---------------------------------|------------------------|----------------------------------|--|---------------------------------|
| ~ ~~ | TWP3060-S | 60" | 30" | \$1380 | _ | _ | _ | +\$442 | +\$72 |
| | TWP3072-S | 72" | 30" | \$1495 | _ | _ | _ | +\$479 | +\$73 |
| | TWP3084-S | 84" | 30" | \$1647 | _ | _ | _ | +\$528 | +\$69 |
| 30" D Rectangular | TWP3096-S | 96" | 30" | \$1800 | _ | _ | _ | +\$576 | +\$65 |
| Top with power module | | | | | | | | | |
| ~ /~ | TWP3660-S | 60" | 36" | \$1474 | _ | _ | _ | +\$472 | +\$90 |
| | TWP3672-S | 72" | 36" | \$1605 | _ | _ | _ | +\$514 | +\$93 |
| | TWP3684-S | 84" | 36" | \$1777 | _ | _ | _ | +\$569 | +\$88 |
| 36" D Rectangular Top with power module | TWP3696-S | 96" | 36" | \$1982 | _ | - | _ | +\$635 | +\$81 |
| | TWP4260-S | 60" | 42" | \$1576 | _ | _ | _ | +\$505 | +\$111 |
| (·)(·) | TWP4272-S | 72" | 42" | \$1728 | _ | _ | _ | +\$553 | +\$115 |
| | TWP4284-S | 84" | 42" | \$1923 | _ | _ | _ | +\$616 | +\$111 |
| 42" D Rectangular | TWP4296-S | 96" | 42" | \$2159 | _ | _ | _ | +\$691 | +\$104 |
| Top with power module | | | | | | | | | |
| 0 | TWP4860-S | 60" | 48" | \$1694 | _ | _ | _ | +\$543 | +\$138 |
| (.)() | TWP4872-S | 72" | 48" | \$1868 | _ | _ | _ | +\$598 | +\$143 |
| | TWP4884-S | 84" | 48" | \$2092 | _ | _ | _ | +\$670 | +\$139 |
| 48" D Rectangular Top with power | TWP4896-S | 96" | 48" | \$2363 | _ | _ | _ | +\$757 | +\$131 |

348 | Tables US Price List | April 2018

- Stretcher bars are required for unsupported worksurfaces of 54" W or wider
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code

Notes

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TCTB2460 in Nuform Woodgrain would be \$573 +\$60

Product TCTB2460 in Nuform Woodgrain with a 1" Straight Edge would be \$573 +\$60 -\$58

| Description | Part number | Width | Depth | 1.25" Straight edge nuform solid/ laminate (base) | Nuform woodgrain/ pattern | Nuform tapered edge | 1" Straight edge nuform solid | Grade 1 laminate Straight Edge onl | Veneer 1.25" Straight Edge only |
|-------------|-------------|-------|-------|---|---------------------------------|------------------------|-------------------------------|--|------------------------------------|
| | TCTB2460 | 60" | 24" | \$573 | +\$60 | _ | -\$58 | +\$184 | _ |
| | TCTB2466 | 66" | 24" | \$629 | +\$63 | _ | -\$63 | +\$202 | _ |
| | TCTB2472 | 72" | 24" | \$686 | +\$73 | _ | -\$72 | +\$220 | _ |
| | TCTB3060 | 60" | 30" | \$716 | +\$76 | _ | -\$75 | +\$230 | _ |
| Bullet Top | TCTB3066 | 66" | 30" | \$763 | +\$78 | _ | -\$77 | +\$245 | _ |
| Ballot Top | TCTB3072 | 72" | 30" | \$858 | +\$88 | _ | -\$87 | +\$275 | _ |
| | TB2748 | 48" | 27" | \$429 | +\$60 | - | -\$58 | +\$138 | _ |
| Bean Top | | | | | | | | | |
| | TOM3048 | 48" | 30" | \$573 | +\$60 | _ | -\$58 | +\$184 | _ |
| Oval Top | | | | | | | | | |
| | TCUR27405 | 40 ½" | 27" | \$402 | +\$42 | _ | -\$40 | +\$129 | _ |

Curved Rectangular Top

US Price List | April 2018

Left blank intentionally.

350 | Tables US Price List | April 2018

tables

Legs & Bases

Legs & Bases Legs

General information

- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colours. Accent paint colours have an upcharge.
- To adjust the height there are two bolts that unthread and then pull out so that inner leg can then move up of down
- Round caster legs recommended to b used 2 with a brake and 2 without

| Description | | Part number | Height | Depth | Weight (lbs) | Neutral paint/ base price | Accent pain |
|-------------|---|---|-------------------------|-------------------|--------------|------------------------------|-------------------------|
| | "H" Leg Fixed Height | THLEG2428.5 THLEG3028.5 THLEG3628.5 | 28 ½" 28 ½" 28 ½" | 24" 30" 36" | - - - | \$422 \$445 \$460 | +\$40 +\$40 +\$47 |
| | "H" Leg Manual Adjustable Height | THLEG24-ADJ THLEG30-ADJ THLEG36-ADJ | 28 ½" 28 ½" 28 ½" | 24" 30" 36" | - - - | \$513 \$534 \$551 | +\$52 +\$54 +\$56 |
| | "O" Leg Fixed Height | TOLEG2428.5 TOLEG3028.5 TOLEG3628.5 | 28 ½" 28 ½" 28 ½" | 24" 30" 36" | | \$351 \$362 \$366 | +\$36 +\$37 +\$37 |
| | Round Caster Leg | TRNDLEGCASTER | 28 ½" | - | - | \$217 | +\$23 |
| | Post Leg Visual to match Height Adjustable Table launched June 2017 | INPLAK28.5 | 28 ½" | _ | _ | \$260 | +\$27 |
| | Freestanding "C" Leg for 24"D worksurfaces Visual to match Height Adjustable Table launched June 2017 | INLAKFLEG24LH left hand (illustrated) INLAKFLEG24RH right hand | 28 ½" 28 ½" | - | - | \$301 \$301 | +\$3* |
| | Freestanding "C" Leg for 30"D worksurfaces Visual to match Height Adjustable Table launched | INLAKFLEG30LH left hand (illustrated) INLAKFLEG30RH | 28 ½" | _ | _ | \$306 \$306 | +\$32 |



- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colours

| Description | | Part number | Height | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint |
|-------------|--|--|----------------|--------------------------|------------------|----------------------------------|----------------------------------|
| | "C" Leg Fixed Height | TCLEG1828.5F | 28 ½" | 18" | 7 | \$334 | +\$34 |
| | "C" Leg Manual Adjustable Height Handed | TCLEG18MLH TCLEG18MRH | Ξ | 18" 18" | 8 8 | \$415 \$415 | +\$42 +\$42 |
| | "L" Leg Fixed Height | TLLEG2428.5F TLLEG3028.5F | 28 ½" 28 ½" | 24" 30" | 7 7 | \$340 \$353 | +\$35 +\$36 |
| | "L" Leg Manual Adjustable Height Handed | TLLEG24MLH TLLEG24MRH TLLEG30MLH TLLEG30MRH | _ _ _ | 24" 24" 30" 30" | 8 8 8 8 | \$415 \$415 \$426 \$426 | +\$42 +\$42 +\$43 +\$43 |
| | Post Leg Fixed Height With black slide glide | TLEG28.5F | 28 ½" | _ | 3 | \$166 | +\$18 |
| | Triangular Leg | TWMLEG-28.5 | 28 ½" | - | - | \$224 | +\$23 |
| | Rectangular Post Leg | TRECPLEG-28.5 Fixed Height TRECPLEG-ADJ | 28 ½" | _ | - | \$144 \$241 | +\$16 +\$25 |
| | | Manual Adjustable Height | | | | | |

US Price List | April 2018 Tables | 353


Legs & Bases

Bases

General information

- Legs available in any of Inscape's standard paint colours (except cylindrical table base)
- Limited color options with Cylindrical Table Base
- Base only
- Cylindrical Table bases only for use with Round, Pebble, Racetrack and Rhombus Tops
- 2 Cylindrical Table bases required for Racetrack and Rhombus Tops

| Description | | Part number | Height | Weight (lbs) | Neutral paint/ base price | Accent paint |
|-------------|--|--|--------|--------------|------------------------------|--------------|
| | "X" Table Base Top specified separately | TX-BASE30 For use with 30" and 36" W Round tops only | _ | _ | \$1118 | +\$113 |
| | | TX-BASE36 For use with 42" and 48" W Round tops only | - | _ | \$1152 | +\$116 |



tables

Accessories

Accessories

Surface Support Accessories

General information

- Table link bracket is specified to link two tables together
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are 1 1/2" high

| Description | | Part number | Height | Depth | Weight (lbs) | List price |
|-------------|-----------------------|-------------|--------|-------|--------------|------------|
| Ta | ble Link Bracket | | LBRKT | | - | \$64 |
| | ush Bracket t of 2 | | INFB | | 0.2 | \$14 |
| 20 | " Flush Bracket | | INFB20 | | 1 | \$22 |

| Description | | Part number | Width | Weight (lbs) | Eco black | Painted |
|-------------|--|-------------------------------------|-------|--------------|-----------|---------|
| 5/// | Worksurface Stretcher Bar For use with worksurfaces 54" | INSBK54 For use with 54" surface | 44" | _ | \$66 | _ |
| | and wider | INSBK60 For use with 60" surface | 50" | _ | \$98 | _ |
| | | INSBK72 For use with 72" surface | 62" | _ | \$117 | _ |
| | | INSBK84 For use with 84" surface | 74" | _ | \$140 | _ |
| | | INSBK96 For use with 96" surface | 86" | _ | \$159 | _ |

356 | Tables US Price List | April 2018

General information

- Table mounted screens mount to worksurfaces
- It is recommended that the Adjustable Framed Table Mounted Screen is installed to allow 20" of visual privacy
- Freestanding Table Screen is made of 6mm thick frosted acrylic which is 13" high, seated in a painted aluminum extrusion, which can be painted any of Inscape's standard colors. This screen is 5" less in depth than depth of worksurface it will be placed on
- Table Mounted Screen/Modesty has 14" of the tackboard mounted above the surface and 13 1/2" below

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product TMST3736 in Grade 3 Fabric would be \$529 +\$77

Product TSWTMS48 in Frosted Acrylic would be \$755 +\$89



| Part number | Height | Depth | Weight (lbs) | List price | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Accent paint |
|-------------|--------|-------|--------------|------------|---------|---------|---------|---------|---------|---------|---------|--------------|
| TMST3736 | 37" | 36" | 13 | \$529 | +\$49 | +\$77 | _ | +\$134 | _ | +\$370 | _ | +\$54 |
| TMST3742 | 37" | 42" | 15 | \$551 | +\$50 | +\$78 | _ | +\$134 | _ | +\$374 | _ | +\$56 |
| TMST3748 | 37" | 48" | 16 | \$573 | +\$55 | +\$79 | _ | +\$135 | _ | +\$378 | _ | +\$58 |
| TMST3754 | 37" | 54" | 18 | \$593 | +\$57 | +\$84 | _ | +\$138 | _ | +\$387 | _ | +\$60 |
| TMST3760 | 37" | 60" | 19 | \$614 | +\$62 | +\$89 | _ | +\$138 | _ | +\$396 | _ | +\$62 |
| | | | | | | | | | | | | |

37" H Adjustable Framed Table Mounted Screen Tackable

| Description | Part number | Height | Width | Grade A G | Grade B/COM | Grade C | Grade D | Grade E | Grade F | Accent paint |
|-------------|-------------|--------|-------|-----------|-------------|---------|---------|---------|---------|--------------|
| | INTMSF2948 | 29" | 48" | \$1117 | +\$158 | +\$434 | +\$842 | +\$1015 | +\$1387 | +\$112 |
| | INTMSF2954 | 29" | 54" | \$1133 | +\$307 | +\$601 | +\$1020 | +\$1215 | +\$1706 | +\$114 |
| - R | INTMSF2960 | 29" | 60" | \$1209 | +\$353 | +\$680 | +\$1138 | +\$1356 | +\$1897 | +\$122 |

Weight




Table Mounted Screen/Modesty Tackable

| Description | | Part number | Height | Depth | Weight (lbs) | Clear acrylic | White acrylic | Frosted acrylic |
|-------------|----------------|-------------|--------|-------|--------------|---------------|---------------|-----------------|
| | Table Mounted | TSWTMS48 | 20" | 48" | 4 | \$755 | +\$89 | +\$89 |
| | Acrylic Screen | TSWTMS54 | 20" | 54" | 5 | \$1185 | +\$186 | +\$186 |
| | | TSWTMS60 | 20" | 60" | 6 | \$1373 | +\$185 | +\$185 |

| Description | | Part number | Height | Depth | Weight (lbs) | Neutral paint/ base price | Accent paint |
|-------------|---------------------------|-------------|--------|-------|--------------|------------------------------|--------------|
| | Freestanding Table Screen | TINSPS24 | 13" | 19" | 2 | \$104 | +\$12 |
| | - | TINSPS30 | 13" | 25" | 2 | \$146 | +\$16 |
| | 7 | TINSPS32 | 13" | 28" | 2 | \$153 | +\$16 |
| | | TINSPS36 | 13" | 31" | 2 | \$159 | +\$17 |
| | | | | | | | |

Tables | **357** US Price List | April 2018

Accessories Modesty Panels

General information

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Specify modesty panels 12" shorter then the surface length when being used with a Height Adjustable Table

| Description | | Part number | Height | Width | Neutral paint/ base price | Accent paint |
|-------------|--------------------------------------|-------------|--------|-------|------------------------------|--------------|
| | Painted Partial Height Modesty Panel | TMDPNP30 | 13.5" | 30" | \$117 | +\$13 |
| | ≥ . | TMDPNP33 | 13.5" | 33" | \$120 | +\$13 |
| | | TMDPNP36 | 13.5" | 36" | \$122 | +\$13 |
| | | TMDPNP39 | 13.5" | 39" | \$125 | +\$14 |
| | | TMDPNP42 | 13.5" | 42" | \$128 | +\$14 |
| | | TMDPNP45 | 13.5" | 45" | \$131 | +\$14 |
| | | TMDPNP48 | 13.5" | 48" | \$137 | +\$15 |
| | | TMDPNP51 | 13.5" | 51" | \$139 | +\$15 |
| | | TMDPNP54 | 13.5" | 54" | \$141 | +\$15 |
| | | TMDPNP57 | 13.5" | 57" | \$144 | +\$16 |
| | | TMDPNP60 | 13.5" | 60" | \$146 | +\$16 |
| | | TMDPNP63 | 13.5" | 63" | \$148 | +\$16 |
| | | TMDPNP66 | 13.5" | 66" | \$150 | +\$16 |
| | | TMDPNP69 | 13.5" | 69" | \$151 | +\$16 |
| | | TMDPNP72 | 13.5" | 72" | \$154 | +\$17 |



- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Specify modesty panels 12" shorter then the surface length when being used with a Height Adjustable Table
- The Nuform option has a gray backer
- The laminate option is laminate on both sides with a self edge
- The veneer option is veneer on both sides with a self edge
- Nuform finish is on one side with white backer

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product TMDPNW30 in Veneer would be \$270 +\$130

| Description | | Part number | Height | Depth | Nuform | Laminate | Grade 1 laminate | Veneer | Accent paint |
|--|--------------------------|-------------|--------|-------|--------|----------|---------------------|--------|--------------|
| | Wood Core Partial Height | TMDPNW30 | 13.5" | 30" | \$270 | \$270 | +\$87 | +\$130 | +\$28 |
| No. of the last of | Modesty Panel | TMDPNW33 | 13.5" | 33" | \$290 | \$290 | +\$93 | +\$130 | +\$30 |
| | | TMDPNW36 | 13.5" | 36" | \$297 | \$297 | +\$96 | +\$144 | +\$31 |
| | | TMDPNW39 | 13.5" | 39" | \$332 | \$332 | +\$107 | +\$128 | +\$34 |
| | | TMDPNW42 | 13.5" | 42" | \$338 | \$338 | +\$109 | +\$143 | +\$35 |
| | | TMDPNW45 | 13.5" | 45" | \$347 | \$347 | +\$112 | +\$156 | +\$36 |
| | | TMDPNW48 | 13.5" | 48" | \$353 | \$353 | +\$113 | +\$178 | +\$36 |
| | | TMDPNW51 | 13.5" | 51" | \$387 | \$387 | +\$124 | +\$164 | +\$40 |
| | | TMDPNW54 | 13.5" | 54" | \$393 | \$393 | +\$126 | +\$184 | +\$40 |
| | | TMDPNW57 | 13.5" | 57" | \$402 | \$402 | +\$129 | +\$196 | +\$41 |
| | | TMDPNW60 | 13.5" | 60" | \$422 | \$422 | +\$136 | +\$196 | +\$43 |
| | | TMDPNW63 | 13.5" | 63" | \$493 | \$493 | +\$158 | +\$147 | +\$50 |
| | | TMDPNW66 | 13.5" | 66" | \$514 | \$514 | +\$165 | +\$147 | +\$52 |
| | | TMDPNW69 | 13.5" | 69" | \$533 | \$533 | +\$171 | +\$148 | +\$54 |
| | | TMDPNW72 | 13.5" | 72" | \$554 | \$554 | +\$178 | +\$155 | +\$56 |
| | | TMDPNW75 | 13.5" | 75" | \$617 | \$617 | +\$198 | +\$113 | +\$62 |
| | | TMDPNW78 | 13.5" | 78" | \$622 | \$622 | +\$200 | +\$130 | +\$63 |
| | | TMDPNW81 | 13.5" | 81" | \$629 | \$629 | +\$202 | +\$143 | +\$63 |
| | | TMDPNW84 | 13.5" | 84" | \$633 | \$633 | +\$203 | +\$160 | +\$64 |
| | | TMDPNW87 | 13.5" | 87" | \$638 | \$638 | +\$205 | +\$174 | +\$64 |
| | | TMDPNW90 | 13.5" | 90" | \$642 | \$642 | +\$206 | +\$189 | +\$65 |

US Price List | April 2018 Tables | 359

Accessories

Modesty Panels

General information

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included

| Description | Part number | Height | Width | Neutral paint/ base price | Accent paint |
|--------------------------------------|-------------|--------|-------|------------------------------|--------------|
| Acrylic Partial Height Modesty Panel | TMDPNA30 | 13.5" | 30" | \$444 | _ |
| | TMDPNA33 | 13.5" | 33" | \$448 | _ |
| · | TMDPNA36 | 13.5" | 36" | \$455 | _ |
| • | TMDPNA39 | 13.5" | 39" | \$460 | _ |
| | TMDPNA42 | 13.5" | 42" | \$466 | _ |
| | TMDPNA45 | 13.5" | 45" | \$476 | _ |
| | TMDPNA48 | 13.5" | 48" | \$481 | _ |
| | TMDPNA51 | 13.5" | 51" | \$501 | _ |
| | TMDPNA54 | 13.5" | 54" | \$524 | _ |
| | TMDPNA57 | 13.5" | 57" | \$544 | _ |
| | TMDPNA60 | 13.5" | 60" | \$572 | _ |
| | TMDPNA63 | 13.5" | 63" | \$598 | _ |
| | TMDPNA66 | 13.5" | 66" | \$627 | _ |
| | TMDPNA69 | 13.5" | 69" | \$652 | _ |
| | TMDPNA72 | 13.5" | 72" | \$681 | _ |
| | TMDPNA75 | 13.5" | 75" | \$694 | _ |
| | TMDPNA78 | 13.5" | 78" | \$710 | _ |
| | TMDPNA81 | 13.5" | 81" | \$724 | _ |
| | TMDPNA84 | 13.5" | 84" | \$740 | _ |
| | TMDPNA87 | 13.5" | 87" | \$755 | _ |
| | TMDPNA90 | 13.5" | 90" | \$771 | _ |
| Frame Frosted Acrylic Partial Height | | 13.5" | 30" | \$666 | +\$67 |
| Modesty Panel | TMDPNG33 | 13.5" | 33" | \$689 | +\$70 |
| | TMDPNG36 | 13.5" | 36" | \$710 | +\$72 |
| | TMDPNG39 | 13.5" | 39" | \$732 | +\$75 |
| | TMDPNG42 | 13.5" | 42" | \$753 | +\$77 |
| | TMDPNG45 | 13.5" | 45" | \$776 | +\$79 |
| | TMDPNG48 | 13.5" | 48" | \$797 | +\$81 |
| | TMDPNG51 | 13.5" | 51" | \$820 | +\$83 |
| | TMDPNG54 | 13.5" | 54" | \$841 | +\$85 |
| | TMDPNG57 | 13.5" | 57" | \$862 | +\$87 |
| | TMDPNG60 | 13.5" | 60" | \$885 | +\$90 |
| | TMDPNG63 | 13.5" | 63" | \$1032 | +\$104 |
| | TMDPNG66 | 13.5" | 66" | \$1053 | +\$106 |
| | TMDPNG69 | 13.5" | 69" | \$1075 | +\$108 |
| | TMDPNG72 | 13.5" | 72" | \$1098 | +\$111 |
| | TMDPNG75 | 13.5" | 75" | \$1119 | +\$113 |
| | TMDPNG78 | 13.5" | 78" | \$1139 | +\$115 |
| | TMDPNG81 | 13.5" | 81" | \$1163 | +\$117 |
| | TMDPNG84 | 13.5" | 84" | \$1183 | +\$119 |
| | TMDPNG87 | 13.5" | 87" | \$1207 | +\$121 |
| | TMDPNG90 | 13.5" | 90" | \$1229 | +\$123 |



General information

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- The Nuform option has a gray backer
- The laminate option is laminate on both sides with a self edge
- The veneer option is veneer on both sides with a self edge
- Nuform finish is on one side with white backer

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product TMDFHPNW30 in Veneer would be \$349 +\$221

| Description | | Part number | Height | Width | Nuform | Laminate | Grade 1 laminate | Veneer | Accent paint |
|-------------|-----------------------|-------------|--------|-------|--------|----------|---------------------|--------|--------------|
| | Wood Core Full Height | TMDFHPNW30 | 24" | 30" | \$349 | \$349 | +\$112 | +\$221 | +\$36 |
| | Modesty Panel | TMDFHPNW33 | 24" | 33" | \$380 | \$380 | +\$122 | +\$226 | +\$39 |
| 11 | | TMDFHPNW36 | 24" | 36" | \$388 | \$388 | +\$125 | +\$253 | +\$40 |
| | | TMDFHPNW39 | 24" | 39" | \$443 | \$443 | +\$142 | +\$237 | +\$45 |
| 5- | | TMDFHPNW42 | 24" | 42" | \$452 | \$452 | +\$145 | +\$265 | +\$46 |
| | | TMDFHPNW45 | 24" | 45" | \$404 | \$404 | +\$130 | +\$350 | +\$41 |
| | | TMDFHPNW48 | 24" | 48" | \$470 | \$470 | +\$151 | +\$329 | +\$48 |
| | | TMDFHPNW51 | 24" | 51" | \$582 | \$582 | +\$187 | +\$255 | +\$59 |
| | | TMDFHPNW54 | 24" | 54" | \$592 | \$592 | +\$190 | +\$292 | +\$60 |
| | | TMDFHPNW57 | 24" | 57" | \$600 | \$600 | +\$192 | +\$320 | +\$61 |
| | | TMDFHPNW60 | 24" | 60" | \$616 | \$616 | +\$198 | +\$342 | +\$62 |
| | | TMDFHPNW63 | 24" | 63" | \$642 | \$642 | +\$206 | +\$351 | +\$65 |
| | | TMDFHPNW66 | 24" | 66" | \$659 | \$659 | +\$211 | +\$371 | +\$66 |
| | | TMDFHPNW69 | 24" | 69" | \$678 | \$678 | +\$217 | +\$390 | +\$69 |
| | | TMDFHPNW72 | 24" | 72" | \$691 | \$691 | +\$222 | +\$423 | +\$70 |
| | | TMDFHPNW75 | 24" | 75" | \$789 | \$789 | +\$253 | +\$362 | +\$80 |
| | | TMDFHPNW78 | 24" | 78" | \$795 | \$795 | +\$255 | +\$393 | +\$81 |
| | | TMDFHPNW81 | 24" | 81" | \$800 | \$800 | +\$256 | +\$426 | +\$81 |
| | | TMDFHPNW84 | 24" | 84" | \$805 | \$805 | +\$258 | +\$456 | +\$82 |
| | | TMDFHPNW87 | 24" | 87" | \$809 | \$809 | +\$259 | +\$489 | +\$82 |
| | | TMDFHPNW90 | 24" | 90" | \$818 | \$818 | +\$262 | +\$517 | +\$83 |
| | | | | | | | | | |

US Price List | April 2018 Tables | 361

Tables

AccessoriesModesty Panels

General information

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included

| Framed Frosted Acrylic Full Height Modesty Panel TMDFHPNG33 24" 33" \$826 +\$84 TMDFHPNG36 24" 36" \$857 +\$87 TMDFHPNG39 24" 39" \$890 +\$90 TMDFHPNG42 24" 42" \$919 +\$93 TMDFHPNG45 TMDFHPNG45 TMDFHPNG48 24" 48" \$983 +\$99 TMDFHPNG51 24" 51" \$1014 +\$102 TMDFHPNG51 24" 54" \$1046 +\$105 TMDFHPNG57 24" 57" \$1076 +\$108 TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG60 24" 66" \$1297 +\$130 TMDFHPNG60 24" 66" \$1297 +\$130 TMDFHPNG60 24" 66" \$1297 +\$130 TMDFHPNG60 TMDFHPNG70 TM | Description | | Part number | Height | Depth | Neutral paint/ base price | Accent paint |
|--|-------------------|------------------------------------|-------------|--------|-------|------------------------------|--------------|
| TMDFHPNG36 24" 36" \$857 +\$87 TMDFHPNG39 24" 39" \$890 +\$90 TMDFHPNG42 24" 42" \$919 +\$93 TMDFHPNG45 24" 45" \$952 +\$96 TMDFHPNG48 24" 48" \$983 +\$99 TMDFHPNG51 24" 51" \$1014 +\$102 TMDFHPNG54 24" 54" \$1046 +\$105 TMDFHPNG57 24" 57" \$1076 +\$108 TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG60 24" 66" \$1297 +\$130 TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG69 24" 72" \$1360 +\$137 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG76 24" 78" \$1423 +\$144 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | Framed Frosted Acrylic Full Height | TMDFHPNG30 | 24" | 30" | \$795 | +\$81 |
| TMDFHPNG39 TMDFHPNG42 TMDFHPNG45 TMDFHPNG45 TMDFHPNG48 TMDFHPNG48 TMDFHPNG51 TMDFHPNG51 TMDFHPNG57 TMDFHPNG60 | | Modesty Panel | TMDFHPNG33 | 24" | 33" | \$826 | +\$84 |
| TMDFHPNG42 24" 42" \$919 +\$93 TMDFHPNG45 24" 45" \$952 +\$96 TMDFHPNG48 24" 48" \$983 +\$99 TMDFHPNG51 24" 51" \$1014 +\$102 TMDFHPNG54 24" 54" \$1046 +\$105 TMDFHPNG57 24" 57" \$1076 +\$108 TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG63 24" 63" \$1265 +\$127 TMDFHPNG66 24" 66" \$1327 +\$133 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG69 24" 72" \$1360 +\$137 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG81 24" 84" \$1483 +\$150 TMDFHPNG84 24" 84" \$1483 +\$150 | The second second | · | TMDFHPNG36 | 24" | 36" | \$857 | +\$87 |
| TMDFHPNG45 24" 45" \$952 +\$96 TMDFHPNG48 24" 48" \$983 +\$99 TMDFHPNG51 24" 51" \$1014 +\$102 TMDFHPNG54 24" 54" \$1046 +\$105 TMDFHPNG57 24" 57" \$1076 +\$108 TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG63 24" 63" \$1265 +\$127 TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG69 24" 72" \$1360 +\$137 TMDFHPNG72 24" 75" \$1300 +\$140 TMDFHPNG75 24" 75" \$1300 +\$144 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG84 24" 84" \$1483 +\$150 | | | TMDFHPNG39 | 24" | 39" | \$890 | +\$90 |
| TMDFHPNG48 24" 48" \$983 +\$99 TMDFHPNG51 24" 51" \$1014 +\$102 TMDFHPNG54 24" 54" \$1046 +\$105 TMDFHPNG57 24" 57" \$1076 +\$108 TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG63 24" 63" \$1265 +\$127 TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG69 24" 72" \$1360 +\$137 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG78 24" 78" \$1455 +\$147 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG42 | 24" | 42" | \$919 | +\$93 |
| TMDFHPNG51 24" 51" \$1014 +\$102 TMDFHPNG54 24" 54" \$1046 +\$105 TMDFHPNG57 24" 57" \$1076 +\$108 TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG63 24" 63" \$1265 +\$127 TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG45 | 24" | 45" | \$952 | +\$96 |
| TMDFHPNG54 24" 54" \$1046 +\$105 TMDFHPNG57 24" 57" \$1076 +\$108 TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG63 24" 63" \$1265 +\$127 TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG48 | 24" | 48" | \$983 | +\$99 |
| TMDFHPNG57 24" 57" \$1076 +\$108 TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG63 24" 63" \$1265 +\$127 TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG51 | 24" | 51" | \$1014 | +\$102 |
| TMDFHPNG60 24" 60" \$1108 +\$112 TMDFHPNG63 24" 63" \$1265 +\$127 TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG54 | 24" | 54" | \$1046 | +\$105 |
| TMDFHPNG63 24" 63" \$1265 +\$127 TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG57 | 24" | 57" | \$1076 | +\$108 |
| TMDFHPNG66 24" 66" \$1297 +\$130 TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG60 | 24" | 60" | \$1108 | +\$112 |
| TMDFHPNG69 24" 69" \$1327 +\$133 TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG63 | 24" | 63" | \$1265 | +\$127 |
| TMDFHPNG72 24" 72" \$1360 +\$137 TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG66 | 24" | 66" | \$1297 | +\$130 |
| TMDFHPNG75 24" 75" \$1390 +\$140 TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG69 | 24" | 69" | \$1327 | +\$133 |
| TMDFHPNG78 24" 78" \$1423 +\$144 TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG72 | 24" | 72" | \$1360 | +\$137 |
| TMDFHPNG81 24" 81" \$1455 +\$147 TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG75 | 24" | 75" | \$1390 | +\$140 |
| TMDFHPNG84 24" 84" \$1483 +\$150 TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG78 | 24" | 78" | \$1423 | +\$144 |
| TMDFHPNG87 24" 87" \$1516 +\$153 | | | TMDFHPNG81 | 24" | 81" | \$1455 | +\$147 |
| | | | TMDFHPNG84 | 24" | 84" | \$1483 | +\$150 |
| TMDFHPNG90 24" 90" \$1544 +\$156 | | | TMDFHPNG87 | 24" | 87" | \$1516 | +\$153 |
| | | | TMDFHPNG90 | 24" | 90" | \$1544 | +\$156 |



General information

- Grommets must be field installed
- Round Grommet = 2" diameter
- Rectangular Grommet = 3" x 5.25"
- Clamp on Power Modules have white inserts and a 72" long power cord. It attaches to 1" and 1 ¼" thick worksurfaces
- Flip-up Power & Data Module is finished with a clear anodized aluminum with white inserts and a 72" long power cord
- Arrivals Collection Mini Tap and Flip-up Module include clips and screws for basic wire management

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product PLNGRKIT in Stainless Steel would be +\$0 +\$72

| Description | F | art number | Dimensions | List price | Black | White | Silver | Stainless steel |
|-------------|---|---------------------------------------|--|--------------|-------|-------|--------------|-----------------|
| | Grommet Sleeve & Cover Kit | PLNGRKIT | 5 1/4" | \$180 | +\$0 | _ | _ | +\$72 |
| | Worksurface Grommet-PVC Sleeve & CAP | GROMMET-WS | _ | \$14 | +\$0 | _ | _ | _ |
| Description | | Part number | | Height | Width | Depth | Weight | List price |
| | Clamp-on Power Module 2 receptacles/2 voice/data ports | PVDMOD | DTC | - | _ | _ | - | \$452 |
| | Clamp-on Power Module 1 receptacle/1 dual USB port | PVDMOD | OTC-1P1U | _ | _ | _ | _ | \$488 |
| | Clamp-on Power Module 3 receptacle/1 dual USB port | PVDMOD | OTC-3P1U | _ | _ | _ | _ | \$550 |
| | Flip-up Power & Data Module 2 outlets + 1 dual USB + 1 data | PVDMOD | DFL | _ | _ | _ | _ | \$786 |
| | Arrivals Collection Mini Tap Undermo Power Module available in black only | PVDMOE Single Confi 1 Power + 1 | | _ | _ | _ | _ | \$322 |
| | · | Double Conf | DDMT-1P1U figuration: USB (2 paired units) | _ | _ | - | _ | \$631 |
| | Arrivals Collection Flip-up Power & Data Module available in matte black, matte | Single Confi | DS-2P1U1D guration: duplex USB + 1 da | — ata | _ | _ | _ | \$436 |
| | white and aluminium | Double Conf | duplex USB + 1 da | — ata | - | _ | _ | \$851 |

US Price List | April 2018 Tables | 363

Tables

Accessories

Electrical Accessories

General information

- Wire Management clips are white and attach by double sided tape which is included
- Cable Management tray is available in two lengths black only and includes mounting hardware

| Description | | Part number | Width | Weight (lbs) | List price |
|-------------|--------------------------------------|--------------------|------------|--------------|--------------|
| | Mesh Cable Management Tray Silver | TWMTRAY | 28" | - | \$115 |
| fa | Cable Management Tray | INCMT18 INCMT30 | 18" 30" | | \$31 \$39 |



Veil US Price List April 2018



veil

Privacy screens

Privacy Screens

General information

• Cloak, Wave and Cove have provide visual + acoustical properties

VLCOVECRV36

• Pivot for use with Interval

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product VLCLOAK in Grade B would be \$3473 +\$793

| Description | Part number | Height | Width | Grade A/ rectangularGr wing base | ade B/COM | Grade C | Grade D | Grade E | Grade F | Angled wing option |
|--|-------------|--------|-------|--|-----------|---------|---------|---------|---------|--------------------|
| | VLCLOAK | 62" | 77" | \$3473 | +\$793 | +\$1108 | +\$1415 | +\$1724 | +\$2032 | +\$167 |
| Cloak Optional rectangular or angled wings (illustrated) | | | | | | | | | | |

| Description | Part number | Height | Width | Grade A Gra | ade B/COM | Grade C | Grade D | Grade E | Grade F |
|-------------|-------------|--------|-------|-------------|-----------|---------|---------|---------|---------|
| | VLWAVE | 62" | 29" | \$2015 | +\$280 | +\$448 | +\$619 | +\$785 | +\$956 |
| Wave | | | | | | | | | |

\$1511

+\$192

+\$309

+\$434

+\$559

+\$680

36"

27"



Cove Inside flat surface is

Tackable

78 Panel
(102 floor to 24" \$1968 +\$193 +\$294 +\$389 +\$485 +\$581 beam) "

Pivot

veil

Seating

Seating

General information

• Ease chair designed to fit within Cloak screen

Notes

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product VLEASECHR in Grade B would be \$1996 +\$193

| Description | Part number | Height | Width | Grade A G | rade B/COM | Grade C | Grade D | Grade E | Grade F |
|---------------------------------------|--------------|--------|-------|-----------|------------|---------|---------|---------|---------|
| | VLEASECHR | 31" | 28" | \$1996 | +\$193 | +\$294 | +\$385 | +\$481 | +\$577 |
| Ease Upholstered seat with back | VLEASEOTTOCU | 17" | 28" | \$1507 | +\$117 | +\$171 | +\$226 | +\$280 | +\$337 |
| | | | | | | | | | |
| Ease upholstered ottoman, curved | | | | | | | | | |
| | VLEASEOTTOST | 17" | 28" | \$1542 | +\$144 | +\$207 | +\$269 | +\$336 | +\$402 |



Ease upholstered ottoman, straight

Finishes US Price List April 2018

Inscape system frames

Inscape System frames are powder-coated in scuff-resistant Eco-black epoxy. Clips, plates, plugs and bracketry are finished in black.

Trims

Trims are available epoxy powder-coated in a smooth or textured finish. In Addition, veneer trim is available in the same applications/

Worksurfaces

Worksurfaces are available in Nuform solid, Nuform woodgrain, laminate and veneer.

Nuform

Nuform is a themofoil sheet that is continuously bonded to an MDF substrate. The sheet is surface-coated with a scratch resistant film. The underside of the worksurface is finished with low-pressure melamine. Nuform worksurfaces have optional pencil grove. No edge banding is required with Nuform because of its unique design, which wraps the foil to the underside of the wordsurface. This eliminates the need for edge banding. Nuform is also available on tiles (ensure the application is reviewed for rules).

Nuform Solid

| Colorways | Product code |
|----------------|--------------|
| Warm White | F121 |
| Mist | F122 |
| Sandstone | F123 |
| Frosty White | F127 |
| Designer White | F129 |

Nuform Woodgrain

| Colorways | Product code |
|-------------------|--------------|
| Walnut* | F06 |
| Tannery Maple | F08 |
| Honey Brown | F09 |
| Musique Maple | F10 |
| Jewel Cherry | F11 |
| River Cherry | F16 |
| Obsidian Oak | F34 |
| Palos Mahogany | F35 |
| Ash White | F37 |
| Espresso | F38 |
| Ash Espresso | F39 |
| Swiss Elm | F40 |
| Antique Whitewash | F41 |
| Blonde Maple | F42 |
| Barn Board | F43 |
| Brazilian Nut | F44 |
| Rustic Plank | F45 |

*F06 Walnut has a maximum material width of 46" where all other Nuform is 48". This finish can not be used on surfaces larger then 42"d.

Laminate

Laminate is bonded to 1.25" thick particleboard. The underside of the worksurface is finished with a wood-fiber veneer backer. Worksurfaces specified with a laminate finish include a 2mm edge banding in a coordinating color.Plastic laminate tops do not have optional pencil groove.

Laminate

Standard laminate finishes are prefixed with 'LCC' and standard low laminate storage finishes are prefixed with 'MCC'.

| Colorways | Product code | Edge color |
|--------------------|------------------|-----------------------|
| Wild Cherry | LCC01 | Rustic Cherry |
| , | LCC01 | • |
| Maple White | LCC02 | Fusion Maple Designer |
| vvnite | LCC07 | White |
| Pumice | LCC08 | Beige |
| Antique White | LCC09 | Warm White |
| Gray | LCC12/ MCC009 | Folk Stone |
| Madagascar | LCC14 | Madagascar |
| Asian Sand | LCC15 | Asian Sand |
| River Cherry | LCC16 | River Cherry |
| Wenge | LCC17 | Wenge |
| Elegant White | LCC19 | Frosty White |
| Neowalnut | LCC23 | Neowalnut |
| Mangalore Mango | LCC29 | Mangalore Mango |
| Pearwood | LCC30 | Pearwood |
| Black | LCC33/ MCC012 | Black |
| Walnut Heights | LCC35 | Walnut Heights |
| Studio Teak | LCC36 | Studio Teak |
| Slate Gray | LCC41 | Slate Gray |
| Raven | LCC42 | Raven |
| Dalia | LCC43/ MCC007 | Dalia |
| Mimosa | LCC44/ MCC008 | Mimosa |
| Inspiration | LCC45/ MCC010 | Inspiration |
| Nova White | LCC46/ MCC001 | Designer White |
| Storm | LCC47/ MCC011 | Storm |
| White Lace | LCC48/ MCC013 | White Lace |
| Chill | LCC49/ MCC014 | Chill |
| Spring Blossom | LCC50/ MCC015 | Spring Blossom |

| Colorways | Product code | Edge color |
|-------------|------------------|-------------|
| Haze | LCC51/ MCC016 | Haze |
| Dover White | LCC52 | Dover White |
| Graphite | LCC53 | Graphite |

LCC-18 is available but is reserved for exsiting customers due to its different edge banding.

Grade 1 Laminate

| Colorways | Product code | Edge color |
|---------------|--------------|------------------|
| Elegant White | L1C001 | Plywood |
| Black | L1C002 | Plywood |
| Slate Gray | L1C003 | Plywood |
| Raven | L1C004 | Plywood |
| White Ash | L1C005 | White Ash |
| Weathered Ash | L1C006 | Weathered Ash |
| Finnish Oak | L1C007 | Finnish Oak |
| Fawn Cypress | L1C008 | Fawn Cypress |
| | | |

Grade 2 Laminate

| Colorways | Product code | Edge color | |
|---------------|--------------|---------------|--|
| Natural Grain | L2C001 | Natural Grain | |

Veneer

Veneer thickness is 0.025". Overall thickness of the tops is 1.25". The stain color is permeated throughout the veneer for color consistency. The open pore veneer is clear coated with a lacquer utilizing a multi-step process and has a gloss value of 45° when dry. Tops are constructed utilizing 45 lbs density particle board with an engineered balanced backer for structural integrity. Tops are edged in 3mm thick same species veneer and do not include a pencil groove. Grain direction on tiles and storage fronts is vertival. Direction on worksurfaces is along the length. Available in Natural and Composite.

Composite Veneer

For worksurfaces, tiles and storage fronts.

| Colorways | Product code | | |
|-----------|--------------|--|--|
| Cherry | VC001 | | |
| Maple | VC002 | | |
| Wenge | VC003 | | |

Composite veneer is the only option when veeneer is available on trim and connecors.

Note: Veneer is not available as on transaction top trim and Add on Glaze trim.

Natural Veneer*

| Colorways | Product code | |
|-------------------|--------------|--|
| Natural Cherry | VN001 | |
| Standard Cherry | VN002 | |
| Natural Maple | VN003 | |
| Cape Coast Walnut | VN004 | |
| Natural Walnut | VN005 | |

*Natural Veneer finishes are not available on tiles and storage fronts.

Note: Custom stains on veneers are available at an additional 20% upcharge and extra lead time. Due to the natural variations of wood products, Inscape can not guarantee the exact matching of color or grain patterns.

Plywood

Is currently only available on the Bench Arrivals Collection worksurface mount screen, upmount shelf screen and wing.

| Colorways | Product code |
|------------------|--------------|
| Clear Coat Maple | VP001 |

Wood Legs

These legs are available on the Bench Arrivals Collection, Arrivals Tables Collection and Wing.

| Colorways | Product code |
|-------------|--------------|
| Clear Oak | CLROAK |
| Black Oak | BLKOAK |
| Clear Maple | CLRMPL |

Acrylic

| Colorways | Product code |
|-----------|--------------|
| Clear | CA |
| Frosted | FA |
| White | WH |

Polycarbonate

| Colorways | Product code | | |
|-----------|--------------|--|--|
| Clear | CP | | |
| White | WP | | |

Glass

| Colorways | Product code | | |
|----------------|--------------|--|--|
| Clear | CL | | |
| Etched 1 Side | ET1 | | |
| Etched 2 Sides | ET2 | | |
| Grev | GRY | | |

Tiles

Inscape System and Bench tiles are available fabric wrapped, epoxy powder coated, in Nuform and veneer finishes. Nuform woodgrain tiles may be specified in finishes same as worksurfaces. Grain direction in Nuform and veneer is vertical. Tiles may be covered with our standard fabrics, or covered with COM. Use of any COM must be approved by Inscape prior to acceptance of order. Refer to "Conditions of Sale, Orders involving Customer's Own Material (COM)". Fabrics with an asterisk* below, as well as any transparent (typically light colored) COM fabrics, will be subject to an upcharge due to additional costs associated with the manufacturing of the tile to eliminate transparency. The upcharge is included in specification tools, or through your Client Services Representative.

Fabric wrapped tiles, including tackable and tackable acoustical tiles, are available in a variety of standard fabrics as well as COM. COM fabrics are subject to approval. White or extremely light colored COM fabrics will incur an upcharge of 25% to the tile pricing with which the fabric is being applied. This is due to special handling of the fabric and tiles, in addition to painting of the tiles. Light colored fabrics include; but are not limited to:

Anchorage

Part of the Focus Fabric Collection

| Colorways | Product code | |
|-----------|--------------|--|
| White | U1437 | |

Off The Grid

Part of the Focus Fabric Collection

| Colorways | Product code | | |
|-----------|--------------|--|--|
| Lava | U3110 | | |
| Steam | U3112 | | |
| Thermal | U3113 | | |
| Solar | U3114 | | |
| Fossil | U3116 | | |
| Earthglow | U3117 | | |

Gamut

Part of the Focus Fabric Collection

| Colorways | Product code | | | |
|-----------|--------------|--|--|--|
| Chalk | U3300 | | | |
| Vanilla | U3301 | | | |
| Custard | U3302 | | | |
| Sky | U3316 | | | |
| Celadon | U3324 | | | |
| Mist | U3338 | | | |
| Pumice | U3339 | | | |
| Pebble | U3340 | | | |

Fabric patterns which are available in 54" and 55" width both have limitations on the sizes of tiles available. When being applied "Off the Blot" tile sizes longer than 42" are not available.

Patterns include: Gamut, Ellipis, Vivid and Rocket

Vertical Surface Fabric

Fabric Collection

| Grad | e 1 | Fa | bri | cs |
|------|-----|----|-----|----|
| | | | | |

| Anchorage | |
|---------------|--------------|
| Colorways | Product code |
| Green Apple | U1400 |
| Red Delicious | U1401 |
| Onyx | U1402 |
| Slate | U1403 |
| Amber | U1404 |
| Willow | U1405 |
| Flax | U1406 |
| Angora | U1407 |
| Green Olive | U1412 |
| Goose | U1413 |
| Cumin | U1414 |
| Deep Water | U1415 |
| Quarry Blue | U1416 |
| Midnight | U1417 |
| Sunshine | U1419 |
| Asteroid | U1421 |
| Coffee Bean | U1425 |
| Geranium | U1426 |
| Thistle | U1427 |
| Chocolate | U1431 |
| Lapis | U1432 |
| Vanilla | U1434 |
| Pumpkin | U1435 |
| Wolf | U1436 |
| White | U1437 |

Netiquette

| Colorways | Product code |
|-----------|--------------|
| Bitmap | U1350 |
| Chipset | U1351 |
| Dashboard | U1352 |
| Analog | U1353 |
| Schema | U1354 |
| Inkjet | U1355 |
| Vector | U1356 |
| Gamma | U1357 |
| Refresh | U1358 |
| Pixel | U1359 |

Pebble

| Colorways | Product code |
|------------------|--------------|
| Sindari | U1535 |
| Nice | U1536 |
| Waikiki | U1537 |
| Siesta | U1538 |
| South Beach | U1539 |
| Schoolhouse | U1540 |
| Mabua | U1541 |
| Langkawi | U1542 |
| Tenerife | U1543 |
| Cape Cod | U1544 |
| Maybay | U1545 |
| Surfers Paradise | U1546 |
| Negril | U1547 |
| Papakolea | U1548 |
| Chesil | U1549 |
| Red Beach | U1550 |
| Copacabana | U1551 |

Whisper

| Colorways | Product code |
|-------------|--------------|
| Dim | U1485 |
| Ambience | U1486 |
| Silence | U1487 |
| Tranquility | U1488 |
| Hush | U1489 |
| Zen | U1490 |
| Stillness | U1491 |
| Mute | U1492 |
| Serenity | U1493 |
| Quiet | U1494 |
| Muffle | U1495 |
| Cloud | U1496 |
| Lull | U1497 |
| Reserve | U1498 |
| Peep | U1499 |
| Baffle | U1500 |
| Mellow | U1501 |
| Placid | U1502 |
| Chant | U1503 |
| Secret | U1504 |
| Mum | U1505 |
| Undertone | U1506 |
| Mystery | U1507 |
| Spirit | U1508 |
| | |

Meander

| Colorways | Product code |
|-------------|--------------|
| Sandshell | U1061 |
| Overcast | U1062 |
| Agate Taupe | U1063 |
| Nightshadow | U1064 |

Universe

| Colorways | Product code |
|--------------|--------------|
| Crème Brulee | U1000 |
| Grey Mist | U1001 |
| Wheat | U1002 |
| Seneca | U1003 |
| Milkyway | U1004 |
| Mica | U1005 |
| Cosmic | U1006 |
| Depth | U1007 |

Quattro

| -, | |
|---------------|--------------|
| Colorways | Product code |
| Chalk | U1889 |
| Deep Crimson | U1890 |
| Golden Orange | U1891 |
| Granite | U1892 |
| Hibiscus | U1893 |
| Honeycomb | U1894 |
| Khaki | U1895 |
| Laguna | U1896 |
| Leaf | U1897 |
| Mallard | U1898 |
| Mercury | U1899 |
| Midnight Blue | U1900 |
| Pumice | U1901 |
| Skyway | U1902 |
| Spring Green | U1903 |
| Umber | U1904 |
| Wheat | U1905 |
| | |

Cross Check

| Colorways | Product code |
|-------------|--------------|
| Biscuit | U1552 |
| Blue Ribbon | U1553 |
| Bottle | U1554 |
| Dove | U1555 |
| Evergreen | U1556 |
| Imperial | U1557 |
| Lime | U1558 |
| Marine | U1559 |
| Otter | U1560 |
| Paradise | U1561 |
| Peacock | U1562 |
| Platinum | U1563 |
| Plumberry | U1564 |
| Red Baron | U1565 |
| Slate Black | U1566 |
| Stone | U1567 |
| Sunshine | U1568 |
| Taupe | U1569 |
| Vermillion | U1570 |
| | |

Vertical Surface Fabric

Fabric Collection

| Grade 2 Fabric Cameo Colorways | Product code |
|---|--------------|
| Almond | U2110 |
| Metal | U2111 |
| lvory | U2112 |
| Coffee | U2113 |
| Smoke | U2114 |
| Stone | U2115 |
| Mist | U2116 |
| | |

Pronto Solid

| Colorways | Product code |
|-----------|--------------|
| Drift | U1200 |
| Windblown | U1201 |
| Erosion | U1202 |
| Clear Sky | U1210 |
| Raven | U1215 |
| Darkness | U1220 |
| Breeze | U1280 |
| | |

Punch Card

| Colorways | Product code |
|---------------|--------------|
| Alabaster | U2060 |
| Carbon | U2061 |
| Putty | U2062 |
| Silver Lining | U2063 |
| Crisp | U2064 |
| Sky | U2065 |
| Crimson | U2066 |
| Orange | U2067 |
| Navy | U2068 |
| Cadet | U2069 |
| Burgundy | U2070 |
| Peat | U2071 |
| Abyss | U2072 |

Curtain Call

| Colorways | Product code |
|-----------|--------------|
| Latte | U2100 |
| Desert | U2101 |
| Dove | U2102 |
| Pebble | U2103 |
| Tawny | U2104 |
| Sea | U2105 |

Proverb

| Colorways | Product code |
|-----------|--------------|
| Anchor | U1740 |
| Armor | U1741 |
| Basalt | U1742 |
| Buff | U1743 |
| Cinder | U1744 |
| Crystal | U1745 |
| Linen | U1746 |
| Mist | U1747 |
| Oyster | U1748 |
| Rye | U1749 |
| Steel | U1750 |
| Storm | U1751 |

Pact

| Colorways | Product code |
|-----------|--------------|
| Putty | U2175 |
| Calla | U2176 |
| Eureka | U2177 |
| Lime | U2178 |
| Coastal | U2179 |
| Nectar | U2180 |
| Dragon | U2181 |
| Toasty | U2182 |
| Fern | U2183 |
| Azure | U2184 |
| Delft | U2185 |
| Rubine | U2186 |
| Taupe | U2187 |
| Dove | U2188 |
| Aloe | U2189 |
| Harbour | U2190 |
| Tanzanite | U2191 |
| Roma | U2192 |
| Lily | U2193 |
| Sketch | U2194 |
| Patina | U2195 |
| Roast | U2196 |
| Midnight | U2197 |
| | |

Glint

| MIIIIL | |
|-----------|--------------|
| Colorways | Product code |
| Barley | U1658 |
| Caspian | U1659 |
| Column | U1660 |
| Gobi | U1661 |
| Gypsum | U1662 |
| Note | U1663 |
| Pearl | U1664 |
| Pumice | U1665 |
| Relic | U1666 |
| Rune | U1667 |
| Serene | U1668 |
| Shale | U1669 |
| Sisal | U1670 |
| Turret | U1671 |
| Vera | U1672 |

Script

| Script | |
|-----------|--------------|
| Colorways | Product code |
| Almond | U1752 |
| Charcoal | U1753 |
| Feldspar | U1754 |
| Flint | U1755 |
| Nectar | U1756 |
| Patina | U1757 |
| Pebble | U1758 |
| Sand | U1759 |
| Shadow | U1760 |
| Slate | U1761 |
| Sterling | U1762 |
| Taupe | U1763 |
| Zinc | U1764 |
| | |

Grade 3 Fabric

| Product code |
|--------------|
| U3180 |
| U3181 |
| U3182 |
| U3183 |
| U3184 |
| U3185 |
| U3186 |
| |

Gamut

| Gamut | |
|--------------|--------------|
| Colorways | Product code |
| Chalk | U3300 |
| Vanilla | U3301 |
| Custard | U3302 |
| Nutmeg | U3303 |
| Sumatra | U3304 |
| Porcini | U3305 |
| Toffee | U3306 |
| Canary | U3307 |
| Mango | U3308 |
| Butterscotch | U3309 |
| Fire Engine | U3310 |
| Peony | U3311 |
| Brick | U3312 |
| Cherry | U3313 |
| Port | U3314 |
| Raspberry | U3315 |
| Sky | U3316 |
| Cerulean | U3317 |
| Pool | U3318 |
| Macaw | U3319 |
| Deep Ocean | U3320 |
| Spruce | U3321 |
| Navy | U3322 |
| Ink | U3323 |
| Celadon | U3324 |
| Citron | U3325 |
| Olive | U3326 |
| Kelly | U3327 |
| Apple | U3328 |
| Moss | U3329 |
| Hunter | U3330 |
| Azalea | U3331 |
| Eggplant | U3332 |
| Plum | U3333 |
| Concord | U3334 |
| Solar | U3335 |
| Pumpkin | U3336 |
| Persimmon | U3337 |
| Mist | U3338 |
| Pumice | U3339 |
| Pebble | U3340 |
| | |

Off the Grid

| •• •• | |
|-----------|--------------|
| Colorways | Product code |
| Lava | U3110 |
| Flora | U3111 |
| Steam | U3112 |
| Thermal | U3113 |
| Solar | U3114 |
| Woodchip | U3115 |
| Fossil | U3116 |
| Earthglow | U3117 |
| Hydro | U3118 |
| Flame | U3119 |
| Tidal | U3120 |

Vertical Surface Fabric Fabric Collection

| Grade 3 Fabric Willennium | Continued | Τ |
|----------------------------|--------------|-----|
| Colorways | Product code | Tra |
| Aglow | U1628 | A: |
| Amber | U1629 | В |
| Anchor | U1630 | С |
| Cascade | U1631 | D |
| Cavern | U1632 | FI |
| Cerise | U1633 | Fr |
| Clean | U1634 | G |
| Coastal | U1635 | Н |
| Copper | U1636 | Н |
| Crisp | U1637 | Is |
| Electric | U1638 | Ja |
| Geode | U1639 | K |
| Lush | U1640 | La |
| Mocha | U1641 | M |
| Monument | U1642 | M |
| Nector | U1643 | M |
| Onyx | U1644 | Р |
| Orchid | U1645 | Р |
| Peridot | U1646 | R |
| Plateau | U1647 | S |
| Pool | U1648 | S |
| Pyrite | U1649 | S |
| Safari | U1650 | S |
| Sapphire | U1651 | S |
| Spark | U1652 | S |
| Steel | U1653 | S |
| Tanzanite | U1654 | Ta |
| Thrill | U1655 | TI |
| Voyage | U1656 | V |
| Zinc | U1657 | V |
| Odyssey | | Ве |
| Colorways | Product code | Co |
| Alloy | U1765 | A |
| Amp | U1766 | В |
| Breeze | U1767 | С |
| Captain | U1768 | С |
| Carbon | U1769 | С |
| Cedar | U1770 | С |
| Craft | U1771 | G |
| Cruise | U1772 | Ja |
| Dijon | U1773 | Lá |
| E a constant | 114774 | |

| Odyssey | |
|-----------|--------------|
| Colorways | Product code |
| Alloy | U1765 |
| Amp | U1766 |
| Breeze | U1767 |
| Captain | U1768 |
| Carbon | U1769 |
| Cedar | U1770 |
| Craft | U1771 |
| Cruise | U1772 |
| Dijon | U1773 |
| Eggplant | U1774 |
| Emerald | U1775 |
| Fossil | U1776 |
| Ink | U1777 |
| Inlet | U1778 |
| Iris | U1779 |
| Kiss | U1780 |
| Linen | U1781 |
| Lively | U1782 |
| Maritime | U1783 |
| Nettle | U1784 |
| Oliver | U1785 |
| Opaque | U1786 |
| Primary | U1787 |
| Roast | U1788 |
| Rue | U1789 |
| Sangria | U1790 |
| Skim | U1791 |
| Smith | U1792 |
| Tinge | U1793 |
| Western | U1794 |
| | |

| Tradition | |
|-----------|--------------|
| Colorways | Product code |
| Ash | U1795 |
| Branch | U1796 |
| Class | U1797 |
| Distant | U1798 |
| Flirt | U1799 |
| Frond | U1800 |
| Grain | U1801 |
| Hedge | U1802 |
| Hidden | U1803 |
| Isle | U1804 |
| Jazz | U1805 |
| Kelly | U1806 |
| Latte | U1807 |
| Malbec | U1808 |
| Miller | U1809 |
| Mist | U1810 |
| Peel | U1811 |
| Plated | U1812 |
| Regal | U1813 |
| Sly | U1814 |
| Soar | U1815 |
| Soy | U1816 |
| Spiced | U1817 |
| Sprout | U1818 |
| Sterling | U1819 |
| Sun | U1820 |
| Tango | U1821 |
| Theater | U1822 |
| Wash | U1823 |
| Weld | U1824 |
| | |

| Weld | U1824 |
|------------|--------------|
| BeeHave | |
| Colorways | Product code |
| Azure | U1825 |
| Black | U1826 |
| Carnelian | U1827 |
| Clementine | U1828 |
| Concord | U1829 |
| Currant | U1830 |
| Gris | U1831 |
| Java | U1832 |
| Lapis | U1833 |
| Lemon | U1834 |
| Pear | U1835 |
| Pine | U1836 |
| Plum | U1837 |
| Slate | U1838 |
| Cadence | |
| Colorways | Product code |
| Citrine | U1863 |
| Coral | U1864 |
| Garnet | U1865 |
| Jade | U1866 |
| Jet | U1867 |
| Lapis | U1868 |
| Opal | U1869 |
| | |

U1870

U1871

U1872

U1873

U1874 U1875

U1876

Pearl

Peridot

Quartz

Sapphire Topaz

Turquoise

Ruby

| Optic | |
|-------------|--------------|
| Colorways | Product code |
| Ash | U1907 |
| Brown Bear | U1908 |
| Coal | U1909 |
| Elephant | U1910 |
| Fieldstone | U1911 |
| Green Apple | U1912 |
| Mulberry | U1913 |
| Mushroom | U1914 |
| Ocean | U1916 |
| Red | U1917 |
| Springtime | U1918 |
| Sunrise | U1919 |
| Tangerine | U1920 |
| Yale | U1921 |
| Driam | |

| Prism | |
|--------------|--------------|
| Colorways | Product code |
| Alabaster | U1690 |
| Asparagus | U1691 |
| Café Au Lait | U1692 |
| Caramel | U1693 |
| Caribbean | U1694 |
| Cerulean | U1695 |
| Charcoal | U1696 |
| Claret | U1697 |
| Clay | U1698 |
| Clementine | U1699 |
| Cornflower | U1700 |
| Dove | U1701 |
| Espresso | U1702 |
| Indigo | U1703 |
| Kale | U1704 |
| Lipstick | U1705 |
| Mocha | U1706 |
| Olive | U1707 |
| Onyx | U1708 |
| Plum | U1709 |
| Raisin | U1710 |
| Stone | U1711 |
| Tomato | U1712 |
| Topaz | U1713 |
| Zinc | U1714 |

Vertical Surface Fabric

Fabric Collection

| Grade 4 Fabric Vivid | |
|-----------------------------|--------------|
| Colorways | Product code |
| Soapstone | U4050 |
| Mocha | U4051 |
| Cocoa | U4052 |
| Citrus | U4053 |
| Chamois | U4054 |
| Crimson | U4055 |
| Holly | U4056 |
| Ultramarine | U4057 |
| Blue Jay | U4058 |
| Quince | U4059 |
| Parrot | U4060 |
| Hunter | U4061 |
| Mulberry | U4062 |
| Grape | U4063 |
| Blood Orange | U4064 |
| Pumice | U4065 |
| Concrete | U4066 |
| Onyx | U4067 |
| | |

| Product code |
|--------------|
| U5000 |
| U5001 |
| U5002 |
| U5003 |
| U5004 |
| U5005 |
| |
| Product code |
| UW1201 |
| UW1202 |
| UW1203 |
| UW1204 |
| UW1205 |
| UW1206 |
| UW1207 |
| UW1208 |
| UW1209 |
| UW1210 |
| UW1211 |
| UW1212 |
| UW1213 |
| UW1214 |
| UW1215 |
| |

| Grade 6 Fabric Crossweave | |
|---------------------------|--------------|
| Colorways | Product code |
| Flax | UW1101 |
| Antelope | UW1102 |
| Mountain | UW1103 |
| Straw | UW1104 |
| Cantaloupe | UW1105 |
| Tangelo | UW1106 |
| Shiraz | UW1107 |
| Flower | UW1108 |
| Alfalfa | UW1109 |
| Parsley | UW1110 |
| Freshwater | UW1111 |
| Lake | UW1112 |
| Atlantic | UW1113 |
| Soapstone | UW1114 |
| Penguin | UW1115 |
| Seal | UW1116 |
| | |

| Grade 7 Fabric Hem Stitch | |
|-------------------------------------|--------------|
| Colorways | Product code |
| Crème | UW2001 |
| Antelope | UW2002 |
| Husk | UW2003 |
| Island | UW2005 |
| Summer | UW2006 |
| Dark Sky | UW2007 |
| Chartreuse | UW2008 |
| Leaf | UW2009 |
| Tangerine | UW2010 |
| Campfire | UW2011 |
| Dove | UW2012 |
| Walrus | UW2014 |
| Tangerine | UW2010 |
| Walrus | UW2014 |

Cushion Upholstery Fabric

Fabric Collection

- Open House is an upholstery version of our graded Anchorage panel fabric. You can color match with your panel tile selection by choosing the 'same name' color from the Open House collection.
- CAL 133 there is a \$30 unit net upcharge for CAL 133 fire retardant treatment on mobile pedestal cushions.
- COL 'Customers' Own Leather COL is available and will be quoted on a per order basis.
- Contrasting Top Stitching 'White' contrasting top stitching is available at 'no upcharge'.
 Please specify at time of order placement.

Grade A Open House

| Pattern | Product code |
|---------------|--------------|
| Green Apple | U1400 |
| Red Delicious | U1401 |
| Onyx | U1402 |
| Slate | U1403 |
| Amber | U1404 |
| Willow | U1405 |
| Straw | U1406 |
| Angora | U1407 |
| Green Olive | U1412 |
| Goose | U1413 |
| Cumin | U1414 |
| Deep Water | U1415 |
| Quarry Blue | U1416 |
| Midnight | U1417 |
| Sunshine | U1419 |
| Asteroid | U1421 |
| Coffee Bean | U1425 |
| Geranium | U1426 |
| Thistle | U1427 |
| Fossil | U1431 |
| Lapis | U1432 |
| Vanilla | U1434 |
| Pumpkin | U1435 |
| Wolf | U1436 |
| Birch | UC2086 |
| Eucalypt | UC2088 |
| Graphite | UC2090 |
| Cobalt | UC2091 |
| Mulberry | UC2092 |
| Pineneedle | UC2095 |
| Aubergine | UC2096 |

Pebble

| repole | |
|------------------|--------------|
| Pattern | Product code |
| Sindari | U1535 |
| Nice | U1536 |
| Waikiki | U1537 |
| Siesta | U1538 |
| South Beach | U1539 |
| Schoolhouse | U1540 |
| Mabua | U1541 |
| Langkawi | U1542 |
| Tenerife | U1543 |
| Cape Cod | U1544 |
| Maybay | U1545 |
| Surfers Paradise | U1546 |
| Negril | U1547 |
| Papakolea | U1548 |
| Chesil | U1549 |
| Red Beach | U1550 |
| Copacabana | U1551 |
| | |

Punch Card

| Pattern | Product code |
|---------------|--------------|
| Alabaster | U2060 |
| Carbon | U2061 |
| Putty | U2062 |
| Silver Lining | U2063 |
| Crisp | U2064 |
| Sky | U2065 |
| Crimson | U2066 |
| Orange | U2067 |
| Navy | U2068 |
| Cadet | U2069 |
| Burgundy | U2070 |
| Peat | U2071 |
| Abyss | U2072 |
| | |

Vivid

| vivia | |
|--------------|--------------|
| Pattern | Product code |
| Soapstone | U4050 |
| Mocha | U4051 |
| Cocoa | U4052 |
| Citrus | U4053 |
| Chamois | U4054 |
| Crimson | U4055 |
| Holly | U4056 |
| Ultramarine | U4057 |
| Blue Jay | U4058 |
| Quince | U4059 |
| Parrot | U4060 |
| Hunter | U4061 |
| Mulberry | U4062 |
| Grape | U4063 |
| Blood Orange | U4064 |
| Pumice | U4065 |
| Concrete | U4066 |
| Onyx | U4067 |

Quattro

| Pattern | Product code |
|---------------|--------------|
| Chalk | U1889 |
| Deep Crimson | U1890 |
| Golden Orange | U1891 |
| Granite | U1892 |
| Hibiscus | U1893 |
| Honeycomb | U1894 |
| Khaki | U1895 |
| Laguna | U1896 |
| Leaf | U1897 |
| Mallard | U1898 |
| Mercury | U1899 |
| Midnight Blue | U1900 |
| Pumice | U1901 |
| Skyway | U1902 |
| Spring Green | U1903 |
| Umber | U1904 |
| Wheat | U1905 |
| Onyx | U4067 |
| | |

Cross Check

| Ologo Olicok | |
|--------------|--------------|
| Pattern | Product code |
| Biscuit | U1552 |
| Blue Ribbon | U1553 |
| Bottle | U1554 |
| Dove | U1555 |
| Evergreen | U1556 |
| Imperial | U1557 |
| Lime | U1558 |
| Marine | U1559 |
| Otter | U1560 |
| Paradise | U1561 |
| Peacock | U1562 |
| Platinum | U1563 |
| Plumberry | U1564 |
| Red Baron | U1565 |
| Slate Black | U1566 |
| Stone | U1567 |
| Sunshine | U1568 |
| Taupe | U1569 |
| Vermillion | U1570 |
| | |

Proverb

| IIOVCID | |
|---------|--------------|
| Pattern | Product code |
| Anchor | U1740 |
| Armor | U1741 |
| Basalt | U1742 |
| Buff | U1743 |
| Cinder | U1744 |
| Crystal | U1745 |
| Linen | U1746 |
| Mist | U1747 |
| Oyster | U1748 |
| Rye | U1749 |
| Steel | U1750 |
| Storm | U1751 |

Glint

| Pattern | Product code |
|---------|--------------|
| Barley | U1658 |
| Caspian | U1659 |
| Column | U1660 |
| Gobi | U1661 |
| Gypsum | U1662 |
| Note | U1663 |
| Pearl | U1664 |
| Pumice | U1665 |
| Relic | U1666 |
| Rune | U1667 |
| Serene | U1668 |
| Shale | U1669 |
| Sisal | U1670 |
| Turret | U1671 |
| Vera | U1672 |

Cushion Upholstery Fabric Fabric Collection

| Grade A | Continued |
|---------|-----------|
| Script | |

| Pattern | Product code |
|----------|--------------|
| Almond | U1752 |
| Charcoal | U1753 |
| Feldspar | U1754 |
| Flint | U1755 |
| Nectar | U1756 |
| Patina | U1757 |
| Pebble | U1758 |
| Sand | U1759 |
| Shadow | U1760 |
| Slate | U1761 |
| Sterling | U1762 |
| Taupe | U1763 |
| Zinc | U1764 |

Millennium

| Pattern | Product code |
|-----------|--------------|
| Aglow | U1628 |
| Amber | U1629 |
| Anchor | U1630 |
| Cascade | U1631 |
| Cavern | U1632 |
| Cerise | U1633 |
| Clean | U1634 |
| Coastal | U1635 |
| Copper | U1636 |
| Crisp | U1637 |
| Electric | U1638 |
| Geode | U1639 |
| Lush | U1640 |
| Mocha | U1641 |
| Monument | U1642 |
| Nector | U1643 |
| Onyx | U1644 |
| Orchid | U1645 |
| Peridot | U1646 |
| Plateau | U1647 |
| Pool | U1648 |
| Pyrite | U1649 |
| Safari | U1650 |
| Sapphire | U1651 |
| Spark | U1652 |
| Steel | U1653 |
| Tanzanite | U1654 |
| Thrill | U1655 |
| Voyage | U1656 |
| Zinc | U1657 |

BeeHave

| Product code |
|--------------|
| U1825 |
| U1826 |
| U1827 |
| U1828 |
| U1829 |
| U1830 |
| U1831 |
| U1832 |
| U1833 |
| U1834 |
| U1835 |
| U1836 |
| U1837 |
| U1838 |
| |

Odyssey Pattern

| Pattern | Product code |
|----------|--------------|
| Alloy | U1765 |
| Amp | U1766 |
| Breeze | U1767 |
| Captain | U1768 |
| Carbon | U1769 |
| Cedar | U1770 |
| Craft | U1771 |
| Cruise | U1772 |
| Dijon | U1773 |
| Eggplant | U1774 |
| Emerald | U1775 |
| Fossil | U1776 |
| Ink | U1777 |
| Inlet | U1778 |
| Iris | U1779 |
| Kiss | U1780 |
| Linen | U1781 |
| Lively | U1782 |
| Maritime | U1783 |
| Nettle | U1784 |
| Oliver | U1785 |
| Opaque | U1786 |
| Primary | U1787 |
| Roast | U1788 |
| Rue | U1789 |
| Sangria | U1790 |
| Skim | U1791 |
| Smith | U1792 |
| Tinge | U1793 |
| Western | U1794 |
| | |

Tradition

| Ash U1795 Branch U1796 Class U1797 Distant U1798 Flirt U1799 Frond U1800 Grain U1801 Hedge U1802 Hidden U1803 Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 Weld U1824 | Pattern | Product code |
|--|----------|--------------|
| Class U1797 Distant U1798 Flirt U1799 Frond U1800 Grain U1801 Hedge U1802 Hidden U1803 Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Ash | U1795 |
| Distant U1798 Flirt U1799 Frond U1800 Grain U1801 Hedge U1802 Hidden U1803 Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Branch | U1796 |
| Flirt U1799 Frond U1800 Grain U1801 Hedge U1802 Hidden U1803 Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1820 Tango U1821 Theater U1822 Wash | Class | U1797 |
| Frond U1800 Grain U1801 Hedge U1802 Hidden U1803 Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Distant | U1798 |
| Grain U1801 Hedge U1802 Hidden U1803 Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Flirt | U1799 |
| Hedge U1802 Hidden U1803 Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Frond | U1800 |
| Hidden U1803 Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Grain | U1801 |
| Isle U1804 Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Hedge | U1802 |
| Jazz U1805 Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Hidden | U1803 |
| Kelly U1806 Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Isle | U1804 |
| Latte U1807 Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Jazz | U1805 |
| Malbec U1808 Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Kelly | U1806 |
| Miller U1809 Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Latte | U1807 |
| Mist U1810 Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Malbec | U1808 |
| Peel U1811 Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Miller | U1809 |
| Plated U1812 Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Mist | U1810 |
| Regal U1813 Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Peel | U1811 |
| Sly U1814 Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Plated | U1812 |
| Soar U1815 Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Regal | U1813 |
| Soy U1816 Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Sly | U1814 |
| Spiced U1817 Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Soar | U1815 |
| Sprout U1818 Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Soy | U1816 |
| Sterling U1819 Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Spiced | U1817 |
| Sun U1820 Tango U1821 Theater U1822 Wash U1823 | Sprout | U1818 |
| Tango U1821 Theater U1822 Wash U1823 | Sterling | U1819 |
| Theater U1822 Wash U1823 | Sun | U1820 |
| Wash U1823 | Tango | U1821 |
| 7.025 | Theater | U1822 |
| Weld U1824 | Wash | U1823 |
| | Weld | U1824 |

Cadence

| Product code |
|--------------|
| U1863 |
| U1864 |
| U1865 |
| U1866 |
| U1867 |
| U1868 |
| U1869 |
| U1870 |
| U1871 |
| U1872 |
| U1873 |
| U1874 |
| U1875 |
| U1876 |
| |

Optic

| Pattern | Product code |
|-------------|--------------|
| Ash | U1907 |
| Brown Bear | U1908 |
| Coal | U1909 |
| Elephant | U1910 |
| Fieldstone | U1911 |
| Green Apple | U1912 |
| Mulberry | U1913 |
| Mushroom | U1914 |
| Ocean | U1916 |
| Red | U1917 |
| Springtime | U1918 |
| Sunrise | U1919 |
| Tangerine | U1920 |
| Yale | U1921 |

Prism

| Pattern | Product code |
|--------------|--------------|
| Alabaster | U1690 |
| Asparagus | U1691 |
| Café Au Lait | U1692 |
| Caramel | U1693 |
| Caribbean | U1694 |
| Cerulean | U1695 |
| Charcoal | U1696 |
| Claret | U1697 |
| Clay | U1698 |
| Clementine | U1699 |
| Cornflower | U1700 |
| Dove | U1701 |
| Espresso | U1702 |
| Indigo | U1703 |
| Kale | U1704 |
| Lipstick | U1705 |
| Mocha | U1706 |
| Olive | U1707 |
| Onyx | U1708 |
| Plum | U1709 |
| Raisin | U1710 |
| Stone | U1711 |
| Tomato | U1712 |
| Topaz | U1713 |
| Zinc | U1714 |
| | |

Cushion Upholstery Fabric Fabric Collection

Grade A Continued **Intuition**

| intuition | |
|-----------|--------------|
| Pattern | Product code |
| Admiral | U1849 |
| Bisque | U1850 |
| Charcoal | U1851 |
| Coral | U1852 |
| Hickory | U1853 |
| Honey | U1854 |
| Ochre | U1855 |
| Peacock | U1856 |
| Platinum | U1857 |
| Sage | U1858 |
| Sand | U1859 |
| Scarlet | U1860 |
| Slate | U1861 |
| Viridian | U1862 |
| | |

Fedora

| reuora | |
|------------|--------------|
| Pattern | Product code |
| Aegean | U1583 |
| Aquamarine | U1584 |
| Bitumen | U1585 |
| Cactus | U1586 |
| Charcoal | U1587 |
| Citron | U1588 |
| Dapper | U1589 |
| Dew | U1590 |
| Espresso | U1591 |
| Eucalyptus | U1592 |
| Fawn | U1593 |
| Indigo | U1594 |
| Light Grey | U1595 |
| Midnight | U1596 |
| Mink | U1597 |
| Opal | U1598 |
| Persimmon | U1599 |
| Pewter | U1600 |
| Plumberry | U1601 |
| Purple | U1602 |
| Ruby | U1603 |
| Tangelo | U1604 |
| Tomato | U1605 |
| Topaz | U1606 |
| Winter | U1607 |
| | |

Ranchero

| Pattern | Product code |
|-----------|--------------|
| Basil | U1922 |
| Black | U1923 |
| Brandy | U1924 |
| Chocolate | U1925 |
| Driftwood | U1926 |
| Ecru | U1927 |
| Greige | U1928 |
| Lipstick | U1929 |
| Navy | U1930 |
| Nickel | U1931 |
| Sapphire | U1932 |
| Sepia | U1933 |
| Slate | U1934 |
| Thunder | U1935 |
| | |

Florentino

| Product code |
|--------------|
| U1936 |
| U1937 |
| U1938 |
| U1939 |
| U1940 |
| U1941 |
| U1942 |
| U1943 |
| U1944 |
| U1945 |
| U1946 |
| U1947 |
| U1948 |
| U1949 |
| U1950 |
| U1951 |
| U1952 |
| U1953 |
| U1954 |
| U1955 |
| U1956 |
| U1957 |
| U1958 |
| U1959 |
| U1960 |
| U1961 |
| U1962 |
| |

Key Largo

| Pattern | Product code |
|-------------|--------------|
| Aegean | U1968 |
| Cayenne | U1969 |
| Chocolate | U1970 |
| Crimson | U1971 |
| Ebony | U1972 |
| Gold Coast | U1973 |
| Graphite | U1974 |
| Jonquil | U1975 |
| Jungle | U1976 |
| Khaki | U1977 |
| Nassau | U1978 |
| Palm | U1979 |
| Parchment | U1980 |
| Pear | U1981 |
| Quarry | U1982 |
| Raspberry | U1983 |
| Sand | U1984 |
| Sandstone | U1985 |
| Tangerine | U1986 |
| Toast | U1987 |
| Ultramarine | U1988 |
| Wheat | U1989 |

Grade B Crossweave

| Crossweave | | | |
|------------|--------------|--|--|
| Pattern | Product code | | |
| Flax | UW1101 | | |
| Antelope | UW1102 | | |
| Mountain | UW1103 | | |
| Straw | UW1104 | | |
| Cantaloupe | UW1105 | | |
| Tangelo | UW1106 | | |
| Shiraz | UW1107 | | |
| Flower | UW1108 | | |
| Alfalfa | UW1109 | | |
| Parsley | UW1110 | | |
| Freshwater | UW1111 | | |
| Lake | UW1112 | | |
| Atlantic | UW1113 | | |
| Soapstone | UW1114 | | |
| Penguin | UW1115 | | |
| Seal | UW1116 | | |
| | | | |

Hem Stitch

| Pattern | Product code | |
|------------|--------------|--|
| Crème | UW2001 | |
| Antelope | UW2002 | |
| Husk | UW2003 | |
| Island | UW2005 | |
| Summer | UW2006 | |
| Dark Sky | UW2007 | |
| Chartreuse | UW2008 | |
| Leaf | UW2009 | |
| Tangerine | UW2010 | |
| Campfire | UW2011 | |
| Dove | UW2012 | |
| Walrus | UW2014 | |
| | | |

Tweed Multi

| TWCCa Matt | | | |
|-------------|--------------|--|--|
| Pattern | Product code | | |
| Taupe | UW1001 | | |
| Tan | UW1002 | | |
| Dark Taupe | UW1003 | | |
| Yellow | UW1004 | | |
| Pink | UW1005 | | |
| Flame | UW1006 | | |
| Medium Blue | UW1007 | | |
| Turquoise | UW1008 | | |
| Dark Blue | UW1009 | | |
| Green | UW1010 | | |
| Orange | UW1011 | | |
| Light Grey | UW1012 | | |
| Medium Grey | UW1013 | | |
| | | | |

Quadrille

| | Pattern | Product code |
|--|------------|--------------|
| | Fair | UC1001 |
| | Cabaret | UC1002 |
| | Gambol | UC1003 |
| | Leisure | UC1004 |
| | Regalia | UC1005 |
| | Spring | UC1006 |
| | Zest | UC1007 |
| | Fiesta | UC1008 |
| | Carnival | UC1009 |
| | Spree | UC1010 |
| | Jubilee | UC1011 |
| | Opus | UC1012 |
| | Masquerade | UC1013 |
| | Soiree | UC1014 |
| | Revelry | UC1015 |
| | Escapade | UC1016 |
| | Shenanigan | UC1017 |
| | | |

Evoke

| Pattern | Product code |
|------------|--------------|
| Breeze | U1877 |
| Cerise | U1878 |
| Flax | U1879 |
| Graphite | U1880 |
| Grey Mist | U1881 |
| Iris | U1882 |
| Mahogany | U1883 |
| Natural | U1884 |
| Noir | U1885 |
| Pacific | U1886 |
| Pear | U1887 |
| Terracotta | U1888 |

Cushion Upholstery Fabric Fabric Collection

| Grade C Boucle Two-Tone | | | |
|-------------------------|--------------|--|--|
| Pattern | Product code | | |
| Crème | UW3001 | | |
| Mocha | UW3002 | | |
| Dark Taupe | UW3003 | | |
| Dark Brown | UW3004 | | |
| Yellow | UW3005 | | |
| Fuchsia | UW3006 | | |
| Shiraz | UW3007 | | |
| Lake | UW3008 | | |
| Cornflower | UW3009 | | |
| Sapphire | UW3010 | | |
| Snap Pea | UW3011 | | |
| Conifer | UW3012 | | |
| Flame | UW3013 | | |
| Storm | UW3014 | | |
| Charcoal | UW3015 | | |
| | | | |

| Grade D Tiny Herringbone | | |
|--------------------------|--------------|--|
| Pattern | Product code | |
| Tan | UW4201 | |
| Brown | UW4202 | |
| Blue Green | UW4203 | |
| Blue | UW4204 | |
| Medium Grey | UW4205 | |
| Dark Charcoal | UW4206 | |

Paint code matrix

Painted System and Bench components include; tiles, trim, support brackets, accessories, legs and storage.

The following prefixes will be referenced on order acknowledgements:

| E | indicates standard paint on all filing and storage items |
|----|---|
| ET | indicates standard textured paint on all filing and storage items, a 10% upcharge is applicable to the net value of the product |
| EA | indicates standard accent paint on all filing and storage items |
| P | indicates standard paint on all other items |
| PT | indicates standard textured paint on all other items, a 10% upcharge is applicable to the net value of the product |
| PA | indicates standard accent paint on all other items |

Custom colors

Inscape offers color matched to a customers' specification when possible. This matching is done through a database of over 2,500 existing color formulas or the development of a new custom color. A minimum order value of \$3,000 net per custom color, appliers to each order. A \$250 net fee applies for each custom color below this minimum. In addition, Custom Premium colors (bright whites and bright colors; textured paints; and reflection paints that use mica, aluminum or special materials to create their reflective properties) will be subject to a 10% upcharge to the net value of the product.

Multi-color cabinets

For multi-color cabinets where the case is one color and the drawer fronts are a second color, the following upcharge applies: Quantities of 15 or more units, add \$250 list per color. Quantities less than 15 units add \$500 list per color. (Tie bars and reference shelves will be painted the same color as the fronts.)

Note: Multi-color cabinets are not available on 7900 Series.

Neutral paint collection

| Name | Color code | Textured colors |
|-------------------------------|------------|-----------------|
| Bisque | 004 | |
| Chinook | 010 | |
| Onyx | 013 | |
| Frost | 022 | |
| Arctic | 023 | |
| Champagne | 024 | |
| Titanium | 052 | |
| Mushroom | 055 | |
| Krypton Reflections | 063 | |
| Cinder Reflections | 066 | |
| Soapstone | 112 | |
| Warm White | 121 | |
| Mist | 122 | |
| Sandstone | 123 | |
| Light Taupe | 124 | |
| Medium Gray | 126 | |
| Nickel Reflections | 127 | |
| Slate Reflections | 128 | |
| Quartz | 160 | |
| Glacier White | 168 | |
| Charcoal Gray | 205 | |
| Pebble Gray | 217 | |
| Deep White | 223 | |
| Mocha | 255 | |
| Latte | 274 | |
| Juniper Reflections | 281 | |
| Quicksilver Reflections | 282 | |
| Sunstone Reflections | 284 | |
| Aluminum Leaf | 290 | |
| Sasha | 300 | |
| Elson | 301 | |
| Shade | 302 | |
| Anonymous | 303 | |
| Urban | 304 | |
| Dorian | 305 | |
| Dover | 306 | |
| Jubilee | 307 | |
| Softer Tan Storm Cloud | 308 | |
| | 309 | |
| Rice Grain Ramie | 310 311 | |
| Favorite Tan | 312 | |
| | 314 | |
| High Tea Stone Reflections | 314 | |
| Dovetail Reflections | 316 | |
| Yorkshire | 317 | |
| Coriander | 318 | |
| Snowcap | 319 | |
| Salem | 320 | |
| Burnt Sierra | 321 | |
| Drizzle | 322 | |
| Scroll | 323 | |
| Cumin | 324 | |
| Seagull | 325 | |
| Smoke | 326 | |
| Gunpowder Blue | 327 | |
| Starlight Silver | 329 | |
| Martini Reflections | 330 | |
| Laminate White | 332 | |
| Steel Wool | 334 | |
| Kettle Black | 335 | |
| White Velvet | 336 | |
| Simply White | 337 | |
| Dark Bronze ** | 338 | |
| II DI VIILO | 000 | |

**Due to the semi-transparent nature of clear coat paint finish, the substrate material, as well as markings from the manufacturing process may be visible through the finish. For warranty information, please refer to the Inscape North American warranty on inscapesolutions.com

Textured colors

| Available | Unavailable |
|-----------|-------------|
|-----------|-------------|

Accent paint collection

Standard colors are prefixed with a 'A'.

| Name | Color code |
|--------------|------------|
| Peony | A339 |
| Lilac | A340 |
| Amethyst | A341 |
| Mulberry | A342 |
| Plum | A343 |
| Citrine | A344 |
| Canary | A345 |
| Lotus | A346 |
| Monarch | A347 |
| Coral | A348 |
| Amaryllis | A349 |
| Apricot | A350 |
| Cantaloupe | A351 |
| Poppy | A352 |
| Caliche | A353 |
| Obsidian | A354 |
| Dahlia | A355 |
| Honeydew | A356 |
| Sage | A357 |
| Hummingbird | A358 |
| Spring | A359 |
| Marimo | A360 |
| Fern | A361 |
| Azure | A362 |
| Wave | A363 |
| Lapis Blue | A364 |
| Atoll | A365 |
| Papillon | A366 |
| Lagoon | A367 |
| Night Sky | A368 |
| Aqua | A369 |
| Inscape Teal | A370 |

inscape

67 Toll Road Holland Landing, Ontario L9N 1H2 Canada

T 905 836 7676 F 905 836 6000

inscapesolutions.com