

INSCAPE BENCH

State of South Carolina

Contract #4400005978

September 2013 Price List

Inscape Corporation 221 Lister Avenue Falconer NY, 14733 Telephone: 905 953 5186 Fax: 877 870 0034 www.inscapesolutions.com

Table of Contents

Inscape Bench	F		
Inscape Bench Architecture		Inscape Bench Accessories	
Spine and Tiles Product Map Spine, Trim and Connectors, Tiles	F-3	Bench Accessories Product Map Accessories General Information	F-42 F-43
General Information	F-4	Spine Accessories	F-44
Spine	F-6	Add on Glaze	F-46
Stack-on for Spine	F-7	Open "H" Leg Accessories	F-47
Double Glaze Stack on	F-8	· -	
Trim and Connectors	F-9	Inscape Bench Storage	
Full Height Tile	F-10	Bench Storage Product Map	F-50
Partial Height Tile	F-11	Storage General Information	F-51
Partial Height Multi Access		Lateral Storage for Inscape Bench	F-55
and Communication Tile	F-14	Pedestal Storage for Inscape Bench	F-56
Stack on Tiles (10.125")	F-15	Twin Bin	F-58
Inscape Bench Technology			
Technology Product Map	F-17		
Technology General Information	F-18		
Electrical	F-20		
Data Components	F-21		
Inscape Bench Worksurfaces			
Worksurfaces Product Map	F-23		
Worksurfaces General Information	F-24		
Rectangular Bench Worksurface	F-26		
Worksurface for Electrical Access	F-30		
Bench Electrical Access Worksurface	F-31		
Height Adjustable Worksurface	F-35		
Worksurface Supports	F-37		
End Supports	F-39		

Inscape Bench Spine

Inscape Bench spines are constructed of 16 gauge tubular steel uprights with welded 18 gauge steel crossrails. This strong yet lightweight construction provides ease of movement and reconfiguration.

The simplicity of the spine structure provides an intelligent solution to cable management. The absence of baseplates, apertures and corner posts eliminate barriers that restrict the routing of cables. Cabling may be routed both vertically and horizontally through the panel. Cables are laid into cable managers that easily install between panel crossrails throughout the framework. Cable managers safely cradle and segregate cables. An aperture free system means installation and reconfiguration costs are kept to a minimum. Reconfiguration is easy and economical. Cabling simply eases out of the cable managers and is laid back in at the desired point, eliminating the costly need to cut and re-terminate cables for every reconfiguration. *See Inscape Bench Application Guide for quantity of cables achievable in the various spines.

Spines do not include the electrical cover kit but may house power which is to be accessed alternate locations with a "cut out" tile. The spine comes with one wire manager. Electrical and data components must be specified separately.

Spine glides provide 1.5" height adjustment allowing air to circulate. Spines are available in 6" increments in widths ranging from 30" wide to 60" wide.

A **Mid Spine Support Leg** must be specified when the Partial Height Spine or the Filing Spine are specified. This leg is a support between two units

The **Stack on Frame** consists of a 6.75", 10.125", 13.5", 20.25" and 27" frame which may be installed on any Inscape Bench spine of the same width or combination of two frames as outlined in the Inscape Bench Application Guide only. The Stack on frame is load bearing to one storage unit above 64" height and may be stacked up to 91"h. Tiles and trim is specified separately. Stack-on frames are frame thickness specific and should be specified accordingly.

Double Glazed Stack-on kit is a stack-on with a double glazed insert. The 30" to 60" wide Double Glazed Stack-on is a fully welded frame stack on. Double Glazed Stacks which are 54" and wider are kitted and are installed on site. The Double Glazed Stack on is not load bearing and no stacks can be stacked on top of the Double Glaze. Finishes are available in Clear or Frosted Acrylic to match Double Glazed tile.

Trim & Connectors

All **top caps, end of line trim, and connectors** must be specified independently from the frame.

Inline connectors are specified to join two units together which are in alignment. These connectors are specified based as INLINE-2 which will connect any of the Inscape Bench spines as well as the stackons. Be sure to specify inline connectors for the Stack-ons and Double Glaze Kits separately.

Top Caps are specified separately. The Top Cap includes clips to mount on spine or Stack-on in addition to the option of spanning two frames as outlined in the Inscape Bench Application Guide.

End Trim is kit structured to include all brackets, bolts and finished trim; Flat profile. Trim is manufactured from aluminum and always aligns straight and true at end of the Filing spine. All painted aluminum vertical trim and top trim are easily removed to facilitate lay in of cables.

Stack-on End Trim is used when a higher Stack-on requires vertical end trim at a connection. Hi-Lo trim may be used in this application for Flat profile trim because there is no 'scribing' that is required for this profile.

Tiles

Tiles are available as fabric, painted, tackable, veneer, Nuform, Double Glazed, Paper Management and whiteboard. 13.5"h tiles are interchangeable between Inscape System and Inscape Bench. Tile heights vary and must always align with the spine they are to be installed on. I.e. 23.6"h tiles = Full Height Spine, 10.125"h tiles = Stack on, 13.5"h tiles = Partial Height and Storage Spine. Tile clips support spine tiles and top trim. The clips are made of Delrin which is a resin similar to nylon in strength but has more rigidity and superior memory. These characteristics allow the Inscape Bench clips to retain their original shape without permanently deforming under continual pressure. This ensures tiles and trim will snap into pace with a solid "click" time after time.

Fabric and Painted tiles are available 23.6", 10.125" and 13.5" high and are constructed of 24 gauge galvanized steel. Powder-coated and fabric-covered steel tiles have a flame spread rating of less than 200 when tested according to ASTM-E84. Fabric-covered tiles are available in standard fabrics or COM. COM fabrics are subject to approval. White or extremely light colored COM fabrics will incur an upcharge of 25% to the tile pricing with which the fabric is being applied.

This is due to special handling of the fabric and tiles, in addition to painting of the tiles. Painted tiles are available in the colors shown in our Color Guide and are available in the following styles: plain steel, embossed, perforated, and steel screen. Fabric on tiles is applied in a railroad orientation.

Tackable tiles are constructed from 24 gauge cold rolled steel with a paint finish on all surfaces to prevent corrosion. The same general rules from the fabric tile section apply to the Tackable tiles. Fabric on tiles is applied in a railroad orientation. NRC 0.57, STC 9. **Tackable Acoustical tiles are available through Standard Specials with and NRC .73 and an STC of 12.

Nuform Tiles consist of gray melamine-backed MDF substrate 0.375" thick, with vacuum-formed Nuform foil over the front's surface and sides. The back-side of the tile also has routing features that accept zinc diecast tile clips. All Nuform tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener limits where the tile may be placed on the Inscape Bench spine. Nuform tiles cannot be specified in a location where a power track is installed due to interference. A sticker on the back of Nuform tiles provides UL flame / smoke-rating information. Woodgrain pattern is vertical. Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut.

Composite Veneer tiles are constructed utilizing 45 lbs. density particle board with an engineered balanced backer for structural integrity. Veneer thickness is 0.025". The backside of the tile has routing features that accept zinc die-cast tile clips. All Composite Veneer tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener bar limits where the tile may be placed. Composite Veneer tiles cannot be specified in a location where a power track is installed due to interference on an Inscape Bench spine. Woodgrain pattern is vertical.

Whiteboard Tiles are available in heights of 13.5". Tiles are constructed from 24 gauge cold rolled steel with a white paint finish that has been specifically formulated for dry erase markers. Whiteboards are seamless and fit same locations as standard painted tiles. Note: Inscape whiteboards are specifically designed for use with DRY-ERASE markers only. WHITEBOARDS ARE NOT INTENDED FOR USE WITH PERMANENT MARKERS. Inscape advises the use of Sanford Expo Dry Erase markers

with whiteboards. For a thorough cleaning, use Sanford Expo spray cleaner.

Paper Management tiles support horizontal paper management accessories. Organizers may be positioned at any point along the width of the tile. Three slats structured into the tile allow for three different height options for the accessories to be installed. Accessories may be found under Horizontal Accessories under the "Storage and Accessories" section. Maximum load capacity is 75lbs. When specifying paper management tiles which will be supporting a monitor arm, a Paper Management Reinforcing kit is required for additional structure. The 54" and 60" w tiles are pre-structured with these kits.

Perforated and Embossed tiles are constructed of 24 gauge galvanized steel, the **Steel Screen tiles** are constructed from 24 gauge cold rolled steel. Tiles may be painted in any of Inscape's standard colors or color matches.

Communication tiles provide power OR data access. The 30" wide includes one cut out while all wider tile widths include two cut outs. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

Multi Access tiles provide electrical AND data access. Cut outs align with power track and proper tiles must be specified in specific areas if stated. Data and Electrical components may be specified from the Technology section. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

Double Glazed tiles are available in 13.5" high and may be installed on frames 24" to 48" wide in place of a tile. Double Glazed tiles feature a double pane of frosted acrylic or clear acrylic framed by vertical and horizontal trim. Double Glazed tiles may be installed one on top of another. If wider than 60" of glaze is desired; **Stack on Double Glazed** kits may be specified.

Spine

- 2 3/4" thick spine when clad with tiles
 Power Track Kit (Upper Deck) only no electrical clips included
 includes one cable hook

Description	Product No.	Height	Width	Thickness	List Price
Full Height Benching Spine					
	INBFHF2730	27	30	2.75	\$157
	INBFHF2736	27	36	2.75	\$161
	INBFHF2742	27	42	2.75	\$164
	INBFHF2748	27	48	2.75	\$167
	INBFHF2754	27	54	2.75	\$170
	INBFHF2760	27	60	2.75	\$196
Partial Height Benching Sp	ine				
	INBPHF13.530	13.5	30	2.75	\$128
	INBPHF13.536	13.5	36	2.75	\$120 \$132
	INBPHF13.542	13.5	42	2.75	\$135
	INBPHF13.548	13.5	48	2.75	\$138
3.	INBPHF13.554	13.5	54	2.75	\$142
	INBPHF13.560	13.5	60	2.75	\$167
Storage Anchored Benchin	ng Spine				
	INBFF30	13.5	30	2.75	\$140
	INBFF36	13.5	36	2.75	\$143
	INBFF42	13.5	42	2.75	\$147
1	INBFF48	13.5	48	2.75	\$150
الم	INBFF54	13.5	54	2.75	\$153
	INBFF60	13.5	60	2.75	\$179
Mid Spine Support Leg					
	INBMSL10	10			\$188
- must be specified at all situations v	vhere two frames join (exc	ept Full Heig	ht Benching spine	e)	

Stack-on for Spine

- 2 3/4" thick
- no Twin Bin placement on the 13.5"h Stack-on
- 20.25"h requires an additional crossrail (separately) if Twin Bin or 13.5"h tile being specified

- Fully welded stack on kits easily installed and removed to adjust panel height
 Load bearing only one overhead unit on frame higher than 64"h only
 Stack on frames may span multiple frames *See Application Guide for spanning guidelines

Description	Product No.	Height	Width	List Price
6.75"h Single Stack-on				
	INSF030-2F	30	6.75	\$124
	INSF036-2F	36	6.75	\$127
	INSF042-2F	42	6.75	\$130
	INSF048-2F	48	6.75	\$134
	INSF054-2F	54	6.75	\$135
	INSF060-2F	60	6.75	\$138
10.125"h Single Stack-on				
	INSF1030-2F	30	10.125	\$126
	INSF1036-2F	36	10.125	\$129
1	INSF1042-2F	42	10.125	\$132
	INSF1048-2F	48	10.125	\$137
fil .	INSF1054-2F	54	10.125	\$138
	INSF1060-2F	60	10.125	\$140
13.5"h Single Stack-on				
	INSF130-2F	30	13.5	\$128
Ni Ni	INSF136-2F	36	13.5	\$131
	INSF142-2F	42	13.5	\$134
	INSF148-2F	48	13.5	\$13 4 \$139
îl l	INSF154-2F	54	13.5	\$139 \$140
	INSF160-2F	60	13.5	\$140 \$141
20.25"h Single Stack-on	INSF 100-2F	00	13.5	Φ141
20.25 if Single Stack-Off				
	INSF2030D-2F	30	20.25	\$137
	INSF2036D-2F	36	20.25	\$140
	INSF2042D-2F	42	20.25	\$143
	INSF2048D-2F	48	20.25	\$146
П	INSF2054D-2F	54	20.25	\$1 47
	INSF2060D-2F	60	20.25	\$1 49
27"h Single Stack-on				
	INSF230-2F	30	27	\$149
	INSF236-2F	36	27	\$1 4 3 \$152
	INSF242-2F	42	27	\$152 \$154
di di	INSF248-2F	48	27	\$15 4 \$158
	INSF254-2F	54	27	\$158 \$159
	INSF254-2F	60	27	\$159 \$160
ħl	INSFZOU-ZF	OU	21	φιου

Double Glaze Stack on

- Stack on Double Glaze is non-load bearing
- Stack on Double Glaze may span two frames *See Application Guide for spanning guidelines
 30" to 48" wide kits consist of welded frames
 54" to 96" wide kits are kitted and must be assembled onsite
 Clear and Frosted Acrylic options available

- May be located in the top location only no Twin Bin placement on the 13.5"h Stack-on
- 20.25"h requires an additional crossrail (separately) if Twin Bin or 13.5"h tile being specified

Description	Product No.	Height	Width	Thickness	Clear Acrylic	Frosted Acrylic
					-	
	INSTGL30-2F	13.5	30	2.75	\$404	\$474
	INSTGL36-2F	13.5	30	2.75	\$462	\$542
	INSTGL42-2F	13.5	42	2.75	\$501	\$588
11	INSTGL48-2F	13.5	48	2.75	\$554	\$650
1	INSTGL54-2F	13.5	54	2.75	\$607	\$701
ļ	INSTGL60-2F	13.5	60	2.75	\$669	\$774
•	INSTGL72-2F	13.5	72	2.75	\$734	\$860
	INSTGL84-2F	13.5	84	2.75	\$778	\$911
	INSTGL96-2F	13.5	96	2.75	\$822	\$963

Trim and Connectors

- Inline Connectors are required to be specified when frames are connected inline
- Specified independently of frame and may span two frames. *See Inscape System Application Guide
- All mounting hardware is included for corresponding frame thickness
- Veneer trim is up to a maximum length of 48"
- Top Trim up to 60"w requires two additional Jesters to be specified if spanning multiple frames (i.e. a 60"w top trim installed on 2_30" frames)
- Veneer trim available in specific height only (not 10.125"height)
- Stack-on End Trim is specified when stack frames are specified
- End of line trim is specified when storage is being specified and there is visibility to the end of the frame (all other end conditions include finished appearance with no end trim needed)

Description	Product No.	Height	Width	Thickness	List Price
Inline Connectors 24"H - 51"H Frame	INLINE-2				\$0
Top Trim					
	INTC30-2F		30	2.75	\$46
	INTC36-2F		36	2.75	\$49
	INTC42-2F		42	2.75	\$53
	INTC48-2F		48	2.75	\$55
	INTC54-2F		54	2.75	\$68
	INTC60-2F		60	2.75	\$73
	INTC72-2F		72	2.75	\$89
	INTC84-2F		84	2.75	\$105
	INTC96-2F		96	2.75	\$111
Stack-on End Trim					
	INETHL6.75-2F	6.75		2.75	\$19
	INBET10.125-2F	10.125		2.75	\$25
	INETHL13.5-2F	13.5		2.75	\$31
	INETHL20.25-2F	20.25		2.75	\$38
	INETHL27-2F	27		2.75	\$59
End Trim					
Storage End	INBETEND27-2F	27		2.75	\$40

Full Height Tile

-23.6"h tiles may only be mounted on Full Height bench spine

Description	Product No.	Width	Height	List Price
23.6"h Painted Tile				
23.0 III ainted The	INB23.6P30	30	23.625	\$72
	INB23.6P36	36	23.625	\$85
	INB23.6P42	42	23.625	\$91
ſI I	INB23.6P48	48	23.625	\$104
	INB23.6P54	54	23.625	\$112
	INB23.6P60	60	23.625	\$129
23.6"h Perforated Tile				
20.0 11 1 0.1014.04 1110	INB23.6PF30	30	23.625	\$81
	INB23.6PF36	36	23.625	\$96
	INB23.6PF42	42	23.625	\$104
fill little little	INB23.6PF48	48	23.625	\$122
	INB23.6PF54	54	23.625	\$136
	INB23.6PF60	60	23.625	\$149
23.6"h Painted Multi Access Til	e			
	INB23.6MAP30	30	23.625	\$137
	INB23.6MAP36	36	23.625	\$140
	INB23.6MAP42	42	23.625	\$148
B B	INB23.6MAP48	48	23.625	\$156
	INB23.6MAP54	54	23.625	\$1 7 4
	INB23.6MAP60	60	23.625	\$178
23.6"h Painted Communication	Tile			
	INB23.6CTP30	30	23.625	\$137
	INB23.6CTP36	36	23.625	\$140
f = =	INB23.6CTP42	42	23.625	\$148
	INB23.6CTP48	48	23.625	\$156
1	INB23.6CTP54	54	23.625	\$174
	INB23.6CTP60	60	23.625	\$178

Partial Height Tile

- -13.5"h tile may be specified with Partial Height Spine or Filing Spine tiles are standard 13.5"h Inscape System

Description	Product No.	Height	Width	List Price
13.5"h Painted Tile				
Half Height Benching Tile	IN13.5P30	13.5	30	\$53
Trail Fleight Benefiting The	IN13.5P36	13.5	36	\$54
đ.	IN13.5P42	13.5	42	\$56
	IN13.5P48	13.5	48	\$58
	IN13.5P54	13.5	54	\$60
	IN13.5P60	13.5	60	\$63
13.5"h Perforated Tile				
Half Height Benching Tile	IN13.5PF30	13.5	30	\$63
	IN13.5PF36	13.5	36	\$64
	IN13.5PF42	13.5	42	\$65
	IN13.5PF48	13.5	48	\$68
	IN13.5PF54	13.5	54	\$69
	IN13.5PF60	13.5	60	\$71
13.5"h Embossed Tile				
Half Height Benching Tile	IN13.5EM30	13.5	30	\$63
	IN13.5EM36	13.5	36	\$64
	IN13.5EM42	13.5	42	\$65
	IN13.5EM48	13.5	48	\$68
	IN13.5EM54	13.5	54	\$69
	IN13.5EM60	13.5	60	\$71
13.5"h Screen Tile				
Half Height Benching Tile	IN13.5ST30	13.5	30	\$66
	IN13.5ST36	13.5	36	\$71
	IN13.5ST42	13.5	42	\$78
	IN13.5ST48	13.5	48	\$83
3344	IN13.5ST54	13.5	54	\$93
	IN13.5ST60	13.5	60	\$98

Partial Height Tile

- -13.5"h tile may be specified with Partial Height Spine or Filing Spine tiles are standard 13.5"h Inscape System

Description	Product No.	Height	Width	Grade 1/ COM	Grade 2	Grade 3	Grade 5	Grade7
13.5"h Fabric Tile								
1010 111 410110 1110	IN13.5F30	13.5	30	\$81	\$84	\$88	\$99	\$128
	IN13.5F36	13.5	36	\$84	\$91	\$102	\$117	\$154
	IN13.5F42	13.5	42	\$88	\$94	\$107	\$123	\$163
	IN13.5F48	13.5	48	\$91	\$100	\$110	\$126	\$167
.35.	IN13.5F54	13.5	54	\$93	\$103	\$113	\$132	\$176
430	IN13.5F60	13.5	60	\$98	\$108	\$118	\$137	\$181
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IN13.5F66	13.5	66	\$183	\$193	\$203	\$222	\$266
the same of the sa	IN13.5F72	13.5	72	\$184	\$192	\$196	\$208	\$259
	IN13.5F78	13.5	78	\$185	\$194	\$198	\$211	\$266
	IN13.5F84	13.5	84	\$195	\$204	\$208	\$221	\$276
	IN13.5F90	13.5	90	\$196	\$206	\$210	\$225	\$282
	IN13.5F96	13.5	96	\$198	\$210	\$213	\$230	\$288
13.5"h Tackable Tile								
المبيد	IN13.5TK30	13.5	30	\$119	\$121	\$126	\$139	\$178
	IN13.5TK36	13.5	36	\$122	\$129	\$137	\$154	\$202
W. 2012	IN13.5TK42	13.5	42	\$126	\$134	\$142	\$159	\$209
	IN13.5TK48	13.5	48	\$143	\$151	\$159	\$179	\$231
13.5"h Nuform Tile								
	IN13.5NF30	13.5	30	\$203				
	IN13.5NF36	13.5	36	\$211				
	IN13.5NF42	13.5	42	\$221				
المستغلقا	IN13.5NF48	13.5	48	\$228				
13.5"h Veneer Tile								
	IN13.5WV30	13.5	30	\$249				
	IN13.5WV36	13.5	36	\$278				
	IN13.5WV42	13.5	42	\$306				
	IN13.5WV48	13.5	48	\$333				

Partial Height Tile

- -13.5"h tile may be specified with Partial Height Spine or Filing Spine tiles are standard 13.5"h Inscape System

Description	Product No.	Height	Width	List Price
13.5"h Whiteboard Tile				
	IN13.5WB30	13.5	30	\$79
	IN13.5WB36	13.5	36	\$81
	IN13.5WB42	13.5	42	\$83
	IN13.5WB48	13.5	48	\$86
ff neard	IN13.5WB54	13.5	54	\$96
whiteboard	IN13.5WB60	13.5	60	\$101
	IN13.5WB66	13.5	66	\$176
	IN13.5WB72	13.5	72	\$181
	IN13.5WB78	13.5	78	\$187
	IN13.5WB84	13.5	84	\$192
	IN13.5WB90	13.5	90	\$197
	IN13.5WB96	13.5	96	\$202
6.75"h Paper Managemen	t Tile			
	IN6.75PM30-2F	6.75	30	\$130
	IN6.75PM36-2F	6.75	36	\$134
	IN6.75PM42-2F	6.75	42	\$149
	IN6.75PM48-2F	6.75	48	\$162
	IN6.75PM54-2F	6.75	54	\$176
	IN6.75PM60-2F	6.75	60	\$191
	IN6.75PM66-2F	6.75	66	\$253
	IN6.75PM72-2F	6.75	72	\$263
	IN6.75PM78-2F	6.75	78	\$273
	IN6.75PM84-2F	6.75	84	\$311
	IN6.75PM90-2F	6.75	90	\$321
	IN6.75PM96-2F	6.75	96	\$331

Partial Height Multi Access and Communication Tile

- -13.5"h tile may be specified with Partial Height Spine or Filing Spine tiles are standard 13.5"h Inscape System

				Grade 1/	Grade 2	Grade 3	Grade 5	Grade7
Description	Product No.	Height	Width	COM				
13.5"h Fabric Multi Ac	coss Tilo							
13.3 II I abric Multi Ac	IN13.5MAF30-UD	13.5	30	\$90	\$93	\$97	\$110	\$149
	IN13.5MAF36-UD	13.5	36	\$100	\$104	\$110	\$110 \$129	\$1 75
3 8	IN13.5MAF42-UD	13.5	42	\$103	\$104	\$116	\$131	\$178
33	IN13.5MAF48-UD	13.5	48	\$107	\$114	\$124	\$141	\$190
	IN13.5MAF54-UD	13.5	54	\$108	\$116	\$127	\$145	\$195
	IN13.5MAF60-UD	13.5	60	\$117	\$118	\$127	\$147	\$199
	1141010111711 00 02	10.0	00	Ψιιι	V 110	Ψ121	Ψιπι	Ψίσσ
13.5"h Fabric Commu	nication Tile							
	IN13.5CTF30-UD	13.5	30	\$90	\$93	\$97	\$110	\$149
	IN13.5CTF36-UD	13.5	36	\$100	\$104	\$110	\$129	\$175
	IN13.5CTF42-UD	13.5	42	\$103	\$106	\$116	\$131	\$178
	IN13.5CTF48-UD	13.5	48	\$107	\$114	\$124	\$141	\$190
1	IN13.5CTF54-UD	13.5	54	\$108	\$116	\$127	\$145	\$195
	IN13.5CTF60-UD	13.5	60	\$117	\$118	\$127	\$147	\$199
13.5"h Painted Multi A	cooss Tilo							
13.3 II Fairited Width A	IN13.5MAP30-UD	13.5	30	\$78				
	IN13.5MAP36-UD	13.5	36	\$83				
- 18	IN13.5MAP42-UD	13.5	42	\$85				
8	IN13.5MAP48-UD	13.5	48	\$90				
	IN13.5MAP54-UD	13.5	54	\$91				
	IN13.5MAP60-UD	13.5	60	\$93				
				,				
13.5"h Painted Commi	unication Tile							
	IN13.5CTP30-UD	13.5	30	\$78				
	IN13.5CTP36-UD	13.5	36	\$83				
6 8	IN13.5CTP42-UD	13.5	42	\$85				
	IN13.5CTP48-UD	13.5	48	\$90				
	IN13.5CTP54-UD	13.5	54	\$91				
	IN13.5CTP60-UD	13.5	60	\$93				

Stack on Tiles (10.125")

- tiles may only be installed on 10.125"h stack on

				Grade	Grade 2	Grade 3	Grade 5	Grade7
Description	Product No.	Height	Width	1/COM				
10.125"h Stack-on	Painted Tile							
	IN10.125F30	10.125	30	\$81	\$84	\$88	\$99	\$128
	IN10.125F36	10.125	36	\$84	\$91	\$102	\$117	\$154
	IN10.125F42	10.125	42	\$88	\$94	\$107	\$123	\$163
10 mm	IN10.125F48	10.125	48	\$91	\$100	\$110	\$126	\$167
Topo o o o o o o o o o o o o o o o o o o	IN10.125F54	10.125	54	\$93	\$103	\$113	\$132	\$176
	IN10.125F60	10.125	60	\$98	\$108	\$118	\$137	\$181
10.125"h Stack-on	Fabric Multi-Access	Γile						
	IN10.12MAF30-UD	10.125	30	\$90	\$93	\$97	\$110	\$149
	IN10.12MAF36-UD	10.125	36	\$100	\$104	\$110	\$129	\$175
mtm 7:35,	IN10.12MAF42-UD	10.125	42	\$103	\$106	\$116	\$131	\$178
	IN10.12MAF48-UD	10.125	48	\$107	\$114	\$124	\$141	\$190
7/2/2/2/2	IN10.12MAF54-UD	10.125	54	\$108	\$116	\$127	\$145	\$195
	IN10.12MAF60-UD	10.125	60	\$117	\$118	\$127	\$147	\$199
10.125"h Stack-on	Fabric Communication	n Tile						
	IN10.12CTF30-UD	10.125	30	\$90	\$93	\$97	\$110	\$149
	IN10.12CTF36-UD	10.125	36	\$100	\$104	\$110	\$129	\$175
	IN10.12CTF42-UD	10.125	42	\$103	\$106	\$116	\$131	\$178
14.19	IN10.12CTF48-UD	10.125	48	\$107	\$114	\$124	\$141	\$190
1000	IN10.12CTF54-UD	10.125	54	\$108	\$116	\$127	\$145	\$195
	IN10.12CTF60-UD	10.125	60	\$117	\$118	\$127	\$147	\$199
10.125"hStack-on	Painted Tile							
	IN10.125P30	10.125	30	\$53				
	IN10.125P36	10.125	36	\$54				
f	IN10.125P42	10.125	42	\$56				
	IN10.125P48	10.125	48	\$58				
	IN10.125P54	10.125	54	\$60				
	IN10.125P60	10.125	60	\$63				
10.125"h Stack-on	Painted Multi-Access							
	IN10.12MAP30-UD	10.125	30	\$78				
	IN10.12MAP36-UD	10.125	36	\$83				
33 33	IN10.12MAP42-UD	10.125	42	\$85				
	IN10.12MAP48-UD	10.125	48	\$90				
	IN10.12MAP54-UD	10.125	54	\$91				
	IN10.12MAP60-UD	10.125	60	\$93				
10.125"h Stack-on	Painted Communicat							
_	IN10.12CTP30-UD	30	10.125	\$78				
	IN10.12CTP36-UD	36	10.125	\$83 \$25				
	IN10.12CTP42-UD	42	10.125	\$85				
	IN10.12CTP48-UD	48	10.125	\$90				
	IN10.12CTP54-UD	54	10.125	\$91				
	IN10.12CTP60-UD	60	10.125	\$93				

INSCAPE BENCH TECHNOLOGY

Inscape Bench Technology

General Information

Inscape Bench electrical is UL and CSA approved. New York City and Chicago solutions are also available as standard offering. The electrical system features 8 wires and 4 circuits that can be configured in a 2+2 or 3+1 circuit configuration. All electrical components, with the exception of the power feed (which must be connected to the building power supply by a licensed electrician) may be installed by furniture installers, unless otherwise stated by jurisdiction of the installation.

Inscape Bench electrical components consist of the following: Floor/Wall power in-feed, power tracks, jumper cables, duplex receptacles. Power components snap into place without the need of tools and are the same components as offered in Inscape System.

Power in-feed connections can be made through a wall, column, or floor connection. Power in-feed connections consist of an 84" long liquid tight cable and a 45" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails. The liquid tight portion of the Power in-feed must be connected to the building power supply by an electrician. If two power feeds are being specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks.

Two versions of the power in-feed exist. One version is to be used with the Full Height Spine and the other is to be used with the Partial height or Storage Spine and includes a wire casing.


New York City has requirements for special power entry assemblies. A qualified electrician is required to hard-wire the **New York City In-feed** from the entry box to the power source.

The New York City feed works for side feed, end feed or ceiling feed.

The City of Chicago does not permit the use of prewired modular electrical systems. To simplify hardwiring of the Inscape Bench Spine, the City of **Chicago Hold Down Bracket** (INECHB) is available. Specify two INECHB for each power entry point, one for the power feed and one for the outlet. (The outlet box is NOT supplied by Inscape). INECHB's are available in packages of 6. Boxes should be sourced through Ental Industries or J&A Sheet both local Chicago suppliers of electrical junction boxes.


Note: Spines 30" wide will accept one double-sided outlet box. Spines 36" wide and wider will accept two boxes. INECHB's may also be specified to mount multi-user termination boxes inside the panel.

2 + 2 Circuit Configuration



- **2+2** Circuits #1 and #2 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuits #3 and #4 share the other oversize neutral and isolated ground to provide isolated power to computers.

3 + 1 Circuit Configuration



- **3+1** Circuits #1, #2 and #3 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuit #4 uses the other oversize neutral and isolated ground to provide isolated power to computers.

Power Track Kits consist of a power track and clips to attach the power track to a crossrail. The kit allows for power tracks to be mounted in specified locations (above or below the worksurface). Jumper cables and receptacles are specified separately. The 30" wide Power Track Kit accepts one duplex per side. Power Track Kits which are 36" wide and wider accept two duplexes per side. Power Track Kits may be specified below the following; Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles. Power Track Kits MAY NOT be specified below Twin Bins or Power Poles.

Jumper Cables by-pass un-powered spines and also facilitates connections from power track to power track. Jumper cables must attach to power tracks only and cannot be attached to adjacent jumper cables or power in- feeds. Product codes indicate the width of the jumper cable which may be cross-referenced in the Inscape Bench Application Guide. Various widths of jumper cables are available to facilitate various applications and configurations. See Inscape Bench Application Guide for details.

Duplex receptacles snap into power tracks back-to-back and may be accessed through cutouts in either the electrical cover plate with standard frames or multi-access and communication tiles in all other locations and basic frames. Duplexes are interchangeable amongst the varying power track locations. Specify duplexes according to circuit configuration, 2+2 or 3+1. The IN3D3-_ duplex is specific to 2+2 wire configurations and the IN3DU3-_ duplex is specified for 3+1 wire configurations. General rule is no more than 12 receptacles per circuit per power in feed. Duplexes may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight).

Data Components

The **Hinged Cover (INHRC)** snaps into the cut outs which are found in multi access and communication tiles. When data faceplates and receptacles are not required the hinged cover provides a visual and protective cover.

Fiber Optic Outlet (INCFO) is specified to be installed in a cut out in a multi access or communication tile. Available in black only.

The Data and Communication Faceplate (INCDP) installs in a cut out in a multi access or communication tile where plug and play access is required. The faceplate provides three "slots" where the Category 5 (INCABRJ45), Category 6 (INCABR6J45), and/or Telephone Jacks (INCRJ11) may be inserted. All "openings" need to be filled with data or phone jacks, the Blank Data Plate Insert (INCB) fills in any which are not being used. Data components (except the INCFO) may be specified in

black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight).

Clamp on Power may be clamped along edge of worksurface for plug and play access to electrical/voice/data. Unit has clear anodized aluminum case with two outlets and two voice/data cut outs. Voice and data adaptor kits are included. Voice and data jacks must be purchased separately. Clamp on power module has 72" long extension cord. This module adjusts from .75 to 1.75" for varying surface thickness.

Cable hooks support and segregate data cables and each frame ships with one cable manager. Cable hooks carry data cables to their termination voice/data point at a multi access or communication tile for plug and play access or to hanger brackets which are located behind the tile.

Wire Management clips are required when power is being routed from a Credenza Storage benching application frame to the worksurface. Where cabling is running from behind a Credenza Storage case, these wire management clips are mounted to the underside of the inside of the case and the wires are cleanly routed to the main surface. These clips come in a package of 10 and are black in color.

Wire Casing manages cables and technology from a worksurface to the floor. Casing is adjustable in length by removing or adding "links". Casing is available in gray. As standard the wire casing accommodates 28.5"h worksurface heights. The wire casing accommodates 30 Cat5 cables with electrical works at a 60% fill capacity which is recommended. Approximately 36 Cat5 cables may be accommodated in the wire casing at a 60% fill capacity without electrical works.

Electrical

- Power in feed to be used with partial height spine includes wire casing to enclose exposed cables
- All electrical components are standard 8 wire configuration
- Power track is required to match the width of the frame it is being installed in
- Power Track Kits may be specified below; Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze
- Power Track Kits MAY NOT be specified below Twin Bins
- See Inscape System Application Guide for length requirements for varying panel configurations
- Jumper Cables do not connect together nor do they attach to power in feeds
 Circuit 3 receptacle requires 2+2 or 3+1 wire designation ("U" in the code signifies 3+1 wire configuration)
- White close match to 168 Glacier White, Gray close match to 326 Moonlight
- The "UD" duplexes are to be specified in conjunction with the Electrified Twin Bin (Inscape System Price List)

Description	Product No.	Width			List Price
Power In-feed					
* 4	INEFWK-8		ith full spine)		\$277
The state of the s	INBWFWK-8	(use w	ith partial he	eight spine*)	\$492
New York Power In-feed					
A STATE OF THE STA	INEFWK-NY-8				\$492
Power Track Kit					
All San San	INRUDKIT-30-8	30			\$141
	INRUDKIT-36-8	36			\$153
	INRUDKIT-42-8	42			\$167
	INRUDKIT-48-8	48			\$182
	INRUDKIT-54-8	54			\$193
	INRUDKIT-60-8	60			\$208
For use with Electrified Twin Bin	INETPTWB-8	8			\$65
Jumper Cable					
	INETC24-8	24			\$54
	INETC25-8	25			\$54
	INETC28-8	28			\$54
	INETC31-8	31			\$56
The state of the s	INETC44-8	44			\$59
- STANDARDER	INETC53-8	53			\$65
	INETC64-8	64			\$79
~	INETC88-8	88			\$103
	INETC104-8	104			\$117
	INETC122-8	122			\$146
	INETC141-8	141			\$147
	INETC158-8	158			\$162
	INETC182-8	182			\$184
Receptacles		_	Black	White	Gray
	IN2D1-8		\$19	\$25	\$25
	IN2D2-8		\$19	\$25	\$25
	IN2D3-8		\$19	\$25	\$25
2+2 Wire Configuration	IN2D3U-8		\$19	\$25	\$25
3+1 Wire Configuration	IN2D4-8		\$19	\$25	\$25

Data Components

- Data components which are face mounted have optional color of black, white or gray (default black)

- Data cannot be installed directly back to back in a benching spine
 Data components are industry standard sized AMP product
 Wire Management clips are black and attach by double sided tape which is included
 Cable Management tray is available in two lengths and painted Eco Black and includes mounting hardware

Description		Product No. List Price			
			Black	White	Gray
Hinged Cover for	Tiles with				
Cutouts		INHRC	\$36	n/a	n/a
Fiber Optic Outlet					
*black only		INCFO	\$102	n/a	n/a
Data Communicat	tion Plate				
		INCPD	\$19	\$21	\$23
Blank Data Plate I	Insert				
		INCB	\$10	\$13	\$13
Telephone Jack		INCRJ11	\$21	\$24	\$24
Category 5A & 5B	8 - RJ45				
Jack		INCABRJ45	\$34	\$37	\$37
Category 6 - RJ45	Jack				
		INC6ABRJ45	\$67	\$79	\$79
Wire Management	t Clip				
	$\widehat{\mathbb{Q}}$	INWMCLIP			\$21
Cable Managemen					
le		INCMT18 INCMT30			\$26 \$34
Wire Manager		INFWC			\$98

INSCAPE BENCH WORKSURFACES

Worksurfaces

General Information


Depth dimension is nominal. Depths are 1" less than stated to provide a 1" gap between the worksurface and panel to facilitate wire management. Worksurfaces are specific to the worksurface support they are being installed on. Codes and dimensions are outlined in the following pages and Inscape Bench Application Guide showing which worksurface is to be specified with the End Gable, Open "H" Leg or Storage Support.

Nuform Solid and Nuform Woodgrain/Pattern Worksurfaces

The Nuform top is a thermo-formable polymer based sheet continuously bonded to a 1.25". The polymer sheet is surface coated with a scratch resistant film. Colors are homogenous throughout the film thickness. Top and edge are one continuous surface with no edge seams. The underside of the top is finished in a low pressure melamine. Nuform tops have the option of a pencil groove running across the width of the worksurface as standard and depth for conference tables. Two price options are available - Nuform Solid and Nuform Woodgrain which includes patterns.

Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces.

Edge Detail - Nuform Solid and Nuform Woodgrain



Top and edge are one continuous surface with no edge seams.

Laminate Worksurfaces

Plastic laminate is laminated to 1.25" thick particleboard. The underside of the worksurface is finished with a man-made, wood-fiber veneer backer. Worksurfaces specified with a plastic laminate finish include a 2mm edge banding in a coordinating color. Plastic laminate tops do not include a pencil groove. All worksurfaces default to 1.25" thick, Straight edge, Pencil Groove.

Edge Detail - Plastic Laminate

Straight Edge



Composite Veneer Worksurfaces

Veneer thickness is 0.025". Overall thickness of top is 1.25". The stain color is impregnated throughout the veneer for color consistency. The open pore veneer is clear coated with a catalyzed lacquer utilizing a multistep process and has a gloss value of 30° when dry. Tops are constructed utilizing 45lbs density particle board with an engineered balanced backer for structural integrity. Tops are edged in 3mm thick same species veneer and do not include a pencil groove.

Edge Detail - Composite Veneer

Straight Edge



Load capacity for freestanding and panel mounted worksurfaces is 4.5lbs per linear inch.

Grain direction on Nuform Woodgrain and Veneer worksurfaces is as denoted below.



The **Worksurface Extension** is a cantilevered worksurface which is situated perpendicular to the spine. This top is available in all the worksurface finishes of the standard worksurfaces (if woodgrain is chosen, pattern will run perpendicular to the main worksurfaces). This extension CANNOT be specified adjacent to the Height Adjustable Worksurfaces.

The Worksurface for Electrical Access is a worksurface which provides easy access to power/data ports below the worksurface within the spine. The hinged access cover is an aluminum component which is inset into the Laminate or Veneer surfaces only. Worksurfaces are specific to the frame width in order to allow the hinged access cover to line up with the port in the spine beneath.

Adjustable Height Worksurfaces are available to be mounted on the Full Height Spine of the Inscape Bench.

Worksurfaces provide gas cylinder height adjustment ranging from 28.5" to 49.5" with a lift capacity and calibration of a recommended 25lbs (not including the worksurface). Worksurfaces structured on the height adjustable mechanism are 1" less in stated width in the price list, and are meant to be installed on center to the base allowing for a gap between adjacent surfaces to eliminate pinch points. The base mechanism of the worksurface is available in gray only. See the Inscape Bench Application Guide for application notes and restrictions.

Worksurface Support Brackets & Accessories

Cantilever Bracket is fixed. Cantilever brackets support panel mounted worksurfaces on-module.

Flush Brackets are specified when two adjoining worksurfaces need to be held flush together. These brackets (INFB) come as a pair. Maximum span of overhang when supported with a flush bracket is 18" per side. These are not required for Height Adjustable worksurfaces.

Spacers are specified when storage is being specified within the bench. The appropriate height of storage to use within the bench is 22.5"id with FLAT GLIDE (Rectangular glides will not line up below the worksurface)

Pedestal Brackets are specified when a pedestal unit is being specified. This allows for docking of the storage pieces to the benching spine. End Location Bracket is to be specified when the pedestal is at the end of a run. The Middle Location Bracket is to be specified when a pedestal is situated below the bench within the bench. *See Inscape Bench Application Guide.

Storage Docking Bracket is used when lateral or bookcase units are specified perpendicular to the spine. This bracket docks the storage and worksurface to the spine. *See Inscape Bench Application Guide.

The **Lateral Tops** are available as %" thick. These tops are to be specified atop the 22.5"id storage units, FLAT GLIDE only on storage. Tops are available in all standard Nuform finishes.

End Support

There are three main ways to support the Inscape Bench from and end support perspective. One option is a **Full End Gable**. This end gable unit spans the entire depth of the bench beneath the worksurfaces, which are specific to this support type. The End Gable is a fully kitted product code which includes trim, tiles, glides and structure. The trim can be painted in any standard paint color. Tiles are to be specified on the inside and outside of the end gable. Tiles on the interior consist of two separate tiles whereas the outside is one full tile. Woodgrain on the exterior tile will run vertical on the tile. The Full End Gable is only to be used with the Full Height Spine.

An alternative support is the **Open "H" Leg**. This open leg structure has the ability to span the entire depth of the bench as well as carry multiple storage/accessories components. These units may be found in the Accessories section and are specific to the "H" Leg. The Open "H" Leg is only to be used with the Partial Height Spine. *unless the Height Adjustable version is being used

Both support types have a mid-span support which matches the overall end aesthetic. These are available in 12" and18"d. The 12" version is to be specified with 24" and 30" deep worksurfaces and the 18"d with 36"d worksurfaces. Tiles on the Full Gable version are painted only.

When the Height Adjustable Worksurface is specified, either the Full End Gable or the Open "H" Leg which is specific to the Height Adjustable may be specified.

*See Inscape Bench Application Guide for more details.

- -1 1/4" thick
- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces

Description	Product No.	Width	Depth	Nuform Solid /Laminate Straight Edge	Nuform Woodgrain/ Pattern	Nuform Tapered Edge	Veneer (Straight Edge ONLY)
Rectangular Worksur	face						
Middle Application							
24"d	INBW2442	42	23.675	\$289	+\$30	+\$14	\$844
. w	INBW2448	48	23.675	\$331	+\$35	+\$16	\$896
•	INBW2454	54	23.675	\$372	+\$40	+\$20	\$946
D	INBW2460	60	23.675	\$413	+\$43	+\$22	\$1,010
	INBW2472	72	23.675	\$497	+\$51	+\$25	\$1,097
	INBW2484	84	23.675	\$582	+\$60	+\$28	\$1,196
	INBW2496	96	23.675	\$667	+\$68	+\$34	\$1,290
30"d							
	INBW3042	42	29.675	\$362	+\$38	+\$19	\$995
. w	□ INBW3048	48	29.675	\$413	+\$43	+\$22	\$1,051
D	INBW3054	54	29.675	\$464	+\$48	+\$23	\$1,110
	INBW3060	60	29.675	\$518	+\$53	+\$26	\$1,169
	INBW3072	72	29.675	\$620	+\$63	+\$30	\$1,284
	INBW3084	84	29.675	\$754	+\$79	+\$39	\$1,375
	INBW3096	96	29.675	\$889	+\$92	+\$46	\$1,480
36"d				·	•	•	,
	INBW3642	42	35.675	\$420	+\$43	+\$64	\$1,155
w	_ INBW3648	48	35.675	\$478	+\$50	+\$74	\$1,237
	INBW3654	54	35.675	\$538	+\$56	+\$82	\$1,306
D	INBW3660	60	35.675	\$601	+\$62	+\$90	\$1,416
	INBW3672	72	35.675	\$718	+\$72	+\$99	\$1,557

- -1 1/4" thick
- Worksurfaces are to be specified with end support being the Full End Gable
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces

Description	Product No.	Actual Width	Depth	Nuform Solid /Laminate Straight Edge	Nuform Woodgrain/ Pattern	Nuform Tapered Edge	Veneer (Straight Edge ONLY)
Bootipion	11044011101	TTIGUII	Борин	Lago			
Rectangular Worksurfa	ace						
Full End Gable Applicati	on						
24"d	INBWE2442	44.75	23.675	\$303	+\$32	+\$15	\$886
	INBWE2448	50.75	23.675	\$348	+\$37	+\$17	\$941
	INBWE2454	56.75	23.675	\$391	+\$42	+\$21	\$993
. w	INBWE2460	62.75	23.675	\$434	+\$45	+\$23	\$1,061
D	INBWE2472	74.75	23.675	\$522	+\$54	+\$26	\$1,152
	INBWE2484	86.75	23.675	\$611	+\$63	+\$29	\$1,256
	INBWE2496	98.75	23.675	\$700	+\$71	+\$36	\$1,355
30"d	INBWE3042	44.75	29.675	\$380	\$40	+\$20	\$1,045
	INBWE3048	50.75	29.675	\$434	\$45	+\$23	\$1,104
. W	INBWE3054	56.75	29.675	\$487	\$50	+\$24	\$1,166
	INBWE3060	62.75	29.675	\$544	\$56	+\$27	\$1,227
D	INBWE3072	74.75"	29.675	\$651	\$66	+\$32	\$1,348
	INBWE3084	86.75"	29.675	\$792	\$83	+\$41	\$1,444
	INBWE3096	98.75	29.675	\$933	\$97	+\$48	\$1,554
36"d	INBWE3642	44.75	35.675	\$441	+\$45	+\$67	\$1,213
	INBWE3648	50.75	35.675	\$502	+\$53	+\$78	\$1,299
w	INBWE3654	56.75	35.675	\$565	+\$59	+\$86	\$1,371
D	INBWE3660	62.75	35.675	\$631	+\$65	+\$95	\$1,487
	INBWE3672	74.75	35.675	\$754	+\$76	+\$104	\$1,635

- -1 1/4" thick
- Worksurfaces are to be specified with Open "H" Leg end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Woodgrain pattern when applied on Worksurface Extension will run perpendicularly to main worksurfaces
- Worksurface Extension only to be used with Op en "H" Leg end support

Description	Product No.	Actual Width	Depth	Nuform Solid /Laminate Straight Edge	Nuform Woodgrain/ Pattern	Nuform Tapered Edge	Veneer (Straight Edge ONLY)
Rectangular Worksurfactor Open "H" Leg Application	e						
24"d	INBWO2442	44.036	23.675	\$303	+\$32	+\$15	\$886
	INBWO2448	50.036	23.675	\$348	+\$37	+\$17	\$941
	INBWO2454	56.036	23.675	\$391	+\$42	+\$21	\$993
	INBWO2460	62.036	23.675	\$434	+\$45	+\$23	\$1,061
	INBWO2472	74.036	23.675	\$522	+\$54	+\$26	\$1,152
	INBWO2484	86.036	23.675	\$611	+\$63	+\$29	\$1,256
	INBWO2496	98.036	23.675	\$700	+\$71	+\$36	\$1,355
30"	INBWO3042	44.036	29.675	\$380	\$40	+\$20	\$1,045
	INBWO3048	50.036	29.675	\$434	\$45	+\$23	\$1,104
	INBWO3054	56.036	29.675	\$487	\$50	+\$24	\$1,166
	INBWO3060	62.036	29.675	\$544	\$56	+\$27	\$1,227
	INBWO3072	74.036	29.675	\$651	\$66	+\$32	\$1,348
	INBWO3084	86.036	29.675	\$792	\$83	+\$41	\$1,444
	INBWO3096	98.036	29.675	\$933	\$97	+\$48	\$1,554
36"	INBWO3642	44.036	35.675	\$441	+\$45	+\$67	\$1,213
	INBWO3648	50.036	35.675	\$502	+\$53	+\$78	\$1,299
	INBWO3654	56.036	35.675	\$565	+\$59	+\$86	\$1,371
	INBWO3660	62.036	35.675	\$631	+\$65	+\$95	\$1,487
	INBWO3672	74.036	35.675	\$754	+\$76	+\$104	\$1,635
Worksurface Extension							
	INBWX1848	51.35	18	\$441	+\$35	+\$16	\$1,200
	INBWX1860	63.35	18	\$499	+\$43	+\$22	\$1,287
	INBWX1872	75.35	18	\$615	+\$51	+\$25	\$1,399
•							

- -1 1/4" thick
- Worksurfaces are to be specified when storage is being used as end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces

		Actual		Nuform Solid /Laminate Straight	Nuform Woodgrain/ Pattern	Nuform Tapered Edge	Veneer (Straight Edge ONLY)
Description	Product No.	Width	Depth	Edge			
Rectangular Worksurfac	ce						
End Storage Application 24 "d							
2-7 U	INBWF2442	42.30	23.675	\$303	+\$32	+\$15	\$886
	INBWF2448	48.30	23.675	\$348	+\$37	+\$17	\$941
. w	INBWF2454	54.30	23.675	\$391	+\$42	+\$21	\$993
D	INBWF2460	60.30	23.675	\$434	+\$45	+\$23	\$1,061
	INBWF2472	72.30	23.675	\$522	+\$54	+\$26	\$1,152
	INBW2F484	84.30	23.675	\$611	+\$63	+\$29	\$1,256
	INBWF2496	96.30	23.675	\$700	+\$71	+\$36	\$1,355
201	INDWESS 40	40.00	00.075	\$380	\$40	+\$20	¢4 045
30"	INBWF3042	42.30 48.30	29.675	\$360 \$434	\$45	+\$20 +\$23	\$1,045 \$1,104
	INBWF3048		29.675	ֆ434 \$487	\$45 \$50	+\$23 +\$24	\$1,10 4 \$1,166
. w	INBWF3054	54.30	29.675	\$467 \$544	\$56	+\$24 +\$27	\$1,100 \$1,227
	INBWF3060	60.30	29.675	\$ 544 \$651	\$66	+\$27 +\$32	\$1,227 \$1,348
D	INBWF3072	72.30	29.675	\$792	\$83	+\$32 +\$41	\$1,346 \$1,444
	INBWF3084 INBWF3096	84.30 96.30	29.675 29.675	\$792 \$933	\$63 \$97	+\$41 +\$48	\$1, 444 \$1,554
	INDWF3090	90.30	29.075	φ933	ФЭ 1	T#40	Φ1,334
36"	INBWF3642	42.30	35.675	\$441	+\$45	+\$67	\$1,213
. w	INBWF3648	48.30	35.675	\$502	+\$53	+\$78	\$1,299
	INBWF3654	54.30	35.675	\$565	+\$59	+\$86	\$1,371
D	INBWF3660	60.30	35.675	\$631	+\$65	+\$95	\$1,487
	INBWF3672	72.30	35.675	\$754	+\$76	+\$104	\$1,635

- 1 1/4" thick
- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- Laminate & Veneer
- 84" and 96" worksurfaces require same support as two surfaces
- see Inscape Bench Application Guide for cut-out placement and quantities on various widths

Rectangular Electrical Access Worksurface Middle Application 24"d INBWEA2448	Description	Product No.	Width	Depth	Laminate	Veneer
Middle Application 24"d INBWEA2448	Rectangular Electrical Acces	ss Worksurface				
INBWEA2448 48 23.675 \$662 \$1,792 INBWEA2454 54 23.675 \$744 \$1,892 INBWEA2460 60 23.675 \$826 \$2,020 INBWEA2472 72 23.675 \$994 \$2,194 INBWEA2484 84 23.675 \$1,164 \$2,392 INBWEA2496 96 23.675 \$1,334 \$2,580 INBWEA3048 48 29.675 \$836 \$2,102 INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 INBWEA3096 96 29.675 \$1,130 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832	Middle Application					
INBWEA2454 54 23.675 \$744 \$1,892 INBWEA2460 60 23.675 \$826 \$2,020 INBWEA2472 72 23.675 \$994 \$2,194 INBWEA2484 84 23.675 \$1,164 \$2,392 INBWEA2496 96 23.675 \$1,334 \$2,580 30"d INBWEA3048 48 29.675 \$836 \$2,102 INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3096 96 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832	24"d					
INBWEA2460 60 23.675 \$826 \$2,020 INBWEA2472 72 23.675 \$994 \$2,194 INBWEA2484 84 23.675 \$1,164 \$2,392 INBWEA2496 96 23.675 \$1,334 \$2,580 INBWEA3048 48 29.675 \$836 \$2,102 INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 INBWEA3096 96 29.675 \$1,130 \$2,612 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA2448	48	23.675	\$662	\$1,792
INBWEA2472 72 23.675 \$994 \$2,194 INBWEA2484 84 23.675 \$1,164 \$2,392 INBWEA2496 96 23.675 \$1,334 \$2,580 30"d INBWEA3048 48 29.675 \$836 \$2,102 INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA2454	54	23.675	\$744	\$1,892
INBWEA2484 84 23.675 \$1,164 \$2,392 INBWEA2496 96 23.675 \$1,334 \$2,580 30"d INBWEA3048 48 29.675 \$836 \$2,102 INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA2460	60	23.675	\$826	\$2,020
INBWEA3048 48 29.675 \$836 \$2,102 INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA2472	72	23.675	\$994	\$2,194
30"d INBWEA3048	; ;	INBWEA2484	84	23.675	\$1,164	\$2,392
INBWEA3048 48 29.675 \$836 \$2,102 INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA2496	96	23.675	\$1,334	\$2,580
INBWEA3048 48 29.675 \$836 \$2,102 INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832						
INBWEA3054 54 29.675 \$928 \$2,220 INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832	30"d					
INBWEA3060 60 29.675 \$1,036 \$2,338 INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA3048	48	29.675	\$836	\$2,102
INBWEA3072 72 29.675 \$1,240 \$2,568 INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA3054	54	29.675	\$928	\$2,220
INBWEA3084 84 29.675 \$1,508 \$2,750 INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA3060	60	29.675	\$1,036	\$2,338
INBWEA3096 96 29.675 \$1,778 \$2,960 36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA3072	72	29.675	\$1,240	\$2,568
36"d INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832	: :	INBWEA3084	84	29.675	\$1,508	\$2,750
INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832		INBWEA3096	96	29.675	\$1,778	\$2,960
INBWEA3648 48 35.675 \$1,004 \$2,474 INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832						
INBWEA3654 54 35.675 \$1,130 \$2,612 INBWEA3660 60 35.675 \$1,262 \$2,832	36"d	INDWE A 2649	10	35 675	\$1 00 <i>4</i>	\$2 <i>474</i>
INBWEA3660 60 35.675 \$1,262 \$2,832						
INBWEA3672 /2 35.675 \$1,508 \$3,114						
		INBWEA36/2	72	35.675	φΊ,5Uδ	Ъ 3,114

- 1 1/4" thick
- Worksurfaces are to be specified when Full End Gables are used as end support
- Laminate & Veneer
- 84" and 96" worksurfaces require same support as two surfaces
- see Application Guide for cut-out placement and quantities on various widths as well as left and right handed placement
- place left hand version if end support is on left side, place right hand version if end support is on right side

			Actual			
Description	Product No.	Width	Width	Depth	Laminate	Veneer
Rectangular Electrical Access	Worksurface					
Full End Gable Application - left						
24"d	INBWEAEL2448	48	50.75	23.675	\$695	\$1,882
	INBWEAEL2454	54	56.75	23.675	\$781	\$1,987
	INBWEAEL2460	60	62.75	23.675	\$867	\$2,121
	INBWEAEL2472	72	74.75	23.675	\$1,044	\$2,304
	INBWEAEL2484	84	86.75	23.675	\$1,222	\$2,512
	INBWEAEL2496	96	98.75	23.675	\$1,401	\$2,709
30"d						
	INBWEAEL3048	48	50.75	29.675	\$867	\$2,207
	INBWEAEL3054	54	56.75	29.675	\$974	\$2,331
	INBWEAEL3060	60	62.75	29.675	\$1,088	\$2,455
	INBWEAEL3072	72	74.75	29.675	\$1,302	\$2,696
	INBWEAEL3084	84	86.75	29.675	\$1,583	\$2,888
	INBWEAEL3096	96	98.75	29.675	\$1,867	\$3,108
36"d						
	INBWEAEL3648	48	50.75	35.675	\$1,004	\$2,598
	INBWEAEL3654	54	56.75	35.675	\$1,130	\$2,743
	INBWEAEL3660	60	62.75	35.675	\$1,262	\$2,974
	INBWEAEL3672	72	74.75	35.675	\$1,508	\$3,270
					•	•

- -1 1/4" thick
- Worksurfaces are to be specified when Full End Gables are used as end support
- Laminate & Veneer
- 84" and 96" worksurfaces require same support as two surfaces
- see Application Guide for cut-out placement and quantities on various widths as well as left and right handed placement
- place left hand version if end support is on left side, place right hand version if end support is on right side

			Actual									
Description	Product No.	Width	Width	Depth	Laminate	Veneer						
	Rectangular Electrical Access Worksurface											
Full End Gable Application - right												
24"d	INBWEAER2448	48	50.75	23.675	\$695	\$1,882						
	INBWEAER2454	54	56.75	23.675	\$781	\$1,987						
	INBWEAER2460	60	62.75	23.675	\$867	\$2,121						
	INBWEAER2472	72	74.75	23.675	\$1,044	\$2,304						
	INBWEAER2484	84	86.75	23.675	\$1,222	\$2,512						
	INBWEAER2496	96	98.75	23.675	\$1,401	\$2,709						
30"d												
	INBWEAER3048	48	50.75	29.675	\$867	\$2,207						
	INBWEAER3054	54	56.75	29.675	\$974	\$2,331						
	INBWEAER3060	60	62.75	29.675	\$1,088	\$2,455						
	INBWEAER3072	72	74.75	29.675	\$1,302	\$2,696						
	INBWEAER3084	84	86.75	29.675	\$1,583	\$2,888						
	INBWEAER3096	96	98.75	29.675	\$1,867	\$3,108						
36"d												
	INBWEAER3648	48	50.75	35.675	\$1,004	\$2,598						
	INBWEAER3654	54	56.75	35.675	\$1,130	\$2,743						
	INBWEAER3660	60	62.75	35.675	\$1,262	\$2,974						
	INBWEAER3672	72	74.75	35.675	\$1,508	\$3,270						
			_		. ,	. ,						

- -1 1/4" thick
- Worksurfaces are to be specified when the Open "H"" Leg are used as end support
- Laminate & Veneer
- 84" and 96" worksurfaces require same support as two surfaces
- see Application Guide for cut-out placement and quantities on various widths as well as left and right handed placement
- place left hand version if end support is on left side, place right hand version if end support is on right side

			Actual			
Description	Product No.	Width	Width	Depth	Laminate	Veneer
Rectangular Electrical Acces	s Worksurface					
Open "H" Leg Application - left	INBWEAOL2448	48	50.036	23.675	\$695	\$1,882
24"d	INBWEAOL2454	54	56.036	23.675	\$781	\$1,987
	INBWEAOL2460	60	62.036	23.675	\$867	\$2,121
	INBWEAOL2472	72	74.036	23.675	\$1,044	\$2,304
	INBWEAOL2484	84	86.036	23.675	\$1,222	\$2,512
	INBWEAOL2496	96	98.036	23.675	\$1,401	\$2,709
30"d	INBWEAOL3048	48	50.036	29.675	\$867	\$2,207
	INBWEAOL3054	54	56.036	29.675	\$974	\$2,331
	INBWEAOL3060	60	62.036	29.675	\$1,088	\$2,455
	INBWEAOL3072	72	74.036	29.675	\$1,302	\$2,696
	INBWEAOL3084	84	86.036	29.675	\$1,583	\$2,888
	INBWEAOL3096	96	98.036	29.675	\$1,867	\$3,108
36"d	INBWEAOL3648	48	50.036	35.675	\$1,004	\$2,598
	INBWEAOL3654	54	56.036	35.675	\$1,130	\$2,743
	INBWEAOL3660	60	62.036	35.675	\$1,262	\$2,974
	INBWEAOL3672	72	74.036	35.675	\$1,508	\$3,270
					-	•
: :						

- -1 1/4" thick
- Worksurfaces are to be specified when the Open "H"" Leg are used as end support
- Laminate & Veneer
- 84" and 96" worksurfaces require same support as two surfaces
- see Application Guide for cut-out placement and quantities on various widths as well as left and right handed placement
- place left hand version if end support is on left side, place right hand version if end support is on right side

			Actual			
Description	Product No.	Width	Width	Depth	Laminate	Veneer
Rectangular Electrical Access						
Open "H" Leg Application - right	INBWEAOR2448	48	50.036	23.675	\$695	\$1,882
24"d	INBWEAOR2454	54	56.036	23.675	\$781	\$1,987
	INBWEAOR2460	60	62.036	23.675	\$867	\$2,121
	INBWEAOR2472	72	74.036	23.675	\$1,044	\$2,304
	INBWEAOR2484	84	86.036	23.675	\$1,222	\$2,512
	INBWEAOR2496	96	98.036	23.675	\$1,401	\$2,709
30"d	INBWEAOR3048	48	50.036	29.675	\$867	\$2,207
	INBWEAOR3054	54	56.036	29.675	\$974	\$2,331
	INBWEAOR3060	60	62.036	29.675	\$1,088	\$2,455
	INBWEAOR3072	72	74.036	29.675	\$1,302	\$2,696
: : : :	INBWEAOR3084	84	86.036	29.675	\$1,583	\$2,888
	INBWEAOR3096	96	98.036	29.675	\$1,867	\$3,108
36"d	INBWEAOR3648	48	50.036	35.675	\$1,004	\$2,598
	INBWEAOR3654	54	56.036	35.675	\$1,130	\$2,743
	INBWEAOR3660	60	62.036	35.675	\$1,262	\$2,974
: : : : : : : : : : : : : : : : : : : :	INBWEAOR3672	72	74.036	35.675	\$1, 508	\$3,270
				-	. ,	,
: :						

Height Adjustable Worksurface

- 1 1/4" thick
- Straight & Tapered edge
- Nuform, Laminate & Veneer
- End units are 1/2" shorter in length and Middle units are 1/2" shorter on each end eliminating potential pinch points only to be installed on Full Height Panel option with either full height end gable or open "H" leg *See Inscape Bench Application Guide for details on how to specify

- when specifying the height adjustable worksurfaces, all units within bench must be height adjustable

INBEZxx = Middle-of-Run INBEZExx = End Gable INBEZOExx = Open "H" Leg	Draduct No.	Actual Width	Domáh	Nuform Solid/ Laminate - Straight Edge	Nuform Woodgrain/ Pattern	Nuform - Tapered Edge	Veneer (Straight Edge ONLY)
Description	Product No.	wiath	Depth				
Spine Mounted Height Adjus	table Worksurfa	ce					
Middle Application	INBEZ2436	35	23.675	\$1,862	+\$29	+\$13	\$2,381
	INBEZ2442	41	23.675	\$1,885	+\$30	+\$14	\$2,440
	INBEZ2448	47	23.675	\$1,927	+\$35	+\$16	\$2,492
	INBEZ2454	53	23.675	\$1,979	+\$40	+\$20	\$2,553
	INBEZ2460	59	23.675	\$2,020	+\$43	+\$22	\$2,617
	INBEZ2472	71	23.675	\$2,404	+\$51	+\$25	\$3,004
	INBEZ3036	35	29.675	\$1,930	+\$29	+\$13	\$2,526
	INBEZ3042	41	29.675	\$1,969	+\$30	+\$14	\$2,602
	INBEZ3048	47	29.675	\$2,020	+\$35	+\$16	\$2,658
	INBEZ3054	53	29.675	\$2,280	+\$40	+\$20	\$2,926
	INBEZ3060	59	29.675	\$2,334	+\$43	+\$22	\$2,985
	INBEZ3072	71	29.675	\$2,522	+\$51	+\$25	\$3,186
Spine Mounted Height Adjus	table Worksurfa	ice					
Full End Gable Application	INBEZE2436	38.25	23.675	\$1,862	+\$29	+\$13	\$2,381
	INBEZE2442	44.25	23.675	\$1,885	+\$30	+\$14	\$2,440
	INBEZE2448	50.25	23.675	\$1,927	+\$35	+\$16	\$2,492
1	INBEZE2454	56.25	23.675	\$1,979	+\$40	+\$20	\$2,553
	INBEZE2460	62.25	23.675	\$2,020	+\$43	+\$22	\$2,617
	INBEZE2472	74.75	23.675	\$2,404	+\$51	+\$25	\$3,004
	INBEZE3036	38.25	29.675	\$1,930	+\$29	+\$13	\$2,526
Ψ	INBEZE3042	44.25	29.675	\$1,969	+\$30	+\$14	\$2,602
1	INBEZE3048	50.25	29.675	\$2,020	+\$35	+\$16	\$2,658
	INBEZE3054	56.25	29.675	\$2,280	+\$40	+\$20	\$2,926
	INBEZE3060	62.25	29.675	\$2,334	+\$43	+\$22	\$2,985
	INBEZE3072	74.75	29.675	\$2,522	+\$51	+\$25	\$3,186

Height Adjustable Worksurface

- 1 1/4" thick
- Straight & Tapered edge
- Nuform, Laminate & Veneer
- End units are 1/2" shorter in length and Middle units are 1/2" shorter on each end in order to eliminate potential pinch points
- only to be installed on Full Height Panel option with either full height end gable or open "H" leg
- *See Inscape Bench Application Guide for details on how to specify
- when specifying the height adjustable worksurfaces, all units within bench must be height adjustable

INBEZxx = Middle-of-Run							
INBEZExx = End Gable				Nuform Solid/	Nuform	Nuform	Veneer
INBEZOExx = Open "H" Leg				Laminate -	Woodgrain/		(Straight
	Inscape	Actual		Straight Edge	Pattern	Tapered	Edge
Description	Product No.	Width	Depth			Edge	ONLY)
Spine Mounted Height Adjust	able Worksurfac	е					
Open "H" Leg Application	INBEZOE2436	38.536	23.675	\$1,862	+\$29	+\$13	\$2,381
	INBEZOE2442	44.536	23.675	\$1,885	+\$30	+\$14	\$2,440
	INBEZOE2448	50.536	23.675	\$1,927	+\$35	+\$16	\$2,492
II.	INBEZOE2454	56.536	23.675	\$1,979	+\$40	+\$20	\$2,553
	INBEZOE2460	62.536	23.675	\$2,020	+\$43	+\$22	\$2,617
	INBEZOE2472	74.536	23.675	\$2,404	+\$51	+\$25	\$3,004
THE REST	INBEZOE3036	38.536	29.675	\$1,930	+\$29	+\$13	\$2,526
	INBEZOE3042	44.536	29.675	\$1,969	+\$30	+\$14	\$2,602
Ψ	INBEZOE3048	50.536	29.675	\$2,020	+\$35	+\$16	\$2,658
1 19	INBEZOE3054	56.536	29.675	\$2,280	+\$40	+\$20	\$2,926
	INBEZOE3060	62.536	29.675	\$2,334	+\$43	+\$22	\$2,985
	INBEZOE3072	74.536	29.675	\$2,522	+\$51	+\$25	\$3,186

Worksurface Supports

- Cantilever brackets support worksurfaces at mid-span
 Spacers are to be specified in conjunction with 22.5"id cases and 3/8" thick tops to support worksurfaces
 Pedestal brackets dock pedestal cases to the benching spine *See Inscape Bench Application Guide
 Frame to Worksurface is to be specified in certain configurations where storage is the anchor *See Inscape Bench Application Guide

Description		Product No.	Height	List P	rice		
• • • • • • • • • • • • • • • • • • • •	.			Eco Black	Painted		
Cantilever	Bracket	INBRHCB INBLHCB		\$54 \$54	\$56 \$56		
Flush Bracket (kit of 4)							
	•	INFB		\$12			
Spacers							
\bigcirc	(package of 4)	WSPACERLAT	1.3		\$51		
96	(package of 2)	WSPACERPED	1.3		\$26		
Pedestal Bracket							
Ы	End location bracket	INBPEDLHBREDE			\$69		
		INBPEDRHBREDE			\$69		
	Middle location bracket	INBPEDLHBRMDE			\$69		
0	Wildele location practice	INBPEDRHBRMDE			\$69		
Frame to Worksurface Connection Bracket							
		INBSPWSBRKT			\$69		

Worksurface Supports

- 3/8" thick tops are available in Nuform (straight edge), Laminate and Veneer
- tops are specified on 22.5"id cases along with spaces to support surfaces at 28.5"h

Description	Product No.	Thickness	List Price				
3/8" Storage Lateral			Nuform Solid	Nuform Woodgrain/ Pattern	<u>Laminate</u>	Veneer	
	INSWTOP1836	3/8	\$182	\$208	\$182	\$523	
	INSWTOP1842	3/8	\$205	\$238	\$205	\$577	
	INSWTOP1848	3/8	\$227	\$266	\$227	\$631	
	INSWTOP1854	3/8	\$251	\$291	\$251	\$691	
	INSWTOP1860	3/8	\$389	\$431	\$389	\$1,151	
	INSWTOP1872	3/8	\$465	\$513	\$465	\$1,240	
	INSWTOP1878	3/8	\$541	\$597	\$541	\$1,293	
3/8" Storage Pedestal Top		Height					
	INBPEDTOP1522	28.5	\$84	\$95	\$446		
(for 9900 series)	INBPEDTOP1522.7	28.5	\$92	\$101	\$460		
	INBPEDTOP1528	28.5	\$105	\$116	\$473		
(for 9900 series)	INBPEDTOP1528.7	28.5	\$111	\$128	\$492		

End Supports

- When specifying a Full End Gable, choose the base then option of inside and outside tiles
 End gable unit has option of Nuform, laminate, paint, veneer or NO interior panel
 option "NO" interior tile when a Trading Desk unit is being installed
 Mid Support is available in paint both sides only
 Nuform, Laminate or Veneer with a pattern will run the length of the gable.

Description	Product No.	Width/ Depth	Height	Base	Paint	Nuform	Laminate	Veneer
Full End Gable								
	INBFEG28.548	48	28.5	\$705 inside outside	\$179 \$125	\$695 \$411	\$695 \$633	\$835 \$678
	INBFEG28.560	60	28.5	\$760 inside outside	\$181 \$266	\$742 \$426	\$742 \$639	\$953 \$797
Mid Support Full Cable	INBFEG28.572	72	28.5	\$781 inside outside	\$196 \$273	\$779 \$450	\$779 \$646	\$1,071 \$917
Mid Support - Full Gable								
Fixed	INBFEG28.512 INBFEG28.518	12 18	28.5 28.5	\$524 \$549				
Open "H" Leg								
	INBHEG28.548 INBHEG28.560 INBHEG28.572	48 60 72	28.5 28.5 28.5	\$796 \$800 \$883				
∥ Mid Support - Open "H" Leg								
Fixed	INBHEG28.512 INBHEG28.518	12 18	28.5 28.5	\$333 \$372				

End Supports

- When specifying a Full End Gable, choose the base then option of inside and outside tiles
- Height Adjustable supports only for Full Height Spine
- End gable unit has option of Nuform, laminate, paint, veneer or NO interior panel
- Mid Support is available in paint both sides only
- Nuform, Laminate or Veneer with a pattern will run the length of the gable.

Description	Product No.	Width/ Depth	Height	Base	Paint	Nuform	Laminate	Veneer
Support for use with Heigh	t Adjustable Works	urfaces						
Full End Gable	INBFEG28.548	48	28.5	\$705 inside outside	\$179 \$125	\$695 \$411	\$695 \$633	\$835 \$678
	INBFEG28.560	60	28.5	\$760 inside outside	\$181 \$266	\$742 \$426	\$742 \$639	\$953 \$797
Open "H" Leg Height Adjustable for Worksurface	INBHLEGHAW60	48 60	28.5 28.5	\$796 \$800				
Mid Support - Height Adjusta	ole Worksurface							
	INBFEGADJ12	12	28.5	\$524				

INSCAPE BENCH ACCESSORIES

Accessories

General Information

Spine Accessories are units that may be specified to sit on top of any of the benching spines. The units are specified to include the stanchion kit or not (see notes on page). Height Adjustable worksurfaces must not be specified when spine accessories are specified due to interference with the lift mechanism. Items such as the Up-Mount Bin and Add on Glazing are taken from the Inscape System price list and are compatible.

Add-on Glazing is manufactured from 0.25 " tempered glass. Glazing may be mounted to the top of any equivalent Inscape Bench spine or combination of bases outlined in the Application Guide. Glazing is available in clear, etched one or two sides and designer glass Strie and Etre options. Add-on Glazing includes top trim, glass mounting extrusion and specified glass. Add-on Glazing is specified based on the thickness of the panel. Note: Hi-lo Add-on Glazing must be specified when installed directly adjacent to a higher panel at an inline situation only. The glaze and extrusion are inset on one side to allow for hi-lo vertical trim on the adjacent higher panel. If the situation calls for hi-lo on both sides, a special may be required. An Add on Glazing alignment clip is included with each Add on Glaze ordered.

Transaction Tops are specific to spine width they are to be installed on. Stanchions and top trim are included in the kit, as well as a 1" thick Nuform or laminate top. Hi-Lo Transaction Top must be specified when a transaction top is specified directly adjacent to a higher panel. The worksurface takes into account the profile of the end trim.

Note: 72", 84" and 96"w kits consist of two top caps and four stanchions (based on "Symmetrical Frame

Configuration" module lines). Top Caps can be specified as an option and are included with the kit.

The **Upmount Bin** is constructed of 24 gauge steel on the back and 20 gauge steel on bottom, sides and top. The Upmount Bin is ordered and shipped independent of the stanchion kit, top trim and accessories to hang on back of bin. The stanchion kit includes hardware to mount the stanchions on the crossrail of the frame and top trim (tapered or flat). Stanchion kits are specified based on thickness of frame in which the Upmount Bin is being installed. The backs of all Upmount Bins require either a whiteboard or a tackboard to provide a clean aesthetic. These accessories are specific to the Upmount Bin and include mounting hardware. The stanchion and Upmount Bin provide an overall height of 20.25" module matching adjacent panel heights. The bin is12.75" deep and may be specified directly adjacent to another Upmount Bin facing the opposite direction: creating a "Twin-Bin" effect. Separate top cap and two stanchions will be required for each bin.

Open "H" Leg Accessories are units which hang from the Open "H" Leg on the Inscape Bench. These units are constructed of laminate and come complete with all brackets to hang. These units may be specified when a Height Adjustable worksurface is being specified. The units sit 2" lower than the worksurface so there is no concern of pinch points when lowering the worksurface. The Upper Bookcase is cantilevered over the end of the worksurface (similar to the Worksurface Extension). The weight capacity of shelves is 100 lbs and all other units are 200 lbs.

Spine Accessories

- Planter box, Cubbi Stor and Transaction Counter include stanchions kits and trim for spine mount
- Transaction Counter is available in 1" Nuform or Laminate
- Flat trim profile only
- Cubbi Stor and Planter box are constructed of laminate

Description	Product No.	Width	Height	Depth		List Price
Planter Box						
	INBPLNTTOP-36	36	6	6		\$1,700
	INBPLNTTOP-42	42	6	6		\$1,800
	INBPLNTTOP-48	48	6	6		\$1,900
	INBPLNTTOP-60	60	6	6		\$2,000
Cubbi Stor						
	INBUPPCUBLH-30	30	13.6	6		\$1,605
	INBUPPCUBLH-36	36	13.6	6		\$1,740
	INBUPPCUBLH-42	42	13.6	6		\$2,009
	INBUPPCUBLH-48	48	13.6	6		\$2,210
	INBUPPCUBLH-54	54	13.6	6		\$2,290
	INBUPPCUBLH-60	60	13.6	6		\$2,393
	INBUPPCUBLH-72	72	13.6	6		\$2,502
	INBUPPCUBRH-30	30	13.6	6		\$1,605
	INBUPPCUBRH-36	36	13.6	6		\$1,740
	INBUPPCUBRH-42	42	13.6	6		\$2,009
	INBUPPCUBRH-48	48	13.6	6		\$2,210
	INBUPPCUBRH-54	54	13.6	6		\$2,290
	INBUPPCUBRH-60	60	13.6	6		\$2,393
	INBUPPCUBRH-72	72	13.6	6		\$2,502
Transaction Counter					Nuform	Laminate
	INBTRANTOP-36	36		1	\$362	\$398
	INBTRANTOP-42	42		1	\$347	\$382
	INBTRANTOP-48	48		1	\$373	\$410
	INBTRANTOP-54	54		1	\$393	\$432
9	INBTRANTOP-60	60		1	\$397	\$437
	INBTRANTOP-72	72		1	\$652	\$717

Spine Accessories

- Stanchion kit must be specified in conjunction with Up-Mount Bin
 Stanchion kits comes complete with stanchions, mounting hardware and flat top trim
 Up-mount overhead bins MUST always be specified to include a tackboard or whiteboard
 Overhead bin top is an optional aesthetic

Description	Product I	No.	Widt	h H	eight	Depth		Lis	st Price
Stanchion Kit									
	INBUSKT	30-2F	30	1	13.5	2.75			\$504
	INBUSKT	36-2F	36	1	13.5	2.75			\$520
	INBUSKT	42-2F	42	1	13.5	2.75			\$545
	INBUSKT	48-2F	48	1	13.5	2.75			\$556
I.B.	INBUSKT	54-2F	54	1	13.5	2.75			\$582
	INBUSKT	60-2F	60	1	13.5	2.75			\$638
Up-Mount Overhead Bi									
	INPHUME		30		14				\$504
	INPHUME	336	36		14				\$520
	INPHUME	342	42		14				\$545
	INPHUME		48		14				\$556
	INPHUME		54		14				\$582
	INPHUME	360	60		14				\$638
Up-Mount Whiteboard									
	INUBWHI		30		14				\$35
	INUBWHI		36		14				\$38
1	INUBWHI		42		14				\$44
	INUBWHI		48		14				\$49
	INUBWHI		54		14				\$56
	INUBWHI	B1460	60		14				\$58
Up-Mount Tackboard		Width	Height	Grade /COM	<u>Grad</u>	de 2	Grade3	Grade 5	Grade 7
	INUBTAC1430	30	14	\$148	\$1	50	\$155	\$168	\$207
	INUBTAC1436	36	14	\$150	\$1		\$165	\$182	\$230
24.77	INUBTAC1442	42	14	\$155	\$1		\$171	\$188	\$238
10.000	INUBTAC1448	48	14	\$159	\$1		\$175	\$195	\$247
3637.0	INUBTAC1454	54	14	\$162	\$1		\$179	\$204	\$249
	INUBTAC1460	60	14	\$167	\$1		\$182	\$206	\$254

Add on Glaze

- Add-on Glazing comes complete with mounting hardware and top cap
 Add-on Glazing may span multiple frames according to guidelines set in the Inscape Bench Application Guide
 Glaze is 0.25" thick tempered glass and available in 6.75", 10.125" and 13.5" heights with various finish options
 One glaze Alignment clip is included with each Add on Glaze

						1/4" thick		
Description	Product No.	Width	Height	Clear	Etched 1	Etched 2	Stria	Etre
Add on Glaze - 6.75"h	1100001101	Width	Holghi	Oloui	<u> </u>	Licited 2	Otilia	
7.00 011 01020 011 0 11	INAG6.7530-2F	30	6.75	\$172	\$256	\$338	\$256	\$419
	INAG6.7536-2F	36	6.75	\$188	\$279	\$391	\$279	\$438
0	INAG6.7542-2F	42	6.75	\$203	\$297	\$413	\$297	\$458
4	INAG6.7548-2F	48	6.75	\$218	\$316	\$433	\$316	\$477
	INAG6.7554-2F	54	6.75	\$233	\$334	\$451	\$334	\$497
	INAG6.7560-2F	60	6.75	\$252	\$364	\$494	\$364	\$517
	INAG6.7566-2F	66	6.75	\$260	\$399	\$522	\$399	\$582
	INAG6.7572-2F	72	6.75	\$275	\$429	\$562	\$451	\$612
	INAG6.7578-2F	78	6.75	\$350	\$469	\$596	\$520	\$623
	INAG6.7584-2F	84	6.75	\$410	\$509	\$630	\$589	\$644
	INAG6.7590-2F	90	6.75	\$470	\$549	\$664	\$658	\$660
	INAG6.7596-2F	96	6.75	\$530	\$589	\$700	\$699	\$681
Add on Glaze - 10.125"h								
	INAG10.12530-2F	30	10.125	\$173	\$258	\$340	\$258	\$453
//	INAG10.12536-2F	36	10.125	\$192	\$289	\$394	\$289	\$490
//	INAG10.12542-2F	42	10.125	\$211	\$318	\$433	\$318	\$528
	INAG10.12548-2F	48	10.125	\$230	\$348	\$472	\$348	\$566
	INAG10.12554-2F	54	10.125	\$249	\$377	\$508	\$377	\$604
	INAG10.12560-2F	60	10.125	\$270	\$412	\$558	\$412	\$644
	INAG10.12566-2F	66	10.125	\$285	\$449	\$596	\$449	\$696
	INAG10.12572-2F	72	10.125	\$318	\$481	\$631	\$492	\$731
	INAG10.12578-2F	78	10.125	\$381	\$521	\$666	\$547	\$750
	INAG10.12584-2F	84	10.125	\$437	\$562	\$700	\$602	\$773
	INAG10.12590-2F	90	10.125	\$493	\$600	\$735	\$654	\$794
	INAG10.12596-2F	96	10.125	\$550	\$641	\$771	\$696	\$818
Add on Glaze - 13.5"h	IN IA C 40 F00 0F	00	40.5	¢474	¢ 000	CO 44	¢oco.	¢400
	INAG13.530-2F	30	13.5	\$174 \$406	\$260 \$200	\$341 \$307	\$260 \$200	\$486 \$542
//	INAG13.536-2F	36	13.5	\$196 \$240	\$299 \$220	\$397 \$453	\$299 \$220	\$542 \$597
l' //	INAG13.542-2F	42	13.5	\$219 \$242	\$339 \$380		\$339 \$380	\$655
7	INAG13.548-2F	48	13.5	\$242 \$265	\$380 \$419	\$510 \$565	\$380 \$419	\$655 \$710
	INAG13.554-2F	54	13.5	\$265 \$288	\$460	\$621	\$419 \$460	\$710 \$770
	INAG13.560-2F	60	13.5	\$200 \$310	\$499	\$670	\$400 \$499	\$770 \$810
	INAG13.566-2F	66 72	13.5	\$310 \$360	\$532	\$700 \$700	\$532	\$850
	INAG13.572-2F INAG13.578-2F	72 78	13.5 13.5	\$300 \$412	\$573	\$700 \$735	\$573	\$876
	INAG13.584-2F	76 84	13.5	\$464	\$615	\$733 \$770	\$615	\$902
	INAG13.590-2F	90	13.5	\$ 5 16	\$650	\$806	\$650	\$902 \$928
	INAG13.596-2F	96	13.5	\$569	\$692	\$841	\$692	\$954

Open "H" Leg Accessories

- Lower units are hung from the Open "H" Leg
- May be specified when a Height Adjustable worksurface is installed adjacent to hanging unit *not Upper Bookcase
- Accessories are constructed of laminate
- specify units based on width of the bench

Description	Product No.	Width	Height	Depth		List Price
Lower Bookcase						
	INBLWRBOOK-48	51.35	14.011	15		\$2,900
	INBLWRBOOK-60	63.35	14.011	15		\$3,200
	INBLWRBOOK-72	75.35	14.011	15		\$3,500
						. ,
Lower Bookcase with Recycling	9					
	INBLWRBRECY-48	51.35	14.011	15		\$3,150
	INBLWRBRECY-60	63.35	14.011	15		\$3,400
	INBLWRBRECY-72	75.35	14.011	15		\$3,700
			-			, -,
Lower Bookcase with Personal	Centre					
	INBLWRBPERS-48	51.35	14.011	15		\$3,800
	INBLWRBPERS-60	63.35	14.011	15		\$4,200
	INBLWRBPERS-72	75.35	14.011	15		\$4,500
Personalized Side Access Book	case					
	INBLWRPERSA-48	51.35	14.011	15		\$2,772
	INBLWRPERSA-60	63.35	14.011	15		\$3,278
	INBLWRPERSA-72	75.35	14.011	15		\$3,725
Upper Bookcase						
	INDUDDDOOK 40	E4 05	11.011	45		60.000
	INBUPPBOOK-48 INBUPPBOOK-60	51.35 63.35	14.011 14.011	15 15		\$2,900 \$3,200
	INBUPPBOOK-72	75.35	14.011	15 15		\$3,200 \$3,500
	INBUPPBOOK-12	75.55	14.011	15		ψ3,300
Lower Bookcase with Sliding Pa	anel					
					White	Frosted
	INDI WEDOLID 40	E4 0E	44.044	45	Door	Door
	INBLWRBSLID-48	51.35	14.011	15 15	\$2,900	\$2,900
	INBLWRBSLID-60	63.35	14.011	15 15	\$3,200 \$3,400	\$3,200 \$3,400
	INBLWRBSLID-72	75.35	14.011	15	\$3,400	\$3,400

Open "H" Leg Accessories

- Shelves, hook and acrylic modesty hang from open "H" leg
- Acrylic white and frosted one side only
- All units may be specified adjacent to height adjustable worksurfaces
- Planter Box and Shelves are constructed of laminate

NBPLNTEND-48	Description	Product No.	Width	Height	Depth		List Price
INBPLNTEND-60 63.35 6 6 8 \$2,100 INBPLNTEND-72 75.35 6 6 6 \$2,300 Shelf INBSHELF-48 51.35 14.011 13 \$1,200 INBSHELF-60 63.35 14.011 13 \$1,300 INBSHELF-72 75.35 14.011 13 \$1,400 Shelf with Planter INBSHELF-HAB 51.35 14.011 13 \$1,400 INBSHELF-TAB 51.35 14.011 13 \$3,100 INBSHELFPLT-60 63.35 14.011 13 \$3,300 INBSHELFPLT-60 63.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,500 "H" Leg Accessory Hook INBAHOOK INBAHOOK INBAHOOK \$40 Acrylic Modesty Panel INBAMP-24 22.8 24.166 \$380 \$380 \$380 INBAMP-36 34.8 24.166 \$445 \$445 \$445 INBAMP-36 34.8 24.166 \$509 \$509 *inset into leg Acrylic Privacy Screen INBAPS-1948 50.75 18.9 \$570 \$570 INBAPS-1960 62.75 18.9 \$705 \$705 INBAPS-1972 74.75 18.9 \$705 \$705	Planter						
INBPLNTEND-72 75.35 6 6 \$2,300 Shelf INBSHELF-48 51.35 14.011 13 \$1,200 INBSHELF-60 63.35 14.011 13 \$1,300 INBSHELF-72 75.35 14.011 13 \$1,400 Shelf with Planter INBSHELFPLT-48 51.35 14.011 13 \$3,100 INBSHELFPLT-60 63.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,500 "H" Leg Accessory Hook INBAHOOK Acrylic Modesty Panel INBAMP-24 22.8 24.166 \$380 \$380 INBAMP-30 28.8 24.166 \$445 \$445 INBAMP-36 34.8 24.166 \$509 \$509 *inset into leg INBAPS-1948 50.75 18.9 \$570 \$570 INBAPS-1972 74.75 18.9 \$637 \$637 INBAPS-1972 74.75 18.9 \$705 \$705 INBAPS-1972 74.75 18.9 \$705 \$705 INBAPS-2948 50.75 28.75 \$720 \$720 **modesty and privacy INBAPS-2960 62.75 28.75 \$757 \$757		INBPLNTEND-48	51.35	6	6		\$1,900
INBSHELF-48		INBPLNTEND-60	63.35	6	6		\$2,100
INBSHELF-48 51.35 14.011 13 \$1,200 INBSHELF-60 63.35 14.011 13 \$1,300 INBSHELF-72 75.35 14.011 13 \$1,400 INBSHELF-72 75.35 14.011 13 \$1,400 INBSHELFPLT-48 51.35 14.011 13 \$3,400 INBSHELFPLT-60 63.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,500 INBSHELFPLT-72 75.35 14.011 13 \$3,500 INBSHELFPLT-72 75.35 14.011 13 \$3,500 INBSHELFPLT-72 75.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,400 \$3,500 INBSHELFPLT-72 75.35 14.011 13 \$3,400 INBSHELFPLT-72 75.35 14.011 13 INBSHELFPLT-72 75.35 14.011 13 INBSHELFPLT-72 75.35 14.011 13 INBSHELFPLT-72 75.35 75.		INBPLNTEND-72	75.35	6	6		\$2,300
INBSHELF-48 51.35 14.011 13 \$1,200 INBSHELF-60 63.35 14.011 13 \$1,300 INBSHELF-72 75.35 14.011 13 \$1,400 Shelf with Planter INBSHELFPLT-48 51.35 14.011 13 \$3,100 INBSHELFPLT-60 63.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,500 "H" Leg Accessory Hook INBAHOOK INBAHOOK INBAMP-24 22.8 24.166 \$380 \$380 \$380 INBAMP-30 28.8 24.166 \$445 \$445 INBAMP-36 34.8 24.166 \$509 \$509 *inset into leg INBAPS-1948 50.75 18.9 \$570 \$570 INBAPS-1960 62.75 18.9 \$705 \$705 INBAPS-1972 74.75 18.9 \$705 \$705							
INBSHELF-60	Shelf		-4.0-	44.044	4.0		• • • • •
INBSHELF-72 75.35 14.011 13 \$1,400 Shelf with Planter INBSHELFPLT-48 51.35 14.011 13 \$3,100 INBSHELFPLT-60 63.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,500 "H" Leg Accessory Hook INBAHOOK INBAHOOK INBAMP-24 22.8 24.166 \$380 \$380 INBAMP-30 28.8 24.166 \$445 \$445 INBAMP-36 34.8 24.166 \$509 \$509 *inset into leg INBAPS-1948 50.75 18.9 \$570 \$570 INBAPS-1972 74.75 18.9 \$637 \$637 INBAPS-1972 74.75 18.9 \$705 \$705 **modesty and privacy INBAPS-2948 50.75 28.75 \$720 \$720 **modesty and privacy INBAPS-2960 62.75 28.75 \$757 \$757							
INBSHELFPLT-48 51.35 14.011 13 13.300 13.300 13.300 14.011 13 13.300 13.300 13.3500 14.011 13 13.300 13.3500 14.011 13 13.300 13.3500 14.011 13 13.300 13.3500 14.011 13 13.3500 14.011 13 13.3500 13.3500 14.011 13 13.3500 14.011 13 13.3500 14.011 13 13.3500 14.011 13 13.300 14.011 13 13.300 14.011 13 13.300 14.011 13 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 13.300 14.011 13 13.300 13.300 13.300 13.300 14.011 13 13.300 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300 13.300 14.011 13 13.300							
INBSHELFPLT-48 51.35 14.011 13 \$3,100 INBSHELFPLT-60 63.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,500 INBSHELFPLT-72 75.35 14.011 13 \$3,500 INBSHELFPLT-72 75.35 14.011 13 \$3,500 INBAHOOK \$40 Acrylic Modesty Panel		INBSHELF-72	75.35	14.011	13		\$1,400
INBSHELFPLT-72 75.35 14.011 13 \$3,300 INBSHELFPLT-72 75.35 14.011 13 \$3,500 "H" Leg Accessory Hook INBAHOOK \$40 Acrylic Modesty Panel INBAMP-24 22.8 24.166 \$380 \$380 \$380 INBAMP-30 28.8 24.166 \$445 \$445 \$445 INBAMP-36 34.8 24.166 \$509 \$509 *inset into leg Acrylic Privacy Screen INBAPS-1948 50.75 18.9 \$570 \$570 INBAPS-1960 62.75 18.9 \$637 \$637 INBAPS-1972 74.75 18.9 \$705 \$705 **modesty and privacy INBAPS-2948 50.75 28.75 \$720 \$720 \$720	Shelf with Planter						
INBAHOOK INBAHOOK INBAHOOK INBAHOOK INBAHOOK INBAMP-24 INBAMP-30 INBAMP-30 INBAMP-36 INBAMP-36 INBAMP-36 INBAMP-36 INBAMP-36 INBAMP-36 INBAMP-36 INBAPS-1948 INBAPS-1948 INBAPS-1948 INBAPS-1948 INBAPS-1948 INBAPS-1948 INBAPS-1948 INBAPS-1950 INBAPS-1970	_						
"H" Leg Accessory Hook INBAHOOK \$40 Acrylic Modesty Panel INBAMP-24 22.8 24.166 \$380 \$380 \$380 \$180 \$180 \$180 \$180 \$180 \$180 \$180 \$1							
INBAMP-24 22.8 24.166 \$380 \$380 \$380 \$180 \$180 \$380 \$380 \$380 \$380 \$380 \$380 \$380 \$3		INBSHELFPLT-72	75.35	14.011	13		\$3,500
INBAMP-24 22.8 24.166 \$380 \$380 \$380 \$180 \$180 \$380 \$380 \$380 \$380 \$380 \$380 \$380 \$3							
Acrylic Modesty Panel INBAMP-24	"H" Leg Accessory Hook						
INBAMP-24 22.8 24.166 \$380 \$380 INBAMP-30 28.8 24.166 \$445 \$445 INBAMP-36 34.8 24.166 \$509 \$509 \$109 \$100 \$100 \$100 \$100 \$100 \$100 \$1		INBAHOOK					\$40
INBAMP-30 28.8 24.166 \$445 \$445 INBAMP-36 34.8 24.166 \$509 \$509 \$509 \$108	Acrylic Modesty Panel					White	Frosted
INBAMP-30 28.8 24.166 \$445 \$445 INBAMP-36 34.8 24.166 \$509 \$509 \$509 \$108							
*inset into leg	1.	INBAMP-24	22.8	24.166		\$380	\$380
*inset into leg *INBAMP-36 34.8 24.166 \$509 \$509 *Told		INBAMP-30	28.8	24.166		\$445	\$445
*inset into leg						-	•
INBAPS-1948 50.75 18.9 \$570 \$570 INBAPS-1960 62.75 18.9 \$637 \$637 INBAPS-1972 74.75 18.9 \$705 \$705 INBAPS-2948 50.75 28.75 \$720 \$720 **modesty and privacy INBAPS-2960 62.75 28.75 \$757	*inset into leg		00	21.100		4000	4000
INBAPS-1948 50.75 18.9 \$570 \$570 INBAPS-1960 62.75 18.9 \$637 \$637 INBAPS-1972 74.75 18.9 \$705 \$705 INBAPS-2948 50.75 28.75 \$720 \$720 **modesty and privacy INBAPS-2960 62.75 28.75 \$757	Acrylic Privacy Screen						
INBAPS-1960 62.75 18.9 \$637 \$637 INBAPS-1972 74.75 18.9 \$705 \$705 \$705 \$705 \$705 \$705 \$705 \$705		INBAPS-1948	50.75	18.9		\$570	\$570
INBAPS-1972 74.75 18.9 \$705 \$705 INBAPS-2948 50.75 28.75 \$720 \$720 **modesty and privacy INBAPS-2960 62.75 28.75 \$757							
INBAPS-2948 50.75 28.75 \$720 \$720 **modesty and privacy INBAPS-2960 62.75 28.75 \$757						-	
**modesty and privacy INBAPS-2960 62.75 28.75 \$757 \$757	[]		7 1 0	10.0		Ψ. σσ	ψ100
**modesty and privacy INBAPS-2960 62.75 28.75 \$757 \$757		INBAPS-2948	50.75	28.75		\$720	\$720
	**modesty and privacy					-	•
	materies 44 II Overali	IIIDAI O-ZJIZ	17.13	20.70		ΨυΖυ	ΨυΣυ

INSCAPE BENCH STORAGE

Storage

General Information

Pedestals are of all-welded "wrap-around" construction of 20 and 22 gauge high quality, tension leveled, cold rolled steel. The steel gauges selected for drawer fronts, bodies and accessories ensure the highest quality durability and performance for all components. All glides on cases must be specified as flat glides (%" height adjustability) to work with Inscape Bench. Pedestal corners (except for 7900) are welded at junction of top and case, eliminating horizontal lines for a cleaner, flush appearance, and strengthened with reinforcing gussets. A completely enclosed case provides rigid construction and dust-free interiors.

Box drawer sides are slotted on 1" centers to allow for maximum flexibility for drawer division. Double-wall construction allows lift-up doors to be picked up and recede smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. 7900 is single-wall construction. File (10.5" and 12") and EDP (15") drawer bodies have full-height sides to accommodate hanging file folders, eliminating the need for optional file frames. Fully progressive ball bearing suspensions on all drawers, including pencil and box drawers, are staged so that the left and right sides work in unison; this provides smooth drawer operation with minimum force. Staged suspensions allow the drawer to be completely pulled out, providing access to the entire drawer depth.

Special "claw-like" device incorporated in the suspension "grips" the fixed section of the suspension channel preventing drawer body bounce back or creep when drawer is closed. Modular interior allows complete interchangeability of drawer types within the pedestal case. For example, two 6" box drawers may be replaced by a 12" file drawer. Pedestals are standard with keyholes for attachment to underside of worksurface. For the 7900 only cases: 18" deep pedestals come standard with 18" deep drawers, 22" and 28" deep pedestals come standard with 22" deep drawers. For all other Series, pedestal drawers match case depth.

Worksurface supporting pedestals are designed for use with the Inscape Bench when used with flat glides. Worksurface supporting pedestals are available in two depths to fit 24" and 30" deep worksurfaces and support finished worksurface height of 28.5". Pedestals with 3", 6" or 7.5" drawers include one pencil tray per

pedestal. The 6" and 7.5" drawers also include a steel divider. The 10.5" and 12" drawers have one hang file suspension bar (two in a 28" deep pedestal) for side-to-side filing of legal or letter size folders or printout binders. 7900 Pedestals do not include any suspension bars.


Note: System storage pedestal cases consist of holes in the top of the case and back of the case to allow for worksurface docking and panel mounted brackets to be secured.

Cushion Mobile Pedestals (*See Inscape System Price List for this product) are topped with 1.25" thick Cal.117 fire-retardant polyurethane foam with a 2.2lb/ft. density. This upholstery cushion is balanced with a ⁷/₁₆" board and is attached to a pedestal top with Velcro. Select from our graded upholstery program of solid color fabrics and vinvl's or choose COM option (Customers Own Material). To determine if a COM fabric has been preapproved for use on our cushion topper, contact your client services representative or go to www.inscapesolutions.com. For application of ALL fabrics, both from our graded program as well as COM (Customer Own Material) please specify layout orientation at time of order. If layup instructions are not provided Inscape will choose the direction to maximize production. Refer to the diagram for layup options.

After calculating the total amount of material needed in inches, divide the total number of inches by 36 for the total yardage and round up to the next full yard. Allow additional for repeat. Add 15% of total fabric required for small and medium pattern repeats. Add 20% of total fabric required for large patterns.

Due to the nature of the design and manufacture of our cushion, only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your client services representative for assistance.

Fabric lay up of Pedestal Cushions



Pedestals come standard with lock. If lock is not required add suffix '/NL' after product number and deduct \$43 list per lock. Random keying is standard, and keyed alike may be ordered. Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number. Note: Locks cannot be field installed on hinged door cabinets.

Lateral cabinets are of all-welded construction using 20 and 22 gauge high quality, tension leveled, and cold rolled steel. Drawer fronts, lift-up doors, roll-out shelves and all steel accessories are manufactured of the steel gauge appropriate to function at the highest quality level. Laterals must be specified with flat glides to work with Inscape Bench. Flat Glides provide 0.125" height adjustment when docked and 0.75" height adjustment if unit is not docked.

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications.

All interiors are completely modular and interchangeable so that cabinets can be retrofitted with new accessories and interiors as required. Cabinet corners (except for 7900) are welded at junction of top and case, eliminating horizontal lines for cleaner, flush appearance, and strengthened with reinforcing gussets. Double-wall construction allows lift-up doors to be picked up and receded smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. Lift-up door carrier mechanism has four nylon rollers two on each side - for smooth receding action with no binding or snagging. Self-closing, 110° opening, European style cupboard hinges for smooth door operations.

The absence of scissor mechanism in doors and drawers eliminates the potential for scissors binding, and facilitates

reconfiguration of cabinet openings as needed. Front leading edge of pullout shelves is beaded and rolled to provide grip for pullout action and strengthen shelf; front leading edge of fixed shelf is flat for easy removal of material. Fully progressive ball bearing suspension slides provide smooth action with minimum force.

Special "claw-like" device incorporated in suspension slide channel "grips" the fixed section of the suspension channel preventing drawer bounce-back or creep when drawer is closed. A patented Safelock™ interlock mechanism provides complete security and user safety against accidental opening of two or more drawers simultaneously. Lock fingers are configured with right angle bend upward not downward so that lift-up doors cannot be pulled down to disengage fingers from door slots and be forced to circumvent lock system. Lock bars operate vertically on both sides of cabinet for maximum security.

Knockouts that are included on case sides, top and bottom facilitate ganging and leveling. Glides - 2 in front and 2 in back - are adjustable from inside the cabinet so that cabinets can be leveled regardless of whether they are backed against a wall or banked.

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. 7900 Series fronts are available with 2 pull options. The standard pull option is the radius aluminum pull. A rectangular aluminum pull option is also available at no additional cost. 7900 is single-wall construction. Nuform fronts include a Q- pull. Veneer fronts are available with 2 pull options. The standard Veneer pull option is the same Q- Pull that comes with the Nuform front. A continuous pull is also available on most veneer units.

Laterals include 1 pair of hang file bars in 10.5" and 12" fixed fronts, 1 EDP kit in 13.5" and 15" fixed fronts, pencil tray in 3" multi-file drawer and steel divider in 7.5" multi-file drawer, steel divider in 6" multi-file drawers and 3 divider plates in 13.5" lift-ups. Fixed shelf in lift-up is slotted in 1" increments. Lateral-to-panel bracket is required if lateral is positioned on-module.

Note: laterals and multi-files consist of slots in the back of the case to allow for panel mounted brackets to be secured.

Cabinets ship standard with single bitted lock. For applications requiring higher security a double bitted solution is available. If lock is not required it may be optioned as such. Random keying is standard, keyed

alike is optional. Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts. Locks may not be field installed in hinged door and sliding door cabinets. Master keys are available; refer to the accessories section to specify. Locks are standard with two keys, one of which has a black neoprene plastic cover.

All laterals are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. For laterals specified in custom micas, specials whites or metallic, add an up-charge of 10% to the list price. All interior drawers/shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

Twin-Bins are 5.75" deep on each side of the supporting frame. Twin-Bins may be specified to install in both the lower and upper position of the frame. Bins are manufactured from minimum 20 gauge steel with an extruded aluminum reinforced top. Double wall, sliding doors on each side of the unit, slide easily across the recessed groove built into the bin front. Twin-Bins are available with or without locks. The locking mechanism is individualized for each side of the unit, allowing for personal privacy on either side. Twin-Bins are available in 36", 42", 48" and 60" widths. Recommended maximum load for Twin-Bins is 3lbs per linear inch. Bins are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process and are available in any of the colors shown in our Color Guide. Side pulls on Radius fronts are manufactured from ABS black plastic. Woodgrain fronts are available in any of our standard woodgrain finishes.

Handles are standard in aluminum finish and are located on the front of the sliding door. Case may still be ordered in any of the colors shown in our Color Guide.

The **Electrified Twin Bin** is built on the same premise as the standard Twin Bin with the addition of electrical and a sliding door with locking capabilities in two positions. All electrical components are specified separately including power track, receptacles and jumper cables. The sliding door may lock either the binder storage portion (full depth of bin) or the electrified portion which is the center portion which is approximately 5"d. The back of the Electrified Twin

Bin may be clad with either a tackboard or whiteboard which are both specific to this storage unit. A shelf may also be optioned for the electrified portion which is field installed midway between top and bottom of opening. A gap in the shelf allows for the cord of an electronic unit to plug into duplex (located near base of opening) and still sit on top of shelf. NOTE: these accessories are NOT compatible with the standard Twin Bin.

* See Inscape Bench Application Guide for criteria on which heights of stack-on to use in conjunction with the Twin Bin and Electrified Twin Bin

Specify **Twin-Bin mounting brackets** separately according to location on frame. 1 bracket per Twin-Bin is required. When stacking Twin-Bins a 6.75" high tile minimum must separate the two. Do not specify over Power Track Kit.. It is not recommended to specify Twin-Bins on wing panels. Twin-Bins should only be specified on spine panels for adequate stability. *See Inscape Bench Application Guide for details.

Drawer Standard Equipment

Lockers and towers containing 3" or 6" drawers are provided with one pencil tray per cabinet. 6" drawers are additionally standard with one steel divider. 10.5", 12" and 15" letter-width file drawers have one suspension bar for side-to-side filing of letter or legal-size folders. Full-width pullout drawers are standard with one pair hang file bars for side-to-side suspended filing. Full-width fixed shelves are standard with 3 plate dividers. Optional accessories are available.


Glides

Overall heights are inclusive of metal glides. Heights may be increased up to 5/8" by extending the standard glide. Glides are accessible from inside the cabinet when the bottom drawer is fully extended or removed and may be adjusted with a 0.25" socket driver. Optional 1.5" stem glides are available. Specify and add \$24 list to the cabinet price. Requires field installation.

Front Details and Pull Options

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. 7900 is single-wall construction. Refer to the images and chart below for pull application on 7900 Series, Nuform, Veneer and MDF fronts. A \$20 list upcharge per pull applies to FP007, FP008 and FP009.

<u>Pull</u>	<u>Application</u>	<u>Upcharge</u>
FP001	7900 Series, Nuform, Veneer	
FP002	Veneer	
FP004	7900 Series, Nuform, Veneer	
FP005	7900 Series, Nuform, Veneer	
FP006	MDF Pedestals	
FP007	7900 Series, Nuform, Veneer	\$20
FP008	7900 Series, Nuform, Veneer	\$20
FP009	7900 Series, Nuform, Veneer	\$20



Workplace Towers and Lockers come standard with lock with single bitted lock. For applications requiring higher security, a double bitted solution is available. If lock is not required add

suffix '/NL' after product number. Deduct \$51 list per lock. For lock location, see page 10. Locks are available in chrome and black finish. Specify. Random keying is standard. Files may be ordered keyed alike. Locks feature removable core and are standard with two keys, one of which has a black Neoprene plastic key cover. Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Please contact Inscape Client Services for required parts. Locks may not be field installed in hinged and sliding door cabinets. Specify lateral file height and width or model number. Master keys are available at \$44 list.

Custom Colors

Inscape System offers color matched to a customers' specification when possible. This matching is done through a database of over 2,000 existing color formulas or the development of a new custom color. A minimum order value of \$3,000 net per custom color, appliers to each order. A \$250 net fee applies for each custom color below this minimum. In addition, Custom premium colors (bright whites and bright colors; textured paints; and reflection paints that use mica, aluminum or special chemical to create their reflective properties) will be subject to a 10% upcharge to the net value of the product.

Lateral Storage for Inscape Bench

Description	Product No.	Width	Depth	List Price Flat Glide
9900 Series	1 Toddot No.	Width	Бериі	Tiat Office
10.5" File, 12" File				
,				
	INGE3022.5-F10F	30	18	\$842
	INGE3622.5-F10F	36	18	\$923
	INGE4222.5-F10F	42	18	\$1,015
9900 Series				
2-6" Box, 10.5" File				
	INGE3022.52BF10	30	18	\$962
	INGE3622.52BF10	36	18	\$1,065
	INGE4222.52BF10	42	18	\$1,164
9900 Series 3" Pencil, 7.5" Box, 12' File				
	INGE3022.5-PB7F	30	18	\$863
	INGE3622.5-PB7F	36	18	\$946
	INGE4222.5-PB7F	42	18	\$1,034
7900 Series 10.5" File, 12" File				
	INGH3022.5-F10F	30	18	\$715
	INGH3622.5-F10F	36	18	\$784
	INGH4222.5-F10F	42	18	\$863
7900 Series 3" Pencil, 7.5" Box, 12' File				
	INGH3022.5-PB7F	30	18	\$854
	INGH3622.5-PB7F	36	18	\$931
	INGH4222.5-PB7F	42	18	\$1,012

⁻ Be sure to specify a 3/8" top along with spacers to achieve a 28.5" finished worksurface height - **FLAT GLIDE ONLY when used with Inscape Bench

Pedestal Storage for Inscape Bench

- Be sure to specify a 3/8" top along with spacers to achieve a 28.5" finished worksurface height
- **FLAT GLIDE ONLY when used with Inscape Bench

.	5	187 141	5 4	List Price
Description	Product No.	Width	Depth	Flat Glide
10.5" File, 12" File				
	INGE1522-F10F	15	22	\$704
	INGE1528-F10F	15	28	\$731
2-6" Box, 10.5" File				
	INGE1522-2BF10	15	22	\$797
	INGE1528-2BF10	15	28	\$836
3" Pencil, 7.5" Box, 12' File				
	INGE1522-PB7F	15	22	\$799
	INGE1528-PB7F	15	28	\$838
10.5" File, 12" File				
,	INGE1822-F10F	18	22	\$821
	INGE1828-F10F	18	28	\$855
	INGE1822-2BF10	18	22	\$928
	INGE1828-2BF10	18	28	\$974
		10	20	yota
3" Pencil, 7.5" Box, 12' File				
200, 12	INGE1822-PB7F	18	22	\$929
	INGE1828-PB7F	18	28	\$971

Pedestal Storage for Inscape Bench

- Be sure to specify a 3/8" top along with spacers to achieve a 28.5" finished worksurface height
- **FLAT GLIDE ONLY when used with Inscape Bench

Description	Product No.	Width	Depth	Height	List Price Flat Glide
10.5" File, 12" File					
	INGH1522-F10F INGH1528-F10F	15 15	22 28		\$563 \$585
2-6" Box, 10.5" File	INGH1522-2BF10 INGH1528-2BF10	15 15	22 28		\$637 \$668
3" Pencil, 7.5" Box, 12' File	INGH1522-PB7F INGH1528-PB7F	15 15	22 28		\$637 \$668

Twin Bin

- The mid and lower brackets include crossrails which are required for installation of Twin-Bin
- Frame crossrail is required to be cut on site to install the mid Twin- Bin bracket
- See Inscape Bench Application Guide for bracket details and locations
 Twin-Bin cannot be installed directly above a worksurface as it causes interference
- Jumper cables and duplexes for the Electrified Twin Bin power track specified separately
 The "UD" duplexes are to be specified in conjunction with the Electrified Twin Bin

Description	Product No.	Height	Width	List Price
Twin Bin - Nuform				
	INTWQB36LH	13.5	36	\$1,116
	INTWQB42LH	13.5	42	\$1,159
	INTWQB48LH	13.5	48	\$1,200
	INTWQB54LH	13.5	54	\$1,214
	INTWQB60LH	13.5	60	\$1,228
Twin Bin - Radius				
	INTWRB36LH	13.5	36	\$1,002
	INTWRB42LH	13.5	42	\$1,038
	INTWRB48LH	13.5	48	\$1,077
41/	INTWRB54LH	13.5	54	\$1,092
	INTWRB60LH	13.5	60	\$1,103
Twin Bin - Veneer				
/45	INTWVB36LH	13.5	36	\$1,717
	INTWVB42LH	13.5	42	\$1,769
	INTWVB48LH	13.5	48	\$1,866
	INTWVB54LH	13.5	54	\$2,008
	INTWVB60LH	13.5	60	\$2,259
Electrified Twin Bin				
	INETWB36LH	13.5	36	\$1,453
	INETWB42LH	13.5	42	\$1,520
	INETWB48LH	13.5	48	\$1,560
	INETWB54LH	13.5	54	\$1,578
	INETWB60LH	13.5	60	\$1,596
Electrified Twin Bin				
	INETWBV36LH	13.5	36	\$2,232
	INETWBV42LH	13.5	42	\$2,324
	INETWBV48LH	13.5	48	\$2,454
	INETWBV54LH	13.5	54	\$2,610
	INETWBV60LH	13.5	60	\$2,950
Twin Bin Bracket for install o	n a 20.25" Stack-on			
*includes crossrail	INTWBKTUH-36-2F		36	\$135
5 P	INTWBKTUH-42-2F		42	\$137
	INTWBKTUH-48-2F		48	\$139
d l	INTWBKTUH-54-2F		54	\$141
<u>්</u> ව	INTWBKTUH-60-2F		60	\$143
Twin Bin Bracket for install o	n a 27" Stack-on			
	INTWBKT-U			\$85

Trading Desk

- Kit includes all components to create cavity for technology in a back to back application
- End and middle units are specific to location being installed
- May only be specified with Full Height Benching Spine

Description	Product No.	Width	Depth	List Price
30"d End Section Kit				
	INTD30E42	42	12	\$2219
	INTD30E48	48	12	\$2231
	INTD30E54	54	12	\$2273
	INTD30E60	60	12	\$2285
	INTD30E72	72	12	\$2600
30"d Middle Section Kit				
9-	INTD30M42	42	12	\$2017
	INTD30M48	48	12	\$2029
	INTD30M54	54	12	\$2071
	INTD30M60	60	12	\$2077
	INTD30M72	72	12	\$2362
36"d End Section Kit				
	INTD36E42	42	12	\$2761
	INTD36E48	48	12	\$2773
	INTD36E54	54	12	\$2814
	INTD36E60	60	12	\$2826
	INTD36E72	72	12	\$3148
36"d Middle Section Kit				
4-	INTD36M42	42	12	\$2559
	INTD36M48	48	12	\$2570
	INTD36M54	54	12	\$2612
	INTD36M60	60	12	\$2624
	INTD36M72	72	12	\$2910





7900 & 9900 PEDESTALS AND LATERALS WITH NEW RECTANGLAR GLIDES AND WORKSURFACE SUPPORTING

7900 Front Pedestal w/Rectangular Glide

- Includes holes in top and bracket slots in back of case
 15" letter width pedestal
 Worksurface supporting for 28.5" high
 Recommended installation below 1" worksurfaces or veneer only for clean aesthetic due to the tight corner radius of the worksurface

Description		Product No.	Height	Depth	Weight lbs.	List Price
10.5" File, 12" File		INGH1522-F10F INGH1528-F10F	27.25 27.25	22 28	100 110	\$587 \$609
2-6" Box, 10.5" File		INGH1522-2BF10 INGH1528-2BF10	27.25 27.25	22 28	100 110	\$661 \$692
3" Pencil, 7.5" Box, 12' F	ile					
b		INGH1522-PB7F INGH1528-PB7F	27.25 27.25	22 28	100 110	\$661 \$692

9900 Fronts Pedestal w/Rectangular Glide

- Includes holes in top and bracket slots in back of case
 Worksurface supporting for 28.5" high
 Recommended installation below 1" worksurfaces or veneer only for clean aesthetic due to the tight corner radius of the worksurface

Description	Product No.	Height	Depth	Width	Weight lbs.	List Price
10.5" File, 12" File						
	INGE1522-F10F INGE1528-F10F	27.25 27.25	22 28	15 15	100 110	\$728 \$755

2-6" Box, 10.5" File			TOTAL TOTAL STATE OF THE STATE		ww	
	INGE1522-2BF10	27.25	22	15	100	\$821
	INGE1528-2BF10	27.25	28	15	110	\$860
3" Pencil, 7.5" Box, 12' File						
	INGE1522-PB7F	27.25	22	15	100	\$823
	INGE1528-PB7F	27.25	28	15	110	\$862
						. win
Description	Product No.	Height	Depth		Weight lbs.	List Price
10.5" File, 12" File						
	INGE1822-F10F	27.25	22	18	100	\$845
	INGE1828-F10F	27.25	28	18	110	\$879
2-6" Box, 10.5" File	· • • • • • • • • • • • • • • • • • • •	A.A. A.			10 ****	
	INGE1822-2BF10	27.25	22	18	100	\$952
	INGE1828-2BF10	27.25	28	18	110	\$998
3" Pencil, 7.5" Box, 12' File						
	INGE1822-PB7F INGE1828-PB7F	27.25 27.25	22	18	100	\$953
	NGE1828-PB/F	27.25	28	18	100	\$995
No Control of the						

7900 Front Lateral Storage w/Rectangular Glide

- Includes slots in back for lateral to panel bracket, no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- Consult General Information on page D-4 for pull options

Description	Product No.	Height	Width	List Price
10.5" File, 12" File				
	INGH3022.5-F10F	27.25	30	\$739
	INGH3622.5-F10F	27.25	36	\$808
	INGH4222.5-F10F	27.25	42	\$887
3" Pencil, 7.5" Box, 12' File	e		***************************************	
	INGH3022.5-PB7F	27.25	30	\$878
	INGH3622.5-PB7F	27.25	36	\$955
	INGH4222.5-PB7F	27.25	42	\$1036
	-			

9900 Front Lateral Storage w/Rectangular Glide

- Includes slots in back for lateral to panel bracket, no holes on top
 Laterals are 18"deep
 Worksurface supporting for 28.5" high

Description	Product No.	Height	Width	List Price
10.5" File, 12" File	_			
	INGE3022.5-F10F	27.25	30	\$866
	INGE3622.5-F10F	27.25	36	\$947
	INGE4222.5-F10F	27.25	42	\$1039
2-6" Box, 10.5" File				
	INGE3022.52BF10	27.25	30	\$986
	INGE3622.52BF10	27.25	36	\$1089
	INGE4222.52BF10	27.25	42	\$1188
3" Pencil, 7.5" Box, 12' File		wir. • ·		
	INGE3022.5-PB7F	27.25	30	\$887
		07.05	00	
	INGE3622.5-PB7F	27.25	36	\$970



221 Lister Avenue Falconer, NY 14733 T 716 665 6210 F 716 665 2743 inscapesoltuions.com

FREESTANDING AND PANEL ATTACHED LEGS

September 2013 SIN 711-1

Freestanding and Panel Attached Legs

General Notes

The **Rectangular Post Leg** is a 2" x 1" leg is field installed and screwed to the underside of the worksurface. The rectangular leg comes in two options of either fixed (28.5" worksurface support) or adjustable (25.5", 27", 28.5", 30", 31.5"). The adjustment is made by using a 5mm HEX to manually adjust the leg vertically. Legs are available in all standard colors. Glide adjustment of the leg is 1 ½" for leveling purposes.

The **Triangular Leg** is a 2 ½" x 2 ½" leg which is field installed and screwed to the underside of the worksurface. This leg is available as a fixed version only. The interior of the leg includes a portion that may be slide up and down in order to accommodate wiring within the leg. This sliding portion may be painted an alternative color. This leg is available in all standard colors. Glide adjustment of the leg is 1 ½" for leveling purposes.

"O" Leg is a freestanding leg option which is available in all standard colors. This leg is fixed only and supports a worksurface of 28.5"h. The "O" leg is specific to the depth of the worksurface with which is to be supporting and is available in 24", 30" and 36" versions (nominal sizes). The worksurface will overhang .875" on either side of the leg. Glide adjustment of the leg is 1 ½" for leveling purposes.

"H" Leg is a freestanding leg option which has the ability to tie into panel via the "H" Leg Docking Bracket. This leg is available in all standard colors. There are two options for the "H" leg, fixed which supports a 28.5"h worksurface and an adjustable version which accommodates a height range of 25.5", 27", 28.5", 30" and 31.5". Be sure not to specify the adjustable leg version to tie into the panel as the height adjustment of the leg may differ from other supports. The "H" leg is specific to the depth of the worksurface with which is to be supporting and is available in 24", 30" and36" versions (nominal sizes). The worksurface will overhang .875" on either side of the leg. Glide adjustment of the leg is 1 ½" for leveling purposes.

**This leg does NOT accommodate hanging storage components from the Inscape Bench; however the Accessory hook may be used.

The **Framed Support Leg** is the same as the previous version however it DOES NOT include the grey glide cap as the previous version did. This is a fixed support for 28.5"h worksurfaces and ties into the frame with its integral bracket. Glide adjustment of the leg is 1 ½" for leveling purposes.

**This leg does NOT accommodate hanging storage components from the Inscape Bench. Legs are available in all standard colors

Freestanding and Panel Attached Legs

Description	Product No.	Width	Height	List Price
Rectangular Post Leg				
	INRECPLEG-28.5 INRECPLEG-ADJ		28.5 Adjustable	\$130 \$218
Triangular Leg	INTWMLEG-28.5		28.5	\$197
"O" Leg	INOLEG2428.5	24	28.5	\$309
	INOLEG3028.5	30	28.5	\$319
	INOLEG3628.5	36	28.5	\$322
"H" Leg Fixed				
	INHLEG2428.5	24	28.5	\$372
	INHLEG3028.5	30	28.5	\$393
	INHLEG3628.5	36	28.5	\$406
Adjustable	INHLEG24-ADJ	24	Adjustable	\$452
	INHLEG30-ADJ	30	Adjustable	\$472
	INHLEG36-ADJ	36	Adjustable	\$486
Framed Support Leg	INLFRMLEG2428.5	24	28.5	\$300
	INLFRMLEG3028.5	30	28.5	\$336
	INLFRMLEG3628.5	36	28.5	\$374
	INRFRMLEG2428.5	24	28.5	\$300
	INRFRMLEG3028.5	30	28.5	\$336
	INRFRMLEG3628.5	36	28.5	\$374
	INCFRMLEG2428.5	24	28.5	\$300
	INCFRMLEG3028.5	30	28.5	\$336
	INCFRMLEG3628.5	36	28.5	\$374





WARDROBE UNITS FREESTANDING AND ELECTRIFIED VERSION

September 2013 SIN 711-1

General Notes

Wardrobe Units

Wardrobe units are available in two different variations; freestanding and an Electrified Storage version. The widths range from 12", 15" and 18(the Electrified Storage version includes a 24"version). The freestanding version matches panel heights of 44", 51", 57" and 64"h. The Electrified Storage version matches 51" and 64" versions. Wardrobe units are available in 9900 series, Nuform solid/woodgrain and veneer for the Electrified Storage 24" version only. Wardrobe units include the option of a coat road and upper shelf or multiple shelves (quantities listed below)

44"h version includes 2 shelves 51"h version includes 2 shelves 57"h version includes 2 shelves 64"h version includes 3 shelves

Wardrobe units are locking and include flat glides on the freestanding versions. Electrified Storage versions include round or rectangular glide.

9900 Series Wardrobe Tower

- Option of coat rod and upper shelf or multiple shelves
 See General Pages for multiple shelf quantities
 includes flat glide

Description			Product No.	Depth	Width	Height	Coat Rod + Shelf	Shelves
Wardrobe T	ower to	match						
44"h panel	OWELLO	matti	INVR121839E-HD	18"	12"	41.875"	\$999	¢000
44 II paner			INVR122439E-HD	24"	12"	41.875"	ъэээ \$1,077	\$999 \$1.077
			INVR151839E-HD	18"	15"	41.875"	\$1,077	\$1,077 \$1,077
			INVR152439E-HD	24"	15"	41.875"	\$1,077 \$1,107	\$1,107
			INVR181839E-HD	18"	18"	41.875"	\$1,107 \$1,107	\$1,107 \$1,107
H	H	H	INVR182439E-HD	24"	18"	41.875"	\$1,119	\$1,119
				_ ·			41,715	Ψ1,110
내			INVL121839E-HD	18"	12"	41.875"	\$999	6000
		•	INVL122439E-HD	24"	12"	41.875"	\$999 \$1,077	\$999 #4.077
			INVL151839E-HD	18"	15"	41.875"	\$1,077 \$1,077	\$1,077 \$1,077
			INVL152439E-HD	24"	15"	41.875"	\$1,077 \$1,107	\$1,077 \$1,107
			INVL181839E-HD	18"	18"	41.875"	\$1,107 \$1,107	\$1,107 \$1,107
			INVL182439E-HD	24"	18"	41.875"	\$1,107 \$1,119	\$1,107 \$1,119
						71.070	Ψ1,110	Ψ1,113
Wardrobe To	ower to i	match						
51"h panel			INVR121846E-HD	18"	12"	49.375"	\$1,080	\$1,080
-			INVR122446E-HD	24"	12"	49.375"	\$1,140	\$1,140
			INVR151846E-HD	18"	15"	49.375"	\$1,140	\$1,140
			INVR152446E-HD	24"	15"	49.375"	\$1,202	\$1,202
			INVR181846E-HD	18"	18"	49.375"	\$1,202	\$1,202
H	M	M	INVR182446E-HD	24"	18"	49.375"	\$1,267	\$1,267
			INVL121846E-HD	18"	12"	49.375"	\$1,080	\$1,080
			INVL122446E-HD	24"	12"	49.375"	\$1,140	\$1,140
			INVL151846E-HD	18"	15"	49.375"	\$1,140	\$1,140
			INVL152446E-HD	24"	15"	49.375"	\$1,202	\$1,202
			INVL181846E-HD	18"	18"	49.375"	\$1,202	\$1,202
			INVL182446E-HD	24"	18"	49.375"	\$1,267	\$1,267
Mordrobe To		notab						
Wardrobe To 57"h panel	MACL FO !	naton	INVR121852E-HD	18"	12"	55 975"	¢4 475	¢4 475
or it hatter			INVR121652E-HD	16 24"	12"	55.375" 55.375"	\$1,175 \$4.245	\$1,175
			INVR122452E-HD	24 18"	12 15"	55.375"	\$1,215 \$1,215	\$1,215 \$1,215
			INVR151652E-HD	24"	15"	55.375"	\$1,215 \$1,257	\$1,215 \$1,257
	\sim		INVR181852E-HD	18"	18"	55.375"	\$1,257 \$1,257	\$1,257 \$1,257
H	H	FI	INVR182452E-HD	24"	18"	55.375"	\$1,299	\$1,257 \$1,299
<u> </u>				2.	.0	00.070	Ψ1,200	Ψ1,235
			INVL121852E-HD	18"	12"	55.375"	\$1,175	\$1,175
(H)			INVL122452E-HD	24"	12"	55.375"	\$1,215	\$1,215
~ r	- p	<i>y</i>	INVL151852E-HD	18"	15"	55.375"	\$1,215	\$1,215
			INVL152452E-HD	24"	15"	55.375"	\$1,257	\$1,257
			INVL181852E-HD	18"	18"	55.375"	\$1,257	\$1,257
			INVL182452E-HD	24"	18"	55.375"	\$1,299	\$1,299

9900 Series Wardrobe Tower

- Option of mitten shelf with coat rod or shelves
 See General Pages for multiple shelf quantities
 includes flat glide

Description	Product No.	Depth	Width	Height	Coat Rod + Shelf	Shelves
Wardrobe Tower to match						
64"h panel	INVR121860E-HD	18"	12"	62.875"	\$1,199	\$1,199
•	INVR122460E-HD	24"	12"	62.875"	\$1,267	\$1,267
	INVR151860E-HD	18"	15"	62.875"	\$1,267	\$1,267
^ * *	INVR152460E-HD	24"	15"	62.875"	\$1,303	\$1,303
	INVR181860E-HD	18"	18"	62.875"	\$1,303	\$1,303
	INVR182460E-HD	24"	18"	62.875"	\$1,340	\$1,340
	INVL121860E-HD	18"	12"	62.875"	\$1,199	\$1,199
	INVL122460E-HD	24"	12"	62.875"	\$1,267	\$1,267
4 4	INVL151860E-HD	18"	15"	62.875"	\$1,267	\$1.267
	INVL152460E-HD	24"	15"	62.875"	\$1,303	\$1,303
	INVL181860E-HD	18"	18"	62.875"	\$1,303	\$1,303
	INVL182460E-HD	24"	18"	62.875"	\$1,340	\$1,340

Nuform Wardrobe Tower

- Option of mitten shelf with coat rod or shelves
 See General Pages for multiple shelf quantities
 includes flat glide
 Nuform includes options of Solid or Woodgrain

Description	Product No.	Depth	Width	Height	Coat Rod + Shelf	Shelves

Wardrobe Tower to match						
44"h panel	INVR121839Q-HD	18"	12"	41.875"	\$1,199	\$1,199
	INVR122439Q-HD	24"	12"	41.875"	\$1,292	\$1,292
	INVR151839Q-HD	18"	15"	41.875"	\$1,292	\$1,292
M A A	INVR152439Q-HD	24"	15"	41.875"	\$1,328	\$1,328
	INVR181839Q-HD	18"	18"	41.875"	\$1,328	\$1,328
	INVR182439Q-HD	24"	18"	41.875"	\$1,343	\$1,343
	11111111111111111111111111111111111111	400	467		** **-	
	INVL121839Q-HD	18"	12"	41.875"	\$1,199	\$1,199
	INVL122439Q-HD	24"	12"	41.875"	\$1,292	\$1,292
	INVL151839Q-HD	18"	15"	41.875"	\$1,292	\$1,292
	INVL152439Q-HD	24"	15"	41.875"	\$1,328	\$1,328
	INVL181839Q-HD	18"	18"	41.875"	\$1,328	\$1,328
	INVL182439Q-HD	24"	18"	41.875"	\$1,343	\$1,343
Wardrobe Tower to match						
51"h panel	INVR121846Q-HD	18"	12"	49.75"	\$1,296	\$1,296
	INVR122446Q-HD	24"	12"	49.75"	\$1,368	\$1,368
	INVR151846Q-HD	18"	15"	49.75"	\$1,368	\$1,368
999	INVR152446Q-HD	24"	15"	49.75"	\$1,442	\$1,442
	INVR181846Q-HD	18"	18"	49.75"	\$1,442	\$1,442
	INVR182446Q-HD	24"	18"	49.75"	\$1,520	\$1,520
	INVL121846Q-HD	18"	12"	49.75"	¢4 20c	£4 20C
• •	INVL122446Q-HD	24"	12"	49.75"	\$1,296 \$1,368	\$1,296 \$1,268
	INVL151846Q-HD	18"	15"	49.75"	\$1,368	\$1,368 \$4,368
	INVL151846Q-HD	24"	15"	49.75"		\$1,368
	INVL181846Q-HD	18"	18"	49.75"	\$1,442 \$4,442	\$1,442 \$4,442
	INVL181046Q-HD	24"	18"	49.75"	\$1,442 \$4,530	\$1,442 \$4,520
	INVL102440Q-ND	24	10	49.75	\$1,520	\$1,520
MI			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		***************************************	
Wardrobe Tower to match 57"h panel	INVR121852Q-HD	18"	12"	55.375"	\$1,410	\$1,410
a paner	INVR122452Q-HD	24"	12"	55.375"	\$1,410 \$1,458	\$1,410 \$1,458
	INVR151852Q-HD	18"	15"	55.375"	\$1,458	\$1,458 \$1,458
	INVR152452Q-HD	24"	15"	55.375"	\$1,458 \$1,508	
	INVR181852Q-HD	18"	18"	55.375"	\$1,508 \$1,508	\$1,508 \$1,508
12	INVR182452Q-HD	24"	18"	55.375"	\$1,559	\$1,508 \$1,559
	1141(102402Q-11B	24	10	33.373	ψ1,555	φ1,555
	INVL121852Q-HD	18"	12"	55.375"	\$1,410	\$1,410
	INVL122452Q-HD	24"	12"	55.375"	\$1,458	\$1,458
	INVL151852Q-HD	18"	15"	55.375"	\$1,458	\$1,458
	INVL152452Q-HD	24"	15"	55.375"	\$1,508	\$1,508
	INVL181852Q-HD	18"	18"	55.375"	\$1,508	\$1,508
	INVL182452Q-HD	24"	18"	55.375"	\$1,559	\$1,559
			. =		+ - jwww	Ţ.,JUD

Nuform Wardrobe Tower

- Option of mitten shelf with coat rod or shelves
 See General Pages for multiple shelf quantities
 includes flat glide
 Nuform includes options of Solid or Woodgrain

Description	Product No.	Depth	Width	Height	Coat Rod + Shelf	Shelves
Wardrobe Tower to match						
64"h panel	INVR121860Q-HD	18"	12"	62.875"	\$1,439	\$1,439
	INVR122460Q-HD	24"	12"	62.875"	\$1,520	\$1,520
^ ^	INVR151860Q-HD	18"	15"	62.875"	\$1,520	\$1,520
MMM	INVR152460Q-HD	24"	15"	62.875"	\$1,564	\$1,564
	INVR181860Q-HD	18"	18"	62.875"	\$1,564	\$1,564
	INVR182460Q-HD	24"	18"	62.875"	\$1,608	\$1,608
	INVL121860Q-HD	18"	12"	62.875"	\$1,439	\$1,439
	INVL122460Q-HD	24"	12"	62.875"	\$1,520	\$1,520
	INVL151860Q-HD	18"	15"	62.875"	\$1,520	\$1.520
	INVL152460Q-HD	24"	15"	62.875"	\$1,564	\$1,564
	INVL181860Q-HD	18"	18"	62.875"	\$1,564	\$1,564
	INVL182460Q-HD	24"	18"	62,875"	\$1,608	\$1,608

51"h 9900 Series Electrified Storage Wardrobe Cabinet

- Ganging hardware is included with wardrobe cabinet
- Matches overall height of 51"
- See General Pages for multiple shelf quantities
 Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Consult General Information on page D-4 for pull options
- Nuform includes options of Solid or Woodgrain

					Coat Rod	
Description	Product No.	Depth	Width	Height	+Shelf	Shelves
	THE SOURCE STATE OF THE SO					
9900 Series						
Single Sided		18"	12"	49.98"	\$1,080	\$1,080
	SWVR151845E	18"	15"	49.98"	\$1,140	\$1,140
	SWVR181845E	18"	18"	49.98"	\$1,201	\$1,201
	SWVL121845E	18"	12"	49,98"	\$1,080	\$1,080
	SWVL151845E	18"	15"	49.98"	\$1,140	\$1,140
	SWVL181845E	18"	18"	49.98"	\$1,201	\$1,201
					-	•
~						
Double Sided	SWWRR121845E	18"	12"	49.98"	\$1,280	\$1,280
	SWWLL121845E	18"	12"	49.98"	\$1,280	\$1,280
	SWWRL121845E	18"	12"	49.98"	\$1,280	\$1,280
	SWWRR151845E	18"	15"	49.98"	\$1,340	\$1,340
	SWWLL151845E	18"	15"	49.98"	\$1,340	\$1,340
	SWWRL151845E	18"	15"	49.98"	\$1,340	\$1,340
	SWWRR181845E	18"	18"	49.98"	\$1,400	\$1,400
	SWWLL181845E	18"	18"	49.98"	\$1,400	\$1,400
	SWWRL181845E	18"	18"	49.98"	\$1,400	\$1,400
	SWWRR2445E	18"	24"	49.98"	\$1675	N/A
	SWWLL2445E	18"	24"	49.98"	\$1675	N/A
	SWWRL2445E	18"	24"	49.98"	\$1675	N/A
Cinale Cided	CMB/D40404EED	400	400	40.00"	****	*
Single Sided	SWVR121845EP	18"	12"	49.98"	\$1,134	\$1,134
with pass thru capability	SWVR151845EP	18"	15"	49.98"	\$1,197	\$1,197
	SWVR181845EP	18"	18"	49.98"	\$1,261	\$1,261
	CMM/I 42404EED	4.02	400	40.00"	#4.404	****
	SWVL121845EP SWVL151845EP	18" 18"	12"	49.98"	\$1,134 \$4,407	\$1,134
	SWVL181845EP		15" 18"	49.98"	\$1,197	\$1,197
	3WVL161645EF	18"	10	49.98"	\$1,261	\$1,261
Double Sided	SWWRR121845EP	40"	40"	40.000	64.044	
with pass thru capability	SWWLL121845EP	18"	12"	49.98"	\$1,344	\$1,344
with pass thru capability	SWWRL121845EP	18" 18"	12"	49.98"	\$1,344	\$1,344
_	SWWRR151845EP	18"	12" 15"	49.98"	\$1,344 \$4,407	\$1,344
	SWWLL151845EP	18"		49.98"	\$1,407 \$4,407	\$1,407
	SWWRL151845EP	18"	15" 15"	49.98" 49.98"	\$1,407 \$1,407	\$1,407 \$4,407
	SWWRR181845EP	18"	18"	49.98" 49.98"	\$1,407 \$1,470	\$1,407 \$4,470
	SWWLL181845EP	18"	18"	49.98"	\$1,470 \$1,470	\$1,470 \$1,470
	SWWRL181845EP	18"	18"	49.96 49.98"	\$1,470 \$1,470	\$1,470 \$1,470
	SWWRR2445EP	18"	24"	49.98"	\$1,470 \$1838	\$1,470 N/A
- •	SWWLL2445EP	18"	24"	49.98"	\$1838	N/A
	SWWRL2445EP	18"	24"	49.98"	\$1838	N/A
				,5.55	4.000	THE STATE OF THE S

51"h Nuform Electrified Storage Wardrobe Cabinet

- Ganging hardware is included with wardrobe cabinet Matches overall height of 51"

- See General Pages for multiple shelf quantities
 Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Consult General Information on page D-4 for pull options
- Nuform includes options of Solid or Woodgrain

Description		Product No.	Depth	Width	Height	Coat Rod +Shelf	Shelves
Nuform		****		. –			
	Single Sided	SWVR121845Q	18"	12"	49.98"	\$1,296	\$1,296
		SWVR151845Q	18"	15"	49.98"	\$1,368	\$1,368
		SWVR181845Q	18"	18"	49.98"	\$1,441	\$1,441
		C180/1 40404EO	4.07	40"	40.00P	0.4.000	
		SWVL121845Q	18"	12"	49.98"	\$1,296	\$1,296
		SWVL151845Q SWVL181845Q	18" 18"	15" 18"	49.98"	\$1,368	\$1,368
		3444F101049G	10	10	49.98"	\$1,441	\$1,441
	•						
	Double Sided	SWWRR121845Q	18"	12"	49.98"	\$1,536	\$1,536
		SWWLL121845Q	18"	12"	49.98"	\$1,536	\$1,536
	4	SWWRL121845Q	18"	12"	49.98"	\$1,536	\$1,536
		SWWRR151845Q	18"	15"	49.98"	\$1,608	\$1,608
		SWWLL151845Q	18"	15"	49.98"	\$1,608	\$1,608
		SWWRL151845Q	18"	15"	49.98"	\$1,608	\$1,608
		SWWRR181845Q	18"	18"	49.98"	\$1,680	\$1,680
		SWWLL181845Q	18"	18"	49.98"	\$1,680	\$1,680
		SWWRL181845Q	18"	18"	49.98"	\$1,680	\$1,680
	-	SWWRR2445Q	18"	24"	49.98"	\$2049	N/A
		SWWLL2445Q	18"	24"	49.98"	\$2049	N/A
		SWWRL2445Q	18"	24"	49.98"	\$2049	N/A
	Cimala Cidad	CMM/D4040450D	4 0 11	40"	45.00"	****	
with nace	Single Sided thru capability	SWVR121845QP	18"	12"	49.98"	\$1,361	\$1,361
with hass	ини саравниу	SWVR151845QP SWVR181845QP	18" 18"	15" 18"	49.98"	\$1,436	\$1,436
		344K101049QF	10	10	49.98"	\$1,513	\$1,513
		SWVL121845QP	18"	12"	49.98"	\$1,361	\$1,361
	===	SWVL151845QP	18"	15"	49.98"	\$1,436	\$1,436
		SWVL181845QP	18"	18"	49.98"	\$1,513	\$1, 5 13
			10	.0	10.00	Ψ1,010	Ψ1,010
	Double Sided	SWWRR121845QP	18"	12"	49.98"	\$1,613	\$1,613
with pass	thru capability	SWWLL121845QP	18"	12"	49.98"	\$1,613	\$1,613
•		SWWRL121845QP	18"	12"	49.98"	\$1,613	\$1,613
	1	SWWRR151845QP	18"	15"	49.98"	\$1,688	\$1,688
		SWWLL151845QP	18"	15"	49.98"	\$1,688	\$1,688
		SWWRL151845QP	18"	15"	49.98"	\$1,688	\$1,688
		SWWRR181845QP	18"	18"	49.98"	\$1,764	\$1,764
		SWWLL181845QP	18"	18"	49.98"	\$1,764	\$1,764
		SWWRL181845QP	18"	18"	49.98"	\$1,764	\$1,764
		SWWRR2445QP	18"	24"	49.98"	\$2211	N/A
		SWWLL2445QP	18"	24"	49.98"	\$2211	N/A
		SWWRL2445QP	18"	24"	49.98"	\$2211	N/A

51"h Veneer Electrified Storage Wardrobe Cabinet

- Ganging hardware is included with wardrobe cabinet
 Matches overall height of 51"
 Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
 No electrical or data access in wardrobe units
- Consult General Information on page D-4 for pull options

Description Veneer	Product No.	Depth	Width	Height	Weight lbs.	Coat Rod +Shelf
	SWWRR2445W	18"	24"	49.88"	90	\$2477
	SWWLL2445W	18"	24"	49.88"	90	\$2477
	SWWRL2445W	18"	24"	49.88"	90	\$2477
<u> </u>	SWWRR2445WP	18"	24"	49.88"	90	\$2641
With Pass-Thru Capability	SWWLL2445WP	18"	24"	49.88"	90	\$2641
	SWWRL2445WP	18"	24"	49.88"	90	\$2641

64"h 9900 Series Electrified Storage Wardrobe Cabinet

- Ganging hardware is included with wardrobe cabinet Matches overall height of 51"

- See General Pages for multiple shelf quantities
 Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
 No electrical or data access in wardrobe units
- Consult General Information on page D-4 for pull options

Description	Product No.	Depth	Width	Height	Coat Rod +Shelf	Shelves
0000						
9900 Series	C180 /D404050F	40"	40"	00.00"	* 4 - 2-	
Single Sided	SWVR121858E	18"	12"	63.38"	\$1,080	\$1,080
	SWVR151858E	18"	15"	63.38"	\$1,140	\$1,140
	SWVR181858E	18"	18"	63.38"	\$1,201	\$1,201
	SWVL121858E	18"	12"	63.38"	\$1,080	\$1,080
1 4	SWVL151858E	18"	15"	63.38"	\$1,140	\$1,140
	SWVL181858E	18"	18"	63.38"	\$1,201	\$1,201
					·	
Double Sided	SWWRR121858E	18"	12"	63.38"	\$1,280	\$1,280
	SWWLL121858E	18"	12"	63.38"	\$1,280	\$1,280
	SWWRL121858E	18"	12"	63.38"	\$1,280	\$1,280
	SWWRR151858E	18"	15"	63.38"	\$1,340	\$1,340
	SWWLL151858E	18"	15"	63.38"	\$1,340	\$1,340
	SWWRL151858E	18"	15"	63.38"	\$1,340	\$1,340
	SWWRR181858E	18"	18"	63.38"	\$1,400	\$1,400
	SWWLL181858E	18"	18"	63.38"	\$1,400	\$1,400
	SWWRL181858E	18"	18"	63.38"	\$1,400	\$1,400
	SWWRR2458.5E	18"	24"	63.38"	\$1817	N/A
	SWWLL2458.5E	18"	24"	63.38"	\$1817	N/A
	SWWRL2458.5E	18"	24"	63.38"	\$1817	N/A
Single Sided	SWVR121845EP	18"	12"	63.38"	¢4.400	£4.400
with pass thru capability	SWVR151845EP	18"	15"	63.38"	\$1,199 \$1,267	\$1,199 \$4,267
with pass thru capability	SWVR181845EP	18"	18"	63.38"	\$1,267 \$1,303	\$1,267 \$1,303
	34441/101049EL	10	10	03.30	Φ1,303	\$1,503
	SWVL121845EP	18"	12"	63.38"	\$1,199	\$1,199
	SWVL151845EP	18"	15"	63.38"	\$1,267	\$1,267
} []	SWVL181845EP	18"	18"	63.38"	\$1,303	\$1,303
				55,55	<i>ϕ ,,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4. ,000
Double Sided	SWWRR121845EP	18"	12"	63.38"	\$1,399	\$1,399
with pass thru capability	SWWLL121845EP	18"	12"	63.38"	\$1,399	\$1,399
•	SWWRL121845EP	18"	12"	63.38"	\$1,399	\$1,399
4	SWWRR151845EP	18"	15"	63.38"	\$1,467	\$1,467
	SWWLL151845EP	18"	15"	63.38"	\$1,467	\$1,467
	SWWRL151845EP	18"	15"	63.38"	\$1,467	\$1,467
	SWWRR181845EP	18"	18"	63.38"	\$1,503	\$1,503
	SWWLL181845EP	18"	18"	63.38"	\$1,503	\$1,503
	SWWRL181845EP	18"	18"	63.38"	\$1,503	\$1,503
	SWWRR2458.5EP	18"	24"	63.38"	\$1980	N/A
	SWWLL2458.5EP	18"	24"	63.38"	\$1980	N/A
	SWWRL2458.5EP	18"	24"	63.38"	\$1980	N/A
		· -	- -		- · · · · ·	. ****

64"h Nuform Electrified Storage Wardrobe Cabinet

- Ganging hardware is included with wardrobe cabinet Matches overall height of 51"

- See General Pages for multiple shelf quantities
 Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
 No electrical or data access in wardrobe units
- Consult General Information on page D-4 for pull options
 Nuform includes options of Solid or Woodgrain

Description	Product No.	Depth	Width	Height	Coat Rod +Shelf	Shelves
				-		
Nuform Single Sided	CMANDAGAGEGO	40"	40"	CO 00#	£4.000	A4.000
Single Sided	SWVR121858Q SWVR151858Q	18" 18"	12" 15"	63.38" 63.38"	\$1,080 \$1,140	\$1,080 \$4,440
	SWVR181858Q	18"	18"	63.38"	\$1,140 \$1,201	\$1,140 \$1,201
	011 V1(10 10 00 00	,0	10	00.00	Ψ1,201	φ1,201
	SWVL121858Q	18"	12"	63.38"	\$1,080	\$1,080
	SWVL151858Q	18"	15"	63.38"	\$1,140	\$1,140
	SWVL181858Q	18"	18"	63.38"	\$1,201	\$1,201
Double Sided	SWWRR121858Q	18"	12"	63.38"	\$1,679	\$1,679
	SWWLL121858Q	18"	12"	63.38"	\$1,679	\$1,679
	SWWRL121858Q	18"	12"	63.38"	\$1,679	\$1,679
1	SWWRR151858Q	18"	15"	63.38"	\$1,760	\$1,760
	SWWLL151858Q	18"	15"	63.38"	\$1,760	\$1,760
	SWWRL151858Q	18"	15"	63.38"	\$1,760	\$1,760
	SWWRR181858Q	18"	18"	63.38"	\$1,804	\$1,804
	SWWLL181858Q	18"	18"	63.38"	\$1,804	\$1,804
	SWWRL181858Q	18"	18"	63.38"	\$1,804	\$1,804
	SWWRR2458.5Q	18"	24"	63.38"	\$2289	N/A
	SWWLL2458.5Q	18"	24"	63.38"	\$2289	N/A
	SWWRL2458.5Q	18"	24"	63.38"	\$2289	N/A
		w				
Single Sided	SWVR121858QP	18"	12"	63.38"	\$1,199	\$1,199
with pass thru capability	SWVR151858QP	18"	15"	63.38"	\$1,267	\$1,267
	SWVR181858QP	18"	18"	63.38"	\$1,303	\$1,303
	SWVL121858QP	18"	12"	63.38"	\$1,199	\$1,199
	SWVL151858QP	18"	15"	63.38"	\$1,267	\$1,267
1	SWVL181858QP	18"	18"	63.38"	\$1,303	\$1,303
					• - •	* 1,000
Double Sided	SWWRR121858QP	18"	12"	63.38"	\$1,763	\$1,763
with pass thru capability	SWWLL121858QP	18"	12"	63.38"	\$1,763 \$1,763	\$1,763
man pass and capability	SWWRL121858QP	18"	12"	63.38"	\$1,763 \$1,763	\$1,763 \$1,763
1	SWWRR151858QP	18"	15"	63.38"	\$1,848	\$1,848
	SWWLL151858QP	18"	15"	63.38"	\$1,848	\$1,848
	SWWRL151858QP	18"	15"	63.38"	\$1,848	\$1,848
	SWWRR181858QP	18"	18"	63.38"	\$1,894	\$1,894
	SWWLL181858QP	18"	18"	63.38"	\$1,894	\$1,894
	SWWRL181858QP	18"	18"	63.38"	\$1,894	\$1,894
	SWWRR2458.5EP	18"	24"	63.38"	\$2459	N/A
	SWWLL2458.5EP	18"	24"	63.38"	\$2452	N/A
	SWWRL2458.5EP	18"	24"	63.38"	\$2452	N/A

64"h Electrified Storage Wardrobe Cabinet

- Ganging hardware is included with wardrobe cabinet
 Matches overall height of 64"
 Pass thru capability creates a horizontal septum where jumper cables may "pass thru" the case
 No electrical or data access in wardrobe units
- Consult General Information on page D-4 for pull options

Description	Product No.	Depth	Width	Height	Coat Rod +Shelf
Veneer					
	SWWRR2458.5W	18"	24	63.38"	\$2711
	SWWLL2458.5W	18"	24	63,38"	\$2711
	SWWRL2458.5W	18"	24	63.38"	\$2711
	SWWRR2458.5WP	18"	24	63.38"	\$2874
With Pass-Thru Capability	SWWRR2458.5WP	18"	24	63.38"	\$2874
	SWWRR2458.5WP	18"	24	63.38"	\$2874

9900 Series Wardrobe Tower

- Option of mitten shelf with coat rod or shelves

		List Price Rnd Glide								
Description	Dan doort No.	Dankh	ARE JAL	Coat Rod	Otro-book	Coat Rod				
Description	Product No.	Depth	Width	+ Shelf	Shelves	+ Shelf	Shelves			
Wardrobe Tower to match 44"h panel										
·	INVR121839E-HD	18	12	\$999	\$999	\$1023	\$1023			
	INVR122439E-HD	24	12	\$1077	\$1077	\$1101	\$1101			
	INVR151839E-HD	18	15	\$1077	\$1077	\$1101	\$1101			
	INVR152439E-HD	24	15	\$1107	\$1107	\$1131	\$1131			
TO TO THE PARTY OF	INVR181839E-HD	18	18	\$1107	\$1107	\$1131	\$1131			
	INVR182439E-HD	24	18	\$1119	\$1119	\$1143	\$1143			
	INVL121839E-HD	18	12	\$999	\$999	\$1023	\$1023			
	INVL122439E-HD	24	12	\$1077	\$1077	\$1101	\$1101			
	INVL151839E-HD	18	15	\$1077	\$1077	\$1101	\$1101			
	INVL152439E-HD	24	15	\$1107	\$1107	\$1131	\$1131			
	INVL181839E-HD	18	18	\$1107	\$1107	\$1131	\$1131			
	INVL182439E-HD	24	18	\$1119	\$1119	\$1143	\$1143			
Wardrobe Tower to match 51"h panel										
•	INVR121846E-HD	18	12	\$1080	\$1080	\$1104	\$1104			
	INVR122446E-HD	24	12	\$1140	\$1140	\$1164	\$1164			
The state of the s	INVR151846E-HD	18	15	\$1140	\$1140	\$1164	\$1164			
	INVR152446E-HD	24	15	\$1202	\$1202	\$1226	\$1226			
Virginia	INVR181846E-HD	18	18	\$1202	\$1202	\$1226	\$1226			
101	INVR182446E-HD	24	18	\$1267	\$1267	\$1291	\$1291			
V. 1	INVL121846E-HD	18	12	\$1080	\$1080	\$1104	\$1104			
	INVL122446E-HD	24	12	\$1140	\$1140	\$1164	\$1164			
	INVL151846E-HD	18	15	\$1140	\$1140	\$1164	\$1164			
	INVL152446E-HD	24	15	\$1202	\$1202	\$1226	\$1226			
	INVL181846E-HD	18	18	\$1202	\$1202	\$1226	\$1226			
	INVL182446E-HD	24	18	\$1267	\$1267	\$1291	\$1291			
Wardrobe Tower to match 57"h panel										
·	INVR121852E-HD	18	12	\$1175	\$1175	\$1199	\$1199			
	INVR122452E-HD	24	12	\$1215	\$1215	\$1239	\$1239			
	INVR151852E-HD	18	15	\$1215	\$1215	\$1239	\$1239			
	INVR152452E-HD	24	15	\$1257	\$1257	\$1281	\$1281			
	INVR181852E-HD	18	18	\$1257	\$1257	\$1281	\$1281			
	INVR182452E-HD	24	18	\$1299	\$1299	\$1323	\$1323			
	INVL121852E-HD	18	12	\$1175	\$1175	\$1199	\$1199			
	INVL122452E-HD	24	12	\$1215	\$1215	\$1239	\$1239			
	INVL151852E-HD	18	15	\$1215	\$1215	\$1239	\$1239			
	INVL152452E-HD	24	15	\$1257	\$1257	\$1281	\$1281			
	INVL181852E-HD	18	18	\$1257	\$1257 \$4200	\$1281	\$1281			
	INVL182452E-HD	24	18	\$1299	\$1299	\$1323	\$1323			

Inscape System Price List GSA Addition 2

9900 Series Wardrobe Tower

- Option of mitten shelf with coat rod or shelves includes flat glide

				List Price Rnd Glide		List Price Rect Glide	
Description	Product No.	Depth	Width	Coat Rod + Shelf	Shelves	Coat Rod + Shelf	Shelves
Wardrobe Tower to match							
64"h panel	INVR121860E-HD	18"	12"	\$1,199	\$1,199	\$1223	\$1223
•	INVR122460E-HD	24"	12"	\$1,267	\$1,267	\$1291	\$1291
	INVR151860E-HD	18"	15"	\$1,267	\$1,267	\$1291	\$1291
	INVR152460E-HD	24"	15"	\$1,303	\$1,303	\$1327	\$1327
T=7	INVR181860E-HD	18"	18"	\$1,303	\$1,303	\$1327	\$1327
	INVR182460E-HD	24"	18"	\$1,340	\$1,340	\$1364	\$1364
	INVL121860E-HD	18"	12"	\$1,199	\$1,199	\$1223	\$1223
	INVL122460E-HD	24"	12"	\$1,267	\$1,267	\$1291	\$1291
4,500	INVL151860E-HD	18"	15"	\$1,267	\$1,267	\$1291	\$1291
	INVL152460E-HD	24"	15"	\$1,303	\$1,303	\$1327	\$1327
	INVL181860E-HD	18"	18"	\$1,303	\$1,303	\$1327	\$1327
76	INVL182460E-HD	24"	18"	\$1,340	\$1,340	\$1364	\$1364

9900 Series Towers

- towers match 64"h panel

Description	PA	Product No.	Depth	Width	List Price Rect Guide			
24"h Hinged door insert/1-3	", 1-7.5" and 2-12	" drawers						
		GETL2458-PB7FF GETR2458-PB7FF GETL3058-PB7FF GETR3058-PB7FF	24" 24" 24" 24"	24" 24" 30" 30"	\$2868 \$2868 \$3281 \$3281			
24"h Hinged door insert/3",3-10.5"								
		GETL2458-P3F10 GETR2458-P3F10 GETL3058-P3F10 GETR3058-P3F10	24" 24" 24" 24"	24" 24" 30" 30"	\$2868 \$2868 \$3281 \$3281			



221 Lister Avenue Falconer, NY 14733 T 716 665 6210 F 716 665 2743 inscapesoltuions.com

MODESTY PANELS

September 2013

Modesty Panels

- Modesty panels are available in a variety of materials and mounting options correspond with each variety.
 Modesty panels mount to the underside of a 1" or 1 ¼" thick worksurface and are field installed.
 See Application Guide for specific dimension detailed applications

INMDPNP39 13.5" 39" INMDPNP42 13.5" 42" INMDPNP45 13.5" 45" INMDPNP48 13.5" 48" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP63 13.5" 66" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$103 \$106 \$108 \$110 \$113 \$116 \$119 \$121 \$123 \$126 \$128 \$130
INMDPNP30 13.5" 30" INMDPNP33 13.5" 36" INMDPNP36 13.5" 39" INMDPNP42 13.5" 42" INMDPNP45 13.5" 45" INMDPNP48 13.5" 48" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP60 13.5" 63" INMDPNP63 13.5" 66" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$106 \$108 \$110 \$113 \$116 \$119 \$121 \$123 \$126 \$128 \$130
INMDPNP30 13.5" 30" INMDPNP33 13.5" 33" INMDPNP36 13.5" 36" INMDPNP39 13.5" 39" INMDPNP42 13.5" 42" INMDPNP45 13.5" 45" INMDPNP48 13.5" 48" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$106 \$108 \$110 \$113 \$116 \$119 \$121 \$123 \$126 \$128 \$130
INMDPNP33 13.5" 33" INMDPNP36 13.5" 36" INMDPNP39 13.5" 39" INMDPNP42 13.5" 42" INMDPNP45 13.5" 45" INMDPNP48 13.5" 48" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP60 13.5" 63" INMDPNP63 13.5" 66" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$106 \$108 \$110 \$113 \$116 \$119 \$121 \$123 \$126 \$128 \$130
INMDPNP36 13.5" 36" INMDPNP39 13.5" 39" INMDPNP42 13.5" 42" INMDPNP45 13.5" 45" INMDPNP48 13.5" 51" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP60 13.5" 63" INMDPNP63 13.5" 66" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$108 \$110 \$113 \$116 \$119 \$121 \$123 \$126 \$128 \$130
INMDPNP39 13.5" 39" INMDPNP42 13.5" 42" INMDPNP45 13.5" 45" INMDPNP48 13.5" 48" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$110 \$113 \$116 \$119 \$121 \$123 \$126 \$128 \$130
INMDPNP42 13.5" 42" INMDPNP45 13.5" 45" INMDPNP48 13.5" 48" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$113 \$116 \$119 \$121 \$123 \$126 \$128 \$130
INMDPNP45 13.5" 45" INMDPNP48 13.5" 48" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$116 \$119 \$121 \$123 \$126 \$128 \$130
INMDPNP48 13.5" 48" INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$119 \$121 \$123 \$126 \$128 \$130
INMDPNP51 13.5" 51" INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$121 \$123 \$126 \$128 \$130
INMDPNP54 13.5" 54" INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$123 \$126 \$128 \$130
INMDPNP57 13.5" 57" INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$126 \$128 \$130
INMDPNP60 13.5" 60" INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$128 \$130
INMDPNP63 13.5" 63" INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	\$130
INMDPNP66 13.5" 66" INMDPNP69 13.5" 69"	
INMDPNP69 13.5" 69"	
	\$132
INMDPNP72 13.5" 72"	\$133
	\$135
	
	Veneer
INMDPNW30 13.5" 30" \$238 \$238	\$354
INMDPNW33 13.5" 33" \$255 \$255	\$372
	\$390
INMDPNW39 13.5" 39" \$293 \$293	\$408
INMDPNW42 13.5" 42" \$299 \$299	\$427
	\$445
	\$470
INMDPNW51 13.5" 51" \$342 \$342	\$488
	\$513
	\$531
	\$549
	\$567
	\$585
	\$604
	\$628
	\$646
	\$665
· · · · · · · · · · · · · · · · · · ·	\$683
•	\$701
INMDPNW90 13.5" 90" \$567 \$567	\$719

Modesty Panels

- Modesty panels are available in a variety of materials and mounting options correspond with each variety.
 Modesty panels mount to the underside of a 1" or 1 ¼" thick worksurface and are field installed.
 See Application Guide for specific dimension detailed applications

—					White
Description	Product No.	Height	Width	Weight lbs.	Acrylic
Acrylic Partial Height M	lodesty Panel				
	INMDPNA30	13.5"	30"		\$392
	INMDPNA33	13.5"	33"		\$396
	INMDPNA36	13.5"	36"		\$401
	INMDPNA39	13.5"	39"		\$406
	INMDPNA42	13.5"	42"		\$412
	INMDPNA45	13,5"	45"		\$419
	INMDPNA48	13.5"	48"		\$424
	INMDPNA51	13.5"	51"		\$443
	INMDPNA54	13.5"	54"		\$462
	INMDPNA57	13.5"	57"		\$480
	INMDPNA60	13.5"	60"		\$504
	INMDPNA63	13.5"	63"		\$528
	INMDPNA66	13.5"	66"		\$552
	INMDPNA69	13.5"	69"		\$576
	INMDPNA72	13.5"	72"		\$600
	INMDPNA75	13.5	75"		\$613
	INMDPNA78	13.5"	78"		\$627
	INMDPNA81	13.5"	81"		\$640
	INMDPNA84	13.5"	84"		\$653
	INMDPNA87	13.5"	87"		\$667
	INMDPNA90	13.5"	90"		\$681
Frame Frosted Acrylic P Modesty Panel	artial Height				Frosted
Modesty I dilei	INMDPNG30	13.5"	30"		<u>Acrylic</u> \$588
	INMDPNG33	13.5"	33"		\$608
	INMDPNG36	13.5"	36"		\$627
	INMDPNG39	13.5"	39"		\$646
	INMDPNG42	13.5"	42"		\$665
	INMDPNG45	13.5"	45"		\$685
	INMDPNG48	13.5"	48"		\$704
	INMDPNG51	13.5"	51"		\$723
	INMDPNG54	13.5"	54"		\$742
	INMDPNG57	13.5"	57"		\$762
	INMDPNG60	13.5"	60"		\$781
	INMDPNG63	13.5"	63"		\$911
L.	INMDPNG66	13.5"	66"		\$930
	INMDPNG69	13.5"	69"		\$950
	INMDPNG72	13.5"	72"		\$969
	INMDPNG75	13.5"	75"		\$988
	INMDPNG78	13.5"	78"		\$1,007
	INMDPNG81	13.5"	81"		\$1,027
	INMDPNG84	13.5"	84"		\$1,046
	INMDPNG87	13.5"	87"		\$1,066
	INMDPNG90	13.5"	90"		\$1,085

Modesty Panels

- Modesty panels are available in a variety of materials and mounting options correspond with each variety.
 Modesty panels mount to the underside of a 1" or 1 ½" thick worksurface and are field installed.
 See Application Guide for specific dimension detailed applications

				Weight			
Description	Product No.	Height	Width	lbs.	Nuform	Laminate	Veneer
Mond Full Halleton Br. 1							
Wood Full Height Modes	•						
	INMDFHPNW30	24"	30"		\$307	\$307	\$505
	INMDFHPNW33	24"	33"		\$335	\$335	\$538
	INMDFHPNW36	24"	36"		\$343	\$343	\$571
	INMDFHPNW39	24"	39"		\$391	\$391	\$604
	INMDFHPNW42	24"	42"		\$399	\$399	\$637
	INMDFHPNW45	24"	45"		\$356	\$356	\$671
	INMDFHPNW48	24"	48"		\$415	\$415	\$711
The state of the s	INMDFHPNW51	24"	51"		\$514	\$514	\$744
	INMDFHPNW54	24"	54"		\$522	\$522	\$784
# <u># 11 11 11 11 11 11 11 11 11 11 11 11 11</u>	INMDFHPNW57	24"	57"		\$530	\$530	\$817
	INMDFHPNW60	24"	60"		\$544	\$544	\$850
	INMDFHPNW63	24"	63"		\$567	\$567	\$883
	INMDFHPNW66	24"	66"		\$583	\$583	\$916
	INMDFHPNW69	24"	69"		\$597	\$597	\$949
	INMDFHPNW72	24"	72"		\$610	\$610	\$989
	INMDFHPNW75	24"	75"		\$696	\$696	\$1,022
	INMDFHPNW78	24"	78"		\$702	\$702	\$1,055
	INMDFHPNW81	24"	81"		\$707	\$707	\$1,089
	INMDFHPNW84	24"	84"		\$712	\$712	\$1,122
	INMDFHPNW87	24"	87"		\$716	\$716	\$1,155
	INMDFHPNW90	24"	90"		\$722	\$722	\$1,188
Frame Frosted Acrylic Gla	ass Full Height	· · · · · · · · · · · · · · · · · · ·				***************************************	Frosted Acrylic
-	INMDFHPNG30	24"	30"				\$702
	INMDFHPNG33	24"	33"				\$702 \$729
	INMDFHPNG36	24"	36"				\$72 9 \$757
	INMDFHPNG39	24"	39"				
	INMDFHPNG42	24"	42"				\$785
	INMDFHPNG45	24"	45"				\$813
	INMDFHPNG48	24"	48"				\$840 \$868
	INMDFHPNG51	24"	51"				
	INMDFHPNG54	24"	54"				\$896
	INMDFHPNG57	24"	57"				\$923 \$951
	INMDFHPNG60	24"	60"				\$979
	INMDFHPNG63	24"	63"				
	INMDFHPNG66	24"	66"				\$1,117
1	INMDFHPNG69	24"	69"				\$1,145 \$4,472
	INMDFHPNG72	24"	72"				\$1,173
	INMDFHPNG75	24"	75"				\$1,201
	INMDFHPNG78	24"	78"				\$1,228
	INMDFHPNG81	24"	81"				\$1,256
	INMDFHPNG84	24"	84"				\$1,284 \$1,211
	INMDFHPNG87	24"	87"				\$1,311 \$1,220
	INMDFHPNG90		90"				\$1,339 \$1,365
		<u> </u>					\$1,365