



work for tomorrow

Conditions of Sale

Refer to the Conditions of Sale document on the <u>Support</u> page of <u>myinscape.com</u>.

System

Architecture 10			
Frames and Screens	11	2 ¾" Thick	44
General Information	11	 90° Same Height Connector Kits 	44
3 ½" Thick	13	 90° Stack-on Connector Kits 	45
 Standard Frames 	13	 90° Multi Height Connector Kits 	46
 Basic Frames 	15	 120° Connector Kits 	47
 Stack-on Frames 	17	 Screen Connectors 	48
 Double Glazed Stack-on Frames 	18	1 1/2" Screen to 3 1/2" Frame Connector Kits	49
2 ¾" Thick	19	1 1/2" Screen to 3 1/2" Frame Connector Kits	50
 Standard Frames 	19	2 3/4" Frame to 3 1/2" Frame Same Height	
 Basic Frames 	21	Connector Kits	51
 Stack-on Frames 	23	ADDWALL to Frame Connector Bracket	52
 Double Glazed Stack-on Frames 	24	Planna Storage Benching End Trim	53
1 ½" Thick	25	Frame to Storwal Storage Components	54
 Segmented Screens 	25	Tiles	
 Glazed Segmented Screens 	26	Tiles	55
 Monolithic Screens 	27	General Information	55
 Accessory Screens 	29	Painted	58
 Freestanding Screens 	30	Fabric	60
 Table Mounted Screens 	31	Tackable	62
 Open Electrified Storage Frame 	32	Nuform	63
Sliding Doors	33	Nuform Patterned	64
		Composite Veneer	65
Connectors and Trim	34	Whiteboard	66
General Information	34	Paper Management	67
3 ½" Thick	36	Paper Management Tile Reinforcing Kit	68
– Trim	36	Perforated	69
 90° Connector Kits 	37	Communication - Painted	70
 90° Same Height Connector Kits 	38	Communication - Fabric	71
 90° Stack-on Connector Kits 	39	Multi Access - Painted	73
 90° Multi Height Connector Kits 	40	Multi Access - Fabric	74
 120° Connector Kits 	41	Double Glazed	75
– Trim	42	Monolithic - Painted	76
 90° Connector Kits 	43	Monolithic - Fabric	77
		Monolithic with Multi Access - Painted	78
		Monolithic with Multi Access - Fabric	79
		Planna Storage Benching Multi Access	80

System

Technology	81			
General Information		82	Jumper Cables	93
Power In Feeds		87	Receptacles	94
Floor/Wall		87	USB Power Modules	95
Ceiling Power Pole Kits		88	To do Distan	00
Chimney Power Feed Frame		89	Task Lights	96
Frame Components		90	Data Components	97
Chicago Electrical Components		90	Clamp On Power & Data Modules	98
Beltline Cover Kits		91	Power and Data Accessories	99
Power Tracks		92	Storwal Components	100

Worksurfaces & Supports 103

Panel Mounted Worksurfaces General Information Rectangular Tops Reducing Tops Saddle Tops Galley Tops	104 104 106 108 109 110	Transaction tops124General Information124For 3 ½" Thick Frames125For 2 ¾" Thick Frames126Supports127General Information127
Funnel Tops Radiused Tops Standard Corners Extended Corners 120° Corners Conference Tops	111 112 113 114 117 118	Panel Mounted Worksurface Supports129Worksurface Supports134Storwal and Planna Worksurface135Support Brackets135Legs and Leg Docking Brackets136
Height Adjustable Worksurfaces Storwal Rectangular Tops Storwal Saddle Tops Storwal Galley Tops	119 121 122 123	1 ½" Screen Worksurfaces Docking Brackets 139 ADDWALL Worksurfaces Support Brackets 140

System

Storage 141			
Lock locations	142	Up-Mount Bin Accessories	185
Pedestals General Information Storage with Handles 9900 Series Front Nuform Front Composite Veneer Front Pedestal Brackets Laterals General Information Storage with Handles	144 144 150 153 154 155 157 157 160	Twin-Bins Twin-Bin Brackets Twin-Bin Accessories Planna Storage General Information Base Modules Sliding Doors Benching End Trim Storwal Storage General Information	187 188 189 190 190 192 197 198 199
Towers General Information Storage with Handles 9900 Series Front Nuform Front	168 168 170 171 174	Base Modules Stack Units Wardrobe Towers Laminate Storage General Information	201 206 213 224 224
Overhead Storage General Information Storage Bins Hinged Door and Up-Mount Bins Storage Bin Brackets Up-Mount Bin Supports and Brackets Shelves + Brackets	177 177 180 181 182 183 184	Pedestals Laterals Open Bookcases Combination Bookcase/Laterals Hinged Door Cabinets Overhead Bins + Shelves Manhattan Tower Accessories	226 227 228 229 230 231 232 233

269

237

Accessories

Horizontal

Panel and Table

Modesty Panel

Privacy Screens

Add-on Glazing

3 ½" T

2 ¾" T

Storage

Twin Bin

Pedestal

Lateral

Wall Mounted

Overhead Storage

Electrified Twin-Bin

General Information

238 **Back Painted Glass** 272 243 SuperStor™ 273 245 Cushions 274 250 Planna Storage 276 Brackets and Rails 276 255 Pedestals and Lateral Tops 277 257 Tops to Accommodate Benching Electrical 279 257 Storwal Storage 280 260 Worksurfaces Support Bracket 280 262 Tackboards 281 Whiteboards 282 264 282 Not Adjacent to Sliding Doors 265 Adjacent to Sliding Doors 283 Back Painted Glass Whiteboards 284 266 **Case Accessories** 285 267 Adapter Frames 287 Frame to Storwal Components 288 268 Lateral Tops 289

Bench

Architecture	291			
General Information		292	Connectors and Trim	302
Spines		295	Tiles	305
Spine Frames		295	Full Height Spine Tiles	305
Stack-on Frames		296	Partial Height Spine Tiles	306
Spine Support Legs		298	10.125" H Stack-On Tiles	310
Technology	312			
General Information		313	Power and Data Accessories	320
Power In Feeds		316	Clamp On Power & Data Modules	321
Electrical Components		317	Clear Anodized Aluminum Coloured Components	321
Electrical Components		317		322
Data Components		319		

Worksurfaces & Supports 323

General Information	324	Height Adjustable Worksurface	345
Rectangular Tops Middle Application	327 327	Manual Pneumatic Electric	345 347
Full End Gable Application	329	Worksurfaces Supports	349
Open End Leg Application	331	90° Application	351
End Storage Application	333	90° Application	353
Electrical Access Worksurface Middle Application Full End Gable Application Open End Leg Application 90° worksurface	334 334 335 337 339	Full Gable Full Gable Brackets Open H Leg Open H Leg Open O Leg For Electric Height Adjustable Application Only	355 358 359 361 364 365
120° Worksurface	340	Application Only	505
Middle Application	340	Worksurface Top Filler Cap	366
Full End Gable Application	341		
Open End Leg Application	343		

Bench

Storage 367			
General Information	368	Bookcases	376
Pedestals	372	Twin-Bins and Brackets	377
Storage with Handles 9900 Series Front	372 373	Trading Desk	379
	374		
Laterals Storage with Handles	374 374		
9900 Series Front	375		
Accessories 380			
General Information	381	Worksurface Undermount	405
Spine Accessories	383	Replacement Fabric Skins	406
Transaction Tops	384	Collaborative Collection	408
Up-Mount Bins	385		400
Upmont Shelves	387		
Add-on Glazing	389		
Spine Dividers with Accessory Rail	392		
Spine Dividers	393		
Open leg Accessories	395		
Worksurface Dividers	398		
Laminate Divider Accessories	402		
Worksurface Screens for 90° Workstations	403		

Tables

Tables Collection	410			
Standing Height Tables		411	Coffee Tables	416
Meeting Tables		413		
Worksurfaces	417			
Square and Rectangula	ır Tops	418	Trapezoid Tops	423
Racetrack and Boat Top	os	419	Hex, Pebble and Rhombus Tops	424
Round Tops		420	Rectangular Tops with Power Module	425
Semi-circle Tops		421	Bullet, Bean, Oval and Curved Rectangular Tops	
Quarter-circle Tops		422		426
Legs & Bases	427			
Legs		428	Bases	432
Accessories	433			
Surface Support Acces	sories	434		
Table Mounted Screens	5	435		
Modesty Panels		436		
Electrical Accessories		441		

Wing

Solo	445		
Angled		446	
Accessories	448		
Accessories	448		

Finishes 451

Care & Maintenance 478

System US Price List

November 2019



work for tomorrow

System Architecture



work for ^{tomorrow}

Inscape System frames are constructed of 16 gauge tubular steel uprights with welded 18 gauge steel crossrails. This strong yet lightweight construction provides ease of movement and reconfiguration.

The simplicity of the frame structure provides an intelligent solution to cable management. The absence of baseplates, apertures and corner posts eliminate barriers that restrict the routing of cables. Cabling may be routed both vertically and horizontally through the panel. Cables are laid into cable managers that easily install between panel crossrails throughout the framework. Cable managers safely cradle and segregate cables. An aperture free system means installation and reconfiguration costs are kept to a minimum. Cabling may also enter the system through the top or face of the panel. Reconfiguration is easy and economical. Cabling simply eases out of the cable managers and is laid back in at the desired point, eliminating the costly need to cut and re-terminate cables for every reconfiguration. Panels do not have creep.

3 1/2" THICK FRAME

The 3 $\frac{1}{2}$ " Thick Frame accommodates approximately 96 Cat6 or 125 Cat5 cables per 13.5" H zone at a fill capacity of 60% between the upright and the tile. Frames and frame specific components for the 3.5" thick frame are denoted by the suffix "**-3F**".

2 3/4" THICK FRAME

The 2 $\frac{3}{4}$ " Thick Frame accommodates approximately 52 Cat6 or 67 Cat5 cables per 13.5" H zone at a fill capacity of 60% between the upright and the tile. Frames and frame specific components for the 2.75" thick frame are denoted by the suffix "**-2F**".

Standard Frames

STANDARD FRAMES

A Standard Frame has a beltline cover kit enabling power to run at the beltline location without the need of a "cutout" tile. Standard frames are available for both the 3.5" and 2.75" thick frames. Frames 37" H and higher come equipped with one wire manager. Electrical and data components must be specified separately. Standard heights that are available include 37", 44", 51", 57" and 64".

NOTE: Tiles cannot be placed over the cover kit on a 2 ¾" thick frame. The Cover Kit frame clip cannot accommodate a tile hanging from the clip. NOTE: 27" H tiles cannot be mounted in bottom position on a 2 ¾" thick standard frame.



Basic Frames

BASIC FRAMES

Basic Frames do not include the electrical cover kit but may house power which is to be accessed at all locations with a "cutout" tile. Basic frames 37" H and higher come with one wire manager. Basic frames are available for both the 3.5" and 2.75" thick frames. Basic heights available include 24", 29", 37", 44", 51", 57" and 64". The 3 ½" thick frame by 24" H includes the mounting hardware to attach to a Credenza Storage case when used in a benching application.

Both types of frames feature glides that provide 1 ½" height adjustment allowing air to circulate under panels and throughout the office. Frames are available in 6" increments in widths ranging from 18" W to 60" W.

STACK ON FRAME

The Stack on Frame consists of a 6.75", 13.5", 20.25" and 27" frame which may be installed on a Standard or Basic frame of the same width or combination of two frames as outlined in the Inscape System Application Guide only. The Stack on frame is load bearing to one storage unit above 64" H and may be stacked up to 91" H. Tiles and trim are specified separately. The top cap from the base frame may be used on the stack on frame. Stack on frames are frame thickness specific and should be specified accordingly.

DOUBLE GLAZED STACK-ON KIT

Double Glazed Stack-On Kit is a stack on frame with a double glazed insert. The 24" to 60" W Double Glazed Stack is a fully welded frame stack on. Double Glazed Stacks which are 54" and wider are kitted and are installed on site. The Double Glazed Stack on is not load bearing and no stacks can be stacked on top of the Double Glaze. Stack on frames are frame thickness specific and should be specified accordingly. Finishes are available in Clear or Frosted Acrylic to match Double Glazed tile.

			Dimen	sions	
SYSTEM	TRIM	A TOP CAP TO TOP TILE	B TOP TILE TO BOTTOM TILE	C BOTTOM TILE TO FLOOR*	D FLOOR TO CANTILEVER
INISCARE	Tapered	1.1	24"h = 20.050 29"h = 26.800 37"h = 33.550	1	
INSCAPE SYSTEM	Flat	0.65	44"h = 40.300 51"h = 47.050 57"h = 53.800 64"h = 60.550		27.24
B		D	measured glide posi raised up	tensions 'C' & d with frames tion. Frame c: to 1.500" dep tion and leveli	at lowest an be ending on

1 1/2" THICK SCREEN

The 1.5" Thick Screen is available in a freestanding version or one that is intended to be joined to adjacent screens. The screen is inclusive of a finished frame, 1/2" tackable core (fabric option) and glides. Various configurations of the segmented or monolithic screen are available including all fabric, fabric with acrylic or resin and polycarbonate. Whiteboard accessories should follow the same guidelines as the Whiteboard tile. No assembly is required with the screen.

TABLE MOUNTED SCREEN

The Table Mounted Screen is constructed of a 1.5" thick extruded aluminum frame and is designed to provide modesty and privacy to adjacent work areas. This 37" H screen mounts onto a 1" or 1.25" thick worksurface and may be adjusted vertically to create the desired privacy or modesty. The tackable ½" thick core may be specified in any of Inscape's standard fabrics or COM. Height adjustable brackets allow for various screen height positions. It is recommended that the table mounted screen be installed 20" above the surface with 16" below. Table mounted screens cannot be attached to 1.5" thick screen brackets attaching to thicker frames.

1 1/2" ELECTRIFIED STORAGE FRAME

The 1.5" Electrified Storage Frame is an open structure frame which is positioned between Electrified Storage units to allow technology to run through when a 1 $\frac{1}{2}$ " connection is required and a 1 $\frac{1}{2}$ " screen is to run perpendicular to Electrified Storage spine.

INSCAPE SYSTEM SLIDING DOOR

Inscape System Sliding Door is a 1 ½" thick extruded aluminum frame which is available to match 51" and 64" panel heights and openings of 36" and 42". The sliding door includes a door assembly consisting of door trim, polycarbonate panel, two door pulls, two 2.5" adjustable wheels and top/bottom connector brackets to attach to the panel frame. A locking version is available and is secured in the closed position by a lock at the opposite side of the handle. Polycarbonate has naturally occurring variations in the material. The tile configuration must be such that the crossrail at 37" H is accessible where the lock mechanism is located. See Inscape System Application Guide.

The 36" W sliding door is installed on any panel or combination of panels 42" in width.

The 42" W sliding door is installed on any panel or combination of panels 48" in width.


Sliding Doors are handed and need to be specified left or right for the direction in which the door is required to slide once installed on the front of the workstation.

GENERAL INFORMATION

To facilitate specification of connector kits for various multi-height panel configurations, preconfigured connector kits have been created. Connector kits include all the vertical trims, connectors, plugs and plates required to make and complete the connection at the junction point.

The panel configurations shown on the following pages have been grouped according to the type of connection: 'L' Connection (two-way 90°), 'T' Connection (three-way 90°), 'X' Connection (four-way 90°), 'V' Connection (two-way 120°) and 'Y' Connection (three-way 120°). Identify the desired connection and panel configuration and specify connectors as outlined below. A variety of panel configurations are shown on the following pages. Some configurations have more than one product code. An explanation of the product codes follow:

PRODUCT CODE KEY EXAMPLE INCPT5053



The prefix to the four digits in the product number represent the following: 'CP'-panel connector, 'L'-2-way connection, 'T'-3 way connection, 'X'-4-way connection, 'V'-2-way 120° connection and 'Y'3- way 120° connection. The four digits represent the different heights of panels to be connected. Heights are represented by the first digit.

64" H panel -6 51" H panel -5 37" H panel -3

To specify the correct panel junction, start with the highest panel and move clockwise. For example: To specify a 3-way connection comprised of 51" H and 37" H panels, start with the highest panel, 51" - 5. Proceed clockwise, 0 for no panels, 5 for 51" and 3 for 37". The code is 5053.

FINISHES

Vertical trims are available in any of the colors shown in our current Paint Card and Fans plus textured paint and veneer trim finishes.

NOTE: Tapered vertical trim is available in any of the colors shown in our current Paint Card and Fans plus textured paint finishes.

If you don't find your configuration listed as standard product, send your request to **specials@inscapesolutions.com** with a copy of the connection layout.

PRODUCT CODE KEY EXAMPLE

INOF348-3F

INOF	Inscape System Frame
3	37" H
48	48" W
3F	3 1/2" thick frame w/

3⊢	3 1/2" thick frame w/
	electrical cover plate

- Includes electrical cover kit at the beltline location painted in Eco Black
- 2" deep glide cap color of black or gray (gray default)
- 1 wire manager hanger included with frame
- Compatible with electrical launched December 2010 only
- A Beltline power track is to be specified in the
- beltline location
- Rectangular glides available for an upcharge of
- \$13 per frame

- 18" 24" W frames do not come with electrical cutouts
- 30" W frames come with only 1 cutout
- Top caps are to be ordered separately

		Part number	н	w	Thickness	List price
	37" H Standard Frame	INOF318-3F	37"	18"	3 ½"	\$293
		INOF324-3F	37"	24"	3 ½"	\$298
		INOF330-3F	37"	30"	3 ½"	\$313
		INOF336-3F	37"	36"	3 ½"	\$319
<u> </u>		INOF342-3F	37"	42"	3 ½"	\$325
		INOF348-3F	37"	48"	3 1⁄2"	\$330
		INOF354-3F	37"	54"	3 1⁄2"	\$333
		INOF360-3F	37"	60"	3 1⁄2"	\$345
	44" H Standard Frame	INOF418-3F	44"	18"	3 ½"	\$321
		INOF424-3F	44"	24"	3 1⁄2"	\$322
		INOF430-3F	44"	30"	3 1⁄2"	\$326
1 1		INOF436-3F	44"	36"	3 ½"	\$333
		INOF442-3F	44"	42"	3 ½"	\$340
		INOF448-3F	44"	48"	3 ½"	\$347
		INOF454-3F	44"	54"	3 ½"	\$349
		INOF460-3F	44"	60"	3 ½"	\$351
	51" H Standard Frame	INOF518-3F	51"	18"	3 ½"	\$335
		INOF524-3F	51"	24"	3 ½"	\$340
		INOF530-3F	51"	30"	3 ½"	\$349
		INOF536-3F	51"	36"	3 1⁄2"	\$360
		INOF542-3F	51"	42"	3 ½"	\$368
		INOF548-3F	51"	48"	3 1⁄2"	\$384
		INOF554-3F	51"	54"	3 ½"	\$388
		INOF560-3F	51"	60"	3 ½"	\$401
	57" H Standard Frame	INOF5718-3F	57"	18"	3 ½"	\$358
		INOF5724-3F	57"	24"	3 1⁄2"	\$367
		INOF5730-3F	57"	30"	3 1⁄2"	\$374
		INOF5736-3F	57"	36"	3 1⁄2"	\$392
		INOF5742-3F	57"	42"	3 ½"	\$402
		INOF5748-3F	57"	48"	3 ½"	\$418
$ \longrightarrow $		INOF5754-3F	57"	54"	3 ½"	\$422
		INOF5760-3F	57"	60"	3 ½"	\$436

PRODUCT CODE KEY EXAMPLE

INOF	Inscape System Frame
3	37" H
48	48" W
3F	3 ½" thick frame w/

electrical cover plate

- Includes electrical cover kit at the beltline location painted in Eco Black
- 2" deep glide cap color of black or gray (gray default)
- 1 wire manager hanger included with frame
- Compatible with electrical launched December 2010 only
- A Beltline power track is to be specified in the
- beltline location
- Rectangular glides available for an upcharge of
- \$13 per frame

- 18" 24" W frames do not come with electrical cutouts
- 30" W frames come with only 1 cutout
- Top caps are to be ordered separately

		Part number	н	w	Thickness	List price
1	64" H Standard Frame	INOF618-3F	64"	18"	3 1⁄2"	\$373
		INOF624-3F	64"	24"	3 ½"	\$385
		INOF630-3F	64"	30"	3 ½"	\$396
		INOF636-3F	64"	36"	3 1⁄2"	\$412
		INOF642-3F	64"	42"	3 ½"	\$428
		INOF648-3F	64"	48"	3 ½"	\$443
		INOF654-3F	64"	54"	3 ½"	\$448
		INOF660-3F	64"	60"	3 1⁄2"	\$464

Architecture Frames and Screens 3 1/2" Thick Basic Frames

System

PRODUCT CODE KEY EXAMPLE

INOF348-3NPF					
INOF	Inscape System				
3	37" H				

48	48" W
3NPF	3 1⁄2" thick frame non
	powered

- 2" deep glide cap color of black or gray (gray default)
 24" H frame is equipped with hardware to attach to storage case
- 1 wire manager hanger included with frame
- Compatible with electrical launched after December 2010 only
 - If powering a Basic frame, an Upper Deck power track kit is to be specified for all locations in the 3.5" thick frame
 - Rectangular glides available for an upcharge of \$13 per frame

NOTES

• Top caps are to be ordered separately

		Part number	н	w	Thickness	List price
					Thiokitess	List price
1	24" H Basic Frame	INOF2418-3NPF	24"	18"	3 1/2"	\$166
		INOF2424-3NPF	24"	24"	3 1/2"	\$170
		INOF2430-3NPF	24"	30"	3 1/2"	\$180
		INOF2436-3NPF	24"	36"	3 1/2"	\$184
		INOF2442-3NPF	24"	42"	3 1/2"	\$187
		INOF2448-3NPF	24"	48"	3 1/2"	\$189
		INOF2454-3NPF	24"	54"	3 1/2"	\$192
		INOF2460-3NPF	24"	60"	3 ½"	\$195
	29" H Basic Frame	INOF218-3NPF	29"	18"	3 ½"	\$210
		INOF224-3NPF	29"	24"	3 1⁄2"	\$212
		INOF230-3NPF	29"	30"	3 1/2"	\$225
		INOF236-3NPF	29"	36"	3 1⁄2"	\$228
I I		INOF242-3NPF	29"	42"	3 1/2"	\$231
		INOF248-3NPF	29"	48"	3 ½"	\$233
		INOF254-3NPF	29"	54"	3 ½"	\$235
		INOF260-3NPF	29"	60"	3 ½"	\$237
	37" H Basic Frame	INOF318-3NPF	37"	18"	3 1⁄2"	\$220
		INOF324-3NPF	37"	24"	3 ½"	\$225
		INOF330-3NPF	37"	30"	3 ½"	\$234
		INOF336-3NPF	37"	36"	3 ½"	\$237
		INOF342-3NPF	37"	42"	3 1/2"	\$242
1490 - 1 1 1		INOF348-3NPF	37"	48"	3 ½"	\$243
		INOF354-3NPF	37"	54"	3 ½"	\$245
		INOF360-3NPF	37"	60"	3 ½"	\$250

Architecture Frames and Screens 3 1/2" Thick Basic Frames

System

PRODUCT CODE KEY EXAMPLE

INOF348-3NPF	
	-

INOF	Inscape System Frame
3	37" H
48	48" W
3NPF	3 ½" thick frame non powered

- 2" deep glide cap color of black or gray (gray default)
 24" H frame is equipped with hardware to attach to storage case
- 1 wire manager hanger included with frame
- Compatible with electrical launched after December 2010 only
 - If powering a Basic frame, an Upper Deck power track kit is to be specified for all locations in the 3.5" thick frame
 - Rectangular glides available for an upcharge of \$13 per frame

NOTES

• Top caps are to be ordered separately

	Part number	н	w	Thickness	List price
44" H Basic Frame	INOF418-3NPF	44"	18"	3 ½"	\$246
	INOF424-3NPF	44"	24"	3 1⁄2"	\$250
	INOF430-3NPF	44"	30"	3 1⁄2"	\$252
	INOF436-3NPF	44"	36"	3 ½"	\$256
	INOF442-3NPF	44"	42"	3 1⁄2"	\$260
	INOF448-3NPF	44"	48"	3 1⁄2"	\$264
	INOF454-3NPF	44"	54"	3 1⁄2"	\$268
	INOF460-3NPF	44"	60"	3 1⁄2"	\$272
51" H Basic Frame	INOF518-3NPF	51"	18"	3 1/2"	\$262
	INOF524-3NPF	51"	24"	3 1⁄2"	\$265
	INOF530-3NPF	51"	30"	3 ½"	\$270
	INOF536-3NPF	51"	36"	3 ½"	\$276
	INOF542-3NPF	51"	42"	3 ½"	\$286
	INOF548-3NPF	51"	48"	3 ½"	\$296
1 1	INOF554-3NPF	51"	54"	3 1⁄2"	\$300
	INOF560-3NPF	51"	60"	3 ½"	\$307
57" H Basic Frame	INOF5718-3NPF	57"	18"	3 1⁄2"	\$287
	INOF5724-3NPF	57"	24"	3 1⁄2"	\$294
	INOF5730-3NPF	57"	30"	3 1⁄2"	\$297
	INOF5736-3NPF	57"	36"	3 ½"	\$308
	INOF5742-3NPF	57"	42"	3 ½"	\$319
	INOF5748-3NPF	57"	48"	3 ½"	\$328
	INOF5754-3NPF	57"	54"	3 ½"	\$330
Y I	INOF5760-3NPF	57"	60"	3 ½"	\$342
64" H Basic Frame	INOF618-3NPF	64"	18"	3 ½"	\$303
	INOF624-3NPF	64"	24"	3 ½"	\$313
	INOF630-3NPF	64"	30"	3 ½"	\$314
	INOF636-3NPF	64"	36"	3 ½"	\$330
	INOF642-3NPF	64"	42"	3 ½"	\$346
	INOF648-3NPF	64"	48"	3 ½"	\$354
	INOF654-3NPF	64"	54"	3 ½"	\$356
	INOF660-3NPF	64"	60"	3 1⁄2"	\$370

•

System

PRODUCT CODE KEY EXAMPLE

INSE048-3E

Fully welded stack on kits easily installed and removed	
to adjust panel heights	

INSF048-3F				
INSF	Inscape System Stack-on Frame			
0	6.75" H			
48	48" W			
3F	3 ½" thick frame			

- Load bearing only one overhead unit on frame higher than 64" H
- Stack on frames may span multiple frames
- *See Application Guide for spanning guidelines

- Be sure to specify correct thickness of stack frame based on the frame it is being installed on
- May be stacked up to 91" H

		1	1 1		1 1	
		Part number	н	W	Thickness	List price
	6.75" H Single Stack-On	INSF018-3F	6.75"	18"	3 1/2"	\$145
		INSF024-3F	6.75"	24"	3 1/2"	\$149
		INSF030-3F	6.75"	30"	3 1/2"	\$150
- Contraction		INSF036-3F	6.75"	36"	3 1⁄2"	\$153
		INSF042-3F	6.75"	42"	3 1⁄2"	\$156
n		INSF048-3F	6.75"	48"	3 1⁄2"	\$161
		INSF054-3F	6.75"	54"	3 1/2"	\$162
		INSF060-3F	6.75"	60"	3 1⁄2"	\$165
	13.5" H Single Stack-On	INSF118-3F	13.5"	18"	3 ½"	\$151
		INSF124-3F	13.5"	24"	3 1⁄2"	\$153
		INSF130-3F	13.5"	30"	3 1⁄2"	\$154
		INSF136-3F	13.5"	36"	3 ½"	\$157
		INSF142-3F	13.5"	42"	3 1/2"	\$161
		INSF148-3F	13.5"	48"	3 1⁄2"	\$166
		INSF154-3F	13.5"	54"	3 1⁄2"	\$169
		INSF160-3F	13.5"	60"	3 1⁄2"	\$170
-	20.25" H Single Stack-On	INSF2018-3F	20.25"	18"	3 ½"	\$157
and the second se		INSF2024-3F	20.25"	24"	3 1⁄2"	\$162
		INSF2030-3F	20.25"	30"	3 1/2"	\$164
COLOR STREET		INSF2036-3F	20.25"	36"	3 1⁄2"	\$169
		INSF2042-3F	20.25"	42"	3 1⁄2"	\$173
and the second se		INSF2048-3F	20.25"	48"	3 1⁄2"	\$176
		INSF2054-3F	20.25"	54"	3 ½"	\$177
		INSF2060-3F	20.25"	60"	3 1⁄2"	\$180
-	27" H Single Stack-On	INSF218-3F	27"	18"	3 1⁄2"	\$171
		INSF224-3F	27"	24"	3 1⁄2"	\$179
		INSF230-3F	27"	30"	3 1/2"	\$180
		INSF236-3F	27"	36"	3 1⁄2"	\$184
		INSF242-3F	27"	42"	3 1⁄2"	\$186
		INSF248-3F	27"	48"	3 1⁄2"	\$191
		INSF254-3F	27"	54"	3 1⁄2"	\$192
		INSF260-3F	27"	60"	3 1⁄2"	\$193

PRODUCT CODE KEY EXAMPLE

INSTGL24-3F

INST	Inscape System Stack-on Frame
GL	double glaze
24	24" W

3F 3 1/2" thick frame

- Clear and frosted acrylic options available.
- Must only be installed in the top location
- Is not load bearing.
- Stack on Double Glaze may span two frames. *See Application Guide for spanning guidelines
 - 24" to 48" W kits consist of welded frames
 - 54" to 96" W kits are kitted and must be

assembled onsite

NOTES

Be sure to specify correct thickness of stack frame based on the frame it is being installed on.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INSTGL24-3F in Frosted Acrylic would be \$438 +\$77

10.	- ji
	_

13.5" H Double Glaze
Stack-On Acrylic

Part number	н	w	Thickness	Clear acrylic	Frosted acrylic	Accent paint
INSTGL24-3F	13.5"	24"	3 1⁄2"	\$438	+\$77	+\$46
INSTGL30-3F	13.5"	30"	3 ½"	\$492	+\$85	+\$51
INSTGL36-3F	13.5"	36"	3 1⁄2"	\$562	+\$95	+\$58
INSTGL42-3F	13.5"	42"	3 ½"	\$609	+\$105	+\$62
INSTGL48-3F	13.5"	48"	3 ½"	\$672	+\$116	+\$68
INSTGL54-3F	13.5"	54"	3 ½"	\$736	+\$114	+\$77
INSTGL60-3F	13.5"	60"	3 ½"	\$799	+\$125	+\$82
INSTGL66-3F	13.5"	66"	3 1⁄2"	\$862	+\$148	+\$88
INSTGL72-3F	13.5"	72"	3 1⁄2"	\$887	+\$151	+\$91
INSTGL78-3F	13.5"	78"	3 1⁄2"	\$912	+\$155	+\$93
INSTGL84-3F	13.5"	84"	3 1⁄2"	\$939	+\$158	+\$95
INSTGL90-3F	13.5"	90"	3 1/2"	\$965	+\$164	+\$98
INSTGL96-3F	13.5"	96"	3 1⁄2"	\$989	+\$168	+\$100

PRODUCT CODE KEY EXAMPLE

INOF	Inscape System Frame
3	37" H
42	42" W
2F	2 ¾" thick standard frame

- Includes electrical cover kit at the beltline location painted in Eco Black
- 2" deep glide cap color of black or gray (gray default)
- 1 wire manager hanger included with frame
 - Compatible with electrical launched after December 2010 only
- A Beltline power track is to be specified in the beltline location
 - See Application guide for restrictions with cabling
 Rectangular glides available for an upcharge of \$13 per frame

- 18" 24" W frames do not come with electrical cutouts
- 30" W frames come with 1 electrical cutout
- 27" H tiles cannot be mounted in bottom position on a 2.75" thick standard frame
- Tiles cannot be placed over cover kit (beltline location) on 2.75" frame
- Top caps are to be ordered separately

						1
		Part number	н	w	Thickness	List price
	37" H Standard Frame	INOF318-2F	37"	18"	2 ¾"	\$293
		INOF324-2F	37"	24"	2 3/4"	\$298
		INOF330-2F	37"	30"	2 3/4"	\$313
		INOF336-2F	37"	36"	2 ¾"	\$319
		INOF342-2F	37"	42"	2 ¾"	\$325
		INOF348-2F	37"	48"	2 ¾"	\$330
		INOF354-2F	37"	54"	2 ¾"	\$333
		INOF360-2F	37"	60"	2 ¾"	\$345
	44" H Standard Frame	INOF418-2F	44"	18"	2 3⁄4"	\$321
		INOF424-2F	44"	24"	2 3/4"	\$322
L		INOF430-2F	44"	30"	2 3/4"	\$326
		INOF436-2F	44"	36"	2 3/4"	\$333
1 1		INOF442-2F	44"	42"	2 ¾"	\$340
2 2		INOF448-2F	44"	48"	2 ¾"	\$347
		INOF454-2F	44"	54"	2 ¾"	\$349
		INOF460-2F	44"	60"	2 ¾"	\$351
	51" H Standard Frame	INOF518-2F	51"	18"	2 3⁄4"	\$335
		INOF524-2F	51"	24"	2 3/4"	\$340
		INOF530-2F	51"	30"	2 3/4"	\$349
		INOF536-2F	51"	36"	2 ¾"	\$360
		INOF542-2F	51"	42"	2 ¾"	\$368
		INOF548-2F	51"	48"	2 ¾"	\$384
'i I'		INOF554-2F	51"	54"	2 ¾"	\$388
		INOF560-2F	51"	60"	2 ¾"	\$401

PRODUCT CODE KEY EXAMPLE

INOF342-2F	
1101012 21	

INOF	Inscape System Frame
3	37" H
42	42" W
2F	2 ¾" thick standard frame

- Includes electrical cover kit at the beltline location painted in Eco Black
- 2" deep glide cap color of black or gray (gray default)
- 1 wire manager hanger included with frame
 - Compatible with electrical launched after December 2010 only
- A Beltline power track is to be specified in the beltline location
 - See Application guide for restrictions with cabling
 Rectangular glides available for an upcharge of \$13 per frame

- 18" 24" W frames do not come with electrical cutouts
- 30" W frames come with 1 electrical cutout
- 27" H tiles cannot be mounted in bottom position on a 2.75" thick standard frame
- Tiles cannot be placed over cover kit (beltline location) on 2.75" frame
- Top caps are to be ordered separately

		Part number	н	w	Thickness	List price
	57" H Standard Frame	INOF5718-2F	57"	18"	2 ¾"	\$358
		INOF5724-2F	57"	24"	2 ¾"	\$367
		INOF5730-2F	57"	30"	2 ¾"	\$374
		INOF5736-2F	57"	36"	2 ¾"	\$392
		INOF5742-2F	57"	42"	2 ¾"	\$402
		INOF5748-2F	57"	48"	2 ¾"	\$418
R≸S@		INOF5754-2F	57"	54"	2 ¾"	\$422
		INOF5760-2F	57"	60"	2 ¾"	\$436
	64" H Standard Frame	INOF618-2F	64"	18"	2 ¾"	\$373
		INOF624-2F	64"	24"	2 ¾"	\$385
		INOF630-2F	64"	30"	2 ¾"	\$396
		INOF636-2F	64"	36"	2 ¾"	\$412
		INOF642-2F	64"	42"	2 ¾"	\$428
		INOF648-2F	64"	48"	2 ¾"	\$443
		INOF654-2F	64"	54"	2 ¾"	\$448
T T		INOF660-2F	64"	60"	2 ¾"	\$464

PRODUCT CODE KEY EXAMPLE

INOF342-2NPF

INOF	Inscape System Frame
3	37" H
42	42" W
2NPF	2 ¾" thick frame non powered

2" deep glide cap color of black or gray (gray default)
24" H frame is equipped with hardware to attach to storage case

• 1 wire manager hanger included with frame

Compatible with electrical launched after December 2010 only

 If powering a Basic frame, an Upper Deck power track kit is to be specified for all locations in the 2.75" thick frame

• Rectangular glides available for an upcharge of \$13 per frame

- 18" 24" W frames do not come with electrical cutouts
- 30" W frames come with 1 electrical cutout
- Top caps are to be ordered separately

		Part number	н	w	Thickness	List price
h	24" H Basic Frame	INOF2418-2NPF	24"	18"	2 3⁄4"	\$166
		INOF2424-2NPF	24"	24"	2 3⁄4"	\$170
		INOF2430-2NPF	24"	30"	2 ¾"	\$180
7 7		INOF2436-2NPF	24"	36"	2 ¾"	\$184
		INOF2442-2NPF	24"	42"	2 3⁄4"	\$187
		INOF2448-2NPF	24"	48"	2 ¾"	\$189
		INOF2454-2NPF	24"	54"	2 ¾"	\$192
		INOF2460-2NPF	24"	60"	2 ¾"	\$195
	29" H Basic Frame	INOF218-2NPF	29"	18"	2 3⁄4"	\$210
		INOF224-2NPF	29"	24"	2 ¾"	\$212
		INOF230-2NPF	29"	30"	2 3⁄4"	\$225
		INOF236-2NPF	29"	36"	2 ¾"	\$228
I I		INOF242-2NPF	29"	42"	2 ¾"	\$231
		INOF248-2NPF	29"	48"	2 ¾"	\$233
		INOF254-2NPF	29"	54"	2 ¾"	\$235
		INOF260-2NPF	29"	60"	2 ¾"	\$237
	37" H Basic Frame	INOF318-2NPF	37"	18"	2 3⁄4"	\$220
		INOF324-2NPF	37"	24"	2 ¾"	\$225
		INOF330-2NPF	37"	30"	2 3⁄4"	\$234
		INOF336-2NPF	37"	36"	2 ¾"	\$237
		INOF342-2NPF	37"	42"	2 ¾"	\$242
		INOF348-2NPF	37"	48"	2 ¾"	\$243
		INOF354-2NPF	37"	54"	2 ¾"	\$245
		INOF360-2NPF	37"	60"	2 ¾"	\$250

PRODUCT CODE KEY EXAMPLE

INOF	Inscape System Frame
3	37" H
42	42" W
2NPF	2 ¾" thick frame non powered

2" deep glide cap color of black or gray (gray default)
24" H frame is equipped with hardware to attach to storage case

• 1 wire manager hanger included with frame

- Compatible with electrical launched after December 2010 only
- If powering a Basic frame, an Upper Deck power track kit is to be specified for all locations in the 2.75" thick frame

• Rectangular glides available for an upcharge of \$13 per frame

- 18" 24" W frames do not come with electrical cutouts
- 30" W frames come with 1 electrical cutout
- Top caps are to be ordered separately

			1	1	I I	
		Part number	н	w	Thickness	List price
	44" H Basic Frame	INOF418-2NPF	44"	18"	2 3⁄4"	\$246
		INOF424-2NPF	44"	24"	2 3⁄4"	\$250
		INOF430-2NPF	44"	30"	2 ¾"	\$252
		INOF436-2NPF	44"	36"	2 ¾"	\$256
		INOF442-2NPF	44"	42"	2 ¾"	\$260
		INOF448-2NPF	44"	48"	2 ¾"	\$264
1 1		INOF454-2NPF	44"	54"	2 ¾"	\$268
		INOF460-2NPF	44"	60"	2 ¾"	\$272
	51" H Basic Frame	INOF518-2NPF	51"	18"	2 3⁄4"	\$262
		INOF524-2NPF	51"	24"	2 3/4"	\$265
		INOF530-2NPF	51"	30"	2 3⁄4"	\$270
		INOF536-2NPF	51"	36"	2 ¾"	\$276
		INOF542-2NPF	51"	42"	2 ¾"	\$286
		INOF548-2NPF	51"	48"	2 ¾"	\$296
코 달		INOF554-2NPF	51"	54"	2 ¾"	\$300
		INOF560-2NPF	51"	60"	2 ¾"	\$307
	57" H Basic Frame	INOF5718-2NPF	57"	18"	2 ¾"	\$287
		INOF5724-2NPF	57"	24"	2 ¾"	\$294
		INOF5730-2NPF	57"	30"	2 ¾"	\$297
		INOF5736-2NPF	57"	36"	2 ¾"	\$308
		INOF5742-2NPF	57"	42"	2 ¾"	\$319
		INOF5748-2NPF	57"	48"	2 ¾"	\$328
		INOF5754-2NPF	57"	54"	2 ¾"	\$330
<u>z z</u>		INOF5760-2NPF	57"	60"	2 ¾"	\$342
21	64" H Basic Frame	INOF618-2NPF	64"	18"	2 ¾"	\$303
		INOF624-2NPF	64"	24"	2 ¾"	\$313
		INOF630-2NPF	64"	30"	2 ¾"	\$314
		INOF636-2NPF	64"	36"	2 ¾"	\$330
		INOF642-2NPF	64"	42"	2 ¾"	\$346
		INOF648-2NPF	64"	48"	2 ¾"	\$354
		INOF654-2NPF	64"	54"	2 ¾"	\$356
		INOF660-2NPF	64"	60"	2 ¾"	\$370
L I						

PRODUCT CODE KEY EXAMPLE

INSF048-2F

INSF	Inscape System Stack-on Frame					
0	6.75" H					
48	48" W					
2F	2 ¾" thick fram					

- Fully welded stack on kits easily installed and removed to adjust panel height.
- Load bearing only one overhead unit
- on frame higher than 64" H only.
- Stack-on frames may span multiple frames.
- *See Application Guide for spanning guidelines.

- Be sure to specify correct thickness of stack frame based on the frame it is being installed on
- May be stacked up to 91" H

		Part number	Н	W	Thickness	List price
	6.75" H Single Stack-On	INSF018-2F	6.75"	18"	2 ¾"	\$145
		INSF024-2F	6.75"	24"	2 ¾"	\$149
		INSF030-2F	6.75"	30"	2 ¾"	\$150
		INSF036-2F	6.75"	36"	2 ¾"	\$153
		INSF042-2F	6.75"	42"	2 ¾"	\$156
S.		INSF048-2F	6.75"	48"	2 ¾"	\$161
		INSF054-2F	6.75"	54"	2 ¾"	\$162
		INSF060-2F	6.75"	60"	2 ¾"	\$165
	13.5" H Single Stack-On	INSF118-2F	13.5"	18"	2 ¾"	\$151
		INSF124-2F	13.5"	24"	2 ¾"	\$153
		INSF130-2F	13.5"	30"	2 ¾"	\$154
1		INSF136-2F	13.5"	36"	2 ¾"	\$157
		INSF142-2F	13.5"	42"	2 ¾"	\$161
î		INSF148-2F	13.5"	48"	2 ¾"	\$166
2000		INSF154-2F	13.5"	54"	2 ¾"	\$169
		INSF160-2F	13.5"	60"	2 ¾"	\$170
	20.25" H Single Stack-On	INSF2018-2F	20.25"	18"	2 ¾"	\$157
		INSF2024-2F	20.25"	24"	2 ¾"	\$162
		INSF2030-2F	20.25"	30"	2 ¾"	\$164
		INSF2036-2F	20.25"	36"	2 ¾"	\$169
		INSF2042-2F	20.25"	42"	2 ¾"	\$173
		INSF2048-2F	20.25"	48"	2 ¾"	\$176
		INSF2054-2F	20.25"	54"	2 ¾"	\$177
		INSF2060-2F	20.25"	60"	2 ¾"	\$180
	27" H Single Stack-On	INSF218-2F	27"	18"	2 ¾"	\$171
		INSF224-2F	27"	24"	2 ¾"	\$179
		INSF230-2F	27"	30"	2 ¾"	\$180
		INSF236-2F	27"	36"	2 ¾"	\$184
		INSF242-2F	27"	42"	2 ¾"	\$186
		INSF248-2F	27"	48"	2 ¾"	\$191
		INSF254-2F	27"	54"	2 ¾"	\$192
		INSF260-2F	27"	60"	2 ¾"	\$193

PRODUCT CODE KEY EXAMPLE

INSTG	L24-2F

INST	Inscape System Stack-on Frame
GL	double glaze
24	24" W
2F	2 ¾" thick frame

- Clear and frosted acrylic options available
- Must only be installed in the top location
- Is not load bearing
- Stack on Double Glaze may span two frames. *See Application Guide for spanning guidelines
- 24" to 48" W kits consist of welded frames
- 54" to 96" W kits are kitted and must be

assembled onsite

NOTES

Be sure to specify correct thickness of stack frame based on the frame it is being installed on.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INSTGL24-2F in Frosted Acrylic would be \$427 +\$77

		Part number	н	w	Thickness	Clear acrylic	Frosted acrylic	Accent paint
	13.5" H Double Glaze	INSTGL24-2F	13.5"	24"	2 ¾"	\$427	+\$77	+\$45
11	Stack-On Acrylic	INSTGL30-2F	13.5"	30"	2 ¾"	\$482	+\$85	+\$50
T. T		INSTGL36-2F	13.5"	36"	2 3⁄4"	\$551	+\$95	+\$56
u		INSTGL42-2F	13.5"	42"	2 ¾"	\$597	+\$105	+\$61
		INSTGL48-2F	13.5"	48"	2 ¾"	\$661	+\$116	+\$67
		INSTGL54-2F	13.5"	54"	2 ¾"	\$725	+\$114	+\$76
		INSTGL60-2F	13.5"	60"	2 ¾"	\$798	+\$125	+\$82
		INSTGL66-2F	13.5"	66"	2 ¾"	\$848	+\$148	+\$87
		INSTGL72-2F	13.5"	72"	2 ¾"	\$874	+\$151	+\$89
		INSTGL78-2F	13.5"	78"	2 ¾"	\$901	+\$155	+\$92
		INSTGL84-2F	13.5"	84"	2 ¾"	\$925	+\$158	+\$94
		INSTGL90-2F	13.5"	90"	2 ¾"	\$953	+\$164	+\$97
		INSTGL96-2F	13.5"	96"	2 ¾"	\$979	+\$168	+\$99

PRODUCT CODE KEY EXAMPLE

ss	Segmented Screen
37	37" H
18	18" W

 Segmented screens may only be attached to the
3 $\frac{1}{2}$ " thick tapered trim frames or 1 $\frac{1}{2}$ " thick screens
(brackets specified separately)

- These screens are not freestanding
 - Screens include 2"dia glide with 1 1/2" height
 - adjustability optional gray (default) or black - • Segmented screens come fully trimmed
 - All segments are optioned as one fabric pattern only

- Segments are tackable
- Fabric is applied in a railroad orientation
- Available with round glides only

NOTES

The following fabrics are not available on segmented screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SS3718 in Grade 5 Fabric would be \$474 +\$84

					Grade 1/								
	Part number	н	w	Wt (lbs)	COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Accent paint
	SS3718	37"	18"	9	\$474	+\$28	+\$40	_	+\$84	+\$179	+\$273	_	+\$49
	SS3724	37"	24"	10	\$498	+\$29	+\$46	_	+\$89	+\$190	+\$290	_	+\$52
	SS3730	37"	30"	12	\$539	+\$36	+\$55	_	+\$109	+\$219	+\$329	_	+\$55
	SS3736	37"	36"	14	\$583	+\$46	+\$71	_	+\$128	+\$251	+\$372	_	+\$59
	SS3742	37"	42"	15	\$625	+\$54	+\$85	_	+\$150	+\$280	+\$415	_	+\$63
37" H Segmented Screen	SS3748	37"	48"	17	\$649	+\$54	+\$85	-	+\$151	+\$294	+\$424	_	+\$66
0	SS3754	37"	54"	19	\$675	+\$54	+\$85	_	+\$151	+\$307	+\$424	_	+\$68
	SS3760	37"	60"	21	\$698	+\$54	+\$84	-	+\$154	+\$320	+\$448	-	+\$71
	SS4418	44"	18"	11	\$500	+\$31	+\$47	_	+\$94	+\$197	+\$299	_	+\$52
	SS4424	44"	24"	12	\$527	+\$33	+\$52	_	+\$98	+\$206	+\$315	_	+\$54
	SS4430	44"	30"	14	\$575	+\$46	+\$68	_	+\$124	+\$245	+\$365	_	+\$59
44" H Segmented Screen	SS4436	44"	36"	15	\$621	+\$55	+\$85	_	+\$151	+\$283	+\$415	_	+\$63
	SS4442	44"	42"	17	\$671	+\$66	+\$100	_	+\$173	+\$314	+\$463	_	+\$68
	SS4448	44"	48"	19	\$697	+\$65	+\$100	_	+\$174	+\$323	+\$472	_	+\$71
	SS4454	44"	54"	21	\$725	+\$66	+\$103	_	+\$179	+\$333	+\$487	_	+\$76
	SS4460	44"	60"	23	\$751	+\$66	+\$102	—	+\$177	+\$340	+\$495	—	+\$78
	SS5118	51"	18"	12	\$557	+\$32	+\$55	_	+\$114	+\$229	+\$343	_	+\$57
	SS5124	51"	24"	13	\$580	+\$42	+\$58	_	+\$117	+\$242	+\$353	_	+\$59
	SS5130	51"	30"	15	\$636	+\$52	+\$80	_	+\$147	+\$280	+\$412	_	+\$64
	SS5136	51"	36"	18	\$693	+\$65	+\$98	_	+\$171	+\$320	+\$468	_	+\$71
	SS5142	51"	42"	20	\$750	+\$80	+\$119	_	+\$200	+\$335	+\$526	_	+\$78
	SS5148	51"	48"	22	\$781	+\$80	+\$119	—	+\$200	+\$354	+\$526	_	+\$81
5	SS5154	51"	54"	24	\$812	+\$80	+\$119	_	+\$200	+\$370	+\$526	_	+\$84
51" H Segmented Screen	SS5160	51"	60"	26	\$844	+\$81	+\$121	—	+\$206	+\$395	+\$570	—	+\$87
-	SS6418	64"	18"	12	\$655	+\$50	+\$73	_	+\$137	+\$273	+\$408	_	+\$66
Resources and and	SS6424	64"	24"	16	\$665	+\$51	+\$80	_	+\$147	+\$285	+\$422	_	+\$67
	SS6430	64"	30"	19	\$734	+\$70	+\$105	_	+\$183	+\$339	+\$495	_	+\$76
	SS6436	64"	36"	21	\$804	+\$87	+\$129	_	+\$220	+\$395	+\$569	_	+\$83
	SS6442	64"	42"	23	\$876	+\$103	+\$154	_	+\$255	+\$449	+\$642	_	+\$90
	SS6448	64"	48"	26	\$914	+\$102	+\$155	-	+\$258	+\$465	+\$661	-	+\$93
	SS6454	64"	54"	29	\$954	+\$102	+\$156	-	+\$260	+\$479	+\$677	-	+\$97
	SS6460	64"	60"	32	\$993	+\$103	+\$155	_	+\$263	+\$495	+\$694	_	+\$101

64" H Segmented Screen

PRODUCT CODE KEY EXAMPLE

SSG6424

SS	Segmented Screen								
G	Glazed								
64	64" H								
42	42" W								

- Glazed Segmented Screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
- Screens include 2"dia glide with 1 ½" height adjustability – optional gray (default) or black
- Segmented screens come fully trimmed
- Clear acrylic is included in the top 13.5" segment
- All other segments are optioned as one fabric pattern
- Fabric segments are tackable
- Fabric is applied in a railroad orientation
- Available with round glides only

NOTES

The following fabrics are not available on segmented screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SSG6424 in Grade 5 Fabric would be \$739 +\$126

	Part number	н	w	Wt (lbs)	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Accent paint
	SSG6424	64"	24"	16	\$739	+\$40	+\$59	_	+\$126	+\$269	+\$423	_	+\$77
111 m	SSG6430	64"	30"	19	\$821	+\$52	+\$81	_	+\$157	+\$325	+\$493	_	+\$85
	SSG6436	64"	36"	21	\$901	+\$66	+\$102	_	+\$186	+\$373	+\$560	_	+\$92
	SSG6442	64"	42"	23	\$980	+\$80	+\$121	_	+\$217	+\$423	+\$628	_	+\$99
	SSG6448	64"	48"	26	\$1076	+\$80	+\$121	_	+\$227	+\$450	+\$672	_	+\$110
	SSG6454	64"	54"	29	\$1170	+\$81	+\$121	_	+\$232	+\$472	+\$712	_	+\$119
	SSG6460	64"	60"	32	\$1263	+\$81	+\$121	-	+\$232	+\$489	+\$712	_	+\$128

64" H with Clear Acrylic

PRODUCT CODE KEY EXAMPLE

101231 10

MS	Monolithic Screen
37	37" H
18	18" W

- Monolithic screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
 - Screens include 2"dia glide with 1 ½" height adjustability optional gray (default) or black
 - Monolithic screens come fully trimmed
 - Fabric screens are tackable
 - Fabric is applied in a railroad orientation
 - Clear and White fluted material is polycarbonate and has naturally occurring variances in the material

Grade 1/

1

1 1

Available with round glides only

1 1

Т

NOTES

The following fabrics are not available on monolithic screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product MS3718 in Grade 5 Fabric would be \$397 +\$81

1

	Part number	н	w	Wt (lbs)	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade7	Grade 8	Clear fluted polycarbonate	White fluted polycarbonate	Accent paint
	MS3718	37"	18"	9	\$397	+\$28	+\$42	_	+\$81	+\$161	+\$242	_	_	_	+\$42
Constanting of the second	MS3724	37"	24"	10	\$428	+\$28	+\$42	_	+\$81	+\$171	+\$253	_	+\$79	+\$79	+\$45
	MS3730	37"	30"	11	\$466	+\$34	+\$54	_	+\$97	+\$195	+\$292	_	+\$54	+\$54	+\$49
	MS3736	37"	36"	13	\$505	+\$46	+\$70	_	+\$119	+\$224	+\$329	_	+\$31	+\$31	+\$52
	MS3742	37"	42"	15	\$540	+\$52	+\$82	_	+\$140			_	+\$26	+\$26	+\$55
6	MS3748	37"	48"	16	\$562	+\$53	+\$83	_	+\$141	+\$261	+\$381	_	+\$44	+\$44	+\$58
5	MS3754	37"	54"	18	\$586	+\$55	+\$83	_	+\$144	+\$269	+\$394	_	_	_	+\$60
37" H Monolithic Screen	MS3760	37"	60"	19	\$609	+\$59	+\$82	-	+\$145	+\$273	+\$402	-	-	-	+\$62
	MS4418	44"	18"	10	\$425	+\$33	+\$49	_	+\$92	+\$181	+\$268	_	_	-	+\$45
	MS4424	44"	24"	11	\$457	+\$38	+\$49	-	+\$102	+\$191	+\$280	-	+\$65	+\$65	+\$48
	MS4430	44"	30"	13	\$501	+\$44	+\$63	_	+\$117	+\$222	+\$326	_	+\$55	+\$55	+\$52
5-5	MS4436	44"	36"	15	\$547	+\$51	+\$80	-	+\$135	+\$253	+\$370	-	+\$47	+\$47	+\$56
	MS4442	44"	42"	16	\$588	+\$63	+\$96	-	+\$161	+\$290	+\$419	-	+\$47	+\$47	+\$60
	MS4448	44"	48"	18	\$613	+\$65	+\$95	—	+\$162	+\$295	+\$428	-	+\$62	+\$62	+\$62
	MS4454	44"	54"	20	\$637	+\$67	+\$94	-	+\$164	+\$302	+\$439	-	_	_	+\$65
44" H Monolithic Screen	MS4460	44"	60"	22	\$661	+\$70	+\$96	-	+\$166	+\$308	+\$451	-	_	_	+\$67
	MS5118	51"	18"	11	\$451	+\$38	+\$54	_	+\$102	+\$197	+\$292	_	-	—	+\$47
Para la constante de la consta	MS5124	51"	24"	13	\$487	+\$44	+\$56	—	+\$105	+\$206	+\$307	—	+\$91	+\$91	+\$51
	MS5130	51"	30"	15	\$536	+\$50	+\$78	_	+\$131	+\$246	+\$360	—	+\$84	+\$84	+\$55
	MS5136	51"	36"	17	\$587	+\$59	+\$93	—	+\$158	+\$287	+\$415	_	+\$79	+\$79	+\$60
	MS5142	51"	42"	19	\$635	+\$76	+\$111	_	+\$185	+\$326	+\$467	—	+\$44	+\$44	+\$64
~	MS5148	51"	48"	21	\$661	+\$77	+\$112	—	+\$189	+\$334	+\$478	_	+\$33	+\$33	+\$67
	MS5154	51"	54"	23	\$688	+\$80	+\$112	-	+\$191	+\$340	+\$490	_	-	-	+\$70
51" H Monolithic Screen	MS5160	51"	60"	25	\$713	+\$82	+\$112	-	+\$199	+\$350	+\$500	-	_	_	+\$75
	MS6418	64"	18"	11	\$476	+\$47	+\$65	-	+\$119		+\$322	_	-	-	+\$50
	MS6424	64"	24"	13	\$521	+\$55	+\$78	-	+\$137	+\$251	+\$364	-	-	_	+\$54
	MS6430	64"	30"	15	\$579	+\$48	+\$73	—	+\$131	+\$273	+\$375	—	—	_	+\$59
	MS6436	64"	36"	17	\$697	+\$31	+\$142	-	+\$228	+\$306	+\$544	-	-	_	+\$71
	MS6442	64"	42"	19	\$729	+\$62	+\$145	—	+\$230	+\$347	+\$557	-	_	_	+\$76
6	MS6448	64"	48"	21	\$761	+\$94	+\$149	-	+\$230	+\$384	+\$569	-	-	-	+\$79

64" H Monolithic Screen

PRODUCT CODE KEY EXAMPLE

MS7118

MS	Monolithic Screen
71	71" H
18	18" W


- Monolithic screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
- Screens include 2"dia glide with 1 ½" height adjustability – optional gray (default) or black
- Monolithic screens come fully trimmed
- Fabric screens are tackable
- Fabric is applied in a railroad orientation
- Clear and White fluted material is polycarbonate and has naturally occurring variances in the material
- Available with round glides only

NOTES

The following fabrics are not available on monolithic screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product MS7118 in Grade 5 Fabric would be \$561 +\$131



71"h Monolithic Screen

PRODUCT CODE KEY EXAMPLE

MAS5124

MAS	Accessory Screen
51	51" H
24	24" W

- Screens may only be attached to the 3 ½" thick tapered trim frames or 1 ½" thick screens (brackets specified separately)
- These screens are not freestanding
- Screens include 2"dia glide with 1 ½" height adjustability – optional gray (default) or black
- Accessory screens come fully trimmed
 - Horizontal accessories including slanted sorters, paper trays and storage compartments may be hung from accessory screen
 - Fabric is applied in a railroad orientation
 - Tackable
 - Available with round glides only

NOTES

The following fabrics are not available on accessory screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product MAS5124 in Grade 5 Fabric would be \$588 +\$109

	Part number	н	w	Wt (lbs)	Grade 1/ COM Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Accent paint
	MAS5124	51"	24"	13	\$588	+\$34	+\$54	_	+\$109	+\$228	+\$347	_	+\$60
San	MAS5130	51"	30"	14	\$646	+\$47	+\$71	_	+\$133	+\$267	+\$401	_	+\$65
	MAS5136	51"	36"	15	\$705	+\$56	+\$90	_	+\$160	+\$308	+\$457	_	+\$73
	MAS5142	51"	42"	15	\$762	+\$71	+\$105	_	+\$190	+\$353	+\$515	_	+\$79
	MAS5148	51"	48"	16	\$798	+\$78	+\$107	_	+\$193	+\$357	+\$520	_	+\$82
	MAS5154	51"	54"	17	\$834	+\$82	+\$109	_	+\$194	+\$370	+\$545	_	+\$86
g	MAS5160	51"	60"	18	\$868	+\$85	+\$110	—	+\$196	+\$379	+\$561	—	+\$89
H Accorcon Scroon													

51" H Accessory Screen

MAS6424	64"	24"	16	\$689	+\$48	+\$71	—	+\$134	+\$277	+\$419	—	+\$70
MAS6430	64"	30"	17	\$743	+\$61	+\$93	_	+\$168	+\$324	+\$479	_	+\$77
MAS6436	64"	36"	18	\$800	+\$78	+\$117	_	+\$199	+\$371	+\$543	_	+\$83
MAS6442	64"	42"	18	\$854	+\$91	+\$137	_	+\$232	+\$419	+\$604	-	+\$88
MAS6448	64"	48"	19	\$895	+\$95	+\$140	_	+\$237	+\$431	+\$625	_	+\$91

64" H Accessory Screen

PRODUCT CODE KEY EXAMPLE

MSF5136

MSF	Freestanding Monolithic Screen
51	51" H
36	36" W

- Screens include "L" leg for freestanding support, 3/4" height adjustability
- Accessory screens come fully trimmed
- Horizontal accessories including slanted sorters, paper trays and storage compartments may be hung from accessory screen
- Max weight load of 20lbs per side
- See specifics for whiteboard maintenance and marker requirements
- Accessory screen includes tackable surface below whiteboard
- Fabric is applied in a railroad orientation
- Available with round glides only

NOTES

The following fabrics are not available on accessory screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product MSF5136 in Grade 5 Fabric would be \$970 +\$204

Part number	н	w	Wt (lbs)	Grade 1/ COM Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Accent paint
SASF5136	51"	36"	15	\$1081	+\$32	+\$50	_	+\$135	+\$345	+\$554	_	+\$111
SASF5142	51"	42"	17	\$1125	+\$34	+\$52	-	+\$140	+\$357	+\$573	_	+\$115
SASF5148	51"	48"	19	\$1170	+\$40	+\$56	-	+\$135	+\$364	+\$583	—	+\$119



51" H Freestanding Whiteboard Accessory Screen

SASF6436	64"	36"	18	\$1160	+\$43	+\$49	—	+\$150	+\$369	+\$597	_	+\$118
SASF6442	64"	42"	20	\$1210	+\$46	+\$50	-	+\$145	+\$377	+\$609	_	+\$123
SASF6448	64"	48"	22	\$1264	+\$48	+\$52	_	+\$150	+\$387	+\$610	_	+\$128

64" H Freestanding

Whiteboard Accessory Screen

MSF5136	51"	36"	23	\$970	+\$76 +\$111	- +\$204	+\$408 +\$611	—	+\$98
MSF5142	51"	42"	25	\$997	+\$77 +\$112	- +\$208	+\$416 +\$624	-	+\$101
MSF5148	51"	48"	27	\$1023	+\$77 +\$112	— +\$210	+\$423 +\$635	—	+\$103



51" H Freestanding Tackable Screen

MSF6436	64"	36"	28	\$1057	+\$94 +\$144	_	+\$253	+\$473	+\$702	—	+\$109
MSF6442	64"	42"	31	\$1087	+\$94 +\$144	-	+\$253	+\$476	+\$704	—	+\$111
MSF6448	64"	48"	33	\$1119	+\$94 +\$144	_	+\$253	+\$482	+\$709	_	+\$114

64" H Freestanding Tackable Screen

PRODUCT CODE KEY EXAMPLE

MST3736

101010	100
MST	Table Mounted Screen
37	37" H
36	36" W

- May be installed on Inscape Worksurfaces
- Table mounted screens have height adjustment for above worksurface privacy and modesty
- May not be specified to attach to a 3 ½" thick frame connector
- Fabric is applied in railed orientation
- Table mounted screen is tackable

NOTES

The following fabrics are not available on accessory screens; U5005 Sprite Snow

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product MST3736 in Grade 7 Fabric would be \$562 +\$394

	Part number	н	w	Wt (lbs)	Grade 1/ COM Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Accent paint
~	MST3736	37"	36"	13	\$562	+\$53	+\$83	_	+\$144	+\$267	+\$394	_	+\$58
Parameter	MST3742	37"	42"	15	\$586	+\$54	+\$84	_	+\$144	+\$271	+\$398	_	+\$60
1 1	MST3748	37"	48"	16	\$609	+\$59	+\$85	-	+\$145	+\$274	+\$402	_	+\$62
	MST3754	37"	54"	18	\$630	+\$61	+\$90	_	+\$148	+\$282	+\$411	_	+\$64
	MST3760	37"	60"	19	\$652	+\$66	+\$95	—	+\$148	+\$288	+\$421	_	+\$66

37" H Adjustable Framed Table Mounted Screen Tackable

System

PRODUCT CODE KEY EXAMPLE

SWMS5118							
SWMS	Open electrified storage frame						
51	51" H						
18	18" W						

• This frame is an open 1 ½" thick structure which is to be situated between Storwal units when 1 ½" thick screens are being used to separate workstations. The open structure allows for technology to run freely through.

- 1 ½" Storage to Screen Bracket is required to be specified.
- Available with round glides only

	Part number	н	w	Thickness	Neutral paint/ base price	Accent paint
1 ½" Thick Open Electrified	SWMS5118	51"	18"	1.5"	\$340	+\$36
Storage Frame	SWMS6418	64"	18"	1.5"	\$371	+\$40
	SWMS7118	71"	18"	1.5"	\$458	+\$48

Architecture Frames and Screens Sliding Doors

System

PRODUCT CODE KEY EXAMPLE

INSD5136LH-3F

IN	Inscape System
SD	Sliding Door
51	51" H
36	36" W opening
LH	Left-handed
3F	3.5" thick frame

- Sliding doors consist of polycarbonate material which has naturally occurring variances in the material
- Sliding door includes complete door assembly (trim, polycarbonate material, two door pulls, two 2.5" adjustable casters and top/bottom connector brackets to attach to the panel – optional lock available)
- Black casters
- Locking option available at an upcharge of \$131 per door
- When locking door is specified the crossrail at the
- 37" H location must be accessible between two tiles for the locking mechanism to function
- See Application Guide for tile configuration to accommodate locking mechanism

- Be sure to specify correct sliding door configuration based on the frame it is being installed on
- Sliding doors are specific to frame thickness being installed
- Sliding doors are handed and are based on the direction the door slides to open from front view
- Specify the 36" W sliding door on panel or combination of panels 42" W or greater
- Specify the 42" W sliding door on panel or combination of panels 48" W or greater

		Part number	н	w	Clear fluted / White fluted polycarbonate	Accent paint
	51" H Sliding Door	INSD5136LH-3F	51"	49"	\$1188	+\$121
	3.5" Thick Frame	INSD5142LH-3F	51"	55"	\$1309	+\$132
		INSD5136RH-3F	51"	49"	\$1188	+\$121
E		INSD5142RH-3F	51"	55"	\$1309	+\$132



64" H Sliding Door	INSD6436LH-3F	64"	49"	\$1352	+\$136
3.5" Thick Frame	INSD6442LH-3F	64"	55"	\$1545	+\$157
	INSD6436RH-3F	64"	49"	\$1352	+\$136
	INSD6442RH-3F	64"	55"	\$1545	+\$157


	51" H Sliding Door	INSD5136LH-2F	51"	49"	\$1194	+\$121
	2.75" Thick Frame	INSD5142LH-2F	51"	55"	\$1316	+\$132
		INSD5136RH-2F	51"	49"	\$1194	+\$121
Ē		INSD5142RH-2F	51"	55"	\$1316	+\$132

I	þ

64" H Sliding Door	INSD6436LH-2F	64"	49"	\$1366	+\$137
2.75" Thick Frame	INSD6442LH-2F	64"	55"	\$1495	+\$152
	INSD6436RH-2F	64"	49"	\$1366	+\$137
	INSD6442RH-2F	64"	55"	\$1495	+\$152


Inscape System 2 ½" and 3 ½" frames may be connected in a variety of ways including on and off-module, straight inline, two-way, three-way and four-way configurations. Frames of the same height or frames of differing heights may be connected together. All top caps, end of line trim, and connectors must be specified independently from the frame. To facilitate specification, connectors are available in same height kits which include all connector brackets, plugs, plates, trim clips and finished trim. 90° and 120° connections are achievable with both thickness of panel. When creating frames of varying heights, kits need to be built up. A combination of same height "L", "T" or "X" connections along with Stack-on Connectors and vertical trim will create a finished connection. Begin by connecting all common heights and working up.

A handful of universal connectors create all Inscape System panel configurations for the 2 $\frac{3}{4}$ " and 3 $\frac{1}{2}$ " frames. The 1 $\frac{1}{2}$ " screen has its own set of connectors which are specific for this thinner screen. A $\frac{3}{6}$ " Allen Key is all that is required to fasten connector bolts. Trim is constructed of aluminum.



INLINE CONNECTORS

Inline connectors are specified to join two frames together which are in alignment. These connectors are specified based on the height of the panels.




OFF MODULE CONNECTIONS

Off module connections are specific for frame thickness as well as location where the panel will be mounted to the spine. The off-module panel may be positioned at the end of the panel or in the middle of the panel, with the corresponding bracket. Cannot be used with monolithic tiles on spine. See Inscape System Application Guide.

CONNECTION KITS

Connection kits come in a variety of heights and configurations, within 90° and 120° connections and are based on the panel orientation. Within the connection kit, finished trim, panel connector bracket and short bolts are included depending on the configuration specified. Connector kits are panel thickness specific due to the thickness of the finished trim. The brackets and bolts within are part of the universal kit of parts and may be used for either thickness of panel. Special connectors have been structured to connect 3 1/2" and 2 3/4" in the same height connections. These are also kitted and include connecting brackets and flat trim profile only. When specifying connections on module and of varying height (when only one thickness of panel is specified) the connection will need to be "built". This can be done by specifying the lowest same height connection and building stack trims to complete the top connection portion. There are a few pre-built connector kits for varying height configurations. Connector kits for Stack-on frames allow for construction of multi height connections.



WALL CONNECTORS

Wall connectors are specified based on the height of the panel attaching to the wall. All hardware is included in order to attach the panel to the wall. This connector is not visible, and sets frame off wall slightly.

END TRIM

End trim is kit structured to include all brackets, bolts and finished trim; Tapered or Flat. Trim profiles are available in two profile options for the 3 ½" thick frame; Tapered and Flat, and Flat for the 2 ¾" thick frames. When connecting these two thicknesses of frame at a connection, only the Flat trim profile may be specified. Vertical trim heights are available to match all frame heights as well as in four modular heights of 6.75", 13.5", 20.25" and 27". Trim is manufactured from aluminum and always aligns straight and true when frames are connected. All painted aluminum vertical trim and top trim are easily removed to facilitate lay in of cables. Veneer trim is also available for heights of 37", 51" and 64" heights.

HI-LO TRIM

Hi-Lo trim is designed to be situated at the end of line condition of a higher frame, where the top cap of a lower height frame meets the vertical trim. The profile of the top cap has been scribed from the Hi-Lo trim.

STACK-ON END TRIM

Stack-on end trim is used when a higher frame requires vertical end trim at a connection. Hi-Lo trim may be used in this application for Flat profile trim because there is no 'scribing' that is required for this profile.


TOP CAPS

Top caps are specified separately. Top caps include clips to mount on a frame or combination of two frames as outlined in the Inscape System Application Guide. Painted aluminum and veneer profile is available for both thickness of frame. Painted aluminum tapered is available for 3 ½" thick frame. When spanning two frames when 60" or less in width, two additional Jesters are required to be specified.

1.5" THICK SCREEN CONNECTORS

1 ½" Thick screen connectors allow for two-way ("L"), three-way ("T"), and four way ("X") connections. Each condition, excluding the inline, includes a 1 ½" square extruded aluminum connector post and the required number of post connector clips. The inline condition only requires inline connector clips which mount directly into the frames of the adjoining screens to complete the connection. The connector post may be finished in any of the standard Inscape System paint finishes.

Post connector clips are a standard black finish. Universal 1 ½" connector kits include all required connector hardware and trim necessary to make 'L', 'T' and X' connections. Specify one height specific universal connector kit to accommodate any of the three corner conditions. Inline connector kits come complete with the required amount of connector clips.



CREDENZA STORAGE BENCHING COMPLIMENT END TRIM

Credenza storage benching compliment end trim is specified where the low height panel is situated between two Credenza Storage cases and end trim is to be specified. This trim is available with cutout or without depending if a power feed needs to enter at that location. The trim can be painted the same color as the cases. Two end trim types have been designed; one to correspond with a lateral top and one for a cushion top. These are specific to the situation in which they are being installed. This is used for 3 ½" thick application only. See Inscape System Application Guide.

- Connectors and trim are specified independently of frames
- All mounting hardware and finish trim is included for corresponding frame thickness
- Composite veneer is available in specific sizes only and is not available on the tapered trim profile

TOP CAP

- Top caps may span two frames. See Inscape System Application Guide for details
- Top caps up to 60"W requires two additional Jesters to be specified if spanning multiple frames (ie a 60"W top trim installed on 2-30" frames)

END TRIM

 Stack-On End Trim is used when stack frames are specified and full height trim is not specified (whenever possible order full height trims when adding a stack on frame)

- Hi-Lo End trim is used where two frames in alignment are of different heights. The Hi-Lo End trim mounts to the side of the higher panel to finish it off
- Flat Hi-Lo End Trim may also be used in a stack on solution. The flat bottom profile allows for this trim to be used in multiple conditions

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INTC18-3F Tapered in Veneer would be \$40 +\$156

		Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
	Тор Сар	INTC18-3F	_	3 1⁄2"	\$40	\$40	+\$156	+\$7
6 1		INTC24-3F	-	3 1⁄2"	\$47	\$47	+\$183	+\$8
		INTC30-3F	-	3 1⁄2"	\$55	\$55	+\$201	+\$8
		INTC36-3F	-	3 ½"	\$60	\$60	+\$229	+\$9
		INTC42-3F	-	3 1⁄2"	\$65	\$65	+\$254	+\$9
		INTC48-3F	-	3 1⁄2"	\$67	\$67	+\$281	+\$10
		INTC54-3F	-	3 1/2"	\$84	\$84	-	+\$11
		INTC60-3F	-	3 1⁄2"	\$89	\$89	-	+\$12
		INTC66-3F	_	3 1⁄2"	_	\$103	-	+\$13
		INTC72-3F	-	3 1⁄2"	-	\$109	-	+\$13
		INTC78-3F	-	3 ½"	-	\$116	_	+\$14
		INTC84-3F	-	3 ½"	-	\$126	-	+\$15
		INTC90-3F	-	3 ½"	-	\$130	_	+\$15
		INTC96-3F	_	3 1⁄2"	_	\$133	_	+\$16
	End-of-Line Trim	INET24-3F	24"	3 1⁄2"	\$31	\$31	_	+\$6
		INET29-3F	29"	3 1⁄2"	\$42	\$42	—	+\$7
		INET37-3F	37"	3 1⁄2"	\$50	\$50	+\$175	+\$8
8		INET44-3F	44"	3 1⁄2"	\$55	\$55	-	+\$8
		INET51-3F	51"	3 1⁄2"	\$62	\$62	+\$228	+\$9
		INET57-3F	57"	3 1⁄2"	\$73	\$73	-	+\$10
		INET64-3F	64"	3 1⁄2"	\$81	\$81	+\$269	+\$11
		INET71-3F	71"	3 1⁄2"	\$92	\$92	-	+\$12
		INET78-3F	78"	3 1⁄2"	\$101	\$101	-	+\$13
		INET91-3F	91"	3 1⁄2"	\$124	\$124	—	+\$8 +\$9 +\$9 +\$10 +\$11 +\$12 +\$13 +\$13 +\$14 +\$15 +\$15 +\$16 +\$16 +\$7 +\$8 +\$8 +\$8 +\$9 +\$10 +\$11 +\$11 +\$12
	Hi-Lo End Trim	INETHL6.75-3F	6.75"	3 1⁄2"	\$25	\$25	_	+\$6
		INETHL13.5-3F	13.5"	3 1⁄2"	\$39	\$39	+\$93	+\$7
		INETHL20.25-3F	20.25"	3 1⁄2"	\$47	\$47	-	+\$8
		INETHL27-3F	27"	3 1⁄2"	\$73	\$73	+\$123	+\$10
	Stack-On Trim	INET6.75-3F	6.75"	3 1⁄2"	\$23	\$23	_	+\$5
		INET13.5-3F	13.5"	3 ½"	\$36	\$36	+\$95	
		INET20.25-3F	20.25"	3 ½"	\$43	\$43	_	
		INET27-3F	27"	3 ½"	\$67	\$67	+\$127	

- Inline connectors are required to be specified when frames are connected inline
- Off-module bracket "MP" when an off-module frame is to be mounted in the middle of the frame (frame thickness specific)
- Off-module bracket "EP" when an off-module frame is be mounted at either end of the frame. See application guide
- For back to back off-module applications at either end of a panel, 2x "EP" off-module bracket codes are required
- Two sided off-module brackets are specified when frames are of- module on both sides of the "spine" frame
- Off-module bracket suffix (3F) is based on the frame thickness
- Off-module brackets cannot be used where monolithic tiles are present on spine. The lower bracket requires segmentation in tiles to attach to crossrail
- Specify wall start connector based on the height of the frame (64" to be cut on site when used with 57" high frame)

		Part number	н	List price
(@ @)	Inline Connector Kit	INLINE-1	All Stack on Frame"	\$0
		INLINE-2 INLINE-3	24"h - 51"h Frame" 57"h - 64"h Frame"	\$0 \$0
(==cd		INLINE-4	71"h - 91"h Frame"	\$0
A.	Off-Module Bracket	INCPOFM-MP-3F	-	\$86
EF Sen		INCPOFM-EP	-	\$86



	INCPOFMX-3F	-	\$123
sided application			

	Wall Start Connector	INCPW2	24 & 29"	\$192
		INCPW3	37"	\$199
		INCPW4	44"	\$222
		INCPW5	51"	\$243
t II		INCPW6	57 & 64"	\$262
		INCPW71	71"	\$266
		INCPW7	78"	\$266
		INCPW9	91"	\$270

- Connector kits include connector brackets, bolts, nuts and finished trim to create connection
- Composite veneer is available in specific sizes only and is not available on the tapered trim profile
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multi-height connections

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INCPL3300-3F in Veneer would be \$93 +\$418

	-							
		Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
-15-	Full Height Straight Filler	INCPSLW-3F	24"	3 1/2"	\$82	\$82	_	+\$11
		INCPS2020-3F	29"	3 ½"	\$98	\$98	-	+\$12
		INCPS3030-3F	37"	3 ½"	\$105	\$105	-	+\$13
-		INCPS4040-3F	44"	3 ½"	\$125	\$125	-	+\$15
-		INCPS5050-3F	51"	3 1⁄2"	\$132	\$132	-	+\$16
-		INCPS57-5050-3F	57"	3 ½"	\$154	\$154	-	+\$18
		INCPS6060-3F	64"	3 1⁄2"	\$182	\$182	_	+\$20
		INCPS71-7070-3F	71"	3 1⁄2"	\$217	\$217	-	+\$23
		INCPS7070-3F	78"	3 1⁄2"	\$226	\$226	-	+\$24
		INCPS9090-3F	91"	3 1⁄2"	\$270	\$270	—	+\$28
	Full Height "L" Connector	INCPLLW-3F	24"	3 1⁄2"	\$66	\$66	_	+\$10
		INCPL2200-3F	29"	3 ½"	\$86	\$86	-	+\$11
		INCPL3300-3F	37"	3 ½"	\$93	\$93	+\$418	+\$12
		INCPL4400-3F	44"	3 ½"	\$99	\$99	-	+\$13
		INCPL5500-3F	51"	3 ½"	\$110	\$110	+\$456	+\$13
		INCPL57-5500-3F	57"	3 ½"	\$121	\$121	-	+\$15
		INCPL6600-3F	64"	3 ½"	\$142	\$142	+\$617	+\$17
		INCPL71-7700-3F	71"	3 ½"	\$157	\$157	-	+\$18
		INCPL7700-3F	78"	3 ½"	\$166	\$166	-	+\$19
		INCPL9900-3F	91"	3 ½"	\$199	\$199	—	+\$22
	Full Height "T" Connector	INCPTLW-3F	24"	3 ½"	\$86	\$86	_	+\$11
		INCPT2220-3F	29"	3 ½"	\$127	\$127	-	+\$15
		INCPT3330-3F	37"	3 ½"	\$136	\$136	+\$259	+\$16
		INCPT4440-3F	44"	3 1⁄2"	\$147	\$147	-	+\$17
1		INCPT5550-3F	51"	3 ½"	\$152	\$152	+\$313	+\$17
		INCPT57-5550-3F	57"	3 1⁄2"	\$182	\$182	-	+\$20
		INCPT6660-3F	64"	3 ½"	\$201	\$201	+\$381	+\$22
		INCPT71-7770-3F	71"	3 ½"	\$229	\$229	-	+\$25
		INCPT7770-3F	78"	3 ½"	\$245	\$245	-	+\$26
		INCPT9990-3F	91"	3 ½"	\$282	\$282	_	+\$30
\gg	"X" Connector	INCPXLW-3F	24"	3 ½"	\$121	\$121	—	+\$15
		INCPX2222-3F	29"	3 1⁄2"	\$164	\$164	-	+\$19
		INCPX3333-3F	37"	3 ½"	\$176	\$176	+\$26	+\$20
\frown		INCPX4444-3F	44"	3 1⁄2"	\$183	\$183	-	+\$20
\frown		INCPX5555-3F	51"	3 ½"	\$188	\$188	+\$28	+\$21
		INCPX57-5555-3F	57"	3 1⁄2"	\$202	\$202	_	+\$22
		INCPX6666-3F	64"	3 ½"	\$217	\$217	+\$30	+\$23
		INCPX71-7777-3F	71"	3 1⁄2"	\$231	\$231	—	+\$25
		INCPX7777-3F	78"	3 ½"	\$238	\$238	-	+\$25
		INCPX9999-3F	91"	3 1⁄2"	\$266	\$266	-	+\$28

- Available in heights matching incremental change of frame heights; 6.75", 13.5", 20.25" and 27" H
- Veneer is available in specific sizes only and is not available on the tapered trim profile
- Specify based on configuration requirement
- May be used in conjunction with same height kits and end trim to create multi height configurations

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INCPT13.5-3F in Veneer would be \$42 +\$243

		Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
-	Straight Filler Connection	INCPS6.75-3F	6.75"	3 ½"	\$29	\$29	_	+\$6
		INCPS13.5-3F	13.5"	3 ½"	\$52	\$52	-	+\$8
5500		INCPS20.25-3F	20.25"	3 1⁄2"	\$84	\$84	-	+\$11
		INCPS27-3F	27"	3 1⁄2"	\$94	\$94	_	+\$12
	"L" Connection	INCPL6.75-3F	6.75"	3 ½"	\$26	\$26	-	+\$6
		INCPL13.5-3F	13.5"	3 ½"	\$42	\$42	+\$290	+\$7
		INCPL20.25-3F	20.25"	3 ½"	\$64	\$64	_	+\$9
		INCPL27-3F	27"	3 1⁄2"	\$84	\$84	+\$370	+\$11
	"T" Connection	INCPT6.75-3F	6.75"	3 1⁄2"	\$26	\$26	-	+\$6
		INCPT13.5-3F	13.5"	3 ½"	\$42	\$42	+\$243	+\$7
		INCPT20.25-3F	20.25"	3 ½"	\$65	\$65	_	+\$9
		INCPT27-3F	27"	3 1⁄2"	\$84	\$84	+\$281	+\$11
	"X" Connection	INCPX6.75-3F	6.75"	3 1/2"	\$18	\$18		+\$5
>		INCPX0.75-3F	0.75 13.5"	3 ½ 3 ½	\$18	\$18 \$23	_	+\$5
		INCPX13.5-3F	20.25"	3 ½ 3 ½	\$23 \$26	\$23 \$26	_	+\$5 +\$6
		INCPX20.25-3F	20.25	3 ½ 3 ½	\$20 \$29	\$20 \$29	_	
		INCFA21-3F	21	3 1/2	\$ 2 3	⊅ ∠9	_	+\$6


• These configurations facilitate specification of connector kits for various multi-height panel configurations which cannot be created by stacking trim kits

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

• Configurations include all hardware and finished trim to create the configuration

	Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
Multi Height "T"	INCPT6560-3F	64 - 51 - 64"	3 1⁄2"	\$201	\$201	_	+\$22
Connections	INCPT6460-3F	64 - 44 - 64"	3 1⁄2"	\$206	\$206	-	+\$23
	INCPT6360-3F	64 - 37 - 64"	3 ½"	\$212	\$212	_	+\$23
	INCPT5450-3F	51 - 44 - 51"	3 1⁄2"	\$194	\$194	-	+\$21
	INCPT5350-3F	51 - 37 - 51"	3 1⁄2"	\$183	\$183	-	+\$20
	INCPT4340-3F	44 - 37 - 44"	3 1⁄2"	\$150	\$150	-	+\$17
	INCPT6350-3F	64 - 37 - 51"	3 ½"	\$194	\$194	_	+\$21
Multi Height "X" Connections	INCPX6563-3F	64 - 51 - 64 - 37"	3 ½"	\$238	\$238	_	+\$25



Connector kits include connector brackets, bolts,

NOTES

nuts and finished trim to create connectionSpecify code based on height of frames within connection Be sure to specify correct thickness of connector kit based on the frame thickness

		Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
11	Full Height "V" Connection	INCPV220-3F	29"	3 1⁄2"	\$156	\$156	-	+\$18
		INCPV330-3F	37"	3 ½"	\$164	\$164	_	+\$19
		INCPV440-3F	44"	3 ½"	\$174	\$174	_	+\$19
		INCPV550-3F	51"	3 ½"	\$183	\$183	_	+\$20
		INCPV57-550-3F	57"	3 ½"	\$194	\$194	_	+\$21
		INCPV660-3F	64"	3 ½"	\$212	\$212	-	+\$23
U	Full Height "Y" Connection	INCPY222-3F	29"	3 1⁄2"	\$294	\$294	_	+\$31
		INCPY333-3F	37"	3 1⁄2"	\$303	\$303	-	+\$31
		INCPY444-3F	44"	3 1⁄2"	\$317	\$317	_	+\$33
		INCPY555-3F	51"	3 1⁄2"	\$340	\$340	_	+\$36
		INCPY57-555-3F	57"	3 1⁄2"	\$410	\$410	_	+\$43
-68-		INCPY666-3F	64"	3 ½"	\$473	\$473	_	+\$49
/]]	Stack-On "V" Connection	INCPV6.75-3F	6.75"	3 ½"	\$164	\$164	_	+\$19
·		INCPV13.5-3F	13.5"	3 1⁄2"	\$174	\$174	_	+\$19
		INCPV20.25-3F	20.25"	3 ½"	\$183	\$183	-	+\$20
		INCPV27-3F	27"	3 1⁄2"	\$194	\$194	_	+\$21
	Stack-On "Y" Connection	INCPY6.75-3F	6.75"	3 ½"	\$16	\$16	_	+\$5
1		INCPY13.5-3F	13.5"	3 ½"	\$23	\$23	_	+\$5
		INCPY20.25-3F	20.25"	3 ½"	\$26	\$26	_	+\$6
		INCPY27-3F	27"	3 1⁄2"	\$29	\$29	-	+\$6
/ High frame	120° Stack-On End Trim,	INST6.75Y-3F	6.75"	3 ½"	\$164	\$164	_	+\$19
Ц	Multi Height	INST13.5Y-3F	13.5"	3 ½"	\$174	\$174	_	+\$19
		INST20.25Y-3F	20.25"	3 1⁄2"	\$183	\$183	_	+\$20
Towerframe		INST27Y-3F	27"	3 1⁄2"	\$194	\$194	_	+\$21

- Connectors and trim are specified independently of frames
- All mounting hardware and finish trim is included for corresponding frame thickness
- Composite veneer is available in specific sizes only and is not available on the tapered trim profile
- 2 ¾" thickness is not available in the tapered profile

TOP CAP

- Top caps may span two frames. See Inscape System Application Guide for details
- Top caps up to 60"w requires two additional Jesters to be specified if spanning multiple frames (ie a 60"W top trim installed on 2-30" frames).

END TRIM

- Hi-Lo End trim is used where two frames in alignment are of different heights. The Hi-Lo End trim mounts to the side of the higher panel to finish it off
- Flat Hi-Lo End Trim may also be used in a stack on solution. The flat bottom profile allows for this trim to be used in multiple conditions

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INTC18-2F in Veneer would be \$40 +\$144

	Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
Тор Сар	INTC18-2F	_	2 3⁄4"		\$40	+\$144	+\$7
	INTC24-2F	_	2 3⁄4"	_	\$47	+\$164	+\$8
	INTC30-2F	_	2 3⁄4"	_	\$55	+\$182	+\$8
	INTC36-2F	_	2 3⁄4"	_	\$60	+\$201	+\$9
	INTC42-2F	_	2 3⁄4"	_	\$65	+\$224	+\$9
	INTC48-2F	-	2 ¾"	_	\$67	+\$246	+\$10
	INTC54-2F	_	2 ¾"	_	\$84	_	+\$11
	INTC60-2F	-	2 ¾"	_	\$89	_	+\$12
	INTC66-2F	_	2 ¾"	_	\$103	_	+\$13
	INTC72-2F	_	2 ¾"	_	\$109	-	+\$13
	INTC78-2F	-	2 ¾"	_	\$116	-	+\$14
	INTC84-2F	-	2 ¾"	_	\$126	_	+\$15
	INTC90-2F	-	2 ¾"	_	\$130	_	+\$15
	INTC96-2F	_	2 ¾"	-	\$133	_	+\$16
End-of-Line Trim	INET24-2F	24"	2 3⁄4"	_	\$31	_	+\$6
	INET29-2F	29"	2 ¾"	_	\$42	_	+\$7
	INET37-2F	37"	2 ¾"	-	\$50	+\$163	+\$8
	INET44-2F	44"	2 ¾"	_	\$55	_	+\$8
	INET51-2F	51"	2 ¾"	_	\$62	+\$213	+\$9
	INET57-2F	57"	2 ¾"	_	\$73	—	+\$10
	INET64-2F	64"	2 ¾"	_	\$81	+\$259	+\$11
	INET71-2F	71"	2 ¾"	-	\$92	-	+\$12
	INET78-2F	78"	2 ¾"	-	\$101	-	+\$13
	INET91-2F	91"	2 ¾"	—	\$124	—	+\$15
Hi-Lo End Trim	INETHL6.75-2F	6.75"	2 3⁄4"	_	\$25	_	+\$6
	INETHL13.5-2F	13.5"	2 ¾"	-	\$39	+\$83	+\$7
	INETHL20.25-2F	20.25"	2 ¾"	_	\$47	-	+\$8
	INETHL27-2F	27"	2 ¾"	_	\$73	+\$112	+\$10

- Inline connectors are required to be specified when frames are connected inline
- Off-module bracket "MP" when an off-module frame is to be mounted in the middle of the frame thickness specific)
- Off-module bracket "EP" when an off-module frame is be mounted at either end of the frame. See application guide
- For back to back off-module applications at either end of a panel, 2x "EP" off-module bracket codes are required

- Two sided off-module brackets are specified when frames are of- module on both sides of the "spine" frame
- Off-module bracket suffix (2F) is based on the frame thickness
- Off-module brackets cannot be used where monolithic tiles are present on spine. The lower bracket requires segmentation in tiles to attach to crossrail
- Specify wall start connector based on the height of the frame (64" to be cut on site when used with 57" H frame)

		Part number	н	List price
	Inline Connector Kit	INLINE-1	All Stack on Frame"	\$0
(@ []] (@)		INLINE-2	24"h - 51"h Frame"	\$0
1		INLINE-3	57"h - 64"h Frame"	\$0
D=CC1		INLINE-4	71"h - 91"h Frame"	\$0
1	Off-Module Bracket	INCPOFM-MP-2F	_	\$87
		INCPOFM-EP	_	\$86
	Off-Module Bracket for two sided application	INCPOFMX-2F	-	\$123
	Wall Start Connector	INCPW2	24 & 29"	\$192
		INCPW3	37"	\$199
		INCPW4	44"	\$222
F		INCPW5	51"	\$243
t		INCPW6	57 & 64"	\$262
		INCPW71	71"	\$266
w ~~		INCPW7	78"	\$266
		INCPW9	91"	\$270

- Configurations include all hardware and finished trim to create the configuration
- Composite veneer is available in specific sizes only
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multiheight connections

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INCPL3300-2F in Veneer would be \$134 +\$363

		Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
-35-	Full Height Straight Filler	INCPSLW-2F	24"	2 ¾"	_	\$82	_	+\$11
	Connector	INCPS2020-2F	29"	2 ¾"	-	\$98	_	+\$12
		INCPS3030-2F	37"	2 ¾"	-	\$105	_	+\$13
		INCPS4040-2F	44"	2 ¾"	_	\$125	_	+\$15
-		INCPS5050-2F	51"	2 ¾"	-	\$132	-	+\$16
-		INCPS57-5050-2F	57"	2 ¾"	-	\$154	_	+\$18
		INCPS6060-2F	64"	2 ¾"	_	\$182	_	+\$20
	Full Height "L" Connector	INCPLLW-2F	24"	2 3⁄4"	_	\$119	_	+\$14
		INCPL2200-2F	29"	2 ¾"	-	\$124	-	+\$15
. 11		INCPL3300-2F	37"	2 ¾"	_	\$134	+\$363	+\$16
AF.		INCPL4400-2F	44"	2 ¾"	-	\$145	_	+\$17
		INCPL5500-2F	51"	2 ¾"	-	\$152	+\$398	+\$17
		INCPL57-5500-2F	57"	2 ¾"	-	\$224	-	+\$24
9-1-43		INCPL6600-2F	64"	2 ¾"	-	\$232	+\$508	+\$25
	Full Height "T" Connector	INCPTLW-2F	24"	2 ¾"	_	\$86	_	+\$11
		INCPT2220-2F	29"	2 ¾"	-	\$127	-	+\$15
		INCPT3330-2F	37"	2 ¾"	-	\$136	+\$253	+\$16
		INCPT4440-2F	44"	2 ¾"	-	\$147	_	+\$17
-		INCPT5550-2F	51"	2 ¾"	-	\$152	+\$304	+\$17
		INCPT57-5550-2F	57"	2 ¾"	-	\$182	_	+\$20
~		INCPT6660-2F	64"	2 ¾"	—	\$201	+\$368	+\$22
\gg	"X" Connector	INCPXLW-2F	24"	2 3⁄4"	_	\$121	_	+\$15
		INCPX2222-2F	29"	2 ¾"	-	\$164	_	+\$19
		INCPX3333-2F	37"	2 ¾"	_	\$176	+\$19	+\$20
-		INCPX4444-2F	44"	2 ¾"	-	\$183	-	+\$20
\rightarrow		INCPX5555-2F	51"	2 ¾"	-	\$188	+\$19	+\$21
		INCPX57-5555-2F	57"	2 ¾"	-	\$202	_	+\$22
		INCPX6666-2F	64"	2 ¾"	-	\$217	+\$34	+\$23

- Available in heights matching incremental change of frame heights; 6.75", 13.5", 20.25" and 27" H
- Composite veneer is available in specific sizes only
- Specify based on configuration requirement
- May be used in conjunction with same height kits and end trim to create multi height configurations

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INCPL13.5-2F in Veneer would be \$62 +\$282

		Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
	Straight Filler Connection	INCPS6.75-2F	6.75"	2 3⁄4"	_	\$29	_	+\$6
		INCPS13.5-2F	13.5"	2 3/4"	_	\$52	_	+\$8
55		INCPS20.25-2F	20.25"	2 3⁄4"	_	\$84	_	+\$11
		INCPS27-2F	27"	2 3⁄4"	-	\$94	-	+\$12
\geq	"L" Connection	INCPL6.75-2F	6.75"	2 ¾"	-	\$36	-	+\$7
TIT		INCPL13.5-2F	13.5"	2 ¾"	-	\$62	+\$282	+\$9
		INCPL20.25-2F	20.25"	2 ¾"	-	\$91	_	+\$12
		INCPL27-2F	27"	2 ¾"	_	\$119	+\$347	+\$14
\sim	"T" Connection	INCPT6.75-2F	6.75"	2 3⁄4"	_	\$26	—	+\$6
		INCPT13.5-2F	13.5"	2 ¾"	-	\$42	+\$240	+\$7
		INCPT20.25-2F	20.25"	2 ¾"	_	\$65	-	+\$9
		INCPT27-2F	27"	2 ¾"	_	\$84	+\$274	+\$11
	"X" Connection	INCPX6.75-2F	6.75"	2 ¾"	_	\$18		+\$5
>		INCPX0.75-2F	13.5"	2 % 2 %	_	\$23	_	+\$5
		INCPX13.5-2F	20.25"	2 ³ / ₄	_	\$25 \$26	_	+\$5
		INCPX20.25-2F	20.23	2 % 2 %	_	\$20 \$29	_	+\$0
		1110F AZ /-21	21	∠ 74		ΨΖϑ		τψΟ

• These configurations facilitate specification of connector kits for various multi-height panel configurations which cannot be created by stacking trim kits

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

• Configurations include all hardware and finished trim to create the configuration

		Part number	н	Thickness	Tapered	Flat	Veneer	Accent paint
	Multi Height "T"	INCPT6560-2F	64, 51, 64"	2 ¾"	_	\$201	_	+\$22
	connections	INCPT6460-2F	64, 44, 64"	2 ¾"	-	\$206	-	+\$23
		INCPT6360-2F	64, 37, 64"	2 ¾"	-	\$212	-	+\$23
		INCPT5450-2F	51, 44, 51"	2 ¾"	—	\$194	-	+\$21
		INCPT5350-2F	51, 37, 51"	2 ¾"	-	\$183	-	+\$20
		INCPT4340-2F	44, 37, 44"	2 ¾"	-	\$150	-	+\$17
		INCPT6350-2F	63, 37, 51"	2 ¾"	—	\$194	—	+\$21
	Multi Height "X" connections	INCPX6563-2F	64, 51, 64, 37"	2 ¾"	-	\$238	_	+\$25

Connector kits include connector brackets, bolts, nuts and finished trim to create connection
Specify code based on height of frames within connection

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

			I	1	I	1
		Part number	н	Thickness	Flat/ base price	Accent paint
11	Full Height "V" Connector	INCPV220-2F	29"	2 ¾"	\$156	+\$18
		INCPV330-2F	37"	2 3⁄4"	\$164	+\$19
		INCPV440-2F	44"	2 3⁄4"	\$174	+\$19
		INCPV550-2F	51"	2 ¾"	\$183	+\$20
ales (INCPV57-550-2F	57"	2 3⁄4"	\$194	+\$21
		INCPV660-2F	64"	2 ¾"	\$212	+\$23
U	Full Height "Y" Connector	INCPY222-2F	29"	2 ¾"	\$294	+\$31
		INCPY333-2F	37"	2 ¾"	\$303	+\$31
		INCPY444-2F	44"	2 3⁄4"	\$317	+\$33
		INCPY555-2F	51"	2 3⁄4"	\$340	+\$36
		INCPV57-555-2F	57"	2 3⁄4"	\$410	+\$43
<u>a</u> a		INCPY666-2F	64"	2 ¾"	\$473	+\$49
/]	Stack-On "V" Connector	INCPV6.75-2F	6.75"	2 ¾"	\$166	+\$19
1-9		INCPV13.5-2F	13.5"	2 ¾"	\$175	+\$20
		INCPV20.25-2F	20.25"	2 ¾"	\$183	+\$20
		INCPV27-2F	27"	2 ¾"	\$194	+\$21
		INCPV10-2F	10.125"	2 3⁄4"	\$171	+\$19
(1)	Stack-On "Y" Connector	INCPY6.75-2F	6.75"	2 ¾"	\$18	+\$5
		INCPY13.5-2F	13.5"	2 ¾"	\$23	+\$5
		INCPY20.25-2F	20.25"	2 ¾"	\$26	+\$6
		INCPY27-2F	27"	2 ¾"	\$29	+\$6
\smile		INCPY10-2F	10.125"	2 ¾"	\$20	+\$5
	120° Stack-On End Trim,				•	.
H / High frame	Multi Height	INST6.75Y-2F	6.75"	2 ¾"	\$166	+\$19
		INST13.5Y-2F	13.5"	2 3/4"	\$175	+\$20
		INST20.25Y-2F	20.25"	2 ¾"	\$183	+\$20
Lower Frame		INST27Y-2F	27"	2 3/4"	\$194	+\$21
		INST10Y-2F	10.125"	2 ¾"	\$171	+\$19

- Inline Connectors differ from those of the Inscape System panel
- Universal connectors are self finished and solve all L, T and X connections
- Specify universal connector code based on height of the frames within connection

		Part number	н	Neutral paint/ base price	Accent paint
	Inline Connectors	FSSC	31⁄44/51"	\$26	_
		FSSC64	64"	\$38	-
	Universal Connectors	FSUC37	37"	\$112	+\$14
\sim		FSUC44	44"	\$120	+\$14
		FSUC51	51"	\$126	+\$15
TH I		FSUC64	64"	\$171	+\$19
4	Wall Connectors	CFW	_	\$44	_

- Configurations include all hardware and finished trim to create the configuration
- Two sided off-module brackets are specified when frames are off module on both sides of the "spine" panel
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multiheight connections
- 1.5" screen connectors are available for tapered trim only
- (3F) suffix is based on the spine panel thickness

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

	Part number	н	Wt (lbs)	Neutral paint/ base price	Accent paint
Off-Module (1side)	INFSPOMC-3F	_	2	\$95	_
Off-Module (2side)	INFSPOMBC-3F	_	2	\$144	_
screens must be off module at same locations on spine back to back					
"L" Connector	INFSPLC37LH-3F	37"	2	\$128	+\$15
1 ½" left side	INFSPLC44LH-3F	44"	2	\$137	+\$16
	INFSPLC51LH-3F	51"	2	\$140	+\$16
	INFSPLC64LH-3F	64"	2	\$177	+\$20
"L" Connector	INFSPLC37RH-3F	37"	2	\$128	+\$15
1 1/2" right side	INFSPLC44RH-3F	44"	2	\$137	+\$16
	INFSPLC51RH-3F	51"	2	\$140	+\$16
	INFSPLC64RH-3F	64"	2	\$177	+\$20

System

- Configurations include all hardware and finished trim to create the configuration
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multi-height connections
- 1.5" screen connectors are available for tapered trim only.
- (3F) suffix is based on the spine panel thickness.

NOTES

Be sure to specify correct thickness of connector kit based on the frame thickness

		I	1	1		1
		Part number	н	Wt (lbs)	Neutral paint/ base price	Accent paint
	"T" Connector	INFPSTC37-3F	37"	2	\$161	+\$18
	1x3 ½" Frame	INFPSTC44-3F	44"	2	\$166	+\$19
		INFPSTC51-3F	51"	2	\$184	+\$20
		INFPSTC64-3F	64"	2	\$206	+\$23
	"X" Connection	INFPSXC37-3F	37"	2	\$102	+\$13
	2x1 ½" Screens, 2x3 ½"	INFPSXC44-3F	44"	2	\$105	+\$13
1	Frames	INFPSXC51-3F	51"	2	\$109	+\$13
HI.		INFPSXC64-3F	64"	2	\$112	+\$14
	"T" Multi Height Connector	INFPSTC6560-3F	64 - 51 - 64"	2	\$220	+\$24
	1x1 ½" Frame	INFPSTC6460-3F	64 - 44 - 64"	2	\$263	+\$28
		INFPSTC6360-3F	64 - 37 - 64"	2	\$255	+\$27
		INFPSTC5450-3F	51 - 44 - 51"	2	\$203	+\$22
		INFPSTC5350-3F	51 - 37 - 51"	2	\$198	+\$22
		INFPSTC4340-3F	44 - 37 - 44"	2	\$187	+\$21
	"X" Multi Height Connector	INFPSXC6665-3F	64 - 64 - 64 - 51"	2	\$189	+\$21
	2x1 ½" Screens, 2x3 ½" Frames	INFPSXC6664-3F	64 - 64 - 64 - 44"	2	\$195	+\$21
	Traines	INFPSXC6663-3F	64 - 64 - 64 - 37"	2	\$201	+\$22
M		INFPSXC6565-3F	64 - 51 - 64 - 51"	2	\$206	+\$23
		INFPSXC6564-3F	64 - 51 - 64 - 44"	2	\$212	+\$23
		INFPSXC6563-3F	64 - 51 - 64 - 37"	2	\$256	+\$27
VV		INFPSXC6464-3F	64 - 44 - 64 - 44"	2	\$258	+\$27
		INFPSXC6463-3F	64 - 44 - 64 - 37"	2	\$259	+\$27
		INFPSXC6363-3F	64 - 37 - 64 - 37"	2	\$261	+\$28
		INFPSXC5554-3F	51 - 51 - 51 - 44"	2	\$168	+\$19
		INFPSXC5553-3F	51 - 51 - 51 - 37"	2	\$173	+\$19
		INFPSXC5454-3F	51 - 44 - 51 - 44"	2	\$190	+\$21
		INFPSXC5453-3F	51 - 44 - 51 - 37"	2	\$195	+\$21
		INFPSXC5353-3F	51 - 37 - 51 - 37"	2	\$198	+\$22
		INFPSXC4443-3F	44 - 44 - 44 - 37"	2	\$168	+\$19
		INFPSXC4343-3F	44 - 37 - 44 - 37"	2	\$194	+\$21

- Configurations include all hardware and finished trim to create the configuration
- Specify code based on height of frames within connection
- The connection kits may be used in conjunction with Stack-on Connectors and vertical trim to create multi-height connections
- (3F) suffix is based on the spine panel thickness

NOTES

- Number in diagrams depict panel thickness
- Lefts and rights are determined from the inside view of the connection

		Part number	н	Thickness	Neutral paint/ base price	Accent paint
	"L" Connector	INCPL24-3R2L	24"	2 ¾"	\$139	+\$16
TIT	2 ¾" to 3 ½" Frames	INCPL29-3R2L	29"	2 ¾"	\$153	+\$17
		INCPL37-3R2L	37"	2 ¾"	\$164	+\$19
3 2		INCPL44-3R2L	44"	2 ¾"	\$180	+\$20
-IF		INCPL51-3R2L	51"	2 ¾"	\$189	+\$21
		INCPL57-3R2L	57"	2 ¾"	\$198	+\$22
		INCPL64-3R2L	64"	2 ¾"	\$265	+\$28
	"L" Connector	INCPL24-2R3L	24"	2 3⁄4"	\$139	+\$16
$2 \prod 3$	3 1⁄2" to 2 3⁄4" Frames	INCPL29-2R3L	29"	2 ¾"	\$153	+\$17
2 3		INCPL37-2R3L	37"	2 ¾"	\$164	+\$19
		INCPL44-2R3L	44"	2 ¾"	\$180	+\$20
- IF		INCPL51-2R3L	51"	2 ¾"	\$189	+\$21
		INCPL57-2R3L	57"	2 ¾"	\$198	+\$22
		INCPL64-2R3L	64"	2 ¾"	\$265	+\$28
- 3 -	"T" Connector	INCPT24-223	24"	2 ¾"	\$169	+\$19
2 1 2	1x3 ½" Frame, 2x2 ¾" Frames	INCPT29-223	29"	2 ¾"	\$174	+\$19
2 2	Frames	INCPT37-223	37"	2 ¾"	\$180	+\$20
		INCPT44-223	44"	2 ¾"	\$186	+\$21
		INCPT51-223	51"	2 ¾"	\$191	+\$21
-		INCPT57-223	57"	2 ¾"	\$195	+\$21
		INCPT64-223	64"	2 ¾"	\$267	+\$28
2	"T" Connector	INMHC24-332	24"	2 3⁄4"	\$157	+\$18
3 3	2x3 ½" Frame, 1x2 ¾" Frames	INMHC29-332	29"	2 ¾"	\$159	+\$18
° — L °	Traines	INMHC37-332	37"	2 ¾"	\$165	+\$19
		INMHC44-332	44"	2 ¾"	\$171	+\$19
		INMHC51-332	51"	2 ¾"	\$176	+\$20
		INMHC57-332	57"	2 ¾"	\$182	+\$20
		INMHC64-332	64"	2 ¾"	\$267	+\$28
23	"X" Connector	INCPX24-3322	24"	2 ¾"	\$116	+\$14
3	2x3 ½" Frames, 2x2 ¾" Frames	INCPX29-3322	29"	2 ¾"	\$117	+\$14
	Tamos	INCPX37-3322	37"	2 ¾"	\$121	+\$15
		INCPX44-3322	44"	2 ¾"	\$121	+\$15
		INCPX51-3322	51"	2 ¾"	\$121	+\$15
		INCPX57-3322	57"	2 ¾"	\$125	+\$15
		INCPX64-3322	64"	2 ¾"	\$175	+\$20

Architecture Connectors and Trim ADDWALL to Frame Connector Bracket

System

	Part number	Thickness	List price
3 ½" Frame to ADDWALL Connection Bracket Straight Intersection	INSCBSIA-3F	3 1⁄2"	\$56
2 ¾" Frame to ADDWALL Connection Bracket Straight Intersection	INSCBSIA-2F	2 ³ ⁄4"	\$56

System

- Includes mounting hardware to attach to the adjacent storage cases
- 3 ½" thick version only
- Specific for worksurface or cushion above storage
- Specify whether a cutout is required to allow electrical feed and data cabling to enter frame behind

	Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
End Trim with Electrical Cutout, Worksurface compatible (worksurface above)	PLNCETCO	25"	3.5"	2	\$84	+\$11
End Trim without Cutout / Private Office Case Back Filler, Worksurface compatible (worksurface above)	PLNCET	25"	3.5"	2	\$81	+\$11
End Trim with Electrical Cutout, Cushion compatible (cushion above)	PLNCETCOCUSH	25"	3.5"	2	\$67	+\$10
End Trim without Cutout / Private Office Case Back Filler, Cushion compatible (cushion above)	PLNCETCUSH	25"	3.5"	2	\$63	+\$9

System

- Filler inserts omit small gap between the Storwal case and the frame where they join
- Must be specified with Storwal Connection Bracket (3 ¹/₂" and 2 ³/₄" thick frames)
- Storwal Connecting Bracket connects the frame to the Storwal unit and comes in Eco Black only

		Part number	н	Neutral paint/ base price	Accent paint
CTER MARK	Storwal to 1 ½" Screen Connecting Bracket	SWFFBKT	_	\$21	+\$5
	Storwal Connecting Bracket for use with both frame thicknesses	INSCBKT	-	\$85	-
82	Filler Insert (Pair) for use with both frame thicknesses	INFIL51 INFIL64 INFIL71	51" 64" 71"	\$70 \$78 \$84	+\$10 +\$10 +\$11

Tiles are available as fabric, painted, tackable, veneer, Nuform, Double Glazed and whiteboard. Tiles are interchangeable between 2.75" and 3.5" frame thickness (the thickness of the frame is determined by the tile clips which come with the frame). Tile heights vary and must always align with a crossrail on the frame as this is where the tile clips are located. If alternative tile configurations are required, additional crossrails may be specified separately and installed in the field (crossrails will include tile clips depending on thickness opted for). Tiles may be positioned in any location unless otherwise stated or crossrail does not permit.

Tiles are held in place by tile clips. These clips snap between panel crossrails and may easily be removed and/or replaced if necessary when changing the thickness of the panel. Clips support panel tiles and top trim. The clips are made of Delrin which is a resin similar to nylon in strength but has more rigidity and superior memory. These characteristics allow the Inscape System clips to retain their original shape without permanently deforming under continual pressure. This ensures tiles and trim will snap into place with a solid "click" time after time.

FABRIC AND PAINTED TILES

Fabric and painted tiles are available 27", 20.25" and 6.75" H, as well as 13.5" and are constructed from 24 gauge galvanized steel. Powder-coated and fabric-covered steel tiles have a flame spread rating of less than 200 when tested according to ASTM-E84. Fabric-covered tiles are available in standard fabrics or COM. COM fabrics are subject to approval. White or extremely light colored COM fabrics will incur an upcharge of 25% to the tile pricing with which the fabric is being applied. This is due to special handling of the fabric and tiles, in addition to painting of the tiles. Painted tiles are available in the colors shown in our Color Guide and are available in the following styles: plain steel, perforated, and steel screen. Fabric on tiles is applied in a railroad orientation.

TACKABLE TILES

Tackable tiles are constructed from 24 gauge cold rolled steel with a paint finish on all surfaces to prevent corrosion. The same general rules from the fabric tile section apply to the Tackable tiles. Fabric on tiles is applied in a railroad orientation. NRC 0.57, STC 9.

Tackable Acoustical tiles are available through Standard Specials with NRC of .73 and an STC of 12.

Nuform Tiles consist of gray melamine-backed MDF substrate 0.375" thick, with vacuum-formed Nuform foil over the front's surface and sides. The backside of the tile also has routing features that accept zinc die-cast tile clips. All Nuform tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener limits where the tile may be placed on a 2.75" thick frame. Nuform tiles cannot be specified in a location where a power track is installed due to interference. A sticker on the back of Nuform tiles provides UL flame / smoke-rating information. Woodgrain pattern is vertical. Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut.

COMPOSITE VENEER TILES

Composite veneer tiles are constructed utilizing 45 lbs. density particle board with an engineered balanced backer for structural integrity. Veneer thickness is 0.025". The backside of the tile has routing features that accept zinc die-cast tile clips. All Composite Veneer Tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener bar limits where the tile may be placed (See Inscape System Application Guide for details). Composite Veneer tiles cannot be specified in a location where a power track is installed due to interference on a 2.75" thick frame. Woodgrain pattern is vertical.

WHITEBOARD TILES

Whiteboard tiles are available in two heights, 13.5" and 20.25". Tiles are constructed from 24 gauge cold rolled steel with optional white, gray or black paint finishs that has been specifically formulated for dry erase markers. Whiteboards are seamless and fit same locations as standard painted tiles.

NOTE: Inscape whiteboards are specifically designed for use with DRY-ERASE markers only. WHITEBOARDS ARE NOT INTENDED FOR USE WITH PERMANENT MARKERS. Inscape advises the use of Sanford Expo Dry Erase markers with whiteboards. For a thorough cleaning, use Sanford Expo spray cleaner.

PAPER MANAGEMENT TILES

Paper management tiles support horizontal paper management accessories. Organizers may be positioned at any point along the width of the tile. Three slats structured into the tile allow for three different height options for the accessories to be installed. Accessories may be found under Horizontal Accessories under the "Storage and Accessories" section. Maximum load capacity is 75lbs. When specifying paper management tiles which will be supporting a monitor arm, a Paper Management Reinforcing kit is required for additional structure. The 54" and 60" w tiles are pre-structured with these kits.

PERFORATED TILES

Perforated tiles are constructed of 24 gauge galvanized steel, the Steel Screen tiles are constructed from 24 gauge cold rolled steel. Tiles may be painted in any of Inscape's standard colors or color matches.

COMMUNICATION TILES

Communication tiles provide power OR data access. The 24" and 30" W include one cutout while all wider tile widths include two cutouts. Tiles provide electrical access in frames 30" w and wider only and data access in all panel widths. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

FABRIC/FINISHES & WORKSURFACE GENERAL NOTES

Fabric patterns which are available in 54" and 55" both have limitations on the sizes of tiles available. Tile sizes longer than 42" are not available.

Codes with the following suffix have specific install locations

UD Upper De

- BL Beltline
- BS Base

MULTI ACCESS TILES

Multi access tiles provide electrical AND data access. Cutouts align with power track and proper tiles must be specified in specific areas if stated. Data and Electrical components may be specified from the Technology section. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

Codes with the following suffix have specific install locations

UD Upper Deck BL Beltline BS Base

MONOLITHIC TILES

Monolithic tiles are specified based on the height and width of the frame with which they are being installed. Monolithic tiles are available in painted or fabric (fabric wrapped steel).

MONOLITHIC TILES WITH MULTI ACCESS

Monolithic tiles with multi access provide electrical and data cutouts at the bottom of the frame (same as Multi Access tile). Cutouts align with power track and proper tiles must be specified in specific areas if stated. Data and Electrical components may be specified from the Technology section. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P326 – Moonlight) as well as with the data or electrical components.

DOUBLE GLAZED TILES

Double glazed tiles are available in 13.5" H and may be installed on frames 24" to 48" W in place of a tile. Double Glazed tiles feature a double pane of frosted acrylic or clear acrylic framed by vertical and horizontal trim. Double Glazed tiles may be installed one on top of another. If wider than 60" of glaze is desired; Stack on Double Glazed Kits may be specified.

THE CREDENZA STORAGE MULTI ACCESS TILE

The credenza storage multi access tile is required for termination of electrical and data at points behind the Credenza Storage case. The multi access tile can be optioned in any standard paint color. The multi access tile designed for Credenza Storage includes proper hardware to mount the tile to the Credenza Storage benching frame. Be sure to specify electrical components such as the Upper Deck electrical kit, duplexes and phone/data components separately. This tile is only structured in conjunction with the 3.5" thickness.

Architecture Tiles General Information

System

LEGEND

Available

			1	1	1		1	Tile V	vidth	1			1	1	1
Tile Heigh	t & Type	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96
6.75"H	Painted	•	•	٠	•	•	•	٠	•						
13.5"H	Painted	•	•	•	•	•	•	٠	•	•	٠	٠	•	•	•
20.25"H	Painted	•	•	٠	•	•	•	٠	•	•	٠	٠	٠	•	•
27"H	Painted	•	•	•	•	•	•	•	•						
37"H	Monolithic painted	•	•	•	•	•	•	٠	•						
44"H	Monolithic painted	•	•	•	•	•	•	٠	•						
51"H	Monolithic painted	•	•	•	•	•	•	•	•						
57"H	Monolithic painted	•	•	•	•	•	•	•	•						
64"H	Monolithic painted	•	•	•	•	•	•	•	•						
6.75"H	Fabric	•	•	•	•	•	•	•	•						
13.5"H	Fabric	•	•	•	•	•	•	•	•	•	•	•	•	•	•
20.25"H	Fabric	•	•	•	•	•	•	•	•	•	•	•	•	•	•
27"H	Fabric	•	•	•	•	•	•	-	-	-	-	-	-	-	
37"H	Monolithic fabric	•	•	•	•	•	•								
44"H	Monolithic fabric	•	•	•	•	•	•								
51"H	Monolithic fabric	•	•	•	•	•	•								
57"H	Monolithic fabric	•	•	•	•	•	•								
64"H	Monolithic fabric	•	•	•	•	•	•								
13.5"H	Tackable	•	•	•	•	•	•								
20.25"H	Tackable		•	•		•	•								
20.25 П	Tackable		•	•	•	•	•								
	N 7			_			-								
6.75"H	Nuform	•	•	•	•	•	•								
13.5"H	Nuform	•	•	•	•	•	•								
20.25"H	Nuform	•	•	•	•	•	•								
27"H	Nuform	•	•	•	•	•	•								
13.5"H	Whiteboard	•	•	•	•	•	•	•	•	•	•	•	•	•	•
20.25"H	Whiteboard	•	•	•	•	•	•	•	•	•	•	•	•	•	•
6.75"H	Paper management	•	•	•	•	•	•	•	•	•	•	٠	•	•	•
13.5"H	Double glazed		•	•	•	•	•								
6.75"H	Comm - UD - fabric/painted		•	•	•	•	•	٠	•						
13.5"H	Comm - UD - fabric/painted		•	•	•	•	•	•	•						
20.25"H	Comm - BS - fabric/painted		•	•	•	•	•	٠	•						
6.75"H	Comm - BL - fabric/painted		•	٠	•	•	•	٠	•						
13.5"H	Comm - BL - fabric/painted		•	•	•	•	•	٠	•						
37"H	Monolithic - comm painted			٠	•	•	•								
44"H	Monolithic - comm painted			٠	•	•	•								
51"H	Monolithic - comm painted			•	•	•	•								
57"H	Monolithic - comm painted			•	•	•	•								
64"H	Monolithic - comm painted			•	•	•	•								
6.75"H	Planna m/a - UD -fabric/painted			٠	•	•									
6.75"H	M/A - UD - fabric/painted				•	•	•	•	•						
13.5"H	M/A - UD - fabric/painted				•	•	•	٠	•						
20.25"H	M/A - BS - fabric/painted				•	•	•	•	•						
6.75"H	M/A - BL - fabric/painted				•	•	•	٠	•						
13.5"H	M/A - BL - fabric/painted				•	•	•	٠	•						
37"H	Monolithic - comm fabric			٠	•	•	•								
44"H	Monolithic - comm fabric			•	•	•	•								
51"H	Monolithic - comm fabric			٠	•	•	•								
57"H	Monolithic - comm fabric			•	•	•	•								
64"H	Monolithic - comm fabric			•	•	•	•								

Painted

System

PRODUCT CODE KEY EXAMPLE

IN6.75P18				
IN	Inscape System			
6.75	6.75" H			
Р	Painted			
18	18" W			

- Painted tiles are available in any of Inscape's standard paint colors or a custom color can be accomodated
- Painted tile is magnetic
- Be sure to confirm crossrail locations will
 - accommodate tile height
 - Crossrails can be found in the accessory section of the price list under Danel and Table accessory.
 - price list under Panel and Table accessoriesTiles 66"W or wider span two frames. See Application
 - Guide for frame spanning guidlines

		Part number	н	W	Neutral paint/ base price	Accent paint
	6.75" H Painted Tile	IN6.75P18	6.75"	18"	\$53	+\$8
4		IN6.75P24	6.75"	24"	\$58	+\$9
		IN6.75P30	6.75"	30"	\$63	+\$9
		IN6.75P36	6.75"	36"	\$65	+\$9
		IN6.75P42	6.75"	42"	\$66	+\$10
		IN6.75P48	6.75"	48"	\$70	+\$10
		IN6.75P54	6.75"	54"	\$73	+\$10
		IN6.75P60	6.75"	60"	\$77	+\$10
	13.5" H Painted Tile	IN13.5P18	13.5"	18"	\$54	+\$8
6		IN13.5P24	13.5"	24"	\$60	+\$9
		IN13.5P30	13.5"	30"	\$65	+\$9
		IN13.5P36	13.5"	36"	\$66	+\$10
		IN13.5P42	13.5"	42"	\$68	+\$10
		IN13.5P48	13.5"	48"	\$71	+\$10
		IN13.5P54	13.5"	54"	\$75	+\$10
		IN13.5P60	13.5"	60"	\$79	+\$11
		IN13.5P66	13.5"	66"	\$164	+\$19
		IN13.5P72	13.5"	72"	\$170	+\$19
		IN13.5P78	13.5"	78"	\$174	+\$19
		IN13.5P84	13.5"	84"	\$179	+\$20
		IN13.5P90	13.5"	90"	\$182	+\$20
		IN13.5P96	13.5"	96"	\$184	+\$20

Painted

System

PRODUCT CODE KEY EXAMPLE

IN6.75P18						
IN	Inscape System					
6.75	6.75" H					
Р	Painted					
18	18" W					

- Painted tiles are available in any of Inscape's standard paint colors or a custom color can be accomodated
- Painted tile is magnetic
- Be sure to confirm crossrail locations will
 - accommodate tile height
 - Crossrails can be found in the accessory section of the price list under Danel and Table accessory is:
 - price list under Panel and Table accessories • Tiles 66"W or wider span two frames. See Application
 - Guide for frame spanning guidlines

		Part number	н	W	Neutral paint/ base price	Accent paint
	20.25" H Painted Tile	IN20.25P18	20.25"	18"	\$71	+\$10
A		IN20.25P24	20.25"	24"	\$75	+\$10
		IN20.25P30	20.25"	30"	\$79	+\$11
		IN20.25P36	20.25"	36"	\$83	+\$11
		IN20.25P42	20.25"	42"	\$85	+\$11
		IN20.25P48	20.25"	48"	\$87	+\$11
		IN20.25P54	20.25"	54"	\$91	+\$12
		IN20.25P60	20.25"	60"	\$94	+\$12
		IN20.25P66	20.25"	66"	\$192	+\$21
		IN20.25P72	20.25"	72"	\$197	+\$22
		IN20.25P78	20.25"	78"	\$202	+\$22
		IN20.25P84	20.25"	84"	\$206	+\$23
		IN20.25P90	20.25"	90"	\$212	+\$23
		IN20.25P96	20.25"	96"	\$216	+\$23
	27" H Painted Tile	IN27P18	27"	18"	\$85	+\$11
A		IN27P24	27"	24"	\$87	+\$11
		IN27P30	27"	30"	\$89	+\$12
		IN27P36	27"	36"	\$103	+\$13
		IN27P42	27"	42"	\$112	+\$14
Contraction of		IN27P48	27"	48"	\$126	+\$15

Fabric

System

PRODUCT CODE KEY EXAMPLE

IN6	75	F1	8
11 10.			0

IN	Inscape System
6.75	6.75" H
F	Fabric
18	18" W/

18" W 18

- Fabric applied in a railroad orientation as standard • Fabric tile is magnetic
- Be sure to confirm crossrail locations
- will accommodate tile height
- Crossrails can be found in the accessory section
- of the price list under Panel and Table accessories
- Tiles 66" W or wider span two frames. See

Application Guide for frame spanning guidlines

NOTES

See finishes section for fabrics that require scrim.

Tile size limitations exist for some fabrics, see finishes section.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN6.75F18 in Grade 2 with scrim would be \$79 +\$6 +\$13

	Part number	w	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
1	IN6.75F18	18"	\$79	+\$6	+\$9	+\$13	+\$16	+\$29	+\$44	+\$60	+\$13
A A A A A A A A A A A A A A A A A A A	IN6.75F24	24"	\$82	+\$7	+\$10	+\$15	+\$19	+\$33	+\$49	+\$67	+\$13
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	IN6.75F30	30"	\$84	+\$8	+\$11	+\$15	+\$19	+\$34	+\$50	+\$70	+\$13
and the second s	IN6.75F36	36"	\$86	+\$8	+\$11	+\$20	+\$28	+\$48	+\$67	+\$94	+\$14
6.75" H Fabric Tile	IN6.75F42	42"	\$88	+\$9	+\$14	+\$22	+\$29	+\$50	+\$71	+\$98	+\$14
0.75 H Fabric Tile	IN6.75F48	48"	\$90	+\$9	+\$14	+\$22	+\$29	+\$50	+\$71	+\$98	+\$14
	IN6.75F54	54"	\$91	+\$10	+\$18	+\$24	+\$30	+\$53	+\$77	+\$105	+\$14
	IN6.75F60	60"	\$94	+\$11	+\$19	+\$26	+\$32	+\$55	+\$80	+\$110	+\$15
	IN13.5F18	18"	\$90	+\$6	+\$20	+\$22	+\$28	+\$42	+\$56	+\$80	+\$14
A CITY	IN13.5F24	24"	\$93	+\$6	+\$22	+\$25	+\$31	+\$41	+\$55	+\$79	+\$14
AND AND	IN13.5F30	30"	\$97	+\$7	+\$24	+\$30	+\$34	+\$41	+\$56	+\$80	+\$15
and a second and a s	IN13.5F36	36"	\$101	+\$11	+\$24	+\$32	+\$41	+\$62	+\$85	+\$118	+\$15
13.5" H Fabric Tile	IN13.5F42	42"	\$107	+\$13	+\$25	+\$33	+\$43	+\$66	+\$90	+\$125	+\$16
13.5 TTT ablic Tile	IN13.5F48	48"	\$111	+\$13	+\$25	+\$33	+\$43	+\$66	+\$91	+\$126	+\$16
	IN13.5F54	54"	\$114	+\$14	+\$26	+\$38	+\$48	+\$75	+\$98	+\$136	+\$18
	IN13.5F60	60"	\$119	+\$14	+\$26	+\$38	+\$48	+\$75	+\$98	+\$136	+\$18
	IN13.5F66	66"	\$221	+\$15	+\$26	+\$38	+\$48	+\$76	+\$99	+\$139	+\$86
	IN13.5F72	72"	\$225	+\$15	+\$16	+\$23	+\$30	+\$61	+\$91	+\$126	+\$87
	IN13.5F78	78"	\$226	+\$15	+\$18	+\$25	+\$32	+\$65	+\$97	+\$135	+\$87
	IN13.5F84	84"	\$236	+\$16	+\$18	+\$25	+\$32	+\$65	+\$97	+\$135	+\$88
	IN13.5F90	90"	\$237	+\$16	+\$19	+\$28	+\$38	+\$71	+\$103	+\$145	+\$109
	IN13.5F96	96"	\$239	+\$17	+\$20	+\$30	+\$41	+\$77	+\$110	+\$153	+\$109

Architecture

Fabric

System

PRODUCT CODE KEY EXAMPLE

IN6.	7	5	E.	1 Q
IINO.	. 1	Э	Г.	10

IN	Inscape System
6.75	6.75" H
F	Fabric
18	18" W

- Fabric applied in a railroad orientation as standard
 Fabric tile is magnetic
- Be sure to confirm crossrail locations
- will accommodate tile height
- Crossrails can be found in the accessory section
- of the price list under Panel and Table accessories
- Tiles 66" W or wider span two frames. See

Application Guide for frame spanning guidlines

NOTES

See finishes section for fabrics that require scrim.

Tile size limitations exist for some fabrics, see finishes section.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN20.25F18 in Grade 2 with scrim would be \$107 +\$6 +\$25

	Part number	w	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN20.25F18	18"	\$107	+\$6	+\$12	+\$21	+\$30	+\$50	+\$70	+\$97	+\$25
With a state	IN20.25F24	24"	\$117	+\$7	+\$18	+\$26	+\$34	+\$56	+\$79	+\$109	+\$25
1. 31.2	IN20.25F30	30"	\$123	+\$7	+\$19	+\$27	+\$36	+\$58	+\$81	+\$111	+\$26
and the second s	IN20.25F36	36"	\$129	+\$8	+\$20	+\$30	+\$41	+\$65	+\$91	+\$126	+\$27
20.25" H Fabric Tile	IN20.25F42	42"	\$136	+\$8	+\$14	+\$27	+\$41	+\$66	+\$93	+\$129	+\$28
20.25 IT FADIC THE	IN20.25F48	48"	\$144	+\$10	+\$26	+\$38	+\$48	+\$79	+\$106	+\$149	+\$28
	IN20.25F54	54"	\$148	+\$10	+\$28	+\$42	+\$54	+\$87	+\$118	+\$163	+\$29
	IN20.25F60	60"	\$157	+\$12	+\$40	+\$53	+\$67	+\$100	+\$133	+\$187	+\$30
	IN20.25F66	66"	\$271	+\$12	+\$40	+\$54	+\$68	+\$101	+\$134	+\$188	+\$89
	IN20.25F72	72"	\$274	+\$12	+\$40	+\$54	+\$68	+\$101	+\$134	+\$188	+\$90
	IN20.25F78	78"	\$281	+\$25	+\$30	+\$44	+\$55	+\$99	+\$144	+\$200	+\$90
	IN20.25F84	84"	\$295	+\$27	+\$31	+\$46	+\$60	+\$105	+\$151	+\$209	+\$112
	IN20.25F90	90"	\$298	+\$28	+\$34	+\$50	+\$64	+\$112	+\$159	+\$222	+\$112
	IN20.25F96	96"	\$301	+\$29	+\$36	+\$53	+\$70	+\$120	+\$168	+\$234	+\$114
200000	IN27F18	18"	\$124	+\$6	+\$13	+\$23	+\$32	+\$58	+\$83	+\$115	+\$25
A. 434	IN27F24	24"	\$128	+\$7	+\$13	+\$24	+\$36	+\$62	+\$89	+\$124	+\$26
With a state of the state of th	IN27F30	30"	\$136	+\$8	+\$14	+\$26	+\$40	+\$67	+\$96	+\$133	+\$27
	IN27F36	36"	\$145	+\$9	+\$20	+\$32	+\$45	+\$79	+\$110	+\$153	+\$28
07" U Fabria Tila	IN27F42	42"	\$158	+\$10	+\$22	+\$34	+\$47	+\$81	+\$115	+\$158	+\$29
27" H Fabric Tile	IN27F48	48"	\$161	+\$11	+\$24	+\$38	+\$50	+\$87	+\$123	+\$171	+\$30

Tackable

System

PRODUCT CODE KEY EXAMPLE

IN13.5TK18						
IN	Inscape System					
13.5	13.5" H					
тк	Tackable					
18	18" W					

- Fabric applied in a railroad orientation as standardFabric tile is magnetic
- NRC 0.55, STC 9
- Wall Mount Tile Kit must match height of tile
- It is recommended that tackable tiles are not to be
- used on the outside of a workstation
- Be sure to confirm crossrail locations
- will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

NOTES

See finishes section for fabrics that require scrim.

Tile size limitations exist for some fabrics, see finishes section.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN13.5TK18 in Grade 2 with scrim would be \$134 +\$6 +\$23

	Part number	w	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN13.5TK18	18"	\$134	+\$6	+\$10	+\$18	+\$26	+\$47	+\$67	+\$94	+\$23
A 11-34	IN13.5TK24	24"	\$139	+\$7	+\$11	+\$19	+\$26	+\$48	+\$68	+\$95	+\$25
with a state	IN13.5TK30	30"	\$144	+\$8	+\$11	+\$19	+\$26	+\$49	+\$71	+\$98	+\$26
14:03 E	IN13.5TK36	36"	\$148	+\$11	+\$20	+\$29	+\$40	+\$67	+\$95	+\$132	+\$27
	IN13.5TK42	42"	\$152	+\$12	+\$21	+\$30	+\$41	+\$70	+\$98	+\$136	+\$29
13.5" H Tackable Tile	IN13.5TK48	48"	\$173	+\$12	+\$21	+\$32	+\$44	+\$77	+\$106	+\$149	+\$30
2010 Co.	IN20.25TK18	18"	\$200	+\$5	+\$12	+\$20	+\$28	+\$51	+\$76	+\$102	+\$25
With a start	IN20.25TK24	24"	\$203	+\$7	+\$13	+\$23	+\$33	+\$59	+\$85	+\$118	+\$27
1. 30 2	IN20.25TK30	30"	\$206	+\$8	+\$13	+\$24	+\$36	+\$70	+\$103	+\$145	+\$29
and the second s	IN20.25TK36	36"	\$211	+\$9	+\$20	+\$30	+\$42	+\$75	+\$105	+\$148	+\$31
	IN20.25TK42	42"	\$215	+\$9	+\$14	+\$25	+\$36	+\$67	+\$98	+\$136	+\$33
20.25" H Tackable Tile	IN20.25TK48	48"	\$220	+\$11	+\$20	+\$33	+\$47	+\$81	+\$112	+\$156	+\$36
	IN33.75TK18	18"	\$300	+\$13	+\$20	+\$27	+\$34	+\$67	+\$100	+\$140	+\$29
19.20	IN33.75TK24	24"	\$316	+\$14	+\$20	+\$27	+\$34	+\$70	+\$103	+\$145	+\$32
A Man	IN33.75TK30	30"	\$333	+\$14	+\$24	+\$28	+\$36	+\$73	+\$109	+\$152	+\$38
and the second s	IN33.75TK36	36"	\$351	+\$27	+\$31	+\$47	+\$61	+\$110	+\$157	+\$219	+\$41
00 75" I LTaakabla Tila	IN33.75TK42	42"	\$369	+\$27	+\$32	+\$47	+\$61	+\$112	+\$161	+\$226	+\$44
33.75" H Tackable Tile	IN33.75TK48	48"	\$385	+\$28	+\$33	+\$49	+\$63	+\$117	+\$168	+\$234	+\$48

Part number	Neutral paint/ base price	Accent paint
WMTL13	\$55	+\$8
WMTL20	\$58	+\$9

Wall Mount Tackable Tile Kits

Nuform

System

PRODUCT CODE KEY EXAMPLE

110.7511110					
IN Inscape System					
6.75 6.75" H					
NF	Nuform				
18	18" W				

- Stiffener bar prevents installation of this tile in any location where power track is installed in a 2 ¾" frame. See Inscape System Application Guide
- Some tile configurations require crossrails to be cut and additional crossrails ordered separately, See Inscape System Application Guide
- Be sure to confirm crossrail locations will
- accommodate tile height

- Crossrails can be found in the accessory section of the price list under Panel and Table accessories
- Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut
- Direction of woodgrain is vertical

		Part number	н	W	Nuform classic/ base price	Nuform select
	6.75" H Nuform Tile	IN6.75NF18	6.75"	18"	\$217	+\$25
A		IN6.75NF24	6.75"	24"	\$225	+\$25
		IN6.75NF30	6.75"	30"	\$231	+\$26
		IN6.75NF36	6.75"	36"	\$236	+\$27
		IN6.75NF42	6.75"	42"	\$242	+\$27
		IN6.75NF48	6.75"	48"	\$248	+\$28
	13.5" H Nuform Tile	IN13.5NF18	13.5"	18"	\$228	+\$26
A		IN13.5NF24	13.5"	24"	\$234	+\$26
		IN13.5NF30	13.5"	30"	\$243	+\$27
		IN13.5NF36	13.5"	36"	\$253	+\$28
		IN13.5NF42	13.5"	42"	\$264	+\$30
		IN13.5NF48	13.5"	48"	\$271	+\$30
	20.25" H Nuform Tile	IN20.25NF18	20.25"	18"	\$262	+\$29
A		IN20.25NF24	20.25"	24"	\$272	+\$31
		IN20.25NF30	20.25"	30"	\$292	+\$33
		IN20.25NF36	20.25"	36"	\$306	+\$34
		IN20.25NF42	20.25"	42"	\$318	+\$36
		IN20.25NF48	20.25"	48"	\$331	+\$38
·	27" H Nuform Tile	IN27NF18	27"	18"	\$271	+\$30
		IN27NF24	27"	24"	\$287	+\$32
		IN27NF30	27"	30"	\$304	+\$34
		IN27NF36	27"	36"	\$319	+\$36
		IN27NF42	27"	42"	\$335	+\$38
Production of		IN27NF48	27"	48"	\$351	+\$40

Architecture Tiles Nuform Patterned

PRODUCT CODE KEY EXAMPLE

IN	Inscape System				
13.5	13.5" H				
NFP	Nuform patterned tile				
HE	Herringbone				

18 18" W

- Only available for use on 37", 44" and 51" H frames
 Patterned tiles must be applied in specific
- configurations based on the height of the frame in order for the pattern to line up correctly
- Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut
- Direction of woodgrain is horizontal

NOTES

Patterned tiles cannot be used with the following as they will interfere with the installation:

System

- Off-module brackets
- Power poles
- Worksurfaces front edge support brackets
- Up-mount bins
- Transaction Tops
- Electrical covers
- Dekko power tracks for 2 3/4" frames

Can only be used on the outside face of a workstation

		Part number	н	w	Nuform classic/ 2 ¾" thick frame/ Base price	3 ½" thick frame	Nuform select
	13.5" H Nuform Patterned Tile, Herringbone	IN13.5NFPHE72	13.5"	72"	\$557	+\$20	+\$62
RTX YA		IN13.5NFPHE84	13.5"	84"	\$578	+\$43	+\$64
YLA	for top location only	IN13.5NFPHE96	13.5"	96"	\$605	+\$47	+\$67
	20.25" H Nuform Patterned	IN20.25NFPHE72	20.25"	72"	\$617	+\$21	+\$68
$\nabla T \lambda V / \lambda$	Tile, Herringbone for top location only	IN20.25NFPHE84	20.25"	84"	\$647	+\$44	+\$73
VALYA		IN20.25NFPHE96	20.25"	96"	\$686	+\$47	+\$77
	20.25" H Nuform Patterned		00.05"	70"	A 04 7	\$ 04	* 22
TIN	Tile, Herringbone for bottom location only	IN20.25NFPHEB72	20.25"	72"	\$617	+\$21	+\$68
$\langle \rangle \rangle \rangle \langle \rangle$		IN20.25NFPHEB84	20.25"	84"	\$647	+\$44	+\$73
(/A) VA	,	IN20.25NFPHEB96	20.25"	96"	\$686	+\$47	+\$77
	27" H Nuform Patterned	IN27NFPHEB72	27"	72"	\$782	+\$28	+\$87
	Tile, Herringbone for bottom location only	IN27NFPHEB84	27"	84"	\$822	+\$63	+\$91
		IN27NFPHEB96	27"	96"	\$874	+\$70	+\$97
YLAVI							

Architecture Tiles Composite Veneer

PRODUCT CODE KEY EXAMPLE

IN6.75WV18					
IN	Inscape System				
6.75	6.75" H				
wv	Composite veneer				
18	18" W				

- Stiffener bar prevents installation of this tile in any location where power track is installed in a 2 ¾" frame. *See Inscape System Application Guide
- Some tile configurations require crossrails to be cut and additional crossrails ordered separately, See Inscape System Application Guide
- Be sure to confirm crossrail locations will
 - accommodate tile height
 - Crossrails can be found in the accessory section of the price list under Panel and Table accessories
 - Direction of woodgrain is vertical

			1 1		
		Part number	н	W	List price
	6.75" H Veneer Tile	IN6.75WV18	6.75"	18"	\$243
TATA MENT		IN6.75WV24	6.75"	24"	\$250
DINI		IN6.75WV30	6.75"	30"	\$255
		IN6.75WV36	6.75"	36"	\$261
		IN6.75WV42	6.75"	42"	\$266
		IN6.75WV48	6.75"	48"	\$271
	13.5" H Veneer Tile	IN13.5WV18	13.5"	18"	\$251
TATA		IN13.5WV18	13.5	24"	\$264
FT. MAY		IN13.5WV24	13.5"	30"	\$298
1 Walter		IN13.5WV30	13.5	36"	\$331
		IN13.5WV30	13.5"	42"	\$366
		IN13.5WV48	13.5"	48"	\$399
			10.0	10	
a 2018/172	20.25" H Veneer Tile	IN20.25WV18	20.25"	18"	\$282
TAVANDA		IN20.25WV24	20.25"	24"	\$329
		IN20.25WV30	20.25"	30"	\$379
K / Juinter		IN20.25WV36	20.25"	36"	\$429
		IN20.25WV42	20.25"	42"	\$476
		IN20.25WV48	20.25"	48"	\$526
	27" H Veneer Tile	IN27WV18	27"	18"	\$329
		IN27WV24	27"	24"	\$395
		IN27WV30	27"	30"	\$459
		IN27WV36	27"	36"	\$524
Line and the second second		IN27WV42	27"	42"	\$588
		IN27WV48	27"	48"	\$652

System

Architecture Tiles Whiteboard

System

PRODUCT CODE KEY EXAMPLE

1110.011010				
IN	Inscape System			
13.5	13.5" H			
WB	Whiteboard			
18	18" W			

- Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers
 Be sure to confirm crossrail locations will
- accommodate tile height
- Wall Mount Tile Kit must match height of tile
- Tiles 66" W or wider span two frames.
- *See Application Guide for frame spanning guidlines

		I	1		1
		Part number	н	W	List price
	13.5" H Whiteboard Tile	IN13.5WB18	13.5"	18"	\$88
		IN13.5WB24	13.5"	24"	\$92
		IN13.5WB30	13.5"	30"	\$95
		IN13.5WB36	13.5"	36"	\$97
		IN13.5WB42	13.5"	42"	\$99
		IN13.5WB48	13.5"	48"	\$105
		IN13.5WB54	13.5"	54"	\$117
		IN13.5WB60	13.5"	60"	\$122
		IN13.5WB66	13.5"	66"	\$210
		IN13.5WB72	13.5"	72"	\$216
		IN13.5WB78	13.5"	78"	\$226
		IN13.5WB84	13.5"	84"	\$231
		IN13.5WB90	13.5"	90"	\$236
		IN13.5WB96	13.5"	96"	\$242
	20.25" H Whiteboard Tile	IN20.25WB18	20.25"	18"	\$96
4		IN20.25WB24	20.25"	24"	\$101
200 APR		IN20.25WB30	20.25"	30"	\$106
		IN20.25WB36	20.25"	36"	\$111
		IN20.25WB42	20.25"	42"	\$117
		IN20.25WB48	20.25"	48"	\$121
		IN20.25WB54	20.25"	54"	\$141
		IN20.25WB60	20.25"	60"	\$147
		IN20.25WB66	20.25"	66"	\$222
		IN20.25WB72	20.25"	72"	\$229
		IN20.25WB78	20.25"	78"	\$236
		IN20.25WB84	20.25"	84"	\$244
		IN20.25WB90	20.25"	90"	\$252
		IN20.25WB96	20.25"	96"	\$260
	Wall Mount Tackable Tile	WMTL13	13.5"	_	\$55
8	Kits	WMTL20	20.25"	_	\$58



PRODUCT CODE KEY EXAMPLE

IN6.75PM18-3F

IN	Inscape System
6.75	6.75" H
РМ	Paper Management
18	18" W
3F	3 ½" thick frame application

- "2F" denotes use with 2 ¼" thick frame, "3F" denotes use with 3 ½" thick frame
- Be sure to confirm crossrail locations will accommodate tile configuration

NOTES

reinforcing brackets

54" and 60" W Paper Management tiles include

- Paper management tiles are not to be installed below
- the work surface
- Tiles 66" W or wider span two frames. See Application Guide for frame spanning guidlines

		Part number	н	w	Neutral paint/ base price	Accent paint
_	6.75" H Paper	IN6.75PM18-3F	6.75"	18"	\$116	+\$14
	Management Tile for use with 3 ½" T frames	IN6.75PM24-3F	6.75"	24"	\$129	+\$15
Constanting of the second	for use with 3 1/2 T frames	IN6.75PM30-3F	6.75"	30"	\$148	+\$17
		IN6.75PM36-3F	6.75"	36"	\$161	+\$18
		IN6.75PM42-3F	6.75"	42"	\$180	+\$20
		IN6.75PM48-3F	6.75"	48"	\$195	+\$21
		IN6.75PM54-3F	6.75"	54"	\$210	+\$23
		IN6.75PM60-3F	6.75"	60"	\$230	+\$25
		IN6.75PM66-3F	6.75"	66"	\$311	+\$32
		IN6.75PM72-3F	6.75"	72"	\$322	+\$33
		IN6.75PM78-3F	6.75"	78"	\$331	+\$34
		IN6.75PM84-3F	6.75"	84"	\$379	+\$40
		IN6.75PM90-3F	6.75"	90"	\$392	+\$42
		IN6.75PM96-3F	6.75"	96"	\$403	+\$43
	6.75" H Paper Management Tile for use with 2 ¾" T frames	IN6.75PM18-2F	6.75"	18"	\$116	+\$14
		IN6.75PM24-2F	6.75"	24"	\$129	+\$15
		IN6.75PM30-2F	6.75"	30"	\$148	+\$17
		IN6.75PM36-2F	6.75"	36"	\$161	+\$18
		IN6.75PM42-2F	6.75"	42"	\$180	+\$20
		IN6.75PM48-2F	6.75"	48"	\$195	+\$21
		IN6.75PM54-2F	6.75"	54"	\$210	+\$23
		IN6.75PM60-2F	6.75"	60"	\$230	+\$25
		IN6.75PM66-2F	6.75"	66"	\$303	+\$31
		IN6.75PM72-2F	6.75"	72"	\$315	+\$33
		IN6.75PM78-2F	6.75"	78"	\$326	+\$34
		IN6.75PM84-2F	6.75"	84"	\$371	+\$40

IN6.75PM90-2F

IN6.75PM96-2F

6.75"

6.75"

90"

96"

+\$41

+\$42

\$383

\$397

System

PRODUCT CODE KEY EXAMPLE

INI	DN/	IRK	25
		IDIN'	-00

IN	Inscape System						
PM	Paper Management						
RK	Reinforcement Kit						
3F	3 1/2" thick frame						

- "2F" denotes use with 2.75" thick frame, "3F" denotes use with 3.5" thick frame
- When specifying monitor arms to mount on paper
- management tile, reinforcing bracket must be specified (frame thickness specific)
- Reinforcement Kit includes reinforcing brackets for
- Paper Management Tile

		Part number	н	w	List price
9	Paper Management Reinforcing Kit for use with 3 ½" T frames	INPMRK-3F	-	18"	\$116
	Paper Management Reinforcing Kit for use with 2 ¾" T frames	INPMRK-2F	-	18"	\$116

Perforated

System

PRODUCT CODE KEY EXAMPLE

IN13	3.5PF	18

IN	Inscape System						
13.5	13.5" H						
PF	Perforated						
-							

- **18** 18" W
- Perforated tiles are available in any of Inscape's standard paint colors or a custom color can be accomodated
- Painted tile is magnetic
- Be sure to confirm crossrail locations will
- accommodate tile height
- Crossrails can be found in the accessory section of the
 - price list under Panel and Table accessories

		Part number	н	W	Neutral paint/ base price	Accent paint
	13.5" H Perforated Tile	IN13.5PF18	13.5"	18"	\$68	+\$10
		IN13.5PF24	13.5"	24"	\$71	+\$10
		IN13.5PF30	13.5"	30"	\$79	+\$11
		IN13.5PF36	13.5"	36"	\$80	+\$11
		IN13.5PF42	13.5"	42"	\$81	+\$11
		IN13.5PF48	13.5"	48"	\$84	+\$11
		IN13.5PF54	13.5"	54"	\$85	+\$11
		IN13.5PF60	13.5"	60"	\$87	+\$11
	20.25" H Perforated Tile	IN20.25PF18	20.25"	18"	\$83	+\$11
		IN20.25PF24	20.25"	24"	\$85	+\$11
		IN20.25PF30	20.25"	30"	\$87	+\$11
		IN20.25PF36	20.25"	36"	\$92	+\$12
		IN20.25PF42	20.25"	42"	\$95	+\$12
		IN20.25PF48	20.25"	48"	\$99	+\$13
		IN20.25PF54	20.25"	54"	\$103	+\$13
		IN20.25PF60	20.25"	60"	\$107	+\$13
	27" H Perforated Tile	IN27PF18	27"	18"	\$94	+\$12
		IN27PF24	27"	24"	\$96	+\$12
		IN27PF30	27"	30"	\$98	+\$12
		IN27PF36	27"	36"	\$100	+\$13
		IN27PF42	27"	42"	\$110	+\$13
		IN27PF48	27"	48"	\$117	+\$14

Accent paint

+\$9 +\$10 +\$10 +\$10 +\$10 +\$11 +\$11 +\$12 +\$12 +\$13 +\$13 +\$13 +\$14 +\$14 +\$9 +\$10 +\$10 +\$10 +\$10 +\$11 +\$11 +\$12 +\$12 +\$13 +\$13 +\$13 +\$14 +\$14

KEY	EXAMPLE	•	 Painted tile is magnetic NOIES Code suffix denote specific tile location: 								
IN6.75	5CTP24-UD	 Painted tile is magnetic Specific locations where 	these tiles may be installed or		·						
IN	Inscape System	frame; *See Inscape Sys		' UD =	UD = Upper deck BL = Beltline						
6.75	6.75" H	• Flush bezel color option	of black, white and gray	BL =							
СТР	Painted Communication Tile	 (default black) Be sure to confirm cross accommodate tile heigh 		BS =	BS = Base						
24	24" W	- 0	ہ h the 6.75"h bottom location tiles	3							
UD	Upper deck location	Crossrails can be found	in the accessory section of the								
•		price list under Panel an	d Table accessories								
			Part number	н	w	Neutral paint/ base price					
		6.75" H Painted	IN6.75CTP24-UD	6.75"	24"	\$65					
A	00	Communication Tile Upper Deck Location	IN6.75CTP30-UD	6.75"	30"	\$68					
		opper beek Edeation	IN6.75CTP36-UD	6.75"	36"	\$70					
			IN6.75CTP42-UD	6.75"	42"	\$73					
			IN6.75CTP48-UD	6.75"	48"	\$75					
			IN6.75CTP54-UD	6.75"	54"	\$80					
			IN6.75CTP60-UD	6.75"	60"	\$83					
		13.5" H Painted	IN13.5CTP24-UD	13.5"	24"	\$91					
	8	Communication Tile	IN13.5CTP30-UD	13.5"	30"	\$94					
1	Real and	Upper Deck Location	IN13.5CTP36-UD	13.5"	36"	\$99					
-			IN13.5CTP42-UD	13.5"	42"	\$103					
			IN13.5CTP48-UD	13.5"	48"	\$110					
			IN13.5CTP54-UD	13.5"	54"	\$111					
			IN13.5CTP60-UD	13.5"	60"	\$114					
						••••					
		6.75" H Painted Communication Tile	IN6.75CTP24-BL	6.75"	24"	\$65					
f		Beltline Location	IN6.75CTP30-BL	6.75"	30"	\$68					
		Domino Loodatori	IN6.75CTP36-BL	6.75"	36"	\$70					
			IN6.75CTP42-BL	6.75"	42"	\$73					
			IN6.75CTP48-BL	6.75"	48"	\$75					
			IN6.75CTP54-BL	6.75"	54"	\$80					
			IN6.75CTP60-BL	6.75"	60"	\$83					
		13.5" H Painted	IN13.5CTP24-BL	13.5"	24"	\$91					
A		Communication Tile	IN13.5CTP30-BL	13.5"	30"	\$94					
		Beltline Location	IN13.5CTP36-BL	13.5"	36"	\$99					
			IN13.5CTP42-BL	13.5"	42"	\$103					
			IN13.5CTP48-BL	13.5"	48"	\$110					
			IN13.5CTP54-BL	13.5"	54"	\$111					
			IN13.5CTP60-BL	13.5"	60"	\$114					
		6.75" H Painted	IN6.75CTP30-BS	6.75"	30"	\$84					
A	00	Communication Tile	IN6.75CTP36-BS	6.75"	36"	\$90					
		Bottom Location	IN6.75CTP42-BS	6.75"	42"	\$95					
			IN6.75CTP42-BL	6.75"	48"	\$105					
	_	20.25" H Painted	IN20.25CTP24-BS	20.25"	24"	\$114					
_		Communication Tile	IN20.25CTP30-BS	20.25	24 30"	\$114					
		Bottom Location	IN20.25CTP36-BS	20.25	36"	\$125					
			IN20.25CTP42-BS	20.25	42"	\$123					
L			IN20.25CTP48-BS	20.25	42	\$139					
			IN20.25CTP54-BS	20.25"		\$156					
				_00							

IN20.25CTP60-BS

20.25"

60"

\$159

• Painted tiles are available in any of Inscape's standard

paint colors or a custom color can be accomodated

NOTES

PRODUCT CODE KEY EXAMPLE

Inscape - State of Connecticut Price List | Contract #16PSX0171 | November 2019

+\$18

+\$8 +\$8 +\$9 +\$10 +\$14 +\$14 +\$15 +\$16 +\$16 +\$18

PRODUCT CODE KEY EXAMPLE

IN	Inscape System						
6.75	6.75" H						
CTF	Fabric Communication Tile						
24	24" W						

UD Upper deck location

- Fabric applied in a railroad orientation as standard
 Fabric tile is magnetic.
- Specific locations where these tiles may be installed on frame; *See Inscape System Application Guide
- Flush bezel color option of black, white and gray
- (default black)
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

NOTES

Code suffix denote specific tile location:

- UD = Upper deck
- BL = Beltline
- BS = Base

See finishes section for fabrics that requires scrim.

Tile size limitations exist for some fabrics, see finishes section.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN6.75CTF24-UD in Grade 2 with scrim would be 884 + 6 + 13

	Part number	w	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN6.75CTF24-UD	24"	\$84	+\$6	+\$8	+\$12	+\$16	+\$32	+\$49	+\$67	+\$13
(* ···	IN6.75CTF30-UD	30"	\$86	+\$6	+\$8	+\$12	+\$16	+\$32	+\$49	+\$67	+\$13
18 <u>-</u>	IN6.75CTF36-UD	36"	\$97	+\$8	+\$11	+\$19	+\$27	+\$48	+\$68	+\$95	+\$14
	IN6.75CTF42-UD	42"	\$101	+\$9	+\$10	+\$18	+\$25	+\$46	+\$66	+\$93	+\$14
6.75" H Fabric Communication Tile	IN6.75CTF48-UD	48"	\$105	+\$9	+\$12	+\$20	+\$27	+\$49	+\$71	+\$98	+\$14
Upper Deck Location	IN6.75CTF54-UD	54"	\$111	+\$10	+\$12	+\$20	+\$27	+\$50	+\$73	+\$100	+\$14
	IN6.75CTF60-UD	60"	\$121	+\$10	+\$12	+\$22	+\$31	+\$58	+\$84	+\$117	+\$15
_	IN13.5CTF24-UD	24"	\$105	+\$8	+\$13	+\$21	+\$28	+\$50	+\$73	+\$100	+\$14
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	IN13.5CTF30-UD	30"	\$110	+\$7	+\$11	+\$19	+\$26	+\$49	+\$71	+\$98	+\$15
the With	IN13.5CTF36-UD	36"	\$121	+\$8	+\$14	+\$25	+\$36	+\$63	+\$90	+\$125	+\$15
-	IN13.5CTF42-UD	42"	\$124	+\$9	+\$18	+\$26	+\$34	+\$65	+\$92	+\$129	+\$16
13.5" H Fabric Communication Tile	IN13.5CTF48-UD	48"	\$128	+\$11	+\$23	+\$32	+\$42	+\$70	+\$98	+\$136	+\$16
Upper Deck Location	IN13.5CTF54-UD	54"	\$129	+\$12	+\$25	+\$36	+\$46	+\$77	+\$105	+\$148	+\$18
	IN13.5CTF60-UD	60"	\$141	+\$13	+\$14	+\$25	+\$38	+\$67	+\$97	+\$135	+\$18
	IN6.75CTF24-BL	24"	\$84	+\$6	+\$8	+\$12	+\$16	+\$32	+\$49	+\$67	+\$13
	IN6.75CTF30-BL	30"	\$86	+\$6	+\$8	+\$12	+\$16	+\$32	+\$49	+\$67	+\$13
19	IN6.75CTF36-BL	36"	\$97	+\$8	+\$9	+\$19	+\$23	+\$48	+\$68	+\$95	+\$14
6.75" H Fabric	IN6.75CTF42-BL	42"	\$101	+\$9	+\$10	+\$19	+\$25	+\$46	+\$66	+\$93	+ \$1 4
Communication Tile	IN6.75CTF48-BL	48"	\$105	+\$9	+\$11	+\$20	+\$27	+\$49	+\$71	+\$98	+\$14
Beltline Location	IN6.75CTF54-BL	54"	\$111	+\$10	+\$12	+\$20	+\$27	+\$50	+\$73	+\$100	+\$14
	IN6.75CTF60-BL	60"	\$121	+\$10	+\$12	+\$22	+\$31	+\$58	+\$84	+\$117	+\$15
	IN13.5CTF24-BL	24"	\$105	+\$7	+\$13	+\$21	+\$28	+\$50	+\$73	+\$100	+\$14
1.11.11	IN13.5CTF30-BL	30"	\$110	+\$8	+\$13	+\$23	+\$31	+\$49	+\$71	+\$98	+\$15
福江國	IN13.5CTF36-BL	36"	\$121	+\$8	+\$14	+\$25	+\$36	+\$63	+\$90	+\$125	+\$15
	IN13.5CTF42-BL	42"	\$124	+\$9	+\$18	+\$26	+\$39	+\$65	+\$92	+\$132	+\$16
13.5" H Fabric Communication Tile	IN13.5CTF48-BL	48"	\$128	+\$11	+\$23	+\$32	+\$42	+\$70	+\$98	+\$136	+\$16
Beltline Location	IN13.5CTF54-BL	54"	\$129	+\$12	+\$25	+\$36	+\$46	+\$77	+\$105	+\$148	+\$18
	IN13.5CTF60-BL	60"	\$141	+\$13	+\$25	+\$38	+\$48	+\$79	+\$107	+\$150	+\$18

IN6.75CTF24-UD

IN	Inscape System
6.75	6.75" H
CTF	Fabric Communication Tile
24	24" W

UD Upper deck location

- Fabric applied in a railroad orientation as standard
 Fabric tile is magnetic.
- Specific locations where these tiles may be installed on frame; *See Inscape System Application Guide
- Flush bezel color option of black, white and gray
- (default black)
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

NOTES

Code suffix denote specific tile location:

- UD = Upper deck
- BL = Beltline
- BS = Base

See finishes section for fabrics that requires scrim.

Tile size limitations exist for some fabrics, see finishes section.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN20.25CTF24-BS in Grade 2 with scrim would be \$126 +\$7 +\$25

	Part number	w	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN20.25CTF24-BS	24"	\$126	+\$7	+\$19	+\$28	+\$38	+\$65	+\$93	+\$129	+\$25
	IN20.25CTF30-BS	30"	\$128	+\$6	+\$20	+\$29	+\$40	+\$67	+\$95	+\$132	+\$26
	IN20.25CTF36-BS	36"	\$150	+\$8	+\$20	+\$31	+\$44	+\$78	+\$110	+\$153	+\$27
	IN20.25CTF42-BS	42"	\$154	+\$9	+\$23	+\$34	+\$47	+\$81	+\$116	+\$161	+\$28
20.25" H Fabric	IN20.25CTF48-BS	48"	\$158	+\$11	+\$26	+\$40	+\$51	+\$88	+\$123	+\$171	+\$28
Communication Tile	IN20.25CTF54-BS	54"	\$161	+\$11	+\$28	+\$43	+\$56	+\$95	+\$132	+\$186	+\$29
Bottom Location	IN20.25CTF60-BS	60"	\$165	+\$12	+\$38	+\$53	+\$68	+\$110	+\$150	+\$208	+\$30

PRODUCT CODE KEY EXAMPLE

IN6.75MAP30-UD				
IN	Inscape System			
6.75	6.75" H			
MAP	Painted Multi Access Tile			

- 30 30" W
- UD Upper deck location
- Painted tiles are available in any of Inscape's standard paint colors or a custom color can be accomodated
- Painted tile is magnetic
 - Specific locations where these tiles may be installed on frame; *See Inscape System Application Guide
 - • Flush bezel color option of black (default), white and gray
 - Be sure to confirm crossrail locations will accommodate tile height
 - Crossrails can be found in the accessory section of the price list under Panel and Table accessories

NOTES

Code suffix denote specific tile location:

- UD = Upper deck
- BL = Beltline BS = Base

		Part number	н	w	Neutral paint/ base price	Accent paint
_	6.75" H Painted Multi	IN6.75MAP30-UD	6.75"	30"	\$68	+\$10
8 8	Access Tile	IN6.75MAP36-UD	6.75"	36"	\$70	+\$10
-	Upper Deck Location	IN6.75MAP42-UD	6.75"	42"	\$73	+\$10
		IN6.75MAP48-UD	6.75"	48"	\$75	+\$10
		IN6.75MAP54-UD	6.75"	54"	\$80	+\$11
		IN6.75MAP60-UD	6.75"	60"	\$83	+\$11
	13.5" H Painted Multi	IN13.5MAP30-UD	13.5"	30"	\$95	+\$12
88	Access Tile Upper Deck Location	IN13.5MAP36-UD	13.5"	36"	\$99	+\$13
	Opper Deck Location	IN13.5MAP42-UD	13.5"	42"	\$103	+\$13
		IN13.5MAP48-UD	13.5"	48"	\$110	+\$13
		IN13.5MAP54-UD	13.5"	54"	\$111	+\$14
		IN13.5MAP60-UD	13.5"	60"	\$114	+\$14
3	6.75" H Painted Multi	IN6.75MAP30-BL	6.75"	30"	\$68	+\$10
	Access Tile Beltline Location	IN6.75MAP36-BL	6.75"	36"	\$70	+\$10
	Dennie Location	IN6.75MAP42-BL	6.75"	42"	\$73	+\$10
		IN6.75MAP48-BL	6.75"	48"	\$75	+\$10
		IN6.75MAP54-BL	6.75"	54"	\$80	+\$11
		IN6.75MAP60-BL	6.75"	60"	\$83	+\$11
	13.5" H Painted Multi	IN13.5MAP30-BL	13.5"	30"	\$95	+\$12
	Access Tile Beltline Location	IN13.5MAP36-BL	13.5"	36"	\$99	+\$13
	Denine Eccation	IN13.5MAP42-BL	13.5"	42"	\$103	+\$13
		IN13.5MAP48-BL	13.5"	48"	\$110	+\$13
		IN13.5MAP54-BL	13.5"	54"	\$111	+\$14
		IN13.5MAP60-BL	13.5"	60"	\$114	+\$14
	20.25" H Painted Multi	IN20.25MAP30-BS	20.25"	30"	\$127	+\$15
1	Access Tile Bottom Location	IN20.25MAP36-BS	20.25"	36"	\$129	+\$15
		IN20.25MAP42-BS	20.25"	42"	\$136	+\$16
		IN20.25MAP48-BS	20.25"	48"	\$145	+\$17
		IN20.25MAP54-BS	20.25"	54"	\$161	+\$18
		IN20.25MAP60-BS	20.25"	60"	\$164	+\$19

PRODUCT CODE KEY EXAMPLE

IN6.75MAF30			
IN Inscape System			
6.75	6.75" H		
MAF	AF Multi Access Fabric		
30	30" W		

- Fabric applied in a railroad orientation as standardFabric tile is magnetic.
- Specific locations where these tiles may be installed on
- frame; *See Inscape System Application Guide
- Flush bezel color option of black (default), white and gray
- Be sure to confirm crossrail locations will
 - accommodate tile height
 - Crossrails can be found in the accessory section of the price list under Panel and Table accessories

NOTES

Code suffix denote specific tile location:

- UD = Upper deck
- BL = Beltline

BS = Base

See finishes section for fabrics that requires scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN6.75MAF30-UD in Grade 2 with scrim would be \$87 +\$6 +\$13

	Part number	w	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN6.75MAF30-UD	30"	\$87	+\$6	+\$8	+\$12	+\$16	+\$32	+\$49	+\$67	+\$13
BB	IN6.75MAF36-UD	36"	\$97	+\$8	+\$11	+\$19	+\$23	+\$46	+\$64	+\$89	+\$14
10 cm	IN6.75MAF42-UD	42"	\$101	+\$9	+\$10	+\$19	+\$25	+\$48	+\$66	+\$93	+\$14
6.75" H Fabric Multi	IN6.75MAF48-UD	48"	\$105	+\$9	+\$12	+\$20	+\$27	+\$49	+\$71	+\$98	+\$14
Access Tile	IN6.75MAF54-UD	54"	\$111	+\$10	+\$12	+\$20	+\$27	+\$50	+\$73	+\$100	+\$14
Upper Deck Location	IN6.75MAF60-UD	60"	\$121	+\$10	+\$12	+\$22	+\$31	+\$58	+\$84	+\$117	+\$15
3.	IN13.5MAF30-UD	30"	\$111	+\$7	+\$11	+\$19	+\$26	+\$49	+\$71	+\$98	+\$15
14	IN13.5MAF36-UD	36"	\$121	+\$8	+\$14	+\$25	+\$36	+\$63	+\$90	+\$125	+\$15
10.2000	IN13.5MAF42-UD	42"	\$124	+\$9	+\$21	+\$26	+\$40	+\$66	+\$95	+\$132	+\$16
	IN13.5MAF48-UD	48"	\$128	+\$11	+\$23	+\$32	+\$42	+\$70	+\$98	+\$136	+\$16
13.5" H Fabric Multi	IN13.5MAF54-UD	54"	\$129	+\$12	+\$25	+\$36	+\$46	+\$77	+\$105	+\$148	+\$18
Access Tile Upper Deck Location	IN13.5MAF60-UD	60"	\$141	+\$13	+\$27	+\$39	+\$48	+\$80	+\$107	+\$150	+\$18
	IN6.75MAF30-BL	30"	\$87	+\$6	+\$8	+\$12	+\$16	+\$32	+\$49	+\$67	+\$13
	IN6.75MAF36-BL	36"	\$97	+\$8	+\$10	+\$19	+\$24	+\$44	+\$56	+\$81	+\$14
	IN6.75MAF42-BL	42"	\$101	+\$9	+\$10	+\$19	+\$25	+\$46	+\$66	+\$93	+\$14
	IN6.75MAF48-BL	48"	\$105	+\$9	+\$12	+\$20	+\$27	+\$49	+\$71	+\$98	+\$14
6.75" H Fabric Multi Access Tile	IN6.75MAF54-BL	54"	\$111	+\$10	+\$12	+\$20	+\$27	+\$50	+\$73	+\$100	+\$14
Beltline Location	IN6.75MAF60-BL	60"	\$121	+\$10	+\$12	+\$22	+\$31	+\$58	+\$84	+\$117	+\$15
_	IN13.5MAF30-BL	30"	\$111	+\$6	+\$11	+\$19	+\$26	+\$49	+\$71	+\$98	+\$15
	IN13.5MAF36-BL	36"	\$121	+\$8	+\$14	+\$25	+\$31	+\$60	+\$88	+\$112	+\$15
With	IN13.5MAF42-BL	42"	\$124	+\$7	+\$18	+\$26	+\$34	+\$62	+\$90	+\$125	+\$16
	IN13.5MAF48-BL	48"	\$128	+\$11	+\$23	+\$32	+\$42	+\$70	+\$98	+\$136	+\$16
13.5" H Fabric Multi	IN13.5MAF54-BL	54"	\$129	+\$12	+\$25	+\$36	+\$46	+\$77	+\$105	+\$148	+\$18
Access Tile Beltline Location	IN13.5MAF60-BL	60"	\$141	+\$5	+ \$1 4	+\$25	+\$38	+\$67	+\$97	+\$135	+\$18
	IN20.25MAF30-BS	30"	\$129	+\$6	+\$20	+\$29	+\$40	+\$67	+\$95	+\$132	+\$26
	IN20.25MAF36-BS	36"	\$150	+\$8	+\$20	+\$31	+\$44	+\$78	+\$110	+\$153	+\$27
	IN20.25MAF42-BS	42"	\$154	+\$8	+\$18	+\$30	+\$43	+\$78	+\$110	+\$153	+\$28
13 Martin	IN20.25MAF48-BS	48"	\$158	+\$11	+\$26	+\$40	+\$51	+\$88	+\$123	+\$171	+\$28
	IN20.25MAF54-BS	54"	\$161	+\$11	+\$28	+\$43	+\$56	+\$95	+\$132	+\$186	+\$29
20.25" H Fabric Multi	IN20.25MAF60-BS	60"	\$165	+\$13	+\$30	+\$53	+\$68	+\$110	+\$150	+\$208	+\$30

Access Tile Bottom Location

Architecture Tiles Double Glazed

System

PRODUCT CODE KEY EXAMPLE

IN13	5GL	24	-3F

IN	Inscape System
1.35	13.5" H
GL24	24" W double glaze

3F for 3 1/2" thick frame

- "2F" denotes use with 2 ¼" thick frame, "3F" denotes use with 3 ½" thick frame
- Be sure to confirm crossrail locations will
- accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

NOTES

Standard tiles may NOT be installed in locations above Double Glaze Tile on the 2 $\ensuremath{\mathscr{Y}}$ " thick frame

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

IN13.5GL24-3F in Frosted Acrylic would be \$304 +\$38

		Part number	н	w	Clear acrylic/ base price	Frosted acrylic	Accent paint
-	Double Glaze Tile	IN13.5GL24-3F	13.5"	24"	\$304	+\$38	+\$32
COLORA DE LA COLOR	for 3 1/2" Frames	IN13.5GL30-3F	13.5"	30"	\$317	+\$50	+\$33
		IN13.5GL36-3F	13.5"	36"	\$329	+\$53	+\$34
		IN13.5GL42-3F	13.5"	42"	\$352	+\$81	+\$38
		IN13.5GL48-3F	13.5"	48"	\$362	+\$90	+\$39
	Double Glaze Tile	IN13.5GL24-2F	13.5"	24"	\$293	+\$38	+\$30
	for 2 3/4" Frames	IN13.5GL30-2F	13.5"	30"	\$306	+\$50	+\$32
		IN13.5GL36-2F	13.5"	36"	\$318	+\$53	+\$33
		IN13.5GL42-2F	13.5"	42"	\$341	+\$81	+\$36
		IN13.5GL48-2F	13.5"	48"	\$350	+\$90	+\$38

PRODUCT CODE KEY EXAMPLE

IN37F	IN37P18			
IN Inscape System				
37	37" H			
Ρ	Painted			
18	18" W			

- Painted tiles are available in any of Inscape's standard paint colors or a custom color can be accomodated
- Painted tile is magnetic.
- Be sure to confirm crossrail locations will
 - accommodate tile height
 - Crossrails can be found in the accessory section of the
 - price list under Panel and Table accessories

	Part number	н	w	Neutral paint/ base price	Accent paint
37" H Painted Monolithic	IN37P18	37"	18"	\$158	+\$18
Tile	IN37P24	37"	24"	\$163	+\$18
	IN37P30	37"	30"	\$166	+\$19
	IN37P36	37"	36"	\$171	+\$19
	IN37P42	37"	42"	\$174	+\$19
	IN37P48	37"	48"	\$177	+\$20
44" H Painted Monolithic	IN44P18	44"	18"	\$182	+\$20
Tile	IN44P24	44"	24"	\$188	+\$21
	IN44P30	44"	30"	\$195	+\$21
	IN44P36	44"	36"	\$201	+\$22
	IN44P42	44"	42"	\$208	+\$23
	IN44P48	44"	48"	\$213	+\$23
51" H Painted Monolithic	IN51P18	51"	18"	\$193	+\$21
Tile	IN51P24	51"	24"	\$202	+\$22
	IN51P30	51"	30"	\$206	+\$23
	IN51P36	51"	36"	\$213	+\$23
	IN51P42	51"	42"	\$225	+\$24
	IN51P48	51"	48"	\$233	+\$25
57" H Painted Monolithic	IN57P18	57"	18"	\$204	+\$22
Tile	IN57P24	57"	24"	\$213	+\$23
	IN57P30	57"	30"	\$226	+\$24
	IN57P36	57"	36"	\$232	+\$25
	IN57P42	57"	42"	\$240	+\$26
	IN57P48	57"	48"	\$252	+\$27
64" H Painted Monolithic	IN64P18	64"	18"	\$228	+\$24
Tile	IN64P24	64"	24"	\$242	+\$26
	IN64P30	64"	30"	\$257	+\$27
	IN64P36	64"	36"	\$272	+\$29
	IN64P42	64"	42"	\$283	+\$30
	IN64P48	64"	48"	\$293	+\$30

Architecture Tiles Monolithic - Fabric

System

PRODUCT CODE KEY EXAMPLE

IN37F18			
IN Inscape System			
37	37" H		
F	Fabric		
18	18" W		

- Fabric applied in a railroad orientation as standard
- Fabric tile is magnetic
- Be sure to confirm crossrail locations
- will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

NOTES

See finishes section for fabrics that requires scrim.

Tile size limitations exist for some fabrics, see finishes section.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN37F18 in Grade 2 with scrim would be \$238 +\$13 +\$30

	Part number	w	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
S.C.	IN37F18	18"	\$238	+\$13	+\$19	+\$27	+\$34	+\$67	+\$100	+\$140	+\$30
With the start	IN37F24	24"	\$251	+\$14	+\$20	+\$27	+\$34	+\$70	+\$103	+\$145	+\$40
the and the	IN37F30	30"	\$262	+\$14	+\$20	+\$28	+\$36	+\$73	+\$109	+\$152	+\$49
the and	IN37F36	36"	\$272	+\$27	+\$31	+\$47	+\$61	+\$110	+\$157	+\$219	+\$58
1288	IN37F42	42"	\$288	+\$27	+\$32	+\$47	+\$61	+\$112	+\$161	+\$226	+\$66
37" H Fabric Monolithic Tile	IN37F48	48"	\$298	+\$28	+\$33	+\$49	+\$63	+\$117	+\$168	+\$234	+\$78
5.00	IN44F18	18"	\$265	+\$18	+\$21	+\$30	+\$41	+\$77	+\$111	+\$155	+\$36
the the states	IN44F24	24"	\$281	+\$18	+\$21	+\$30	+\$41	+\$79	+\$116	+\$160	+\$48
and the second s	IN44F30	30"	\$295	+\$20	+\$23	+\$31	+\$42	+\$82	+\$120	+\$166	+\$59
the second se	IN44F36	36"	\$308	+\$30	+\$38	+\$41	+\$67	+\$123	+\$179	+\$252	+\$70
1998	IN44F42	42"	\$322	+\$30	+\$38	+\$52	+\$71	+\$128	+\$185	+\$255	+\$83
44" H Fabric Monolithic Tile	IN44F48	48"	\$337	+\$30	+\$38	+\$54	+\$71	+\$128	+\$185	+\$257	+\$93
S.C.	IN51F18	18"	\$290	+\$19	+\$23	+\$33	+\$43	+\$82	+\$119	+\$164	+\$42
the the states	IN51F24	24"	\$303	+\$20	+\$24	+\$34	+\$46	+\$88	+\$128	+\$180	+\$55
and the second	IN51F30	30"	\$317	+\$22	+\$25	+\$38	+\$53	+\$90	+\$132	+\$188	+\$68
	IN51F36	36"	\$330	+\$31	+\$27	+\$58	+\$76	+\$129	+\$184	+\$256	+\$84
	IN51F42	42"	\$346	+\$32	+\$42	+\$59	+\$77	+\$132	+\$190	+\$264	+\$96
51" H Fabric Monolithic Tile	IN51F48	48"	\$359	+\$34	+\$44	+\$61	+\$80	+\$134	+\$194	+\$270	+\$111
500	IN57F18	18"	\$301	+\$24	+\$29	+\$42	+\$52	+\$96	+\$140	+\$195	+\$47
with the	IN57F24	24"	\$316	+\$26	+\$30	+\$43	+\$54	+\$102	+\$151	+\$209	+\$61
the state of the s	IN57F30	30"	\$330	+\$31	+\$34	+\$44	+\$56	+\$107	+\$157	+\$219	+\$78
	IN57F36	36"	\$347	+\$40	+\$45	+\$71	+\$90	+\$155	+\$220	+\$306	+\$91
	IN57F42	42"	\$364	+\$41	+\$49	+\$75	+\$91	+\$157	+\$224	+\$311	+\$106
57" H Fabric Monolithic Tile	IN57F48	48"	\$380	+\$42	+\$51	+\$77	+\$92	+\$161	+\$231	+\$322	+\$121
	IN64F18	18"	\$322	+\$24	+\$29	+\$42	+\$52	+\$96	+\$140	+\$195	+\$52
Will star	IN64F24	24"	\$341	+\$26	+\$31	+\$43	+\$54	+\$102	+\$151	+\$209	+\$68
the state of the s	IN64F30	30"	\$358	+\$30	+\$38	+\$44	+\$56	+\$107	+\$157	+\$219	+\$87
State State	IN64F36	36"	\$376	+\$34	+\$51	+\$71	+\$90	+\$155	+\$220	+\$306	+\$103
	IN64F42	42"	\$398	+\$40	+\$52	+\$75	+\$94	+\$157	+\$224	+\$311	+\$121
64" H Fabric Monolithic Tile	IN64F48	48"	\$415	+\$42	+\$54	+\$77	+\$96	+\$161	+\$231	+\$322	+\$137

PRODUCT CODE KEY EXAMPLE

IN37MAP30B				
IN	Inscape System			
37	37" H			
MAP	Multi access - painted			
30	30" W			
в	Base cutouts			

- Painted tiles are available in any of Inscape's standard paint colors or a custom color can be accomodated
- Painted tile is magnetic
- Flush bezel color option of black (default), white and gray
 - Be sure to confirm crossrail locations will
 - accommodate tile height
 - Crossrails can be found in the accessory section of

the price list under Panel and Table accessories

NOTES

Multi access location at base only (includes 2 data cutouts and 2 electrical cutouts)

	Part number	н	w	Neutral paint/ base price	Accent paint
37" H Painted Monolithic	IN37MAP30B	37"	30"	\$173	+\$19
Tile with Multi Access	IN37MAP36B	37"	36"	\$182	+\$20
	IN37MAP42B	37"	42"	\$188	+\$21
	IN37MAP48B	37"	48"	\$192	+\$21
44" H Painted Monolithic	IN44MAP30B	44"	30"	\$201	+\$22
Tile with Multi Access	IN44MAP36B	44"	36"	\$211	+\$23
	IN44MAP42B	44"	42"	\$220	+\$24
	IN44MAP48B	44"	48"	\$228	+\$24
51" H Painted Monolithic	IN51MAP30B	51"	30"	\$210	+\$23
Tile with Multi Access	IN51MAP36B	51"	36"	\$226	+\$24
	IN51MAP42B	51"	42"	\$233	+\$25
	IN51MAP48B	51"	48"	\$240	+\$26
57" H Painted Monolithic	IN57MAP30B	57"	30"	\$230	+\$25
Tile with Multi Access	IN57MAP36B	57"	36"	\$242	+\$26
	IN57MAP42B	57"	42"	\$253	+\$27
	IN57MAP48B	57"	48"	\$262	+\$28
64" H Painted Monolithic	IN64MAP30B	64"	30"	\$260	+\$27
Tile with Multi Access	IN64MAP36B	64"	36"	\$278	+\$29
	IN64MAP42B	64"	42"	\$287	+\$30
	IN64MAP48B	64"	48"	\$296	+\$31

PRODUCT CODE KEY EXAMPLE

IN37M	IAF30B
IN	Inscape System
37	37" H
MAF	Multi access - fabric
30	30" W
-	Deere suite ite

- Base cutouts в
- Fabric applied in a railroad orientation • Flush bezel color option of black (default), white and gray
- Be sure to confirm crossrail locations will accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

NOTES

Multi access location at base only (includes 2 data cutouts and 2 electrical cutouts).

See finishes section for fabrics that requires scrim.

Tile size limitations exist for some fabrics, see finishes section.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product IN37MAF30B in Grade 2 with scrim would be \$271 + \$14 + \$49

	Part number	W	Grade 1/ COM/ Base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN37MAF30B	30"	\$271	+\$14	+\$20	+\$28	+\$36	+\$73	+\$109	+\$152	+\$49
	IN37MAF36B	36"	\$290	+\$27	+\$31	+\$43	+\$54	+\$110	+\$157	+\$219	+\$58
L. H.	IN37MAF42B	42"	\$301	+\$27	+\$32	+\$47	+\$61	+\$112	+\$161	+\$226	+\$66
	IN37MAF48B	48"	\$313	+\$28	+\$33	+\$49	+\$63	+\$117	+\$168	+\$234	+\$78



37" H Fabric Monolithic Tile with Multi Access

	IN44MAF30B	30"	\$306	+\$18	+\$21	+\$31	+\$42	+\$82	+\$120	+\$166	+\$59
· 小小小小小小小小小小小小小小小小小小小小小小小小小小小小小小小小小小小小	IN44MAF36B	36"	\$323	+\$30	+\$38	+\$54	+\$71	+\$128	+\$185	+\$257	+\$70
the set	IN44MAF42B	42"	\$337	+\$33	+\$40	+\$56	+\$76	+\$132	+\$189	+\$263	+\$83
	IN44MAF48B	48"	\$351	+\$36	+\$43	+\$59	+\$79	+\$136	+\$193	+\$266	+\$93

44" H Fabric Monolithic Tile with Multi Access

	IN51MAF30B	30"	\$319	+\$20	+\$24	+\$34	+\$46	+\$107	+\$128	+\$180	+\$68
1. A.	IN51MAF36B	36"	\$338	+\$31	+\$40	+\$58	+\$76	+\$129	+\$184	+\$256	+\$84
in the	IN51MAF42B	42"	\$352	+\$32	+\$42	+\$59	+\$77	+\$132	+\$190	+\$264	+\$96
	IN51MAF48B	48"	\$368	+\$33	+\$44	+\$61	+\$79	+\$134	+\$194	+\$270	+\$111
8 !* 8											

51" H Fabric Monolithic

Tile with Multi Access

	IN57MAF30B	30"	\$343	+\$26	+\$30	+\$44	+\$56	+\$107	+\$157	+\$219	+\$78
- #1- 1 ×	IN57MAF36B	36"	\$365	+\$40	+\$36	+\$66	+\$68	+\$155	+\$220	+\$306	+\$91
the in	IN57MAF42B	42"	\$381	+\$41	+\$46	+\$67	+\$84	+\$157	+\$224	+\$311	+\$106
	IN57MAF48B	48"	\$399	+\$42	+\$51	+\$73	+\$92	+\$161	+\$231	+\$322	+\$121

57" H Fabric Monolithic Tile with Multi Access

	IN64MAF30B	30"	\$376	+\$26	+\$30	+\$44	+\$56	+\$107	+\$157	+\$219	+\$87
141- J.	IN64MAF36B	36"	\$419	+\$32	+\$36	+\$58	+\$68	+\$155	+\$220	+\$306	+\$103
and the second s	IN64MAF42B	42"	\$434	+\$34	+\$46	+\$67	+\$84	+\$157	+\$224	+\$311	+\$121
	IN64MAF48B	48"	\$448	+\$42	+\$51	+\$73	+\$92	+\$161	+\$231	+\$322	+\$137

64" H Fabric Monolithic Tile with Multi Access

System

PRODUCT CODE KEY EXAMPLE

• Use with 3.5" thick panel only

IN6.75MAP30B INPL Inscape System Planna 6.75 6.75" H MAP Multi access - painted

30 30" W

- Paint finish only
- Painted tiles are available in any of Inscape's standard
- paint colors or a custom color can be accomodated
- Painted tile is magnetic
- Flush bezel color option of black (default),
- white and gray
- Be sure to confirm crossrail locations will
- accommodate tile height
- Crossrails can be found in the accessory section of the price list under Panel and Table accessories

	Part number	н	w	Neutral paint/ base price	Accent paint
6.75" H Painted Multi	INPL6.75MAP30	6.75"	30"	\$96	+\$12
 Access Tile for use with Planna	INPL6.75MAP36	6.75"	36"	\$99	+\$13
Storage	INPL6.75MAP42	6.75"	42"	\$106	+\$13





work for ^{tomorrow}

Inscape System electrical is UL and CSA approved. New York City and Chicago solutions are also available as standard offering. The electrical system features 8 wires and 4 circuits that can be configured in a 2+2 or 3+1 circuit configuration. All electrical components, with the exception of the power feed (which must be connected to the building power supply by a licensed electrician) may be installed by furniture installers, unless otherwise stated by jurisdiction of the installation.

Inscape System electrical components consist of the following: Floor/Wall power in-feed, ceiling power in-feed, chimney feed, power tracks, jumper cables and duplex receptacles. Power components snap into place without the need of tools.

POWER IN-FEED CONNECTIONS

Power in-feed connections can be made through a wall, column, or floor connection. Power in-feed connections consist of an 84" long liquid tight cable and a 45" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails. The liquid tight portion of the Power in-feed must be connected to the building power supply by an electrician.

If two power feeds are being specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks.


New York City has requirements for special power entry assemblies. A qualified electrician is required to hard-wire the **New York City In-feed** from the entry box to the power source. The New York City feed works for side feed, end feed or ceiling feed.

The City of Chicago does not permit the use of pre-wired modular electrical systems. To simplify hardwiring of the Inscape System panel, the City of Chicago Hold Down Bracket is available. When requiring power and data in the beltline location, it is required that basic frames be specified with the width specific code (ECHB-BL-_). The beltline location code includes the beltline cover as well as the City of Chicago Hold Down bracket which is based on the width of the frame. When specifying in locations other than at the beltline, an attachment bracket (INECHB) is available. Specify two INECHB for each power entry point, one for the power feed and one for the outlet. (The outlet box is NOT supplied by Inscape). INECHB's are available in packages of 6. Boxes should be sourced through Ental Industries or J&A Sheet both local Chicago suppliers of electrical junction boxes.

NOTE: Panels 30" W will accept one double-sided outlet box. Panels 36" W and wider will accept two boxes. INECHB's may also be specified to mount multi-user termination boxes inside the panel.

WIRE DESIGNATION


2 + 2 Circuit Configuration



2+2

- Circuits #1 and #2 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuits #3 and #4 share the other oversize neutral and isolated ground to provide isolated power to computers.

3 + 1 Circuit Configuration




CEILING POWER AND DATA FEEDS KIT

Ceiling power and data feeds kit includes a split top trim to facilitate cable entry into the panel, a ceiling grommet, a 16' long electrical cable and power pole featuring a septum to separate power from data cables to avoid electromagnetic interference (EMI). Specify ceiling power pole according to panel width. The ceiling power entry cable must be connected to the building power supply by an electrician. If two power feeds are being specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks. The entire power pole accommodates 61 Cat6 and 78 Cat5 cables at a 60% fill capacity if no electrical cable is routed through pole. If electrical is routed within power pole, at a 60% fill capacity, 46 Cat6 and 59 Cat5 cables may be accommodated.

3+1

- Circuits #1, #2 and #3 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuit #4 uses the other oversize neutral and isolated ground to provide isolated power to computers.



THE CHIMNEY CEILING FEED

The chimney ceiling feed carries up to 99 Cat6 or 128 Cat5 cables from the ceiling into the panel at 60% capacity when electrical is routed within chimney feed as well. If only data is being routed through Chimney Feed 147 Cat6 or 189 Cat5 cables may be routed through the chimney feed. The chimney kit consists of an 18" W Basic frame which includes an internal channel, ceiling collar (white only), and top trim. A septum within the chimney feed separates power and data cables. All tiles and vertical end trim must be specified separately. The 16' power entry cable is optional and is specified by the appropriate code.



POWER TRACKS

Power tracks are specified for frames 30" W and wider. This power track mounts at the beltline location of a 3 ½" thick Standard frame by clips that are shipped with the frame. The 30" W power track accepts one duplex per side. A power track 36" W and wider accepts two duplexes per side. Power tracks do not include jumper cables. Jumper cables must be specified to carry power from track to track (see Application Guide for length requirements).

POWER TRACK KITS

Power track kits consist of a power track and clips to attach the power track to a crossrail. The kit allows for power tracks to be mounted in all locations of the 2 ³/₄" thick panel and in locations other than the beltline location in the 3 ¹/₂" thick standard frames. Jumper cables and receptacles are specified separately. The 30" W Power Track Kit accepts one duplex per side. Power Track Kits which are 36" W and wider accept two duplexes per side. Power Track Kits may be specified below the following; Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles. Power Track Kits MAY NOT be specified below Twin Bins or Power Poles.

JUMPER CABLES

Jumper cables by-pass non-powered panels and also facilitates connections from power track to power track. Jumper cables must attach to power tracks only and cannot be attached to adjacent jumper cables or power in-feeds. Product codes indicate the width of the jumper cable which may be cross-referenced in the Inscape System Application Guide. Various widths of jumper cables are available to facilitate various applications and configurations.

*See Inscape System Application Guide for details.

DUPLEX RECEPTACLES

Duplex receptacles snap into power tracks back-to-back and may be accessed through cutouts in either the electrical cover plate with standard frames or multi-access and communication tiles in all other locations and basic frames. Duplexes are interchangeable amongst the varying power track locations. However, specific duplexes are required for various frame thicknesses and Electrified Storage, and need to be specified accordingly. Specify duplexes according to circuit configuration, 2+2 or 3+1. The IN3D3-_ duplex is specific to 2+2 wire configurations and the IN3DU3-_ duplex is specified for 3+1 wire configurations. General rule is no more than 12 receptacles per circuit per power in feed. Duplexes may be specified in black, white (close match to P168 - Glacier White) and gray (close match to P290 -Aluminum Leaf.

Controlled receptacles to satisfy California Title 24 are available. These receptacles control circuits through building switches. When circuits are controlled through building switches, it is required to identify which circuit is controlled to the end user. To identify the receptacles on the controlled circuit, Inscape's controlled receptacles have a

power mark (circle with the vertical line). The fit and function of these receptacles are same as the standard receptacle offering only application is in controlled circuits.

USB recepetacles are also availble. The snap into the standard power track. Each module provides 2 amp output via 2 USB ports and are available for both 2+2 and 3+1 wire configurations. Duplexes may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf.)

TASK LIGHTS

The LED task light is 20" in length and is silver in color. It is 7.5" W and has light color of cool white; $4,500^{\circ} - 5,500^{\circ}$. The LED task light may be positioned on an overhead bin, shelf or twin bin. When mounted, because of its height of $\frac{7}{4}$ " H, it is not as visible as other task lights. This task light is magnetic.

The Tuck Light comes in three length options; 17", 31" and 44". These options are nominal, see dimension info on pricing chart for actual dimensions. It is an LED fixture that comes stand in silver with black endcaps and frosted lens. This light offers 18-watt wall transformer with 9' black cord. The light output can be customized with the touch-and-hold dimming feature. Each code comes with one light fixture, one on/off/ dinner pack, one 18-watt power supply, magnet/screw mounts and two cord managers.

DATA COMPONENTS

DATA HANGER BRACKET

The Data Hanger Bracket provides a place for a voice/data box to be installed within the panel behind the tile (voice/data box not included). The bracket will accommodate up to a 6 outlet faceplate and is packaged in pairs.

HINGED COVER (INHRC)

The hinged cover (INHRC) snaps into the cutouts which are found in multi access and communication tiles. When data faceplates and receptacles are not required the hinged cover provides a visual and protective cover.

FIBER OPTIC OUTLET (INCFO)

Fiber optic outlet (INCFO) is specified to be installed in a cutout in a multi access or communication tile. May be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf).

DATA AND COMMUNICATION FACEPLATE (INCDP)

The data and communication faceplate (INCDP) installs in a cutout in a multi access or communication tile where plug and play access is required. The faceplate provides three "slots" where the Category 5 (INCABRJ45), Category 6 (INCABR6J45), and/ or Telephone Jacks (INCRJ11) may be inserted. All "openings" need to be filled with data or phone jacks, The Blank Data Plate Insert (INCB) fills in any which are not being used. Data components may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf). Telephone Jacks (INCRJ11) are not available in gray.

WORKSURFACE GROMMETS

Worksurface grommets are field installed and instructions are available. Inscape cannot and will not be held responsible for the quality of workmanship executed by any installation firm engaged to provide grommet-cutting services required for the field installation of our grommet sleeve/cap offering.

CLAMP-ON POWER

Clamp-on power may be clamped along edge of worksurface for plug and play access to electrical/voice/ data. Unit has clear anodized aluminum case with white inserts. Different insert configurations available. Voice and data adapter kits are included. Voice and data jacks must be purchased separately. Clamp-on power module has 72" long extension cord. This module adjusts from .75 to 1.75" for varying surface thickness.

CABLE HOOKS

Cable Hooks support and segregate data cables. Each frame 37" and higher ships with one cable manager. Cable hooks carry data cables to their termination voice/ data point at a multi access or communication tile for plug and play access or to hanger brackets which are located behind the tile.

WIRE MANAGEMENT CLIPS

Wire management clips are required when power is being routed from a Credenza Storage benching application frame to the worksurface. Where cabling is running from behind a Credenza Storage case, these wire management clips are mounted to the underside of the inside of the case and the wires are cleanly routed to the main surface. These clips come in a package of 10 and are white in color.

WIRE CASING

Wire casing manages cables and technology from a worksurface to the floor. Casing is 29" long but can be adjustable in length by removing or adding "links". Casing is available in gray. As standard the wire casing accommodates 28.5" H worksurface heights. The wire casing accommodates 30 Cat5 cables with electrical works at a 60% fill capacity which is recommended. Approximately 36 Cat5 cables may be accommodated in the wire casing at a 60% fill capacity without electrical works.

POWER BAR

Power bar is a white power bar consisting of 6 outlets and a 10' cord which may be specified to provide additional outlets. Addition of power bars should be taken into account when determining the amount of power required for a single or a cluster of stations. The power bar may be mounted under the worksurface.

ELECTRIFIED STORAGE COMPLIMENT TECHNOLOGY COMPONENTS

Electrified storage compliment technology components have been designed to fit within or compliment the Electrified Storage case. These components essentially work the same as the frame components but are specified based on specific lengths in relation to Electrified Storage.

ELECTRIFIED STORAGE CABLE CLOSETS

The electrified storage cable closets are designed to facilitate technology entering the Electrified Storage cases if a panel is not present. The cable closet is specified for the end of an Electrified Storage single case or run of cases. The closet is 1 ½" space thick, 18" W and is specified based on the height of the case with which it is mounting to. Technology may enter the cable closet via the floor or ceiling. Specify correct closet for desired application.

When ceiling feed is required, the **Cable Feed Kit** for the cable closet is required to be specified separately based on the ceiling height. Cable closets which attach to the 1 $\frac{1}{2}$ " screen are available to allow for technology to enter an Electrified Storage unit when the 1 $\frac{1}{2}$ " screen is being utilized which does not carry power. Be sure to specify inline connectors for the connection of this cable closet to the screen. Closets include all hardware to attach to the Electrified Storage case.

NOTE: Holes are required to be drilled in the case in order to attach cable closet brackets.

ELECTRICAL MODULE SIDE COVER

Electrical module side cover is specified for the end of an Electrified Storage unit to conceal the technology zone when a panel, screen or cable closet is not specified. This is a value engineered solution for the finishing of an Electrified Storage run. This cover may be painted the same colors as the Electrified Storage cases.

ELECTRICAL MODULE FRONT COVER

Electrical module front cover come standard with all Electrified Storage base cases; one side with cutout and one side without. When the configuration of an Electrified Storage base unit calls for additional cutouts or no cutouts on the other side of the unit, the appropriate front cover may be specified. The 30" W front cover only includes one cutout.

System

- Power in-feed connections consist of an 84" long liquid tight cable and a 45" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails
- All electrical components are standard
- 8 wire configuration

	New York City Power In	INEFWK-NY-8	\$59	93
Laure as	Standard Floor/Wall Power In Feed Kits	INEFWK-8	\$33	34
		Part number	List pric	e,



Feed Kit

- The ceiling power pole accommodates a maximum ceiling height of 11' when placed atop any systems frame height
- See Inscape System Application Guide for compatibility with ceiling heights
- Power pole kit includes top trim, power pole (exposed height noted below) and electrical power in-feed
- "2F" denotes use with 2 3/4" thick frame
- "3F" denotes use with 3 1/2" thick frame

NOTES

• Beltline Power Track or Power Track Kit must be located in frame where power pole is entering in order for in-feed to connect

		Part number	н	w	Tapered	Flat	Accent paint
1. Contraction of the second s	Ceiling Power Pole Kit	INECFK24-8-3F	113"	24"	\$1082	\$1082	+\$111
	For use with 3 ½" T Frames	INECFK30-8-3F	113"	30"	\$1088	\$1088	+\$111
1		INECFK36-8-3F	113"	36"	\$1095	\$1095	+\$112
		INECFK42-8-3F	113"	42"	\$1105	\$1105	+\$113
Commission of the second se		INECFK48-8-3F	113"	48"	\$1111	\$1111	+\$113
		INECFK54-8-3F	113"	54"	\$1126	\$1126	+\$115
11.5		INECFK60-8-3F	113"	60"	\$1131	\$1131	+\$115
~	Ceiling Power Pole Kit	INECFK24-8-2F	113"	24"	_	\$1082	+\$111
	For use with 2 ¾" T Frames	INECFK30-8-2F	113"	30"	_	\$1088	+\$111
1		INECFK36-8-2F	113"	36"	_	\$1095	+\$112
		INECFK42-8-2F	113"	42"	_	\$1105	+\$113
Commission of the second se		INECFK48-8-2F	113"	48"	_	\$1111	+\$113
		INECFK54-8-2F	113"	54"	_	\$1126	+\$115
1		INECFK60-8-2F	113"	60"	-	\$1131	+\$115

- Chimney Feed Kit consists of an 18" W frame and top cap as well as electrical if optioned
- Tiles may span the 18" W Chimney frame along with adjacent frame (see Inscape System Application Guide for acceptable spans)
- "2F" denotes use with 2 ³/₄" thick frame "3F" denotes use with 3 ¹/₂" thick frame
- 96" version is a 64" H frame with additional 27" H stack
- 104" version is a 64" H frame with additional 27" and 13.5" H stack

NOTES

- Tiles, vertical trim, inline connectors or corner connectors are specified separately
- A Beltline power track or a Power Track Kit must be specified in directly adjacent panel to the Chimney Power Feed Frame
- 96" H Chimney Power Feed Frame to be ordered for ceiling heights of 8' +/-6"
- 104" H Chimney Power Feed Frame to be ordered for ceiling height of 9' +/-6"

		Part number	н	w	Tapered	Flat	Accent paint
£	Chimney Power Feed Frame	INCF1896E-8-3F	96"	18"	\$1608	\$1608	+\$163
	with Electrical For use with 3 ½" T Frames	INCF18104E-8-3F	104"	18"	\$1864	\$1864	+\$188

•	Chimney Power Feed Frame without Electrical For use with 3 ½" T Frame	INCF1896-8-3F INCF18104-8-3F	96" 104"	18" 18"	\$1565 \$1821	\$1565 \$1821	+\$159 +\$184
i	Chimney Power Feed Frame	INCF1896E-8-2F	96"	18"	_	\$1608	+\$163
	with Electrical For use with 2 ¾" T Frames	INCF18104E-8-2F	104"	18"	—	\$1864	+\$188

1	Chimney Power Feed Frame	INCF1896-8-2F	96"	18"	_	\$1565	+\$159
	without Electrical For use with 2 ¾" T Frames	INCF18104-8-2F	104"	18"	-	\$1821	+\$184

System

- City of Chicago bracket for beltline is for 3 ½" thick frame beltline location only
- \bullet City of Chicago bracket is compatible with upper deck and base locations in 2 34" and 3 $1{}'_2"$ thick frames
- "2F" denotes use with 2 ¾" thick frame, "3F" denotes use with 3 ½" thick frame
- Boxes should be sourced through Ental Industries or J&A Sheet both local Chicago suppliers of electrical junction boxes
- Brackets are painted in Eco Black

		Part number	н	w	List price
a for a	City of Chicago Brackets (pkg of 6)	INECHB	_	_	\$83
	City of Chicago Bracket for	INECHB-BL-30-3F	_	30"	\$225
	Beltline Location	INECHB-BL-36-3F	_	36"	\$228
	For use with 3 ½" T Standard Frames	INECHB-BL-42-3F	—	42"	\$230
	otandala Hames	INECHB-BL-48-3F	-	48"	\$232
		INECHB-BL-54-3F	-	54"	\$237
		INECHB-BL-60-3F	-	60"	\$243
	City of Chicago Bracket for	INECHB-BL-30-2F	_	30"	\$225
	Beltline Location	INECHB-BL-36-2F	-	36"	\$228
	For use with 2 ¾" T Standard Frames	INECHB-BL-42-2F	_	42"	\$230
		INECHB-BL-48-2F	_	48"	\$232
		INECHB-BL-54-2F	-	54"	\$237
		INECHB-BL-60-2F	_	60"	\$243

System

- Add beltline cover kit to a Basic Frame to provide
- power at beltline location (power track separate) Cover kits are painted in Eco Black

		Part number	н	w	List price
	Beltline Cover Kit	INBCVRKIT-18-3F	6.75"	18"	\$114
	For use with 3 ½" T	INBCVRKIT-24-3F	6.75"	24"	\$117
	Frames	INBCVRKIT-30-3F	6.75"	30"	\$119
		INBCVRKIT-36-3F	6.75"	36"	\$121
		INBCVRKIT-42-3F	6.75"	42"	\$123
¥		INBCVRKIT-48-3F	6.75"	48"	\$125
		INBCVRKIT-54-3F	6.75"	54"	\$127
		INBCVRKIT-60-3F	6.75"	60"	\$131
	Beltline Cover Kit	INBCVRKIT-18-2F	6.75"	18"	\$114
	For use with 2 ¾" T Frames	INBCVRKIT-24-2F	6.75"	24"	\$117
	Traines	INBCVRKIT-30-2F	6.75"	30"	\$119
		INBCVRKIT-36-2F	6.75"	36"	\$121
		INBCVRKIT-42-2F	6.75"	42"	\$123
<i>v</i>		INBCVRKIT-48-2F	6.75"	48"	\$125
		INBCVRKIT-54-2F	6.75"	54"	\$127
		INBCVRKIT-60-2F	6.75"	60"	\$131

- Specify power tracks for open beltline location in the 3.5" and 2.75" thick standard frames
- Specify Power Track Kit for all locations other than open beltline in 3.5" and 2.75" thick standard frames, where ever a communication or multi access tile is used
- Receptacles and Jumper Cables (track to track connectors) specified separately

NOTES

- Power tracks are required to match the width of the frame it is being installed in
- Power Track Kits may be specified below the following; Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles
- Power Track Kits MAY NOT be specified below Twin Bins or Power Poles

		Part number	w	List price
	Power Track	INETP30-8	30"	\$133
STIL	For use with standard	INETP36-8	36"	\$148
AND SUPERIOR	frame at beltline only	INETP42-8	42"	\$158
C PLAN		INETP48-8	48"	\$168
line		INETP54-8	54"	\$180
		INETP60-8	60"	\$188
- Am - AM	Power Track Kit	INRUDKIT-30-8	30"	\$171
A Date of the second	For use in all locations on basic frame	INRUDKIT-36-8	36"	\$186
No.		INRUDKIT-42-8	42"	\$202
		INRUDKIT-48-8	48"	\$220
10 Mar 10 P		INRUDKIT-54-8	54"	\$234
		INRUDKIT-60-8	60"	\$252
	Electrified Twin-Bin Power	INETPTWB-8	8"	\$81
15th Mar	Track			

Inscape - State of Connecticut Price List | Contract #16PSX0171 | November 2019

- Jumper Cables do not connect together nor do they attach to power in feeds
- See Inscape System Application Guide for length requirements for varying panel configurations
- 24" and 25" W jumper cables are made of a black flexible mesh material
- 28" W and larger jumper cables are made of a more rigid metal Conduit material

	Part number	w	List price
Jumper Cables	INETC24-8	24"	\$66
	INETC25-8	25"	\$66
	INETC28-8	28"	\$66
	INETC31-8	31"	\$68
	INETC44-8	44"	\$73
	INETC53-8	53"	\$81
	INETC64-8	64"	\$96
	INETC88-8	88"	\$125
	INETC104-8	104"	\$144
	INETC122-8	122"	\$177
	INETC141-8	141"	\$179
	INETC158-8	158"	\$196
	INETC182-8	182"	\$225
	Jumper Cables	Jumper Cables INETC24-8 INETC25-8 INETC28-8 INETC31-8 INETC44-8 INETC53-8 INETC64-8 INETC64-8 INETC104-8 INETC122-8 INETC141-8 INETC158-8	Jumper Cables INETC24-8 24" INETC25-8 25" INETC28-8 28" INETC31-8 31" INETC44-8 44" INETC53-8 53" INETC64-8 64" INETC104-8 104" INETC122-8 122" INETC141-8 141" INETC158-8 158"

- Receptacles are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290 – Aluminum Leaf
- Receptacles are specific for frame thickness and location in which they are being specified
- The circuit 3 receptacle requires 2+2 or 3+1 wire designation ("U" in the code signifies 3+1 compatibility)
- The "UD" receptacles are to be specified in conjunction with the Electrified Twin Bin
- Controlled receptacles satisfy California Title 24 and are indicated with a "power mark" which is represented buy a circle with a line

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product IN3D1-8 in Gray would be \$25 +\$10

		Part number	Black/ base price	White	Gray
	Receptacle for open	IN3D1-8	\$25	+\$10	+\$10
	Beltline and Storwal	IN3D2-8	\$25	+\$10	+\$10
	Storage For use in 3 $\frac{1}{2}$ " and 2 $\frac{3}{4}$ "	IN3D3-8	\$25	+\$10	+\$10
Et	frames	IN3D3U-8	\$25	+\$10	+\$10
		IN3D4-8	\$25	+\$10	+\$10
	Receptacle for cutout tiles	IN3D1-UD-8	\$25	+\$10	+\$10
	application in 3 1/2" frames	IN3D2-UD-8	\$25	+\$10	+\$10
ST S		IN3D3-UD-8	\$25	+\$10	+\$10
Et_		IN3D3U-UD-8	\$25	+\$10	+\$10
		IN3D4-UD-8	\$25	+\$10	+\$10
	Receptacle for cutout tiles	IN2D1-8	\$25	+\$10	+\$10
	application in 2 ¾" frames	IN2D2-8	\$25	+\$10	+\$10
		IN2D3-8	\$25	+\$10	+\$10
Et		IN2D3U-8	\$25	+\$10	+\$10
		IN2D4-8	\$25	+\$10	+\$10
	Controlled Receptacle for	IN3D1-8C	\$29	+\$10	+\$10
	open Beltline and Storwal	IN3D2-8C	\$29	+\$10	+\$10
	Storage For use in 3 ½" and 2 ¾"	IN3D3-8C	\$29	+\$10	+\$10
Et	frames	IN3D3U-8C	\$29	+\$10	+\$10
		IN3D4-8C	\$29	+\$10	+\$10
	Controlled Receptacle for	IN3D1-UD-8C	\$29	+\$10	+\$10
	cutout tiles application in 3 1/2" frames	IN3D2-UD-8C	\$29	+\$10	+\$10
		IN3D3-UD-8C	\$29	+\$10	+\$10
Et		IN3D3U-UD-8C	\$29	+\$10	+\$10
		IN3D4-UD-8C	\$29	+\$10	+\$10
	Controlled Receptacle for	IN2D1-8C	\$29	+\$10	+\$10
	cutout tiles application in 2	IN2D2-8C	\$29	+\$10	+\$10
E CL-S	³ / ₄ " frames	IN2D3-8C	\$29	+\$10	+\$10
Et		IN2D3U-8C	\$29	+\$10	+\$10
		IN2D4-8C	\$29	+\$10	+\$10

- USB power modules are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290 Aluminum Leaf
- USB power modules are specific for frame thickness and location in which they are being specified
- The circuit 3 USB power modules requires 2+2 or 3+1 wire designation ("U" in the code signifies 3+1 compatibility)
- The "UD" USB power modules are to be specified in conjunction with the Electrified Twin Bin

	Part number	List price
USB outlet	IN2USB1-8	\$153
For use with 2 ¾" T out tile	cut IN2USB2-8	\$153
out tile	IN2USB3-8	\$153
-4	IN2USB3U-8	\$153
USB Charging Module	IN2USB4-8	\$153
USB outlet	IN3USB1-UD-8	\$155
For use with 3 ½" T	Cut IN3USB2-UD-8	\$155
out tile	IN3USB3-UD-8	\$155
	IN3USB3U-UD-8	\$155
USB Charging Module	IN3USB4-UD-8	\$155
USB outlet	IN3USB1-8	\$151
For use in open bel		\$151
location	IN3USB3-8	\$151
- T	IN3USB3U-8	\$151
USB Charging Module	IN3USB4-8	\$151

- Task Lights mount to the underside of Overhead Bins and Shelves
- A power track must be specified in frame to connect task light
- LED task light is magnetic and fits below a Twin Bin and other Overhead Storage
- Tuck Lgith is silver with black endscaps and frosted lens

	Part number	н	w	Wt (lbs)	List price
LED Magnetic Task Light (silver)	INMAGTL	7⁄8"	20"	1	\$385

		Part number	н	w	D	List price
	Tuck Light	INTL-17	1⁄2"	18.6"	1.18"	\$245
		INTL-31	1⁄2"	32.6"	1.18"	\$276
~		INTL-44	1⁄2"	45.6"	1.18"	\$313

Technology Data Components

System

- Data components which are face mounted have optional color of black (default), white or gray
- White close match to 168 Glacier White and Gray close match to 290 Aluminum Leaf
- Data components are industry standard sized AMP product
- If specifying AMP Data Communication Plate, AMP jacks and blank inserts must be specified+
- Data hanger bracket is paint Eco Black and allows for industry standard face data plate mount

NOTES

Data cannot be installed directly back to back in a 2 3/4" thick frame application

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INHRC in Gray would be \$20 + \$10

		Part number	Wt (lbs)	Black/ base price	White	Gray
	Data Outlet Hanger Brackets (pair)	INDPMT-W	2	\$45	-	-
T	Hinged Cover for Tiles with Cutouts	INHRC	-	\$20	+\$10	+\$10
E	Fiber Optic Outlet	INCFO	0.1	\$124	-	-
	Data Communication Plate	INCDP	0.1	\$25	+\$8	+\$8
	Blank Data Plate Insert	INCB	0.1	\$14	+\$7	+\$7
	Telephone Jack	INCRJ11	0.1	\$27	+\$7	-
	Category 5A & 5B, RJ45 Jack	INCABRJ45	0.1	\$43	+\$7	+\$7
	Category 6, RJ45 Jack	INC6ABRJ45	0.1	\$83	+\$16	+\$16

- Grommets must be field installed
- Round Grommet = 2" diameter
- Rectangular Grommet = 3" x 5.25"
- Clamp on Power Modules have white inserts and a 72" long power cord. It attaches to 1" and 1 ¼" thick worksurfaces
- Flip-up Power & Data Module is finished with a clear anodized aluminum with white inserts and a 72" long power cord
- All electrical components on this page are field installed

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product PLNGRKIT in Stainless Steel would be \$192 +\$78

	Part number	Dimensions	Black/ base price	White	Silver	Stainless steel
Grommet Sleeve & Cover Kit	PLNGRKIT	5 ¼"	\$192	_	_	+\$78
Worksurface Grommet- PVC Sleeve & CAP	GROMMET-WS	-	\$16	-	-	-
	Part number					List price
Clamp-on Power Module 2 receptacles/2 voice/data ports	PVDMODTC					\$480
Clamp-on Power Module 1 receptacle/1 dual USB port	PVDMODTC-1P1U					\$519
Clamp-on Power Module 3 receptacle/1 dual USB port	PVDMODTC-3P1U					\$585
Flip-up Power & Data Module 2 outlets + 1 dual USB + 1 data	PVDMODFL					\$835

System

- One cable hook is included with each standard frame
- Wire Casing (INFWC) is 29" long and allows for electrical and data cables to be brought neatly from floor into a table – available in gray only, works with 28.5" worksurface heights
- Power bar available in black only
- Cable Management Tray (INCMTXX) is available in two lengths, painted Eco Black and includes mounting hardware
- Wire Management clips are white and attach by double sided tape which is included

		I	1 1	1	
		Part number	w	Wt (lbs)	List price
	Extension Cord for Recessed Duplexes	INEXTCORD-1	12"	-	\$66
	Cable Hooks	INEPWMH	-	0.1	\$16
Ŷ	Wire Management Clip (pkg of 10)	INWMCLIP	_	-	\$27
Company of the second sec	Wire Casing (Gray color)	INFWC	-	-	\$120
Heldeleter	Power Bar (6 outlets, 10' cord)	INPBAR	-	-	\$49
	Cable Management Tray	INCMT18	18"	_	\$33
200		INCMT30	30"	-	\$43
	Wire mesh cable tray (silver)	INWMTRAY	-	-	\$123

- Receptacles and Jumper Cables (track to track connectors) specified separately
- Jumper Cables do not connect together nor do they attach to power in feeds
- See Inscape System Application Guide for length requirements for varying panel configurations
- 24" and 25" W jumper cables are made of a black flexable mesh material
- 28" W and larger jumper cables are made of a more rigid metal Conduit material
- Receptacles are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290 Aluminum Leaf
- The circuit 3 receptacle requires 2+2 or 3+1 wire designation ("U" in the code signifies 3+1 compatibility)

NOTES

Power tracks are required to match the width of the storage it is being installed in

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN3D1-8 in Gray would be \$25 +\$10

		Part number	н	w	Neutral paint/ base price	Accent paint
	Storwal Floor/Wall Power	INSWEFWK-8	_	_	\$334	_
and and and	In Feed Cable Closet specified separately					
or Lines	Storwal New York City Power In Feed Kit Cable Closet specified separately	INSWEFWK-NY-8	-	_	\$556	_
+	Ceiling Power Pole Kit	INSWECFK-86-8	86"	_	\$482	+\$50
	Cable Closet specified	INSWECFK-96-8	96"	_	\$522	+\$54
	separately	INSWECFK-106-8	106"	-	\$777	+\$81
	Power Track	INETP30-8	_	30"	\$133	-
TUR		INETP36-8	_	36"	\$148	-
(D.C. ADI		INETP42-8	-	42"	\$158	_
	Jumper Cables			4.4.12	\$ 70	
CARD		INETC44-8 INETC88-8	-	44" 88"	\$73 \$125	-
Community With					\$125 	
		Part number		Black/ base price	White	Gray
Ser Lett	Receptacle for open	IN3D1-8		\$25	+\$10	+\$10
	Beltline and Storwal Storage	IN3D2-8		\$25	+\$10	+\$10
	Julaye	IN3D3-8		\$25	+\$10	+\$10
EL.		IN3D3U-8		\$25	+\$10	+\$10
		IN3D4-8		\$25	+\$10	+\$10

System

- Ceiling Feed Kit must be specified in conjunction with Cable Closet for Ceiling Feed
- Specific Cable Closet for connection to 1 1/2" Screens
- Connection bracket to connect Cable Closet to 2 ¾"
- or 3 $\frac{1}{2}$ " frame included

	Part number	w	Wt (lbs)	Neutral paint/ base price	Accent paint
Cable Closet for Floor/Wall	SWCBLCL48	48"	_	\$282	+\$30
Power In Feed	SWCBLCL61.5	61 ½"	_	\$311	+\$32
In Feed specified separately	SWCBLCL67.5	67 ½"	_	\$323	+\$33
ooparatory					
Cable Closet for Ceiling	SWCBLCL48-C	48"	_	\$282	+\$30
Power Pole Kit In Feed specified	SWCBLCL61.5-C	61 ½"	-	\$311	+\$32
separately	SWCBLCL67.5-C	67 ½"	—	\$323	+\$33
Cable Closet for Floor/Wall Power In Feed, 1 ½" thick screen In Feed specified separately	SWFFCBLCL48 SWFFCBLCL61.5 SWFFCBLCL67.5	48" 61 ½" 67 ½"		\$282 \$311 \$323	+\$30 +\$32 +\$33
Cable Closet for Ceiling Power Pole Kit, 1 ½" thick	SWFFCBLCL48-C	48"	-	\$282	+\$30
screen	SWFFCBLCL61.5-C	61 ½"	-	\$311	+\$32
In Feed specified separately	SWFFCBLCL67.5-C	67 ½"	-	\$323	+\$33
Mounting Bracket for	SWFFCBLBKT			\$136	+\$16
Cable Closet for Floor/Wall Power In Feed , 1 ½" thick screen					

- Data communication plate must be specified in conjunction with Data Bracket
- Electrical Module Side cover, covers the electrical zone between the base and stack unit when no panel or Cable Closet is required at end of run
- Electrical Module Front Cover is ordered based on the width of the case and is installed on site (when ordered separately)

		Part number	W		List price
	Storwal Chicago Electrical	SWCHELKIT-30	30"		\$51
	Kit	SWCHELKIT-36	36"		\$66
80.03 97 0.03		SWCHELKIT-42	42"		\$84
	Storwal Data Bracket	SWDB	-		\$23
600	Storwal Data Communication Plate	SWCDP	-		\$24
		Part number	w	Neutral paint/ base price	Accent paint
12227	Storwal Electrical Module	ECOVER	18"	\$34	+\$7
	Side Cover				
	Storwal Electrical Module	EFRCOVER-30	30"	\$54	+\$8
-	Front Cover with Cutouts	EFRCOVER-36	36"	\$54	+\$8
00		EFRCOVER-42	42"	\$54	+\$8
	Storwal Electrical Module	EFRCOVER-30-NC	30"	\$43	+\$7
	Front Cover without	EFRCOVER-30-NC EFRCOVER-36-NC	30" 36"	\$43 \$43	+\$7 +\$7

System Worksurfaces & Supports



work for ^{tomorrow}

Depth dimension is nominal. Depths are 1" less than stated to provide a 1" gap between the worksurface and panel to facilitate wire management.

IMPERIAL TO METRIC CONVERSIONS

Inches	mm
18"	457
24"	610
30"	762
36"	914
42"	1067
48"	1219
54"	1372
60"	1524
66"	1676
72"	1829
78"	1981
84"	2134
90"	2286
96"	2438

ELECTRIFIED STORAGE WORKSURFACES


Electrified storage worksurface lengths are true size to what is printed in the price list and are 1" less in length than a module line (panel). This allows for a 1" gap between the Electrified Storage unit and the end of the worksurface facilitating wire management and space for the Electrified Storage worksurface support bracket. This 1" less in length also allows the worksurface to line up on-module with a panel. Optional pencil groove is available.

NUFORM CLASSIC AND NUFORM SELECT WORKSURFACES

The Nuform top is a thermo-formable polymer based sheet continuously bonded to a 1¼" or 1" thick MDF substrate. The polymer sheet is surface coated with a scratch resistant film. Colors are homogenous throughout the film thickness. Top and edge are one continuous surface with no edge seams. The underside of the top is finished in a low pressure melamine. Nuform tops have the option of a pencil groove running across the width of the worksurface as standard and depth for conference tables. Two price options are available - Nuform Classic and Nuform Select. Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as

120 degree surfaces.

EDGE DETAILED - NUFORM CLASSIC & NUFORM SELECT



Top and edge are one continuous surface with no edge seams.

COMPOSITE VENEER WORKSURFACES

Veneer thickness is 0.025". Overall thickness of top is 1.25". The stain color is impregnated throughout the veneer for color consistency. The open pore veneer is clear coated with a catalyzed lacquer utilizing a multi-step process and has a gloss value of 30° when dry. Tops are constructed utilizing 45lbs density particle board with an engineered balanced backer for structural integrity. Tops are edged in 3mm thick same species veneer and do not include a pencil groove.

EDGE DETAIL - COMPOSITE VENEER

Straight Edge



LAMINATE WORKSURFACES

Plastic laminate is laminated to 1.25" thick particleboard. The underside of the worksurface is finished with a man-made, wood-fiber veneer backer. Worksurfaces specified with a plastic laminate finish include a 2mm edge banding in a coordinating color. Plastic laminate tops do not include a pencil groove.

All worksurfaces default to 1.25" thick, Straight edge. Pencil Groove is only available on Nuform.


EDGE DETAIL - PLASTIC VENEER

Straight Edge



Load capacity for freestanding and panel mounted worksurfaces is 4.5lbs per linear inch.

Grain direction on woodgrain Nuforms and Veneer worksurfaces is as denoted below.



ADJUSTABLE HEIGHT WORKSURFACES

Adjustable height worksurfaces are available in a panel mounted version which mounts on-module to the Inscape System frame. Worksurfaces provide gas cylinder height adjustment ranging from 28.5" to 49.5" with a lift capacity and calibration of a recommended 25lbs (not including the worksurface). Worksurfaces structured on the height adjustable mechanism are 1" less in stated width in the price list, and are meant to be installed on center to the base allowing for a gap between adjacent surfaces to eliminate pinch points. The base mechanism of the worksurface is available in gray only. See the Inscape System Application Guide for application notes and restrictions.

Worksurfaces & Supports

Panel Mounted Worksurfaces Rectangular Tops

System

PRODUCT CODE KEY EXAMPLE

INW2024						
INW	Inscape System worksurface					
20	20" D					
18	24" W					

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 20" deep tops should not be specified with cantilever brackets as mid span support
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INW2024 in Nuform Select with a tapered edge would be \$219 +\$26 +\$15

Product INW2024 in Nuform Select with a 1" straight edge would be \$219 +\$26 -\$25

Product INW2024 in veneer would be \$219 +\$539

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
w	INW2024	24"	20"	\$219	+\$26	+\$15	-\$25	+\$71	+\$539
D	INW2030	30"	20"	\$236	+\$28	+\$18	-\$27	+\$78	+\$572
	INW2036	36"	20"	\$267	+\$30	+\$18	-\$29	+\$87	+\$585
20" D Rectangular Top	INW2042	42"	20"	\$281	+\$30	+\$19	-\$29	+\$91	+\$624
	INW2048	48"	20"	\$321	+\$34	+\$21	-\$33	+\$103	+\$637
	INW2054	54"	20"	\$359	+\$43	+\$26	-\$36	+\$116	+\$654
	INW2060	60"	20"	\$400	+\$47	+\$28	-\$42	+\$129	+\$682
	INW2066	66"	20"	\$438	+\$49	+\$30	-\$46	+\$141	+\$682
	INW2072	72"	20"	\$479	+\$54	+\$31	-\$48	+\$155	+\$695
	INW2078	78"	20"	\$520	+\$59	+\$33	-\$53	+\$167	+\$709
	INW2084	84"	20"	\$640	+\$65	+\$34	-\$117	+\$205	+\$641
	INW2090	90"	20"	\$679	+\$71	+\$40	-\$100	+\$219	+\$658
	INW2096	96"	20"	\$723	+\$80	+\$42	-\$94	+\$232	+\$664
w	INW2424	24"	24"	\$270	+\$30	+\$15	-\$29	+\$88	+\$572
D	INW2430	30"	24"	\$294	+\$32	+\$18	-\$31	+\$95	+\$603
	INW2436	36"	24"	\$333	+\$36	+\$18	-\$34	+\$109	+\$613
24" D Rectangular Top	INW2442	42"	24"	\$349	+\$38	+\$19	-\$36	+\$113	+\$656
	INW2448	48"	24"	\$400	+\$43	+\$21	-\$42	+\$129	+\$667
	INW2454	54"	24"	\$449	+\$49	+\$26	-\$48	+\$146	+\$678
	INW2460	60"	24"	\$498	+\$52	+\$28	-\$51	+\$160	+\$704
	INW2466	66"	24"	\$546	+\$56	+\$30	-\$55	+\$176	+\$699
	INW2472	72"	24"	\$598	+\$62	+\$31	-\$61	+\$193	+\$707
	INW2478	78"	24"	\$649	+\$67	+\$33	-\$66	+\$209	+\$717
	INW2484	84"	24"	\$699	+\$73	+\$34	-\$71	+\$225	+\$725
	INW2490	90"	24"	\$751	+\$80	+\$40	-\$79	+\$242	+\$735
	INW2496	96"	24"	\$802	+\$83	+\$42	-\$82	+\$258	+\$736

Worksurfaces & Supports

Panel Mounted Worksurfaces Rectangular Tops

System

PRODUCT CODE KEY EXAMPLE

INW2024						
INW	Inscape System worksurface					
20	20" D					
18	24" W					

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

1

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INW3024 in Nuform Select with a tapered edge would be \$345 +\$38 +\$19

Product INW3024 in Nuform Select with a 1" straight edge would be \$345 +\$38 -\$36

Product INW3024 in veneer would be \$345 +\$620

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
w	INW3024	24"	30"	\$345	+\$38	+\$19	-\$36	+\$112	+\$620
D	INW3030	30"	30"	\$363	+\$41	+\$23	-\$40	+\$118	+\$675
	INW3036	36"	30"	\$414	+\$44	+\$24	-\$43	+\$133	+\$703
30" D Rectangular Top	INW3042	42"	30"	\$437	+\$47	+\$25	-\$46	+\$141	+\$747
5	INW3048	48"	30"	\$498	+\$52	+\$28	-\$51	+\$160	+\$752
	INW3054	54"	30"	\$559	+\$58	+\$29	-\$56	+\$181	+\$762
	INW3060	60"	30"	\$624	+\$64	+\$32	-\$63	+\$200	+\$768
	INW3066	66"	30"	\$666	+\$68	+\$36	-\$67	+\$215	+\$802
	INW3072	72"	30"	\$747	+\$78	+\$38	-\$77	+\$239	+\$783
	INW3078	78"	30"	\$828	+\$84	+\$43	-\$83	+\$266	+\$784
	INW3084	84"	30"	\$907	+\$94	+\$48	-\$92	+\$292	+\$734
	INW3090	90"	30"	\$987	+\$102	+\$52	-\$98	+\$317	+\$712
	INW3096	96"	30"	\$1070	+\$111	+\$55	-\$109	+\$343	+\$697
W	INW3624	24"	36"	\$399	+\$44	+\$62	-\$44	+\$128	+\$634
	INW3630	30"	36"	\$422	+\$47	+\$66	-\$47	+\$136	+\$693
D	INW3636	36"	36"	\$480	+\$51	+\$76	-\$51	+\$155	+\$714
	INW3642	42"	36"	\$507	+\$52	+\$79	-\$52	+\$163	+\$867
36" D Rectangular Top	INW3648	48"	36"	\$575	+\$61	+\$89	-\$64	+\$186	+\$896
	INW3654	54"	36"	\$647	+\$67	+\$97	-\$64	+\$208	+\$906
	INW3660	60"	36"	\$725	+\$77	+\$109	-\$77	+\$233	+\$961
	INW3666	66"	36"	\$768	+\$80	+\$114	-\$80	+\$247	+\$1001
	INW3672	72"	36"	\$865	+\$87	+\$119	-\$86	+\$278	+\$988

Worksurfaces & Supports

Panel Mounted Worksurfaces Reducing Tops

System

PRODUCT CODE KEY EXAMPLE

INRDL302430						
IN	Inscape System					
RD	reducing top					
L	left hand					
3024	30 – 24" D					
30	30" W					

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with

worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INRDL302430 in Nuform Select with a tapered edge would be \$362 +\$34 +\$20

Product INRDL302430in Nuform Select with a 1" straight edge would be \$362 +\$34 -\$33

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Veneer 1 1/4" straight edge only
	INRDL302430	30"	30-24"	\$362	+\$34	+\$20	-\$33	_
	INRDL302436	36"	30-24"	\$414	+\$42	+\$23	-\$41	_
	INRDL302442	42"	30-24"	\$437	+\$43	+\$24	-\$42	-
	INRDL302448	48"	30-24"	\$498	+\$48	+\$27	-\$47	_
Left Hand Reducing Top	INRDL302454	54"	30-24"	\$559	+\$52	+\$29	-\$51	_
	INRDL302460	60"	30-24"	\$624	+\$58	+\$32	-\$56	_
	INRDL302466	66"	30-24"	\$666	+\$62	+\$34	-\$61	-
	INRDL302472	72"	30-24"	\$743	+\$68	+\$39	-\$67	—
	INRDL302478	78"	30-24"	\$781	+\$73	+\$40	-\$68	-
	INRDL302484	84"	30-24"	\$818	+\$80	+\$42	-\$79	-
	INRDL302490	90"	30-24"	\$854	+\$79	+\$48	-\$79	-
	INRDL302496	96"	30-24"	\$901	+\$87	+\$49	-\$86	-
	INRDR243030	30"	24-30"	\$362	+\$34	+\$20	-\$33	_
	INRDR243036	36"	24-30"	\$414	+\$42	+\$23	-\$41	_
	INRDR243042	42"	24-30"	\$437	+\$43	+\$24	-\$42	_
	INRDR243048	48"	24-30"	\$498	+\$48	+\$27	-\$47	_
Right Hand Reducing Top	INRDR243054	54"	24-30"	\$559	+\$52	+\$29	-\$51	-
	INRDR243060	60"	24-30"	\$624	+\$58	+\$32	-\$56	_
	INRDR243066	66"	24-30"	\$666	+\$62	+\$34	-\$61	_
	INRDR243072	72"	24-30"	\$743	+\$68	+\$39	-\$67	_
	INRDR243078	78"	24-30"	\$781	+\$73	+\$40	-\$68	_
	INRDR243084	84"	24-30"	\$818	+\$80	+\$42	-\$79	_
	INRDR243090	90"	24-30"	\$854	+\$79	+\$48	-\$79	_
	INRDR243096	96"	24-30"	\$901	+\$87	+\$49	-\$86	_

Panel Mounted Worksurfaces Saddle Tops

System

PRODUCT CODE KEY EXAMPLE

INSD3048						
IN	Inscape System worksurface					
SD	saddle top					
30	30" D					
48	48" W					

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with
- worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INSD3048 in Nuform Select with a tapered edge would be \$523 +\$54 +\$29

Product INSD3048 in Nuform Select with a 1" straight edge would be \$523 + \$54 - \$53

Product INSD3048 in veneer would be \$523 +\$791

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
w	INSD3048	48"	30"	\$523	+\$54	+\$29	-\$53	+\$168	+\$791
D	INSD3054	54"	30"	\$587	+\$61	+\$30	-\$59	+\$189	+\$800
5	INSD3060	60"	30"	\$655	+\$68	+\$33	-\$67	+\$211	+\$807
	INSD3066	66"	30"	\$697	+\$71	+\$38	-\$70	+\$224	+\$842
30" D Saddle Top	INSD3072	72"	30"	\$784	+\$81	+\$40	-\$80	+\$253	+\$821
	INSD3084	84"	30"	\$941	+\$98	+\$50	-\$86	+\$302	+\$780
	INSD3096	96"	30"	\$1110	+\$116	+\$59	-\$98	+\$357	+\$685
W	INSD3648	48"	36"	\$598	+\$59	+\$30	-\$64	+\$193	+\$899
D	INSD3654	54"	36"	\$669	+\$68	+\$34	-\$67	+\$216	+\$911
5	INSD3660	60"	36"	\$747	+\$80	+\$39	-\$79	+\$239	+\$918
	INSD3666	66"	36"	\$796	+\$82	+\$42	-\$81	+\$256	+\$961
36" D Saddle Top	INSD3672	72"	36"	\$894	+\$90	+\$46	-\$89	+\$288	+\$938
	INSD3684	84"	36"	\$1103	+\$111	+\$51	-\$98	+\$354	+\$839
	INSD3696	96"	36"	\$1297	+\$128	+\$59	-\$118	+\$417	+\$762

Panel Mounted Worksurfaces Galley Tops

System

PRODUCT CODE KEY EXAMPLE

INWG362460						
INW	Inscape System worksurface					
G	galley top					
3624	36 – 24" D					
4608	60" W					

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with

worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INWG362460 in Nuform Select with a tapered edge would be \$725 +\$77 +\$34

Product INWG362460 in Nuform Select with a 1" straight edge would be 725 + 77 - 70

Product INWG362460 in veneer would be \$725 +\$1498

	Part number	W	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
	INWG362460	60"	36-24"	\$725	+\$77	+\$34	-\$70	+\$233	+\$1498
	INWG362466	66"	36-24"	\$778	+\$81	+\$39	-\$80	+\$251	+\$1561
	INWG362472	72"	36-24"	\$865	+\$88	+\$44	-\$87	+\$278	+\$1573
	INWG362478	78"	36-24"	\$958	+\$97	+\$50	-\$95	+\$307	+\$1578
Left Hand Galley Top	INWG362484	84"	36-24"	\$1052	+\$110	+\$54	-\$107	+\$338	+\$1595
	INWG362490	90"	36-24"	\$1083	+\$111	+\$59	-\$109	+\$348	+\$1672
	INWG362496	96"	36-24"	\$1137	+\$116	+\$63	-\$114	+\$365	+\$1724
	INWG243660	60"	24-36"	\$725	+\$77	+\$34	-\$70	+\$233	+\$1498
	INWG243666	66"	24-36"	\$778	+\$81	+\$39	-\$80	+\$251	+\$1561
	INWG243672	72"	24-36"	\$865	+\$88	+\$44	-\$87	+\$278	+\$1573
	INWG243678	78"	24-36"	\$958	+\$97	+\$50	-\$95	+\$307	+\$1578
Right Hand Galley Top	INWG243684	84"	24-36"	\$1052	+\$110	+\$54	-\$107	+\$338	+\$1595
	INWG243690	90"	24-36"	\$1083	+\$111	+\$59	-\$109	+\$348	+\$1672
	INWG243696	96"	24-36"	\$1137	+\$116	+\$63	-\$114	+\$365	+\$1724

Panel Mounted Worksurfaces Funnel Tops

System

PRODUCT CODE KEY EXAMPLE

INWF304272						
INW	Inscape System worksurface					
F	funnel top					
3042	30 – 42" D					
72	72" W					

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 20" deep tops should not be specified with cantilever brackets as mid span support
- Stretcher bars are required to be specified with
- worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INWF304272 in Nuform Select with a tapered edge would be \$939 +\$96 +\$48

Product INWF304272 in Nuform Select with a 1" straight edge would be \$939 +\$96 -\$94

Product INWF304272 in veneer would be \$939 +\$1362

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
	INWF304272	72"	30-42"	\$939	+\$96	+\$48	-\$94	+\$301	+\$1362
	INWF304278	78"	30-42"	\$1041	+\$107	+\$52	-\$105	+\$334	+\$1347
	INWF304284	84"	30-42"	\$1142	+\$118	+\$58	-\$116	+\$366	+\$1447
	INWF304290	90"	30-42"	\$1177	+\$119	+\$59	-\$119	+\$377	+\$1642
Funnel Top	INWF304296	96"	30-42"	\$1235	+\$125	+\$62	-\$123	+\$397	+\$1731

Panel Mounted Worksurfaces Radiused Tops

System

PRODUCT CODE KEY EXAMPLE

INRER2460							
INRE	Inscape System radiused top						
24	24" D						
60	60" W						

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INRER2460 in Nuform Select with a tapered edge would be \$495 +\$52 +\$27

Product INRER2460 in Nuform Select with a 1" straight edge would be \$495 +\$52 -\$51

Product INRER2460 in veneer would be \$495 +\$1479

	Part number	W	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
W	INRER2460	60"	24"	\$495	+\$52	+\$27	-\$51	+\$160	+\$1479
24"	INRER2466	66"	24"	\$529	+\$54	+\$28	-\$53	+\$170	+\$1526
	INRER2472	72"	24"	\$595	+\$61	+\$30	-\$59	+\$192	+\$1549
Right Hand	INRER2478	78"	24"	\$725	+\$77	+\$40	-\$76	+\$233	+\$1648
Radiused End Top	INRER2484	84"	24"	\$875	+\$90	+\$51	-\$89	+\$281	+\$1997
	INRER2490	90"	24"	\$947	+\$94	+\$54	-\$94	+\$304	+\$2435
	INRER2496	96"	24"	\$1018	+\$102	+\$59	-\$102	+\$327	+\$2771
W	INREL2460	60"	24"	\$495	+\$52	+\$27	-\$51	+\$160	+\$1479
24"	INREL2466	66"	24"	\$529	+\$54	+\$28	-\$53	+\$170	+\$1526
	INREL2472	72"	24"	\$595	+\$61	+\$30	-\$59	+\$192	+\$1549
Left Hand Radiused	INREL2478	78"	24"	\$725	+\$77	+\$40	-\$76	+\$233	+\$1648
End Top	INREL2484	84"	24"	\$875	+\$90	+\$51	-\$89	+\$281	+\$1997
	INREL2490	90"	24"	\$947	+\$94	+\$54	-\$94	+\$304	+\$2435
	INREL2496	96"	24"	\$1018	+\$102	+\$59	-\$102	+\$327	+\$2771

Panel Mounted Worksurfaces Standard Corners

System

PRODUCT CODE KEY EXAMPLE

INCR	Inscape System standard corner
3636	36x 36" W
24	24" D

- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 48" Split Corner accommodates 24" or 30" returns
- Standard Corner and Split Corner include a radius front edge
- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INCR3636-22 in Nuform Select with a tapered edge would be \$467 +\$48 +\$26

Product INCR3636-22 in Nuform Select with a 1" straight edge would be \$467 +\$48 -\$47

Product INCR3636-22 in veneer would be \$467 +\$1098

	Part number	W	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
4	INCR3636-22	36"	24"	\$467	+\$48	+\$26	-\$47	+\$151	+\$1098
	INCR4242-22	42"	24"	\$665	+\$68	+\$34	-\$67	+\$215	+\$1142
	INCR4848-22	48"	24"	\$810	+\$82	+\$43	-\$76	+\$261	+\$1292

Standard Corners

24" returns

,]	INCR4242-33	42"	30"	\$665	+\$68	+\$34	-\$67	+\$215	+\$1235
	INCR4848-33	48"	30"	\$810	+\$82	+\$43	-\$76	+\$261	+\$1292

Standard Corners 30" returns

.....

1	INCSLS4242-22	42"	24"	\$1431	+\$59	-	-\$58	+\$459	-
	INCSLS4848	48"	24 or 30"	\$1584	+\$64	_	-\$63	+\$508	_



Split Corners

Panel Mounted Worksurfaces **Extended Corners**

PRODUCT CODE KEY EXAMPLE

INECR6036-22						
INCR	Inscape System					
ECR	Extended corner worksurfaces					
60	60" W					
36	36" long					
-22	24" deep returns on both ends					

- Extended Corners accommodate 24" deep returns • When manually specifying worksurface of laminate or
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with thickness then build up options
- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support- ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

System

For example:

Product INECR6036-22 in Nuform Select with a tapered edge would be \$764 +\$79 +\$41

Product INECR6036-22 in Nuform Select with a 1" straight edge would be \$764 +\$79 -\$78

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
	INECR6036-22	60"	24"	\$764	+\$79	+\$41	-\$78	+\$246	_
	INECR6636-22	66"	24"	\$780	+\$82	+\$41	-\$81	+\$251	-
	INECR7236-22	72"	24"	\$795	+\$83	+\$43	-\$82	+\$256	-
	INECR7836-22	78"	24"	\$810	+\$84	+\$43	-\$83	+\$261	_
	INECR8436-22	84"	24"	\$830	+\$85	+\$44	-\$84	+\$266	-
	INECR9036-22	90"	24"	\$846	+\$87	+\$44	-\$86	+\$272	-
	INECR9636-22	96"	24"	\$863	+\$87	+\$46	-\$86	+\$277	-
[U]]									

\$764

\$780

\$795

\$810

\$830

\$846

\$863

+\$79

+\$82

+\$83

+\$84

+\$85

+\$87

+\$87

+\$41

+\$41

+\$43

+\$43

+\$44

+\$44

+\$46

-\$78

-\$81

-\$82

-\$83

-\$84

-\$86

-\$86

+\$246

+\$251

+\$256

+\$261

+\$266

+\$272

+\$277

36" Left Hand **Extended Corners**



36" Right Hand Extended Corners 24"

24"

24"

24"

24"

24"

24"

60"

66"

72"

78"

84"

90"

96"

INECR3660-22

INECR3666-22

INECR3672-22

INECR3678-22

INECR3684-22

INECR3690-22

INECR3696-22

_

_

_

Panel Mounted Worksurfaces **Extended Corners**

PRODUCT CODE KEY EXAMPLE

INECR6036-22						
INCR	Inscape System					
ECR	Extended corner worksurfaces					
60	60" W					
36	36" long					
-22	24" deep returns on both ends					

- Extended Corners accommodate 24" deep returns • When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with thickness then build up options
- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support- ensure not to interfere with support brackets, cable trays or other work tools

60"

66"

72"

78"

84"

90"

96"

INECR4260-22

INECR4266-22

INECR4272-22

INECR4278-22

INECR4284-22

INECR4290-22

INECR4296-22

24"

24"

24"

24"

24"

24"

24"

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

System

For example:

+\$42

+\$42

+\$43

+\$44

+\$44

+\$47

+\$48

+\$82

+\$84

+\$85

+\$87

+\$88

+\$89

+\$94

-\$81

-\$83

-\$84

-\$86

-\$87

-\$89

-\$92

+\$259

+\$263

+\$269

+\$274

+\$281

+\$287

+\$292

Product INECR6036-22 in Nuform Select with a tapered edge would be \$764 +\$79 +\$41

Product INECR6036-22 in Nuform Select with a 1" straight edge would be \$764 +\$79 -\$78

 Part number	W	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
INECR6042-22	60"	24"	\$804	+\$82	+\$42	-\$81	+\$259	_
INECR6642-22	66"	24"	\$819	+\$84	+\$42	-\$83	+\$263	_
INECR7242-22	72"	24"	\$837	+\$85	+\$43	-\$84	+\$269	-
INECR7842-22	78"	24"	\$854	+\$87	+\$44	-\$86	+\$274	_
INECR8442-22	84"	24"	\$873	+\$88	+\$44	-\$87	+\$281	-
INECR9042-22	90"	24"	\$890	+\$89	+\$47	-\$89	+\$287	-
INECR9642-22	96"	24"	\$907	+\$94	+\$48	-\$92	+\$292	-

\$804

\$819

\$837

\$854

\$873

\$890

\$907

42" Left Hand **Extended Corners**



42" Right Hand **Extended Corners**

_

_

_

Panel Mounted Worksurfaces Extended Corners

PRODUCT CODE KEY EXAMPLE

INECR6042-33						
IN	Inscape System					
ECR	Extended corner worksurfaces					
60	60" W					
42	42" long					
-33	30" deep returns on both ends					

- Extended Corners accommodate 30" deep returns • When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with thickness then build up options
- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support- ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

System

For example:

Product INECR6042-33 in Nuform Select with a tapered edge would be \$941 +\$96 +\$48

Product INECR6042-33 in Nuform Select with a 1" straight edge would be \$941 +\$96 -\$94

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4⁼ straight edge only	Veneer 1 1/4" straight edge only
	INECR6042-33	60"	30"	\$941	+\$96	+\$48	-\$94	+\$302	_
1	INECR6642-33	66"	30"	\$960	+\$100	+\$51	-\$97	+\$308	_
	INECR7242-33	72"	30"	\$980	+\$100	+\$51	-\$97	+\$315	_
	INECR7842-33	78"	30"	\$1053	+\$109	+\$53	-\$106	+\$338	_
	INECR8442-33	84"	30"	\$1074	+\$163	+\$66	-\$106	+\$345	_
	INECR9042-33	90"	30"	\$1118	+\$173	+\$66	-\$106	+\$359	_
	INECR9642-33	96"	30"	\$1145	+\$182	+\$66	-\$103	+\$367	-

42" Left Hand Extended Corners



42" Right Hand **Extended Corners**

Nuform 1" straight edge	Grade 1 1 1/4 e
-\$94	+
-\$97	+
-\$97	+
-\$106	+
	-\$94 -\$97 -\$97

INECR9642-33	96"	30"	\$1145	+\$182
INECR4260-33	60"	30"	\$941	+\$96

INECR4260-33	60"	30"	\$941	+\$96	+\$48	-\$94	+\$302	—
INECR4266-33	66"	30"	\$960	+\$100	+\$51	-\$97	+\$308	_
INECR4272-33	72"	30"	\$980	+\$100	+\$51	-\$97	+\$315	—
INECR4278-33	78"	30"	\$1053	+\$109	+\$53	-\$106	+\$338	_
INECR4284-33	84"	30"	\$1074	+\$163	+\$66	-\$106	+\$345	—
INECR4290-33	90"	30"	\$1118	+\$173	+\$66	-\$106	+\$359	—
INECR4296-33	96"	30"	\$1145	+\$182	+\$66	-\$103	+\$367	—

Panel Mounted Worksurfaces 120° Corners

System

PRODUCT CODE KEY EXAMPLE

INCRV3636-	ЗF

IN	Inscape System						
CRV	120 corner worksurfaces						
3636	36" X 36" W						
-3F	3 ½" thick frame application						

- 120° worksurfaces accommodate 24" deep returns on either side
- "2F" denotes use with 2 3/4 " thick frame,
- "3F" denotes use with 3 1/2" thick frame
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES


In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:


Product INCRV3636-2F in Nuform Select with a tapered edge would be \$499 +\$50 +\$28

Product INCRV3636-2F in Nuform Select with a 1" straight edge would be \$499 +\$50 -\$49

Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
 INCRV3636-3F	36"	24"	\$499	+\$50	+\$28	-\$49	+\$161	_
INCRV4242-3F	42"	24"	\$710	+\$73	+\$39	-\$71	+\$228	_
INCRV4848-3F	48"	24"	\$869	+\$87	+\$44	-\$86	+\$279	-



120° Corner Worksurfaces For use with 3 ½" T Frames



INCRV3636-2F	36"	24"	\$499	+\$50	+\$28	-\$49	+\$161	-
INCRV4242-2F	42"	24"	\$710	+\$73	+\$39	-\$71	+\$228	-
INCRV4848-2F	48"	24"	\$869	+\$87	+\$44	-\$86	+\$279	-

120° Corner Worksurfaces For use with 2 ¾" T Frames

Panel Mounted Worksurfaces Conference Tops

System

PRODUCT CODE KEY EXAMPLE

INCTR	INCTR3060			
IN	Inscape System			
CTR	Conference top			
30	30" D			
60	60" W			

- 1" less in width to provide 1" gap between worksurface and panel
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with
- the desired thickness then build up options
- Support brackets to panel and leg specified separately
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support- ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INCTR3060 in Nuform Select would be \$762 +\$81

Product INCTR3060 in Nuform Select with a 1" straight edge would be \$762 +\$81 -\$80

Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
INCTR3060	60 (59)"	30"	\$762	+\$81	_	-\$80	+\$245	-
INCTR3066	66 (65)"	30"	\$810	+\$84	_	-\$83	+\$261	_
INCTR3072	72 (71)"	30"	\$901	+\$87	-	-\$48	+\$290	_
INCTR3078	78 (77)"	30"	\$1011	+\$103	-	-\$100	+\$325	-



Rectangular Top Top only

-----2.2.1

29	INCTB3060	60 (59)"	30"	\$762	+\$81	-	-\$80	+\$245	+\$948
1	INCTB3066	66 (65)"	30"	\$811	+\$84	—	-\$83	+\$261	+\$944
	INCTB3072	72 (71)"	30"	\$903	+\$92	-	-\$70	+\$290	+\$918
	INCTB3078	78 (77)"	30"	\$1011	+\$103	—	-\$100	+\$325	+\$843

Bullet Top Top only

and the second second	INCTCL3060	60 (59)"	30"	\$800	+\$85	_	-\$84	+\$257	_
1	INCTCL3066	66 (65)"	30"	\$853	+\$88	—	-\$87	+\$273	_
	INCTCL3072	72 (71)"	30"	\$950	+\$96	—	-\$94	+\$305	-
	INCTCL3078	78 (77)"	30"	\$1063	+\$109	-	-\$106	+\$341	-



Left Hand P Shaped Top Top only

 INCTCR3060	60 (59)"	30"	\$800	+\$85	_	-\$84	+\$257	_
INCTCR3066	66 (65)"	30"	\$853	+\$88	—	-\$87	+\$273	_
INCTCR3072	72 (71)"	30"	\$950	+\$96	_	-\$94	+\$305	—
INCTCR3078	78 (77)"	30"	\$1063	+\$109	-	-\$106	+\$341	—

Right Hand P Shaped Top Top only

Panel Mounted Worksurfaces Height Adjustable Worksurfaces

PRODUCT CODE KEY EXAMPLE

INEZ2436

IN	Inscape System worksurface
EZ	Panel mounted height adjustable
24	24" D
36	36" W

- The Inscape System Application Guide should be referenced for limitations in the installation of the pneumatic panel mounted height adjustable worksurface • Optional pencil groove with Nuform
- This manual pneumatic height adjustable table has a lift capacity of 25lbs (includes worksurface)
- Worksurfaces are structured with appropriate weight allotments dialed in to the gas cylinders; height adjustable mechanisms shall be installed with properly structured tops as outlined below
- Height adjustment is 28.5" to 48.5"; a total range of 20"
- · Base comes in silver only

Part number

INEZ2436

INEZ2442

INEZ2448

INEZ2454

INEZ2460

INEZ2466

INEZ2472

- Tops are adjustable by a paddle in the front right of the worksurface
- · Worksurfaces are 1" less in width on both sides of worksurface to avoid pinch points (2")
- Recommended load 0-25lbs (does not include worksurface)

w

36"

42"

48"

54"

60"

66"

72"

· Stretcher bars are included in desks of 60" and wider

D

24"

24"

24"

24"

24"

24"

24"

1/4" straight edge

minate/base price

Nuform classic

\$1898

\$1914

\$1964

\$2013

\$2181

\$2475

\$2540

· When manually specifying worksurface of laminate or veneer add suffix "-S" to the code

System

- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer

NOTES

Nuform

select

+\$36

+\$38

+\$43

+\$49

+\$52

+\$56

+\$62

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Nuform

+\$18

+\$19

+\$21

+\$26

+\$28

+\$30

+\$31

tapered edge

Product INEZ2436 in Nuform Select with a tapered edge would be \$1898 +\$36 +\$18

Grade 1 laminate

1 1/4" straight

edge only

+\$109

+\$113

+\$129

+\$146

+\$160

+\$176

+\$193

Venee

edge only

+\$613

+\$656

+\$667

+\$678

+\$704

+\$699

+\$707

1 1/4" straight

Product INEZ2436 in Nuform Select with a 1" straight edge would be \$1898 +\$36 -\$34

Product INEZ2436 in veneer would be \$1898 +\$613

Nuform 1'

-\$34

-\$36

-\$42

-\$48

-\$51

-\$55

-\$61

straight edge

A ROAD	
	A Contraction
	0

24" D Panel Mounted Height Adjustable Worksurface



INEZ3036 36" 30" \$1978 +\$44 +\$24 -\$43 +\$133 +\$703 42" 30" \$2002 **INEZ3042** +\$47 +\$25 -\$46 +\$141 +\$747 48" 30" \$2308 +\$28 -\$51 **INEZ3048** +\$52 +\$160 +\$752 INEZ3054 54" 30" \$2367 +\$58 +\$29 -\$56 +\$762 +\$181 INEZ3060 60" 30" \$2554 +\$64 +\$32 -\$63 +\$768 +\$200 66" 30" INEZ3066 \$2594 +\$68 +\$36 -\$67 +\$215 +\$802 72" **INEZ3072** 30" \$2688 +\$78 +\$38 -\$77 +\$239 +\$783

30" D Panel Mounted Height Adjustable Worksurface

System

• The Panel Stabilizer Bracket ensures the panel which the mechanism is being mounted to is stable in specific conditions. Refer to the Application Guide for specific details (at least one wing panel must be adjacent to the panel mounted height adjustable surface)

	Part number	Wt (lbs)	Neutral paint/ base price	Accent paint
 Panel Stabilizer Bracket	INRHPSB12 left hand (illustrated)	-	\$192	+\$21
	INLHPSB12 right hand	-	\$192	+\$21

Panel Mounted Worksurfaces Storwal Rectangular Tops

System

PRODUCT CODE KEY EXAMPLE

INSWW2423					
IN Inscape System					
SWW Storwal worksurface					
24 24" D					
23	2 3" W				

- Storwal worksurfaces are 1" less in length than standard worksurfaces
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INSWW2423 in Nuform Select with a tapered edge would be \$270 +\$30 +\$15

Product INSWW2423 in Nuform Select with a 1" straight edge would be \$270 +\$30 -\$29

Product INSWW2423 in veneer would be \$270 +\$572

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
W	INSWW2423	23"	24"	\$270	+\$30	+\$15	-\$29	+\$88	+\$572
	INSWW2429	29"	24"	\$294	+\$32	+\$18	-\$31	+\$95	+\$603
D	INSWW2435	35"	24"	\$333	+\$36	+\$18	-\$34	+\$109	+\$613
	INSWW2441	41"	24"	\$349	+\$38	+\$19	-\$36	+\$113	+\$656
24" D Storwal	INSWW2447	47"	24"	\$400	+\$43	+\$21	-\$42	+\$129	+\$667
Rectangular Top	INSWW2453	53"	24"	\$449	+\$49	+\$26	-\$48	+\$146	+\$678
	INSWW2459	59"	24"	\$498	+\$52	+\$28	-\$51	+\$160	+\$704
	INSWW2465	65"	24"	\$546	+\$56	+\$30	-\$55	+\$176	+\$699
	INSWW2471	71"	24"	\$598	+\$62	+\$31	-\$61	+\$193	+\$707
	INSWW2477	77"	24"	\$649	+\$67	+\$33	-\$66	+\$209	+\$717
	INSWW2483	83"	24"	\$699	+\$73	+\$34	-\$71	+\$225	+\$725
	INSWW2489	89"	24"	\$751	+\$80	+\$40	-\$79	+\$242	+\$735
	INSWW2495	95"	24"	\$802	+\$83	+\$42	-\$82	+\$258	+\$736
W	INSWW3023	23"	30"	\$345	+\$38	+\$19	-\$36	+\$112	+\$620
D	INSWW3029	29"	30"	\$363	+\$41	+\$23	-\$40	+\$118	+\$675
U	INSWW3035	35"	30"	\$414	+\$44	+\$24	-\$43	+\$133	+\$703
	INSWW3041	41"	30"	\$437	+\$47	+\$25	-\$46	+\$141	+\$747
30" D Storwal	INSWW3047	47"	30"	\$498	+\$52	+\$28	-\$51	+\$160	+\$752
Rectangular Top	INSWW3053	53"	30"	\$559	+\$58	+\$29	-\$56	+\$181	+\$762
	INSWW3059	59"	30"	\$624	+\$64	+\$32	-\$63	+\$200	+\$768
	INSWW3065	65"	30"	\$666	+\$68	+\$36	-\$67	+\$215	+\$802
	INSWW3071	71"	30"	\$747	+\$78	+\$38	-\$77	+\$239	+\$783
	INSWW3077	77"	30"	\$828	+\$84	+\$43	-\$83	+\$266	+\$784
	INSWW3083	83"	30"	\$907	+\$94	+\$48	-\$92	+\$292	+\$734
	INSWW3089	89"	30"	\$987	+\$102	+\$52	-\$98	+\$317	+\$712
	INSWW3095	95"	30"	\$1070	+\$111	+\$55	-\$109	+\$343	+\$697
W	INSWW3623	23"	36"	\$399	+\$44	+\$62	-\$44	+\$128	+\$634
	INSWW3629	29"	36"	\$422	+\$47	+\$66	-\$47	+\$136	+\$693
D	INSWW3635	35"	36"	\$480	+\$51	+\$76	-\$51	+\$155	+\$714
	INSWW3641	41"	36"	\$507	+\$52	+\$79	-\$52	+\$163	+\$867
36" D Storwal	INSWW3647	47"	36"	\$575	+\$61	+\$89	-\$64	+\$186	+\$896
Rectangular Top	INSWW3653	53"	36"	\$647	+\$67	+\$97	-\$67	+\$208	+\$906
	INSWW3659	59"	36"	\$725	+\$77	+\$109	-\$77	+\$233	+\$961
	INSWW3665	65"	36"	\$768	+\$80	+\$114	-\$80	+\$247	+\$1001
	INSWW3671	71"	36"	\$865	+\$87	+\$119	-\$86	+\$278	+\$988

Panel Mounted Worksurfaces Storwal Saddle Tops

System

PRODUCT CODE KEY EXAMPLE

INSWSD3047							
IN	Inscape System						
SWSD	Storwal worksurface						
24	30" D						
23	47" W						

- Storwal worksurfaces are 1" less in length than standard worksurfaces
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INSWSD3047 in Nuform Select with a tapered edge would be \$523 +\$54 +\$29

Product INSWSD3047 in Nuform Select with a 1" straight edge would be \$523 +\$54 -\$53

Product INSWSD3047 in veneer would be \$523 +\$791

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
W	INSWSD3047	47"	30"	\$523	+\$54	+\$29	-\$53	+\$168	+\$791
D	INSWSD3053	53"	30"	\$587	+\$61	+\$30	-\$59	+\$189	+\$800
	INSWSD3059	59"	30"	\$655	+\$68	+\$33	-\$67	+\$211	+\$807
30"Storwal Saddle Top	INSWSD3065	65"	30"	\$697	+\$71	+\$38	-\$70	+\$224	+\$842
	INSWSD3071	71"	30"	\$784	+\$81	+\$40	-\$80	+\$253	+\$821
w	INSWSD3647	47"	36"	\$598	+\$59	+\$30	-\$64	+\$193	+\$899
D	INSWSD3653	53"	36"	\$669	+\$68	+\$34	-\$67	+\$216	+\$911
	INSWSD3659	59"	36"	\$747	+\$80	+\$39	-\$79	+\$239	+\$918
36" Storwal Saddle Top	INSWSD3665	65"	36"	\$796	+\$82	+\$42	-\$81	+\$256	+\$961
	INSWSD3671	71"	36"	\$894	+\$90	+\$46	-\$89	+\$288	+\$938

Panel Mounted Worksurfaces Storwal Galley Tops

System

PRODUCT CODE KEY EXAMPLE

INSWWG362459	9

IN	Inscape System						
swwo	Storwal galley worksurface						
3624	36 – 24" D						
59	59" W						

- Storwal worksurfaces are 1" less in length than standard worksurfaces
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Optional pencil groove with Nuform
- To manually specify Nuform worksurfaces; begin with the desired thickness then build up options
- 1" thick worksurfaces are not available in laminate or veneer
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INSWWG362459 in Nuform Select with a tapered edge would be \$725 +\$77 +\$34

Product INSWWG362459 in Nuform Select with a 1" straight edge would be \$725 +\$77 -\$70

Product INSWWG362459 in veneer would be \$725 +\$1498

	Part number	w	D	1 1/4" straight edge Nuform classic/ laminate/base price	Nuform select	Nuform tapered edge	Nuform 1" straight edge	Grade 1 laminate 1 1/4" straight edge only	Veneer 1 1/4" straight edge only
	INSWWG362459	59"	36-24"	\$725	+\$77	+\$34	-\$70	+\$233	+\$1498
	INSWWG362465	65"	36-24"	\$778	+\$81	+\$39	-\$80	+\$251	+\$1561
	INSWWG362471	71"	36-24"	\$865	+\$88	+\$44	-\$87	+\$278	+\$1573
and the second se	INSWWG362477	77"	36-24"	\$958	+\$97	+\$50	-\$95	+\$307	+\$1578
Left Hand Storwal	INSWWG362483	83"	36-24"	\$1052	+\$110	+\$54	-\$107	+\$338	+\$1595
Galley Top	INSWWG362489	89"	36-24"	\$1083	+\$111	+\$59	-\$109	+\$348	+\$1672
	INSWWG362495	95"	36-24"	\$1137	+\$116	+\$63	-\$114	+\$365	+\$1724
[]	INSWWG243659	59"	24-36"	\$725	+\$77	+\$34	-\$70	+\$233	+\$1498
	INSWWG243665	65"	24-36"	\$778	+\$81	+\$39	-\$80	+\$251	+\$1561
	INSWWG243671	71"	24-36"	\$865	+\$88	+\$44	-\$87	+\$278	+\$1573
1	INSWWG243677	77"	24-36"	\$958	+\$97	+\$50	-\$95	+\$307	+\$1578
Right Hand Storwal	INSWWG243683	83"	24-36"	\$1052	+\$110	+\$54	-\$107	+\$338	+\$1595
Galley Top	INSWWG243689	89"	24-36"	\$1083	+\$111	+\$59	-\$109	+\$348	+\$1672
	INSWWG243695	95"	24-36"	\$1137	+\$116	+\$63	-\$111	+\$365	+\$1724

Transaction tops are commonly specified for reception areas but have a variety of applications including help desks and banks.

Transaction Tops are commonly specified with 37" high panels. Widths indicated refer to panel width. Stanchions and top trim are included. Installed height of transaction top on 37" high panel is 41 ½". Transaction Top worksurfaces are 1" thick and available in Nuform options. The edge detail is straight only. Transaction tops are panel thickness specific.

The suffix "2F" denotes compatibility with 2 $\frac{3}{4}$ " thick panel, "3F" denotes compatibility with 3 $\frac{1}{2}$ " thick panel. Hi-Lo Transaction Top must be specified when a transaction top is specified directly adjacent to a higher panel. The worksurface takes into account the profile of the end trim.

Note: 72", 84" and 96" W kits consist of two top caps and four stanchions (based on "Symmetrical Frame Configuration" module lines). Top Caps can be specified as an option and are included with the kit.

PRODUCT CODE KEY EXAMPLE

INTT1236-3F

INTT	Inscape System rectangular transaction top
12	12" D
36	36" W

3F 3 ¹/₂" thick frame application


R in the code indicates one end has a right-handed 90° miter.

 ${\rm L}$ in the code indicates one end has a left-handed 90° miter.

HL in the code indicates one end is for a hi-lo application.

GENERAL

- Straight-line and curved transaction tops are available
- Straight-line transaction tops are 12" deep and are available in the following widths: 24", 30", 36", 42", 48", 54", 60", 72", 84" and 96"
- Transaction tops may be specified for 37" standard frames. Overall height of 37" high frame and transaction top is 41 ½"
- Hi-Lo tops are shorter than the module line and may be specified for hi-lo applications
- All transaction tops, shorter than 72" W, are supported by 2 stanchions
- Transaction tops 72" or wider include two top trims and four stanchions
- A top trim with two cutouts, to accommodate the stanchions, is included with each transaction top
- Stanchions are not height adjustable
- Transaction tops are available in several shapes and sizes to accommodate a variety of configurations including hi-lo, straight line and 90°
- Transaction top codes indicate the size and shape of the top, see below.
- Do not specify upper deck electrical beneath



The above hypothetical configuration illustrates transaction tops specified in a variety of configurations.

Worksurfaces & Supports Transaction Tops

For 3 1/2" Thick Frames

System

- Straight Edge Nuform worksurface
- Specific frame configurations only for the spanning tops
- 1" thick worksurface
- 72" (36" top caps), 84" (42" top caps) and 96" (48" top caps) wide kits consist of two top caps and four stanchions
- On-module installation only
- Stanchions have a rectangular profile

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INTT1224-3F in Nuform Select with tapered trim would be \$346 +\$19

				Tapered trim		Flat		
	Part number	н	w	1" Straight edge Nuform classic/base price	1" Nuform select	1" Straight edge Nuform classic/base price	1" Nuform select	Accent paint
	INTT1224-3F	12"	24"	\$346	+\$19	\$346	+\$19	+\$36
	INTT1230-3F	12"	30"	\$370	+\$20	\$370	+\$20	+\$40
	INTT1236-3F	12"	36"	\$394	+\$21	\$394	+\$21	+\$42
Rectangular	INTT1242-3F	12"	42"	\$417	+\$23	\$417	+\$23	+\$44
Transaction Top	INTT1248-3F	12"	48"	\$450	+\$25	\$450	+\$25	+\$47
·	INTT1254-3F	12"	54"	\$473	+\$26	\$473	+\$26	+\$49
	INTT1260-3F	12"	60"	\$478	+\$26	\$478	+\$26	+\$50
	INTT1272-3F	12"	72"	\$785	+\$41	\$785	+\$41	+\$81
	INTT1284-3F	12"	84"	\$831	+\$43	\$831	+\$43	+\$85
	INTT1296-3F	12"	96"	\$889	+\$46	\$889	+\$46	+\$91
\rightarrow	INTL1224-3F	12"	24"	\$373	+\$20	\$373	+\$20	+\$40
	INTL1230-3F	12"	30"	\$398	+\$21	\$398	+\$21	+\$42
	INTL1236-3F	12"	36"	\$419	+\$23	\$419	+\$23	+\$44
	INTL1242-3F	12"	42"	\$445	+\$24	\$445	+\$24	+\$47
	INTL1248-3F	12"	48"	\$476	+\$26	\$476	+\$26	+\$50
1 (1)	INTL1254-3F	12"	54"	\$536	+\$28	\$536	+\$28	+\$55
Left Hand Miter	INTL1260-3F	12"	60"	\$551	+\$29	\$551	+\$29	+\$56
Transaction Top	INTL1272-3F	12"	72"	\$808	+\$42	\$808	+\$42	+\$83
	INTL1284-3F	12"	84"	\$853	+\$44	\$853	+\$44	+\$88
	INTL1296-3F	12"	96"	\$912	+\$47	\$912	+\$47	+\$93
	INTR1224-3F	12"	24"	\$373	+\$20	\$373	+\$20	+\$40
Kernere	INTR1230-3F	12"	30"	\$398	+\$21	\$398	+\$21	+\$42
	INTR1236-3F	12"	36"	\$419	+\$23	\$419	+\$23	+\$44
	INTR1242-3F	12"	42"	\$445	+\$24	\$445	+\$24	+\$47
	INTR1248-3F	12"	48"	\$476	+\$26	\$476	+\$26	+\$50
(-11-)	INTR1254-3F	12"	54"	\$536	+\$28	\$536	+\$28	+\$55
Right Hand Miter	INTR1260-3F	12"	60"	\$551	+\$29	\$551	+\$29	+\$56
Transaction Top	INTR1272-3F	12"	72"	\$808	+\$42	\$808	+\$42	+\$83
	INTR1284-3F	12"	84"	\$853	+\$44	\$853	+\$44	+\$88
	INTR1296-3F	12"	96"	\$912	+\$47	\$912	+\$47	+\$93
ΥC	INTHL1224-3F	12"	24"	\$343	+\$19	\$343	+\$19	+\$36
	INTHL1230-3F	12"	30"	\$368	+\$20	\$368	+\$20	+\$39
	INTHL1236-3F	12"	36"	\$392	+\$21	\$392	+\$21	+\$42
8	INTHL1242-3F	12"	42"	\$415	+\$23	\$415	+\$23	+\$44
Hilo Ono Sido	INTHL1248-3F	12"	48"	\$448	+\$25	\$448	+\$25	+\$47
Hi Lo One Side Rectangular	INTHL1254-3F	12"	54"	\$471	+\$26	\$471	+\$26	+\$49
Transaction Top	INTHL1260-3F	12"	60"	\$488	+\$26	\$488	+\$26	+\$51
- 1.	INTHL1272-3F	12"	72"	\$783	+\$41	\$783	+\$41	+\$81
	INTHL1284-3F	12"	84"	\$829	+\$42	\$829	+\$42	+\$85
	INTHL1296-3F	12"	96"	\$868	+\$44	\$868	+\$44	+\$89

Transaction Tops For 2 3/4" Thick Frames

System

- Straight Edge Nuform worksurface
- Specific frame configurations only for the spanning tops
- 1" thick worksurface
- 72" (36" top caps), 84" (42" top caps) and 96" (48" top caps) wide kits consist of two top caps and four stanchions
- On-module installation only
- Stanchions have a rectangular profile

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product INTT1224-2F in Nuform Select with flat trim would be \$346 +\$19

				Tapered trim		Flat		
	Part number	н	w	1" Straight edge Nuform classic/base price	1" Nuform select	1" Straight edge Nuform classic/base price	1" Nuform select	Accent paint
	INTT1224-2F	12"	24"	_	_	\$346	+\$19	+\$36
	INTT1230-2F	12"	30"	_	_	\$370	+\$20	+\$40
····	INTT1236-2F	12"	36"	_	_	\$394	+\$21	+\$42
Rectangular	INTT1242-2F	12"	42"	_	_	\$417	+\$23	+\$44
Transaction Top	INTT1248-2F	12"	48"	_	_	\$450	+\$25	+\$47
•	INTT1254-2F	12"	54"	_	_	\$473	+\$26	+\$49
	INTT1260-2F	12"	60"	_	_	\$478	+\$26	+\$50
	INTT1272-2F	12"	72"	_	_	\$785	+\$41	+\$81
	INTT1284-2F	12"	84"	_	_	\$831	+\$43	+\$85
	INTT1296-2F	12"	96"	—	_	\$889	+\$46	+\$91
	INTL1224-2F	12"	24"	-	_	\$373	+\$20	+\$40
	INTL1230-2F	12"	30"	_	_	\$398	+\$21	+\$42
	INTL1236-2F	12"	36"	_	_	\$419	+\$23	+\$44
	INTL1242-2F	12"	42"	_	_	\$445	+\$24	+\$47
<u></u>	INTL1248-2F	12"	48"	_	-	\$476	+\$26	+\$50
(11)	INTL1254-2F	12"	54"	_	_	\$536	+\$28	+\$55
Left Hand Miter	INTL1260-2F	12"	60"	_	_	\$551	+\$29	+\$56
Transaction Top	INTL1272-2F	12"	72"	_	_	\$808	+\$42	+\$83
	INTL1284-2F	12"	84"	_	-	\$853	+\$44	+\$88
	INTL1296-2F	12"	96"	—	—	\$912	+\$47	+\$93
<u> </u>	INTR1224-2F	12"	24"	-	-	\$373	+\$20	+\$40
Variation	INTR1230-2F	12"	30"	_	—	\$398	+\$21	+\$42
	INTR1236-2F	12"	36"	_	-	\$419	+\$23	+\$44
	INTR1242-2F	12"	42"	_	—	\$445	+\$24	+\$47
	INTR1248-2F	12"	48"	-	-	\$476	+\$26	+\$50
(111)	INTR1254-2F	12"	54"	_	-	\$536	+\$28	+\$55
Right Hand Miter	INTR1260-2F	12"	60"	_	—	\$551	+\$29	+\$56
Transaction Top	INTR1272-2F	12"	72"	_	_	\$808	+\$42	+\$83
	INTR1284-2F	12"	84"	_	_	\$853	+\$44	+\$88
	INTR1296-2F	12"	96"	_	_	\$912	+\$47	+\$93
77	INTHL1224-2F	12"	24"	—	-	\$343	+\$19	+\$36
	INTHL1230-2F	12"	30"	_	_	\$368	+\$20	+\$39
	INTHL1236-2F	12"	36"	_	_	\$392	+\$21	+\$42
8003	INTHL1242-2F	12"	42"	_	_	\$415	+\$23	+\$44
2. 	INTHL1248-2F	12"	48"	-	-	\$448	+\$25	+\$47
Hi Lo One Side	INTHL1254-2F	12"	54"	-	-	\$471	+\$26	+\$49
Rectangular Transaction Top	INTHL1260-2F	12"	60"	-	-	\$488	+\$26	+\$51
nansauton top	INTHL1272-2F	12"	72"	_	-	\$783	+\$41	+\$81
	INTHL1284-2F	12"	84"	-	-	\$829	+\$42	+\$85
	INTHL1296-2F	12"	96"	_	-	\$868	+\$44	+\$89

'L' LEGS - HEIGHT ADJUSTABLE

'L' legs are manually height adjustable at 1.5" increments to achieve 5 standard worksurface heights: 25.5", 27", 28.5", 30" and 31.5". Feet are available in nominal widths of 24" and 30" for specification beneath 24" and 30" deep worksurfaces. Legs may be specified with a slide glide front and rear or with a caster on the rear and a slide glide on the front. Black nylon slide glides are dome-shaped at the bottom for easy maneuverability over carpeted floors. Dual wheel, non-locking fixed casters are also manufactured from black nylon. Casters are approximately 2 ¼" in diameter. Manual height adjustable 'L' legs adjust (without tools) by loosening a thumbscrew located on the inner side of the leg. Height adjustable 'L' legs are handed.

LEG DOCKING BRACKET

Leg docking bracket information can be found in the "Inscape System Application Guide" section for specification guidelines. To be specified with 'L' legs on-module.

'C' LEGS - HEIGHT ADJUSTABLE & FIXED HEIGHT

'C' legs - height adjustable & fixed height feet are 18" W and may be specified beneath 24" and 30" deep worksurfaces where noted in the price list. Feet on 'C' legs are available with slide glides only. Foot docking brackets cannot be specified with 'C' legs.

END GABLE & END GABLE BRACKETS

End gable & end gable brackets support panel mounted worksurfaces 28.5" high and. The left and right-handed brackets match the height of the end gable. End gables and brackets are available in any of Inscape's standard paint finishes and are frame thickness specific.

'H' LEG

'H' leg is a freestanding leg which may also be specified in a panel mounted application. Small glides provide leveling capability.

'O' LEG

'O' leg is a fully welded 'O' structure which mounts to the underside of a worksurface. This leg is freestanding.

FRAMED LEG

Framed leg is a panel mounted worksurface support that has the bracket to attach to panel incorporated in the design. Legs are specified based on depth of worksurface. Small leveling glide included with no glide cap. For version with glide cap see standard specials.

CANTILEVER BRACKET

Cantilever brackets support panel mounted worksurfaces on-module and are available in fixed or adjustable. Brackets are handed and adjustable to achieve 5 standard worksurface heights: 24.5", 27", 28.5", 30" and 31.5". Fixed cantilever brackets do not adjust vertically.

MID SPAN CANTILEVER BRACKET

The mid span cantilever bracket is specified when there is a long tile being specified in the zone directly above the bottom 20.25" H tile which would interfere with the middle upright for a standard cantilever to attach into. The Mid Span Cantilever mounts lower to the upright allowing the wide tile aesthetic.

CORNER CANTILEVER BRACKET

The corner cantilever bracket is specified where the 1" gap behind a worksurface wraps around a corner.

BRIDGE BRACKET

Bridge bracket install onto Cantilever brackets only. These brackets are handed and an adjustable version is available to achieve the same five heights as Cantilever brackets. Fixed bridge brackets do not adjust vertically and must only be specified with fixed Cantilever brackets.

FLUSH BRACKETS

Flush brackets are specified when two adjoining worksurfaces need to be held flush together and come in pairs. Maximum span of overhang when supported with a flush bracket is 18" per side.

MULTI SURFACE SUPPORT BRACKETS

Multi surface support brackets are adjustable to achieve five standard worksurface heights: 25.5", 27", 28.5", 30" and 31.5". MSSB's provide corner support for panel-mounted worksurfaces, support panel mounted conference tops and provide mid-span support for worksurfaces up to 72" W. MSSB's are handed and may be specified for either thickness of Inscape System panel. Fixed Multi-surface Support Brackets are available and do not adjust vertically.

FRONT EDGE SUPPORT BRACKETS

Front edge support brackets provide front edge support for 24" and 30" deep worksurfaces and also dock freestanding tables to panel's on-module. Brackets may be positioned to achieve five standard worksurface heights. Front Edge Support Brackets are handed and may be specified for either thickness of panel.

FRAMED LEG FRONT SUPPORT BRACKET

The framed leg front support bracket provides additional stability to a wing panel which is longer than the depth of the adjacent worksurface. The bracket must have access to a crossrail (at any location within the height of the leg) via a segmentation in tiles. The bracket is then double side taped to the inside of the leg.

PLANNA SUPPORT BRACKET

Planna support bracket is specified to be mounted on Planna rail and floats the worksurface off the bracket. Bracket is available in all standard paint colors. Bracket "snaps" into the rail without the need for tools. These are shipped as a pair and both must be installed per worksurface.

HAT CHANNEL

Hat channels are used to support a worksurface off of a 21"ID Planna storage case and are available in any of Inscape's standard paint finishes. They are nominal in height and support a worksurface at a standard 28.5" height.

STORWAL SUPPORT BRACKET

Bracket suspends a Storwal worksurface from a Storwal unit and is available as adjustable or fixed height. Available in all standard paint colors and tools are not required in order to "snap" into place on Storwal unit. Brackets ship in pairs and both must be installed per application.

WORKSURFACE STRETCHER BAR

Worksurface stretcher bar is additional structural support for unsupported worksurfaces of 54" or greater. It is 1 $\frac{1}{2}$ " high and the length of the stretcher bar is chosen based on the width of the worksurface. Be sure that there are no legs or panel mounted worksurface support brackets that may interfere with the stretcher bar.

WORKSURFACE TO TOWER BRACKET

This bracket is attached to a storage unit with screws (included) to support a worksurface from the underside. The 18" W bracket is used in a lateral, boookcase or locker application. The 24" W bracket is used with modular and workplace towers. These brackets are painted. Silicone caps to cover exposed screw tips are provided.

1.5" SCREEN DOCKING BRACKETS

Brackets dock the screen to a worksurface but are NOT worksurface supporting. Worksurfaces must always be freestanding. The Single Docking bracket docks one surface to a screen, the double docks two surfaces on either side of the screen. The Front edge docks the front edge of a freestanding table to the edge of a screen. Mid Span Docking bracket simply dock the mid of the worksurface to the 1.5" screen but does not support it.

- Worksurface support brackets are universal between two panel thicknesses (unless otherwise stated)
- Value Engineer Option Eco Black finish
- If visible it is suggested the paint option be chosen
- Cantilevers cannot be specified to support 20"d or less worksurfaces

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

INLHCBFX in neutral paint would be \$42 +\$12+\$7INLHCBFX in accent paint would be \$42 +\$12 +\$7

		Part number	н	Wt (lbs)	Eco black/ base price	Neutral paint	Accent paint
8	Cantilever Bracket	INLHCBFX	_	5	\$42	+\$12	+\$7
	Fixed Height Handed	INRHCBFX	-	5	\$42	+\$12	+\$7
~	Cantilever Bracket	INLHCB	_	5	\$50	+\$18	+\$8
	Adjustable Height Handed	INRHCB	-	5	\$50	+\$18	+\$8
	Mid Span Cantilever	INLHCBS	_	5	\$75	+\$12	+\$10
	Mid Span Cantilever Bracket Fixed Height Handed	INRHCBS	-	5	\$75	+\$12	+\$10
~	Corner Cantilever Bracket	INLHCB1CRNR	_	5	\$86	+\$12	+\$11
Adjustable Height Handed		INRHCB1CRNR	_	5	\$86	+\$12	+\$11

- Worksurface support brackets are universal between two panel thicknesses (unless otherwise stated)
- Value Engineer Option Eco Black finish
- If visible it is suggested the paint option be chosen
- Cantilevers cannot be specified to support 20"d or less worksurfaces

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

INLHCBFX in neutral paint would be \$42 +\$12+\$7INLHCBFX in accent paint would be \$42 +\$12 +\$7

		Part number	н	Wt (lbs)	Eco black/ base price	Neutral paint	Accent paint
5~	Reform Cantilever Bracket	INLHCBR	_	5	\$114	+\$12	+\$14
	Fixed Height Handed	INRHCBR	_	5	\$114	+\$12	+\$14
e Jo	Bridge Bracket Fixed Height	INBBFX	-	1	\$14	+\$7	+\$5
<i>C</i>	Bridge Bracket	INLBB	_	1	\$23	+\$10	+\$5
The second second	Adjustable Height Handed	INRBB	_	1	\$23	+\$10	+\$5



Handed

Inscape - State of Connecticut Price List | Contract #16PSX0171 | November 2019

System

- Worksurface support brackets are universal between
- two panel thicknesses (unless otherwise stated) • Value Engineer Option – Eco Black finish
- If visible it is suggested the paint option be chosen

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

INLBBR in neutral paint would be \$57 +\$10+\$7INLBBR in accent paint would be \$57 +\$10 +\$9

	Part number	н	Wt (lbs)	Eco black/ base price	Neutral paint	Accent paint
Reform Bridge Bracket	INLBBR	-	1	\$57	+\$10	+\$9
Fixed Height	INRBBR	_	1	\$57	+\$10	+\$9

n	Multi Surface Support Bracket	INLHMSSBFX	-	2	\$20	+\$7	+\$5
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Fixed Height Handed	INRHMSSBFX	_	2	\$20	+\$7	+\$5
~	Multi Surface Support	INLHMSSB	_	2	\$33	+\$10	+\$6
	Bracket Adjustable Height Handed	INRHMSSB	-	2	\$33	+\$10	+\$6
	Reform Multi Surface	INLHMSSBR	_	2	\$57	+\$10	+\$9
7	Support Bracket Fixed Height Handed	INRHMSSBR	_	2	\$57	+\$10	+\$9

- Worksurface support brackets are universal between two panel thicknesses (unless otherwise stated)
- Value Engineer Option Eco Black finish
- If visible it is suggested the paint option be chosen
- A break in tile segmentation (horizontally) below the worksurface must be present for the Framed Leg Front Support Bracket to attach to the crossrail of the panel
- "H" Leg Docking Bracket ties an "H" leg or "O" leg into a frame

#### NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

#### For example:

INLBBR in neutral paint would be \$57 +\$10+\$7INLBBR in accent paint would be \$57 +\$10 +\$9

		Part number	н	Wt (lbs)	Eco black/ base price	Neutral paint	Accent paint
0 -	Front Edge Support	INLHFSB	_	1	\$25	+\$18	+\$6
Bracket Fixed Height Handed	INRHFSB	-	1	\$25	+\$18	+\$6	
$\sim$	Framed Leg Front Support	INLHPFRSB	_	1	_	\$34	+\$7
S	Bracket Adjustable Height Handed	INRHPFRSB	-	1	_	\$34	+\$7
()	"H" Leg Docking Bracket	INLHHLDB-3F	_	1	_	\$80	+\$11
	For use with 3 ½" T Frames Handed	INRHHLDB-3F	-	1	_	\$80	+\$11
1	"H" Leg Docking Bracket	INLHHLDB-2F	_	1	_	\$80	+\$11
	For use with 2 ¾" T Frames Handed	INRHHLDB-2F	_	1	_	\$80	+\$11

- "2F" denotes use with 2 ¾" thick frame, "3F" denotes use with 3 ½" thick frame
- Worksurface support brackets are universal between two panel thicknesses (unless otherwise stated)
- Value Engineer Option Eco Black finish
- If support is visible it is suggested the paint option be chosen
- End panel must be docked to the frame with brackets
- Frame Support Leg mounts to both thicknesses of panel
- Frame Support Legs are handed and based on which side of frame attaching to
- The Center Frame Support Leg cannot be used in an end location

	of panel						
		Part number	н	Wt (lbs)	Eco black/ base price	Neutral paint	Accent paint
ATP AT	End Panel Bracket	INLHEGB28.5-3F	28 ½"	5	_	\$87	+\$11
	For use with 3 ½" T Frames Handed	INRHEGB28.5-3F	28 ½"	5	-	\$87	+\$11
m 51	End Panel Bracket	INLHEGB28.5-2F	28 ½"	5	_	\$87	+\$11
	For use with 2 ¾" T Frames Handed	INRHEGB28.5-2F	28 1⁄2"	5	-	\$87	+\$11
	End Panel	INEG2428.5	28 ½"	50	_	\$325	+\$33
0		INEG3028.5	28 1⁄2"	50	-	\$330	+\$34
	Left Hand Frame Support	INLFRMLEG2428.5	28 ½"	24"	\$36	2	+\$39
P-	Leg New Style	INLFRMLEG3028.5	28 ½"	30"	\$40	5	+\$43
	New olyic	INLFRMLEG3628.5	28 1⁄2"	36"	\$45	1	+\$47
	Right Hand Frame Support	INRFRMLEG2428.5	28 ½"	24"	\$36	2	+\$39
	Leg New Style	INRFRMLEG3028.5	28 ½"	30"	\$40	5	+\$43
		INRFRMLEG3628.5	28 1⁄2"	36"	\$45	1	+\$47
	Centre Framed Support	INCFRMLEG2428.5	28 ½"	24"	\$36	2	+\$39
Same	Leg New Style	INCFRMLEG3028.5	28 ½"	30"	\$40	5	+\$43
	New Olyle	INCFRMLEG3628.5	28 ½"	36"	\$45	1	+\$47

Inscape – State of Connecticut Price List | Contract #16PSX0171 | November 2019

- Value Engineer Option Eco Black finish
- If bracket visible it is suggested the paint option be chosen
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support– ensure not to interfere with support brackets, cable trays or other work tools
- Stretcher bars are 1 ½" high

#### NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

INWMB24-36 in neutral paint would be \$30 +\$10INWMB24-36 in accent paint would be \$30 +\$10 +\$6

		Part number	Wt (lbs)				List price
0000	Flush Bracket Kit of 2	INFB	0.2				\$16
Children and a start of the sta	20" Flush Bracket	INFB20	1				\$24
( Andrew	Screws for Worksurfaces (box of 100)	INCBSCREWS	0.5				\$26
*					Eco black/ base price	Neutral	Accent
		Part number	W	Wt (lbs)	base price	paint	paint
M	Worksurface Stretcher Bar	INSBK54	44"	_	\$71	-	_
	For use with worksurfaces 54" and wider	For use with 54" surface					
Color Color		INSBK60	50"	—	\$105	-	-
		For use with 60" surface					
		INSBK72	62"	-	\$125	-	-
		For use with 72" surface					
		INSBK84	74"	_	\$150	-	-
		For use with 84" surface					
		INSBK96	86"	-	\$169	-	-
		For use with 96" surface					
Q.	Wall Mount Bracket	INWMB24-36	24-36"	_	\$30	+\$10	+\$6
the a		INWMB42-54	42-54"	-	\$40	+\$12	+\$7
Caller to an		INWMB60-72	60-72"	-	\$54	+\$16	+\$8
	Storage to worksurface	INMTWBKT-18	18"	_	_	\$33	+\$6
	bracket	Lateral/locker application					
		INMTWBKT-24	24"	—	_	\$49	+\$8
		Modular tower application					

System

- Planna Storage Support Brackets are shipped as a pair and are both required per Planna Storage worksurface installation
- Hat Chanel heights are nominal and they support a standard worksurface height of 28.5"
- Storwal bracket adjustable to 5 standard heights

		Part number	н	Wt (lbs)	Natural paint/ base price	Accent paint
OT STO	Planna Bracket (pair) Adjustable Height	PSUPBKT	-	1	\$85	+\$11
	9" W x 2.89"H Hat Channel For use over Planna case	HATCHNL2.89	2.89"	2	\$48	+\$8
	with $\frac{1}{2}$ " top with no rail					
	9" W x 2.375"H Hat Channel	HATCHNL2.3759	2.375"	2	\$48	+\$8
	For use over Planna case with $\frac{1}{2}$ " top and $\frac{1}{2}$ " rail					
P-1	Storwal Bracket (pair)	INSWSUPBT-28.5	1 ¼"	1	\$71	+\$10
		Fixed Height				
$\leq$		INSWSUPBT-ADJ	1 ¼"	1	\$122	+\$15
		Adjustable Height				

- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colors
- To adjust the height there are two bolts that unthread and then pull out so that inner leg can then move up and down

		Part number	н	Wt (lbs)	Natural paint/ base price	Accent paint
~7	"H" Leg	INHLEG2428.5	28 ½"	_	\$449	+\$47
	Fixed Height	INHLEG3028.5	28 ½"	-	\$473	+\$49
		INHLEG3628.5	28 ½"	_	\$489	+\$51
2	"H" Leg	INHLEG24-ADJ	28 ½"	_	\$545	+\$56
	Adjustable Height	INHLEG30-ADJ	28 ½"	_	\$569	+\$58
		INHLEG36-ADJ	28 1⁄2"	-	\$586	+\$60
Par and the second seco	"O" Leg	INOLEG2428.5	28 ½"	-	\$373	+\$40
	Fixed Height	INOLEG3028.5	28 ½"	_	\$385	+\$41
		INOLEG3628.5	28 ½"	-	\$389	+\$41
0	Post Leg	INLEG28.5F	28 1⁄2"	3	\$177	+\$20
	Fixed Height Existing Storwal Storage version					
0	Post Leg	INPLEG28.5F	28 ½"	5	\$184	+\$20
	Fixed Height					
0	Post Leg	INPLEGM	28 ½"	7	\$295	+\$31
III III	Adjustable Height		LU /2		Ψ <u></u> 200	τψοτ

System

- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colors
- The Triangular post leg provides concealed wire management

	Part number	н	Wt (Ibs)	Natural paint/ base price	Accent paint
Round Post Leg Fixed Height	INFFLEG28.5	28 ½"	4	\$82	+\$11
Rectangular Post Leg	INRECPLEG-28.5 INRECPLEG-ADJ	28 ½" ADJUSTABLE"	-	\$158 \$264	+\$18 +\$28
Triangular Leg Fixed Height	INTWMLEG-28.5	28 ½"	-	\$238	+\$25

- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colors
- Leg docking bracket for use with "L" legs only on module
- See "Inscape System Application Guide" for details of the Leg Docking Bracket

		Part number	н	Wt (lbs)	Natural paint/ base price	Accent paint
$\sim$	"C" Leg	INCL1828.5F	28 ½"	7	\$356	+\$38
	Fixed Height		20 /2			
$\sim$	"C" Leg	INCLEG18MLH	_	8	\$441	+\$46
	Manual Adjustable Height Handed	left-handed		Ū	<b>*</b>	
		INCLEG18MRH	_	8	\$441	+\$46
		right-handed				
	"L" Leg	INLLEG2428.5F	28 ½"	7	\$362	+\$39
	Fixed Height	INLLEG3028.5F	28 ½"	7	\$375	+\$40
	"L" Leg	INLLEG24MLH	_	8	\$441	+\$46
	Manual Adjustable Height Handed	INLLEG30MLH left-handed	-	8	\$453	+\$47
		INLLEG24MRH	—	8	\$441	+\$46
		INLLEG30MRH right-handed	—	8	\$453	+\$47
	"L" Leg Docking Bracket Handed	INFDBLH left-handed	-	1	\$67	+\$10
		INFDBRH right-handed	_	1	\$67	+\$10

System

- Docking brackets only, not worksurface supporting legs for surfaces are required
- Compatible with 1" and 1 ¼" thick worksurfaces
- Brackets are available in any of Inscape's standard paint colors

	Part number	Wt (lbs)	Natural paint/ base price	Accent paint
1.5" Screen Single Docking Bracket	FWSDB	2	\$27	+\$6
1.5" Screen Back to Back Docking Bracket	FWSBDB	2	\$43	+\$7
1.5" Screen Front Edge Docking Bracket	FWSFESB	2	\$30	+\$6

		FF-MSSB	1	\$21	+\$5
1	Docking Bracket				



System

- Brackets are available in any of Inscape's standard
- paint colors
- Brackets attach to ADDWALL only


		Part number	Natural paint/ base price	Accent paint
	ADDWALL Cantilever	INLHCBA	\$93	+\$12
· · · · · ·	Bracket	INRHCBA	\$93	+\$12
	ADDWALL Multi Surface	INLHMSSBA	\$59	+\$9
a a a m	Support Bracket	INRHMSSBA	\$59	+\$9
	ADDWALL Front Edge	INLHFSBA	\$62	+\$9
· · · · · ·	Support Bracket	INRHFSBA	\$62	+\$9







work for ^{tomorrow}

For all product lines except modular towers, Nuform & veneer.







#### Nuform & veneer.




Laterals



Hinged doors - 24" interior height






System

Hinged doors - all except 24" interior height

Pedestals



Wardrobe towers

Pedestals are of all-welded "wrap-around" construction of 20 and 22 gauge high quality, tension leveled, cold rolled steel. The steel gauge selected for drawer fronts, bodies and accessories ensure the highest quality durability and performance for all components. All glides on cases consist of flat glides with %" height adjustability. Pedestal corners are welded at junction of top and case, eliminating horizontal lines for a cleaner, flush appearance, and strengthened with reinforcing gussets. A completely enclosed case provides rigid construction and dust-free interiors.

#### ANSI/BIFMA

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications.

#### **CONSTRUCTION FEATURES & BENEFITS**

Box drawer sides are slotted on 1" centers to allow for maximum flexibility for drawer division. Doublewall construction allows lift-up doors to be picked up and recede smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. Storage with Handles is single-wall construction. File (10.5" and 12") and EDP (15") drawer bodies have full-height sides to accommodate hanging file folders, eliminating the need for optional file frames. Fully progressive ball bearing suspensions on all drawers, including pencil and box drawers, are staged so that the left and right sides work in unison; this provides smooth drawer operation with minimum force. Staged suspensions allow the drawer to be completely pulled out, providing access to the entire drawer depth.

Special "claw-like" device incorporated in the suspension "grips" the fixed section of the suspension channel preventing drawer body bounce back or creep when drawer is closed. Modular interior allows complete interchangeability of drawer types within the pedestal case. For example, two 6" box drawers may be replaced by a 12" file drawer. Pedestals are standard with keyholes for attachment to underside of worksurface. For the Storage with Handles only cases: 18" deep pedestals come standard with 18" deep drawers, 22" and 28" deep pedestals come standard with 22" deep drawers. For all other Series, pedestal drawers match case depth.

Pedestals are available in mobile and worksurface supporting. Worksurface supporting pedestals are designed for use with the Inscape System and are standard with flat glides. Worksurface supporting pedestals are available in two depths to fit under 24" and 30" deep worksurfaces and support finished worksurface height of 28.5". Pedestals with 3", 6" or 7.5" drawers include one pencil tray per pedestal. The 6" and 7.5" drawers also include a steel divider. The 10.5" and 12" drawers have one hang file suspension bar (two in a 28" deep pedestal) for side-to-side filing of legal or letter size folders or printout binders. Storage with Handles Pedestals do not include any suspension bars.

NOTE: System storage pedestal cases consist of holes in the top of the case and back of the case to allow for worksurface docking and panel mounted brackets to be secured.

#### COUNTERWEIGHTS

Counterweights are required for ALL freestanding units that are not anchored or ganged to other cabinets or bolted to walls/floor. Counterweights come standard with ALL mobile pedestals and must be field installed.

#### DOCKING BRACKET

The pedestal docking bracket docks a pedestal to an Inscape System panel on-module. Specify bracket according to case front style and based on the thickness of panel. ADDWALL pedestal-to-wall bracket docks a pedestal supporting a 24" deep worksurface to an ADDWALL movable wall on-module. Pedestal -to-panel brackets are available in full height version.

#### GLIDES

Inscape System pedestals are standard with flat glides. Glides provide 0.125" height adjustment when docked and 0.75" height adjustment if unit is not docked. 2 glides in front and 2 in back are adjustable from inside the cabinet so that cabinets can be leveled regardless of whether they are backed against a wall or banked.

#### LOCKS

Standard with single bitted lock. If lock is not required add suffix '**/NL**' after product number and deduct \$52 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

## NOTE: Locks cannot be field installed on hinged door cabinets.

9900 Series NOTE: Pedestals with 9900 series fronts must be specified beneath Wood Veneer and 1" Nuform worksurfaces only.

## FINISHES

All laterals are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

### **FRONT DETAILS & PULL OPTIONS**

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Storage with Handles is single-wall construction. Refer to the images and chart below for pull application on Storage with Handles, Nuform, and Veneer fronts.

Pull	Storage with Handles	Nuform	Veneer
FP001	•	•	•
P290 Aluminum Leaf Finish			
FP004 Brushed Nickel Finish	٠	٠	٠
FP005 Satin Nickel Finish	•	0	0
Available	e o Una	vailable	

Pulls FP004 and FP005 meet the guidelines for ADA compliance.

FP005 is the default pull for Storage with Handles FP001 is the default pull for Nuform and Veneer

## **CUSHION MOBILE PEDESTALS**

Cushion mobile pedestals are topped with 1.25" thick Cal.117 fire-retardant polyurethane foam with a 2.2lb/ ft. density. This upholstery cushion is balanced with a 7/6" board and is attached to a pedestal top with Velcro. Select from our graded upholstery program of solid color fabrics and vinyl's or choose COM option (Customers Own Material). To determine if a COM fabric has been pre-approved for use on our cushion topper, contact your client services representative or log into INSITE. For application of ALL fabrics, both from our graded program as well as COM (Customer Own Material) please specify layout orientation at time of order. If layup instructions are not provided Inscape will choose the direction to maximize production. Refer to the diagram below for layup options.

After calculating the total amount of material needed in inches, divide the total number of inches by 36 for the total yardage and round up to the next full yard. Allow additional for repeat. Add 15% of total fabric required for small and medium pattern repeats. Add 20% of total fabric required for large patterns.

Due to the nature of the design and manufacture of our cushion, only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your client services representative for assistance.

All directional/patterned fabrics (Graded or COM) require cushion layup instructions with order placement. Depending on layup additional fabric may be required and upcharges may apply. If layup instructions are not provided the layup that maximizes the production yield will be chosen. (Refer to the layup diagrams)

#### Please see Finishes section for COM calculator.

## FABRIC LAY UP OF PEDESTAL CUSHIONS

Fabric bolt Pedesta Cushion

Standard Fabric Application

System

- Consult General Information for pull options
- Includes worksurface mounting holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
~~	2-6" box, 12" file	GHF1522-2BF	26 %"	15"	22"	100	\$947	+\$96
		GHF1528-2BF	26 7⁄8"	15"	28"	110	\$997	+\$101
	2-12" files	GHF1522-2F	26 %"	15"	22"	100	\$832	+\$86
		GHF1528-2F	26 %"	15"	28"	110	\$858	+\$88
~	3" pencil, 2-10.5" file	GHF1522-P2F10	26 7/8"	15"	22"	100	\$947	+\$96
		GHF1528-P2F10	26 %"	15"	28"	110	\$997	+\$101

- Consult General Information for pull options
- Includes worksurface mounting holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high
- Rectangular glides are gray

	Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
10.5" file, 12" file	INGH1522-F10F	26 %"	15"	22"	93	\$832	+\$86
	INGH1528-F10F	26 %"	15"	28"	105	\$858	+\$88
 2-6" box, 10.5" file	INGH1522-2BF10	26 %"	15"	22"	93	\$947	+\$96
	INGH1528-2BF10	26 ⁷ / ₈ "	15"	28"	105	\$997	+\$101



3" pencil, 7.5" box, 12" file	INGH1522-PB7F	26 7⁄8"	15"	22"	93	\$947	+\$96
	INGH1528-PB7F	26 %"	15"	28"	105	\$997	+\$101

- Consult General Information for pull options
- 15" letter width pedestal
- For application of ALL fabrics, both from our graded program as well as COM (customers own material), please specify layup orientation at time of order. If layup instructions are not provided we will choose the direction to maximize our production. Refer to the Finishes Section for additional layout and COM details.

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product PH1518-BFMCNH in Grade B/COM fabric would be \$1040 +\$52

PH1518-BFMCNH in Grade C fabric would be \$1040 +\$95

		Part number	н	w	D	Wt (lbs)	Neutral paint/ Grade A/ base price	Accent paint
	2-6" box, 10.5" file Mobile No cushion	PH1518-2BF10M	26"	15"	18"	85	\$1008	+\$102
		PH1522-2BF10M	26"	15"	22"	95	\$1117	+\$114
		PH1528-2BF10M	26"	15"	28"	105	\$1166	+\$119
	10.5" file, 12" file Mobile	PH1518-F10FM	26"	15"	18"	85	\$942	+\$96
	No cushion	PH1522-F10FM	26"	15"	22"	95	\$1008	+\$102
-		PH1528-F10FM	26"	15"	28"	105	\$1035	+\$105
$\sim$	6" box, 12" file Mobile	PH1518-BFMCNH	22 ¾"	15"	18"	90	\$1040	+\$106
	Includes cushion, no handle	PH1522-BFMCNH	22 ¾"	15"	22"	100	\$1078	+\$110
-	Tandie	PH1528-BFMCNH	22 ¾"	15"	28"	105	\$1122	+\$115
$\sim$	7.5"box, 10.5" file Mobile	PH1518B7F10MCNH	22 ³ ⁄4"	15"	18"	90	\$1008	+\$102
	Includes cushion, no handle	PH1522B7F10MCNH	22 ¾"	15"	22"	100	\$1122	+\$115
2		PH1528B7F10MCNH	22 ¾"	15"	28"	105	\$1166	+\$119

## FABRIC UPCHARGE FOR MOBILE CUSHION PEDESTALS

Note: To price fabric grade options, add the upcharge (+\$) in the chart below to the base price of the List price (Grade A) column. This will be the total cost for that product.

Grade B/COM	Grade C	Grade D	Grade E	Grade F
+\$52	+\$95	+\$134	+\$161	+\$230

System

- Includes worksurface mounting holes in top and bracket slots in back of case
- Worksurface supporting for 28.5" high
- Recommended installation below 1" worksurfaces or veneer only for clean aesthetic due to the tight corner radius of the worksurface

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
	2-12" files	GEF1522-2F	26 %"	15"	22 ¾"	100	\$727	+\$87
	Flat Glides	GEF1528-2F	26 %"	15"	28 ¾"	110	\$799	+\$90
		Letter Width						
		GEF1822-2F	26 %"	18"	22 ¾"	100	\$987	+\$100
		GEF1828-2F	26 %"	18"	28 ¾"	110	\$1028	+\$105
		Legal Width						
	2-6" box, 1-12" file	GEF1522-2BF	26 7⁄8"	15"	22 ¾"	100	\$850	+\$97
	Flat Glides	GEF1528-2BF	26 %"	15"	28 ¾"	110	\$927	+\$102
		Letter Width						
		GEF1822-2BF	26 %"	18"	22 ¾"	100	\$1116	+\$114
		GEF1828-2BF	26 %"	18"	28 ¾"	95	\$1172	+\$119
~		Legal Width						
	3" pencil, 2-10.5" files	GEF1522-P2F10	26 %"	15"	22 ¾"	100	\$861	+\$98
	Flat Glides	GEF1528-P2F10	26 %"	15"	28 ¾"	110	\$927	+\$102
		Letter Width						
		GEF1822-P2F10	26 %"	18"	22 ¾"	100	\$1117	+\$114
		GEF1828-P2F10	26 %"	18"	28 ¾"	110	\$1167	+\$119
		Legal Width						

System

- Includes worksurface mounting holes in top and bracket slots in back of case
- Worksurface supporting for 28.5" high
- Recommended installation below 1" worksurfaces or veneer only for clean aesthetic due to the tight corner radius of the worksurface
- Rectangular glides are gray

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
	10.5" File, 12" File	INGE1522-F10F	26 %"	15"	22 ¾"	95	\$846	+\$87
	Rectangular Glides	INGE1528-F10F Letter Width	26 %"	15"	28 ¾"	105	\$879	+\$90
		INGE1822-F10F	26 %"	18"	22 ¾"	100	\$987	+\$100
		INGE1828-F10F Legal Width	26 7/8"	18"	28 ¾"	110	\$1028	+\$105
~	2-6" box, 1-10.5" file	INGE1522-2BF10	26 %"	15"	22 ¾"	95	\$959	+\$97
	Rectangular Glides	INGE1528-2BF10 Letter Width	26 %"	15"	28 ¾"	105	\$1005	+\$102
		INGE1822-2BF10	26 %"	18"	22 ¾"	100	\$1116	+\$114
		INGE1828-2BF10 Legal Width	26 1/8"	18"	28 ¾"	110	\$1172	+\$119
-	3" pencil, 7.5" box, and	INGE1522-PB7F	26 %"	15"	22 ¾"	95	\$961	+\$98
	12" file Rectangular Glides	INGE1528-PB7F Letter Width	26 %"	15"	28 ¾"	105	\$1009	+\$102
		INGE1822-PB7F	26 %"	18"	22 ¾"	100	\$1117	+\$114
		INGE1828-PB7F Legal Width	26 %"	18"	28 ¾"	110	\$1167	+\$119

- 15" letter width mobile pedestals
- For application of ALL fabrics, both from our graded program as well as COM (customers own material), please specify layup orientation at time of order. If layup instructions are not provided we will choose the direction to maximize our production. Refer to the Finishes Section for additional layout and COM details.

### NOTES

Optional handle for mobile cushion pedestals, add \$29 list per pedestal.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product PF1518EBFMC in Grade B/COM fabric would be \$927 +\$52PF1518EBFMC in Grade C fabric would be \$927 +\$95

		Part number	н	w	D	Wt (lbs)	Neutral paint/ Grade A/ base price	Accent paint
	3" pencil, 6" box and 12"	PE1518-PBFM	24 ½"	15"	18 ¾"	85	\$902	+\$102
$\sim$	file Na suchiar	PE1522-PBFM	24 ½"	15"	22 ¾"	95	\$979	+\$112
	No cushion	PE1528-PBFM	24 ½"	15"	28 ¾"	105	\$1056	+\$117
	2-10.5" files	PE1518-2F10.5M	24 ½"	15"	18 ¾"	85	\$954	+\$97
$\sim$	No cushion	PE1522-2F10.5M	24 ½"	15"	22 ¾"	95	\$1018	+\$103
		PE1528-2F10.5M	24 ½"	15"	28 ¾"	105	\$1053	+\$107
$\sim$	6" box, 12" file	PF1518EBFMC	22 ¾"	15"	18 ¾"	90	\$927	+\$107
	Includes cushion	PF1522EBFMC	22 ¾"	15"	22 3⁄4"	100	\$979	+\$112
		PF1528EBFMC	22 ¾"	15"	28 ¾"	110	\$1041	+\$116
	7.5" box, 10.5" file	PF1518EB7F10MC	22 ¾"	15"	18 ¾"	90	\$927	+\$107
	Includes cushion	PF1522EB7F10MC	22 ¾"	15"	22 ¾"	100	\$979	+\$112
		PF1528EB7F10MC	22 ¾"	15"	28 ¾"	110	\$1041	+\$116

## FABRIC UPCHARGE FOR MOBILE CUSHION PEDESTALS

Note: To price fabric grade options, add the upcharge (+\$) in the chart below to the base price of the List price (Grade A) column. This will be the total cost for that product.

Grade B/COM	Grade C	Grade D	Grade E	Grade F
+\$52	+\$95	+\$134	+\$161	+\$230

System

- Consult General Information for pull options
- Includes worksurface mounting holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high
- Nuform Classic and colors available

		Part number	н	w	D	Wt (lbs)	Nuform classic/ neutral paint/ base price	Nuform select	Accent paint
	2-12" files	GQF1522-2F	26 7/8"	15"	22 ¾"	95	\$1140	+\$126	+\$116
	Flat Glides	GQF1528-2F	26 7/8"	15"	28 ¾"	105	\$1303	+\$145	+\$131
$\sim$	2-6" box, 1-12" file	GQF1522-2BF	26 7/8"	15"	22 ¾"	95	\$1274	+\$141	+\$129
CHAR !	Flat Glides	GQF1528-2BF	26 %"	15"	28 ¾"	105	\$1398	+\$155	+\$141

System

- Consult General Information for pull options
- Includes worksurface mounting holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" high

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
$\sim$	2-12" file	GWF1522-2F	26 %"	15"	22 ¾"	95	\$1450	+\$148
	Flat Glides	GWF1528-2F	26 7/8"	15"	28 ¾"	105	\$1592	+\$161
	2-6" box 1-12" file	GWF1522-2BF	26 %"	15"	22 ¾"	95	\$1665	+\$168
	Flat Glides	GWF1528-2BF	26 1/8"	15"	28 ¾"	105	\$1773	+\$180

- Pedestal brackets are full height and may be painted to match case finish
- The height is nominal and includes the thickness of the worksurface above the storage
- Specific brackets are required for case type and mounting application
- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Brackets are handed and are ordered based on which side of the frame the bracket is being mounted to

		Part number	н	Wt (lbs)	Neutral paint/ base price	Accent paint
	Full Height Pedestal Docking Bracket for Storage with Handles,	IN28.5PEDLH-3F left handed	28 1⁄2"	2	\$85	+\$11
	Nuform and Veneer fronts For use with 3 ½" T frames Handed	IN28.5PEDRH-3F right handed	28 1⁄2"	2	\$85	+\$11
	Full Height Pedestal Docking Bracket for 9900 Series fronts For use with 3 ½" T frames	IN28.5PEDGLH-3F left handed	28 ½"	2	\$85	+\$11
	Handed	IN28.5PEDGRH-3F	28 1⁄2"	2	\$85	+\$11
	Full Height Pedestal Docking Bracket for Storage with Handles Series, Nuform and Veneer	IN28.5PEDLH-2F left handed	28 ½"	2	\$85	+\$11
and the second sec	fronts For use with 2 ¾" T frames Handed	IN28.5PEDRH-2F	28 1⁄2"	2	\$85	+\$11

- Pedestal brackets are full height and may be painted to match case finish
- The height is nominal and includes the thickness of the worksurface above the storage
- Specific brackets are required for case type and mounting application
- "2F" denotes use with 2 ¾" thick frame "3F" denotes use with 3 ½" thick frame
- Brackets are handed and are ordered based on which side of the frame the bracket is being mounted to

		I				1
		Part number	н	Wt (lbs)	Neutral paint/ base price	Accent paint
$\square$	Full Height Pedestal	IN28.5PEDGLH-2F	28 ½"	2	\$85	+\$11
l or	Docking Bracket for 9900 Series fronts For use with 2 ¾" T frames	left handed				
£.	Handed	IN28.5PEDGRH-2F	28 ½"	2	\$85	+\$11
		right handed				
<u> </u>	Full Height Pedestal Docking Bracket for Storage with Handles Series, Nuform and Veneer fronts For use with 1 ½" T screens Handed	PEDBRKTFLH	28 ½"	2	\$44	+\$7
e e		left handed				
		PEDBRKTFRH	28 ½"	2	\$44	+\$7
		right handed				
$\square$	Full Height Pedestal	PEDBRKTFELH	28 ½"	2	\$44	+\$7
0	Docking Bracket for 9900 Series fronts For use with 1 ½" T	left handed				
é.	screens	PEDBRKTFERH	28 ½"	2	\$44	+\$7
	Handed	right handed				
$\square$	Full Height Pedestal	INLHPSBFHA	_	2	\$102	+\$13
	Docking Bracket For use with ADDWALL Handed	left handed				
e.	nandou	INRHPSBFHA	—	2	\$102	+\$13
		right handed				

Lateral cabinets are of all-welded construction using 20 and 22 gauge high quality, tension leveled, and cold rolled steel. Drawer fronts, lift-up doors, roll-out shelves and all steel accessories are manufactured of the steel gauge appropriate to function at the highest quality level.

#### ANSI/BIFMA

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications.

## **CONSTRUCTION FEATURES & BENEFITS**

All interiors are completely modular and interchangeable so that cabinets can be retrofitted with new accessories and interiors as required. Cabinet corners are welded at junction of top and case, eliminating horizontal lines for cleaner, flush appearance, and strengthened with reinforcing gussets. Double-wall construction allows lift-up doors to be picked up and receded smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. Lift-up door carrier mechanism has four nylon rollers two on each side - for smooth receding action with no binding or snagging. Self-closing, 110° opening, European style cupboard hinges for smooth door operations. Storage with Handles Series storage is single-wall construction.

The absence of scissor mechanism in doors and drawers eliminates the potential for scissors binding, and facilitates reconfiguration of cabinet openings as needed. Front leading edge of pullout shelves is beaded and rolled to provide grip for pullout action and strengthen shelf; front leading edge of fixed shelf is flat for easy removal of material. Fully progressive ball bearing suspension slides provide smooth action with minimum force.

Special "claw-like" device incorporated in suspension slide channel "grips" the fixed section of the suspension channel preventing drawer bounce-back or creep when drawer is closed. A patented Safelock[™] interlock mechanism provides complete security and user safety against accidental opening of two or more drawers simultaneously. Lock fingers are configured with right angle bend upward not downward so that lift-up doors cannot be pulled down to disengage fingers from door slots and be forced to circumvent lock system. Lock bars operate vertically on both sides of cabinet for maximum security.

Laterals include 1 pair of hang file bars in 10.5" and 12" fixed fronts, 1 EDP kit in 13.5" and 15" fixed fronts, pencil tray in 3" multi-file drawer and steel divider in 7.5" multi-file drawer, steel divider in 6" multi-file drawers and 3 divider plates in 13.5" liftups. Fixed shelf in lift-up is slotted in 1" increments. Lateral-to-panel bracket is required if lateral is positioned on-module.

NOTE: System storage laterals and multi-files consist of slots in the back of the case to allow for panel mounted brackets to be secured.

### COUNTERWEIGHTS

Counterweights are required for ALL freestanding units that are not anchored or ganged to other cabinets or bolted to walls/floor. Counterweights come standard with ALL mobile pedestals and must be field installed.

#### DOCKING BRACKET

The Lateral Docking Bracket docks a lateral to an Inscape System panel on-module. Specify bracket according to depth of worksurface and based on the thickness of panel. ADDWALL lateral-to-wall bracket docks a lateral supporting a 24"deep worksurface to an ADDWALL movable wall on-module. For 30" deep worksurfaces, specify an ADDWALL right and left handed MSSB to dock worksurface to an ADDWALL movable wall. Counterweights are not required for laterals which are tied into the panel and worksurface supporting.

#### GLIDES

Inscape System laterals are standard with flat glides. Glides provide 0.125" height adjustment when docked and 0.625" height adjustment if unit is not docked. 2 glides in front and 2 in back are adjustable from inside the cabinet so that cabinets can be leveled regardless of whether they are backed against a wall or banked.

#### LOCKS

Standard with single bitted lock. If lock is not required add suffix '**/NL**' after product number and deduct \$52 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

NOTE: Locks cannot be field installed on hinged door cabinets.

## STORAGE STABILIZER BRACKET

Storage Stabilizer Bracket is specified when a storage case/Planna Storage lateral or pedestal is positioned directly adjacent to an Inscape System panel. This bracket does not create a gap between the case and the panel like a pedestal or lateral bracket does. No factory holes are required to be in the back of the case and are added at time of installation.

### **FINISHES**

All laterals are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to Finishes section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

### СОМ

Select from our graded upholstery program of solid color fabrics and vinyl's or choose COM option (Customers Own Material). To determine if a COM fabric has been pre-approved for use on our cushion topper, contact your client services representative or log into INSITE. For application of ALL fabrics, both from our graded program as well as COM (Customer Own Material) please specify layout orientation at time of order. If layup instructions are not provided Inscape will choose the direction to maximize production. Refer to the diagram for layup options.

After calculating the total amount of material needed in inches, divide the total number of inches by 36 for the total yardage and round up to the next full yard. Allow additional for repeat. Add 15% of total fabric required for small and medium pattern repeats. Add 20% of total fabric required for large patterns.

Due to the nature of the design and manufacture of our cushion, only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your client services representative for assistance.

All directional/patterned fabrics (Graded or COM) require cushion layup instructions with order placement. Depending on layup additional fabric may be required and upcharges may apply. If layup instructions are not provided the layup that maximizes the production yield will be chosen. (Refer to the layup diagrams)

Please see Finishes section for COM calculator.

## **FRONT DETAILS & PULL OPTIONS**

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Storage with Handles is single-wall construction. Refer to the images and chart below for pull application on Storage with Handles, Nuform, and Veneer fronts.

Pull	Storage with Handles	Nuform	Veneer				
FP001 P290 Aluminum Leaf Finish	•	•	•				
FP004	•	•	•				
Brushed Nickel Finish							
FP005 Satin Nickel Finish	•	0	0				
Available     O Unavailable							
Pulls FP004 a							

FP005 is the default pull for Storage with Handles FP001 is the default pull for Nuform and Veneer

for ADA compliance.

System

- Includes slots in back for lateral to panel bracket,
- no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- Consult General Information for pull options

	Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
3" pencil, 2-10.5" file Flat Glides	GHF3024-P2F10	26 %"	30"	105	\$1027	+\$105
	GHF3624-P2F10	26 %"	36"	125	\$1119	+\$114
	GHF4224-P2F10	26 %"	42"	135	\$1217	+\$123
2-12" files	GHF3024-FF	26 %"	30"	105	\$858	+\$88
Flat Glides	GHF3624-FF	26 %"	36"	125	\$944	+\$96
	GHF4224-FF	26 %"	42"	135	\$1039	+\$106

- Includes slots in back for lateral to panel bracket,
- no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- Consult General Information for pull options • Rectangular glides have an upcharge of \$30 per unit

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	10.5" file, 12" file	INGH3022.5-F10F	25 ¼"	30"	_	\$1013	+\$102
	Rectangular Glides	INGH3622.5-F10F	25 ¼"	36"	—	\$1111	+\$113
		INGH4222.5-F10F	25 ¼"	42"	-	\$1220	+\$124



3" pencil, 7.5" box, 12" file	INGH3022.5-PB7F	25 ¼"	30"	_	\$1039	+\$106
Rectangular Glides	INGH3622.5-PB7F	25 ¼"	36"	-	\$1137	+\$116
	INGH4222.5-PB7F	25 ¼"	42"	_	\$1244	+\$126

- Includes slots in back for lateral to panel bracket,
- no holes on top
- Laterals are 18" deep
- Worksurface supporting for 28.5" high

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
$\sim$	13.5 bookcase Insert,	GEF3024-BKF10	26 %"	30"	100	\$1011	+\$102
	10.5" file Flat Glides	GEF3624-BKF10	26 %"	36"	125	\$1083	+\$111
	That Glides	GEF4224-BKF10	26 1/8"	42"	135	\$1177	+\$120
K 9850	Display Cabinet	GEF3024-2MS	26 %"	30"	100	\$728	+\$76
	Flat Glides	GEF3624-2MS	26 %"	36"	125	\$770	+\$80
		GEF4224-2MS	26 %"	42"	135	\$847	+\$87
1993-0-0	7.5" box, 16.5" bookcase	GEF3024-B7BK	26 %"	30"	98	\$1119	+\$114
		GEF3624-B7BK	26 %"	36"	108	\$1190	+\$121
	Flat Glides	GEF4224-B7BK	26 %"	42"	121	\$1283	+\$129
	Bookcase with 1 shelf	GF3024-1BK18	26 1/8"	30"	49	\$880	+\$90
	Flat Glides Adjustable or fixed shelf	GF3624-1BK18	26 %"	36"	57	\$908	+\$93
	options	GF4224-1BK18	26 1/8"	42"	65	\$922	+\$94
~	2-12" files Flat Glides	GEF3024-FF	26 %"	30"	105	\$979	+\$102
	Flat Glides	GEF3624-FF	26 %"	36"	125	\$1025	+\$113
		GEF4224-FF	26 %"	42"	135	\$1072	+\$124
	0.0						
	2-6" box, 12" file Flat Glides	GEF3024-2BF	26 %"	30"	105	\$1158	+\$118
		GEF3624-2BF	26 %"	36"	125	\$1270	+\$128
		GEF4224-2BF	26 %"	42"	135	\$1399	+\$141
1.0110 - 2004-11	3" pencil, 2-10.5" files	GEF3024-P2F10	26 %"	30"	105	\$1208	+\$122
	Flat Glides	GEF3624-P2F10	26 %"	36"	125	\$1317	+\$133
-		GEF4224-P2F10	26 1/8"	42"	135	\$1432	+\$145
$\frown$	13.5 lift up with Fixed	GEF3024-LUF10	26 %"	30"	105	\$1010	+\$102
- ALARDON A	Shelf, 10.5" file Flat Glides	GEF3624-LUF10	26 %"	36"	125	\$1115	+\$114
	i lat Ullues	GEF4224-LUF10	26 1/8"	42"	135	\$1234	+\$125

System

- Includes slots in back for lateral to panel bracket,
- no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- Rectangular glides have an upcharge of \$30 per unit

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
$\frown$	10.5" file, 12" file	INGE3022.5-F10F	25 ¼"	30"	_	\$1013	+\$102
	Rectangular Glides	INGE3622.5-F10F	25 ¼"	36"	-	\$1111	+\$113
		INGE4222.5-F10F	25 ¼"	42"	-	\$1220	+\$124
$\sim$	2-6" box, 10.5" file Rectangular Glides	INGE3022.52BF10	25 ¼"	30"	_	\$1158	+\$118
-		INGE3622.52BF10	25 ¼"	36"	-	\$1281	+\$129
Care and		INGE4222.52BF10	25 ¼"	42"	_	\$1399	+\$141
	3" pencil, 7.5" box ,12" file	INGE3022.5-PB7F	25 ¼"	30"	_	\$1039	+\$106
- AND	Rectangular Glides	INGE3622.5-PB7F	25 ¼"	36"	-	\$1137	+\$116
		INGE4222.5-PB7F	25 ¼"	42"	-	\$1244	+\$126

System

- Includes slots in back for lateral to panel bracket,
- no holes on top
- Laterals are 18 deep
- Worksurface supporting for 28.5" high
- FP001 pull is standard. Consult General Information for pull options
- Nuform Classic and Select colors available

		Part number	н	W	Wt (lbs)	Nuform classic/ neutral paint/ base price	Nuform select	Accent paint
$\sim$	2-12" files	GQF3024-2FF	26 1/8"	30"	95	\$1363	+\$151	+\$137
	Flat Glides	GQF3624-2FF	26 %"	36"	105	\$1465	+\$162	+\$149
NIV DUCING		GQF4224-2FF	26 %"	42"	115	\$1518	+\$168	+\$154
$\sim$	2-6" box, 12" file	GQF3024-2BF	26 %"	30"	95	\$1641	+\$182	+\$166
	Flat Glides	GQF3624-2BF	26 %"	36"	105	\$1751	+\$193	+\$177
		GQF4224-2BF	26 1/8"	42"	115	\$1829	+\$202	+\$185
	Nuform Front Hinged Door	GQF3024HD	26 7/8"	30"	75	\$1025	+\$114	+\$105
	Cabinet with no interior accessories	GQF3624HD	26 %"	36"	95	\$1109	+\$123	+\$113
	accessories	GQF4224HD	26 1/8"	42"	110	\$1257	+\$140	+\$127
	Nuform Front Hinged Door	GQF3024HD-SH	26 %"	30"	75	\$1117	+\$124	+\$114
	Cabinet with 1 slotted shelf	GQF3624HD-SH	26 %"	36"	95	\$1199	+\$133	+\$122
		GQF4224HD-SH	26 1/8"	42"	110	\$1350	+\$150	+\$136

System

- Includes slots in back for lateral to panel bracket,
- no holes on top
- Laterals are 18"deep
- Worksurface supporting for 28.5" high
- FP001 pull is standard. Consult General Information for pull options

		Part number	н	W	Wt (lbs)	Neutral paint/ base price	Accent paint
~	2-12" files	GWF3024-2FF	26 %"	30"	95	\$1956	+\$197
	Flat Glides	GWF3624-2FF	26 %"	36"	105	\$2024	+\$203
NING TOP IS		GWF4224-2FF	26 %"	42"	115	\$2062	+\$208
$\sim$	2-6" box, 12" file	GWF3024-2BF	26 %"	30"	95	\$2407	+\$243
H	Flat Glides	GWF3624-2BF	26 %"	36"	105	\$2523	+\$255
		GWF4224-2BF	26 %"	42"	115	\$2614	+\$263
W CINING							
	Composite Veneer Front	GWF3024HD	26 7/8"	30"	75	\$1184	+\$120
	Hinged Door Cabinet with no interior accessories	GWF3624HD	26 %"	36"	95	\$1278	+\$129
TAN MAN		GWF4224HD	26 %"	42"	110	\$1453	+\$148
	Composite Veneer Front	GWF3024HD-SH	26 %"	30"	75	\$1274	+\$129
	Hinged Door Cabinet with 1 slotted shelf	GWF3624HD-SH	26 %"	36"	95	\$1367	+\$137
		GWF4224HD-SH	26 %"	42"	110	\$1541	+\$156
LINDO							

- Lateral brackets are full height and may be painted to match case finish
- The height is nominal and includes the thickness of the worksurface above the storage
- Specific brackets are required for case type and for worksurfaces depth
- "2F" denotes use with 2 3/4" thick frame "3F" denotes use with 3 1/2" thick frame
- Brackets are handed and are ordered based on which side of the frame the bracket is being mounted to

		Part number	н	Wt (lbs)	Neutral paint/ base price	Accent paint
	Full Height Lateral	IN28.5LBLH-3F	28 ½"	5	\$93	+\$12
c o	Docking Bracket for 24"D worksurfaces	left handed				
	For Storage with Handles and 9900 series	IN28.5LBRH-3F	28 ½"	5	\$93	+\$12
	For use with 3 ½" T frames Handed	right handed				
	Full Height Lateral	IN28.5LBGLH-3F	28 ½"	5	\$93	+\$12
e o	Docking Bracket for 24"D worksurfaces For GRID series	left handed				
	For use with 3 ½" T frames	IN28.5LBGRH-3F	28 ½"	5	\$93	+\$12
6	Handed	right handed				
	Full Height Lateral Docking Bracket for 30"D worksurfaces For all series	IN28.5LB30LH-3F	28 ½"	5	\$121	+\$15
		left handed				
	For all series For use with 3 ½" T frames	IN28.5LB30RH-3F	28 ½"	5	\$121	+\$15
6	Handed	right handed				
4	Full Height Lateral Docking Bracket for 24"D worksurfaces	IN28.5LBLH-2F	28 ½"	5	\$93	+\$12
e o		left handed				
6	For Storage with Handles and 9900 Series	IN28.5LBRH-2F	28 ½"	5	\$93	+\$12
0	For use with 2 ¾" T frames Handed	right handed				
4	Full Height Lateral Docking Bracket for 24"D	IN28.5LBGLH-2F	28 ½"	5	\$93	+\$12
G N	worksurfaces	left handed				
	For GRID series For use with 2 ³ / ₄ " T	IN28.5LBGRH-2F	28 ½"	5	\$93	+\$12
C C	frames Handed	right handed				
4	Full Height Lateral	IN28.5LB30LH-2F	28 ½"	5	\$121	+\$15
	Docking Bracket for 30"D worksurfaces For all series	left handed				
6	For use with 2 ¾" T frames	IN28.5LB30RH-2F	28 ½"	5	\$121	+\$15
6	Handed	right handed				

- "2F" denotes use with 2 ³/₄" thick frame "3F" denotes use with 3 ¹/₂" thick frame
- Stabilizer brackets cannot be used with Modular
- Towers as they have chamfered corners
- ADDWALL brackets are handed and are ordered based on which side of the frame the bracket is being mounted to

		Part number	Wt (lbs)	Neutral paint/ base price	Accent paint
<i>o</i>	Storage to Panel Stabilizer Bracket For use with 3 ½" T frames	INPSSB-3F	1	\$44	+\$7
0	Storage to Panel Stabilizer Bracket For use with 2 ¾" T frames	INPSSB-2F	1	\$44	+\$7

ADDWALL Lateral Bracket Handed	INLHPSBWSHA left handed	-	\$119	+\$14
	INRHPSBWSHA	-	\$119	+\$14
	right handed			

Workplace Towers are constructed of all-welded construction using high quality, tension leveled cold rolled steel. The steel gauge selected for drawer fronts, bodies and accessories ensure the highest quality durability and performance for all components.

#### SAFELOCK™

The patented Safelock mechanism is standard on the 42" W locker and on towers and lockers that have more than one file (10.5" and 12") drawer. It provides complete security against accidental opening of two or more drawers simultaneously. When any drawer is extended, even fractionally, Safelock ensures that all other openings immediately become inoperable.

#### DRAWER STANDARD EQUIPMENT

On pre-configured units, Lockers and towers containing 3" or 6" drawers are provided with one pencil tray per cabinet. 6" drawers are additionally standard with one steel divider. 10.5", 12" and 15" letter-width file drawers have one suspension bar for side-to-side filing of letter or legal-size folders. Full-width pullout drawers are standard with one pair hang file bars for side-to-side suspended filing. Fullwidth fixed shelves are standard with 3 plate dividers. Optional accessories are available. Build ups are ordered separately.

#### GLIDES

Overall heights are inclusive of metal glides. Heights may be increased up to 34" by extending the standard glide. Glides are accessible from inside the cabinet when the bottom drawer is fully extended or removed and may be adjusted with a 0.25" socket driver. Optional 1.5" stem glides are available.

#### LOCKS

Standard with single bitted lock. If lock is not required add suffix '/NL' after product number and deduct \$52 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

### WARDROBE UNITS

Wardrobe units are available in two different variations; freestanding and Storwal Storage and widths of 12", 15" and 18 (the Storwal Storage version includes a 24" version). The freestanding version matches panel heights of 44", 51", 57" and 64" H. The Storwal version matches 51" and 64" versions. Wardrobe units are available in 9900 series, Nuform Classic and Select and veneer (Storwal Storage 24" version only). Wardrobe units include the option of a coat road and upper shelf or multiple shelves (quantities listed below)

44" H version includes 2 shelves 51" H version includes 2 shelves 57" H version includes 2 shelves

64" H version includes 3 shelves

Wardrobe units are locking and include flat glides on the freestanding versions. Storwal Storage versions include round or rectangular glide.

#### FINISHES

All towers are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

## **FRONT DETAILS & PULL OPTIONS**

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Storage with Handles is single-wall construction. Refer to the images and chart below for pull application on Storage with Handles, Nuform, and Veneer fronts.

Pull	Storage with Handles	Nuform	Veneer
FP001 P290 Aluminum Leaf Finish	•	•	•
FP004 Brushed Nickel Finish	•	•	•
FP005 Satin Nickel Finish		0	O
Available	e o Una	vailable	

Pulls FP004 and FP005 meet the guidelines for ADA compliance.

FP005 is the default pull for Storage with Handles FP001 is the default pull for Nuform and Veneer

System

- Consult General Information for pull options
- Towers are 24" deepFlat glides
- 49 3/8" H matches 51" H frame
- 62 %" H matches 64" H frame

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
$\sim$	Full-length door 8 3/6" wide	GHFTL2446-B7F	49 ¾"	24"	120	\$2863	+\$288
$\sum_{i=1}^{n}$	on one side, 27" hinged door insert, 1-7.5" file and	left-handed hinged door (illustra	ted)				
	1-12" drawers 13 ⁵ / ₈ " wide on the other	GHFTR2446-B7F	49 3⁄8"	24"	120	\$2863	+\$288
	Flat Glides	right-handed hinged door					
$\bigcirc$	Full-length door 8 3/16"	GHFTL2460-2F	62 %"	24"	185	\$2863	+\$288
	wide on one side, 36" high hinged door insert and 2-12" file drawers 13 %" wide on the other	left-handed hinged door (illustra	ted)				
		GHFTR2460-2F	62 %"	24"	185	\$2863	+\$288
	Flat Glides	right-handed hinged door					
15	Full-length door 8 %6"	GHFTL2460-2BF	62 %"	24"	185	\$2863	+\$288
	wide on one side, 36" high hinged door insert, 2-6" box and 1-12" file drawers	left-handed hinged door (illustra	ted)				
	13 5%" wide on the other	GHFTR2460-2BF	62 %"	24"	185	\$2863	+\$288
	Flat Glides	right-handed hinged door					

System

- Towers are 24" deep
- Flat glides
- Glides which come standard with towers will level to lower than the actual frame height
- System glides are re quired to be ordered separately in order to match top of 64" H frame top trim

## CAUTION: Un-level floors may result in towers with leveling higher than the frame top trim

	Part number	н	w	Wt (lbs)	Neutral paint/ base price	Rectangular glides	Accent paint
Full-length door 14 ¼"	GETL2458-PB7FF	64"	24"	_	\$3417	+\$30	+\$343
wide on one side, 24" hinged door insert, 1-3" pencil, 1-7.5" box and 2-12" file drawers 13 %"	GETL3058-PB7FF left-handed hinged door (illustra	64" ted)	30"	-	\$3912	+\$30	+\$394
wide on the other	GETR2458-PB7FF	64"	24"	_	\$3417	+\$30	+\$343
Optional Rectangular Glides	GETR3058-PB7FF right-handed hinged door	64"	30"	-	\$3912	+\$30	+\$394
Full-length door 14 ¼"	GETL2458-P3F10	64"	24"	_	\$3417	+\$30	+\$343
wide on one side, 24" hinged door insert, 1-3" pencil and 3-10.5" file drawers 13 %" wide on	GETL3058-P3F10 left-handed hinged door (illustra	64" ted)	30"	-	\$3912	+\$30	+\$394
the other	GETR2458-P3F10	64"	24"	_	\$3417	+\$30	+\$343
Optional Rectangular Glides	GETR3058-P3F10 right-handed hinged door	64"	30"	-	\$3912	+\$30	+\$394

- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height

## NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product INVR121852E-HD with Rectangular Glides would be \$1411 +\$30

						Flat & Roun	d Glides		
		Part number	н	w	D	Coat rod + shelf/ base price	Shelves	Rectangular glides	Accent paint
$\frown$	9900 Series Wardrobe	INVL121839E-HD	41 %"	12"	18"	\$1199	\$1199	+\$30	+\$122
	Tower to match 44" h panel	INVL122439E-HD	41 %"	12"	24"	\$1293	\$1293	+\$30	+\$130
	parlei	INVL151839E-HD	41 %"	15"	18"	\$1293	\$1293	+\$30	+\$130
		INVL152439E-HD	41 %"	15"	24"	\$1331	\$1331	+\$30	+\$134
•		INVL181839E-HD	41 %"	18"	18"	\$1331	\$1331	+\$30	+\$134
		INVL182439E-HD	41 %"	18"	24"	\$1346	\$1346	+\$30	+\$135
		left-handed hinged door							
		INVR121839E-HD	41 %"	12"	18"	\$1199	\$1199	+\$30	+\$122
		INVR122439E-HD	41 %"	12"	24"	\$1293	\$1293	+\$30	+\$130
		INVR151839E-HD	41 %"	15"	18"	\$1293	\$1293	+\$30	+\$130
		INVR152439E-HD	41 %"	15"	24"	\$1331	\$1331	+\$30	+\$134
		INVR181839E-HD	41 %"	18"	18"	\$1331	\$1331	+\$30	+\$134
		INVR182439E-HD	41 %"	18"	24"	\$1346	\$1346	+\$30	+\$135
		right-handed hinged door (	illustrated)						
	9900 Series Wardrobe	INVL121846E-HD	49 3⁄8"	12"	18"	\$1297	\$1297	+\$30	+\$131
	Tower to match 51" h	INVL122446E-HD	49 %"	12"	24"	\$1369	\$1369	+\$30	+\$137
	panel	INVL151846E-HD	49 ¾"	15"	18"	\$1369	\$1369	+\$30	+\$137
		INVL152446E-HD	49 %"	15"	24"	\$1446	\$1446	+\$30	+\$148
		INVL181846E-HD	49 %"	18"	18"	\$1446	\$1446		+\$148
•		INVL182446E-HD	49 %"	18"	24"	\$1523	\$1523	+\$30	+\$155
		left-handed hinged door							
		INVR121846E-HD	49 %"	12"	18"	\$1297	\$1297		+\$131
		INVR122446E-HD	49 %"	12"	24"	\$1369	\$1369		+\$137
		INVR151846E-HD	49 %"	15"	18"	\$1369	\$1369		+\$137
		INVR152446E-HD	49 ¾"	15"	24"	\$1446	\$1446		+\$148
		INVR181846E-HD	49 3⁄8"	18"	18"	\$1446	\$1446		+\$148
		INVR182446E-HD	49 ¾"	18"	24"	\$1523	\$1523	+\$30	+\$155
		right-handed hinged door (	illustrated)						

- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height

## NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product INVL121852E-HD with Rectangular Glides would be \$1411 +\$30

						Flat & Roui	nd Glides		
		Part number	н	w	D	Coat rod + shelf/ base price	Shelves	Rectangular glides	Accent paint
$\frown$	9900 Series Wardrobe	INVL121852E-HD	55 ¾"	12"	18"	\$1411	\$1411	+\$30	+\$142
	Tower to match 57" h panel	INVL122452E-HD	55 %"	12"	24"	\$1460	\$1460	+\$30	+\$149
	paner	INVL151852E-HD	55 ¾"	15"	18"	\$1460	\$1460	+\$30	+\$149
		INVL152452E-HD	55 %"	15"	24"	\$1512	\$1512	+\$30	+\$154
		INVL181852E-HD	55 %"	18"	18"	\$1512	\$1512	+\$30	+\$154
•		INVL182452E-HD	55 ℁"	18"	24"	\$1562	\$1562	+\$30	+\$158
		left-handed hinged door							
		INVR121852E-HD	55 ¾"	12"	18"	\$1411	\$1411	+\$30	+\$142
		INVR122452E-HD	55 ¾"	12"	24"	\$1460	\$1460	+\$30	+\$149
*		INVR151852E-HD	55 ¾"	15"	18"	\$1460	\$1460	+\$30	+\$149
		INVR152452E-HD	55 %"	15"	24"	\$1512	\$1512	+\$30	+\$154
		INVR181852E-HD	55 %"	18"	18"	\$1512	\$1512	+\$30	+\$154
		INVR182452E-HD	55 %"	18"	24"	\$1562	\$1562	+\$30	+\$158
		right-handed hinged door	illustrated)						
$\sim$	9900 Series Wardrobe	INVL121860E-HD	62 %"	12"	18"	\$1441	\$1441	+\$30	+\$147
	Tower to match 64" h panel	INVL122460E-HD	62 %"	12"	24"	\$1523	\$1523	+\$30	+\$155
	panor	INVL151860E-HD	62 %"	15"	18"	\$1523	\$1523	+\$30	+\$155
		INVL152460E-HD	62 %"	15"	24"	\$1566	\$1566	+\$30	+\$159
		INVL181860E-HD	62 %"	18"	18"	\$1566	\$1566	+\$30	+\$159
o		INVL182460E-HD	62 %"	18"	24"	\$1610	\$1610	+\$30	+\$163
		left-handed hinged door							
		INVR121860E-HD	62 %"	12"	18"	\$1441	\$1441	+\$30	+\$147
		INVR122460E-HD	62 %"	12"	24"	\$1523	\$1523	+\$30	+\$155
*		INVR151860E-HD	62 %"	15"	18"	\$1523	\$1523	+\$30	+\$155
		INVR152460E-HD	62 %"	15"	24"	\$1566	\$1566	+\$30	+\$159
		INVR181860E-HD	62 %"	18"	18"	\$1566	\$1566	+\$30	+\$159
		INVR182460E-HD	62 %"	18"	24"	\$1610	\$1610	+\$30	+\$163
		right-handed hinged door	illustrated)						

- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height
- Consult General Information for pull options
- Nuform Classic and Select colors available
- Optional shelves or coat rod with shelf can be selected

#### NOTES

Nuform Wardrobes are available with an eLock option. Add \$380 to list price for eLock.

## eLocks come in two styles: Dead Bolt style or Slam style

## There are two eLock types: Multi-use or Single-use

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INVR121852Q-HD with Rectangular Glides would be \$1693 + \$30

Flat & Round Glides

						Flat & Rour	nd Glides		
		Part number	н	w	D	Nuform classic/ Neutral paint	Nuform select/ Neutral paint	Rectangular glides	Accent paint
$\sim$	Nuform Wardrobe Tower to	INVL121839Q-HD	41 %"	12"	18"	\$1441	+\$159	+\$30	+\$147
	match 44" h panel	INVL122439Q-HD	41 %"	12"	24"	\$1553	+\$171	+\$30	+\$158
	eLock option available	INVL151839Q-HD	41 %"	15"	18"	\$1553	+\$171	+\$30	+\$158
		INVL152439Q-HD	41 %"	15"	24"	\$1597	+\$177	+\$30	+\$162
		INVL181839Q-HD	41 %"	18"	18"	\$1597	+\$177	+\$30	+\$162
		INVL182439Q-HD	41 %"	18"	24"	\$1613	+\$179	+\$30	+\$163
		left-handed hinged door							
		INVR121839Q-HD	41 %"	12"	18"	\$1441	+\$159	+\$30	+\$147
		INVR122439Q-HD	41 %"	12"	24"	\$1553	+\$171	+\$30	+\$158
		INVR151839Q-HD	41 %"	15"	18"	\$1553	+\$171	+\$30	+\$158
		INVR152439Q-HD	41 %"	15"	24"	\$1597	+\$177	+\$30	+\$162
		INVR181839Q-HD	41 %"	18"	18"	\$1597	+\$177	+\$30	+\$162
		INVR182439Q-HD	41 %"	18"	24"	\$1613	+\$179	+\$30	+\$163
		right-handed hinged door (i	llustrated)						
	Nuform Wardrobe Tower to	INVL121846Q-HD	49 ¾"	12"	18"	\$1558	+\$173	+\$30	+\$158
	match 51" h panel	INVL122446Q-HD	49 ¾"	12"	24"	\$1642	+\$182	+\$30	+\$166
	eLock option available	INVL151846Q-HD	49 ¾"	15"	18"	\$1642	+\$182	+\$30	+\$166
		INVL152446Q-HD	49 ¾"	15"	24"	\$1732	+\$191	+\$30	+\$175
		INVL181846Q-HD	49 3⁄8"	18"	18"	\$1732	+\$191	+\$30	+\$175
		INVL182446Q-HD	49 ¾"	18"	24"	\$1828	+\$202	+\$30	+\$185
		left-handed hinged door							
•		INVR121846Q-HD	49 %"	12"	18"	\$1558	+\$173	+\$30	+\$158
		INVR122446Q-HD	49 ¾"	12"	24"	\$1642	+\$182	+\$30	+\$166
		INVR151846Q-HD	49 %"	15"	18"	\$1642	+\$182	+\$30	+\$166
		INVR152446Q-HD	49 ¾"	15"	24"	\$1732	+\$191	+\$30	+\$175
		INVR181846Q-HD	49 ¾"	18"	18"	\$1732	+\$191	+\$30	+\$175
		INVR182446Q-HD	49 ¾"	18"	24"	\$1828	+\$202	+\$30	+\$185
		right-handed hinged door (i	llustrated)						

- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height
- Consult General Information for pull options
- Nuform Classic and Select colors available
- Optional shelves or coat rod with shelf can be selected

## NOTES

Nuform Wardrobes are available with an eLock option. Add \$380 to list price for eLock.

## eLocks come in two styles: Dead Bolt style or Slam style

## There are two eLock types: Multi-use or Single-use

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INVR121852Q-HD with Rectangular Glides would be \$1693 +\$30

						Flat & Rou	nd Glides		
		Part number	н	w	D	Nuform classic/ Neutral paint	Nuform select/ Neutral paint	Rectangular glides	Accent paint
$\frown$	Nuform Wardrobe Tower to	INVL121852Q-HD	55 ¾"	12"	18"	\$1693	+\$187	+\$30	+\$171
	match 57" h panel	INVL122452Q-HD	55 ¾"	12"	24"	\$1751	+\$193	+\$30	+\$177
	eLock option available	INVL151852Q-HD	55 ¾"	15"	18"	\$1751	+\$193	+\$30	+\$177
		INVL152452Q-HD	55 <u></u> *"	15"	24"	\$1811	+\$200	+\$30	+\$183
		INVL181852Q-HD	55 <u></u> *"	18"	18"	\$1811	+\$200	+\$30	+\$183
		INVL182452Q-HD	55 %"	18"	24"	\$1873	+\$206	+\$30	+\$189
		left-handed hinged door							
*		INVR121852Q-HD	55 ¾"	12"	18"	\$1693	+\$187	+\$30	+\$171
		INVR122452Q-HD	55 ¾"	12"	24"	\$1751	+\$193	+\$30	+\$177
		INVR151852Q-HD	55 %"	15"	18"	\$1751	+\$193	+\$30	+\$177
		INVR152452Q-HD	55 ¾"	15"	24"	\$1811	+\$200	+\$30	+\$183
		INVR181852Q-HD	55 %"	18"	18"	\$1811	+\$200	+\$30	+\$183
		INVR182452Q-HD	55 %"	18"	24"	\$1873	+\$206	+\$30	+\$189

- Option of mitten shelf with coat rod or shelves
- Use flat glides to match frame heights noted in descriptions
- Adding rectangular glides increases exterior height
- Consult General Information for pull options
- Nuform Classic and Select options available

## NOTES

Nuform Wardrobes are available with an eLock option. Add \$380 to list price for eLock.

## eLocks come in two styles: Dead Bolt style or Slam style

## There are two eLock types: Multi-use or Single-use

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

## For example:

Product INVR121860Q-HD with Rectangular Glides would be 1729+330

						Flat & Roui	nd Glides		
		Part number	н	w	D	Nuform classic/ Neutral paint	Nuform select/ Neutral paint	Rectangular glides	Accent paint
$\sim$	Nuform Wardrobe Tower to	INVL121860Q-HD	62 %"	12"	18"	\$1729	+\$191	+\$30	+\$175
	match 64" h panel	INVL122460Q-HD	62 %"	12"	24"	\$1828	+\$202	+\$30	+\$185
	eLock option available	INVL151860Q-HD	62 %"	15"	18"	\$1828	+\$202	+\$30	+\$185
		INVL152460Q-HD	62 %"	15"	24"	\$1880	+\$208	+\$30	+\$190
		INVL181860Q-HD	62 1/8"	18"	18"	\$1880	+\$208	+\$30	+\$190
		INVL182460Q-HD left-handed hinged door	62 %"	18"	24"	\$1931	+\$214	+\$30	+\$195
		INVR121860Q-HD	62 %"	12"	18"	\$1729	+\$191	+\$30	+\$175
		INVR122460Q-HD	62 %"	12"	24"	\$1828	+\$202	+\$30	+\$185
		INVR151860Q-HD	62 %"	15"	18"	\$1828	+\$202	+\$30	+\$185
		INVR152460Q-HD	62 %"	15"	24"	\$1880	+\$208	+\$30	+\$190
		INVR181860Q-HD	62 %"	18"	18"	\$1880	+\$208	+\$30	+\$190
		INVR182460Q-HD	62 %"	18"	24"	\$1931	+\$214	+\$30	+\$195
		uindat banadad binanad daau (il	(ام م الم معام ما						

## **OVERHEAD STORAGE BINS**

Overhead storage bins may be panel mounted on or off module as well as wall mounted. Overheard bins are fabricated from minimum 20 gauge steel with horizontal reinforcing channels. Task lights and bin-mounted sorters are easily installed beneath bins without tools. Bins are available in 6" increments from 24" to 48" W. General maximum recommended load for overhead bins is 3lbs per linear inch. Bins are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process and are available in all colors shown in the Inscape color guide.


Overhead bins are 13 ³/₈" deep and have lift- up flipper doors that glide on ball bearing slides. Soft-down bins feature a soft-down mechanism that slows the speed at which the overhead doors close. Bins are available with and without locks. The lock mechanism engages both sides of the overhead case to prevent forcible entry. Standard and soft-down overhead bins may be specified with Nuform fronts. Nuform fronts are available in any of Inscape's standard finishes. Softdown bins may be specified with Veneer fronts.

#### **VENEER BINS**

Veneer bins have a no pull option. These fronts do not have a pull as the bottom edge of the door hangs slightly below the bottom edge of the case, providing a natural pull feature for easy opening. For the no pull option add suffix '/FP000'.

### **OVERHEAD BIN BRACKETS**

Overhead bin brackets are finished in black and mount into the panel upright for on module bracket or utilize special brackets for off-module condition. Off-module brackets are specific to frame thickness. Specific Overhead Bin brackets are required for mounting onto a 44" and 57" H frame as well as 6.75" and 20.25" H stack-ons (on module).



On module bracket	Off-module
Both brackets attach into upright slots on upright	Both brackets are mounted off module only
Does not require tile behind	Must be further than 5/6" from module line
	Requires tile behind

### ALIGNMENT BRACKETS

Alignment brackets are required if overhead storage units are mounted bin-to-bin or bin-to-shelf or shelf-toshelf. One bracket is required.

## TWIN-BINS

Twin-bins are 5.75" deep on each side of the supporting frame. Twin-Bins may be specified to install in both the lower and upper position of the frame. Bins are manufactured from minimum 20 gauge steel with an extruded aluminum reinforced top. Double wall, sliding doors on each side of the unit. slide easily across the recessed groove built into the bin front. Twin-Bins are available with or without locks. The locking mechanism is individualized for each side of the unit, allowing for personal privacy on either side. Twin-Bins are available in 36", 42", 48" and 60" widths. Recommended maximum load for Twin-Bins is 3lbs per linear inch. Bins are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process and are available in any of the colors shown in our Color Guide. Woodgrain fronts are available in any of our standard woodgrain finishes.

Handles are standard in aluminum finish and are located on the front of the sliding door. Case may still be ordered in any of the colors shown in our Color Guide.

### **ELECTRIFIED TWIN BIN**

The electrified twin bin is built on the same premise as the standard Twin Bin with the addition of electrical and a sliding door with locking capabilities in two positions. All electrical components are specified separately including power track, receptacles and jumper cables. The sliding door may lock either the binder storage portion (full depth of bin) or the electrified portion which is the center portion which is approximately 5" D. The back of the Electrified Twin Bin may be clad with either a tackboard or whiteboard which are both specific to this storage unit. A shelf may also be optioned for the electrified portion which is field installed midway between top and bottom of opening. A gap in the shelf allows for the cord of an electronic unit to plug into duplex (located near base of opening) and still sit on top of shelf.

#### NOTE: these accessories are NOT compatible with the standard Twin Bin. See Application Guide for more details.

Specify Twin-Bin mounting brackets separately according to location on frame. 1 bracket per Twin-Bin is required. Specify 13.5" high bottom tiles when lower position mounting bracket is specified. When stacking Twin-Bins a 6.75" high tile minimum must separate the two. Do not specify over Power Track Kit. Twin-Bins specified with 44" H frames cannot be used above a worksurface. It is not recommended to specify Twin-Bins on wing panels. Twin-Bins should only be specified on spine panels for adequate stability.

## **OVERHEAD SHELVES**

Overhead Shelves may be panel-mounted both on and off-module or wall-mounted. Shelves are manufactured from minimum 20 gauge steel. Shelves are 13.75" deep.

Task lights and shelf-mounted sorters may easily be installed beneath panel-mounted shelves without tools. General maximum recommended load for overhead shelves is 3 lbs. per linear inch. Shelves are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process.

#### **OVERHEAD SHELF BRACKETS**

Overhead Shelf Brackets are specified to mount shelf on or off- module to the frame. The on-module bracket may be used with either thickness of panel. If a shelf is desired in an off module condition a special bracket is required. Wall mount brackets are also available. Drywall mounting brackets do not include fasteners. The installer must ensure the surface is adequately constructed and/or braced and that adequate fasteners are used to ensure a secure installation.

#### **UP-MOUNT BIN**

The Up-Mount Bin is constructed of 24 gauge steel on the back and 20 gauge steel on bottom, sides and top. The Up-Mount Bin is ordered and shipped independent of the stanchion kit, top trim and accessories to hang on back of bin. The stanchion kit includes hardware to mount the stanchions on the crossrail of the frame and top trim (tapered or flat). Stanchion kits are specified based on thickness of frame in which the Up-Mount Bin is being installed. The backs of all Up-Mount Bins require either a whiteboard or a tackboard to provide a clean aesthetic. These accessories are specific to the Up-Mount Bin and include mounting hardware. The stanchion and Up-Mount Bin provide an overall height of 20.25" module matching adjacent panel heights. The bin is 12.75" deep and may be specified directly adjacent to another Up-Mount Bin facing the opposite direction; creating a "Twin-Bin" effect. Separate top cap and two stanchions will be required for each bin.

The Up-Mount Bin has the option to also be mounted on either thickness of frame like a traditional bin. When this option is selected covers will be included to hide the bracket hooks.

### LOCKS

Standard with single bitted lock. If lock is not required add suffix '**/NL**' after product number and deduct \$52 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

#### FINISHES

All overhead units are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

## FRONT DETAILS & PULL OPTIONS

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Storage with Handles is singlewall construction. Refer to the images and chart below for pull application on Storage with Handles, Nuform, and Veneer fronts.

Pull	Storage with Handles	Nuform	Veneer
FP001 P290 Aluminum	•	•	•
Leaf Finish			
FP004 Brushed Nickel Finish	•	•	•
FP005 Satin Nickel Finish	•	0	0
Available	e o Una	vailable	_

Pulls FP004 and FP005 meet the guidelines for ADA compliance.

FP005 is the default pull for Storage with Handles FP001 is the default pull for Nuform and Veneer

## • Bracket ordered separately

- Ensure the wall is braced to accept the weight of a loaded overheard unit
- On module and aff module mounting options available
- Consult General Information for pull options
- Nuform Classic and Select options available
- Cannot span tiles below overhead bins

		Part number	н	w	Wt (lbs)	Nuform classic/ neutral paint/ base price	Nuform select	Accent paint
	Storage with Handles	INPHHB24	14"	24"	34	\$434	_	+\$46
	Standard Overhead Bin	INPHHB30	14"	30"	40	\$444	_	+\$47
		INPHHB36	14"	36"	46	\$456	-	+\$48
		INPHHB42	14"	42"	52	\$484	-	+\$50
		INPHHB48	14"	48"	58	\$509	-	+\$53
$\sim$	9900 Series Front	INPHEB24	14"	24"	34	\$509	-	+\$53
	Standard Overhead Bin	INPHEB30	14"	30"	40	\$522	-	+\$54
$\mathbf{Y}$		INPHEB36	14"	36"	46	\$536	-	+\$55
		INPHEB42	14"	42"	52	\$566	-	+\$58
		INPHEB48	14"	48"	58	\$600	-	+\$61
$\sim$	9900 Series Front Soft-	INPHEB24SD	14"	24"	34	\$627	_	+\$64
	Down Overhead Bin	INPHEB30SD	14"	30"	40	\$636	_	+\$64
		INPHEB36SD	14"	36"	46	\$659	_	+\$66
		INPHEB42SD	14"	42"	52	\$697	_	+\$71
		INPHEB48SD	14"	48"	58	\$735	-	+\$77
	Nuform Front Standard Overhead Bin	INPHQB24	14"	24"	34	\$725	+\$81	+\$76
	Overhead Bill	INPHQB30	14"	30"	40	\$736	+\$82	+\$77
No Care 199		INPHQB36	14"	36"	46	\$761	+\$85	+\$79
No. Cast		INPHQB42	14"	42"	52	\$805	+\$89	+\$83
		INPHQB48	14"	48"	58	\$847	+\$94	+\$87
	Nuform Front Soft-Down		4 4 11	0.4	0.4	¢707		. 400
	Overhead Bin	INPHQB24SD	14"	24"	34	\$767	+\$85	+\$80
		INPHQB30SD	14"	30"	40	\$794	+\$88	+\$82
11/10/10/10/10/10		INPHQB36SD	14"	36"	46	\$819	+\$91	+\$84
		INPHQB42SD	14"	42"	52	\$845	+\$94	+\$87
		INPHQB48SD	14"	48"	58	\$873	+\$97	+\$89
	Composite Veneer Front	INPHWB24SD	14"	24"	34	\$1116	_	+\$114
	Soft-Down Bin	INPHWB30SD	14"	30"	40	\$1193	-	+\$121
TO PAPENNY		INPHWB36SD	14"	36"	46	\$1272	_	+\$128
KU States		INPHWB42SD	14"	42"	52	\$1349	-	+\$136
		INPHWB48SD	14"	48"	58	\$1426	-	+\$145

- Hinged door bin is for wall mounted application only
- Hinged Door Bin options Nuform, laminate and veneer come with a lock. Options glass and acrylic do not
- Hinged door bins have a door that extends down a litle bit below the bin so that is acts like a handle. no face mounted handle is required
- Up-Mount Bin may be installed on a wall or panel using wall or panel brackets
- If the option to panel mount the Up-Mount Bin is selected cover will be included to hide the bracket hooks
- Optional colored insert available for Up-Mount bin only. See accessories section
- Optional top available for Up-mount bin only. See accessories section
- When the Up-Mount Bin is being mounted on a wall, the optional Flush Mount Kit can be installed on the bottom side of the bin to cover understructure typically used for stanchion mount. 54" and 60" Up-Mount Bins do not have this as a standard option.
- The Flush Mount Kit is not to be used when stanchion mounting to the bin
- Ensure the wall is braced to accept the weight of a loaded overheard unit

#### LOCK OPTION

Hinged Door Overhead Bins come standard with lock. If lock is not required as suffix"/NL" after product number. Deduct \$52 list per lock.

#### NOTES

Up-Mount Bins MUST always be specified to include a tack board or whiteboard specific to the up-mount bin width when installed on stanchion, as they cover holes on the back of the bin. See accessories section

If selecting the panel mounted option for the Up-Mount Bin, add \$100 list per bin.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INWMBHG24 in Veneer would be \$1019 + \$166

 Part number	н	w	Nuform/ laminate/ base price	Grade 1 Iaminate	Veneer	Pure white glass	Frosted acrylic	Accent paint
INWMBHG24	14"	24"	\$1019	+\$328	+\$166	+\$434	+\$353	+\$103
INWMBHG30	14"	30"	\$1075	+\$345	+\$194	+\$476	+\$380	+\$110

Hinged Door Bin

		Part number	н	w	Neutral paint/ base price	Flush bottom required	Accent paint
$\sim$	Up-Mount Bin	INPHUMB24	14"	24"	\$588	+\$103	+\$60
		INPHUMB30	14"	30"	\$608	+\$107	+\$62
		INPHUMB36	14"	36"	\$626	+\$111	+\$63
		INPHUMB42	14"	42"	\$656	+\$118	+\$66
		INPHUMB48	14"	48"	\$670	+\$124	+\$68
		INPHUMB54	14"	54"	\$699	-	+\$71
		INPHUMB60	14"	60"	\$767	_	+\$80

- Brackets are for use with both standard and soft-down bins
- On-module and off module brackets are black and ship as pairs
- Off-module brackets must be situated so both sides are off module on the frame (min 5%" from module line)
- Wall mount bracket available in standard paint colors
- Alignment bracket must be specified when any overhead unit is specified adjacent to another
- "2F" denotes use with 2 ³/₄" thick frame "3F" denotes use with 3 ¹/₂" thick frame
- Specific Overhead Bin brackets are required for mounting onto a 44" and 57" H frame as well as 6.75" and 20.25" H stack-ons (on module)

		Part number	W	Wt (lbs)	Neutral paint/ base price	Accent paint
	On Module Overhead Bin	INBBKT	_	0.2	\$51	_
	Bracket	INBBKT-4457 for use with 44" H & 57" H frames	-	0.2	\$51	-
	Off Module Overhead Bin Bracket For use with 3 ½" T frames	INOFBBKT-3F	-	0.2	\$148	
	Off Module Overhead Bin Bracket For use with 2 ¾" T frames	INOFBBKT-2F	-	0.2	\$148	-
7	Alignment Bracket (pair)	INAB	-	0.1	\$15	-
1.	Wall Mounted Bin Bracket	INWMBBKT-24	24"	2	\$243	+\$26
R TOTOL TO		INWMBBKT-30	30"	5	\$245	+\$26
ALL		INWMBBKT-36 INWMBBKT-42	36" 42"	5 6	\$247 \$255	+\$26 +\$27
		INWMBBKT-48	48"	6	\$258	+\$27
de la	ADDWALL Overhead Bin Bracket	INLHOHBBA INRHOHBBA	-	_	\$89 \$89	+\$12 +\$12
R.	Reform Overhead Bin Bracket	INBBKTR	-	-	\$89	-

System

- Up-mount bins stanchions must be specified to suppport a frame mounte up-mount bin
- Top caps included with stantion kits and are specifyed to match frame and bin width
- Stanchions are specific to the Inscape System frame and can not be used with Bench
- "2F" denotes use with 2 ³/₄" thick frame "3F" denotes use with 3 ¹/₂" thick frame
- Specific Overhead Bin brackets are required for mounting onto a 44" and 57" H frame as well as 6.75" and 20.25" H stack-ons (on module)

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	Stanchion Kit for Up-Mount	INUBSTNKT24-3F	5 ¼"	24"		\$328	+\$34
	Bins	INUBSTNKT30-3F	5 1⁄4"	30"	-	\$339	+\$36
	For use with 3 1/2" T frames	INUBSTNKT36-3F	5 1⁄4"	36"	_	\$347	+\$38
		INUBSTNKT42-3F	5 ¼"	42"	-	\$357	+\$38
		INUBSTNKT48-3F	5 ¼"	48"	-	\$364	+\$39
		INUBSTNKT54-3F	5 ¼"	54"	_	\$375	+\$40
		INUBSTNKT60-3F	5 ¼"	60"	-	\$386	+\$41
	Stanchion Kit for Up-Mount	INUBSTNKT24-2F	5 ¼"	24"	_	\$328	+\$34
	Bins For use with 2 ¾" T frames	INUBSTNKT30-2F	5 ¼"	30"	_	\$339	+\$36
b	Tor use with 2 74 Thanks	INUBSTNKT36-2F	5 ¼"	36"	-	\$347	+\$38
		INUBSTNKT42-2F	5 ¼"	42"	—	\$357	+\$38
		INUBSTNKT48-2F	5 ¼"	48"	-	\$364	+\$39
		INUBSTNKT54-2F	5 ¼"	54"	-	\$375	+\$40
		INUBSTNKT60-2F	5 ¼"	60"	-	\$386	+\$41
		Part number	w	Wt (lbs)			List price
	On Module Overhead Bin	INBBKTUP-3F	_	0.2			\$51
e 15	Bracket For use with the Up-Mount	INBBKTUP-3F4457	_	0.2			\$51
	Bin on a 3 ½" T frame	for use with 44" H & 57" H frames					
inf	On Module Overhead Bin	INBBKT	_	0.2			\$51
e f	Bracket For use with the Up-Mount	INBBKT-4457	-	0.2			\$51
	Bin on a 2 ¾" T frame	for use with 44" H & 57" H frames					
N N	Alignment Bracket (pair)	INAB	_	0.1			\$15
< 1							

- On-module brackets are painted and ship as pairs
- "2F" denotes use with 2 3/4" thick frame
- "3F" denotes use with 3  $\ensuremath{^{1\!/}2}$  " thick frame
- Alignment bracket must be specified when any shelf is specified adjacent to another

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	13 3/8" D Standard Shelf	INPS1324	_	24"	4	\$66	+\$10
		INPS1330	_	30"	6	\$81	+\$11
		INPS1336	_	36"	8	\$85	+\$11
		INPS1342	_	42"	10	\$91	+\$12
		INPS1348	_	48"	12	\$95	+\$12
		INPS1354	_	54"	14	\$110	+\$13
		INPS1360	-	60"	16	\$118	+\$14
	On Module Standard Shelf Bracket For use with 3 ½" T frames	INSB13-3F	-	-	3	\$135	+\$16
	On Module Standard Shelf Bracket For use with 2 ¾" T frames	INSB13-2F	-	-	3	\$135	+\$16
	Wall Mount Standard Shelf	INSB1324W	_	24"	7	\$282	+\$30
8	Bracket	INSB1330W	_	30"	8	\$287	+\$30
		INSB1336W	_	36"	8	\$291	+\$30
		INSB1342W	_	42"	9	\$295	+\$31
		INSB1348W	_	48"	9	\$299	+\$31
	ADDWALL Shelf Bracket	INLHP13A	-	-	-	\$166	+\$19
	Reform Shelf Bracket	INSB13R	-	-	-	\$166	+\$19
V	Alignment Bracket (pair)	INAB	-	-	0.1	\$15	-
- Contraction							

- Up-mount overhead bins MUST always be specified to include a tackboard or whiteboard specific to the upmount bin width (cover holes in back) when mounted on stantions
- Overhead bin top is an optional aesthetic
- 3/6" top is installation ready, complete with double sided tape for adhesion to case

#### NOTE

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

	Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
Colored Insert for back	IN12INSRT24	12 1⁄8"	24"	_	\$96	+\$12
of bin For Up-Mounted bin only	IN12INSRT30	12 1⁄8"	30"	-	\$100	+\$13
Tor op-Mounted birronly	IN12INSRT36	12 1⁄8"	36"	_	\$107	+\$13
	IN12INSRT42	12 1⁄8"	42"	_	\$112	+\$14
	IN12INSRT48	12 1⁄8"	48"	_	\$118	+\$14
 Up-Mount Bin Whiteboard	INUBWHB1424	14"	24"	_	\$41	_
	INUBWHB1430	14"	30"	_	\$44	_
	INUBWHB1436	14"	36"	_	\$48	-
	INUBWHB1442	14"	42"	_	\$54	_
	INUBWHB1448	14"	48"	_	\$60	—
	INUBWHB1454	14"	54"	-	\$68	_
	INUBWHB1460	14"	60"	_	\$71	—

	Part number	н	w	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8
. 8/	INUBTAC1424	14"	24"	\$158	+\$7	+\$11	-	+\$26	-	+\$68	-
	INUBTAC1430	14"	30"	\$180	+\$6	+\$11	_	+\$26	_	+\$71	_
a state of	INUBTAC1436	14"	36"	\$183	+\$11	+\$20	_	+\$40	_	+\$95	-
William	INUBTAC1442	14"	42"	\$188	+\$12	+\$21	_	+\$41	_	+\$98	_
	INUBTAC1448	14"	48"	\$193	+\$12	+\$21	_	+\$44	_	+\$106	-
Up-Mount Bin	INUBTAC1454	14"	54"	\$196	+\$11	+\$23	_	+\$43	_	+\$105	_
Tackboard	INUBTAC1460	14"	60"	\$202	+\$9	+\$20	—	+\$42	—	+\$105	-

		Part number	w	D	Nuform classic/ base price	Nuform select pattern
	¾" T Up-Mount Bin Top	PHUMBTOP-1324	24"	13"	\$147	+\$18
Sama		PHUMBTOP-1330	30"	13"	\$173	+\$18
		PHUMBTOP-1336	36"	13"	\$204	+\$15
		PHUMBTOP-1342	42"	13"	\$226	+\$25
		PHUMBTOP-1348	48"	13"	\$251	+\$27
		PHUMBTOP-1354	54"	13"	\$276	+\$28
		PHUMBTOP-1360	60"	13"	\$302	+\$31
		PHUMBTOP-1372	72"	13"	\$397	+\$41
		PHUMBTOP-1384	84"	13"	\$443	+\$44
		PHUMBTOP-1396	96"	13"	\$487	+\$50

- Up-Mount shelf mounts below the Up-Mount Bin on module
- Wall mount bracket available in standard paint colors
- Sliding door must be mounted on two up-mount bins of equal size that are side by side

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	Up-Mount Bin shelf	INUMBSH24	4 1⁄8"	24"	_	\$281	+\$29
		INUMBSH30	4 1⁄8"	30"	-	\$287	+\$30
		INUMBSH36	4 1⁄8"	36"	_	\$291	+\$30
		INUMBSH42	4 1⁄8"	42"	_	\$318	+\$33
		INUMBSH48	4 1⁄8"	48"	-	\$328	+\$34
The second	Wall Mounted Bin Bracket	INWMBBKT-24	_	24"	2	\$243	+\$26
R. House		INWMBBKT-30	_	30"	5	\$245	+\$26
THE REAL PROPERTY OF		INWMBBKT-36	_	36"	5	\$247	+\$26
STRUCT		INWMBBKT-42	-	42"	6	\$255	+\$27
		INWMBBKT-48	_	48"	6	\$258	+\$27

		Part number	w	Nufrom classic/ laminate/ base price	Nuform select	Grade 1 Iaminate	Veneer	Glass	Frosted acrylic
	Sliding Door & Track	INUMBSLDR24	24"	\$408	+\$46	+\$131	+\$148	370	+\$315
	Up-Mount bin specified separately	INUMBSLDR30	30"	\$522	+\$58	+\$168	+\$145	396	+\$283
	separately	INUMBSLDR36	36"	\$537	+\$60	+\$173	+\$176	483	+\$348
		INUMBSLDR42	42"	\$545	+\$61	+\$176	+\$209	578	+\$419
-		INUMBSLDR48	48"	\$560	+\$62	+\$181	+\$237	666	+\$483

- Requires a 13.5" opening within either thickness of frame
- Twin-Bin cannot be installed directly above a worksurface as it causes interference
- Twin-Bin brackets are quoted separately and are specific to panel thickness
- Cannot span tiles below twin-bins
- Upperdeck electrical cannot be installed directly below a twin-bin
- Jumper cables and receptacles for the Electrified Twin Bin power track specified separately
- The "IN3D_-UD-8" receptacles are to be specified in conjunction with the Electrified Twin-Bin

		Part number	н	w	Wt (lbs)	Nuform classic/ neutral paint/ base price	Nuform select	Accent paint
	Nuform Front Twin-Bin	INTWQB36LH	14"	36"	42	\$1341	+\$149	+\$135
		INTWQB42LH	14"	42"	52	\$1394	+\$154	+\$141
		INTWQB48LH	14"	48"	58	\$1442	+\$159	+\$147
100000		INTWQB54LH	14"	54"	62	\$1459	+\$161	+\$149
		INTWQB60LH	14"	60"	68	\$1475	+\$163	+\$150
	Composite Veneer Front	INTWVB36LH	14"	36"	42	\$2064	_	+\$208
	Twin-Bin	INTWVB42LH	14"	42"	52	\$2125	-	+\$215
		INTWVB48LH	14"	48"	58	\$2242	_	+\$226
REAL		INTWVB54LH	14"	54"	62	\$2412	—	+\$243
		INTWVB60LH	14"	60"	68	\$2712	_	+\$272
	Nuform Front Electrified	INETWBQ36	14"	36"	42	\$1746	+\$193	+\$176
	Twin-Bin	INETWBQ42	14"	42"	52	\$1828	+\$202	+\$185
B		INETWBQ48	14"	48"	58	\$1874	+\$208	+\$189
		INETWBQ54	14"	54"	62	\$1896	+\$210	+\$191
		INETWBQ60	14"	60"	68	\$1917	+\$212	+\$193
$\sim$	Composite Veneer Front	INETWBV36	14"	36"	42	\$2681	_	+\$269
A A A	Electrified Twin-Bin	INETWBV42	14"	42"	52	\$2791	_	+\$281
		INETWBV48	14"	48"	58	\$2948	_	+\$297
		INETWBV54	14"	54"	62	\$3135	_	+\$315
		INETWBV60	14"	60"	68	\$3544	-	+\$356

- The mid and lower brackets include crossrails which are required for installation of Twin-Bin
- Frame crossrail is required to be cut on site to install the mid Twin-Bin bracket
- See Inscape System Application Guide for bracket details and locations
- Twin-Bin brackets are specific to frame thickness
- "2F" denotes use with 2.75" thick frame,
- "3F" denotes use with 3.5" thick frame

		I	I	I		I
		Part number	н	w	Wt (lbs)	List price
ل م	Upper Twin-Bin Bracket	INTWBKT-U-3F	_	-	0.4	\$105
رقام ہے۔ 1912ء جاتا ہے۔ 1912ء جاتا ہے۔	For use with 3 ½" T frames					
State of the state	Mid Twin-Bin Bracket	INTWBKTUH-36-3F	_	36"	_	\$164
-	For use with 3 1/2" T frames	INTWBKTUH-42-3F	_	42"	_	\$166
		INTWBKTUH-48-3F	-	48"	_	\$169
<i>o</i> ,		INTWBKTUH-54-3F	_	54"	_	\$171
		INTWBKTUH-60-3F	_	60"	-	\$174
	Lower Twin-Bin Bracket	INTWBKT-B-36-3F	_	36"	_	\$164
Server Statement	For use with 3 ½" T frames	INTWBKT-B-42-3F	_	42"	_	\$166
		INTWBKT-B-48-3F	_	48"	_	\$169
		INTWBKT-B-54-3F	_	54"	_	\$171
		INTWBKT-B-60-3F	_	60"	-	\$174
ردمه می روست می روست می	Upper Twin-Bin Bracket For use with 2 ¾" T frames	INTWBKT-U-2F	-	-	0.4	\$105
	Mid Twin-Bin Bracket	INTWBKTUH-36-2F	_	36"	_	\$164
The second second	For use with 2 ³ / ₄ " T frames	INTWBKTUH-42-2F	-	42"	_	\$166
		INTWBKTUH-48-2F	_	48"	_	\$169
<i>o</i> ,		INTWBKTUH-54-2F	_	54"	_	\$171
		INTWBKTUH-60-2F	—	60"	—	\$174
Server States	Lower Twin-Bin Bracket	INTWBKT-B-36-2F	-	36"	_	\$164
The second second	For use with 2 ³ / ₄ " T frames	INTWBKT-B-42-2F	_	42"	_	\$166
		INTWBKT-B-48-2F	_	48"	_	\$169
		INTWBKT-B-54-2F	—	54"	_	\$171
		INTWBKT-B-60-2F	-	60"	-	\$174

- Electrified Twin Bin shelf is installed in opening where electrical is located (center)
- Electrified Twin Bin Whiteboard + Tackboard only compatible with Electrified Twin Bin
- Receptacles are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290 – Aluminum Leaf
- The circuit 3 receptacle requires 2+2 or 3+1 wire designation ("4" in the code signifies 3+1 compatibility)
- USB power modules can be used with the Electrified
   Twin-Bin

#### NOTE

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

Part number	н	w	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8
INTWBTB-	<b>12</b> 14"	12"	\$120	+\$7	+\$14	_	+\$26	_	+\$68	_
INTWBTB-	<b>14</b> 14"	14"	\$123	+\$7	+\$14	_	+\$26	_	+\$68	_
INTWBTB-	<b>16</b> 14"	16"	\$128	+\$7	+\$14	_	+\$26	_	+\$68	_
INTWBTB-	<b>18</b> 14"	18"	\$134	+\$7	+\$14	—	+\$26	—	+\$68	_
INTWBTB-	<b>20</b> 14"	20"	\$147	+\$7	+\$14	—	+\$26	_	+\$68	_

Electrified Twin-Bin Tackboard

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
$\frown$	Electrified Twin-Bin Shelf	INETWBSHF-12	_	12"	_	\$97	+\$12
C		INETWBSHF-14	_	14"	_	\$97	+\$12
And and a second se		INETWBSHF-16	-	16"	-	\$97	+\$12
		INETWBSHF-18	—	18"	_	\$97	+\$12
		INETWBSHF-20	_	20"	_	\$97	+\$12
	Electrified Twin-Bin	INTWBWB-12	14"	12"	_	\$36	_
A	Whiteboard	INTWBWB-14	14"	14"	-	\$36	-
		INTWBWB-16	14"	16"	-	\$36	-
		INTWBWB-18	14"	18"	_	\$41	-
		INTWBWB-20	14"	20"	-	\$41	-
NUT I	Electrified Twin-Bin Power Track	INETPTWB-8	-	8"	-	\$81	_
The RULE							

		Part number	Black/ base price	White	Gray
	Receptacle for use in	IN3D1-UD-8	\$25	+\$10	+\$10
	Electrified Twin-Bin	IN3D2-UD-8	\$25	+\$10	+\$10
ST.		IN3D3-UD-8	\$25	+\$10	+\$10
Et		IN3D3U-UD-8	\$25	+\$10	+\$10
		IN3D4-UD-8	\$25	+\$10	+\$10

Planna Storage exterior cabinet heights are nominal, interior case height is 21". Lateral and pedestal options are available. Units include mounting rails (see Inscape System Application Guide) that are pre-installed by the factory to accommodate the Planna Storage lateral top which is specified separately (see Accessories section). These mounting rails are ready to accept application of this lateral top on site. Bench support bracket must also be specified separately. Lateral cabinets are priced inclusive of one pair of hang file bars in each 10.5" and 12" pull out openings.

#### ANSI/BIFMA

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications.

#### COUNTERWEIGHTS

Counterweights are required for ALL freestanding units that are not anchored or ganged to other cabinets or bolted to walls/floor. Counterweights come standard with ALL mobile pedestals and must be field installed.

#### GLIDES

Planna units are standard with flat glides. Glides allow for 5% height adjustability.

#### LOCKS

Cabinets come standard with lock. 9900 series cabinets can be ordered non-locking. Bookcase cabinets come standard without locks. Standard with single bitted lock. If lock is not required add suffix '**/NL**' after product number and deduct \$52 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

NOTE: Locks cannot be field installed on hinged door cabinets.

9900 Series Note: Pedestals with 9900 series fronts must be specified beneath Wood Veneer and 1" Nuform worksurfaces only.

#### FINISHES

All units are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. All interior drawers/ shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

### **FRONT DETAILS & PULL OPTIONS**

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Refer to the images and chart below for pull application on Nuform, and Veneer fronts.

Pull	Nuform	Veneer				
FP001 P290 Aluminum Leaf Finish	•	•				
FP004 Brushed Nickel Finish	•	•				
FP005 Satin Nickel Finish	0	0				
Available	<ul> <li>Unavailable</li> </ul>	)				
Pulls FP004 and FP005 meet the guidelines for ADA compliance.						

FP001 is the default pull for Nuform and Veneer

- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 18"D lateral case
- Height noted below includes ½" Planna Storage rail. Adding a Planna common top will add an additional ½"
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

#### NOTE

- If Planna Storage rail is not required deduct the following: 30" W unit deduct \$145 36" W unit deduct \$150
- 42" W unit deduct \$155

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	Bookcase with 1 shelf	PLN3021BK-SH	24 %"	30"	59	\$986	+\$100
$\sim$		PLN3621BK-SH	24 ¾"	36"	69	\$1032	+\$105
		PLN4221BK-SH	24 ¾"	42"	79	\$1095	+\$112
	Bookcase with Electrical	PLN3021BKCO-SH	24 ¾"	30"	59	\$1215	+\$123
	Cut Out	PLN3621BKCO-SH	24 ¾"	36"	69	\$1252	+\$127
		PLN4221BKCO-SH	24 ¾"	42"	79	\$1297	+\$131
	Bookcase with Electrical	PLN3021BKCOPDM	24 ¾"	30"	62	\$1405	+\$142
Profession and	Cut Out and Drop Down Hinge Door	PLN3621BKCOPDM	24 ¾"	36"	72	\$1454	+\$148
	Thinge Door	PLN4221BKCOPDM	24 ¾"	42"	82	\$1513	+\$154
	Bookcase with Magazine	PLN3021-SHMS	24 ¾"	30"	59	\$1016	+\$103
	Shelf	PLN3621-SHMS	24 ¾"	36"	69	\$1060	+\$109
		PLN4221-SHMS	24 ¾"	42"	79	\$1116	+\$114
- COMPANY	9900 Series Front 2-10.5" files	PLN30-2F10E	24 ⅔"	30"	80	\$1159	+\$118
Sector Sector	liles	PLN36-2F10E	24 ⅔"	36"	90	\$1207	+\$122
		PLN42-2F10E	24 ¾"	42"	116	\$1252	+\$127

- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 18" D lateral case
- Height noted below includes ½" Planna Storage rail. Adding a Planna common top will add an additional ½"
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

#### NOTE

- If Planna Storage rail is not required deduct the following: 30" W unit deduct \$145 36" W unit deduct \$150 42" W unit deduct \$155
- 42 W unit deduct \$155

		Part number	н	w	Wt (lbs)	Nuform classic/ neutral paint/ base price	Nuform select	Accent paint
	Nuform Front 2-10.5" files	PLN30-2F10Q	24 ¾"	30"	80	\$1436	+\$159	+\$147
INS STATUTE AND		PLN36-2F10Q	24 ¾"	36"	90	\$1497	+\$165	+\$152
		PLN42-2F10Q	24 ¾"	42"	116	\$1558	+\$173	+\$158
~								
	Composite Veneer Front 2-10.5" files	PLN30-2F10W	24 ¾"	30"	80	\$2201	-	+\$223
	2-10.5 mes	PLN36-2F10W	24 ¾"	36"	90	\$2268	_	+\$229
AL AD		PLN42-2F10W	24 ¾"	42"	116	\$2316	_	+\$233
Co Procession								
	9900 Series Front 3"	PLN30-PBFE	24 %"	30"	80	\$1285	_	+\$130
	pencil, 6" box, 12" file	PLN36-PBFE	24 ¾"	36"	90	\$1332	_	+\$134
and the second s		PLN42-PBFE	24 ¾"	42"	116	\$1378	_	+\$139
	9900 Series Front 3"	PLN30-PB7F10E	24 3⁄8"	30"	80	\$1226	_	+\$124
	pencil, 7.5" box, 10.5" file	PLN36-PB7F10E	24 ¾"	36"	90	\$1278	_	+\$129
		PLN42-PB7F10E	24 ¾"	42"	116	\$1313	_	+\$132

- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 18"D lateral case
- Height noted below includes ½" Planna Storage rail. Adding a Planna common top will add an additional ½"
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

#### NOTE

- If Planna Storage rail is not required deduct the following: 30" W unit deduct \$145 36" W unit deduct \$150
- 42" W unit deduct \$155

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
~	9900 Series Front 4.5"	PLN30-B4BF10E	24 ¾"	30"	80	\$1226	+\$124
	box, 6" box, 10.5" file	PLN36-B4BF10E	24 ¾"	36"	90	\$1278	+\$129
		PLN42-B4BF10E	24 ¾"	42"	116	\$1313	+\$132
-	9900 Series Front 6" box,	PLN3021-BBKE	24 ¾"	30"	70	\$1293	+\$130
	bookcase	PLN3621-BBKE	24 3⁄8"	36"	85	\$1348	+\$135
E		PLN4221-BBKE	24 3⁄8"	42"	100	\$1403	+\$142
	9900 Series Front	PLN3021-BKF10E	24 3⁄8"	30"	70	\$1279	+\$129
	Bookcase, 10.5" file	PLN3621-BKF10E	24 ¾"	36"	90	\$1324	+\$133
		PLN4221-BKF10E	24 3⁄8"	42"	100	\$1378	+\$139
	0000 Carias Front 2"						
	9900 Series Front 3" pencil, bookcase	PLN3021-PBKE	24 ⅔"	30"	70	\$1227	+\$124
	pencii, bookcase	PLN3621-PBKE	24 ¾"	36"	85	\$1280	+\$129
		PLN4221-PBKE	24 ¾"	42"	100	\$1334	+\$134

- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 18"D lateral case
- height noted below includes  $\frac{1}{2}$ " Planna Storage rail. Adding a Planna common top will add an additional  $\frac{1}{2}$ "
- FP001 pull is standard for acrylic, Nuform and
- veneer fronts
- Consult General Information for pull options

#### NOTE

If Planna Storage rail is not required deduct the following: 30" W unit deduct \$145 36" W unit deduct \$150 42" W unit deduct \$155

		Part number	н	w	Wt (lbs)	Nuform classic/ neutral paint/ base price	Nuform select	Accent paint
	9900 Series Front Hinged	PLN3021HDE-SH	24 ¾"	30"	57	\$1166	_	+\$119
	Door with 1 Shelf	PLN3621HDE-SH	24 %"	36"	76	\$1178	_	+\$120
		PLN4221HDE-SH	24 ¾"	42"	95	\$1217	_	+\$123
	Frosted Acrylic Hinged	PLN3021HDJ-SH	24 %"	30"	57	\$1859	_	+\$188
	Door with 1 Shelf	PLN3621HDJ-SH	24 ¾"	36"	76	\$1974	_	+\$199
		PLN4221HDJ-SH	24 ¾"	42"	95	\$2105	-	+\$212
-	Nuform Front Hinged Door	PLN3021HDQ-SH	24 %"	30"	57	\$1378	+\$153	+\$139
	with 1 Shelf	PLN3621HDQ-SH	24 ¾"	36"	76	\$1427	+\$158	+\$145
		PLN4221HDQ-SH	24 ¾"	42"	95	\$1476	+\$163	+\$150
	Composite Veneer Front	PLN3021HDW-SH	24 ¾"	30"	57	\$1864	_	+\$188
	Hinged Door with 1 Shelf	PLN3621HDW-SH	24 ¾"	36"	76	\$2008	_	+\$202
		PLN4221HDW-SH	24 ¾"	42"	95	\$2208	-	+\$223

- Planna Storage case comes with optional Planna Storage rail
- DO NOT option yes for rail if mounting a cushion on the case
- When "no rail" is optioned there will still be mounting holes in the top of the case. Cover with cushion or common top
- 15" W pedestal case
- Height noted below includes 1/2" Planna Storage rail. Adding a Planna common top will add an additional 1/2"
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

#### NOTE

If Planna Storage rail is not required deduct the following: 18" D unit deduct \$140

- 22" D unit deduct \$145
- 28" D unit deduct \$150

		Part number	н	w	Wt (lbs)	Nuform classic/ neutral paint/ base price	Nuform select	Accent paint
- 7	9900 Series Front 2-10.5"	PLN1518E-2F10.5	24 %"	18"	75	\$894	_	+\$91
5	files	PLN1522E-2F10.5	24 ¾"	22"	85	\$959	_	+\$97
		PLN1528E-2F10.5	24 ¾"	28"	95	\$992	_	+\$100
	9900 Series Front 3"	PLN1518E-PBF	24 ¾"	18"	75	\$942	_	+\$96
$\leq$	pencil, 6" box, 12" file	PLN1522E-PBF	24 ⅔"	22"	85	\$1039	-	+\$106
		PLN1528E-PBF	24 ¾"	28"	95	\$1086	_	+\$111
	Nuform Front 2-10.5" file	PLN1518Q-2F10.5	24 ¾"	18"	75	\$1195	+\$132	+\$121
		PLN1522Q-2F10.5	24 ℁"	22"	85	\$1254	+\$139	+\$127
ANTO TO A		PLN1528Q-2F10.5	24 %"	28"	95	\$1417	+\$157	+\$144
123	Composite Veneer Front	PLN1518W-2F10.5	24 %"	18"	75	\$1512	_	+\$154
	2-10.5" files	PLN1522W-2F10.5	24 %"	22"	85	\$1563	-	+\$158
NAME OF		PLN1528W-2F10.5	24 ¾"	28"	95	\$1704	—	+\$173



- Install on case where adjacent case is same width, allows for sliding door to cover both cases
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Pull includes a 2" silver pull detail in upper quadrant of doors edge
- Sliding door must be mounted on two up-mount bins of equal size that are side by side

			1		1	Neutral paint/	Nuform	Accent
		Part number	н	W	Wt (lbs)	base price	select	paint
-	Nuform Classic Sliding	SWBL3021SDS	25 ¾"	30"	8	\$597	_	+\$61
	Door	SWBL3621SDS	25 ¾"	36"	10	\$642	-	+\$65
		SWBL4221SDS	25 ¾"	42"	11	\$681	_	+\$70
		left-handed						
		SWBR3021SDS	25 ¾"	30"	8	\$597	_	+\$61
		SWBR3621SDS	25 ¾"	36"	10	\$642	_	+\$65
		SWBR4221SDS	25 ¾"	42"	11	\$681	—	+\$70
		right-handed (illustrated)						
_	Nuform Select Sliding	SWBL3021SDQ	25 ¾"	30"	8	\$597	+\$66	+\$61
- MANNAM	Door	SWBL3621SDQ	25 ¾"	36"	10	\$642	+\$72	+\$65
100 Martin		SWBL4221SDQ	25 ¾"	42"	11	\$681	+\$76	+\$70
		left-handed						
		SWBR3021SDQ	25 ¾"	30"	8	\$597	+\$66	+\$61
		SWBR3621SDQ	25 ¾"	36"	10	\$642	+\$72	+\$65
		SWBR4221SDQ	25 ¾"	42"	11	\$681	+\$76	+\$70
		right-handed (illustrated)						
-	Veneer Sliding Door	SWBL3021SDW	25 ¾"	30"	8	\$1272	_	+\$128
NINDAA		SWBL3621SDW	25 ¾"	36"	10	\$1187	_	+\$121
		SWBL4221SDW	25 ¾"	42"	11	\$1119	—	+\$114
		left-handed						
		SWBR3021SDW	25 ¾"	30"	8	\$1272	-	+\$128
		SWBR3621SDW	25 ¾"	36"	10	\$1187	_	+\$121
		SWBR4221SDW	25 ¾"	42"	11	\$1119	_	+\$114
		right-handed (illustrated)						

- Includes mounting hardware to attach to the adjacent
- Planna Storage cases
- 3.5" thick version only
- Specific for worksurface or cushion above
- Specific whether a cutout is required to allow electrical feed and data cabling to enter frame behind

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
Π	End Trim with Electrical Cutout, Worksurface compatible (worksurface above)	PLNCETCO	25"	3.5"	2	\$84	+\$11
	(worksunace above)						
	End Trim without Cutout / Private Office Case Back Filler, Worksurface compatible (worksurface above)	PLNCET	25"	3.5"	2	\$81	+\$11
	End Trim with Electrical Cutout, Cushion compatible (cushion above)	PLNCETCOCUSH	25"	3.5"	2	\$67	+\$10
	End Trim without Cutout / Private Office Case Back Filler, Cushion compatible (cushion above)	PLNCETCUSH	25"	3.5"	2	\$63	+\$9
	6.75" H Painted Multi	INPL6.75MAP30	6.75"	30"	4	\$96	+\$12
	Access Tile for use with Planna	INPL6.75MAP36	6.75"	36"	5	\$99	+\$13
	Storage	INPL6.75MAP42	6.75"	42"	6	\$106	+\$13

Storwal Storage is a workplace alternative that supports collaborative and independent work styles in open plans with or without panels. An intelligent alternative to conventional panel-based systems, Inscape System's Storwal Storage addresses technology, workplace design and facility needs. Storwal Storage is comprised of static and movable components for a wide range of modifications in open office plans. Storwal Storage double sided storage wall with desk height lay in cabling provides easy access to upper deck voice/data/power. Stack units are installed on top of base modules which include a technology zone. Three overall heights are achieved by the various stack units.

#### **BASE MODULE**

Exterior cabinet heights are nominal. includes a 4  $\frac{3}{4}$ " hight electrical module.

#### ELECTRICAL ZONE

4 ³/₄" high electrical zone contains four hooks to manage data cables. 30" W module has one electrical outlet. 36" and 42" W electrical modules have two electrical cutouts. See chart below for capacity information.

	CAT5	CAT6
Storwal – Hooks (40%)	25 ¹	<b>19</b> ¹
Storwal – Hooks (full capacity)	<b>64</b> ²	<b>49</b> ²
Storwal - Full Cavity	153 ²	118 ²

¹40% Fill Capacity based on ceiling feed entry.

²Full capacity of hooks and/or electrical zone based on base feed entry.

#### GLIDES

Standard with Storwal Glides. Rectangular glides are an option. Glides provide 0.75" height adjustment.

#### LOCKS

Standard with single bitted lock. 9900 series cabinets can be ordered non-locking. Bookcase cabinets come standard without locks. If lock is not required add suffix **'/NL**' after product number and deduct \$52 list per lock. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number.

Note: Locks cannot be field installed on hinged door cabinets.

#### **FINISHES**

Cabinets, 9900 series fronts and electrical module are available in standard colors, 5 textured finishes and custom colors. Fronts are also available in Nuform and Veneer options with aluminum finished handle. Drawer bodies and accessories are finished in Eco Black.

### **FRONT DETAILS & PULL OPTIONS**

9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Refer to the images and chart below for pull application on Nuform, and Veneer fronts.

Pull	Nuform	Veneer
FP001 P290 Aluminum Leaf Finish	•	•
FP004 Brushed Nickel Finish	•	•
FP005 Satin Nickel Finish	0	0
Available	<ul> <li>Unavailable</li> </ul>	)
Pulls FP004 and for ADA complia	l FP005 meet the ç ınce.	guidelines

FP001 is the default pull for Nuform and Veneer

- Base unit includes ganging hardware to gang adjacent Storwal storage units together
- Under Worksurface base module provides cutout for electrical on same side as open bookcase

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product SWB3024BK-SH with Rectangular Glides would be \$1290 +\$30

		Part number	н	W	Wt (lbs)	Round glides/ base price	Rectangular glides	Accent paint
	Open Bookcase with	SWB3024BK-SH	33 1⁄8"	30"	69	\$1290	+\$30	+\$130
	1 adjustable shelf Receptical openings	SWB3624BK-SH	33 1⁄8"	36"	79	\$1354	+\$30	+\$136
	on rear	SWB4224BK-SH	33 1⁄8"	42"	89	\$1410	+\$30	+\$142
T.								



Open Bookcase with	SWB3024BK-SH-R	33 1⁄8"	30"	69	\$1290	+\$30	+\$130
1 adjustable shelf Receptical openings	SWB3624BK-SH-R	33 1⁄8"	36"	79	\$1354	+\$30	+\$136
on front	SWB4224BK-SH-R	33 1⁄8"	42"	89	\$1410	+\$30	+\$142

• Base unit includes ganging hardware to gang adjacent Storwal storage units together

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

• Electrical front cover with cutouts is located on opposite side as case fronts; these may be switched on site

### For example:

Product  $\dot{S}WB30\mbox{-}2FFE$  with Rectangular Glides would be \$1812 +\$30

	Part number	н	W	Wt (lbs)	Round glides/ base price	Rectangular glides	Accent paint
2-12" files	SWB30-2FFE	33 1/8"	30"	120	\$1812	+\$30	+\$184
	SWB36-2FFE	33 1⁄8"	36"	142	\$1896	+\$30	+\$191
	SWB42-2FFE	33 1⁄8"	42"	154	\$1980	+\$30	+\$199

THIT	2-6" box, 12" file	SWB30-2BFE	33 1⁄8"	30"	125	\$1812	+\$30	+\$184
		SWB36-2BFE	33 1⁄8"	36"	147	\$1896	+\$30	+\$19
		SWB42-2BFE	33 1⁄8"	42"	159	\$1980	+\$30	+\$199
	3" pencil, 2-12" files	SWB30-P2FFE	33 1/8"	30"	120	\$1812	+\$30	+\$18
		SWB36-P2FFE	33 1⁄8"	36"	142	\$1896	+\$30	+\$19
		SWB42-P2FFE	33 1⁄8"	42"	154	\$1980	+\$30	+\$19
	13.5" lift-up with	SWB30-13LU10FE	33 1/8"	30"	120	\$1812	+\$30	+\$184
	fixed shelf, 10.5" file	SWB42-13LU10FE	33 1⁄8"	36"	142	\$1896	+\$30	+\$19



13.5" lift-up with	SWB30-13LU10FE	33 1⁄8"	30"	120	\$1812	+\$30	+\$184
fixed shelf, 10.5" file	SWB42-13LU10FE	33 1⁄8"	36"	142	\$1896	+\$30	+\$191
	SWB36-13LU10FE	33 1⁄8"	42"	154	\$1980	+\$30	+\$199

• Base unit includes ganging hardware to gang adjacent Storwal storage units together • Electrical front cover with cutouts is located on opposite

side as case fronts; these may be switched on site

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWB30L-2FFHDE with Rectangular Glides would be \$2191 +\$30

					1		1	I.
		Part number	н	w	Wt (lbs)	Round glides/ base price	Rectangular glides	Accent paint
A.	2-12" files on one side,	SWB30L-2FFHDE	33 1⁄8"	30"	130	\$2191	+\$30	+\$222
	hinged door on the other	SWB36L-2FFHDE	33 1/8"	36"	152	\$2356	+\$30 +\$30	+\$222
		SWB30E-2FFHDE	33 1/8"	42"	164	\$2330 \$2440	+\$30	+\$246
		left-handed hinged door (illustr		42	104	Ψ2440	+400	τψ <b>2</b> 40
		···· ·································	,					
		SWB30R-2FFHDE	33 1⁄8"	30"	130	\$2191	+\$30	+\$222
•		SWB36R-2FFHDE	33 1⁄8"	36"	152	\$2356	+\$30	+\$237
		SWB42R-2FFHDE	33 1⁄8"	42"	164	\$2440	+\$30	+\$246
		right-handed hinged door						
- The	2-6" box, 12" file on one	SWB30L-2BFHDE	33 1⁄8"	30"	130	\$2191	+\$30	+\$222
	side, hinged door on the other	SWB36L-2BFHDE	33 1⁄8"	36"	152	\$2356	+\$30	+\$237
	other	SWB42L-2BFHDE	33 1⁄8"	42"	164	\$2440	+\$30	+\$246
		left-handed hinged door (illustr	ated)					
		SWB30R-2BFHDE	33 1⁄8"	30"	130	\$2191	+\$30	+\$222
-		SWB36R-2BFHDE	33 ½"	36"	152	\$2356	+\$30	+\$237
		SWB42R-2BFHDE	33 ½"	42"	164	\$2440	+\$30	+\$246
		right-handed hinged door	00 /0			<i>42</i> · · · <b>0</b>		
	2-6" box, 12" file on one							
HIL	side, 2-12" files on the	SWB30L-2BF2FE	33 1⁄8"	30"	130	\$2191	+\$30	+\$222
	other	SWB36L-2BF2FE	33 1⁄8"	36"	152	\$2356	+\$30	+\$237
		SWB42L-2BF2FE	33 1⁄8"	42"	164	\$2440	+\$30	+\$246
		2-12" files on left side (illustrate	ed)					
		SWB30R-2BF2FE	33 1⁄8"	30"	130	\$2191	+\$30	+\$222
		SWB36R-2BF2FE	33 1⁄8"	36"	152	\$2356	+\$30	+\$237
		SWB42R-2BF2FE	33 1⁄8"	42"	164	\$2440	+\$30	+\$246
		2-12" files on right side						
	3" pencil, 2-10.5" file on	SWB30L-PFFHDE	33 1⁄8"	30"	130	\$2191	+\$30	+\$222
	one side, hinged door on	SWB36L-PFFHDE	33 1⁄8"	36"	152	\$2356	+\$30	+\$237
	the other	SWB42L-PFFHDE	33 1⁄8"	42"	164	\$2440	+\$30	+\$246
		left-handed hinged door (illustr	ated)					
		SWB30R-PFFHDE	33 1⁄8"	30"	130	\$2191	+\$30	+\$222
1		SWB36R-PFFHDE	33 1⁄8"	36"	152	\$2356	+\$30	+\$237
		SWB42R-PFFHDE	33 1⁄8"	42"	164	\$2440	+\$30	+\$246
		right-handed hinged door						

- Base unit includes ganging hardware to gang adjacent Storwal storage units together
- Electrical front cover with cutouts is located on opposite side as case fronts; these may be switched on site
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options
- Nuform Classic and Select options available

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWB30-2FFQ with Rectangular Glides would be \$2333 +\$30

						Round (			
						Nuform classic/	Nuform select/	Destaurular	
		Part number	н	W	D	neutral paint	neutral paint	Rectangular glides	Accent paint
-	2-12" files	SWB30-2FFQ	33 1⁄8"	30"	120	\$2333	+\$258	+\$30	+\$235
CONSTRAINT,		SWB36-2FFQ	33 1⁄8"	36"	142	\$2428	+\$268	+\$30	+\$245
		SWB42-2FFQ	33 1⁄8"	42"	154	\$2537	+\$280	+\$30	+\$256
1.000	2-6" box, 12" file	SWB30-2BFQ	33 1⁄8"	30"	125	\$2428	+\$268	+\$30	+\$245
CT STATE		SWB36-2BFQ	33 1⁄8"	36"	147	\$2333	+\$258	+\$30	+\$235
		SWB42-2BFQ	33 1⁄8"	42"	159	\$2537	+\$280	+\$30	+\$256
-	2-12" files on one side,	SWB30L-2FFHDQ	33 1⁄8"	30"	130	\$2767	+\$305	+\$30	+\$278
	hinged door on the other	SWB36L-2FFHDQ	33 1⁄8"	36"	152	\$3051	+\$336	+\$30	+\$307
		SWB42L-2FFHDQ	33 1⁄8"	42"	164	\$3180	+\$351	+\$30	+\$321
		left-handed hinged door							
		SWB30R-2FFHDQ	33 1⁄8"	30"	130	\$2767	+\$305	+\$30	+\$278
		SWB36R-2FFHDQ	33 1⁄8"	36"	152	\$3051	+\$336	+\$30	+\$307
		SWB42R-2FFHDQ	33 1⁄8"	42"	164	\$3180	+\$351	+\$30	+\$321
		right-handed hinged door (i	llustrated)						
	2-6" box, 12" file on one	SWB30L-2BFHDQ	33 1⁄8"	30"	130	\$2767	+\$305	+\$30	+\$278
	side, hinged door on the	SWB36L-2BFHDQ	33 1⁄8"	36"	152	\$3051	+\$336	+\$30	+\$307
	other	SWB42L-2BFHDQ	33 1⁄8"	42"	164	\$3180	+\$351	+\$30	+\$321
THE LU		left-handed hinged door							
		SWB30R-2BFHDQ	33 1⁄8"	30"	130	\$2767	+\$305	+\$30	+\$278
		SWB36R-2BFHDQ	33 1⁄8"	36"	152	\$3051	+\$336	+\$30	+\$307
		SWB42R-2BFHDQ	33 1⁄8"	42"	164	\$3180	+\$351	+\$30	+\$321
		right-handed hinged door (i	llustrated)						
-	2-6" box, 12" file on one	SWB30L-2BF2FQ	33 1⁄8"	30"	130	\$2767	+\$305	+\$30	+\$278
-Stores	side, 2-12" files on the	SWB36L-2BF2FQ	33 1⁄8"	36"	152	\$3051	+\$336	+\$30	+\$307
	other	SWB42L-2BF2FQ	33 1⁄8"	42"	164	\$3180	+\$351	+\$30	+\$321
展開		2-12" files on left side							
		SWB30R-2BF2FQ	33 1⁄8"	30"	130	\$2767	+\$305	+\$30	+\$278
		SWB36R-2BF2FQ	33 1⁄8"	36"	152	\$3051	+\$336	+\$30	+\$307
		SWB42R-2BF2FQ	33 1⁄8"	42"	164	\$3180	+\$351	+\$30	+\$321
		2-12" files on right side (illu	strated)						

- Base unit includes ganging hardware to gang adjacent Storwal storage units together
- Electrical front cover with cutouts is located on opposite side as case fronts; these may be switched on site
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWB30-2FFW with Rectangular Glides would be \$2857 +\$30

		Part number	н	w	Wt (lbs)	Round glides/ base price	Rectangular glides	Accent paint
-	2-12" files	SWB30-2FFW	33 1/8"	30"	120	\$2857	+\$30	+\$288
STO STOR		SWB36-2FFW	33 1/8"	36"	142	\$3098	+\$30	+\$312
		SWB42-2FFW	33 1⁄8"	42"	154	\$3242	+\$30	+\$326
-	2-6" box, 12" file	SWB30-2BFW	33 1⁄8"	30"	120	\$2857	+\$30	+\$288
C. Constant		SWB36-2BFW	33 1⁄8"	36"	142	\$3098	+\$30	+\$312
		SWB42-2BFW	33 1⁄8"	42"	154	\$3242	+\$30	+\$326
	2-12" files on one side,	SWB30L-2FFHDW	33 1⁄8"	30"	130	\$3195	+\$30	+\$322
	hinged door on the other	SWB36L-2FFHDW	33 1⁄8"	36"	154	\$3969	+\$30	+\$399
		SWB42L-2FFHDW	33 1⁄8"	42"	164	\$4074	+\$30	+\$409
TATAL		left-handed hinged door						
		SWB30R-2FFHDW	33 1⁄8"	30"	130	\$3195	+\$30	+\$322
		SWB36R-2FFHDW	33 1⁄8"	36"	154	\$3969	+\$30	+\$399
		SWB42R-2FFHDW	33 1⁄8"	42"	164	\$4074	+\$30	+\$409
		right-handed hinged door (illus	strated)					
	2-6" box, 12" file on	SWB30L-2BFHDW	33 1⁄8"	30"	130	\$3195	+\$30	+\$322
	one side, hinged door on the other	SWB36L-2BFHDW	33 1⁄8"	36"	154	\$3969	+\$30	+\$399
		SWB42L-2BFHDW	33 1⁄8"	42"	164	\$4074	+\$30	+\$409
		left-handed hinged door						
- Aller		SWB30R-2BFHDW	33 1⁄8"	30"	130	\$3195	+\$30	+\$322
		SWB36R-2BFHDW	33 1⁄8"	36"	154	\$3969	+\$30	+\$399
		SWB42R-2BFHDW	33 1⁄8"	42"	164	\$4074	+\$30	+\$409
		right-handed hinged door (illus	strated)					
Sila	2-6" box, 12" file on one side, 2-12" files on	SWB30L-2BF2FW	33 1⁄8"	30"	130	\$3195	+\$30	+\$322
	the other	SWB36L-2BF2FW	33 1⁄8"	36"	154	\$3969	+\$30	+\$399
THE P		SWB42L-2BF2FW 2-12" files on left side	33 1⁄8"	42"	164	\$4074	+\$30	+\$409
Concernance of the second		SWB30R-2BF2FW	33 1⁄8"	30"	130	\$3195	+\$30	+\$322
		SWB36R-2BF2FW	33 ½"	36"	154	\$3969	+\$30	+\$399
		SWB42R-2BF2FW	33 1/8"	42"	164	\$4074	+\$30	+\$409
		2-12" files on right side (illustra		_	• •		+	

- Stack unit will achieve overall height of 51" H
- Install on Storwal Storage case where adjacent case is
- same width, allows for sliding door to cover either caseSliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- Consult General Information for pull options
- SuperStor[™] insert available

- For 30" W insert add \$99 list
- For 36" W insert add \$117 list
- For 42" W insert add \$131 list
- SuperStor[™] trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Nuform select	Accent paint
	Open Bookcase	SW3013.5BK	16 %"	30"	26	\$573	_	+\$59
		SW3613.5BK	16 %"	36"	32	\$605	_	+\$61
		SW4213.5BK	16 ¾"	42"	36	\$631	_	+\$64
	Nuform Classic Sliding	SWL3013.5SDS	16 %"	30"	8	\$520	_	_
	Door	SWL3613.5SDS	16 %"	36"	10	\$545	-	_
		SWL4213.5SDS	16 %"	42"	12	\$568	-	-
		left-handed						
		SWR3013.5SDS	16 %"	30"	8	\$520	_	_
		SWR3613.5SDS	16 %"	36"	10	\$545	_	_
		SWR4213.5SDS	16 ¾"	42"	12	\$568	_	_
		right-handed				• • • •		
-	Nuform Select Sliding	SWL3013.5SDQ	16 %"	30"	8	\$520	+\$58	_
- DECEMBER	Door	SWL3613.5SDQ	16 ¾"	36"	10	\$545	+\$61	_
		SWL4213.5SDQ	16 ¾"	42"	12	\$568	+\$63	-
- Contraction of the second se		left-handed						
		SWR3013.5SDQ	16 %"	30"	8	\$520	+\$58	_
		SWR3613.5SDQ	16 %"	36"	10	\$545	+\$61	_
		SWR4213.5SDQ	16 %"	42"	12	\$568	+\$63	-
		right-handed				•		
-	Composite Veneer Sliding	SWL3013.5SDW	16 %"	30"	8	\$828	_	_
MACH AND	Door	SWL3613.5SDW	16 ¾"	36"	10	\$896	_	_
Sales III		SWL4213.5SDW	16 %"	42"	12	\$953	_	_
		left-handed				••••		
		SWR3013.5SDW	16 %"	30"	8	\$828	_	_
		SWR3613.5SDW	16 ¾"	36"	10	\$896	_	_
		SWR4213.5SDW	16 ¾"	42"	12	\$953	_	_
		right-handed				•		

right-handed

- Stack unit will achieve overall height of 64" H
- Install on Storwal Storage case where adjacent case is
- same width, allows for sliding door to cover either caseSliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- Consult General Information for pull options
- SuperStor[™] insert available

- For 30" W insert add \$99 list
- For 36" W insert add \$117 list

1

- For 42" W insert add \$131 list
- SuperStor[™] trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Nuform select	Accent paint
	Open Bookcase	SW3027BK-SH	29 %"	30"	53	\$762	_	+\$79
		SW3627BK-SH	29 %"	36"	65	\$777	-	+\$81
		SW4227BK-SH	29 %"	42"	72	\$852	_	+\$87
	Nuform Classic Sliding	SWL3027SDS	29 %"	30"	14	\$624	_	_
	Door	SWL3627SDS	29 %"	36"	17	\$671	-	_
		SWL4227SDS	29 %"	42"	19	\$710	-	_
		left-handed						
		SWR3027SDS	29 %"	30"	14	\$624	-	_
		SWR3627SDS	29 %"	36"	17	\$671	-	_
		SWR4227SDS	29 %"	42"	19	\$710	_	_
		right-handed						
	Nuform Select Sliding	SWL3027SDQ	29 %"	30"	14	\$624	+\$70	-
- BRIDE	Door	SWL3627SDQ	29 %"	36"	17	\$671	+\$75	—
		SWL4227SDQ	29 %"	42"	19	\$710	+\$79	_
		left-handed						
		SWR3027SDQ	29 %"	30"	14	\$624	+\$70	_
		SWR3627SDQ	29 %"	36"	17	\$671	+\$75	-
		SWR4227SDQ	29 %"	42"	19	\$710	\$710	-
		right-handed						
-	Composite Veneer Sliding	SWL3027SDW	29 7⁄8"	30"	14	\$1145	-	-
THE PARTY OF	Door	SWL3627SDW	29 %"	36"	17	\$1214	-	-
		SWL4227SDW	29 %"	42"	19	\$1296	-	-
and the second s		left-handed						
		SWR3027SDW	29 1/8"	30"	14	\$1145	-	_
		SWR3627SDW	29 %"	36"	17	\$1214	-	—
		SWR4227SDW	29 %"	42"	19	\$1296	-	_
		right-handed						

- Stack unit will achieve overall height of 64" H
- Install on Storwal Storage case where adjacent case is same width, allows for sliding door to cover either case
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- Consult General Information for pull options
- SuperStor[™] insert available

- For 30" W insert add \$99 list
- For 36" W insert add \$117 list
- For 42" W insert add \$131 list
- SuperStor[™] trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

		Part number	н	W	Wt (lbs)	Neutral paint/ base price	Accent paint
	1 Bookcase shelf with 1	SW3027-SHMS	29 %"	30"	53	\$975	+\$99
	magazine shelf	SW3627-SHMS	29 %"	36"	65	\$1025	+\$105
		SW4227-SHMS	29 1/8"	42"	72	\$1077	+\$110
	9900 Series Front Hinged	SW3027HDE-SH	29 7/8"	30"	83	\$1115	+\$114
	Door with 1 Shelf	SW3627HDE-SH	29 1/8"	36"	104	\$1139	+\$116
		SW4227HDE-SH	29 1/8"	42"	120	\$1194	+\$121
$\sim$	Nuform Classic Front	SW3027HDS-SH	29 %"	30"	90	\$1189	+\$121
	Hinged Door with 1 Shelf	SW3627HDS-SH	29 %"	36"	112	\$1243	+\$126
I IL		SW4227HDS-SH	29 1/8"	42"	127	\$1341	+\$135
J_							

- Stack unit will achieve overall height of 64" H
- Install on Storwal Storage case where adjacent case is
- same width, allows for sliding door to cover either caseSliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- FP001 pull is standard for acrylic, Nuform and veneer fronts
- Consult General Information for pull options
- SuperStor[™] insert available

- For 30" W insert add \$99 list
- For 36" W insert add \$117 list
- For 42" W insert add \$131 list
- SuperStor[™] trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Nuform select	Accent paint
	Nuform Select Front	SW3027HDQ-SH	29 %"	30"	90	\$1189	+\$131	+\$121
The	Hinged Door with 1 Shelf	SW3627HDQ-SH	29 %"	36"	112	\$1243	+\$137	+\$126
		SW4227HDQ-SH	29 7⁄8"	42"	127	\$1341	+\$149	+\$135
7	Composito Vancor Front							
	Composite Veneer Front Hinged Door with 1 Shelf	SW3027HDW-SH	29 1/8"	30"	90	\$1906	—	+\$192
	Thinged Door with T Shell	SW3627HDW-SH	29 1⁄8"	36"	112	\$1988	_	+\$200
		SW4227HDW-SH	29 1/8"	42"	127	\$2148	-	+\$217
	Glazed Front Hinged Door	SW3027HDJ-SH	29 %"	30"	88	\$2393	-	+\$242
	with 1 Shelf	SW3627HDJ-SH	29 1/8"	36"	110	\$2622	-	+\$264
		SW4227HDJ-SH	29 %"	42"	125	\$3130	_	+\$315
	Tambour Door with 1 Shelf	SW3027TM-SH	29 7⁄8"	30"	88	\$1466	_	+\$149
		SW3627TM-SH	29 %"	36"	110	\$1535	-	+\$156
		SW4227TM-SH	29 7⁄8"	42"	125	\$1659	_	+\$167

- Stack unit will achieve overall height of 71" H
- Install on Storwal Storage case where adjacent case is
- same width, allows for sliding door to cover either caseSliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- Consult General Information for pull options
- SuperStor[™] insert available

- For 30" W insert add \$99 list
- For 36" W insert add \$117 list
- For 42" W insert add \$131 list
- SuperStor[™] trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Nuform select	Accent paint
	Open Bookcase	SW3033BK-SH	35 %"	30"	70	\$786		+\$81
		SW3633BK-SH	35 %	36"	76	\$780 \$819	_	+\$81
		SW4233BK-SH	35 1/8	42"	80	\$916		+\$93
		3W4233DK-3H	33 78	42	80	\$910	_	+090
	Nuform Classic Sliding	SWL3033SDS	35 1/8"	30"	17	\$671	-	-
	Door	SWL3633SDS	35 1/8"	36"	19	\$725	-	_
		SWL4233SDS left-handed	35 %"	42"	23	\$775	-	_
						<b>A a =</b> <i>i</i>		
		SWR3033SDS	35 %"	30"	17	\$671	-	-
		SWR3633SDS	35 %"	36"	19	\$725	-	-
		SWR4233SDS right-handed	35 1/8"	42"	23	\$775	-	-
	Nuform Select Sliding	SWL3033SDQ	35 %"	30"	17	\$671	+\$75	_
THE REAL PROPERTY	Door	SWL3633SDQ	35 %"	36"	19	\$725	+\$81	_
		SWL4233SDQ	35 %"	42"	23	\$775	+\$86	-
AN YOU		left-handed						
		SWR3033SDQ	35 %"	30"	17	\$671	+\$75	_
		SWR3633SDQ	35 %"	36"	19	\$725	\$725	_
		SWR4233SDQ	35 %"	42"	23	\$775	+\$86	-
		right-handed						
	Composite Veneer Sliding	SWL3033SDW	35 %"	30"	17	\$1218	_	-
THEO MARK	Door	SWL3633SDW	35 %"	36"	19	\$1303	-	_
		SWL4233SDW	35 %"	42"	23	\$1410	-	-
		left-handed						
		SWR3033SDW	35 %"	30"	17	\$1218	-	_
		SWR3633SDW	35 %"	36"	19	\$1303	-	_
		SWR4233SDW	35 %"	42"	23	\$1410	-	_
		right-handed						

right-handed

- Stack unit will achieve overall height of 71" H
- Install on Storwal Storage case where adjacent case is
- same width, allows for sliding door to cover either caseSliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- Consult General Information for pull options
- SuperStor[™] insert available

- For 30" W insert add \$99 list
- For 36" W insert add \$117 list
- For 42" W insert add \$131 list
- SuperStor[™] trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	2 Bookcase shelf with	SW3033-2SHMS	35 %"	30"	70	\$1085	+\$111
	1 magazine shelf	SW3633-2SHMS	35 %"	36"	76	\$1139	+\$116
		SW4233-2SHMS	35 %"	42"	80	\$1195	+\$121
$\sim$	9900 Series Front Hinged	SW3033HDE-SH	35 %"	30"	90	\$1139	+\$116
141	Door with 1 Shelf	SW3633HDE-SH	35 %"	36"	115	\$1177	+\$120
		SW4233HDE-SH	35 %"	42"	126	\$1240	+\$125
1							
	Nuform Classic Front	SW3033HDS-SH	35 %"	30"	92	\$1249	+\$126
	Hinged Door with 1 Shelf	SW3633HDS-SH	35 %"	36"	117	\$1324	+\$133
		SW4233HDS-SH	35 %"	42"	128	\$1453	+\$148

- Stack unit will achieve overall height of 71" H
- Install on Storwal Storage case where adjacent case is same width, allows for sliding door to cover either case
- Sliding doors are handed and should be ordered based on direction of slide to open door
- Sliding doors includes a 2" silver pull detail in upper quadrant of doors edge
- FP001 pull is standard for acrylic, Nuform and veneer fronts
- Consult General Information for pull options
- SuperStor[™] insert available

- For 30" W insert add \$99 list
- For 36" W insert add \$117 list
- For 42" W insert add \$131 list
- SuperStor[™] trays sold separately
- Sliding doors cannot be installed adjacent to back painted glass whiteboards or tackboards

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Nuform select	Accent paint
	Nuform Select Front	SW3033HDQ-SH	35 %"	30"	92	\$1249	+\$139	+\$126
	Hinged Door with 1 Shelf	SW3633HDQ-SH	35 %"	36"	117	\$1324	+\$147	+\$133
LAND OF		SW4233HDQ-SH	35 %"	42"	128	\$1453	+\$161	+\$148
	Composite Veneer Front	SW3033HDW-SH	35 %"	30"	92	\$2002	-	+\$201
	Hinged Door with 1 Shelf	SW3633HDW-SH	35 %"	36"	117	\$2120	-	+\$213
		SW4233HDW-SH	35 %"	42"	128	\$2327	-	+\$234
	Glazed Front Hinged Door with 1 Shelf	SW3033HDJ-SH	35 %"	30"	90	\$2892	_	+\$292
	with i Shell	SW3633HDJ-SH	35 %"	36"	115	\$3231	-	+\$325
		SW4233HDJ-SH	35 %"	42"	126	\$3596	-	+\$362
1000								
	Tambour Door with 1 Shelf	SW3033TM-SH	35 %"	30"	90	\$1535	_	+\$156
		SW3633TM-SH	35 %"	36"	115	\$1631	-	+\$165
		SW4233TM-SH	35 %"	42"	126	\$1785	-	+\$181
A BASSAGESS								

- To be used with 51" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product SWVL121845E with a Rectangular Glide would be \$1297 +\$30

Round alides

						Round glides		
		Part number	н	w	D	Coat rod + shelf/ base price	Rectangular glides	Accent paint
$\frown$	9900 Series Front Single	SWVL121845E	49 ⅔"	12"	18"	\$1297	+\$30	+\$131
	Sided Wardrobe	SWVL151845E	49 ¾"	15"	18"	\$1369	+\$30	+\$137
		SWVL181845E	49 ¾"	18"	18"	\$1444	+\$30	+\$147
		left-handed door						
		SWVR121845E	49 ¾"	12"	18"	\$1297	+\$30	+\$131
		SWVR151845E	49 ¾"	15"	18"	\$1369	+\$30	+\$137
		SWVR181845E	49 ¾"	18"	18"	\$1444	+\$30	+\$147
		right-handed door (illustrated)						
	9900 Series Front Single	SWVL121845EP	49 %"	12"	18"	\$1362	+\$30	+\$137
$\langle \rangle$	Sided Wardrobe with pass-	SWVL151845EP	49 3⁄8"	15"	18"	\$1440	+\$30	+\$147
	thru capability	SWVL181845EP	49 ¾"	18"	18"	\$1516	+\$30	+\$154
		left-handed door						
		SWVR121845EP	49 ¾"	12"	18"	\$1362	+\$30	+\$137
		SWVR151845EP	49 ¾"	15"	18"	\$1440	+\$30	+\$147
		SWVR181845EP	49 ¾"	18"	18"	\$1516	+\$30	+\$154
		right-handed door (illustrated)						
1~	9900 Series Front Double	SWWLL121845E	49 ¾"	12"	18"	\$1537	+\$30	+\$156
50	Sided Wardrobe	SWWLL151845E	49 ¾"	15"	18"	\$1610	+\$30	+\$163
E		SWWLL181845E	49 ¾"	18"	18"	\$1682	+\$30	+\$170
		SWWLL2445E	49 ¾"	24"	18"	\$2012	+\$30	+\$202
		left-handed doors both sides						
		SWWRR121845E	49 ¾"	12"	18"	\$1537	+\$30	+\$156
		SWWRR151845E	49 ¾"	15"	18"	\$1610	+\$30	+\$163
		SWWRR181845E	49 ¾"	18"	18"	\$1682	+\$30	+\$170
VEV.		SWWRR2445E	49 %"	24"	18"	\$2012	+\$30	+\$202
an an an an an Anna Anna Anna A		right-handed doors both sides (illustrated)						
		SWWRL121845E	49 ¾"	12"	18"	\$1537	+\$30	+\$156
		SWWRL151845E	49 ¾"	15"	18"	\$1610	+\$30	+\$163
		SWWRL181845E	49 3⁄8"	18"	18"	\$1682	+\$30	+\$170
		SWWRL2445E	49 ¾"	24"	18"	\$2012	+\$30	+\$202
		left handed deer on one side						

left-handed door on one side, right-handed door on the other

- To be used with 51" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Nuform Classic and Select options available
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options
- Coat rod + shelf is standard

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product SWWLL121845EP with a Rectangular Glide would be \$1615 +\$30

						Round g	lides			
		Part number	н	w	D	Nuform classic/ base price	Nuform select	Rectangular glides	Accent paint	
4	9900 Series Front Double	SWWLL121845EP	49 ¾"	12"	18"	\$1615	_	+\$30	+\$163	
	Sided Wardrobe with pass-	SWWLL151845EP	49 %"	15"	18"	\$1690	-	+\$30	+\$170	
H	thru capability	SWWLL181845EP	49 ¾"	18"	18"	\$1767	_	+\$30	+\$179	
		SWWLL2445EP	49 ¾"	24"	18"	\$2208		+\$30	+\$223	
		left-handed doors both sides								
		SWWRR121845EP	49 ¾"	12"	18"	\$1615	_	+\$30	+\$163	
		SWWRR151845EP	49 3⁄8"	15"	18"	\$1690	-	+\$30	+\$170	
		SWWRR181845EP	49 ¾"	18"	18"	\$1767	_	+\$30	+\$179	
		SWWRR2445EP	49 ¾"	24"	18"	\$2208	_	+\$30	+\$223	
		right-handed doors both side (illustrated)	S							
		SWWRL121845EP	49 ¾"	12"	18"	\$1615	-	+\$30	+\$163	
		SWWRL151845EP	49 ¾"	15"	18"	\$1690	_	+\$30	+\$170	
		SWWRL181845EP	49 3⁄8"	18"	18"	\$1767	_	+\$30	+\$179	
		SWWRL2445EP	49 ¾"	24"	18"	\$2208	_	+\$30	+\$223	
		left-handed door on one side	, right-hand	ded door or	n the other					
^	Nuform Front Single Sided									
	Wardrobe	SWVL121845Q	49 3/8"	12"	18"	\$1558	+\$173		+\$158	
		SWVL151845Q	49 ¾" 49 ¾"	15" 18"	18" 18"	\$1642	+\$182		+\$166	
		SWVL181845Q	49 3/8	10	10	\$1731	+\$191	+\$30	+\$175	
		left-handed door				<b>•</b> ·	•	•		
		SWVR121845Q	49 3⁄8"	12"	18"	\$1558	+\$173	+\$30	+\$158	
Ĩ		SWVR151845Q	49 ¾"	15"	18"	\$1642	+\$182	+\$30	+\$166	
U		SWVR181845Q right-handed door (illustrated)	49 ¾"	18"	18"	\$1731	+\$191	+\$30	+\$175	
	Nuform Front Single Sided					• • • • • •	• • • • •		<b></b>	
	Wardrobe with pass-thru	SWVL121845QP	49 %"	12"	18"	\$1635	+\$181	+\$30	+\$165	
	capability	SWVL151845QP	49 3⁄8"	15"	18"	\$1726	+\$191	+\$30	+\$175	
		SWVL181845QP	49 ¾"	18"	18"	\$1817	+\$201	+\$30	+\$184	
		left-handed door				• • • •	• • • •	• • •		
		SWVR121845QP	49 3⁄8"	12"	18"	\$1635	+\$181	+\$30	+\$165	
		SWVR151845QP	49 3⁄8"	15"	18"	\$1726	+\$191	+\$30	+\$175	
		SWVR181845QP	49 ¾"	18"	18"	\$1817	+\$201	+\$30	+\$184	
		right-handed door (illustrated)								

- To be used with 51" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Nuform Classic and Select options available
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options
- Coat rod + shelf is standard

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product SWWLL121845Q with a Rectangular Glide would be \$1845 + 30

			Round glides				lides	.	
		Part number	н	w	D	Nuform classic/ base price	Nuform select	Rectangular glides	Accent paint
1	Nuform Front Double	SWWLL121845Q	49 ¾"	12"	18"	\$1845	+\$204	+\$30	+\$187
	Sided Wardrobe	SWWLL151845Q	49 %"	15"	18"	\$1931	+\$214	+\$30	+\$195
		SWWLL181845Q	49 %"	18"	18"	\$2018	+\$223	+\$30	+\$203
M		SWWLL2445Q	49 ¾"	24"	18"	\$2460	+\$271	+\$30	+\$248
		left-handed doors both sides							
		SWWRR121845Q	49 %"	12"	18"	\$1845	+\$204	+\$30	+\$187
		SWWRR151845Q	49 %"	15"	18"	\$1931	+\$214	+\$30	+\$195
		SWWRR181845Q	49 %"	18"	18"	\$2018	+\$223	+\$30	+\$203
		SWWRR2445Q	49 ¾"	24"	18"	\$2460	+\$271	+\$30	+\$248
		right-handed doors both side	s (illustrated	(b					
		SWWRL121845Q	49 ¾"	12"	18"	\$1845	+\$204	+\$30	+\$187
		SWWRL151845Q	49 %"	15"	18"	\$1931	+\$214	+\$30	+\$195
		SWWRL181845Q	49 %"	18"	18"	\$2018	+\$223	+\$30	+\$203
		SWWRL2445Q	49 ¾"	24"	18"	\$2460	+\$271	+\$30	+\$248
		left-handed door on one side.	right-hand	ed door or	n the other				
1-	Nuform Front Double	SWWLL121845QP	49 ¾"	12"	18"	\$1937	+\$214	+\$30	+\$195
	Sided Wardrobe with pass- thru capability	SWWLL151845QP	49 ¾"	15"	18"	\$2029	+\$224	+\$30	+\$204
E	and oupdointy	SWWLL181845QP	49 ¾"	18"	18"	\$2119	+\$234	+\$30	+\$213
		SWWLL2445QP	49 ¾"	24"	18"	\$2655	+\$293	+\$30	+\$267
		left-handed doors both sides							
		SWWRR121845QP	49 ¾"	12"	18"	\$1937	+\$214	+\$30	+\$195
		SWWRR151845QP	49 %"	15"	18"	\$2029	+\$224	+\$30	+\$204
		SWWRR181845QP	49 ¾"	18"	18"	\$2119	+\$234	+\$30	+\$213
5 12/		SWWRR2445QP	49 ¾"	24"	18"	\$2655	+\$293	+\$30	+\$267
		right-handed doors both side	s (illustrated	(k					
		SWWRL121845QP	49 ¾"	12"	18"	\$1937	+\$214	+\$30	+\$195
		SWWRL151845QP	49 ¾"	15"	18"	\$2029	+\$224	+\$30	+\$204
		SWWRL181845QP	49 ¾"	18"	18"	\$2119	+\$234	+\$30	+\$213
		SWWRL2445QP	49 ¾"	24"	18"	\$2655	+\$293	+\$30	+\$267
		left-handed door on one side	right-hand	ed door or	n the other				

- To be used with 51" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product SWWLL2445W with a Rectangular Glide would be \$2975 +\$30

						Round glides		
		Part number	н	w	D	Coat rod + shelf/ base price	Rectangular glides	Accent paint
$\sim$	Composite Veneer Front	SWWLL2445W	49 %"	24"	18"	\$2975	+\$30	+\$300
	Double Sided Wardrobe	left-handed doors both sides						
		SWWRR2445W	49 ¾"	24"	18"	\$2975	+\$30	+\$300
		right-handed doors both sides (i	llustrated)					
		SWWRL2445W	49 ⅔"	24"	18"	\$2975	+\$30	+\$300
		left-handed door on one side, rig						
$\frown$	Composite Veneer Front	SWWLL2445WP	49 %"	24"	18"	\$3172	+\$30	+\$319
	Double Sided Wardrobe with pass-thru capability	left-handed doors both sides						
		SWWRR2445WP	49 ¾"	24"	18"	\$3172	+\$30	+\$319
		right-handed doors both sides (i	llustrated)					
		SWWRL2445WP	49 ¾"	24"	18"	\$3172	+\$30	+\$319
		left-handed door on one side, rig	ght-handed	door on th	e other			

- To be used with 64" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWVL121858E with a Rectangular Glide would be \$1441 +\$30

Round glides

						Round glides		
		Part number	н	w	D	Coat rod + shelf/ base price	Rectangular glides	Accent paint
$\frown$	9900 Series Front Single	SWVL121858E	62 %"	12"	18"	\$1441	+\$30	+\$147
	Sided Wardrobe	SWVL151858E	62 %"	15"	18"	\$1523	+\$30	+\$155
		SWVL181858E	62 %"	18"	18"	\$1566	+\$30	+\$159
		left-handed door						
		SWVR121858E	62 %"	12"	18"	\$1441	+\$30	+\$147
		SWVR151858E	62 %"	15"	18"	\$1523	+\$30	+\$155
		SWVR181858E	62 %"	18"	18"	\$1566	+\$30	+\$159
		right-handed door (illustrated)						
$\frown$	9900 Series Front Single	SWVL121858EP	62 %"	12"	18"	\$1514	+\$30	+\$154
	Sided Wardrobe with pass-	SWVL151858EP	62 %"	15"	18"	\$1600	+\$30	+\$162
	thru capability	SWVL181858EP	62 %"	18"	18"	\$1642	+\$30	+\$166
		left-handed door						
		SWVR121858EP	62 %"	12"	18"	\$1514	+\$30	+\$154
		SWVR151858EP	62 %"	15"	18"	\$1600	+\$30	+\$162
		SWVR181858EP	62 %"	18"	18"	\$1642	+\$30	+\$166
		right-handed door (illustrated)						
1	9900 Series Front Double	SWWLL121858E	62 %"	12"	18"	\$1681	+\$30	+\$169
	Sided Wardrobe	SWWLL151858E	62 %"	15"	18"	\$1762	+\$30	+\$179
E		SWWLL181858E	62 %"	18"	18"	\$1806	+\$30	+\$183
		SWWLL2458.5E	62 %"	24"	18"	\$2183	+\$30	+\$221
		left-handed doors both sides						
		SWWRR121858E	62 %"	12"	18"	\$1681	+\$30	+\$169
		SWWRR151858E	62 %"	15"	18"	\$1762	+\$30	+\$179
		SWWRR181858E	62 %"	18"	18"	\$1806	+\$30	+\$183
		SWWRR2458.5E	62 %"	24"	18"	\$2183	+\$30	+\$221
		right-handed doors both sides	(illustrated)					
		SWWRL121858E	62 %"	12"	18"	\$1681	+\$30	+\$169
		SWWRL151858E	62 %"	15"	18"	\$1762	+\$30	+\$179
		SWWRL181858E	62 %"	18"	18"	\$1806	+\$30	+\$183
		SWWRL2458.5E	62 %"	24"	18"	\$2183	+\$30	+\$221
		loft-handed door on one side r	ight_handed	door on t	ho othor			

left-handed door on one side, right-handed door on the other

- To be used with 64" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product SWWLL121858E with a Rectangular Glide would be \$1681 +\$30

						Round g	lides		
		Part number	н	w	D	Nuform classic/ base price	Nuform R select	lectangular glides	Accent paint
A	9900 Series Front Double	SWWLL121858EP	62 %"	12"	18"	\$1765	_	+\$30	+\$179
	Sided Wardrobe with pass-	SWWLL151858EP	62 %"	15"	18"	\$1849	-	+\$30	+\$187
E	thru capability	SWWLL181858EP	62 %"	18"	18"	\$1896	_	+\$30	+\$191
		SWWLL2458.5EP	62 %"	24"	18"	\$2379	-	+\$30	+\$239
		left-handed doors both sides							
		SWWRR121858EP	62 %"	12"	18"	\$1765	_	+\$30	+\$179
		SWWRR151858EP	62 %"	15"	18"	\$1849	-	+\$30	+\$187
		SWWRR181858EP	62 %"	18"	18"	\$1896	_	+\$30	+\$191
		SWWRR2458.5EP	62 %"	24"	18"	\$2379	_	+\$30	+\$239
		right-handed doors both side	s (illustrated	d)					
		SWWRL121858EP	62 %"	12"	18"	\$1765	—	+\$30	+\$179
		SWWRL151858EP	62 %"	15"	18"	\$1849	-	+\$30	+\$187
		SWWRL181858EP	62 %"	18"	18"	\$1896	—	+\$30	+\$191
		SWWRL2458.5EP	62 %"	24"	18"	\$2379	-	+\$30	+\$239
		left-handed door on one side	, right-hand	ed door or	the other				
$\sim$	Nuform Front Single Sided	SWVL121858Q	62 %"	12"	18"	\$1729	+\$191	+\$30	+\$175
	Wardrobe	SWVL151858Q	62 %"	15"	18"	\$1783	+\$197	+\$30	+\$181
		SWVL181858Q	62 %"	18"	18"	\$1880	+\$208	+\$30	+\$190
		left-handed door							
		SWVR121858Q	62 %"	12"	18"	\$1729	+\$191	+\$30	+\$175
		SWVR151858Q	62 %"	15"	18"	\$1783	+\$197	+\$30	+\$181
		SWVR181858Q	62 %"	18"	18"	\$1880	+\$208	+\$30	+\$190
		right-handed door (illustrated)							
	Nuform Front Single Sided	SWVL121858QP	62 %"	12"	18"	\$1814	+\$200	+\$30	+\$184
	Wardrobe with pass-thru	SWVL151858QP	62 %"	15"	18"	\$1917	+\$212	+\$30	+\$193
	capability	SWVL181858QP	62 %"	18"	18"	\$1972	+\$218	+\$30	+\$198
		left-handed door							
		SWVR121858QP	62 %"	12"	18"	\$1814	+\$200	+\$30	+\$184
Q		SWVR151858QP	62 %"	15"	18"	\$1917	+\$212	+\$30	+\$193
		SWVR181858QP	62 %"	18"	18"	\$1972	+\$218	+\$30	+\$198
		right-handed door (illustrated)							

- To be used with 64" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Nuform Classic and Select options available
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product SWWLL121845EP with a Rectangular Glide would be \$1468 +\$26

						Round g	lides		
		Part number	н	w	D	Nuform classic/ base price	Nuform F select	Rectangular glides	Accent paint
1	Nuform Front Double	SWWLL121858Q	62 %"	12"	18"	\$2016	+\$223	+\$30	+\$203
5	Sided Wardrobe	SWWLL151858Q	62 %"	15"	18"	\$2115	+\$233	+\$30	+\$213
E		SWWLL181858Q	62 %"	18"	18"	\$2168	+\$239	+\$30	+\$220
		SWWLL2458.5Q left-handed doors both sides	62 %"	24"	18"	\$2750	+\$303	+\$30	+\$277
		SWWRR121858Q	62 %"	12"	18"	\$2016	+\$223	+\$30	+\$203
		SWWRR151858Q	62 %"	15"	18"	\$2115	+\$233	+\$30	+\$213
		SWWRR181858Q	62 %"	18"	18"	\$2168	+\$239	+\$30	+\$220
		SWWRR2458.5Q	62 %"	24"	18"	\$2750	+\$303	+\$30	+\$277
		right-handed doors both side		,					
		SWWRL121858Q	62 %"	12"	18"	\$2016	+\$223	+\$30	+\$203
		SWWRL151858Q	62 %"	15"	18"	\$2115	+\$233	+\$30	+\$213
		SWWRL181858Q	62 %"	18"	18"	\$2168	+\$239	+\$30	+\$220
		SWWRL2458.5Q	62 %"	24"	18"	\$2750	+\$303	+\$30	+\$277
		left-handed door on one side	e, right-hand	ed door or	n the other				
1	Nuform Front Double	SWWLL121858QP	62 %"	12"	18"	\$2118	+\$234	+\$30	+\$213
	Sided Wardrobe with pass- thru capability	SWWLL151858QP	62 %"	15"	18"	\$2219	+\$245	+\$30	+\$224
E		SWWLL181858QP	62 %"	18"	18"	\$2276	+\$251	+\$30	+\$230
		SWWLL2458.5QP left-handed doors both sides	62 %"	24"	18"	\$2946	+\$325	+\$30	+\$297
		SWWRR121858QP	62 %"	12"	18"	\$2118	+\$234	+\$30	+\$213
		SWWRR151858QP	62 %"	15"	18"	\$2219	+\$245	+\$30	+\$224
		SWWRR181858QP	62 %"	18"	18"	\$2276	+\$251	+\$30	+\$230
		SWWRR2458.5QP	62 %"	24"	18"	\$2946	+\$325	+\$30	+\$297
		right-handed doors both side	es (illustrated	()					
		SWWRL121858QP	62 %"	12"	18"	\$2118	+\$234	+\$30	+\$213
		SWWRL151858QP	62 %"	15"	18"	\$2219	+\$245	+\$30	+\$224
		SWWRL181858QP	62 %"	18"	18"	\$2276	+\$251	+\$30	+\$230
		SWWRL2458.5QP	62 %"	24"	18"	\$2946	+\$325	+\$30	+\$297

left-handed door on one side, right-handed door on the other

- To be used with 64" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Nuform Classic and Select options available
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product SWWLL121858Q with a Rectangular Glide would be \$2016 +\$30

						Round glides				
		Part number	н	W	D	Coat rod + shelf/ base price	Rectangular glides	Accent paint		
1	Composite Veneer Front	SWWLL2458.5W	62 %"	12"	18"	\$3256	+\$30	+\$328		
	Double Sided Wardrobe	left-handed doors both sides								
		SWWRR2458.5W	62 %"	15"	18"	\$3256	+\$30	+\$328		
		right-handed doors both sides (	illustrated)							
		SWWRL2458.5W	62 1/8"	18"	18"	\$3256	+\$30	+\$328		
		left-handed door on one side, ri	ght-handed	door on th	e other					
1	Composite Veneer Front	SWWLL2458.5WP	62 %"	12"	18"	\$3451	+\$30	+\$347		
	Double Sided Wardrobe with pass-thru capability	left-handed doors both sides								
		SWWRR2458.5WP	62 %"	15"	18"	\$3451	+\$30	+\$347		
		right-handed doors both sides (	illustrated)							
		SWWRL2458.5WP	62 %"	18"	18"	\$3451	+\$30	+\$347		
		left-handed door on one side, right-handed door on the other								

- To be used with 71" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product SWWLL2458.5WP with a Rectangular Glide would be \$3451 +\$30

						Round glides		
		Part number	н	w	D	Coat rod + shelf/ base price	Rectangular glides	Accent paint
1	9900 Series Front Double	SWWLL2464.5E	68 1/8"	24"	18"	\$2251	+\$30	+\$227
	Sided Wardrobe	left-handed doors both sides						
		SWWRR2464.5E	68 %"	24"	18"	\$2251	+\$30	+\$227
		right-handed doors both sides	(illustrated)					
5amon		SWWRL2464.5E	68 1/8"	24"	18"	\$2251	+\$30	+\$227
		left-handed door on one side, i	right-handed	door on th	ne other			
4	9900 Series Front Double	SWWLL2464.5EP	68 %"	24"	18"	\$2449	+\$30	+\$247

K	P

9900 Series Front Double Sided Wardrobe with pass- thru capability	SWWLL2464.5EP left-handed doors both sides	68 7⁄8"	24"	18"	\$2449	+\$30	+\$247		
	SWWRR2464.5EP	68 %"	24"	18"	\$2449	+\$30	+\$247		
	right-handed doors both sides (illustrated)								
	SWWRL2464.5EP	68 %"	24"	18"	\$2449	+\$30	+\$247		
	left-handed door on one side, right-handed door on the other								

- To be used with 71" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options
- Coat rod + shelf is standard

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product SWWLL2464.5E with a Rectangular Glide would be \$2251 +\$30

						Round g	lides		
		Part number	н	w	D	Nuform classic/ base price	Nuform select	Rectangular glides	Accent paint
1 -	Nuform Front Double	SWWLL2464.5Q	68 %"	24"	18"	\$2815	+\$311	+\$30	+\$283
	Sided Wardrobe	left-handed doors both sides							
		SWWRR2464.5Q	68 %"	24"	18"	\$2815	+\$311	+\$30	+\$283
		right-handed doors both side	s (illustrated	d)					
and a		SWWRL2464.5Q	68 %"	24"	18"	\$2815	+\$311	+\$30	+\$283
		left-handed door on one side	, right-hand	led door or	the other				
4	Nuform Front Double	SWWLL2464.5QP	68 %"	24"	18"	\$3010	+\$332	+\$30	+\$303
	Sided Wardrobe with pass- thru capability	left-handed doors both sides					• • •		
		SWWRR2464.5QP	68 %"	24"	18"	\$3010	+\$332	+\$30	+\$303
		right-handed doors both sides (illustrated)							
<b>Y</b> _		SWWRL2464.5QP	68 %"	24"	18"	\$3010	+\$332	+\$30	+\$303
		left-handed door on one side	, right-hand	led door or	the other				

- To be used with 71" H frames
- Ganging hardware is included with wardrobe cabinet
- Pass thru capability creates a horizontal septum where
- jumper cables may "pass thru" the case
- No electrical or data access in wardrobe units
- Nuform Classic and Select options available
- FP001 pull is standard for Nuform and veneer fronts
- Consult General Information for pull options

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product SWWLL2464.5Q with a Rectangular Glide would be \$2815 +\$30

						Round glides		
		Part number	н	w	D	Coat rod + shelf/ base price	Rectangular glides	Accent paint
1 -	Composite Veneer Front	SWWLL2464.5W	68 %"	24"	18"	\$3453	+\$30	+\$347
	Double Sided Wardrobe	left-handed doors both sides						
		SWWRR2464.5W	68 %"	24"	18"	\$3453	+\$30	+\$347
		right-handed doors both sides	(illustrated)					
1.0		SWWRL2464.5W	68 %"	24"	18"	\$3453	+\$30	+\$347
		left-handed door on one side, i	right-handed	door on th	ne other			
1 ~	Composite Veneer Front	SWWLL2464.5WP	68 %"	24"	18"	\$3650	+\$30	+\$367
	Double Sided Wardrobe with pass-thru capability	left-handed doors both sides						
		SWWRR2464.5WP	68 %"	24"	18"	\$3650	+\$30	+\$367
		right-handed doors both sides	(illustrated)					
-		SWWRL2464.5WP	68 %"	24"	18"	\$3650	+\$30	+\$367
		left-handed door on one side, i	right-handed	door on th	ne other			

Laminate Storage exterior cabinet heights are nominal and have an actual dimension of 23.858" from bottom of glide to top of case when the glide is at minimum position. The mobile pedestal is an exception to this dimension rule as it is 21.25". Lateral, pedestal, open bookcase, tower and overhead bin options are available.

### **ANSI/BIFMA**

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications.

# **COUNTERWEIGHTS**

Counterweights are required for ALL freestanding units that are not anchored or ganged to other cabinets or bolted to walls/floor. Mobile Pedestals have a fifth caster installed on front underside which works as anti-tip mechanism, eliminating requirement for counterweight

#### GLIDES

Laminate units are standard with flat glides. Glides allow for 1 ¼" height adjustability.

# LOCKS

Lateral, pedestal, bookcase with drawers, hinged door overhead bin and tower cabinets come standard with lock. Open bookcase and open bin cabinets come standard without locks. Standard with single bitted lock in a Satin Chrome finish. For applications requiring higher security a double bitted solution is available. Random keying is standard, and keyed alike may be ordered. Master keys are available; refer to the accessories section to specify.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Specify cabinet height and width or model number.

# **OVERHEAD BRACKETS**

Overheads are wall mounted and brackets are included in the code. Wall mounting brackets do not include fasteners as they are dependent on the requirements of the wall type. The installer must ensure the surface is adequately constructed and/or braced and that adequate fasteners are used to ensure a secure installation.

### **FINISHES**

All storage cases are available in all of inscape's standard low pressure laminate options (MCC codes).

All fixed storage fronts are default as low pressure laminate (like the cases), and are mounted flush with the front of the top. Mobile pedestal fronts extend past the case top before stoping flush with the top of the case. High pressure laminate is available for storage fronts for an upcharge.

Standard edge banding is 2.5mm and compliments worksurface.

Refer to the Finishes Section of this price list for available colors.

### **CUSHION MOBILE PEDESTALS**


Cushion mobile pedestals are topped with 1.25" thick Cal.117 fire-retardant polyurethane foam with a 2.2lb/ ft. density. This upholstery cushion is balanced with a 7/6" board and is attached to a pedestal top with Velcro. Select from our graded upholstery program of solid color fabrics and vinyl's or choose COM option (Customers Own Material). To determine if a COM fabric has been pre-approved for use on our cushion topper, contact your client services representative or log into INSITE. For application of ALL fabrics, both from our graded program as well as COM (Customer Own Material) please specify layout orientation at time of order. If layup instructions are not provided Inscape will choose the direction to maximize production. Refer to the diagram for layup options.

After calculating the total amount of material needed in inches, divide the total number of inches by 36 for the total yardage and round up to the next full yard. Allow additional for repeat. Add 15% of total fabric required for small and medium pattern repeats. Add 20% of total fabric required for large patterns.

Due to the nature of the design and manufacture of our cushion, only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your client services representative for assistance.

### Please see Finishes section for COM calculator.

# FABRIC LAY UP OF PEDESTAL CUSHIONS



Standard Fabric

Railroad Fabric Application

# FRONT DETAILS & PULL OPTIONS

Laminate Storage offers flush fronts with surface mounted pulls. Refer to the images and chart below for pull application on Laminate Storage.

Pull	Laminate
FP001 P290 Aluminum	٠
Leaf Finish	
FP004 Brushed Nickel Finish	•
Available	• Unavailable
Pull FP004 meet compliance.	t the guidelines for ADA

FP001 pull is the default pull for all Laminate Storage.

No cushion

- Mobile and fixed pedestal options available
- Both laminate pedestal options are locking
- Available pull options for Laminate Storage are FP001 and FP004 (default)
- Storage cases are available in any of Inscape's standard low pressure laminate options (MCC codes)
- Storage fronts are standard in any of Inscape's standard low pressure laminate options (MCC codes) but have the option to select a corresponding high pressure laminate for an upcharge
- Mobile Laminate Pedestals have an optional cushion which is inset from the drawer fronts
- Fixed Laminate Pedestals must be used in a Hat Channel or a Rail Kit with common top application in order to support a worksurface at a 28.5" height
- Mobile pedestal has a caster at each corner and a single caster in the middle of the underside of the unit to make a total of 5 casters. The 5th caster acts as a counterweight.
- Laminate Storage exterior cabinet heights are nominal and have an actual dimension of 23.858" from bottom of glide to top of the case when the glide is at minimum position. The mobile pedestal is an exception to this dimension rule as it is 21.25" H.

- For application of ALL fabrics, both from our graded program as well as COM (customers own material), please specify layup orientation at time of order. If layup instructions are not provided we will choose the direction to maximize our production. Refer to the Finishes Section for additional layout and COM details.
- Models ordered with counter weights will be installed by default to the bottom shelf. When the counter weight is ordered separately it can field installed either on the bottom or the back of the unit.

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product LL1518-BFMC in Grade B/COM fabric would be \$1019 +\$52LL1518-BFMC in Grade C fabric would be \$1019 +\$95

Wt Grade A/ High pressure

/		/	
			•
	Ĩ	1	~
0			

	Part number	Height	w	D	(lbs)	base price	front option	option
6" box, 12" file Laminate Mobile Pedestal Includes cushion	LL1518-BFMC	22"	15 ½"	18"	-	\$1019	+\$276	-\$210
	LL1522-BFMC	22"	15 ½"	22"	-	\$1036	+\$286	-\$222

Exterior

# FABRIC UPCHARGE FOR MOBILE PEDESTALS OPTIONED WITH CUSHION

Note: To price fabric grade options, add the upcharge (+\$) in the chart below to the base price of the List price (Grade A) column. This will be the total cost for that product.

Grade E	B/COM Grade	CI	Grade D	I		Grade E		Grade F
	+\$52 +\$9		+\$134	_		+\$161		+\$230
	+\$52 +\$55	5	+9104			+9101		+9230
			Exterior					High pressure laminate
		Part number	Height	w	D	Wt (Ibs)	Base price	front option
$\frown$	8" box, 12" file Laminate	LL1518-BF	24 ¾" 1	5 ½"	18"	_	\$738	+\$228
	Pedestal	LL1522-BF	24 ¾" 1	5 ½"	22"	-	\$775	+\$245
	no counterweight included	LL1528-BF	24 ¾" 1	5 ½"	28"	_	\$818	+\$262
	8" box, 12" file Laminate Pedestal	LL1518-BFCW	24 ¾" 1	5 ½"	18"	_	\$900	+\$228
	Pedestal	LL1522-BFCW	24 ¾" 1	5 1⁄2"	22"	_	\$934	+\$245
	counterweight included	LL1528-BFCW	24 ¾" 1	5 ½"	28"	_	\$973	+\$262

- Laterals are 18" deep and locking
- · Available pull options for Laminate Storage are FP001 and FP004 (default)
- Storage cases are available in any of Inscape's standard low pressure laminate options (MCC codes)
- Storage fronts are standard in any of Inscape's standard low pressure laminate options (MCC codes) but have the option to select a corresponding high pressure laminate for NOTES an upcharge
- Mobile Laminate Laterals have an optional cushion which is inset from the drawer fronts
- Mobile lateral has a caster at each corner and a single caster in the middle of the underside of the unit to make a total of 5 casters. The 5th caster acts as a counterweight.
- Laminate laterals must be used with a Hat Channel or a Rail Kit in order to support a worksurface at a 28.5" height
- Laminate Storage exterior cabinet heights are nominal and have an actual dimension of 23.858" from bottom of glide to top of bin when the glide is at minimum position

• File drawers are set up to accommodate both side to side or front to back filing Models ordered with counter weights will be installed by default to the bottom shelf. When the counter weight is ordered separately it can field installed either on the bottom or the back of the unit.

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product LL24-BF with high pressure laminate fronts would be \$884 +\$224

	Part number	Exterior Height	W	D	Wt (lbs)	Base price	High pressure laminate front option
6" box, 12" file Laminate	LL2422-BFMC	22"	24"	18"	_	\$1492	+\$240
Mobile Lateral Includes cushion	LL3022-BFMC	22"	30"	18"	-	\$1564	+\$262



Note: To price fabric grade options, add the upcharge (+\$) in the chart below to the base price of the List price (Grade A) column. This will be the total cost for that product.

Grade B/COM	Grade C	Grade D	Grade E	Grade F
+\$76	+\$137	+\$164	+\$200	+\$290

	Part number	Exterior Height	w	D	Wt (lbs)	Base price	High pressure laminate front option
8" box, 12" file Laminate	LL24-BF	24 ¾"	24"	18"	_	\$884	+\$224
Lateral	LL30-BF	24 ¾"	30"	18"	-	\$966	+\$240
no counterweight included	LL36-BF	24 ¾"	36"	18"	_	\$1006	+\$262
	LL42-BF	24 ¾"	42"	18"	-	\$1051	+\$280
8" box, 12" file Laminate	LL24-BFCW	24 ⅔"	24"	18"	_	\$1048	+\$224
Lateral	LL30-BFCW	24 ⅔"	30"	18"	-	\$1136	+\$240
no counterweight included	LL36-BFCW	24 ¾"	36"	18"	_	\$1163	+\$262
	LL42-BFCW	24 ¾"	42"	18"	—	\$1205	+\$280

- Bookcases are 18"deep
- Available pull options for Laminate Storage are FP001 and FP004 (default)
- Storage cases are available in any of Inscape's standard low pressure laminate options (MCC codes)
- Storage fronts are standard in any of Inscape's standard low pressure laminate options (MCC codes) but have the option to select a corresponding high pressure laminate for an upcharge
- Laminate Bookcases must be used with a Hat Channel or a Rail Kit inorder to support a worksurface at a 28.5" height
- Laminate Storage exterior cabinet heights are nominal and have an actual dimension of 23.858" from bottom of glide to top of bin when the glide is at minimum position

• Laminate Open Bookcase with electrical height adjustable cut out is to be used with freestanding tables. The cut out in the top surface will be raw and sealed with a clear varnish.

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product LL2421BKCOPDM with high pressure laminate fronts would be \$1380 +\$210

		Part number	Exterior Height	W	D	Wt (lbs)	Base price	High pressure laminate front option
$\frown$	Laminate Open Bookcase	LL2421BK-SH	24 ¾"	24"	18"	_	\$738	_
	with 1 adjustable shelf	LL3021BK-SH	24 ¾"	30"	18"	_	\$801	_
		LL3621BK-SH	24 ¾"	36"	18"	_	\$839	_
		LL4221BK-SH	24 ¾"	42"	18"	-	\$897	-
	Laminate Open Bookcase	LL2421BKCO-SH	24 ¾"	24"	18"	_	\$839	-
	with 1 shelf and electrical cut out	LL3021BKCO-SH	24 ¾"	30"	18"	_	\$908	_
	cutout	LL3621BKCO-SH	24 ¾"	36"	18"	_	\$972	_
		LL4221BKCO-SH	24 %"	42"	18"	-	\$1009	-
$\frown$	Laminate Open Bookcase	LL2421BKCOPDM	24 ¾"	24"	18"	_	\$1380	+\$210
	with 1 shelf and electrical cut out with drop down door	LL3021BKCOPDM	24 ¾"	30"	18"	_	\$1433	+\$219
		LL3621BKCOPDM	24 ¾"	36"	18"	_	\$1518	+\$224
		LL4221BKCOPDM	24 %"	42"	18"	-	\$1582	+\$236
	Laminate Open Bookcase	LL2421BKHACOL	24 %"	24"	18"	_	\$895	_
	with electrical height	LL3021BKHACOL	24 ¾"	30"	18"	_	\$965	_
	adjustable cut out	left-handed (illustrated)						
		LL2421BKHACOR	24 ¾"	24"	18"	_	\$895	—
		LL3021BKHACOR	24 ¾"	30"	18"	_	\$965	_
		right-handed						

# System

- Combination Bookcase/Laterals are 18"deep and locking
- Available pull options for Laminate Storage are FP001 and FP004 (default)
- Storage cases are available in any of Inscape's standard low pressure laminate options (MCC codes)
- Storage fronts are standard in any of Inscape's standard low pressure laminate options (MCC codes) but have the option to select a corresponding high pressure laminate for an upcharge
- Laminate Combination Bookcase/Laterals must be used with a Hat Channel or a Rail Kit inorder to support a worksurface at a 28.5" height
- Laminate Storage exterior cabinet heights are nominal and have an actual dimension of 23.858" from bottom of glide to top of bin when the glide is at minimum position
- File drawers are set up to accommodate both side to side or front to back filing

• Models ordered with counter weights will be installed by default to the bottom shelf. When the counter weight is ordered separately it can field installed either on the bottom or the back of the unit.

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

# For example:

Product LL2421-BKF with high pressure laminate fronts would be \$1041 +\$250

	Part number	Exterior Height	w	D	Wt (lbs)	Base price	High pressure laminate front option
 Laminate Open Bookcase	LL2421-BKF	24 ¾"	24"	18"	_	\$1041	+\$250
with 12" file drawer below	LL3021-BKF	24 %"	30"	18"	_	\$1079	+\$267
no counterweight included	LL3621-BKF	24 ¾"	36"	18"	_	\$1118	+\$285
	LL4221-BKF	24 3⁄8"	42"	18"	_	\$1199	+\$301
Laminate Open Bookcase	LL2421-BKFCW	24 ¾"	24"	18"	_	\$1207	+\$250
with 12" file drawer below	LL3021-BKFCW	24 ⅔"	30"	18"	-	\$1250	+\$267
counterweight included	LL3621-BKFCW	24 ⅔"	36"	18"	_	\$1273	+\$285
	LL4221-BKFCW	24 ⅔"	42"	18"	—	\$1364	+\$301
 Laminate Open Bookcase	LL2421-BBK	24 ¾"	24"	18"	_	\$1051	+\$154
with 8" box drawer above	LL3021-BBK	24 %"	30"	18"	_	\$1093	+\$158
no counterweight included	LL3621-BBK	<b>2</b> 4 ⅔"	36"	18"	_	\$1141	+\$175
	LL4221-BBK	24 ¾"	42"	18"	_	\$1199	+\$185
Laminate Open Bookcase	LL2421-BBKCW	24 ¾"	24"	18"	_	\$1226	+\$154
with 8" box drawer above	LL3021-BBKCW	24 %"	30"	18"	_	\$1251	+\$158
counterweight included	LL3621-BBKCW	24 ¾"	36"	18"	-	\$1308	+\$175
	LL4221-BBKCW	24 %"	42"	18"	_	\$1363	+\$185

- Hinged Door Cabinets are 18"deep and locking
- Available pull options for Laminate Storage are FP001 and FP004 (default)
- Storage cases are available in any of Inscape's standard low pressure laminate options (MCC codes)
- Storage fronts are standard in any of Inscape's standard low pressure laminate options (MCC codes) but have the option to select a corresponding high pressure laminate for an upcharge
- Laminate Hinged Door Cabinets must be used with a Hat Channel or a Rail Kit inorder to support a worksurface at a 28.5" height
- Laminate Storage exterior cabinet heights are nominal and have an actual dimension of 23.858" from bottom of glide to top of bin when the glide is at minimum position

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product LL2421HD-SH with high pressure laminate fronts would be \$935 +\$201

		Part number	Exterior Height	w	D	Wt (lbs)	Base price	High pressure laminate front option
$\frown$	Laminate Hinged Door	LL2421HD-SH	24 ⅔"	24"	18"	-	\$935	+\$201
	Cabinet with 1 adjustable shelf	LL3021HD-SH	24 ¾"	30"	18"	-	\$973	+\$210
	Shell	LL3621HD-SH	24 ¾"	36"	18"	_	\$979	+\$224
		LL4221HD-SH	24 ¾"	42"	18"	-	\$1011	+\$236

- Available pull options for Laminate Storage are FP001 and FP004 (default)
- · Hinged Door option is locking, the open and sliding door overheads are non-locking
- Storage cases are available in any of Inscape's standard low pressure laminate options (MCC codes)
- Storage fronts are standard in any of Inscape's standard low pressure laminate options (MCC codes) but have the option to select a corresponding high pressure laminate for an upcharge
- Wall mount brackets included but fasteners are not as they are dependent on the requirements of the wall type
- Open Overhead Bins that are 36"w or larger will have a center divider that creates two openings
- Hinged Door Overhead Bins that are 36"w or larger will have a center divider and the unit will have four doors
- Ensure the wall is adequately constructed and/or braced and that adequate fasteners are used to ensure a secure installation.

- Shelf maximum weight capacity is 50lbs.
- Wall mounted brackets are included when specifying each overhead shelf
- Shelf is available in high pressure laminate and mounting brackets are painted
- Wall mounting brackets do not include fasteners as they are dependent on the requirements of the wall type

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product LLSDBIN-24 with high pressure laminate fronts would be \$807 +\$205

		Part number	Exterior Height	W	D	Wt (lbs)	Base price	High pressure laminate front option
	Laminate Overhead Open	LLOBIN-24	14"	24"	15"	_	\$676	-
	Bin	LLOBIN-30	14"	30"	15"	-	\$736	_
		LLOBIN-36	14"	36"	15"	_	\$797	-
		LLOBIN-42	14"	42"	15"	-	\$858	_
		LLOBIN-48	14"	48"	15"	-	\$918	-
		LLOBIN-54	14"	54"	15"	—	\$980	_
		LLOBIN-60	14"	60"	15"	_	\$1041	_
	Laminate Overhead Bin	LLSDBIN-24	14"	24"	15"	_	\$807	+\$205
	with one sliding door	LLSDBIN-30	14"	30"	15"	-	\$876	+\$224
		LLSDBIN-36	14"	36"	15"	-	\$945	+\$236
		LLSDBIN-42	14"	42"	15"	-	\$1014	+\$254
		LLSDBIN-48	14"	48"	15"	-	\$1083	+\$267
		LLSDBIN-54	14"	54"	15"	—	\$1152	+\$285
		LLSDBIN-60	14"	60"	15"	-	\$1221	+\$297
	Laminate Overhead Bin	LLHDBIN-24	14"	24"	15 ¾"	_	\$917	+\$193
	with hinged doors	LLHDBIN-30	14"	30"	15 ¾"	-	\$968	+\$210
		LLHDBIN-36	14"	36"	15 ¾"	-	\$1017	+\$224
		LLHDBIN-42	14"	42"	15 ¾"	_	\$1067	+\$240
		LLHDBIN-48	14"	48"	15 ¾"	_	\$1116	+\$254
		LLHDBIN-54	14"	54"	15 ¾"	—	\$1165	+\$271
		LLHDBIN-60	14"	60"	15 ¾"	—	\$1216	+\$285
		Part number	Exterior Height	w	D	Wt (lbs)	 	gh pressure laminate/ base price
	Laminate Overhead	LLOOS-24	6"	24"	12"	_		\$400
	Open Shelf	LLOOS-30	6"	30"	12"	-		\$450
		LLOOS-36	6"	36"	12"	—		\$500
		LLOOS-42	6"	42"	12"	_		\$575
		LLOOS-48	6"	48"	12"	_		\$650

- Available pull options for Laminate Storage are FP001 and FP004 (default)
- FP001 pull is not recommended for Manhattan Towers
- Storage cases are available in any of Inscape's standard low pressure laminate options (MCC codes)
- Storage fronts are standard in any of Inscape's standard low pressure laminate options (MCC codes) but have the option to select a corresponding high pressure laminate for an upcharge
- The Tower with 12" drawers offer front to back letter sized filing and do not have face mounted pulls
- Interior accessory and shelf options differ slightly between height options for both tower types
- File drawers are set up to accommodate both side to side or front to back filing

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product LLMA2236-L with high pressure laminate fronts would be \$2868 +\$285

		Part number	Exterior Height	w	D	Wt (lbs)	Base price	High pressure laminate front option
$\frown$	36"H Tower with 6"	LLMA2236-L	36"	22"	24"	_	\$2868	+\$285
	wardrobe on one side, 2-12" drawers with opening above on the	left handed (illustrated)						
	other	LLMA2236-R	36"	22"	24"	—	\$2868	+\$285
		right handed						
$\frown$	54"H Tower with 6"	LLMA2254-L	54"	22"	24"	_	\$3133	+\$285
	wardrobe and 1 adjustable shelf on one side, 2-12"	left handed (illustrated)						
	drawers with opening above and adjustable shelf on the other	LLMA2254-R	54"	22"	24"	—	\$3133	+\$285
		right handed						
$\frown$	36"H Slide Out Tower with	LLMB1536-L	36"	15"	24"	_	\$2606	+\$285
	wardrobe and multiple storage compartments	left handed (illustrated)						
		LLMB1536-R	36"	15"	24"	—	\$2606	+\$285
		right handed						
	54"H Slide Out Tower with	LLMB1554-L	54"	15"	24"	_	\$2872	+\$285
	wardrobe and multiple storage compartments	left handed (illustrated)						
		LLMB1554-R	54"	15"	24"	-	\$2872	+\$285
		right handed						

System

- End Filler Trim Includes mounting hardware to attach to the adjacent Laminate Storage cases
- End Filler Trim is available in any of Inscape's standard low pressure laminate options (MCC codes)
- Specific for cushion, common top or rail kit with common top above

ī.

		Part number	н	w	D	Wt (lbs)	List price
	Ganging Kit for Laminate Storage	PFGK-L	_	_	-	_	\$13
	End Filler Trim without Cutout To be used in a cushion, common top or rail kit with top application	LLETNC	25"	3 1/2"	-	-	\$123
and the second s	End Filler Trim with Cutout To be used in a cushion, common top or rail kit with top application	LLETCO	25"	3 1⁄2"	-	-	\$146

ī.

1

1

- Hat Channel heights are nominal and they support a standard worksurface height of 28.5"
- Hat Channels are available in any of Inscape's standard paint finishes
- Rail kits are optional on laminate cases, DO NOT specify if a cushion is to be installed
- Lateral kits install with the rail running the width of the case (side to side)
- Pedestal kits install with the rail running the depth of the case (front to back)
- Planna Storage Support Brackets are shipped as a pair and are both required worksurface installation

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
	9"W x 3.363"H Hat Channel For use with Laminate Storage with no common top or rail kit	HATCHNL3.363	3 1⁄3"	9"	3"	2	\$48	+\$8
$\diamond$	Lateral Rail Kit with wood screws	LL-KIT24 LL-KIT30 LL-KIT36 LL-KIT42		24" 30" 36" 42"	18" 18" 18" 18"	5 5 6 6	\$145 \$149 \$153 \$158	+\$16 +\$16 +\$16 +\$17
$\diamond$	Pedestal Rail Kit with wood screws	LL-KIT15.518 LL-KIT15.522 LL-KIT15.528	-	15 ½" 15 ½" 15 ½"	18" 22" 28"	3 4 5	\$144 \$149 \$153	+\$15 +\$16 +\$16
	Planna Bracket (pair) Adjustable Height	PSUPBKT	-	-	-	1	\$85	+\$11

- These cushions are specified and shipped separately from the case
- Velcro is included with the cushion for adhesion on the case
- Cushions are 1.25" thick and are to be specified with using only approved Upholstery standards from Inscape or COM
- For application of ALL fabrics, both from our graded program as well as COM (customers own material), please specify layup orientation at time of order. If layup instructions are not provided we will choose the direction to maximize our production. Refer to the Finishes Section for additional layout and COM details.

# NOTES


In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product LLPEDCUSH1518SL in Grade C fabric would be \$254 +\$95

	Part number	н	w	D	Wt (lbs)	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F
<	LLPEDCUSH1518SL	1 ¼"	15 ½"	18"	-	\$254	+\$52	+\$95	+\$134	+\$161	+\$230
	LLPEDCUSH1522SL	1 ¼"	15 ½"	22"	-	\$260	+\$52	+\$95	+\$134	+\$161	+\$230
	LLPEDCUSH1528SL	1 ¼"	15 ½"	28"	—	\$269	+\$52	+\$95	+\$134	+\$161	+\$230

# Cushion for Laminate Pedestal



LLPEDMCUSH1518	1 ¼"	15 ½"	17.2"	_	\$254	+\$52	+\$95	+\$134	+\$161	+\$230
LLPEDMCUSH1522	1 ¼"	15 ½"	21.2"	—	\$260	+\$52	+\$95	+\$134	+\$161	+\$230

Cushion for Laminate Mobile Pedestal

		Part number	w	D	Laminate/ base price	Grade 1 laminate
	Pedestal Top	LLN1518	15"	18"	\$83	+\$27
		LLN1522	15"	22"	\$109	+\$36
		LLN1528	15"	28"	\$133	+\$44
	Pedestal Top	LLN15.518	15 ½"	18"	\$83	+\$27
		LLN15.222	15 ½"	22"	\$109	+\$36
		LLN15.528	15 ½"	28"	\$133	+\$44
	18"D Single Depth	LLN1830	30"	18"	\$144	+\$47
	Lateral Top	LLN1836	36"	18"	\$165	+\$54
		LLN1842	42"	18"	\$188	+\$61
		LLN1845	45"	18"	\$204	+\$66
		LLN1845.5	45 ½"	18"	\$204	+\$66
		LLN1851	51"	18"	\$219	+\$71
		LLN1851.5	51 ½"	18"	\$219	+\$71
		LLN1857	57"	18"	\$237	+\$78
		LLN1857.5	57 ½"	18"	\$237	+\$78
		LLN1860	60"	18"	\$252	+\$82
		LLN1866	66"	18"	\$274	+\$89
		LLN1872	72"	18"	\$296	+\$95
		LLN1878	78"	18"	\$318	+\$102
		LLN1884	84"	18"	\$338	+\$110
		LLN1890	90"	18"	\$363	+\$118
		LLN1896	96"	18"	\$377	+\$122
	21"D Single Depth Lateral Top	LLN2130	30"	21"	\$160	+\$52
	Laterar top	LLN2136	36"	21"	\$183	+\$59
		LLN2142	42"	21"	\$206	+\$67
		LLN2145	45"	21"	\$222	+\$73
		LLN2145.5	45 ½"	21"	\$222	+\$73
		LLN2151	51"	21"	\$242	+\$79
		LLN2151.5	51 ½"	21"	\$242	+\$79
		LLN2157	57"	21"	\$258	+\$84
		LLN2157.5	57 ½"	21"	\$258	+\$84
		LLN2160 LLN2166	60" 66"	21" 21"	\$277	+\$90
		LLN2166 LLN2172	66" 72"	21" 21"	\$302 \$206	+\$97 +\$105
		LLN2172	72"	21"	\$206	+\$105
		LLN2178 LLN2184	78 84"	21 21"	\$348	+\$113
		LLN2190	90"	21"	\$397	+\$120
		LLN2196	90 96"	18"	\$435	+\$128
		LLIN2 190	90	10	<b>\\$\\$\\$\\$\\$\\$\\$\\$\\$</b>	+ <b>⊅</b> 140





work for ^{tomorrow}

Inscape System accessories include panel and table-mounted organizers, bin/shelf-mounted slanted sorters, whiteboards, wall-mounted tack boards, panel mounted accessory shelves, pencil drawer, signage, a picture hook, coat hook and table-mounted accessory shelves. The panel and table-mounted organizers are easy to install, move and reconfigure and provide a comprehensive solution for effectively managing paper and other office supplies.

# HORIZONTAL ORGANIZERS

A variety of work tool Horizontal Organizers may be positioned at any point along the width of the paper management tiles. The three slat design allows for three different height options - customizing and providing adjustability to suit individual needs and preferences. Re-positioning the height of the trays can be easily done by lifting the trays out of the slats on the tile. Horizontal paper management accessories are available in colors shown in the Color Guide. These paper management organizers can withstand max 5lbs. The storage compartments are clear plastic. The Personal Box is 32" W and may be mounted on a paper management tile. The maximum weight capacity of the personal box is 22lbs. The sliding door may be painted in colors shown in the Color Guide. The "box" portion is constructed of an MDF substrate wrapped in white laminate.

# COAT HOOKS, PICTURE HOOKS AND SIGNAGE

Coat Hooks, Picture Hooks and Signage are manufactured from steel and snap onto panel crossrails without tools. Signage is available 9" W. The sign insert channel is 1" H. Insert is customer generated and can be printed on any printer compatible paper. Printing instructions are included. A strip of clear plastic slides into the channel to protect the printed identification card.

# PENCIL DRAWERS

Pencil Drawers can be installed under any Inscape System worksurface and are available in two different widths, increasing the amount of usable storage within the workstation.

### PANEL-MOUNTED ACCESSORY SHELVES

Panel-Mounted Accessory Shelves mount onto Inscape System panels and hold small items such as picture frames and clocks. Manufactured from extruded aluminum, accessory shelves are available in seven widths and protrude only 5 ¹/₈" from the panel once installed.

# TABLE MOUNTED ACCESSORY SHELVES

Table Mounted Accessory Shelves are 8" deep and available in a variety of widths. Shelves are shipped with mounting hardware to clamp onto the 1" or 1.25" thick surface.

### **TOUCH UP PAINT**

Touch Up Paint is available in ½ pint cans to repair minor scratches on trim, tiles and cabinets. Paint may also be specified in aerosol cans for any of our standard paint colors with the exception of mica and textured paint finishes. Custom enamel finishes are available in liquid only.

NOTE: Restrictions may apply to shipping aerosol cans; contact your Client Services Representative.

# **CPU HOLDER**

The CPU Holder mounts to the underside of any 1" or 1.25" thick worksurface. The AU200CU is nonlocking and has a track size of 17". This CPU holder has a weight capacity of 13lbs. This CPU holder has a plastic glide track style. The AU300CU is nonlocking with a weight capacity of 17lbs and has a track size of 17" with a ball bearing style track. All CPU holders have a height range of 14.5"/22.5" and a width range of 3.5"/9.3".

# TILE REVEAL STRIPS

Tile Reveal Strips install onto the edge of 13.5" H tiles to conceal cabling passing between tiles. Two tile reveal strips per tile abutment are required to conceal opening. (Reveal strips are included with 6.75" H tiles).

NOTE: Reveal strips for steel/upholstered tiles are not interchangeable with reveal strips for Woodgrain tiles. To be used when a brick pattern tile configuration is specified.

# WORKSURFACE STRETCHER BAR

Worksurface stretcher bar is additional structural support for unsupported worksurfaces of 54" or greater. It is 1  $\frac{1}{2}$ " H and the length of the stretcher bar is chosen based on the width of the worksurface. Be sure that there are no legs or panel mounted worksurface support brackets that may interfere with the stretcher bar.

### PANEL-MOUNTED WHITEBOARDS

Panel-Mounted Whiteboards are available in two tile heights and in five tile widths. They are manufactured from steel and are powder-coated with white paint specially formulated for dry erase markers.

NOTE: Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

### **CROSSRAILS**

Crossrails are available for order when a tile configuration requires a different mount of the tile from where crossrails are placed when shipped. These crossrails are based on the width of the panel as well as the thickness, either 2.75" or 3.5". Crossrails are shipped with mounting hardware as well as tile clips.

#### **MODESTY PANELS**

Modesty Panels are available in a variety of options including painted, Nuform, laminate, veneer, acrylic and frame frosted acrylic. Panels are available in Partial Height of 13.5" and Full Height of 24" versions and a number of widths. Calculations must be made to determine the correct width dimension of Modesty Panel should be specified to accommodate the desired space. All mounting hardware is included in the product code and are installed on-site.

### TABLE MOUNTED FABRIC SCREEN

The Table Mounted Fabric Screen is constructed of a 1.5" thick extruded aluminum frame and is designed to provide modesty and privacy to adjacent work areas. This 37" H screen mounts onto a 1" or 1.25" thick worksurface and may be adjusted vertically to create the desired privacy or modesty. The tackable 0.5" thick core may be specified in any of Inscape's standard fabrics or COM. Height adjustable brackets allow for various screen height positions. It is recommended that the table mounted screen be installed 20" above the surface with 16" below. Table mounted screens cannot be attached at 90° connections to 3.5" thick frames.

### TABLE MOUNTED ACRYLIC SCREENS

Table Mounted Acrylic Screens ship with standoff hardware to mount to a 1" or a 1.25" thick worksurface. The acrylic is a white finish with pre-drilled holes. When mounted, the screen extends 15.5" above the worksurface. Mounting hardware is included within the kit.

### FREESTANDING TABLE SCREENS

The Freestanding Side Screen acts as a portable or stationary screen that separates two spaces adjacent to one another. The screen is made of 6mm thick frosted acrylic which is 13" H, seated in a painted aluminum extrusion, which can be painted any of Inscape's standard colors. The width of the screens is such that they are 5" less than the depth of our standard worksurfaces.

### ADD-ON GLAZING

Add-on Glazing is manufactured from ¼" tempered glass. A ⁴/₈" tempered glass is also available. Glazing may be mounted to the top of any equivalent Inscape System frame or combination of frames outlined in the Application Guide. Glazing is available in clear, gray, etched one or two sides and designer glass Strie options. Add-on Glazing includes top trim, glass mounting extrusion and specified glass. Add-on Glazing is specified based on the thickness of the panel.

NOTE: Hi-lo Add-on Glazing must be specified when installed directly adjacent to a higher panel at an inline situation only. The glaze and extrusion are inset on one side to allow for hi-lo vertical trim on the adjacent higher panel. If the situation calls for hi-lo on both sides, a special may be required. An Add-on Glazing alignment clip is included with each Add-on Glaze ordered.

# WALL MOUNTED ACCESSORIES

Wall Mounted Accessories include tackboards, whiteboards and paper management rails. These accessories ship with mounting hardware and instructions on how to install them onto the wall. Re-enforcing of the wall should be taken into account when wall mounting any accessory for additional weight. Tackboards may be specified with any of our standard fabrics or a COM all are applied railroad orientation. The paper management rail may be specified with any of the colors found in the Color Guide.

Bin/Shelf-Mounted sorters install beneath overhead bins and shelves and hold literature, correspondence, notes, etc. Sorters are available in right and lefthanded models and are easily repositioned by sliding horizontally along the length of the bin or shelf. Sorters ship in packages of three and may be painted in any of Inscape's color options. Bin and shelf sorters are specific to the unit they are being mounted on. Sorters are suitable for paper literature. Sliding Dividers may be placed in the overhead bin within a channel and slid to divide binders and other literature.

# **MAGNETIC WHITEBOARDS**

Magnetic Whiteboards are available to mount on the side access tower. Available in 13.25" width only and two heights, the magnetic whiteboard is manufactured from steel and powder-coated with white paint formulated for use with dry-erase markers. Magnetic whiteboards include a 10.5" W marker tray.

NOTE: Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

### **HANGFILE BARS**

Hangfile Bars are shipped as a pair and are used for 10.5", 12", 13.5", 15" and 16.5" pullout shelves/ drawers.

# INVIROMASS COUNTERWEIGHTS

Inviromass Counterweights for field installation "IMCW-30, IMCW-36 and IMCW-42" consist of one Inviromass plate and one retaining wire. These plates are to be field installed into lateral file cabinet by inserting the 30", 36" or 42" W retaining wire into holes in the left and right hand rear stripe's.

The "INCW" for field installation consists of two 24lbs steel plates. These are affixed to back interior of case using peel and stripe two way tape.

### SYSTEM CARE KITS

System Care Kits are panel thickness specific. Included in this care kit is the following: panel hook and latch assembly, 2-way 90° connectors, tile clips, end of line plugs, Dekko electrical clips, inline connector and trim clips.

### **BACK PAINTED GLASS**

Back Painted Glass is a 6mm tempered glass addition to the back of Planna Storage cases. This glass is installed on the back of the case with stand off assemblies and holes that are field drilled into the case. Glass is painted on one side and available in white. Mounting hardware included.

# SUPERSTOR™ INSERTS

SuperStor[™] Inserts can be specified as an 'option' in the upper stack unit of the Storwal Storage system. It may also be purchased separately and field installed using #10 self-drilling 'Tek' screws. The pre slotted back panel of the insert accepts SuperStor[™] Trays which are available in any of Inscape's standard paint colors plus textured finishes. Trays must be specified separately and for ease of specification are sold in packages: standard trays - package of 6, small trays - package of 3. The 30" insert is slotted to accept 12 Standard Trays (2 pkgs) and 3 Small Trays (1 pkg), the 36" insert is slotted to accept 18 Standard Trays

(3 pkgs) and 3 Small Trays (1 pkg).

#### PLANNA SUPPORT BRACKET

Planna support bracket is specified to be mounted on Planna rail and floats the worksurface off the bracket. Bracket is available in all standard paint colors. Bracket "snaps" into the rail without the need for tools. These are shipped as a pair and both must be installed per worksurface.

# HAT CHANNEL

Hat channels are used to support a worksurface off of a 21"ID Planna storage case and are available in any of Inscape's standard paint finishes. They are nominal in height and support a worksurface at a standard 28.5" height.

### LATERAL AND PEDESTAL RAIL KITS

Lateral and Pedestal Rail Kits are available for separate purchase to create alternative applications when mounted on standard Office Specialty cases. These kits must be field installed. Rail Kits consist of a pair of extruded aluminum rails painted in 'Aluminum Leaf' and a pair of mounting rails that act as a 'reveal' and secure the Planna Storage rails into a box substructure to support the Planna Storage 0.5 " thick lateral top.

End anchor units must be 36" W. Specify CREDENZA STORAGE-KIT36 separately. Center units will be positioned back-to-back and may be 30", 36" or 42" W.

# If Center Units = 30" W,

specify 2 x CREDENZA STORAGEKIT3615 If Center Units = 36" W, specify 2 x CREDENZA STORAGEKIT36 If Center Units = 42" W, specify 2 x CREDENZA STORAGEKIT3621

Using pre-configured or buildup cases with 36" I.D. (interior dimension) will provide finished height to top of worksurface of 43". Use adjustment in Planna Storage brackets to lower worksurface height to suit seating height.

### LATERAL TOPS

The Lateral Tops are available in  $\frac{1}{2}$  and  $\frac{3}{8}$  thick options. The 1/2" thick option has been designed for Planna Storage applications in freestanding, benching or private office applications (may be specified on any lateral case). When being specified with the top fully spanning the Planna Storage benching frame or partially, there are a number of tops to accommodate the clean visual of having a continuous top over the panel. Depths are 1.75" or 3.5" deeper than standard tops to accommodate the various Planna Storage benching applications. The 21.5" deep Planna Storage lateral tops work in conjunction with the two Planna Storage units which access electrical through the back of the case. The 3.5" gap created behind the case provides space for cables to be plugged in and routed into the case. The same concept may be applied when specifying lateral tops for Private Office applications and requiring an additional 3.5" deep top. The 3/8" top is ideal for Storwal Storage applications and freestanding laterals. These are NOT to be specified on Planna Storage cases.

# **CUSHION PROGRAM**


The Cushion Program consists of a slim line 1.25" thick 5-piece cushion featuring double row top stitching for a crisp, rectilinear styling. Interior is Cal. 117 fireretardant polyurethane foam with a 2.2lb/ft. density. This upholstered cushion is balanced with a 7/6" board and is attached to the cabinet top with Velcro. Select from our graded upholstery program of solid color fabrics and vinyl's or choose COM option (Customers Own Material). To determine if a COM fabric has been pre-approved for use on our cushion topper, contact your Client Services Representative or go to **inscapesolutions.com**.

For application of all fabrics, both from our graded program as well as COM (Customers Own Material) please specify lay-up orientation at time of order. If lay-up instructions are not provided we will choose the direction to maximize our production. Refer to diagram for lay-up instructions. Please contact your Client Services Representative to confirm yardage requirements for your order. All COM fabric must be pre-approved. Your CSR can determine if your COM has already been pretested for application. A fully graded program has been set up for cushions. Various sizes of cushion have been designed for applications ranging from freestanding, benching and private office applications.

### **CUSHION APPLICATION NOTES**


When ordering a Planna Storage cushion to lie flush next to a Planna Storage case with rail/lateral surface, select your Planna Storage case with 'no rails' option.





Standard Fabrie Application Railroad Fabric Application

LATERAL FABRIC LAY UP INSTRUCTIONS



Application

Railroad Fabr Application

Due to the nature of the design and manufacture of our cushion, only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your Client Services Representative for assistance.

Please see Finishes section for COM calculator.

# STORWAL STORAGE SUPPORT BRACKETS

Storwal Storage Support Brackets support one side of a worksurface off the Storwal Storage case. The other side must be supported by using a combination of post legs, cantilevers and/or MSSB brackets. Support brackets are used to support worksurfaces from storage cases. A fixed height and an adjustable height bracket allow for the option of adjustment or not. Be sure to specify correct support with adjustment at all points along the worksurface if height adjustment is a priority. Adjustment is available in five heights to support various working styles.

#### STORWAL STORAGE TACKBOARDS

Storwal Storage Tackboards mount to the back of an Storwal Storage stacked case and should be specified based on this width and height. Tack boards are available in any of Inscape's standard fabric offerings in addition to COM. White or extremely light colored COM fabric will incur an up charge of 25% to the tackboard pricing due to special handling of the fabric. Fabric is applied in a railroad orientation.

# STORWAL STORAGE WHITEBOARDS

Storwal Storage Whiteboards are specified based on whether they are or are not being installed adjacent to sliding doors. If one is being specified adjacent to a case where there is a sliding door, then the appropriate code is to be specified as the whiteboard will not ship with the whiteboard mounting hardware as it will come with the sliding door. If there is no sliding door adjacent then the appropriate code will ensure mounting hardware is shipped. Whiteboards are powder coated with paint specially formulated for dry erase markers.

NOTE: Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

# STORWAL STORAGE BACK PAINTED GLASS WHITEBOARDS

Storwal Storage Back Painted Glass Whiteboards are specified for the backs of Storwal Storage stack units. The glass is installed on-site and all additional hardware is included. Back Painted Glass Whiteboards come with a white back paint. Cannot be installed adjacent to a sliding door.

# ELECTRICAL MODULE SIDE COVER

Electrical Module Side Cover is specified for the end of an Storwal Storage unit to conceal the technology zone when a panel, screen or Cable Closet is not specified. This is a value engineered solution for the finishing of an Storwal Storage run. This cover may be painted the same colors as the Storwal Storage cases.

### ELECTRICAL MODULE FRONT COVER

An Electrical Module Front Cover is standard with all Storwal Storage base cases; one side with cutout and one side without. When the configuration of an Storwal Storage base unit calls for additional cutouts or no cutouts on the other side of the unit, the appropriate front cover may be specified. The 30" W front cover only includes one cutout.

The Storwal Storage Adapter Frames provide a method of attaching various panel systems (3" or less) to Storwal Storage cases. The Adapter Frame Filler Kit installs between two Storwal Storage cases and an Adapter Frame End Kit installs on the end of a row of Storwal Storage cases. The adapter frames provide a surface to secure panel wall start brackets from other panel systems. Adapter frames are available in three heights to match Storwal Storage case heights.

# STORWAL STORAGE TO FRAME CONNECTING BRACKETS

Storwal Storage to Frame Connecting Brackets secure a frame to the Storwal Storage unit. There is a shared version for the 2.75" and 3.5" version and a 1.5" screen has its own bracket. When specifying the connection bracket for 2.75" and 3.5" the Filler Inserts (which ship as a pair) are required at each connecting location.

 Horizontal Paper Management accessories hang on panel mounted or wall hung paper management tile

		Part number	н	W	Wt (lbs)	Neutral paint/ base price	Accent paint
	Storage Compartment	INSC4334	1 1⁄2"	3"	0.1	\$23	_
	Acrylic	INSC4534	1 1⁄2"	5"	0.1	\$25	-
Y		INSC4734	1 1⁄2"	7"	0.1	\$26	_
	Hang file Brackets Acrylic	INSBKT	2"	1 ¼"	0.3	\$51	_
$\sim$	Slanted Sorter	INHLHSS	11 ¾"	2 ¼"	4	\$70	+\$10
A		left-handed					
$/ \setminus /$		INHRHSS	11 ¾"	2 ¼"	4	\$70	+\$10
		right-handed (illustrated)					
$\wedge$	Filing Box	INBTFB	9"	10"	2	\$120	+\$14
$\sim$	Storage Box	INBTSB	2"	12"	2	\$135	+\$16
$\langle \rangle$							

 Horizontal Paper Management accessories hang on panel mounted or wall hung paper management tile

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
$\bigcirc$	Closed Shelf	INBTSHC	2"	12"	2	\$154	+\$18
	Open Shelf	INBTSHF	2"	12"	2	\$102	+\$13
$\langle \rangle$	Open Shelf, Short	INBTSHFSH	2"	9"	2	\$102	+\$13

	Part number	н	w	Wt (Ibs)	Neutral paint/ base price	Grade 1 Iaminate	Accent paint
Personal Box	INBTPB	8"	32"	15	\$763	+\$245	+\$79

- $\bullet$  "2F" denotes use with 2  $^{3\!\!}4$  " thick frame
- "3F" denotes use with 3 1/2" thick frame
- Storage Catchall is available in black only
- Pencil Drawer is available in black only
- Pencil Drawer installed depth is 15 ¼" and the extened

depth is 26"

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	Signage (Qty of 6)	INPS2259-1	2 ¼"	9"	1	\$97	+\$12
000							
	Coat Hook	INCOATHOOK-3F	_	_	1	\$28	+\$6
-		INCOATHOOK-2F	_	-	1	\$28	+\$6
2.	Picture Hook	INPICHOOK-3F	_	_	1	\$25	+\$6
		INPICHOOK-2F	-	-	1	\$25	+\$6
	Storage Catchall	INTTO	2 ¼"	9 ¼"	1	\$48	-
	Pencil Drawer	INPFPD15	_	15"	3	\$77	_
100 C 100 C	Undersurface mounted	INPFPD22.75	_	22 ¾"	4	\$84	-

• Table mounted shelf mounts to 1" or 1 ¼" thick

worksurfaces and sits 7  $^{1\!/_2"}$  off the main worksurface

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
\$	Panel Mounted Accessory	INPAS5.524	_	24"	3	\$186	+\$21
1	Shelf	INPAS5.530	_	30"	3	\$195	+\$21
Channel and the second		INPAS5.536	-	36"	3	\$205	+\$22
		INPAS5.542	-	42"	3	\$216	+\$23
		INPAS5.548	_	48"	4	\$230	+\$25
		INPAS5.554	—	54"	4	\$237	+\$25
		INPAS5.560	_	60"	4	\$247	+\$26
ħ	ADDWALL Accessory	INPUSBA5.524	_	24"	3	\$186	+\$21
1	Shelf	INPUSBA5.530	_	30"	3	\$195	+\$21
Contraction of the second seco		INPUSBA5.536	_	36"	3	\$205	+\$22
		INPUSBA5.542	_	42"	3	\$216	+\$23
		INPUSBA5.548	-	48"	4	\$230	+\$25
		INPUSBA5.554	_	54"	4	\$237	+\$25
		INPUSBA5.560	-	60"	4	\$247	+\$26
	Touch-up paint for standard enamel finishes	PAINT	_	_	0.5	\$41	_
	Specify finish. Can contains a half pint						

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Grade 1 Iaminate	Accent paint
(m	Table Mounted Shelf	INTMS24	7 1/2"	24"	7	\$352	+\$15	+\$38
5		INTMS30	7 1⁄2"	30"	8	\$379	+\$20	+\$40
		INTMS36	7 1⁄2"	36"	9	\$399	+\$25	+\$42
		INTMS42	7 ½"	42"	10	\$434	+\$24	+\$45

- "3F" denotes use with 3 1/2" thick frame
- CPU holder mounts to the underside of a worksurface (See Inscape System Application Guide)

	Part number	н	W	Wt (lbs)	List price
CPU Holder	INAU200CU	14.5"-22.5"	3.5"-9.3"	13	\$354
	INAU300CU	14.5"-22.5"	3.5"-9.3"	13	\$431
 Tile Reveal Strips (Qty of 6)	INTRS13.5	_	_	0.1	\$27
	INTRSWG13.5	-	-	0.1	\$38
System Care Kit	INCAREKT-3F	_	_	_	\$128
For use with 3 1/2" T frames	INCAREKT-2F	_	_	-	\$106

# NOTES

 Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

		Part number	н	W	Wt (lbs)	List price
		raithumber		vv	WT (IDS)	List price
*	13.5" H Panel Mounted	INWHBD24135-3F	13.5"	24"	10	\$255
A	Whiteboard For use with 3 ½" T frames	INWHBD30135-3F	13.5"	30"	13	\$263
	Tor use with 5 72 Thankes	INWHBD36135-3F	13.5"	36"	14	\$270
		INWHBD42135-3F	13.5"	42"	16	\$281
		INWHBD48135-3F	13.5"	48"	18	\$288
×	27" H Panel Mounted	INWHBD2427-3F	27"	24"	11	\$338
8	Whiteboard For use with 3 ½" T frames	INWHBD3027-3F	27"	30"	13	\$347
	Tor use with 5 72 Thankes	INWHBD3627-3F	27"	36"	14	\$354
		INWHBD4227-3F	27"	42"	16	\$362
		INWHBD4827-3F	27"	48"	18	\$371
*	13.5" H Panel Mounted	INWHBD24135-2F	13.5"	24"	10	\$255
A	Whiteboard For use with 2 ¾" T frames	INWHBD30135-2F	13.5"	30"	13	\$263
		INWHBD36135-2F	13.5"	36"	14	\$270
		INWHBD42135-2F	13.5"	42"	16	\$281
		INWHBD48135-2F	13.5"	48"	18	\$288
- B	27" H Panel Mounted	INWHBD2427-2F	27"	24"	11	\$338
A CONTRACT	Whiteboard For use with 2 ¾" T frames	INWHBD3027-2F	27"	30"	13	\$347
	TO USE WITZ 74 THAINES	INWHBD3627-2F	27"	36"	14	\$354
		INWHBD4227-2F	27"	42"	16	\$362
		INWHBD4827-2F	27"	48"	18	\$371

- "3F" denotes use with 3  $\ensuremath{^{1\!/}_{2}}$  " thick frame
- Crossrails may be installed on a frame of the same thickness in pre-drilled locations in frame

		Part number	н	w	Wt (lbs)	List price
	Crossrail	INCRAIL18-3F	_	18"	1	\$26
( and	For use with 3 1/2" T frames	INCRAIL24-3F	-	24"	1	\$28
and a second	Includes tile clips	INCRAIL30-3F	_	30"	1	\$31
		INCRAIL36-3F	_	36"	1	\$33
F		INCRAIL42-3F	_	42"	2	\$36
ALL DESCRIPTION OF ALL DESCRIPTI		INCRAIL48-3F	_	48"	2	\$39
8		INCRAIL54-3F	_	54"	2	\$43
		INCRAIL60-3F	—	60"	2	\$45
and the second s	Crossrail For use with 2 ¾" T frames	INCRAIL18-2F	_	18"	1	\$26
(manual)	Includes tile clips	INCRAIL24-2F	_	24"	1	\$28
Contract of the second		INCRAIL30-2F	-	30"	1	\$31
		INCRAIL36-2F	-	36"	1	\$33
		INCRAIL42-2F	-	42"	2	\$36
Constanting the second		INCRAIL48-2F	_	48"	2	\$39
		INCRAIL54-2F	-	54"	2	\$43
		INCRAIL60-2F	—	60"	2	\$45
	Rectangular Glide (Pair) Gray finish	INFRMREC-GLIDE	-	-	-	\$47

# System

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Modesty panel use with a Height Adjustable Table, specify modesty panel 12" shorter in length than the surface
- Nuform finish is on one side with white backer

# NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product INMDPNP30 in Veneer would be \$288 +\$137

		Destauration			14/4 (H= =)	Neutral paint/	Accent
		Part number	н	W	Wt (lbs)	base price	paint
	Painted Partial Height Modesty Panel	INMDPNP30	13 ½"	30"	5	\$125	+\$15
		INMDPNP33	13 ½"	33"	5.5	\$128	+\$15
		INMDPNP36	13 ½"	36"	6	\$130	+\$15
		INMDPNP39	13 ½"	39"	6.5	\$133	+\$16
		INMDPNP42	13 ½"	42"	7	\$136	+\$16
		INMDPNP45	13 ½"	45"	7.5	\$140	+\$16
		INMDPNP48	13 ½"	48"	8	\$147	+\$17
		INMDPNP51	13 ½"	51"	8.5	\$149	+\$17
		INMDPNP54	13 ½"	54"	9	\$151	+\$17
		INMDPNP57	13 ½"	57"	9.5	\$154	+\$18
		INMDPNP60	13 ½"	60"	10	\$156	+\$18
		INMDPNP63	13 ½"	63"	10.5	\$158	+\$18
		INMDPNP66	13 ½"	66"	11	\$160	+\$18
		INMDPNP69	13 ½"	69"	11.5	\$161	+\$18
		INMDPNP72	13 ½"	72"	12	\$164	+\$19

	Part number	н	w	Wt (lbs)	Nuform classic/ laminate/base price	Nuform select	Grade 1 Iaminate	Veneer	Accent paint
	INMDPNW30	13 ½"	30"	12	\$288	+\$32	+\$93	+\$137	+\$30
	INMDPNW33	13 ½"	33"	13	\$308	+\$34	+\$99	+\$140	+\$32
	INMDPNW36	13 ½"	36"	14	\$316	+\$36	+\$102	+\$154	+\$33
	INMDPNW39	13 ½"	39"	15	\$353	+\$40	+\$115	+\$136	+\$38
	INMDPNW42	13 ½"	42"	16	\$360	+\$41	+\$117	+\$153	+\$39
	INMDPNW45	13 ½"	45"	17.5	\$369	+\$42	+\$120	+\$166	+\$40
Wood Core Partial Height	INMDPNW48	13 ½"	48"	19	\$375	+\$43	+\$121	+\$190	+\$40
Modesty Panel	INMDPNW51	13 ½"	51"	20	\$411	+\$46	+\$132	+\$174	+\$44
	INMDPNW54	13 ½"	54"	21	\$418	+\$47	+\$134	+\$196	+\$44
	INMDPNW57	13 ½"	57"	22	\$428	+\$48	+\$137	+\$209	+\$45
	INMDPNW60	13 ½"	60"	23.5	\$449	+\$50	+\$146	+\$209	+\$47
	INMDPNW63	13 ½"	63"	24.5	\$524	+\$58	+\$168	+\$157	+\$54
	INMDPNW66	13 ½"	66"	26	\$546	+\$61	+\$176	+\$157	+\$56
	INMDPNW69	13 ½"	69"	27	\$566	+\$63	+\$183	+\$158	+\$58
	INMDPNW72	13 ½"	72"	28	\$589	+\$65	+\$190	+\$165	+\$60
	INMDPNW75	13 ½"	75"	29	\$656	+\$73	+\$211	+\$121	+\$66
	INMDPNW78	13 ½"	78"	30.5	\$661	+\$74	+\$213	+\$137	+\$67
	INMDPNW81	13 ½"	81"	31.5	\$668	+\$75	+\$216	+\$154	+\$67
	INMDPNW84	13 ½"	84"	33	\$672	+\$75	+\$217	+\$170	+\$68
	INMDPNW87	13 ½"	87"	34	\$678	+\$76	+\$219	+\$186	+\$68
	INMDPNW90	13 ½"	90"	35	\$682	+\$76	+\$220	+\$201	+\$70

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included

- Modesty panel use with a Height Adjustable Table, specify modesty panel 12" shorter in length than the surface
- Acrylic Partial Height Modesty Panel comes in white acrylic only

//	

	Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
Acrylic Partial Height Modesty Panel	INMDPNA30	13 ½"	30"	4	\$472	+\$49
	INMDPNA33	13 ½"	33"	4.5	\$476	+\$50
	INMDPNA36	13 ½"	36"	5	\$484	+\$50
	INMDPNA39	13 ½"	39"	5.5	\$489	+\$51
	INMDPNA42	13 ½"	42"	6	\$495	+\$51
	INMDPNA45	13 ½"	45"	6	\$506	+\$52
	INMDPNA48	13 ½"	48"	6.5	\$511	+\$53
	INMDPNA51	13 ½"	51"	7	\$533	+\$55
	INMDPNA54	13 ½"	54"	7.5	\$557	+\$57
	INMDPNA57	13 ½"	57"	8	\$578	+\$59
	INMDPNA60	13 ½"	60"	8	\$608	+\$62
	INMDPNA63	13 ½"	63"	8.5	\$635	+\$64
	INMDPNA66	13 ½"	66"	9	\$666	+\$67
	INMDPNA69	13 ½"	69"	9.5	\$693	+\$71
	INMDPNA72	13 ½"	72"	10	\$724	+\$75
	INMDPNA75	13 ½"	75"	10	\$737	+\$77
	INMDPNA78	13 ½"	78"	10.5	\$754	+\$78
	INMDPNA81	13 ½"	81"	11	\$769	+\$80
	INMDPNA84	13 ½"	84"	11.5	\$786	+\$81
	INMDPNA87	13 ½"	87"	12	\$802	+\$83
	INMDPNA90	13 ½"	90"	12	\$819	+\$84

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- · Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included

Frame Frosted Acrylic

Panel

- · Modesty panel use with a Height Adjustable
- Table, specify modesty panel 12" shorter in length than the surface

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.



Neutral paint/ base price Accent paint Part number н w Wt (lbs) INMDPNG30 13 ½" 30" 4.3 \$707 +\$73 Partial Height Modesty INMDPNG33 \$732 13 ½" 33" 4.7 +\$76 INMDPNG36 13 ½" 36" 5 \$754 +\$78 INMDPNG39 13 ½" 39" 5.4 \$777 +\$81 INMDPNG42 42" 5.7 \$800 13 ½" +\$83 **INMDPNG45** 13 ½" 45" 6.1 \$824 +\$85 **INMDPNG48** 13 ½" 48" 6.4 \$846 +\$87 INMDPNG51 13 ½" 51" 6.8 \$871 +\$89 **INMDPNG54** 54" 7.1 \$894 13 ½" +\$91 **INMDPNG57** 57" \$915 13 1/2" 7.5 +\$93 INMDPNG60 13 ½" 60" 7.9 \$940 +\$96 INMDPNG63 13 ½" 63" 8.2 \$1095 +\$112 8.6 INMDPNG66 13 ½" 66" \$1118 +\$114 **INMDPNG69** 13 ½" 69" 8.9 \$1142 +\$116 72" 9.3 INMDPNG72 13 ½" \$1165 +\$119 INMDPNG75 13 1/2" 75" 9.6 \$1188 +\$121 INMDPNG78 13 ½" 78" 10 \$1210 +\$123 INMDPNG81 13 ½" 81" 10.4 \$1234 +\$125 **INMDPNG84** 13 ½" 84" 10.7 \$1256 +\$127 87" INMDPNG87 13 ½" 11.1 \$1282 +\$129 INMDPNG90 13 1/2" 90" 11.4 \$1304 +\$131

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Modesty panel use with a Height Adjustable Table, specify modesty panel 12" shorter in length than the surface
- Nuform finish is on one side with white backer

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INMDFHPNW30 in Veneer would be \$371 +\$235

$\leq$	and a start of	1
	1	

#### Wood Core Full Height Modesty Panel

Part number	н	w	Wt (lbs)	Nuform classic/ laminate/base price	Nuform select	Grade 1 Iaminate	Veneer	Accent paint
INMDFHPNW30	24"	30"	21.5	\$371	+\$42	+\$120	+\$235	+\$40
INMDFHPNW33	24"	33"	23.6	\$404	+\$46	+\$130	+\$240	+\$43
INMDFHPNW36	24"	36"	25.8	\$412	+\$46	+\$133	+\$269	+\$44
INMDFHPNW39	24"	39"	27.9	\$471	+\$53	+\$152	+\$253	+\$49
INMDFHPNW42	24"	42"	30.1	\$480	+\$54	+\$155	+\$282	+\$50
INMDFHPNW45	24"	45"	32.3	\$430	+\$48	+\$139	+\$372	+\$45
INMDFHPNW48	24"	48"	34.4	\$500	+\$56	+\$161	+\$350	+\$52
INMDFHPNW51	24"	51"	36.6	\$618	+\$68	+\$199	+\$271	+\$63
INMDFHPNW54	24"	54"	38.7	\$629	+\$71	+\$202	+\$311	+\$64
INMDFHPNW57	24"	57"	40.9	\$637	+\$71	+\$204	+\$340	+\$65
INMDFHPNW60	24"	60"	47	\$655	+\$73	+\$211	+\$363	+\$66
INMDFHPNW63	24"	63"	45.2	\$682	+\$76	+\$220	+\$373	+\$70
INMDFHPNW66	24"	66"	47.3	\$700	+\$78	+\$225	+\$395	+\$71
INMDFHPNW69	24"	69"	49.5	\$720	+\$80	+\$231	+\$417	+\$75
INMDFHPNW72	24"	72"	51.7	\$734	+\$82	+\$236	+\$449	+\$76
INMDFHPNW75	24"	75"	52.8	\$838	+\$93	+\$269	+\$385	+\$86
INMDFHPNW78	24"	78"	56	\$844	+\$94	+\$271	+\$418	+\$87
INMDFHPNW81	24"	81"	58.1	\$849	+\$94	+\$272	+\$452	+\$87
INMDFHPNW84	24"	84"	60.3	\$855	+\$95	+\$274	+\$484	+\$88
INMDFHPNW87	24"	87"	62.4	\$860	+\$95	+\$276	+\$519	+\$88
INMDFHPNW90	24"	90"	64.6	\$869	+\$96	+\$279	+\$549	+\$89

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Modesty panel use with a Height Adjustable Table, specify modesty panel 12" shorter in length than the surface

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	Frame Frosted Acrylic Full	INMDFHPNG30	24"	30"	6.4	\$844	+\$87
	Height Modesty Panel	INMDFHPNG33	24"	33"	6.9	\$877	+\$90
		INMDFHPNG36	24"	36"	7.4	\$910	+\$93
		INMDFHPNG39	24"	39"	7.9	\$945	+\$96
		INMDFHPNG42	24"	42"	8.4	\$976	+\$99
		INMDFHPNG45	24"	45"	8.9	\$1011	+\$102
		INMDFHPNG48	24"	48"	9.4	\$1044	+\$106
		INMDFHPNG51	24"	51"	9.9	\$1077	+\$110
		INMDFHPNG54	24"	54"	10.4	\$1111	+\$113
		INMDFHPNG57	24"	57"	10.9	\$1143	+\$116
		INMDFHPNG60	24"	60"	11.4	\$1177	+\$120
		INMDFHPNG63	24"	63"	11.9	\$1343	+\$135
		INMDFHPNG66	24"	66"	12.5	\$1377	+\$139
		INMDFHPNG69	24"	69"	13	\$1409	+\$142
		INMDFHPNG72	24"	72"	13.5	\$1444	+\$147
		INMDFHPNG75	24"	75"	14	\$1475	+\$150
		INMDFHPNG78	24"	78"	14.5	\$1510	+\$154
		INMDFHPNG81	24"	81"	15	\$1544	+\$157
		INMDFHPNG84	24"	84"	15.5	\$1574	+\$160
		INMDFHPNG87	24"	87"	16	\$1609	+\$163
		INMDFHPNG90	24"	90"	16.5	\$1639	+\$166

- Table mounted screens mount to worksurfaces
- It is recommended that the Adjustable Framed Table Mounted Screen is installed to allow 20" of visual privacy
- Freestanding Table Screen is made of 6mm thick frosted acrylic which is 13" H, seated in a painted aluminum extrusion, which can be painted any of Inscape's standard colors. This screen is 5" less in depth than depth of worksurface it will be placed on
- Hardware is included

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product MST3736 in Grade 5 Fabric would be \$562 +\$144

Product SWTMS48 in White Acrylic would be \$802 +\$97

	Part number	Н	W	Wt (lbs)	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Accent paint
-	MST3736	37"	36"	13	\$562	+\$53	+\$83	—	+\$144	+\$267	+\$394	—	+\$58
1	MST3742	37"	42"	15	\$586	+\$54	+\$84	_	+\$144	+\$271	+\$398	_	+\$60
1	MST3748	37"	48"	16	\$609	+\$59	+\$85	_	+\$145	+\$274	+\$402	—	+\$62
1	MST3754	37"	54"	18	\$630	+\$61	+\$90	—	+\$148	+\$282	+\$411	—	+\$64
]	MST3760	37"	60"	19	\$652	+\$66	+\$95	_	+\$148	+\$288	+\$421	_	+\$66

37" H Adjustable Framed Table Mounted Screen Tackable

		Part number	н	w	Wt (lbs)	Clear acrylic/ base price	Veneer	Frosted acrylic
	Table Mounted Acrylic	SWTMS48	20"	48"	4	\$802	+\$97	+\$95
	Screen	SWTMS54	20"	54"	5	\$1258	+\$202	+\$198
2		SWTMS60	20"	60"	6	\$1458	+\$201	+\$197

	Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
Freestanding Table Screen	INSPS24	13"	19"	2	\$112	+\$14
	INSPS30	13"	25"	2.5	\$156	+\$18
	INSPS32	13"	28"	3	\$163	+\$18
	INSPS36	13"	31"	3.5	\$169	+\$19

- Table mounted screens mount to worksurfaces
- Table Mounted Screen/Modesty has 14" of the tackboard mounted above the surface and 13 ¹/₂" below
- Flat and Curved Table Mounted Metal Screens include an optional tackboard which, when selected, ships separately
- Flat Table Mounted Metal Screens are for use with any surface
- Curved Table Mounted Metal Screens are for use with INLAK Freestanding and Mobile Tables only
- Curved Table Mounted Metal Screens are for use on worksufaces with a width of 48" or 60" depending on screen chosen
- Hardware is included

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.


For example: Product INTMSF2948 in Grade B Fabric would be \$1186 +\$168

Part number	н	W	Wt (lbs)	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F	Accent paint
INTMSF2948	29"	48"	-	\$1186	+\$168	+\$462	+\$895	+\$1078	+\$1472	+\$120
INTMSF2954	29"	54"	_	\$1203	+\$327	+\$639	+\$1083	+\$1290	+\$1811	+\$122
INTMSF2960	29"	60"	—	\$1284	+\$375	+\$723	+\$1209	+\$1439	+\$2013	+\$130


Table Mounted Screen/ Modesty Tackable

P

							Тас	kboard Fa	bric optior	IS			
	Part number	н	w	Screen list/base price	No fabric tackboard	Grade 1/ COM	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Accent paint
1	INWMMFS2146	21 ¼"	46"	\$726	-\$242	+\$0	+\$74	+\$115	-	-	-	+\$545	+\$79
	INWMMFS2158	21 ¼"	58"	\$829	-\$252	+\$0	+\$83	+\$130	—	—	—	+\$545	+\$89



Flat Table Mounted Metal Screen



INWMMCS2148	21 ¼"	48"	\$798	-\$242	+\$0	+\$81 +\$1	125 —	_	_	+\$596	+\$86
INWMMCS2160	21 ¼"	60"	\$961	-\$252	+\$0	+\$95 +\$1	150 —	_	-	+\$710	+\$102

Curved Table Mounted Metal Screen

#### Accessories Add-on Glazing 3 1/2" T

# System

- "2F" denotes use with 2 ³/₄" thick frame "3F" denotes use with 3 ¹/₂" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add-on Glazing
- Add-on Glazing up to 60" W require two additional Jesters to be specified if spanning multiple frames (ie a 60" W AOG installed on 2-30" frames)
- Tapered is not available in 66" or wider
- List/Base for 0.25" thick is clear glass
- 0.38" thick is NOT available in tapered

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG6.7518-3F 0.25" thick glass with Gray would be \$148 + \$85

The same product upgraded to 0.38" thick glass would be \$148 +\$73 +\$196

				Glazing thickness option	0.25" thick finish options				0.38" th	ptions		
	Part number	w	List/base / 0.25" thick glazing price	0.38" thick glazing	Clear	Gray	Etched 1 side	Etched 2 side	Clear	Gray	Etched 1 side	Accent paint
//	INAG6.7518-3F	18"	\$148	+\$73	+\$0	+\$85	+\$85	+\$155	+\$0	+\$196	+\$196	+\$17
1	INAG6.7524-3F	24"	\$183	+\$90	+\$0	+\$82	+\$82	+\$156	+\$0	+\$208	+\$208	+\$20
	INAG6.7530-3F	30"	\$208	+\$103	+\$0	+\$100	+\$100	+\$197	+\$0	+\$252	+\$252	+\$23
6.75" H Add-On Glazing	INAG6.7536-3F	36"	\$229	+\$114	+\$0	+\$110	+\$110	+\$240	+\$0	+\$273	+\$273	+\$25
For use with 3 1/2" T frames	INAG6.7542-3F	42"	\$245	+\$122	+\$0	+\$114	+\$114	+\$250	+\$0	+\$288	+\$288	+\$26
	INAG6.7548-3F	48"	\$264	+\$129	+\$0	+\$118	+\$118	+\$255	+\$0	+\$304	+\$304	+\$28
	INAG6.7554-3F	54"	\$282	+\$140	+\$0	+\$121	+\$121	+\$259	+\$0	+\$317	+\$317	+\$30
	INAG6.7560-3F	60"	\$304	+\$151	+\$0	+\$133	+\$133	+\$287	+\$0	+\$348	+\$348	+\$32
	INAG6.7566-3F	66"	\$315	+\$155	+\$0	+\$165	+\$165	+\$311	+\$0	+\$401	+\$401	+\$33
	INAG6.7572-3F	72"	\$331	+\$164	+\$0	+\$184	+\$184	+\$340	+\$0	+\$436	+\$436	+\$34
	INAG6.7578-3F	78"	\$422	+\$206	+\$0	+\$142	+\$142	+\$292	+\$0	+\$419	+\$419	+\$45
	INAG6.7584-3F	84"	\$493	+\$243	+\$0	+\$119	+\$119	+\$261	+\$0	+\$419	+\$419	+\$51
	INAG6.7590-3F	90"	\$565	+\$279	+\$0	+\$94	+\$94	+\$231	+\$0	+\$419	+\$419	+\$58
	INAG6.7596-3F	96"	\$637	+\$314	+\$0	+\$71	+\$71	+\$201	+\$0	+\$419	+\$419	+\$65
	INAGHL6.7518-3F	18"	\$148	+\$73	+\$0	+\$85	+\$85	+\$155	+\$0	+\$196	+\$196	+\$17
	INAGHL6.7524-3F	24"	\$183	+\$90	+\$0	+\$82	+\$82	+\$156	+\$0	+\$208	+\$208	+\$20
4 4	INAGHL6.7530-3F	30"	\$208	+\$103	+\$0	+\$100	+\$100	+\$197	+\$0	+\$252	+\$252	+\$23
	INAGHL6.7536-3F	36"	\$229	+\$114	+\$0	+\$110	+\$110	+\$240	+\$0	+\$273	+\$273	+\$25
6.75" H Hi-Lo Add-On	INAGHL6.7542-3F	42"	\$245	+\$122	+\$0	+\$114	+\$114	+\$250	+\$0	+\$288	+\$288	+\$26
Glazing For use with 3 ½" T frames	INAGHL6.7548-3F	48"	\$264	+\$129	+\$0	+\$118	+\$118	+\$255	+\$0	+\$304	+\$304	+\$28
For use with 5 /2 T frames	INAGHL6.7554-3F	54"	\$282	+\$140	+\$0	+\$121	+\$121	+\$259	+\$0	+\$317	+\$317	+\$30
	INAGHL6.7560-3F	60"	\$304	+\$151	+\$0	+\$133	+\$133	+\$287	+\$0	+\$348	+\$348	+\$32
	INAGHL6.7566-3F	66"	\$315	+\$155	+\$0	+\$165	+\$165	+\$311	+\$0	+\$401	+\$401	+\$33
	INAGHL6.7572-3F	72"	\$331	+\$164	+\$0	+\$184	+\$184	+\$340	+\$0	+\$436	+\$436	+\$34
	INAGHL6.7578-3F	78"	\$422	+\$206	+\$0	+\$142	+\$142	+\$292	+\$0	+\$419	+\$419	+\$45
	INAGHL6.7584-3F	84"	\$493	+\$243	+\$0	+\$119	+\$119	+\$261	+\$0	+\$419	+\$419	+\$51
	INAGHL6.7590-3F	90"	\$565	+\$279	+\$0	+\$94	+\$94	+\$231	+\$0	+\$419	+\$419	+\$58
	INAGHL6.7596-3F	96"	\$637	+\$314	+\$0	+\$71	+\$71	+\$201	+\$0	+\$419	+\$419	+\$65

#### Accessories Add-on Glazing 3 1/2" T

# System

- "2F" denotes use with 2 3/4" thick frame "3F" denotes use with 3 1/2" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add-on Glazing
- Add-on Glazing up to 60" W require two additional Jesters to be specified if spanning multiple frames (ie a 60" W AOG installed on 2-30" frames)
- Tapered is not available in 66" or wider
- List/Base for 0.25" thick is clear glass
- 0.38" thick is NOT available in tapered

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG13.518-3F 0.25" thick glass with Gray would be \$156 +\$81

The same product upgraded to 0.38" thick glass would be \$156 +\$79 +\$194

				Glazing thickness option	0.25" thick finish options				0.38" th			
	Part number	w	List/base / 0.25" thick glazing price	0.38" thick glazing	Clear	Gray	Etched 1 side	Etched 2 side	Clear	Gray	Etched 1 side	Accent paint
//	INAG13.518-3F	18"	\$156	+\$79	+\$0	+\$81	+\$81	+\$149	+\$0	+\$194	+\$194	+\$18
· //	INAG13.524-3F	24"	\$185	+\$91	+\$0	+\$83	+\$83	+\$158	+\$0	+\$210	+\$210	+\$20
13.5" H Add-On	INAG13.530-3F	30"	\$210	+\$105	+\$0	+\$103	+\$103	+\$198	+\$0	+\$256	+\$256	+\$23
Glazing	INAG13.536-3F	36"	\$237	+\$118	+\$0	+\$123	+\$123	+\$238	+\$0	+\$300	+\$300	+\$25
For use with 3 ½" T	INAG13.542-3F	42"	\$265	+\$131	+\$0	+\$144	+\$144	+\$278	+\$0	+\$343	+\$343	+\$28
frames	INAG13.548-3F	48"	\$293	+\$145	+\$0	+\$164	+\$164	+\$317	+\$0	+\$389	+\$389	+\$30
	INAG13.554-3F	54"	\$321	+\$158	+\$0	+\$184	+\$184	+\$354	+\$0	+\$430	+\$430	+\$33
	INAG13.560-3F	60"	\$348	+\$171	+\$0	+\$203	+\$203	+\$395	+\$0	+\$475	+\$475	+\$38
	INAG13.566-3F	66"	\$374	+\$185	+\$0	+\$226	+\$226	+\$425	+\$0	+\$519	+\$519	+\$40
	INAG13.572-3F	72"	\$435	+\$212	+\$0	+\$203	+\$203	+\$402	+\$0	+\$518	+\$518	+\$46
	INAG13.578-3F	78"	\$495	+\$244	+\$0	+\$192	+\$192	+\$382	+\$0	+\$528	+\$528	+\$51
	INAG13.584-3F	84"	\$559	+\$274	+\$0	+\$181	+\$181	+\$363	+\$0	+\$542	+\$542	+\$57
	INAG13.590-3F	90"	\$621	+\$306	+\$0	+\$160	+\$160	+\$343	+\$0	+\$542	+\$542	+\$63
	INAG13.596-3F	96"	\$684	+\$338	+\$0	+\$148	+\$148	+\$322	+\$0	+\$554	+\$554	+\$70

#### Accessories Add-on Glazing 3 1/2" T

# System

- "2F" denotes use with 2 ³/₄" thick frame "3F" denotes use with 3 ¹/₂" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add-on Glazing
- Add-on Glazing up to 60" W require two additional Jesters to be specified if spanning multiple frames (ie a 60"w AOG installed on 2-30" frames)
- Tapered is not available in 66" or wider
- List/Base for 0.25" thick is clear glass
- 0.38" thick is NOT available in tapered

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAGHL13.518-3F 0.25" thick glass with Gray would be \$156 + 81

The same product upgraded to 0.38" thick glass would be \$156 +\$79 +\$194

				Glazing thickness option	0.25" thick finish options				0.38" th			
	Part number	W	List/base / 0.25" thick glazing price	0.38" thick glazing	Clear	Gray	Etched 1 side	Etched 2 side	Clear	Gray	Etched 1 side	Accent paint
	INAGHL13.518-3F	18"	\$156	+\$79	+\$0	+\$81	+\$81	+\$149	+\$0	+\$194	+\$194	+\$18
16	INAGHL13.524-3F	24"	\$185	+\$91	+\$0	+\$83	+\$83	+\$158	+\$0	+\$210	+\$210	+\$20
1	INAGHL13.530-3F	30"	\$210	+\$105	+\$0	+\$103	+\$103	+\$198	+\$0	+\$256	+\$256	+\$23
	INAGHL13.536-3F	36"	\$237	+\$118	+\$0	+\$123	+\$123	+\$238	+\$0	+\$300	+\$300	+\$25
13.5" H Hi-Lo Add-On Glazing For use with 3 ½" T frames	INAGHL13.542-3F	42"	\$265	+\$131	+\$0	+\$144	+\$144	+\$278	+\$0	+\$343	+\$343	+\$28
	INAGHL13.548-3F	48"	\$293	+\$145	+\$0	+\$164	+\$164	+\$317	+\$0	+\$389	+\$389	+\$30
	INAGHL13.554-3F	54"	\$321	+\$158	+\$0	+\$184	+\$184	+\$354	+\$0	+\$430	+\$430	+\$33
	INAGHL13.560-3F	60"	\$348	+\$171	+\$0	+\$203	+\$203	+\$395	+\$0	+\$475	+\$475	+\$38
	INAGHL13.566-3F	66"	\$374	+\$185	+\$0	+\$226	+\$226	+\$425	+\$0	+\$519	+\$519	+\$40
	INAGHL13.572-3F	72"	\$435	+\$212	+\$0	+\$203	+\$203	+\$402	+\$0	+\$518	+\$518	+\$46
	INAGHL13.578-3F	78"	\$495	+\$244	+\$0	+\$192	+\$192	+\$382	+\$0	+\$528	+\$528	+\$51
	INAGHL13.584-3F	84"	\$559	+\$274	+\$0	+\$181	+\$181	+\$363	+\$0	+\$542	+\$542	+\$57
	INAGHL13.590-3F	90"	\$621	+\$306	+\$0	+\$160	+\$160	+\$343	+\$0	+\$542	+\$542	+\$63
	INAGHL13.596-3F	96"	\$684	+\$338	+\$0	+\$148	+\$148	+\$322	+\$0	+\$554	+\$554	+\$70

		Part number	List price
	Add-On Glazing Top Cap Clip for 3 ½" T Flat	QCCLIPASSY-3F	\$8
1	Trim Applications		



\$7



Add-On Glazing Top Cap Clip for 3 ½" T Tapered Trim Applications

QCCLIPASSY-3FT

Inscape - State of Connecticut Price List | Contract #16PSX0171 | November 2019

- "2F" denotes use with 2 ³/₄" thick frame "3F" denotes use with 3 ¹/₂" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add-on Glazing
- Add-on Glazing up to 60" W require two additional Jesters to be specified if spanning multiple frames (ie a 60" W AOG installed on 2-30" frames)
- Tapered is not available in 2 3/4 "T
- List/Base for 0.25" thick is clear glass
- 0.38" thick is NOT available in tapered

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG6.7518-2F 0.25" thick glass with Gray would be \$148 + \$85

The same product upgraded to 0.38" thick glass would be \$148 + \$73 + \$196

				Glazing thickness option	0.25" thick finish options		\$	0.38" th				
	Part number	w	List/base / 0.25" thick glazing price	0.38" thick glazing	Clear	Gray	Etched 1 side	Etched 2 side	Clear	Gray	Etched 1 side	Accent paint
//	INAG6.7518-2F	18"	\$148	+\$73	+\$0	+\$85	+\$85	+\$155	+\$0	+\$196	+\$196	+\$17
1	INAG6.7524-2F	24"	\$183	+\$90	+\$0	+\$82	+\$82	+\$156	+\$0	+\$208	+\$208	+\$20
	INAG6.7530-2F	30"	\$208	+\$103	+\$0	+\$100	+\$100	+\$197	+\$0	+\$252	+\$252	+\$23
6.75" H Add-On Glazing For use with 2 ¾" T frames	INAG6.7536-2F	36"	\$229	+\$114	+\$0	+\$110	+\$110	+\$240	+\$0	+\$273	+\$273	+\$25
	INAG6.7542-2F	42"	\$245	+\$122	+\$0	+\$114	+\$114	+\$250	+\$0	+\$288	+\$288	+\$26
	INAG6.7548-2F	48"	\$264	+\$129	+\$0	+\$118	+\$118	+\$255	+\$0	+\$304	+\$304	+\$28
	INAG6.7554-2F	54"	\$282	+\$140	+\$0	+\$121	+\$121	+\$259	+\$0	+\$317	+\$317	+\$30
	INAG6.7560-2F	60"	\$304	+\$151	+\$0	+\$133	+\$133	+\$287	+\$0	+\$348	+\$348	+\$32
	INAG6.7566-2F	66"	\$315	+\$155	+\$0	+\$165	+\$165	+\$311	+\$0	+\$401	+\$401	+\$33
	INAG6.7572-2F	72"	\$331	+\$164	+\$0	+\$184	+\$184	+\$340	+\$0	+\$436	+\$436	+\$34
	INAG6.7578-2F	78"	\$422	+\$206	+\$0	+\$142	+\$142	+\$292	+\$0	+\$419	+\$419	+\$45
	INAG6.7584-2F	84"	\$493	+\$243	+\$0	+\$119	+\$119	+\$261	+\$0	+\$419	+\$419	+\$51
	INAG6.7590-2F	90"	\$565	+\$279	+\$0	+\$94	+\$94	+\$231	+\$0	+\$419	+\$419	+\$58
	INAG6.7596-2F	96"	\$637	+\$314	+\$0	+\$71	+\$71	+\$201	+\$0	+\$419	+\$419	+\$65
//	INAG13.518-2F	18"	\$156	+\$79	+\$0	+\$81	+\$81	+\$149	+\$0	+\$194	+\$194	+\$18
/	INAG13.524-2F	24"	\$185	+\$91	+\$0	+\$83	+\$83	+\$158	+\$0	+\$210	+\$210	+\$20
12 5" LL Add On Claring	INAG13.530-2F	30"	\$210	+\$105	+\$0	+\$103	+\$103	+\$198	+\$0	+\$256	+\$256	+\$23
13.5" H Add-On Glazing For use with 2 ¾" T frames	INAG13.536-2F	36"	\$237	+\$118	+\$0	+\$123	+\$123	+\$238	+\$0	+\$300	+\$300	+\$25
	INAG13.542-2F	42"	\$265	+\$131	+\$0	+\$144	+\$144	+\$278	+\$0	+\$343	+\$343	+\$28
	INAG13.548-2F	48"	\$293	+\$145	+\$0	+\$164	+\$164	+\$317	+\$0	+\$389	+\$389	+\$30
	INAG13.554-2F	54"	\$321	+\$158	+\$0	+\$184	+\$184	+\$354	+\$0	+\$430	+\$430	+\$33
	INAG13.560-2F	60"	\$348	+\$171	+\$0	+\$203	+\$203	+\$395	+\$0	+\$475	+\$475	+\$38
	INAG13.566-2F	66"	\$374	+\$185	+\$0	+\$226	+\$226	+\$425	+\$0	+\$519	+\$519	+\$40
	INAG13.572-2F	72"	\$435	+\$212	+\$0	+\$203	+\$203	+\$402	+\$0	+\$518	+\$518	+\$46
	INAG13.578-2F	78"	\$495	+\$244	+\$0	+\$192	+\$192	+\$382	+\$0	+\$528	+\$528	+\$51
	INAG13.584-2F	84"	\$559	+\$274	+\$0	+\$181	+\$181	+\$363	+\$0	+\$542	+\$542	+\$57
	INAG13.590-2F	90"	\$621	+\$306	+\$0	+\$160	+\$160	+\$343	+\$0	+\$542	+\$542	+\$63
	INAG13.596-2F	96"	\$684	+\$338	+\$0	+\$148	+\$148	+\$322	+\$0	+\$554	+\$554	+\$70

#### Accessories Add-on Glazing 2 3/4" T

# System

- "2F" denotes use with 2 3/4" thick frame "3F" denotes use with 3 1/2" thick frame
- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the "Inscape System Application Guide"
- One glaze Alignment clip is included with each Add-on Glazing
- Add-on Glazing up to 60"w require two additional Jesters to be specified if spanning multiple frames (ie a 60"w AOG installed on 2-30" frames)
- Tapered is not available in 2 3/4 "T
- List/Base for 0.25" thick is clear glass
- 0.38" thick is NOT available in tapered

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INAGHL13.518-2F 0.25" thick glass with Gray would be \$156 +\$81

The same product upgraded to 0.38" thick glass would be \$156 +\$79 +\$194

				Glazing thickness option	0.:	25" thick fir	nish options	;	0.38" th			
	Part number	w	List/base / 0.25" thick glazing price	0.38" thick glazing	Clear	Gray	Etched 1 side	Etched 2 side	Clear	Gray	Etched 1 side	Accent paint
þ.	INAGHL13.518-2F	18"	\$156	+\$79	+\$0	+\$81	+\$81	+\$149	+\$0	+\$194	+\$194	+\$18
	INAGHL13.524-2F	24"	\$185	+\$91	+\$0	+\$83	+\$83	+\$158	+\$0	+\$210	+\$210	+\$20
	INAGHL13.530-2F	30"	\$210	+\$105	+\$0	+\$103	+\$103	+\$198	+\$0	+\$256	+\$256	+\$23
	INAGHL13.536-2F	36"	\$237	+\$118	+\$0	+\$123	+\$123	+\$238	+\$0	+\$300	+\$300	+\$25
13.5" H Hi-Lo Add-On	INAGHL13.542-2F	42"	\$265	+\$131	+\$0	+\$144	+\$144	+\$278	+\$0	+\$343	+\$343	+\$28
Glazing	INAGHL13.548-2F	48"	\$293	+\$145	+\$0	+\$164	+\$164	+\$317	+\$0	+\$389	+\$389	+\$30
For use with 2 3/4 T frames	INAGHL13.554-2F	54"	\$321	+\$158	+\$0	+\$184	+\$184	+\$354	+\$0	+\$430	+\$430	+\$33
	INAGHL13.560-2F	60"	\$348	+\$171	+\$0	+\$203	+\$203	+\$395	+\$0	+\$475	+\$475	+\$38
	INAGHL13.566-2F	66"	\$374	+\$185	+\$0	+\$226	+\$226	+\$425	+\$0	+\$519	+\$519	+\$40
	INAGHL13.572-2F	72"	\$435	+\$212	+\$0	+\$203	+\$203	+\$435	+\$0	+\$518	+\$518	+\$46
	INAGHL13.578-2F	78"	\$495	+\$244	+\$0	+\$192	+\$192	+\$382	+\$0	+\$528	+\$528	+\$51
	INAGHL13.584-2F	84"	\$559	+\$274	+\$0	+\$181	+\$181	+\$363	+\$0	+\$542	+\$542	+\$57
	INAGHL13.590-2F	90"	\$621	+\$306	+\$0	+\$160	+\$160	+\$343	+\$0	+\$542	+\$542	+\$63
	INAGHL13.596-2F	96"	\$684	+\$338	+\$0	+\$148	+\$148	+\$322	+\$0	+\$554	+\$554	+\$70

	Part number	List price	
Add-On Glazing Top Cap	QCCLIPASSY-2F	\$8	
Clip for 2 ¾" T Flat Trim Applications			



/

# System

- Wall mounted accessories may be specified to mount to any drywall application
- Additional wall bracing should be taken into consideration when ordering any wall hung component which will carry additional weight
- Ensure wall in adequately constructed and/or braced to ensure a secure installation
- All wall mount brackets are included

#### NOTES

		Part number	н	w	Wt (lbs)	List price
	13.5" H Wall Mount	IN13.5WB30W	13.5"	30"	3	\$226
A	Whiteboard Tile	IN13.5WB36W	13.5"	36"	4	\$231
		IN13.5WB42W	13.5"	42"	4	\$235
		IN13.5WB48W	13.5"	48"	5	\$238
		IN13.5WB54W	13.5"	54"	6	\$240
		IN13.5WB60W	13.5"	60"	6	\$245
	20.25" H Wall Mount	IN20.25WB30W	20.25"	30"	5	\$235
White	Whiteboard Tile	IN20.25WB36W	20.25"	36"	6	\$242
		IN20.25WB42W	20.25"	42"	7	\$247
		IN20.25WB48W	20.25"	48"	8	\$252
		IN20.25WB54W	20.25"	54"	9	\$255
		IN20.25WB60W	20.25"	60"	9	\$264
	23.6" H Wall Mount	IN23.6WMWB24	23.6"	24"	4	\$242
	Whiteboard To be used above Planna	IN23.6WMWB30	23.6"	30"	5	\$251
A	cases	IN23.6WMWB36	23.6"	36"	6	\$259
whiteboard		IN23.6WMWB42	23.6"	42"	7	\$265
		IN23.6WMWB48	23.6"	48"	8	\$268

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
_	6.75" H Wall Mount Paper	IN6.75PM30W	6.75"	30"	5	\$198	+\$22
	Management	IN6.75PM36W	6.75"	36"	6.5	\$213	+\$23
and the second se		IN6.75PM42W	6.75"	42"	8.5	\$235	+\$25
		IN6.75PM48W	6.75"	48"	9	\$252	+\$27
		IN6.75PM54W	6.75"	54"	11	\$269	+\$28
		IN6.75PM60W	6.75"	60"	12.5	\$287	+\$30
	20.25" H Wall Mount Paper	IN20.25PM24W	20.25"	24"	12	\$468	+\$49
	Management	IN20.25PM30W	20.25"	30"	15	\$617	+\$63
		IN20.25PM36W	20.25"	36"	18	\$644	+\$65
		IN20.25PM42W	20.25"	42"	21	\$699	+\$71
		IN20.25PM48W	20.25"	48"	24	\$753	+\$78

- Wall mounted accessories may be specified to mount to any drywall application
- Additional wall bracing should be taken into consideration when ordering any wall hung component which will carry additional weight
- Ensure wall in adequately constructed and/or braced to ensure a secure installation
- All wall mount brackets are included

#### NOTES

• See finishes section for fabrics that require scrim

	Part number	w	Wt (lbs)	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN13.5TB18W	18"	2	\$234	+\$8	+\$13	+\$20	+\$26	+\$42	+\$56	+\$42	+\$22
	IN13.5TB24W	24"	3	\$242	+\$6	+\$11	+\$18	+\$24	+\$41	+\$55	+\$41	+\$24
	IN13.5TB30W	30"	3	\$264	+\$7	+\$11	+\$18	+\$24	+\$41	+\$56	+\$41	+\$25
in the	IN13.5TB36W	36"	4	\$269	+\$11	+\$24	+\$32	+\$41	+\$62	+\$85	+\$62	+\$26
Wat	IN13.5TB42W	42"	4	\$278	+\$10	+\$25	+\$33	+\$43	+\$66	+\$90	+\$66	+\$28
	IN13.5TB48W	48"	5	\$286	+\$13	+\$25	+\$33	+\$43	+\$66	+\$91	+\$66	+\$29
13.5" H Wall Mount Tackboard												
	IN20.25TB18W	18"	3	\$268	+\$6	+\$12	+\$21	+\$30	+\$50	+\$70	+\$97	+\$24
50%	IN20.25TB24W	24"	4	\$290	+\$7	+\$18	+\$26	+\$34	+\$56	+\$79	+\$109	+\$26
	IN20.25TB30W	30"	5	\$299	+\$6	+\$19	+\$27	+\$36	+\$58	+\$81	+\$111	+\$28
in this	IN20.25TB36W	36"	6	\$305	+\$9	+\$20	+\$30	+\$41	+\$65	+\$91	+\$126	+\$30
1000	IN20.25TB42W	42"	7	\$315	+\$8	+\$14	+\$27	+\$41	+\$66	+\$93	+\$129	+\$32
	IN20.25TB48W	48"	8	\$322	+\$10	+\$26	+\$38	+\$48	+\$79	+\$106	+\$149	+\$34
20.25" H Wall Mount Tackboard												
	IN23.6WMTK24	24"	4	\$393	+\$7	+\$13	+\$24	+\$36	+\$62	+\$89	+\$124	+\$27
A A A A A A A A A A A A A A A A A A A	IN23.6WMTK30	30"	5	\$406	+\$6	+\$14	+\$26	+\$40	+\$67	+\$96	+\$133	+\$29
	IN23.6WMTK36	36"	6	\$414	+\$10	+\$20	+\$32	+\$45	+\$79	+\$110	+\$153	+\$31
in the second	IN23.6WMTK42	42"	7	\$427	+\$8	+\$14	+\$27	+\$42	+\$77	+\$110	+\$153	+\$33
******	IN23.6WMTK48	48"	8	\$436	+\$11	+\$24	+\$38	+\$50	+\$87	+\$123	+\$171	+\$36

23.6" H Wall Mount Tackboard To be used above Planna cases

### NOTES

		Part number	н	w	Wt (lbs)	List price
	19.5" H Magnetic Whiteboard	WHBDM137195	19.5"	14"	3	\$269
	33" H Magnetic Whiteboard	WHBDM13733	33"	14"	5	\$287
	Replacement Key Specify key number found on face of lock	RKEY	-	-	-	\$11
A CONTROL OF THE OWNER	Master Key Specify key number found on face of lock	МКЕҮ	_	_	-	\$47
Control of the second s	Extractor Key Specify key number found on face of lock	EKEY	-	-	-	\$47

- Overhead Storage sorters are to be ordered for use
- with overhead bin and shelves only
- No tools required to install components
- The sliding dividers are for use with Overhead Bin only

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
R	Bin-Mounted Sorter (pkg.	INLHSSB	_	_	9	\$193	+\$21
	of 3)	left-handed					
		INRHSSB	_	—	9	\$193	+\$21
0.85	Shelf-Mounted Sorter	INLHSSS	_	_	9	\$193	+\$21
pm	(pkg. of 3)	left-handed					
		INRHSSS	_	_	9	\$193	+\$21
		right-handed (illustrated)					
2	Sliding Divider (qty of 3)	SDV	_	_	5	\$95	+\$12
	Compatible with overhead bins						

- The Electrified Twin-Bin accessories are able to mount onto the back of the Electrified Twin-Bin only
- Do not specify these accessories with the standard Twin-Bin as they will interfere with the sliding door
- Electrified Twin-Bin Tackboard available in all grades of fabric
- Electrified Twin-Bin Shelf is only compatible with the Electrified Twin-Bin
- The width of the Electrified Twin-Bin accessories specified should be ½ the overall width of the case (i.e.  $36 \div 3 = 12$ )

### NOTES

• Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
$\frown$	Electrified Twin-Bin Shelf	<b>INETWBSHF-12</b>	_	12"	_	\$97	+\$12
C		INETWBSHF-14	-	14"	-	\$97	+\$12
And a second sec		INETWBSHF-16	-	16"	_	\$97	+\$12
		<b>INETWBSHF-18</b>	-	18"	_	\$97	+\$12
		INETWBSHF-20	-	20"	_	\$97	+\$12
	Electrified Twin-Bin	INTWBWB-12	14"	12"	_	\$36	_
A	Whiteboard	INTWBWB-14	14"	14"	-	\$36	_
		INTWBWB-16	14"	16"	-	\$36	_
		INTWBWB-18	14"	18"	_	\$41	_
		INTWBWB-20	14"	20"	_	\$41	_

	Part number	н	w	Wt (lbs)	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8
	INTWBTB-12	14"	12"	—	\$120	+\$7	+\$14	_	+\$26	_	+\$68	-
	INTWBTB-14	14"	14"	—	\$123	+\$7	+\$14	_	+\$26	_	+\$68	_
	INTWBTB-16	14"	16"	_	\$128	+\$7	+\$14	_	+\$26	_	+\$68	_
	INTWBTB-18	14"	18"	—	\$134	+\$7	+\$14	_	+\$26	—	+\$68	_
*	INTWBTB-20	14"	20"	_	\$147	+\$7	+\$14	_	+\$26	_	+\$68	_

Electrified Twin-Bin Tackboard

- "2F" denotes use with 2 ³/₄" thick frame "3F" denotes use with 3 ¹/₂" thick frame
- Shared Twin Bin Top span the frame to give one complete finished top (no top trim required to be specified in this location)
- Single Twin Bin and Shared Twin Bin Tops are specified for the top of the Twin Bin
- Two Single Twin Bin Tops are required to finish one Twin Bin as there are two sides (either side of frame)
- Twin Bin tops are shipped complete with ability to mount directly on case
- Nuform and Veneer Twin Bin Tops are 3/8" thick

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INTWBTOP36-3F 0.25" in veneer would be \$258 +\$487

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
	Shared Twin Bin Top,	INTWST-30	_	30"	-	\$296	+\$31
Sama	painted	INTWST-36	_	36"	-	\$359	+\$39
		INTWST-42	-	42"	-	\$373	+\$40
		INTWST-48	_	48"	—	\$409	+\$43
		INTWST-54	-	54"	-	\$445	+\$47
		INTWST-60	_	60"	_	\$479	+\$50

		Part number	D	w	Wt (lbs)	Nuform classic/ base price	Nuform select	Veneer
	Single Twin Bin Top	INTWBTOP36-3F	5"	36"	2	\$258	+\$28	+\$487
Same	For use with 3 ½" T frames	INTWBTOP42-3F	5"	42"	2	\$267	+\$29	+\$527
1.000	Required 2 per bin	INTWBTOP48-3F	5"	48"	2	\$294	+\$31	+\$557
		INTWBTOP60-3F	5"	60"	3	\$343	+\$31	+\$562
$\sim$	Single Twin Bin Top For use with 2 ¾" T frames	INTWBTOP36-2F	5.4"	36"	2	\$258	+\$28	+\$487
	Required 2 per bin	INTWBTOP42-2F	5.4"	42"	2	\$267	+\$29	+\$527
		INTWBTOP48-2F	5.4"	48"	2	\$294	+\$31	+\$557
		INTWBTOP60-2F	5.4"	60"	3	\$343	+\$31	+\$562

• Pedestal Extended leveling glide consists of a 1.5" stem

		Part number	н	w	Wt (lbs)	List price
	Pencil tray for letter width box drawer Black plastic	PFWS-PT15 Letter Width	_	15"	1	\$33
		PFWS-PT18 Legal Width	-	18"	1	\$34
$\wedge$	Divider for box drawer	PFWS-DV15	_	15"	0.5	\$19
		Letter Width PFWS-DV18	_	18"	0.5	\$20
		Legal Width				
	Set of 4 modular sloped stationery dividers fits box drawer letter width	PFMD-SO15 Letter Width	-	15"	1	\$68
	pedestal	PFMD-SO18 Legal Width	-	18""	1	\$73
	Rectangular Pedestal	LV019	_	_	_	\$42
	Glides, Gray Set of 4					
	1.5" stem leveling glides Set of 4	LG	3 1/2"	-	1	\$26
	Platform leveling glide for lateral files (set of 4).	PLG-L3	_	_	-	\$28
	3 ½" diameter x 1 ½" high plastic 'shoe'. 1 ¾" leveling adjustment	PLG-L3-GRY	_	_	_	\$28

Inscape – State of Connecticut Price List | Contract #16PSX0171 | November 2019

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
88550->	Plate divider for 3" and	PFDVP-3	_	_	0.5	\$19	_
	4.5" shelves/drawers						
	Plate divider for 6", 7.5" and 9" shelves/drawers	PFDVP6-9	-	-	0.75	\$19	-
	Plate divider for 10.5", 12", 13.5", 15" and 16.5" drawers or slotted shelves	PFDVP	-	-	1	\$19	-
	Slotted Shelf	PFSH-30	_	30"	11	\$93	+\$12
	Fixed slotted shelf installs	PFSH-36	_	36"	12	\$93	+\$12
	behind 12", 13.5", 15" and 16.5" lift-up door or in	PFSH-42	-	42"	13	\$93	+\$12
	hinged door cabinet. Shelf is adjustable on a 1.5" increment.						
	Adjustable non-slotted	BKSH-3015	0.5"	30"	11	\$93	+\$12
	shelf	BKSH-3615	0.5"	36"	11	\$93	+\$12
	15" deep	BKSH-4215	0.5"	42"	11	\$93	+\$12
$\langle$	Adjustable shelf for split base units 15" deep	SWSH-15	0.5"	15"	4	\$82	+\$11
	Standard Paper Related	PFHF-30	_	30"	2	\$41	_
	Accessories	PFHF-36	-	36"	3	\$41	_
	Hangfile bars for 10.5", 12", 13.5", 15" and 16.5" pullout shelves/drawers set of 2	PFHF-42	-	42"	4	\$41	-
	Sliding rails used in conjunction with HF bars for front-to-back filing, sold individually	PFSR	-	1.1875"	1	\$14	-
	Ganging Kit	PFGK	-	-	_	\$13	-
	18" mobile support frame, for 30" and 36" wide lateral files with maximum of three pullout drawers and maximum interior height of 43.5" Note: Counterweight must be installed in lateral file	PFMFK18	4 5%"	-	10	\$500	-

- Counterweight recommended for all freestanding
- lateral file cabinets
- Counterweight secure with 2-way tape
- Lateral Extended leveling glide consists of a 1.5" stem

	Part number	н	w	Wt (lbs)	List price
24" mobile support frame, for 24" and 30" wide Workplace Towers with maximum of three pullout drawers and maximum height of 58 ³ / ₄ " Note: Counterweight is recommended	PFMFK24	4 <del>%</del> "	24"	11	\$500
Counterweight, recommended for all freestanding lateral file cabinets with 22.5" interior dimension or higher	IMCW-30 IMCW-36 IMCW-42	- - -	30" 36" 42"	38 38 52	\$133 \$133 \$133
Counterweight, recommended for all freestanding lateral file cabinets with less than 22.5" interior dimension	CW	-	-	48	\$133
Rectangular Lateral Glides, Gray Set of 4	LV018	-	-	-	\$42
1.5" stem leveling glides Set of 4	LG	3 1⁄2"	_	1	\$26
Platform leveling glide for lateral files (set of 4). 3 ½" diameter x 1 ½" high plastic 'shoe'. 1 ¾" leveling adjustment	PLG-L3 PLG-L3-GRY	-	_	_	\$28 \$28

• Nuform and Veneer lateral tops are 3/8" thick

• Lateral tops are not available with plywood edge band

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Grade 1 Iaminate	Veneer
 15" D x ¾" T Lateral Top	INSWTOP1530	30"	15"	\$188	+\$15	+\$61	+\$316
	INSWTOP1536	36"	15"	\$202	+\$29	+\$65	+\$358
	INSWTOP1542	42"	15"	\$229	+\$32	+\$75	+\$392
	INSWTOP1548	48"	15"	\$255	+\$39	+\$83	+\$420
	INSWTOP1554	54"	15"	\$280	+\$44	+\$91	+\$444
	INSWTOP1560	60"	15"	\$346	+\$98	+\$112	+\$503
	INSWTOP1572	72"	15"	\$375	+\$117	+\$121	+\$524
	INSWTOP1578	78"	15"	\$408	+\$106	+\$131	+\$555
18" D x ¾" T Lateral Top	INSWTOP1830	30"	18"	\$204	+\$13	+\$66	+\$354
	INSWTOP1836	36"	18"	\$220	+\$32	+\$71	+\$403
	INSWTOP1842	42"	18"	\$247	+\$41	+\$81	+\$439
	INSWTOP1848	48"	18"	\$273	+\$48	+\$89	+\$477
	INSWTOP1854	54"	18"	\$303	+\$49	+\$98	+\$520
	INSWTOP1860	60"	18"	\$469	+\$51	+\$152	+\$899
	INSWTOP1872	72"	18"	\$560	+\$58	+\$181	+\$913
	INSWTOP1878	78"	18"	\$651	+\$67	+\$210	+\$888

- Includes stand offs to mount on back of case in the field
- Available in White only, colors as special

		Part number	н	w	Wt (lbs)	List price
	Lateral Back Painted Glass	PLN30LBPG	24"	30"	16	\$739
		PLN36LBPG	24"	36"	19	\$819
		PLN42LBPG	24"	42"	22	\$900
·						
$\sim$	Pedestal Back Painted	PLN15LBPG	24"	15"	16	\$581
	Glass					

- $\bullet$  SuperStor  ${}^{\scriptscriptstyle \rm M}$  inserts for use with Storwal and laterals
- 30" W SuperStor[™] insert accepts 12 Standard Trays and 3 Small Trays
- 36" W SuperStor™ insert accepts 18 Standard Trays
- 42" W SuperStor[™] insert accepts 18 Standard Trays and 3 Small Trays
- Insert and trays may be painted in Inscape System standard color options

		Part number	н	w	Wt (lbs)	Neutral paint/ base paint	Accent paint
-	SuperStor Inserts	INSW13.5SS-30	13.5"	30"	10	\$99	+\$13
-FD		INSW13.5SS-36	13.5"	36"	12	\$117	+\$14
		INSW13.5SS-42	13.5"	42"	14	\$131	+\$16
	Standard SuperStor Trays (pkg. of 6)	SWSSTRAY	-	_	6	\$226	+\$24
	(pkg. 010)						
	Small SuperStor Trays	SWSSTRAY-SM	_	_	3	\$117	+\$14



Small SuperStor Trays SWSSTRAY-SM – – 3 \$117 (pkg. of 3)

- Cushions may be installed on any storage case
- Velcro is included with the cushion for adhesion on the case
- Cushions are 1.25" thick and are to be specified with using only approved Upholstery standards from Inscape or COM
- If optioning a cushion on a Planna case, remove Planna rail
- For application of ALL fabrics, both from our graded program as well as COM (customers own material), please specify layup orientation at time of order. If layup instructions are not provided we will choose the direction to maximize our production. Refer to the Finishes Section for additional layout and COM details.

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product CSH15X18X125 in Grade C fabric would be \$254 +\$95

	Part number	н	w	D	Wt (lbs)	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F
	CSH15X18X125	1 1⁄4"	15"	18"	5	\$254	+\$52	+\$95	+\$134	+\$161	+\$230
	CSH15X22X125	1 ¼"	15"	22"	6	\$260	+\$52	+\$95	+\$134	+\$161	+\$230
J	CSH15X28X125	1 ¼"	15"	28"	13	\$269	+\$52	+\$95	+\$134	+\$161	+\$230

15"W Pedestal Cushion (Planna, Storage with Handles, Grid

pedestals)

CSH15X18.75X125	1 ¼"	15"	18 ¾"	8	\$255	+\$52	+\$95	+\$134	+\$161	+\$230
 CSH15X22.75X125	1 1⁄4"	15"	22 ¾"	9	\$261	+\$52	+\$95	+\$134	+\$161	+\$230
CSH15X28.75X125	1 1⁄4"	15"	28 ¾"	13	\$270	+\$52	+\$95	+\$134	+\$161	+\$230

15

\$291

+\$52

+\$95

+\$134

+\$161

+\$230

15"

1 1/4"

36"

15"w Pedestal Cushion (9900 Series, Storage Center)

$\langle \rangle$	

36" d Pedestal Cushion (for back to back Planna, Storage with Handles, Grid pedestal application) CSH15X36X125

- Cushions may be installed on any storage case
- Velcro is included with the cushion for adhesion on the case
- Cushions are 1.25" thick and are to be specified with using only approved Upholstery standards from Inscape or COM
- If optioning a cushion on a Planna case, remove Planna rail
- For application of ALL fabrics, both from our graded program as well as COM (customers own material), please specify layup orientation at time of order. If layup instructions are not provided we will choose the direction to maximize our production. Refer to the Finishes Section for additional layout and COM details.

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product LATCUSH1830SL in Grade C fabric would be \$393 +\$152

							1	1	1	ĺ.	1
	Part number	н	w	D	Wt (lbs)	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F
	LATCUSH1830SL	1 1⁄4"	30"	18"	7	\$393	+\$77	+\$152	+\$184	+\$228	+\$336
	LATCUSH1836SL	1 ¼"	36"	18"	8	\$427	+\$89	+\$177	+\$215	+\$265	+\$393
18" d Lateral	LATCUSH1842SL	1 1⁄4"	42"	18"	10	\$463	+\$101	+\$140	+\$247	+\$304	+\$449
Cushion (standard	LATCUSH1860SL	1 ¼"	60"	18"	14	\$560	+\$161	+\$298	+\$399	+\$479	+\$685
application)	LATCUSH1866SL	1 1⁄4"	66"	18"	15	\$609	+\$154	+\$250	+\$372	+\$458	+\$674
	LATCUSH1872SL	1 1⁄4"	72"	18"	15	\$660	+\$165	+\$327	+\$403	+\$494	+\$729
	LATCUSH1878SL	1 1⁄4"	78"	18"	17	\$818	+\$192	+\$377	+\$467	+\$573	+\$841
	LATCUSH1884SL	1 ¼"	84"	18"	24	\$723	+\$192	+\$377	+\$467	+\$573	+\$841
$\sim$	LATCUSH19830SL	1 1⁄4"	30"	19 ¾"	7	\$402	+\$77	+\$151	+\$184	+\$227	+\$335
	LATCUSH19836SL	1 ¼"	36"	19 ¾"	8	\$440	+\$88	+\$176	+\$213	+\$264	+\$392
	LATCUSH19842SL	1 1⁄4"	42"	19 ¾"	10	\$477	+\$100	+\$200	+\$246	+\$303	+\$551
	LATCUSH19860SL	1 ¼"	60"	19 ¾"	14	\$593	+\$139	+\$276	+\$339	+\$418	+\$615
	LATCUSH19866SL	1 1⁄4"	66"	19 ¾"	15	\$631	+\$153	+\$301	+\$370	+\$457	+\$671
	LATCUSH19872SL	1 1⁄4"	72"	19 ¾"	15	\$668	+\$133	+\$326	+\$402	+\$494	+\$728
19 ¾" d Lateral Cushion	LATCUSH19878SL	1 1⁄4"	78"	19 ¾"	17	\$707	+\$125	+\$351	+\$432	+\$533	+\$783
(Benching application with electrical)	LATCUSH19884SL	1 ¼"	84"	19 ¾"	24	\$746	+\$191	+\$376	+\$465	+\$571	+\$839
	LATCUSH21530SL	1 1⁄4"	30"	21 ½"	7	\$402	+\$82	+\$157	+\$189	+\$232	+\$340
	LATCUSH21536SL	1 1⁄4"	36"	21 ½"	8	\$446	+\$88	+\$176	+\$213	+\$264	+\$392
	LATCUSH21542SL	1 1⁄4"	42"	21 ½"	11	\$479	+\$100	+\$200	+\$245	+\$303	+\$448
	LATCUSH21560SL	1 1⁄4"	60"	21 ½"	15	\$610	+\$139	+\$274	+\$338	+\$417	+\$614
	LATCUSH21566SL	1 1⁄4"	66"	21 ½"	16	\$649	+\$152	+\$301	+\$369	+\$455	+\$670
	LATCUSH21572SL	1 ¼"	72"	21 ½"	17	\$690	+\$164	+\$326	+\$401	+\$492	+\$727
21 1/2" d Lateral Cushion	LATCUSH21578SL	1 1⁄4"	78"	21 ½"	18	\$702	+\$354	+\$354	+\$506	+\$609	+\$869
(Private Office application with electrical)	LATCUSH21584SL	1 ¼"	84"	21 ½"	19	\$734	+\$219	+\$404	+\$540	+\$651	+\$930
	LATCUSH3630SL	1 1⁄4"	30"	36"	14	\$485	+\$73	+\$149	+\$177	+\$221	+\$329
	LATCUSH3636SL	1 1⁄4"	36"	36"	19	\$534	+\$85	+\$173	+\$206	+\$258	+\$384
36" d Lateral Cushion (back-to-back application)	LATCUSH3642SL	1 ¼"	42"	36"	19	\$563	+\$97	+\$197	+\$239	+\$297	+\$440
	LATCUSH39530SL	1 ¼"	30"	39 ½"	14	\$492	+\$73	+\$148	+\$176	+\$220	+\$328
$\leq$	LATCUSH39536SL	1 ¼"	36"	39 ½"	19	\$537	+\$124	+\$196	+\$232	+\$283	+\$412
	LATCUSH39542SL	1 1⁄4"	42"	39 ½"	19	\$611	+\$97	+\$197	+\$247	+\$295	+\$439

39 ½" d Lateral Cushion (Back-to-back benching application with electrical)

- and are both required per Planna Storage worksurface installation
- Hat Channel heights are nominal and they support a standard worksurface height of 28.5"
- Planna Storage rail kits are optional on Planna Storage cases, DO NOT specify if a cushion is to be installed
- Lateral kits install with the rail running the width of the case (side to side)
- Planna Storage Support Brackets are shipped as a pair Pedestal kits install with the rail running the depth of the case (front to back) EXCEPT for the 18" D which runs side to side
  - Planna Storage rails are only available in silver (match to P290 Aluminum Leaf)
  - Planna Storage Rail kits include mounting hardware to adhere to the case if ordered separate from Planna Storage case

		Part number	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
STres STres	Planna Bracket (pair)	PSUPBKT	-	_	1	\$85	+\$11
	Adjustable Height						
	9" W x 2.89"H Hat Channel For use over Planna case with ½" top with no rail	HATCHNL2.89	2.89"	2	-	\$48	+\$8
	9" W x 2.375"H Hat Channel For use over Planna case with $\frac{1}{2}$ " top and $\frac{1}{2}$ " rail	HATCHNL2.3759	2.375"	2	-	\$48	+\$8
· · · · · · · · · · · · · · · · · · ·	Lateral Rail Kit	PLANNA-KIT30	30"	18"	5	\$149	_
	(rails run case width)	PLANNA-KIT36	36"	18"	6	\$153	_
$\sim$		PLANNA-KIT42	42"	18"	6	\$158	-
225	Pedestal Rail Kit	PLANNA-KIT1518	15"	15"	3	\$144	
$\sim$	(rails run case depth)	PLANNA-KIT1516 PLANNA-KIT1522	15	22"	4	\$149	_
$\sim$		PLANNA-KIT1528	15"	28"	5	\$153	-
1000-000	Rail Kit for collaborative	PLANNA-KIT3615	36"	15"	5	\$174	-
	Area (rails run depth of back-to- back cases)	PLANNA-KIT3621	36"	21"	5	\$192	_

- Planna Storage tops are ½" thick to withstand weight that may be placed on the Planna Storage case
- Various depths and widths have been created for multiple configurations. Refer to drawing in left column for details
- Planna Storage tops are shipped with double sided tape to adhere on the Planna Storage rails

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product PLN1518 in Nuform Select would be \$79 +\$15

		Part number	w	D	Wt (lbs)	Nuform classic/ base price	Nuform select	Veneer
	Pedestal Top	PLN1518	15"	18"	4	\$79	+\$15	+\$422
CARS .		PLN1522	15"	22"	5	\$102	select	+\$428
Se X		PLN1528	15"	28"	6	\$127	+\$15	+\$435
NOV								
~	Single Depth Lateral Top	PLN1830	30"	18"	7	\$135	+\$18	+\$443
		PLN1836	36"	18"	8	\$157	+\$20	+\$441
		PLN1842	42"	18"	10	\$179	+\$21	+\$484
D		PLN1845	45"	18"	11	\$194	+\$24	+\$533
		PLN1851	51"	18"	12	\$208	+\$26	+\$580
		PLN1857	57"	18"	13	\$226	+\$28	+\$628
		PLN1860	60"	18"	14	\$238	+\$29	+\$677
		PLN1866	66"	18"	16	\$261	+\$29	+\$717
		PLN1872	72"	18"	17	\$281	+\$33	+\$762
		PLN1878	78"	18"	18	\$302	+\$34	+\$813
		PLN1884	84"	18"	20	\$322		+\$868
		PLN1890	90"	18"	21	\$345		+\$917
		PLN1896	96"	18"	23	\$360	+\$46	+\$978
~	21 1/2" D Lateral Top	PLNP2130	30"	21 ½"	7	\$152	+\$19	+\$449
$\langle \rangle$		PLNP2136	36"	21 ½"	8	\$173	+\$21	+\$446
		PLNP2142	42"	21 ½"	11	\$196	+\$23	+\$485
1		PLNP2145	45"	21 ½"	11	\$211	+\$25	+\$533
		PLNP2151	51"	21 ½"	13	\$230	+\$27	+\$579
		PLNP2157	57"	21 ½"	15	\$245	+\$29	+\$626
		PLNP2160	60"	21 ½"	15	\$263	+\$31	+\$671
		PLNP2166	66"	21 ½"	16	\$288	+\$34	+\$711
		PLNP2172	72"	21 ½"	18	\$308	+\$47	+\$757
		PLNP2178	78"	21 ½"	19	\$331		+\$808
		PLNP2184	84"	21 ½"	21	\$352	+\$44	+\$862
		PLNP2190	90"	21 ½"	23	\$377	+\$56	+\$911
		PLNP2196	96"	21 ½"	24	\$414	+\$62	+\$949

- Planna Storage tops are ½" thick to withstand weight that may be placed on the Planna Storage case
- Various depths and widths have been created for multiple configurations. Refer to drawing in left column for details
- Planna Storage tops are shipped with double sided tape to adhere on the Planna Storage rails

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product PLN3630 in Nuform Select would be \$231 +\$36

		Part number	w	D	Wt (lbs)	Nuform classic/ base price	Nuform select	Veneer
/ .	Back to Back Depth	PLN3630	30"	36"	14	\$231	+\$36	_
A	Lateral Top	PLN3636	36"	36"	17	\$263	+\$44	_
M		PLN3642	42"	36"	20	\$296	+\$50	_
		PLN3645	45"	36"	22	\$325	+\$54	_
		PLN3651	51"	36"	25	\$348	+\$59	-
		PLN3657	57"	36"	27	\$371	+\$64	_
		PLN3660	60"	36"	28	\$395	+\$70	-
		PLN3666	66"	36"	31	\$415	+\$70	_
		PLN3672	72"	36"	34	\$458	+\$85	_
		PLN3678	78"	36"	37	\$480	+\$84	_
		PLN3684	84"	36"	39	\$524	+\$97	—
		PLN3690	90"	36"	42	\$547	+\$97	_
		PLN3696	96"	36"	45	\$589	+\$112	-

- $\bullet$  Planna Storage tops are  $\ensuremath{\mathscr{V}}$  " thick to withstand weight that may be placed on the Planna Storage case
- Various depths and widths have been created for multiple configurations. Refer to drawing in left column for details
- Planna Storage tops are shipped with double sided tape to adhere on the Planna Storage rails

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product PLNB1930 in Nuform Select would be \$135 +\$18

		Part number	н	w	Wt (lbs)	Nuform classic/ base price	Nuform select	Veneer
10	Single Depth Lateral Top	PLNB1930	30"	19 ¾"	6	\$135	+\$18	_
E E	with 1 ¾" D Overhang	PLNB1936	36"	19 ¾"	7	\$157	+\$20	_
		PLNB1942	42"	19 ¾"	8	\$179	+\$21	-
		PLNB1945	45"	19 ¾"	9	\$196	+\$23	_
· 41		PLNB1951	51"	19 ¾"	10	\$212	+\$24	-
		PLNB1957	57"	19 ¾"	11	\$232	+\$25	_
		PLNB1960	60"	19 ¾"	11	\$238	+\$29	_
		PLNB1972	72"	19 ¾"	14	\$281	+\$33	-
		PLNB1984	84"	19 ¾"	14	\$322	+\$41	_
. //	Double Depth Back to	PLNB3930	30"	39 ½"	12	\$231	+\$36	—
	Back with 3 ½" Additional	PLNB3936	36"	39 ½"	14	\$263	+\$44	_
	Depth	PLNB3942	42"	39 ½"	16	\$296	+\$50	-
		PLNB3945	45"	39 ½"	17	\$325	+\$54	_
		PLNB3951	51"	39 ½"	20	\$357	+\$59	_
		PLNB3957	57"	39 ½"	22	\$395	+\$70	-
	Single Depth Lateral	PLNB1831	31 ¾"	18"	6	\$135	+\$18	_
	Top with 1 ¾" Additional Overhang ½" thick	PLNB1837	37 ¾"	18"	7	\$157	+\$20	_
	Overhang 72 thick	PLNB1843	43 ¾"	18"	8	\$179	+\$21	—
-XXX		PLNB1846	46 ¾"	18"	8	\$196	+\$23	_
		PLNB1852	52 ¾"	18"	9	\$212	+\$24	-
		PLNB1858	58 ¾"	18"	9	\$232	+\$25	-
		PLNB1861	61 ¾"	18"	11	\$238	+\$29	_
		PLNB1873	73 ¾"	18"	13	\$281	+\$33	-
		PLNB1885	85 ¾"	18"	15	\$322	+\$41	_
15	Double Depth Lateral Top	PLNB3631	31 ¾"	36"	11	\$231	+\$36	_
	with 1 34" Length Overhang	PLNB3637	37 ¾"	36"	13	\$263	+\$44	—
		PLNB3643	43 ¾"	36"	15	\$296	+\$50	—
		PLNB3646	46 ¾"	36"	16	\$325	+\$54	-
		PLNB3652	52 ¾"	36"	18	\$347	+\$54	-
		PLNB3658	58 ¾"	36"	20	\$362	+\$54	-
		PLNB3661	61 ¾"	36"	22	\$395	+\$70	_
		PLNB3667	67 ¾"	36"	24	\$415	+\$70	-
		PLNB3673	73 ¾"	36"	26	\$458	+\$85	—
		PLNB3679	79 ¾"	36"	28	\$480	+\$84	-
		PLNB3685	85 ¾"	36"	30	\$524	+\$97	—
		PLNB3691	91 ¾"	36"	32	\$547	+\$97	-
		PLNB3697	97 ¾"	36"	34	\$589	+\$112	-

System

- Storwal Worksurface Support Bracket are shipped as a pair and both are to require per Storwal worksurface applications
- Brackets may be optioned in any of Inscape Systems standard paint colors
- Adjustable bracket adjusts vertically to match the Inscape Standard 5 worksurface heights: 25.5", 27", 28.5", 30", and 31.5"

		Part number	н	w	Wt (lbs)	Natural paint/ base price	Accent paint
	Storwal Bracket (pair)	INSWSUPBT-28.5	1 ¼"	_	1	\$71	+\$10
1		Fixed Height					
		INSWSUPBT-ADJ	1 ¼"	-	1	\$122	+\$15
$\leq$		Adjustable Height					

- Storwal tackboards may not be specified adjacent to a sliding door
- Attachment hardware to attach to Storwal is included with the tackboard
- Standard panel fabric or COM may be specified on the tackboard
- Fabric applied in a railroad orientation
- See finishes section for fabrics that require scrim

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product SW13.5TC-30 in Grade 5 fabric would be \$507 +\$22

	Part number	н	W	Wt (lbs)	Grade 1/ COM base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8
- Be	SW13.5TC-30	13 ½"	30"	1	\$507	+\$7	+\$12	—	+\$22	+\$68	+\$29	-
ACCESS OF	SW13.5TC-36	13 ½"	36"	1	\$521	+\$10	+\$17	_	+\$31	+\$81	+\$129	_
de Mite	SW13.5TC-42	13 ½"	42"	1	\$529	+\$9	+\$22	_	+\$51	+\$102	+\$154	_
123.21												

Tackboard for 16 %" H Stack Units

3.	SW27TC-30	27"	30"	2	\$588	+\$7	+\$20	_	+\$47	+\$97	+\$148	_
A 18	SW27TC-36	27"	36"	2	\$616	+\$9	+\$22	_	+\$51	+\$108	+\$164	_
Sec. Pr.	SW27TC-42	27"	42"	3	\$631	+\$8	+\$21	_	+\$48	+\$119	+\$162	-
W. Car												

#### Tackboard for 29 %" H Stack Units

12



SW33TC-30	33"	30"	2	\$697	+\$8	+\$21	—	+\$48	+\$100	+\$152	—
SW33TC-36	33"	36"	2	\$755	+\$10	+\$23	—	+\$52	+\$117	+\$181	-
SW33TC-42	33"	42"	3	\$797	+\$9	+\$22	_	+\$50	+\$133	+\$170	—

Tackboard for 38 7/8" H Stack Units

• This whiteboard is only to be specified when it is NOT

- being installed adjacent to a Storwal Sliding Door
- Mounting hardware is included with this kit

#### NOTES

		Part number	н	w	Wt (lbs)	List price
	/hiteboard for 16 3/8" H	SW13.5WB-30	13 ½"	30"	6	\$166
	tack Units	SW13.5WB-36	13 ½"	36"	7	\$188
	ot adjacent to sliding por)	SW13.5WB-42	13 ½"	42"	8	\$212
	hiteboard for 29 7/8" H	SW27WB-30	27"	30"	11	\$216
Stack Units		SW27WB-36	27"	36"	14	\$239
	ot adjacent to sliding por)	SW27WB-42	27"	42"	16	\$271
	/hiteboard for 38 7/8" H	SW33WB-30	33"	30"	14	\$225
	tack Units	SW33WB-36	33"	36"	17	\$246
	ot adjacent to sliding por)	SW33WB-42	33"	42"	19	\$278

1

• This Whiteboard is only to be specified when a Storwal Sliding Door is being installed directly adjacent to the Whiteboard – this is due to the Sliding Door having the mounting hardware for the whiteboard

L

• Mounting hardware is included with this kit

### NOTES

1


		Part number	н	w	Wt (lbs)	List price
_	Whiteboard for 16 3/8" H	SW13.5WBS-30	13 ½"	30"	6	\$52
	Stack Units	SW13.5WBS-36	13 ½"	36"	7	\$56
	(adjacent to sliding door)	SW13.5WBS-42	13 ½"	42"	8	\$60
	Whiteboard for 29 7/8" H	SW27WBS-30	27"	30"	11	\$102
	Stack Units	SW27WBS-36	27"	36"	14	\$110
	(adjacent to sliding door)	SW27WBS-42	27"	42"	16	\$120
_	Whiteboard for 38 %" H	SW33WBS-30	33"	30"	14	\$110
	Stack Units (adjacent to sliding door)	SW33WBS-36	33"	36"	17	\$117
F I	(adjacent to shalling door)	SW33WBS-42	33"	42"	19	\$126

- All mounting hardware is included with the whiteboard kit to mount to a Storwal case
- White back paint only
- Sliding doors cannot be installed adjacent to Back Painted Glass whiteboards

#### NOTES

		Part number	н	W	Wt (lbs)	List price
	Back Painted Glass Whiteboard for 16 ¾" H	SW13.5BPGWB-30	13 ½"	30"	5	\$536
Constant State State State	Stack Units	SW13.5BPGWB-36	13 ½"	36"	6	\$631
		SW13.5BPGWB-42	13 ½"	42"	7	\$726

	Back Painted Glass Whiteboard for 29 %" H	SW27BPGWB-30	27"	30"	9	\$817
		SW27BPGWB-36	27"	36"	10	\$968
Stack Units	SW27BPGWB-42	27"	42"	12	\$1117	



Back Painted Glass Whiteboard for 38 %" H Stack Units	SW33BPGWB-30	33"	30"	11	\$958
	SW33BPGWB-36	33"	36"	12	\$1137
	SW33BPGWB-42	33"	42"	14	\$1314

		Part number	н	w	Wt (lbs)	Neutral paint/ base price	Accent paint
-	Adjustable Shelf for	SWSH-30		30"	11	\$91	+\$12
	Hinged Door Cabinets	SWSH-36	_	36"	12	\$91	+\$12
		SWSH-42	_	42"	13	\$91	+\$12
8250		311-42	_	42	15	φ91	+912
$\frown$	Adjustable Shelf for	SWBKSH-30	_	30"	12	\$91	+\$12
	Bookcases and Tambour Door Cabinets	SWBKSH-36	-	36"	13	\$91	+\$12
-	Door Oabiliets	SWBKSH-42	_	42"	14	\$91	+\$12
	Adjustable shelf for split base units 15" deep	SWSH-15	0.5"	15"	4	\$82	+\$11
_	Hang File Bar for	SWHF-30	_	30"	2	\$39	_
	Lateral File Unit	SWHF-36	_	36"	3	\$39	_
	set of 2	SWHF-42	_	42"	4	\$39	_
		0		12	•	<b>400</b>	
-	Hang File Bar for Split Unit	SWHF-36SPLIT	_	21"	3	\$39	-
	set of 2	SWHF-42SPLIT	-	27"	4	\$39	-
	Sliding rails used in conjunction with HF bars for front-to-back filing, sold individually	SWSR	-	-	1	\$14	-
	Storwal Electrical Module Side Cover	ECOVER	-	18"	1	\$34	+\$7
	Storwal Electrical Module	EFRCOVER-30	_	30"	_	\$65	+\$8
00	Front Cover with Cutouts	EFRCOVER-36	_	36"	_	\$65	+\$8
		EFRCOVER-42	_	42"	_	\$65	+\$8
	Storwal Electrical Module					• • • •	
	Front Cover without	EFRCOVER-30-NC	—	30"	-	\$43	+\$7
	Cutouts	EFRCOVER-36-NC	-	36"	-	\$43	+\$7
		EFRCOVER-42-NC	-	42"	-	\$43	+\$7
	2" Round Storwal Glides,	SWLG1-B3	_	_	_	\$27	
	Black	SWLG1-B3-GRY	_	_	_	\$27	_
E	Set of 4	SWLG1-L3	_	_	_	\$25	_
		SWLG1-L3-GRY	_	_	_	\$25	_
						*	

- $\bullet$  SuperStor  ${}^{\scriptscriptstyle \rm M}$  inserts for use with Storwal and laterals
- 30"W SuperStor[™] insert accepts 12 Standard Trays and 3 Small Trays
- 36"W SuperStor[™] insert accepts 18 Standard Trays
  42"W SuperStor[™] insert accepts 18 Standard Trays
- and 3 Small Trays
- Insert and trays may be painted in Inscape System standard color options

		Part number	н	w	Wt (lbs)	Neutral paint/ base pain	Accent paint
-	SuperStor Inserts	INSW13.5SS-30	13.5"	30"	10	\$99	+\$13
AT C		INSW13.5SS-36	13.5"	36"	12	\$117	+\$14
		INSW13.5SS-42	13.5"	42"	14	\$131	+\$16
	Standard SuperStor Trays (pkg. of 6)	SWSSTRAY	-	-	6	\$226	+\$24
	Small SuperStor Trays (pkg. of 3)	SWSSTRAY-SM	_	_	3	\$117	+\$14



Inscape – State of Connecticut Price List | Contract #16PSX0171 | November 2019

- The Adapter Frame Filler Kit is to be installed between two Storwal units when a frame is required for space division
- The Adapter Frame End Kit is to be installed at the end of an Storwal unit
- The Adapter kit accommodates any panel 3" in thickness and less
- Competitor panel wall mount bracket is to be installed on Adapter kit in order to attach frame to kit
- Mounting hardware included with kit to attach to Storwal Storage case
- Adapter Frames allow for competitor panels to be used with Storwal

		Part number	н	w	Wt (lbs)	Neutral paint/ base pain	Accent paint
~	Adapter Frame Filler Kit	SWAFKIT3-48	48"	_	12	\$198	+\$22
		SWAFKIT3-61.5	61.5"	_	14	\$229	+\$25
-d		SWAFKIT3-67.5	67.5"	—	16	\$260	+\$27

	Adapter Frame End Kit	SWAEKIT3-48	48"	_	14	\$274	+\$29
$\geq$		SWAEKIT3-61.5	61.5"	_	16	\$349	+\$38
		SWAEKIT3-67.5	67.5"	—	17	\$375	+\$40

System

- Filler inserts omit small gap between the Storwal case and the frame where they join
- Must be specified with Storwal Connection Bracket (3 1/2' and 2 3/4" thick frames)
- Storwal Connecting Bracket connects the frame to the Storwal unit

		Part number	н	w	Wt (lbs)	Neutral paint/ base pain	Accent paint
C TANK	Storwal to 1 ½" Screen Connecting Bracket	SWFFBKT	-	_	_	\$21	+\$5
	Storwal Connecting Bracket for use with both frame thicknesses	INSCBKT	-	-	-	\$85	-
	Filler Insert (Pair) for use with both frame thicknesses	INFIL51 INFIL64 INFIL71	51" 64" 71"	- - -	- - -	\$70 \$78 \$84	+\$10 +\$10 +\$11

### **System**

- Nuform and Veneer lateral Tops are 3/8" thick
- Lateral tops are not available with plywood edge band

		Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Grade 1 Iaminate	Veneer
	15" D x ¾" T Lateral Top	INSWTOP1530	30"	15"	\$188	+\$15	+\$61	+\$316
$\langle \rangle$		INSWTOP1536	36"	15"	\$202	+\$29	+\$65	+\$358
		INSWTOP1542	42"	15"	\$229	+\$32	+\$75	+\$392
		INSWTOP1548	48"	15"	\$255	+\$39	+\$83	+\$420
		INSWTOP1554	54"	15"	\$280	+\$44	+\$91	+\$444
		INSWTOP1560	60"	15"	\$346	+\$98	+\$112	+\$503
		INSWTOP1572	72"	15"	\$375	+\$117	+\$121	+\$524
		INSWTOP1578	78"	15"	\$408	+\$106	+\$131	+\$555
	18" D x ¾" T Lateral Top	INSWTOP1830	30"	18"	\$204	+\$13	+\$66	+\$354
		INSWTOP1836	36"	18"	\$220	+\$32	+\$71	+\$403
		INSWTOP1842	42"	18"	\$247	+\$41	+\$81	+\$439
		INSWTOP1848	48"	18"	\$273	+\$48	+\$89	+\$477
		INSWTOP1854	54"	18"	\$303	+\$49	+\$98	+\$520
		INSWTOP1860	60"	18"	\$469	+\$51	+\$152	+\$899
		INSWTOP1872	72"	18"	\$560	+\$58	+\$181	+\$913
		INSWTOP1878	78"	18"	\$651	+\$67	+\$210	+\$888

## Bench US Price List

November 2019



work for tomorrow

## Bench Architecture



work for ^{tomorrow}

#### INSCAPE BENCH SPINE

Inscape Bench spine frames are constructed of 16 gauge tubular steel uprights with welded 18 gauge steel crossrails. This strong yet lightweight construction provides ease of movement and reconfiguration.

The simplicity of the spine structure provides an intelligent solution to cable management. The absence of baseplates, apertures and corner posts eliminate barriers that restrict the routing of cables. Cabling may be routed both vertically and horizontally through the panel. Cables are laid into cable managers that easily install between panel crossrails throughout the framework. Cable managers safely cradle and segregate cables. An aperture free system means installation and reconfiguration costs are kept to a minimum. Reconfiguration is easy and economical. Cabling simply eases out of the cable managers and is laid back in at the desired point, eliminating the costly need to cut and re-terminate cables for every reconfiguration. *See Inscape Bench Application Guide for quantity of cables achievable in the various spines.

#### SPINES

Spines do not include the electrical cover kit but may house power which is to be accessed in alternate locations with a "cutout" tile. The spine comes with one wire manager. Electrical and data components must be specified separately.

Spine glides provide 1.5" height adjustment allowing air to circulate. Spines are available in 6" increments in widths ranging from 30" W to 60" W.

#### **MID SPINE SUPPORT LEG**

A Mid Spine Support Leg must be specified when the Partial Height Spine or the Filing Spine are specified. This leg is a support between two spine frames. There also is a 120° and standing height version available. The legs are specific to parallel and 90° applications. The mid spine support legs specific to 90° applications are available in wood, straight metal and T metal styles. The wood style come in a Clear Maple or Black finish. The metal styles are painted and come in all standard options.

#### END SPINE SUPPORT LEG

An End Spine Support Leg must be specified at the very end of a Partial Height Spine frame run. This leg is specific to  $90^{\circ}$  applications. It is available in wood, straight metal and T metal styles. The wood style come in a Clear Maple or Black finish. The metal styles are painted and come in all standard options.

#### 90° SPINE SUPPORT LEG

A 90° Spine Support Leg must be specified at the connection point when two Partial Height Benching spine frames are connected at a 90° angle This leg is specific to 90° applications. It is available in wood and straight metal. The wood style come in a Clear Maple or Black finish. The metal styles are painted and come in all standard options.

#### STACK-ON FRAME

The Stack-on Frame consists of a 6.75", 10.125", 13.5", 20.25" and 27" frame which may be installed on any Inscape Bench spine of the same width or combination of two frames as outlined in the Inscape Bench Application Guide only. The Stack-on frame is load bearing and can be stacked one high above spine frame. Tiles and trim are specified separately. Stack-on frames are frame thickness specific and should be specified accordingly.

#### DOUBLE GLAZED STACK-ON KIT

Double Glazed Stack-On Kit is a stack-on with a double glazed insert. The 30" to 48" W Double Glazed Stack-on is a fully welded frame stack-on. Double Glazed Stacks which are 54" and wider are kitted and are installed on site. The Double Glazed Stack-on is not load bearing and no stacks can be stacked on top of the Double Glaze. Finishes are available in Clear or Frosted Acrylic to match Double Glazed tile.

#### **TRIM & CONNECTORS**

All Top Caps, End of Line Trim, and Connectors must be specified independently from the frame.

#### INLINE CONNECTORS

Inline Connectors are specified to join two units together which are in alignment. These connectors are specified based as INLINE-2 which will connect any of the Inscape Bench spines as well as the stack-ons. Be sure to specify inline connectors for the Stack-ons and Double Glaze Kits separately.

#### CONNECTOR TRIM KITS

Connectors are specified independantly from the inline connectors and include all necessary brackets and trim for the condition. They are available in two styles; 90° and 120°.

 $90^\circ$  corner connectors are used in  $90^\circ$  applications only.

120° connectors are available in "Y" connectors are for 3-way connections and "V" connectors are for 2-way connections.

#### TOP CAPS

Top Caps are specified separately. The Top Cap includes clips to mount on spine or Stack-on in addition to the option of spanning two frames as outlined in the Inscape Bench Application Guide.

#### END TRIM

End Trim is kit structured to include all brackets, bolts and finished trim; Flat profile. Trim is manufactured from aluminum and always aligns straight and true at end of the Filing spine. All painted aluminum vertical trim and top trim are easily removed to facilitate lay in of cables.

#### STACK-ON END TRIM

Stack-on End Trim is used when a higher Stack-on requires vertical end trim at a connection. Hi-Lo trim may be used in this application for Flat profile trim because there is no 'scribing' that is required for this profile.

#### TILES

Tiles are available as Fabric, Painted, Tackable, Veneer, Nuform, Double Glazed, Paper Management and Whiteboard. 13.5" H tiles are interchangeable between Inscape System and Inscape Bench. Tile heights vary and must always align with the spine they are to be installed on.

ie. 23.6" H tiles = Full Height Spine, 10.125" H tiles = Stack-on, 13.5" H tiles = Partial Height and Storage Spine. Tile clips support spine tiles and top trim.

#### FABRIC AND PAINTED TILES

Fabric and Painted Tiles are available 23.6", 10.125" and 13.5" H and are constructed of 24 gauge galvanized steel. Powder-coated and fabric-covered steel tiles have a flame spread rating of less than 200 when tested according to ASTM-E84. Fabric-covered tiles are available in standard fabrics or COM. COM fabrics are subject to approval. White or extremely light colored COM fabrics will incur an upcharge of 25% to the tile pricing with which the fabric is being applied. This is due to special handling of the fabric and tiles, in addition to painting of the tiles. Painted tiles are available in the colors shown in our Color Guide and are available in the following styles: plain steel, embossed, perforated, and steel screen. Fabric on tiles is applied in a railroad orientation.

#### **TACKABLE TILES**

Tackable Tiles are constructed from 24 gauge cold rolled steel with a paint finish on all surfaces to prevent corrosion. The same general rules from the fabric tile section apply to the Tackable tiles. Fabric on tiles is applied in a railroad orientation. NRC 0.57, STC 9. Tackable Acoustical tiles are available through Standard Specials with and NRC .73 and an STC of 12.

#### **NUFORM TILES**

Nuform Tiles consist of white melamine-backed MDF substrate 0.375" thick, with vacuum-formed Nuform foil over the front's surface and sides. The backside of the tile also has routing features that accept zinc die-cast tile clips. All Nuform tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener limits where the tile may be placed on the Inscape Bench spine. Nuform tiles cannot be specified in a location where a power track is installed due to interference. A sticker on the back of Nuform tiles provides UL flame/smoke-rating information. Woodgrain pattern is vertical. Due to limitations in the foil size, 48" and wider tiles are not available in F06 Walnut.

#### **COMPOSITE VENEER TILES**

Composite Veneer Tiles are constructed utilizing 45 Ibs density particle board with an engineered balanced backer for structural integrity. Veneer thickness is 0.025". The backside of the tile has routing features that accept zinc die-cast tile clips. All Composite Veneer tiles incorporate a stiffener on the rear of the tile to ensure straightness and rigidity. This stiffener bar limits where the tile may be placed. Composite Veneer tiles cannot be specified in a location where a power track is installed due to interference on an Inscape Bench spine. Woodgrain pattern is vertical.

#### WHITEBOARD TILES

Whiteboard Tiles are available in heights of 13.5". Tiles are constructed from 24 gauge cold rolled steel with a white paint finish that has been specifically formulated for dry erase markers. Whiteboards are seamless and fit same locations as standard painted tiles.

NOTE: Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

#### PAPER MANAGEMENT TILES

Paper Management Tiles support horizontal paper management accessories. Organizers may be positioned at any point along the width of the tile. Three slats structured into the tile allow for three different height options for the accessories to be installed. Accessories may be found under Horizontal Accessories under the "Storage and Accessories" section. Maximum load capacity is 75lbs. When specifying paper management tiles which will be supporting a monitor arm, a Paper Management Reinforcing kit is required for additional structure. The 54" and 60" W tiles are pre-structured with these kits.

#### PERFORATED AND EMBOSSED TILES

Perforated and Embossed Tiles are constructed of 24 gauge galvanized steel, the Steel Screen Tiles are constructed from 24 gauge cold rolled steel. Tiles may be painted in any of Inscape's standard colors or color matches.

#### **COMMUNICATION TILES**

Communication Tiles provide power OR data access. The 30" W includes one cutout while all wider tile widths include two cutouts. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

#### **MULTI-ACCESS TILES**

Multi-access Tiles provide electrical AND data access. Cutouts align with power track and proper tiles must be specified in specific areas if stated. Data and Electrical components may be specified from the Technology section. Bezels in tile may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf) as well with the data or electrical components. Bezels are flush with tile, NOT recessed.

### COMMUNICATION AND MULTI-ACCESS TILES WITH SINGLE SIDED CUTOUTS

Communication and multi-access tiles with single sided cutouts have one cutout per tile (or two above each other for multi-access) and the cutouts are left or right justified making the tiles handed. They are intended to be specified so that the cutouts are hiden below the worksurface. Use one left and and one right hand collaborative communication tile for each Bench Collaborative area

#### DOUBLE GLAZED TILES

Double Glazed Tiles are available in 13.5" H and may be installed on frames 24" to 48" W in place of a tile. Double Glazed tiles feature a double pane of frosted acrylic or clear acrylic framed by vertical and horizontal trim. Double Glazed tiles may be installed one on top of another. If wider than 60" of glaze is desired; Stack on Double Glazed kits may be specified.

- $\bullet\,2$  ¾" thick spine when clad with tiles
- Power Track Kit (Upper Deck) only no electrical clips included
- Includes one cable hook
- Bench spine frames come standard with rectangular
- glides. Black and gray options available

			1		I I	
		Part number	н	w	Thickness	List price
	Full Height Benching Spine	INBFHF2730	27"	30"	2 ¾"	\$189
		INBFHF2736	27"	36"	2 3⁄4"	\$194
		INBFHF2742	27"	42"	2 3⁄4"	\$197
		INBFHF2748	27"	48"	2 ¾"	\$200
		INBFHF2754	27"	54"	2 ¾"	\$203
		INBFHF2760	27"	60"	2 ¾"	\$235
	Partial Height Benching	INBPHF13.530	13.5"	30"	2 ¾"	\$154
	Spine	INBPHF13.536	13.5"	36"	2 ¾"	\$158
		INBPHF13.542	13.5"	42"	2 ¾"	\$162
		INBPHF13.548	13.5"	48"	2 ¾"	\$165
		INBPHF13.554	13.5"	54"	2 3⁄4"	\$171
		INBPHF13.560	13.5"	60"	2 ¾"	\$200
8	Storage Anchored	INBFF30	13.5"	30"	2 ¾"	\$169
	Benching Spine	INBFF36	13.5"	36"	2 ¾"	\$173
		INBFF42	13.5"	42"	2 ¾"	\$177
		INBFF48	13.5"	48"	2 ¾"	\$182
		INBFF54	13.5"	54"	2 ¾"	\$185
C th		INBFF60	13.5"	60"	2 ¾"	\$213
	Standing Height,	INBSHF2730	27"	30"	2 ¾"	\$190
	Partial Height Spine	INBSHF2736	27"	36"	2 ¾"	\$195
		INBSHF2742	27"	42"	2 ¾"	\$199
		INBSHF2748	27"	48"	2 ¾"	\$202
		INBSHF2754	27"	54"	2 ¾"	\$205
		INBSHF2760	27"	60"	2 3⁄4"	\$237

- 2 ¾" thick when clad with tiles
- No Twin Bin placement on the 13.5"H Stack-on
- 20.25"H requires an additional crossrail (separately)
- if Twin Bin or 13.5"H tile being specified
- Fully welded stack on kits easily installed and
- removed to adjust panel height Load bearing
- Stack on frames may span multiple frames
- See Application Guide for spanning guidelines

#### NOTE

With the exception of the 10.125" H stack-on frame, standard Inscape System tiles can be used for Bench Stack-On frames.

		Part number	н	w	Thickness	List price
	6.75" H Single Stack-On,	INSF030-2F	6.75"	30"	2 ¾"	\$150
	2 ¾" T	INSF036-2F	6.75"	36"	2 ¾"	\$153
		INSF042-2F	6.75"	42"	2 ¾"	\$156
		INSF048-2F	6.75"	48"	2 ¾"	\$161
		INSF054-2F	6.75"	54"	2 3⁄4"	\$162
		INSF060-2F	6.75"	60"	2 ¾"	\$165
	10.125" H Single Stack-On, 2 ¾" T	INSF1030-2F	10.125"	30"	2 ¾"	\$152
	2 %	INSF1036-2F	10.125"	36"	2 ¾"	\$155
1		INSF1042-2F	10.125"	42"	2 ¾"	\$158
		INSF1048-2F	10.125"	48"	2 ¾"	\$164
		INSF1054-2F	10.125"	54"	2 ¾"	\$165
		INSF1060-2F	10.125"	60"	2 ¾"	\$169
	13.5" H Single Stack-On,	INSF130-2F	13.5"	30"	2 ¾"	\$154
	2 ¾" T	INSF136-2F	13.5"	36"	2 ¾"	\$157
		INSF142-2F	13.5"	42"	2 ¾"	\$161
		INSF148-2F	13.5"	48"	2 ¾"	\$166
		INSF154-2F	13.5"	54"	2 ¾"	\$169
<b>N</b>		INSF160-2F	13.5"	60"	2 ¾"	\$170
	20.25" H Single Stack-On,	INSF2030D-2F	20.25"	30"	2 ¾"	\$164
	2 ¾" T	INSF2036D-2F	20.25"	36"	2 ¾"	\$169
		INSF2042D-2F	20.25"	42"	2 ¾"	\$173
1 1		INSF2048D-2F	20.25"	48"	2 ¾"	\$176
uu uu		INSF2054D-2F	20.25"	54"	2 ¾"	\$177
		INSF2060D-2F	20.25"	60"	2 ¾"	\$180
	27" H Single Stack-On, 2	INSF230-2F	27"	30"	2 ¾"	\$180
	3⁄4" T	INSF236-2F	27"	36"	2 ¾"	\$184
		INSF242-2F	27"	42"	2 ¾"	\$186
		INSF248-2F	27"	48"	2 ¾"	\$191
		INSF254-2F	27"	54"	2 ¾"	\$192
		INSF260-2F	27"	60"	2 ¾"	\$193

- Stack on Double Glaze is non-load bearing
- Stack on Double Glaze may span two frames. See Application Guide for spanning guidelines
- 30" to 48" W kits consist of welded frames
- 54" to 96" W kits are kitted and must be assembled on-site
- Clear and Frosted Acrylic options available
- May be located in the top location only
- Be sure to specify correct thickness of stack-on frame based on the frame it is being installed on

#### NOTE

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INSTGL30-2F in Frosted Acrylic would be \$482 +\$85

		Part number	н	w	Thickness	Clear acrylic/ neutral paint/ base price	Frosted acrylic	Accent paint
1	13.5" H Double Glaze Stack-On Acrylic	INSTGL30-2F	13.5"	30"	2 ¾"	\$482	+\$85	+\$50
2 D		INSTGL36-2F	13.5"	36"	2 ¾"	\$551	+\$95	+\$56
li li		INSTGL42-2F	13.5"	42"	2 ¾"	\$597	+\$105	+\$61
	INSTGL48-2F	13.5"	48"	2 ¾"	\$661	+\$116	+\$67	
	INSTGL54-2F	13.5"	54"	2 ¾"	\$725	+\$114	+\$76	
		INSTGL60-2F	13.5"	60"	2 ¾"	\$798	+\$125	+\$82
		INSTGL66-2F	13.5"	66"	2 ¾"	\$848	+\$148	+\$87
		INSTGL72-2F	13.5"	72"	2 ¾"	\$874	+\$151	+\$89
		INSTGL78-2F	13.5"	78"	2 ¾"	\$901	+\$155	+\$92
		INSTGL84-2F	13.5"	84"	2 ¾"	\$925	+\$158	+\$94
		INSTGL90-2F	13.5"	90"	2 ¾"	\$953	+\$164	+\$97
		INSTGL96-2F	13.5"	96"	2 ¾"	\$979	+\$168	+\$99

- Mid spine support legs support the Partial Height Benching spine when it is placed adjacent to another inline
- Glide option on spine support legs are black and gray with the exception on the 90° application legs coming in black only
- Wood spine support legs are available in Clear Maple
   and Black finishes
- Straight and T metal spine support legs are painted and available in all standard colors
- For freestanding height adjustable 90° applications the Metal T Legs must be use with a Bench Height Adjustable Foot Docking Bracket.
- *See Worksurface Support section of this price list • The Height Adjustable Tables (2 or 3 stage base)
- found in the Ergonomic Price List are compatible with 90° applications in 48", 54" and 60" widths only

	Part number	н	Neutral paint/ base price	Accent paint
Mid Spine Support Leg for parallel applications only	INBMSL10	10"	\$229	+\$25
Straight Wood Partial Height Bench Frame Mid Spine Support Leg for 90° applications only	INBMSLW10	10"	\$270	-
Metal T Partial Height Bench Frame Mid Spine Support Leg for 90° applications only	INBMSLT10	10"	\$356	+\$38
Straight Metal Partial Height Bench Frame Mid Spine Support Leg for 90° applications only	INBMSLSM10	10"	\$229	+\$25

- Mid spine support legs support the Partial Height Benching spine when it is placed adjacent to another inline
- Glide option on spine support legs are black and gray with the exception on the 90° application legs coming in black only
- Straight and T metal spine support legs are painted and available in all standard colors

	Part number	н	Neutral paint/ base price	Accent paint
120° Mid Spine Support Leg	INBYMSL10	10"	\$229	+\$25
Standing Height Mid Spine Support Leg	INBMSL13	13"	\$243	+\$26

- End spine support leg supports the very end Partial Height Benching spine run
- 90° spine support legs supports the connection point when two Partial Height Benching spine frames are connected at a 90° angle
- Glide option on spine support legs is black
- Wood spine support legs are available in Clear Maple
   and Black finishes
- Straight and T metal spine support legs are painted and avilable in all standard colors
- Metal 90° spine support legs are intended to be installed on the worksurface supporting spine
- Metal 90° spine support legs are shipped right handed. if left handed is required, the legs can be field adjusted

	Part number	н	Neutral paint/ base price	Accent paint
Straight Wood Partial Height Bench Frame End Spine Support Leg for 90° applications only	INBESLW10	10"	\$270	-
Metal T Partial Height Bench Frame End Spine Support Leg for 90° applications only	INBESLT10	10"	\$330	+\$34
Straight Metal Partial Height Bench Frame End Spine Support Leg for 90° applications only	INBESLSM10	10"	\$229	+\$25
Straight Wood Partial Height Bench Frame 90° Spine Support Leg for 90° applications only	INB90SLW10	10"	\$270	-
Straight Metal Partial Height Bench Frame 90° Spine Support Leg for 90° applications only	INB90SLSM10	10"	\$229	+\$25

- Glide option on spine support legs is black
- Wood spine support legs are available in Clear Maple and Black finishes
- Metal spine support legs are painted and available in all standard colors
- 3-Way and 4-Way spine support legs are non-handed
- For freestanding height adjustable 90° applications the Metal T Legs must be use with a Bench Height Adjustable Foot Docking Bracket. See Worksurface Support setion of this price list
- The Height Adjustable Tables (2 or 3 stage base) found in the Ergonomic Price List are compatable with 90° applications in 48", 54" and 60" widths only

	Part number	н	Neutral paint/ base price	Accent paint
3-Way Wood Partial Height Bench Frame Spine Support Leg for Mobile applications only	INB3SLW10	10"	\$266	-
3-Way Metal Partial Height Bench Frame Spine Support Leg for Mobile applications only	INB3SLSM10	10"	\$211	+\$22
4-Way Wood Partial Height Bench Frame Spine Support Leg for Mobile applications only	INB4SLW10	10"	\$292	-
4-Way Metal Partial Height Bench Frame Spine Support Leg for Mobile applications only	INB4SLSM10	10"	\$242	+\$25
Freestanding Bench Spine Floor Docking Bracket	INBLAKESTBKT	-	\$15	-

#### Architecture Connectors and Trim

Dermit

### Bench

- Inline Connectors are required to be specified when frames are connected inline
- Specified independently of frame and may span two frames.
- See Inscape System Application Guide
- All mounting hardware is included for corresponding frame thickness
- Veneer trim is up to a maximum length of 48"
- Top Trim up to 60" W requires two additional Jesters to be specified if spanning multiple frames
- (i.e. a 60" W top trim installed on two 30" frames)
  Veneer trim available in specific height only (not 10.125" H)
- Stack-on End Trim (Hi-Lo End Trim) is specified when stack frames are specified

- End of line trim is specified when storage is being specified and there is visibility to the end of the frame (all other end conditions include finished appearance with no end trim needed)
- End of line trim can not be used on a stack on frame

#### NOTE

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INTC30-2F in Veneer would be \$55 +\$182

		Part number	н	List price
00	Inline Connector Kit	INLINE-1	All Stack on Frame	\$0
		INLINE-2	24"h - 51"h Frame	\$0

	Part number	н	W	Thickness	Flat/neutral paint/base price	Veneer	Accent paint
Тор Сар	INTC30-2F	_	30"	2 ¾"	\$55	+\$182	+\$8
	INTC36-2F	_	36"	2 ¾"	\$60	+\$201	+\$9
	INTC42-2F	_	42"	2 3⁄4"	\$65	+\$224	+\$9
	INTC48-2F	_	48"	2 ¾"	\$67	+\$246	+\$10
	INTC54-2F	_	54"	2 ¾"	\$84	_	+\$11
	INTC60-2F	_	60"	2 ¾"	\$89	_	+\$12
	INTC66-2F	_	66"	2 ¾"	\$103	_	+\$13
	INTC72-2F	_	72"	2 ¾"	\$109	_	+\$13
	INTC78-2F	_	78"	2 ¾"	\$116	_	+\$14
	INTC84-2F	—	84"	2 ¾"	\$126	_	+\$15
	INTC90-2F	_	90"	2 ¾"	\$130	_	+\$15
	INTC96-2F	—	96"	2 ¾"	\$133	—	+\$16
Hi-Lo End Trim	INETHL6.75-2F	6.75"	_	2 ¾"	\$25	_	+\$6
	INBET10.125-2F	10.125"	_	2 ¾"	\$31	_	+\$6
	INETHL13.5-2F	13.5"	_	2 3⁄4"	\$39	+\$83	+\$7
	INETHL20.25-2F	20.25"	_	2 ¾"	\$47	_	+\$8
	INETHL27-2F	27"	_	2 ¾"	\$73	+\$112	+\$10
End Trim	INBET13.5-2F	13.5"	_	2 3⁄4"	\$36	-	+\$7
For use with 2 ¾" T frames	For use with Partial Heig	ht Frames					
	INBETEND27-2F	25.61"	-	2 ¾"	\$49	_	+\$8
	For use with Full Height	Frames					

- Connector Kits include connector brackets, bolts, nuts and finished trim to create connection
- Connectors and trim are available in all of Inscape's standard paint colors
- Specify code based on height of frames within connection

		Part number	н	Neutral paint/ base price	Accent paint
	90° Corner Connector	INBCPLC13.5-2F	13.5"	\$62	+\$9
	for 90° applications only	with rounded profile			
- The second sec		INBCPLS13.5-2F	13.5"	\$62	+\$9
		with straight profile			
	3-Way Corner Connector	INBCPT13.5-2F	13.5"	\$98	+\$11
	for Mobile applications only				
	4-Way Corner Connector	INBCPX13.5-2F	13.5"	\$42	+\$5
	for Mobile applications only				

- Connector Kits include connector brackets, bolts, nuts and finished trim to create connection
- Connectors and trim are available in all of Inscape's standard paint colors
- Specify code based on height of frames within connection
- Full Height to Partial Height Spine Trim finishes the full height bench frame when adjcent (inline) to a partial height spine frame

		Part number	н	Neutral paint/ base price	Accent paint
12	120° Y Connector, Partial	INCPYBPH-2F	13.5"	\$71	+\$10
	Height 2 ¾" Thick Frame - same height configurations	INCPYBFH-2F	27"	\$155	+\$18

INCPV6.75-2F

INCPV13.5-2F

INCPV10-2F

[]	7

120° Stack-On "Y"	INCPY6.75-2F	6.75"	\$18	+\$5
Connector	INCPY10-2F	10.125"	\$20	+\$5
	INCPY13.5-2F	13.5"	\$23	+\$5

6.75"


10.125"

13.5"

\$166

\$171

\$175



rFrame		INST10Y-2F INST13.5Y-2F	10.125" 13.5"	\$171 \$175	+\$19 +\$20
	Full Height to Partial Height Spine Trim	INBPFHETC10	10"	\$70	+\$9

120° Stack-On "V"

Connector

+\$19

+\$19

+\$20

- 23.6" H tiles may only be mounted on Full Height
- bench spine
- Multi-access Tiles include cutouts for power and data
  Communication Tiles include cutouts for power or data
- Collaborative tiles have one cutout per tile and the cutouts are left or righ justified making the tiles handed. They are intended to be specified to hide below the worksurface. Use one left and and one right hand for each Bench Collaborative area

		Pa	art number			н	W		Neutral p base	paint/ price		Accent paint
	23.6" H Painted Tile	IN	B23.6P	30	2	3.625"	30"			\$88		+\$11
f		IN	B23.6P	36	2	3.625"	36"		\$	103		+\$13
		IN	B23.6P	42	2	3.625"	42"		\$	111		+\$14
		IN	B23.6P	48	2	3.625"	48"		\$	125		+\$15
		IN	B23.6P	54	2	3.625"	54"		\$	134		+\$16
		IN	B23.6P	60	2	3.625"	60"		\$	155		+\$18
	23.6" H Perforated Tile	IN	B23.6P	F30	2	3.625"	30"			\$97		+\$12
		IN	B23.6P	F36	2	3.625"	36"		\$	117		+\$14
		IN	B23.6P	F42	2	3.625"	42"		\$	125		+\$15
		IN	B23.6P	F48	2	3.625"	48"		\$	148		+\$17
-		IN	B23.6P	F54	2	3.625"	54"		\$	163		+\$18
		IN	B23.6P	F60	2	3.625"	60"		\$	180		+\$20
	23.6" H Painted Communication Tile	IN	B23.6C	TP30	2	3.625"	30"		\$	164		+\$19
	Communication The	IN	B23.6C	TP36	2	3.625"	36"		\$	169		+\$19
		IN	B23.6C	TP42		3.625"	42"		•	179		+\$20
8		IN	B23.6C	TP48	2	3.625"	48"		\$	188		+\$21
		IN	B23.6C	TP54	2	3.625"	54"			208		+\$23
		IN	B23.6C	TP60	2	3.625"	60"		\$	212		+\$23
	23.6" H Painted Multi Access Tile		B23.6M			3.625"	30"			164		+\$19
			B23.6M			3.625"	36"			169		+\$19
			B23.6M			3.625"	42"		•	179		+\$20
			B23.6M			3.625"	48"			188		+\$21
			B23.6M	-		3.625"	54"			208		+\$23
		IN	B23.6M	AP60	2	3.625"	60"		\$	212		+\$23
	23.6" H Painted Collaborative		-	BCTP36U		3.625"	36"		•	158		+\$18
ET.	Communication Tile with single sided cutouts			BCTP42U left (illustrate		3.625"	42"		\$	165		+\$19
		IN	BCLB2	3CTP36U	<b>R</b> 2	3.625"	36"		\$	158		+\$18
			BCLB2: tout on the	3CTP42U right	<b>R</b> 2	3.625"	42"		\$	165		+\$19
	INBCLB23CTF36UL 23.	625"	36"	\$160	+\$10	+\$21	+\$32	+\$45	+\$78	+\$110	+\$153	+\$28
	INBCLB23CTF42UL 23. cutout on the left (illustrated)	625"	42"	\$163	+\$12	+\$24	+\$34	+\$47	+\$81	+\$114	+\$158	+\$31
	INBCLB23CTF36UR 23.0	625"	36"	\$160	+\$10	+\$21	+\$32	+\$45	+\$78	+\$110	+\$153	+\$28
23.6" H Fabric	INBCLB23CTF42UR 23.	625"	42"	\$163	+\$12	+\$24	+\$34	+\$47	+\$81	+\$114	+\$158	+\$31
Collaborative	and and any disc of all d											

cutout on the right

- 13.5" H tile may be specified with Partial Height Spine or Filing Spine
- Tiles are standard 13.5" H Inscape System
- 13.5" H Tiles may be specified on 13.5" stack on frame
- Tiles 66" W or wide span two frames. See Application Guide for frame spanning guidelines

#### NOTE

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product IN13.5F18 in a Grade 5 Fabric with Scrim would be 90 + 28 + 14

			Part numb	er		н	w	Neutral	paint/base	price	Ac	cent paint
	13.5" H Painted Tile		IN13.5P	30		13.5"	30"			\$65		+\$9
			IN13.5P			13.5"	36"			\$66		+\$10
f l			IN13.5P4			13.5"	42"			\$68		+\$10
			IN13.5P4			13.5"	48"			\$71		+\$10
			IN13.5P	-		13.5"	54"			\$75		+\$10
1			IN13.5P			13.5"	60"			\$79		+\$11
										•		
	13.5" H Perforated Ti	le	IN13.5P	F30		13.5"	30"			\$79		+\$11
			IN13.5P	F36		13.5"	36"			\$80		+\$11
			IN13.5P	F42		13.5"	42"			\$81		+\$11
			IN13.5P	F48		13.5"	48"			\$84		+\$11
			IN13.5P	-		13.5"	54"			\$85		+\$11
			IN13.5P	F60		13.5"	60"			\$87		+\$11
	1		1	Grade 1/		I						
	Part number	н	w	COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN13.5F18	13.5"	18"	\$90	+\$6	+\$20	+\$22	+\$28	+\$42	+\$56	+\$80	+\$14
A State	IN13.5F24	13.5"	24"	\$93	+\$6	-	+\$25	+\$31	+\$41	+\$55	+\$79	+\$14
Trades and	IN13.5F30	13.5"	30"	\$97	+\$7	+\$24	+\$30	+\$34	+\$41	+\$56	+\$80	+\$15
1.05°E	IN13.5F36	13.5"	36"	\$101	+\$11	+\$24	+\$32	+\$41	+\$62	+\$85	+\$118	+\$15
13.5" H Fabric Tile	IN13.5F42	13.5"	42"	\$107	+\$13	+\$25	+\$33	+\$43	+\$66	+\$90	+\$125	+\$16
	IN13.5F48	13.5"	48"	\$111	+\$13	+\$25	+\$33	+\$43	+\$66	+\$91	+\$126	+\$16
	IN13.5F54	13.5"	54"	\$114	+\$14	+\$26	+\$38	+\$48	+\$75	+\$98	+\$136	+\$18
	IN13.5F60	13.5"	60"	\$119	+\$14	+\$26	+\$38	+\$48	+\$75	+\$98	+\$136	+\$18
	IN13.5F66	13.5"	66"	\$221	+\$15	+\$26	+\$38	+\$48	+\$76	+\$99	+\$139	+\$86
	IN13.5F72	13.5"	72"	\$225	+\$15	+\$16	+\$23	+\$30	+\$61	+\$91	+\$126	+\$87
	IN13.5F78	13.5"	78"	\$226	+\$15	+\$18	+\$25	+\$32	+\$65	+\$97	+\$135	+\$87
	IN13.5F84	13.5"	84"	\$236	+\$16	+\$18	+\$25	+\$32	+\$65	+\$97	+\$135	+\$88
	IN13.5F90	13.5"	90"	\$237	+\$16	+\$19	+\$28	+\$38	+\$71	+\$103	+\$145	+\$109
	IN13.5F96	13.5"	96"	\$239	+\$17	+\$20	+\$30	+\$41	+\$77	+\$110	+\$153	+\$109
المبير	IN13.5TK18	13.5"	18"	\$134	+\$6	+\$10	+\$18	+\$26	+\$47	+\$67	+\$94	+\$23
A. (34)	IN13.5TK24	13.5"	24"	\$139	+\$7	+\$11	+\$19	+\$26	+\$48	+\$68	+\$95	+\$25
Looke Mar	IN13.5TK30	13.5"	30"	\$144	+\$8	+\$11	+\$19	+\$26	+\$49	+\$71	+\$98	+\$26
30000	IN13.5TK36	13.5"	36"	\$148	+\$11	+\$20	+\$29	+\$40	+\$67	+\$95	+\$132	+\$27
13.5" H Tackable Tile	IN13.5TK42	13.5"	42"	\$152	+\$12	+\$21	+\$30	+\$41	+\$70	+\$98	+\$136	+\$29
	IN13.5TK48	13.5"	48"	\$173	+\$12	+\$21	+\$32	+\$44	+\$77	+\$106	+\$149	+\$30

- 13.5" H tile may be specified with Partial Height Spine or Filing Spine
- Tiles are standard 13.5" H Inscape System
- May be specified on Stack-on Frame
- When specifying monitor arms to mount on paper management tile, reinforcing bracket must be specified
- Reinforcement Kit includes reinforcing brackets for Paper Management Tile

		Part number	н	W	Nuform Classic/ List/base price	Nuform Select
	13.5" H Nuform Tile	IN13.5NF30	13.5"	30"	\$243	+\$27
6		IN13.5NF36	13.5"	36"	\$253	+\$28
		IN13.5NF42	13.5"	42"	\$264	+\$30
		IN13.5NF48	13.5"	48"	\$271	+\$30
1000	13.5" H Veneer Tile	IN13.5WV30	13.5"	30"	\$298	_
TTAN		IN13.5WV36	13.5"	36"	\$331	_
		IN13.5WV42	13.5"	42"	\$366	_
al in the second		IN13.5WV48	13.5"	48"	\$399	-
	13.5" H Whiteboard Tile	IN13.5WB30	13.5"	30"	\$95	-
6		IN13.5WB36	13.5"	36"	\$97	_
whiteboard		IN13.5WB42	13.5"	42"	\$99	-
		IN13.5WB48	13.5"	48"	\$105	_
		IN13.5WB54	13.5"	54"	\$117	-
		IN13.5WB60	13.5"	60"	\$122	_
		IN13.5WB66	13.5"	66"	\$210	_
		IN13.5WB72	13.5"	72"	\$216	_
		IN13.5WB78	13.5"	78"	\$226	_
		IN13.5WB84	13.5"	84"	\$231	_
		IN13.5WB90	13.5"	90"	\$236	-
		IN13.5WB96	13.5"	96"	\$242	-
		Part number	н	w	Neutral paint/ base price	Accent paint
_	6.75" H Paper	IN6.75PM30-2F	6.75"	30"	\$148	+\$17
	Management Tile	IN6.75PM36-2F	6.75"	36"	\$161	+\$18
Constant of the second s	for use with 2 ¾" T frames	IN6.75PM42-2F	6.75"	42"	\$180	+\$20
		IN6.75PM48-2F	6.75"	48"	\$195	+\$21
		IN6.75PM54-2F	6.75"	54"	\$210	+\$23
		IN6.75PM60-2F	6.75"	60"	\$230	+\$25
		IN6.75PM66-2F	6.75"	66"	\$303	+\$31
		IN6.75PM72-2F	6.75"	72"	\$315	+\$33
		IN6.75PM78-2F	6.75"	78"	\$326	+\$34
		IN6.75PM84-2F	6.75"	84"	\$371	+\$40
		IN6.75PM90-2F	6.75"	90"	\$383	+\$41
		IN6.75PM96-2F	6.75"	96"	\$397	+\$42
E ·	Paper Management Reinforcing Kit	INPMRK-2F	—	18"	\$116	-
1	for use with 2 ¾" T frames					

- 13.5" H tile may be specified with Partial Height Spine or Filing Spine
- Tiles are standard 13.5" H Inscape System
- 13.5" H tiles may be specified on 13.5" Stack-on Frame
- Multi-access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data
- Collaborative communication and multi-access tiles with single sided cutouts have one cutout per tile (2 stacked for multi-access) and the cutouts are left or right justified making the tiles handed. They are intended to be specified so that the cutouts are hiden below the worksurface
- Use one left and and one right hand collaborative communication tile for each Bench Collaborative area

		Part number	н	w	Neutral paint/ base price	Accent paint
	13.5" H Painted	IN13.5CTP24-UD	13.5"	24"	\$91	+\$12
	Communication Tile	IN13.5CTP30-UD	13.5"	30"	\$94	+\$12
	Upper Deck Location	IN13.5CTP36-UD	13.5"	36"	\$99	+\$13
		IN13.5CTP42-UD	13.5"	42"	\$103	+\$13
		IN13.5CTP48-UD	13.5"	48"	\$110	+\$13
		IN13.5CTP54-UD	13.5"	54"	\$111	+\$14
		IN13.5CTP60-UD	13.5"	60"	\$114	\$114
_	13.5" H Painted Multi	IN13.5MAP30-UD	13.5"	30"	\$95	+\$12
	Access Tile	IN13.5MAP36-UD	13.5"	36"	\$99	+\$13
88		IN13.5MAP42-UD	13.5"	42"	\$103	+\$13
		IN13.5MAP48-UD	13.5"	48"	\$110	+\$13
		IN13.5MAP54-UD	13.5"	54"	\$111	+\$14
		IN13.5MAP60-UD	13.5"	60"	\$114	+\$14
	13.5" H Painted	INBCLB13CTP36UL	13.5"	36"	\$88	+\$11
	Collaborative	INBCLB13CTP42UL	13.5"	42"	\$93	+\$12
	Communication Tile with single sided cutouts	cutout on the left (illustrated)				
		INBCLB13CTP36UR	13.5"	36"	\$88	+\$11
		INBCLB13CTP42UR	13.5"	42"	\$93	+\$12
		cutout on the right				
	13.5" H Painted Multi	IN13.5MAP60UL	13.5"	60"	\$114	+\$14
	Access Tile	IN13.5MAP72UL	13.5"	72"	\$221	+\$14
E	with single sided cutouts	cutout on the left (illustrated)	15.5	12	φζζ Ι	+φ24
		IN13.5MAP60UR	13.5"	60"	\$114	+\$14
		IN13.5MAP72UR	13.5"	72"	\$221	+\$24
		cutout on the right				

- 13.5" H tile may be specified with Partial Height Spine or Filing Spine
- Tiles are standard 13.5" H Inscape System
- 13.5" H tiles may be specified on 13.5" Stack-on Frame
- Multi-access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data
- Collaborative communication and multi-access tiles with single sided cutouts have one cutout per tile (2 stacked for multi-access) and the cutouts are left or right justified making the tiles handed. They are
- intended to be specified so that the cutouts are hiden below the worksurface
- Use one left and and one right hand collaborative communication tile for each Bench Collaborative area

#### NOTE

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product IN13.5CTF24-UD in a Grade 5 Fabric with Scrim would be 105 + 28 + 14

	Part number	н	W	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN13.5CTF24-UD	13.5"	24"	\$105	+\$8	+\$13	+\$21	+\$28	+\$50	+\$73	+\$100	+\$14
the states	IN13.5CTF30-UD	13.5"	30"	\$110	+\$7	+\$11	+\$19	+\$26	+\$49	+\$71	+\$98	+\$15
La trans	IN13.5CTF36-UD	13.5"	36"	\$121	+\$8	+\$14	+\$25	+\$36	+\$63	+\$90	+\$125	+\$15
300 31 11	IN13.5CTF42-UD	13.5"	42"	\$124	+\$9	+\$18	+\$26	+\$34	+\$65	+\$92	+\$129	+\$16
13.5" H Fabric	IN13.5CTF48-UD	13.5"	48"	\$128	+\$11	+\$23	+\$32	+\$42	+\$70	+\$98	+\$136	+\$16
Communication Tile	IN13.5CTF54-UD	13.5"	54"	\$129	+\$12	+\$25	+\$36	+\$46	+\$77	+\$105	+\$148	+\$18
Upper Deck Location	IN13.5CTF60-UD	13.5"	60"	\$141	+\$13	+\$14	+\$25	+\$38	+\$67	+\$97	+\$135	+\$18
	IN13.5MAF30-UD	13.5"	30"	\$111	+\$7	+\$11	+\$19	+\$26	+\$49	+\$71	+\$98	+\$15
	IN13.5MAF36-UD	13.5"	36"	\$121	+\$8	+\$14	+\$25	+\$36	+\$63	+\$90	+\$125	+\$15
	IN13.5MAF42-UD	13.5"	42"	\$124	+\$9	+\$21	+\$26	+\$40	+\$66	+\$95	+\$132	+\$16
1912	IN13.5MAF48-UD	13.5"	48"	\$128	+\$11	+\$23	+\$32	+\$42	+\$70	+\$98	+\$136	+\$16
13.5" H Fabric Multi	IN13.5MAF54-UD	13.5"	54"	\$129	+\$12	+\$25	+\$36	+\$46	+\$77	+\$105	+\$148	+\$18
Access Tile Upper Deck	IN13.5MAF60-UD	13.5"	60"	\$141	+\$13	+\$27	+\$39	+\$48	+\$80	+\$107	+\$150	+\$18
Location				••••								
	INBCLB13CTF36UL	13.5"	36"	\$110	+\$7	+\$13	+\$24	+\$34	+\$61	+\$88	+\$122	+\$14
(mail)	INBCLB13CTF42UL	13.5"	42"	\$115	+\$8	+\$17	+\$25	+\$39	+\$63	+\$91	+\$126	+\$15
	cutout on the left (illustrated)											
13.5" H Fabric	INBCLB13CTF36UR	13.5"	36"	\$110	+\$7	+\$13	+\$24	+\$34	+\$61	+\$88	+\$122	+\$14
Collaborative	INBCLB13CTF42UR	13.5"	42"	\$115	+\$8	+\$17	+\$25	+\$39	+\$63	+\$91	+\$126	+\$15
Communication Tile with single sided cutouts	cutout on the right											
	IN13.5MAF60UL	13.5"	60"	\$141	+\$14	+\$26	+\$38	+\$48	+\$75	+\$98	+\$136	+\$18
	IN13.5MAF72UL	13.5"	72"	\$273	+\$24	+\$49	+\$68	+\$90	+\$139	+\$186	+\$260	+\$10
E	cutout on the left (illustrated)	.0.0		Ψ210	, ΨΖΤ	υψτυ	ιψου	ιψου			, <del>4</del> 200	ιψου
13.5" H Fabric Multi	IN13.5MAF60UR	13.5"	60"	\$141	+\$14	+\$26	+\$38	+\$48	+\$75	+\$98	+\$136	+\$18
Access Tile	IN13.5MAF72UR	13.5"	72"	\$273	+\$24	+\$49	+\$68	+\$90	+\$139	+\$186	+\$260	+\$50
with single sided cutouts	cutout on the right											

- Tiles may only be installed on 10.125" H Stack-on
- May be specified on a Stack-on Frame
- Multi-access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data

#### NOTE

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN10.125F30 in a Grade 5 Fabric with Scrim would be \$97 +\$24 +\$15

		Part number	н	W	Neutral paint/ base price	Accent paint
	10.125" H Painted Tile	IN10.125P30	10.125"	30"	\$65	+\$9
A		IN10.125P36	10.125"	36"	\$66	+\$10
		IN10.125P42	10.125"	42"	\$68	+\$10
		IN10.125P48	10.125"	48"	\$71	+\$10
		IN10.125P54	10.125"	54"	\$75	+\$10
		IN10.125P60	10.125"	60"	\$79	+\$11
	10.125" H Painted Multi-	IN10.12MAP30-UD	10.125"	30"	\$94	+\$12
	Access Tile	IN10.12MAP36-UD	10.125"	36"	\$99	+\$13
		IN10.12MAP42-UD	10.125"	42"	\$103	+\$13
		IN10.12MAP48-UD	10.125"	48"	\$110	+\$13
		IN10.12MAP54-UD	10.125"	54"	\$111	+\$14
		IN10.12MAP60-UD	10.125"	60"	\$114	+\$14
	10.125" H Painted	IN10.12CTP30-UD	10.125"	30"	\$94	+\$12
f m m	Communication Tile	IN10.12CTP36-UD	10.125"	36"	\$99	+\$13
		IN10.12CTP42-UD	10.125"	42"	\$103	+\$13
		IN10.12CTP48-UD	10.125"	48"	\$110	+\$13
		IN10.12CTP54-UD	10.125"	54"	\$111	+\$14
		IN10.12CTP60-UD	10.125"	60"	\$114	+\$14

- Tiles may only be installed on 10.125" H Stack on
- May be specified on a Stack-On Frame
- Multi Access Tiles include cutouts for power and data
- Communication Tiles include cutouts for power or data

#### NOTE

See finishes section for fabrics that require scrim

Tile size limitations exist for some fabrics, see finishes section

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product IN10.125F30 in a Grade 5 Fabric with Scrim would be \$97 +\$24 +\$15

	Part number	н	w	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Scrim
	IN10.125F30	10.125"	30"	\$97	+\$7	+\$11	_	+\$24	_	+\$56	_	+\$15
	IN10.125F36	10.125"	36"	\$101	+\$11	+\$24	_	+\$41	_	+\$85	_	+\$15
400 E	IN10.125F42	10.125"	42"	\$107	+\$10	+\$25	_	+\$43	_	+\$90	_	+\$16
- All Contraction	IN10.125F48	10.125"	48"	\$111	+\$13	+\$25	_	+\$43	_	+\$91	_	+\$16
10.125" H Fabric Tile	IN10.125F54	10.125"	54"	\$114	+\$14	+\$26	_	+\$48	_	+\$98	_	+\$18
	IN10.125F60	10.125"	60"	\$119	+\$14	+\$26	_	+\$48	_	+\$98	-	+\$18
11.	IN10.12MAF30-UD	10.125"	30"	\$110	+\$7	+\$11	_	+\$26	_	+\$71	_	+\$15
	IN10.12MAF36-UD	10.125"	36"	\$121	+\$8	+\$14	_	+\$36	_	+\$90	_	+\$15
A Real	IN10.12MAF42-UD	10.125"	42"	\$124	+\$7	+\$18	_	+\$34	_	+\$90	_	+\$16
	IN10.12MAF48-UD	10.125"	48"	\$128	+\$11	+\$23	_	+\$42	_	+\$98	_	+\$16
10.125" H Fabric	IN10.12MAF54-UD	10.125"	54"	\$129	+\$12	+\$25	_	+\$46	_	+\$105	_	+\$18
Multi-Access Tile	IN10.12MAF60-UD	10.125"	60"	\$141	+\$5	+\$14	—	+\$38	—	+\$97	-	+\$18
	IN10.12CTF30-UD	10.125"	30"	\$110	+\$7	+\$11	_	+\$26	_	+\$71	_	+\$15
	IN10.12CTF36-UD	10.125"	36"	\$121	+\$8	+\$14	_	+\$36	_	+\$90	_	+\$15
Jan Die	IN10.12CTF42-UD	10.125"	42"	\$124	+\$7	+\$18	_	+\$34	_	+\$90	-	+\$16
1 miles	IN10.12CTF48-UD	10.125"	48"	\$128	+\$11	+\$23	_	+\$42	_	+\$98	_	+\$16
10.125" H Fabric	IN10.12CTF54-UD	10.125"	54"	\$129	+\$12	+\$25	—	+\$46	_	+\$105	_	+\$18
Communication Tile	IN10.12CTF60-UD	10.125"	60"	\$141	+\$5	+\$14	_	+\$38	-	+\$97	-	+\$18

# Bench Technology



work for ^{tomorrow}

Inscape Bench electrical is UL and CSA approved. New York City and Chicago solutions are also available as standard offering. The electrical system features 8 wires and 4 circuits that can be configured in a 2+2 or 3+1 circuit configuration. All electrical components, with the exception of the power feed (which must be connected to the building power supply by a licensed electrician) may be installed by furniture installers, unless otherwise stated by jurisdiction of the installation.

Inscape Bench electrical components consist of the following: Floor/Wall power in-feed, power tracks, jumper cables and duplex receptacles. Power components snap into place without the need of tools and are the same components as offered in Inscape System.

#### **POWER IN-FEED**

#### **POWER POLE**

Power In-Feed connections can be made through a wall, column, or floor connection. Power in-feed connections for Full Height applications consist of an 84" long liquid tight cable and a 45" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails. Power in-feed connections for Partial Height applications consist of an 84" long liquid tight cable and a 12" flex cable connected by a 3" metal coupler and elbow joint to sit between bottom rails. The liquid tight portion of the Power in-feed must be connected to the building power supply by an electrician. If two power feeds are being specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks.

Two versions of the power in-feed exist. One version is to be used with the Full Height Spine and the other is to be used with the Partial height or Storage Spine and includes a wire casing.

#### STANDING HEIGHT POWER IN-FEED KIT

Standing Height Power In-feed kit is specified when power is required in a fixed standing height table. This power track is same as noted above however its length allows for seamless entry from floor/wall to the spine.

#### **NEW YORK CITY IN-FEED**

New York City has requirements for special power entry assemblies. A qualified electrician is required to hard-wire the New York City In-Feed from the entry box to the power source. The New York City feed works for side feed, end feed or ceiling feed.

#### CITY OF CHICAGO HOLD DOWN BRACKET


The City of Chicago does not permit the use of pre-wired modular electrical systems. To simplify hardwiring of the Inscape Bench Spine, the City of Chicago Hold Down Bracket (INECHB) is available. Specify two INECHB for each power entry point, one for the power feed and one for the outlet. (The outlet box is NOT supplied by Inscape). INECHB's are available in packages of 6.

Boxes should be sourced through Ental Industries or J&A Sheet both local Chicago suppliers of electrical junction boxes.

NOTE: Spines 30" W will accept one double-sided outlet box. Spines 36" W and wider will accept two boxes. INECHB's may also be specified to mount multi-user termination boxes inside the panel.


The Bench power pole brings power and data into the station from the ceiling. It includes a split top trim to facilitate cable entry into the spine panel, a ceiling grommet, an optional 16' or 22' long electrical cable and an expandable power pole featuring a septum to separate power from data cables to avoid electromagnetic interference (EMI). Specify ceiling power pole according to panel width as well as an optional selection for A Leg applications, which includes a bottom cover that conceals cables running from the bottom of the channel up to the frame. An electrician must connect the ceiling power entry cable to the building power supply. If two power feeds are specified for one cluster of stations, care must be taken not to cross connect the two feeds through jumper cables and power tracks. The entire power pole accommodates 61 Cat6 and 78 Cat5 cables at a 60% fill capacity if no electrical cable is routed through pole. If electrical is routed within power pole, at a 60% fill capacity, 46 Cat6 and 59 Cat5 cables may be accommodated

#### 2 + 2 CIRCUIT CONFIGURATION



#### 2+2

- Circuits #1 and #2 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuits #3 and #4 share the other oversize neutral and isolated ground to provide isolated power to computers.



#### 3+1 CIRCUIT CONFIGURATION

- Circuits #1, #2 and #3 share one oversize neutral and one shared ground to provide convenience power for task lights, calculators, radios etc.
- Circuit #4 uses the other oversize neutral and isolated ground to provide isolated power to computers.

#### POWER TRACK KITS

Power Track Kits consist of a power track and clips to attach the power track to a crossrail. The kit allows for power tracks to be mounted in specified locations (above or below the worksurface). Jumper cables and receptacles are specified separately. The 30" W Power Track Kit accepts one duplex per side. Power Track Kits which are 36" W and wider accept two duplexes per side. Power Track Kits may be specified below the following; Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles. Power Track Kits MAY NOT be specified below Twin Bins or Power Poles.

#### JUMPER CABLES

Jumper Cables by-pass non-powered spines and also facilitates connections from power track to power track. Jumper cables must attach to power tracks only and cannot be attached to adjacent jumper cables or power in-feeds. Product codes indicate the width of the jumper cable which may be cross-referenced in the Inscape Bench Application Guide. Various widths of jumper cables are available to facilitate various applications and configurations. See Inscape Bench Application Guide for details.

#### DUPLEX RECEPTACLES

Duplex Receptacles snap into power tracks back-toback and may be accessed through cutouts in either the electrical cover plate with standard frames or multiaccess and communication tiles in all other locations and basic frames. Duplexes are interchangeable amongst the varying power track locations. Specify duplexes according to circuit configuration, 2+2 or 3+1. The IN2D3-_ duplex is specific to 2+2 wire configurations and the IN2DU3-_ duplex is specified for 3+1 wire configurations. General rule is no more than 12 receptacles per circuit per power in feed. Duplexes may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf).

Controlled receptacles to satisfy California Title 24 are available. These receptacles control circuits through building switches. When circuits are controlled through building switches, it is required to identify which circuit is controlled to the end user. To identify the receptacles on the controlled circuit, Inscape's controlled receptacles have a power mark (circle with the vertical line). The fit and function of these receptacles are same as the standard receptacle offering only application is in controlled circuits.

#### DATA COMPONENTS HINGED COVER (INHRC)

The hinged cover (INHRC) snaps into the cutouts which are found in multi access and communication tiles. When data faceplates and receptacles are not required the hinged cover provides a visual and protective cover.

#### FIBER OPTIC OUTLET

Fiber optic outlet (INCFO) is specified to be installed in a cutout in a multi access or communication tile. May be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf).

#### DATA AND COMMUNICATION FACEPLATE

The **Data and Communication Faceplate (INCDP)** installs in a cutout in a multi access or communication tile where plug and play access is required. The faceplate provides three "slots" where the **Category 5 (INCABRJ45), Category 6 (INCABR6J45),** and/ or **Telephone Jacks (INCRJ11)** may be inserted. All "openings" need to be filled with data or phone jacks, the **Blank Data Plate Insert (INCB)** fills in any which are not being used. Data components may be specified in black, white (close match to P168 – Glacier White) and gray (close match to P290 – Aluminum Leaf). Telephone Jacks (INCRJ11) are not available in gray.

#### **CLAMP ON POWER**

Clamp-on power may be clamped along edge of worksurface for plug and play access to electrical/voice/ data. Unit has clear anodized aluminum case with white inserts. Different insert configurations available. Voice and data adapter kits are included. Voice and data jacks must be purchased separately. Clamp-on power module has 72" long extension cord. This module adjusts from .75 to 1.75" for varying surface thickness.

#### **CABLE HOOKS**

Cable Hooks support and segregate data cables. Each frame 37" and higher ships with one cable manager. Cable hooks carry data cables to their termination voice/ data point at a multi access or communication tile for plug and play access or to hanger brackets which are located behind the tile.

#### WIRE MANAGEMENT CLIPS

Wire Management Clips are required when power is being routed from a Credenza Storage benching application frame to the worksurface. Where cabling is running from behind a Credenza Storage case, these wire management clips are mounted to the underside of the inside of the case and the wires are cleanly routed to the main surface. These clips come in a package of 10 and are white in color.

#### WIRE CASING

Wire casing manages cables and technology from a worksurface to the floor. Casing is 29" long but can be adjustable in length by removing or adding "links". Casing is available in gray. As standard the wire casing accommodates 28.5" H worksurface heights. The wire casing accommodates 30 Cat5 cables with electrical works at a 60% fill capacity which is recommended. Approximately 36 Cat5 cables may be accommodated in the wire casing at a 60% fill capacity without electrical works.

- Partial Height In Feed Kit is slightly shorter then the Full Height Kit and includes wire management casing
- All electrical components are standard 8 wire configuration
- New York City Power In-Feed Kit is for use with a full height spine. To use it with Partial Height, Storage or Standing Height spine application, a wire management casing (INBWFWC) needs to be specified
- Standing Height Power In Feed Kit includes in-feed and wire management casing
- The power pole is expandable and comes standard with a 16" whip. It also has the option of no power or can accommodate a 22" whip

		1	I			1
		Part number				List price
C. Mark D. C	Standard Floor/Wall Power In Feed Kits	INEFWK-8	•			\$334
A Destant	III Feed Kits	(use with full spine)				
A. A. Martine		INBWFWK-8 (use with partial height spine)				\$593
Autom De tor or BUIE	New York City Power In Feed Kit	INEFWK-NY-8				\$593
Same and the second	Standing Height Power In	INBSHFWK-8				¢500
	Feed Kit	IND SHEWK-0				\$593
(III)	Wire Management Casing Gray	INBWFWC				\$120
		Part number	Neutral paint/ base price	Optional 22" whip	No power option	Accent paint
	Power Pole	INBPWRPOLE-8	\$1476	+\$208	-\$220	+\$153

- All electrical components are standard 8 wire configuration
- See Inscape System Application Guide for jumper cable length requirements for varying panel configurations
- Jumper Cables do not connect together nor do they attach to power in feeds

#### NOTES

- Power tracks are required to match the width of the frame they are being installed in
- Power Track Kits may be specified below the following; Transaction Tops, Up mount Bins, Stack on Glaze, Add on Glaze and Double Glazed Tiles
- Power Track Kits MAY NOT be specified below Twin Bins or Power Poles

		Part number	w	List price
0 A21	Power Track Kit	INRUDKIT-30-8	30"	\$171
E ST		INRUDKIT-36-8	36"	\$171 \$186
ALL STORE		INRUDKIT-42-8	42"	\$202
ALL SUL		INRUDKIT-42-8	42 48"	\$202
C. C		INRUDKIT-54-8	54"	\$234
		INRUDKIT-60-8	60"	\$252
and a second	Electrified Twin-Bin Power Track	INETPTWB-8	8"	\$81
S. Mar	Jumper Cables	INETC24-8	24"	88 <b>8</b>
C. Management M. B.	Jumper Cables	INETC24-8	24"	\$66
TOBER Real		INETC25-8	25"	\$66
S. T. D. B. B. B.		INETC28-8	28"	\$66
Charles and the second s		INETC31-8	31"	\$68
		INETC44-8	44"	\$73
		INETC53-8	53"	\$81
		INETC64-8	64"	\$96
		INETC88-8	88"	\$125
		INETC104-8	104"	\$144
		INETC122-8	122"	\$177
		INETC141-8	141"	\$179

INETC158-8

**INETC182-8** 

158"

182"

\$196

\$225

- All electrical components are standard 8 wire configuration
- Circuit 3 receptacle requires 2+2 or 3+1 wire designation
- ("U" in the code signifies 3+1 wire configuration)
- White is a close match to 168 Glacier White, Gray is a close match to 290 Aluminum Leaf
- The "UD" duplexes are to be specified in conjunction with the Electrified Twin Bin (Inscape System Price List)
- Controlled receptacles satisfy California Title 24 and are indicated with a "power mark" which is represented buy a circle with a line

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product IN2D1-8 in Gray would be +\$25 +\$10

		Part number	Black/ base price	White	Gray
	Receptacle for cutout tiles	IN2D1-8	\$25	+\$10	+\$10
	application in 2 ¾" frames	IN2D2-8	\$25	+\$10	+\$10
S-1-S		IN2D3-8	\$25	+\$10	+\$10
Et		IN2D3U-8	\$25	+\$10	+\$10
		IN2D4-8	\$25	+\$10	+\$10
	Controlled Receptacle for	IN2D1-8C	\$29	+\$10	+\$10
	cutout tiles application in 2 ¾" frames	IN2D2-8C	\$29	+\$10	+\$10
		IN2D3-8C	\$29	+\$10	+\$10
		IN2D3U-8C	\$29	+\$10	+\$10
		IN2D4-8C	\$29	+\$10	+\$10
	Receptacle for use in	IN3D1-UD-8	\$25	+\$10	+\$10
	Electrified Twin-Bin	IN3D2-UD-8	\$25	+\$10	+\$10
		IN3D3-UD-8	\$25	+\$10	+\$10
		IN3D3U-UD-8	\$25	+\$10	+\$10
		IN3D4-UD-8	\$25	+\$10	+\$10

#### **Technology** Data Components

### Bench

- Data components which are face mounted have optional color of black (default), white or gray
- Data cannot be installed directly back to back in a benching spine
- Data components are industry standard sized AMP product

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product INHRC in Gray would be \$20 +\$10

		Part number	Black/ base price	White	Gray
(A)	Hinged Cover for Tiles with Cutouts	INHRC	\$20	+\$10	+\$10
B	Fiber Optic Outlet	INCFO	\$124	-	-
	Data Communication Plate	INCDP	\$25	+\$8	+\$8
	Blank Data Plate Insert	INCB	\$14	+\$7	+\$7
	Telephone Jack	INCRJ11	\$27	+\$7	_
	Category 5A & 5B, RJ45 Jack	INCABRJ45	\$43	+\$7	+\$7
	Category 6, RJ45 Jack	INC6ABRJ45	\$83	+\$16	+\$16

- sided tape which is included
- Wire Casing (INFWC) is 29" long and allows for electrical and data cables to be brought neatly from floor into a table - available in gray only, works with 28.5" worksurface heights
- Cable Management Tray (INCMTXX) is available in two lengths, painted Eco Black and includes mounting hardware
- Wire Management clips are white and attach by double Height Adjustable Cable Manager (INHACMT18) comes with a basic tray (see INCMT18) and 1" Diameter grey plastic wire sleeve that is single length piece with opening slit to accept cables
  - 18"w Cable Manager Tray (INHACHCMT18) includes a black rectangular cable chain with an non-hinged tray
  - Hinged Cable Manager Tray (INHACMTHINGE) includes black rectangular cable chain with a hinged tray

		Part number	Neutral paint/ base price	Accent paint
Ŷ	Wire Management Clip (pkg of 10)	INWMCLIP	\$27	_
CONTRACT OF THE OWNER	Wire Casing (Gray color)	INFWC	\$120	_
1000	Cable Management Tray	INCMT18 INCMT30	\$33 \$43	-
	Wire mesh cable tray (silver)	INWMTRAY	\$123	-
KT I	Height Adjustable Cable Manager	INHACMT18	\$82	_
	18"w Cable Manager Tray For use with Electric Freestanding and Bench (illustrated) height adjustable applications	INHACHCMT18	\$237	+\$25
	Hinged Cable Manager Tray For use with Electric Freestanding and Bench (illustrated) height adjustable applications	INHACMTHINGE	\$492	+\$51

• Clamp on Power Modules have white inserts and a 72" long power cord. It attaches to 1" and 1 ¼" thick worksurfaces

	Part number	List price
Clamp-on Power Module 2 receptacles/2 voice/data ports	PVDMODTC	\$480
Clamp-on Power Module 1 receptacle/1 dual USB port	PVDMODTC-1P1U	\$519
Clamp-on Power Module 3 receptacle/1 dual USB port	PVDMODTC-3P1U	\$585

1

- Power Modules mount to the back edge of a surface and are accessible by the user above the surface
- Power Modules plug into the duplexes and come in many different configurations with receptacles, USB ports and availability lights
- Modules come in black, white or gray and have colored options for the lid; Black, White, Teal, Red, Purple, Blue, Green, Gray
- USB includes (1) type A jack and (1) type C jack
- Free software download required for availability light option
- Availability light is controlled by user

	Part number	List pri	се
2 Port Power Module 1 receptacle + 1 USB AC	INBPMOD-1P1U	\$4C	4
4 Port Power Module 2 receptacles + 1 USB AC + 1 open data port data not provided	INBPMOD-2P1U1O	\$50	7
4 Port Power Module 2 receptacles + 1 USB AC + 1 availability light	INBPMOD-2P1U1L	\$80	2

# Bench Worksurfaces & Supports



work for ^{tomorrow}


Depth dimension is nominal. Depths are .325" less than stated to provide a gap between the worksurface and panel to facilitate wire management. Worksurfaces are specific to the worksurface support they are being installed on. Codes and dimensions are outlined in the following pages and Inscape Bench Application Guide showing which worksurface is to be specified with the End Gable, Open "H" Leg or Storage Support.

All worksurfaces default to 1.25" thick, Straight edge, Pencil Groove.

#### NUFORM CLASSIC & NUFORM SELECT WORKSURFACES

The Nuform top is a thermo-formable polymer based sheet continuously bonded to a 1.25". The polymer sheet is surface coated with a scratch resistant film. Colors are homogenous throughout the film thickness. Top and edge are one continuous surface with no edge seams. The underside of the top is finished in a low pressure melamine. Nuform tops have the option of a pencil groove running across the width of the worksurface as standard and depth for conference tables. Two price options are available - Nuform Classic and Nuform Select. Limitations exist with the F06, F08, F09, F10, F11, F16, F26 Nuform due to size of the foil – 48" standard and extended corners as well as 120 degree surfaces.

#### Edge Detail - Nuform Solid and Nuform Woodgrain



Top and edge are one continuous surface with no edge seams.

Note that the tapered edge style is only available on the front or user edge of the worksurface.

#### LAMINATE WORKSURFACES

Plastic laminate is laminated to 1.25" thick particleboard. The underside of the worksurface is finished with a man-made, wood-fiber veneer backer. Worksurfaces specified with a plastic laminate finish include a 2mm edge banding in a coordinating color. Plastic laminate tops do not include a pencil groove.

#### Edge Detail - Plastic Laminate

Straight Edge



#### COMPOSITE VENEER WORKSURFACES

Veneer thickness is 0.025". Overall thickness of top is 1.25". The stain color is impregnated throughout the veneer for color consistency. The open pore veneer is clear coated with a catalyzed lacquer utilizing a multi-step process and has a gloss value of 30° when dry. Tops are constructed utilizing 45lbs density particle board with an engineered balanced backer for structural integrity. Tops are edged in 3mm thick same species veneer and do not include a pencil groove.


#### Edge Detail - Plastic Laminate

#### Straight Edge



### Load capacity for freestanding and panel mounted worksurfaces is 4.5lbs per linear inch.

Grain direction on woodgrain Nuform and Veneer worksurfaces is as denoted below.



#### WORKSURFACE EXTENSION

The Worksurface Extension is a cantilevered worksurface which is situated perpendicular to the spine. This top is available in all the worksurface finishes of the standard worksurfaces (if woodgrain is chosen, pattern will run perpendicular to the main worksurfaces). This extension CANNOT be specified adjacent to the Height Adjustable Worksurfaces.

#### WORKSURFACE FOR ELECTRICAL ACCESS

The Worksurface for Electrical Access is a worksurface which provides easy access to power/data ports below the worksurface within the spine. The hinged access cover is an aluminum component which is inset into the Laminate or Veneer surfaces only. Worksurfaces are specific to the frame width in order to allow the hinged access cover to line up with the port in the spine beneath.

## Bench

ADJUSTABLE HEIGHT WORKSURFACES Panel Mounted Pneumatic and Electrical height adjustable worksurfaces available for the Inscape Bench.

Panel Mounted Pneumatic Height Adjustable Worksurface provide gas cylinder height adjustment ranging from 28.5" to 48.5" with a lift capacity and calibration of a recommended 25lbs (includes worksurface).

Electrical Height Adjustable Worksurfaces provide height adjustment ranging from 28.5" to 44.5" with a lift capacity and calibration of a recommended 195lbs (includes worksurface).

Worksurfaces structured on the height adjustable mechanism are 1" less in stated width in the price list, and are meant to be installed on center to the base allowing for a gap between adjacent surfaces to eliminate pinch points. The base mechanism of the worksurface is available in Silver only. See the Inscape Bench Application Guide for application notes and restrictions.

#### WORKSURFACE SUPPORT BRACKETS & ACCESSORIES CANTILEVER BRACKET

Cantilever Bracket is fixed. Cantilever brackets support panel mounted worksurfaces on-module.

#### **FLUSH BRACKETS**

Flush Brackets are specified when two adjoining worksurfaces need to be held flush together. These brackets (INFB) come as a pair. Maximum span of overhang when supported with a flush bracket is 18" per side. These are not required for Height Adjustable worksurfaces.

#### SPACERS

Spacers are specified when storage is being specified within the bench. The appropriate height of storage to use within the bench is 22.5"id with FLAT GLIDE (Rectangular glides will not line up below the worksurface)

#### LEG ANCHOR BRACKET

A Bench 30"d Single Sided Electric Height Adjustable table must have rear glides at every height adjustable support bracket anchored to a concrete floor using the Leg Anchor Bracket and customer supplied 3/s"-16 x 2.25" (min.) concrete anchor studs. See installation manual for further details.

#### PEDESTAL BRACKETS

Pedestal Brackets are specified when a pedestal unit is being specified. This allows for docking of the storage pieces to the benching spine. End Location Bracket is to be specified when the pedestal is at the end of a run. The Middle Location Bracket is to be specified when a pedestal is situated below the bench within the bench.

*See Inscape Bench Application Guide.

#### STORAGE DOCKING BRACKET

Storage Docking Bracket is used when lateral or bookcase units are specified perpendicular to the spine. This bracket docks the storage and worksurface to the spine. *See Inscape Bench Application Guide.

#### 90° WORKSURFACE SUPPORT BRACKETS

90° worksurface to spine support bracekts support a 90° worksurface off of a spine frame. These brackets are handed left or right and there is a double sided option. The handedness of the support bracket is from the user perspective. Brackets are available in all standard paint finishes.

#### SHARED WORKSURFACE SUPPORT BRACKETS

Shared worksurface support brackets are used to support either a 30"d or 36"d shared worksurface off of a spine frame(s) and are available in on module and mid module applications. See Inscape Bench Application Guide for application guidelines. Brackets are available in all standard paint finishes

#### ANGLED WOOD SUPPORT LEG

The angled wood fixed worsurface support leg supports the end of a 90° or shared worksurface that is not bracketed to the spine frames. The angled wood fixed worksurface support leg come in two finish options; Clear Maple and Black.

#### LATERAL TOPS

The Lateral Tops are available as ³/₄" thick. These tops are to be specified atop the 22.5"id storage units, FLAT GLIDE only on storage. Tops are available in all standard Nuform finishes.

### Bench

#### END SUPPORT

There are three main ways to support the Inscape Bench from and end support perspective. One option is a Full End Gable. This end gable unit spans the entire depth of the bench beneath the worksurfaces, which are specific to this support type. The End Gable is a fully kitted product code which includes trim, tiles, glides and structure. The trim can be painted in any standard paint color. Tiles are to be specified on the inside and outside of the end gable. Tiles on the interior consist of two separate tiles whereas the outside is one full tile. Woodgrain on the exterior tile will run vertical on the tile. The Full End Gable is only to be used with the Full Height Spine.

An alternative support is the Open End Leg which is available in the "H", "O" and "A" options. This open leg structure has the ability to span the entire depth of the bench as well as carry multiple storage/ accessories components. These units may be found in the Accessories section and are specific to the Open End Leg. The Open End Leg is only to be used with the Partial Height Spine; unless the Height Adjustable version is being used.

Open O legs have the option to add a glazed insert to wither the double or single sided applications. The inserts is glass and is available in clear, gray and etched 1 side finish options.

H Leg hole covers are available for use with H Legs that have been optioned for electric height adjustable worksurfaces as hole are visible. These covers are a small flat rectangular powder coated (any color) sheet steel part that has double sided tape attached and will ship 4 per pack.

Both support types have a mid-span support which matches the overall end aesthetic. These are available in 12" and18"d. The 12" version is to be specified with 24" and 30" deep worksurfaces and the 18"d with 36"d worksurfaces. Tiles on the Full Gable version are painted only.

When the Height Adjustable Worksurface is specified, either the Full End Gable or the Open End Leg which is specific to the Height Adjustable may be specified. See Inscape Bench Application Guide for more details.

#### SINGLE SIDED BENCH

Single Sided Bench may be specified to create single sided bench configuration. This application may only be used with a full height spine only. End Gable or Open End Legs are end support options. The legs include supports to tie into the spine or worksurface. Mid Supports, whether Full Gable or Open End Legs must be specified between two worksurfaces and tie into the spine on module. Use 18" mid support for 24"d worksurface and 24" mid support for 30"d worksurface. Benching worksurfaces are to be specified in the same way for single sided version of the bench. 36"d worksurfaces are not available in single sided version. When tiling full height tiles are to be specified. Nuform, laminate and veneer tiles cannot be used on single sided frames with electrical. When integrating height adjustable in a single sided application, specific end supports must be specified. The Single Sided Frame to Worksurface bracket must be specified to tie the worksurface into the spine.

#### STANDING HEIGHT FIXED BENCH

Standing Height Fixed Bench is a fixed version of the bench which sits at a standing height. The Full Height Spine utilizes the Full Height tiles. The Standing Height Mid Spine Support it be specified at each location where two panels meet inline. This support is 13" H and provides the overall height to the spine. Specific Standing Height "H" Legs are specified to be used with the Standing Height Spine. Worksurfaces are specified same as a regular height bench and only 24" and 30"d versions are available. If the desire is to have a full worksurface appearance on the top, a Top Filler Cap may be specified. This cap mounts on the top of the spine and must be specified similar to a worksurface with location of end or middle being called out to ensure proper length and overhang.

Rectangular Tops Middle Application

## Bench

- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBW2442 in Nuform Select with Tapered Edge would be \$349 +\$38 +\$19

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
w	INBW2442	42"	24"	\$349	+\$38	+\$19	+\$113	+\$329	+\$656
	INBW2448	48"	24"	\$400	+\$43	+\$21	+\$129	+\$335	+\$667
D	INBW2454	54"	24"	\$449	+\$49	+\$26	+\$146	+\$340	+\$678
	INBW2460	60"	24"	\$498	+\$52	+\$28	+\$160	+\$353	+\$704
24" D Rectangular	INBW2472	72"	24"	\$598	+\$62	+\$31	+\$193	+\$356	+\$707
Тор	INBW2484	84"	24"	\$699	+\$73	+\$34	+\$225	+\$364	+\$725
Middle Application	INBW2496	96"	24"	\$802	+\$83	+\$42	+\$258	+\$369	+\$736
w	INBW3042	42"	30"	\$437	+\$47	+\$25	+\$141	+\$374	+\$747
	INBW3048	48"	30"	\$498	+\$52	+\$28	+\$160	+\$377	+\$752
D	INBW3054	54"	30"	\$559	+\$58	+\$29	+\$181	+\$382	+\$762
	INBW3060	60"	30"	\$624	+\$64	+\$32	+\$200	+\$385	+\$768
30" D Rectangular	INBW3072	72"	30"	\$747	+\$78	+\$38	+\$239	+\$394	+\$783
Тор	INBW3084	84"	30"	\$907	+\$94	+\$48	+\$292	+\$368	+\$734
Middle Application	INBW3096	96"	30"	\$1070	+\$111	+\$55	+\$343	+\$350	+\$697
w	INBW3642	42"	36"	\$507	+\$52	+\$79	+\$163	+\$435	+\$867
	INBW3648	48"	36"	\$575	+\$61	+\$89	+\$186	+\$450	+\$896
D	INBW3654	54"	36"	\$647	+\$67	+\$97	+\$208	+\$455	+\$906
	INBW3660	60"	36"	\$725	+\$77	+\$109	+\$233	+\$482	+\$961
36" D Rectangular	INBW3672	72"	36"	\$865	+\$87	+\$119	+\$278	+\$495	+\$988
Top Middle Application									
w	INBW2441.5	41.5"	24"	\$349	+\$38	+\$19	+\$113	+\$329	+\$656
	INBW2447.5	47.5"	24"	\$400	+\$43	+\$21	+\$129	+\$335	+\$667
D	INBW2453.5	53.5"	24"	\$449	+\$49	+\$26	+\$146	+\$340	+\$678
	INBW2459.5	59.5"	24"	\$498	+\$52	+\$28	+\$160	+\$353	+\$704
24" D Rectangular	INBW2471.5	71.5"	24"	\$598	+\$62	+\$31	+\$193	+\$356	+\$707
Top	INBW2483.5	83.5"	24"	\$699	+\$73	+\$34	+\$225	+\$364	+\$725
Middle Application,	INBW2495.5	95.5"	24"	\$802	+\$83	+\$42	+\$258	+\$369	+\$736
between one height									

.

adjustable and one fixed surface

Rectangular Tops Middle Application

## Bench

- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBW3041.5 in Nuform Select with Tapered Edge would be \$437 +\$47 +\$25

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
w	INBW3041.5	41.5"	30"	\$437	+\$47	+\$25	+\$141	+\$374	+\$747
	INBW3047.5	47.5"	30"	\$498	+\$52	+\$28	+\$160	+\$377	+\$752
D	INBW3053.5	53.5"	30"	\$559	+\$58	+\$29	+\$181	+\$382	+\$762
	INBW3059.5	59.5"	30"	\$624	+\$64	+\$32	+\$200	+\$385	+\$768
30" D Rectangular	INBW3071.5	71.5"	30"	\$747	+\$78	+\$38	+\$239	+\$394	+\$783
Тор	INBW3083.5	83.5"	30"	\$907	+\$94	+\$48	+\$292	+\$368	+\$734
Middle Application,	INBW3095.5	95.5"	30"	\$1070	+\$111	+\$55	+\$343	+\$350	+\$697
between one height adjustable and one fixed surface									
w	INBW2441	41"	24"	\$349	+\$27	+\$19	+\$113	+\$329	+\$656
	INBW2447	47"	24"	\$400	+\$43	+\$21	+\$129	+\$335	+\$667
D	INBW2453	53"	24"	\$449	+\$49	+\$26	+\$146	+\$340	+\$678
	INBW2459	59"	24"	\$498	+\$52	+\$28	+\$160	+\$353	+\$704
24" D Rectangular	INBW2471	71"	24"	\$598	+\$62	+\$31	+\$193	+\$356	+\$707
Тор	INBW2483	83"	24"	\$699	+\$73	+\$34	+\$225	+\$364	+\$725
Middle Application,	INBW2495	95"	24"	\$802	+\$83	+\$42	+\$258	+\$369	+\$736
between two height adjustable surfaces									
w	INBW3041	41"	30"	\$437	+\$47	+\$25	+\$141	+\$374	+\$747
	INBW3047	47"	30"	\$498	+\$52	+\$28	+\$160	+\$377	+\$752
D	INBW3053	53"	30"	\$559	+\$58	+\$29	+\$181	+\$382	+\$762
	INBW3059	59"	30"	\$624	+\$64	+\$32	+\$200	+\$385	+\$768
30" D Rectangular	INBW3071	71"	30"	\$747	+\$78	+\$38	+\$239	+\$394	+\$783
Тор	INBW3083	83"	30"	\$907	+\$94	+\$48	+\$292	+\$368	+\$734
Middle Application, between two height adjustable surfaces	INBW3095	95"	30"	\$1070	+\$111	+\$55	+\$343	+\$350	+\$697

Rectangular Tops Full End Gable Application

## Bench

- Worksurfaces are to be specified with End Gable end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWE2442 in Nuform Select with Tapered Edge would be \$365 +\$40 +\$20

	I	I.	I		1	1	1	1	1
				Nuform classic/ laminate/	Nuform	Nuform	Grade 1	Grade 2	Veneer
	Part number	W	D	base price	select	tapered	laminate	laminate	straight
w	INBWE2442	44.75"	24"	\$365	+\$40	+\$20	+\$118	+\$345	+\$688
	INBWE2448	50.75"	24"	\$418	+\$46	+\$23	+\$134	+\$351	+\$699
D	INBWE2454	56.75"	24"	\$471	+\$51	+\$27	+\$152	+\$357	+\$710
	INBWE2460	62.75"	24"	\$523	+\$54	+\$29	+\$168	+\$371	+\$740
24" D Rectangular	INBWE2472	74.75"	24"	\$629	+\$65	+\$32	+\$202	+\$373	+\$743
Тор	INBWE2484	86.75"	24"	\$735	+\$78	+\$36	+\$236	+\$382	+\$761
Full End Gable	INBWE2496	98.75"	24"	\$842	+\$86	+\$44	+\$270	+\$388	+\$773
Application									
w	INBWE3042	44.75"	30"	\$458	+\$49	+\$26	+\$148	+\$394	+\$784
	INBWE3048	50.75"	30"	\$523	+\$54	+\$29	+\$168	+\$397	+\$791
D	INBWE3054	56.75"	30"	\$587	+\$61	+\$30	+\$189	+\$402	+\$801
	INBWE3060	62.75"	30"	\$655	+\$67	+\$33	+\$211	+\$404	+\$805
30" D Rectangular	INBWE3072	74.75"	30"	\$784	+\$81	+\$40	+\$253	+\$412	+\$822
Тор	INBWE3084	86.75"	30"	\$953	+\$98	+\$50	+\$306	+\$386	+\$769
Full End Gable	INBWE3096	98.75"	30"	\$1121	+\$117	+\$58	+\$360	+\$368	+\$734
Application									
w	INBWE3642	44.75"	36"	\$530	+\$54	+\$82	+\$170	+\$457	+\$910
	INBWE3648	50.75"	36"	\$605	+\$64	+\$93	+\$195	+\$471	+\$941
D	INBWE3654	56.75"	36"	\$680	+\$71	+\$103	+\$219	+\$476	+\$950
	INBWE3660	62.75"	36"	\$760	+\$80	+\$115	+\$244	+\$507	+\$1010
36" D Rectangular	INBWE3672	74.75"	36"	\$907	+\$91	+\$124	+\$292	+\$521	+\$1038
_ *									

Top Full End Gable Application

**Rectangular Tops** Full End Gable Application

## Bench

- Worksurfaces are to be specified with End Gable end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- · Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWE2444 in Nuform Select with Tapered Edge would be \$365 +\$40 +\$20

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
w	INBWE2444.25	44.25"	24"	\$365	+\$40	+\$20	+\$118	+\$345	+\$688
	INBWE2450.25	50.25"	24"	\$418	+\$46	+\$23	+\$134	+\$351	+\$699
D	INBWE2456.25	56.25"	24"	\$471	+\$51	+\$27	+\$152	+\$357	+\$710
	INBWE2462.25	62.25"	24"	\$523	+\$54	+\$29	+\$168	+\$371	+\$740
24" D Rectangular	INBWE2474.25	74.25"	24"	\$629	+\$65	+\$32	+\$202	+\$373	+\$743
Тор	INBWE2486.25	86.25"	24"	\$735	+\$78	+\$36	+\$236	+\$382	+\$761
Full End Gable	INBWE2498.25	98.25"	24"	\$842	+\$86	+\$44	+\$270	+\$388	+\$773
Application, beside one height adjustable surface									
w	INBWE3044.25	44.25"	30"	\$458	+\$49	+\$26	+\$148	+\$394	+\$784
	INBWE3050.25	50.25"	30"	\$523	+\$54	+\$29	+\$168	+\$397	+\$791
D	INBWE3056.25	56.25"	30"	\$587	+\$61	+\$30	+\$189	+\$402	+\$801
	INBWE3062.25	62.25"	30"	\$655	+\$67	+\$33	+\$211	+\$404	+\$805
30" D Rectangular	INBWE3074.25	74.25"	30"	\$784	+\$81	+\$40	+\$253	+\$412	+\$822
Тор	INBWE3086.25	86.25"	30"	\$953	+\$98	+\$50	+\$306	+\$386	+\$769
Full End Gable Application, beside	INBWE3098.25	98.25"	30"	\$1121	+\$117	+\$58	+\$360	+\$368	+\$734

one height adjustable surface

**Rectangular Tops** Open End Leg Application

## Bench

- Worksurfaces are to be specified with Open End Leg end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- · Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWO2442 in Nuform Select with Tapered Edge would be \$365 +\$40 +\$20

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
w	INBWO2442	44.036"	24"	\$365	+\$40	+\$20	+\$118	+\$345	+\$688
	INBWO2448	50.036"	24"	\$418	+\$46	+\$23	+\$134	+\$351	+\$699
D	INBWO2454	56.036"	24"	\$471	+\$51	+\$27	+\$152	+\$357	+\$710
	INBWO2460	62.036"	24"	\$523	+\$54	+\$29	+\$168	+\$371	+\$740
24" D Rectangular	INBWO2472	74.036"	24"	\$629	+\$65	+\$32	+\$202	+\$373	+\$743
Тор	INBWO2484	86.036"	24"	\$735	+\$78	+\$36	+\$236	+\$382	+\$761
Open End Leg	INBWO2496	98.036"	24"	\$842	+\$86	+\$44	+\$270	+\$388	+\$773
Application									
w	INBWO3042	44.036"	30"	\$458	+\$49	+\$26	+\$148	+\$394	+\$784
	INBWO3048	50.036"	30"	\$523	+\$54	+\$29	+\$168	+\$397	+\$791
D	INBWO3054	56.036"	30"	\$587	+\$61	+\$30	+\$189	+\$402	+\$801
	INBWO3060	62.036"	30"	\$655	+\$67	+\$33	+\$211	+\$404	+\$805
30" D Rectangular	INBWO3072	74.036"	30"	\$784	+\$81	+\$40	+\$253	+\$412	+\$822
Тор	INBWO3084	86.036"	30"	\$953	+\$98	+\$50	+\$306	+\$386	+\$769
Open End Leg	INBWO3096	98.036"	30"	\$1121	+\$117	+\$58	+\$360	+\$368	+\$734
Application									
w	INBWO3642	44.036"	36"	\$530	+\$54	+\$82	+\$170	+\$457	+\$910
	INBWO3648	50.036"	36"	\$605	+\$64	+\$93	+\$195	+\$471	+\$941
D	INBWO3654	56.036"	36"	\$680	+\$71	+\$103	+\$219	+\$476	+\$950
	INBWO3660	62.036"	36"	\$760	+\$80	+\$115	+\$244	+\$507	+\$1010
36" D Rectangular	INBWO3672	74.036"	36"	\$907	+\$91	+\$124	+\$292	+\$521	+\$1038
_ ~									

Тор Open End Leg Application

Rectangular Tops Open End Leg Application

## Bench

- Worksurfaces are to be specified with Open End Leg end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWO2443.53 in Nuform Select with Tapered Edge would be \$365 +\$40 +\$20

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
w	INBWO2443.53	43.536"	24"	\$365	+\$40	+\$20	+\$118	+\$345	+\$688
	INBWO2449.53	49.536"	24"	\$418	+\$46	+\$23	+\$134	+\$351	+\$699
D	INBWO2455.53	55.536"	24"	\$471	+\$51	+\$27	+\$152	+\$357	+\$710
	INBWO2461.53	61.536"	24"	\$523	+\$54	+\$29	+\$168	+\$371	+\$740
24" D Rectangular	INBWO2473.53	73.536"	24"	\$629	+\$65	+\$32	+\$202	+\$373	+\$743
Тор	INBWO2485.53	85.536"	24"	\$735	+\$78	+\$36	+\$236	+\$382	+\$761
Open End Leg	INBWO2497.53	97.536"	24"	\$842	+\$86	+\$44	+\$270	+\$388	+\$773
Application, beside one height adjustable surface									
w	INBWO3043.53	43.536"	30"	\$458	+\$49	+\$26	+\$148	+\$394	+\$784
	INBWO3049.53	49.536"	30"	\$523	+\$54	+\$29	+\$168	+\$397	+\$791
D	INBWO3055.53	55.536"	30"	\$587	+\$61	+\$30	+\$189	+\$402	+\$801
	INBWO3061.53	61.536"	30"	\$655	+\$67	+\$33	+\$211	+\$404	+\$805
30" D Rectangular	INBWO3073.53	73.536"	30"	\$784	+\$81	+\$40	+\$253	+\$412	+\$822
Top	INBWO3085.53	85.536"	30"	\$953	+\$98	+\$50	+\$306	+\$386	+\$769
Open End Leg	INBWO3097.53	97.536"	30"	\$1121	+\$117	+\$58	+\$360	+\$368	+\$734

Open End Leg Application, beside one height adjustable surface

**Rectangular Tops** End Storage Application

## Bench

- Worksurfaces are to be specified when storage is being used as end support
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- 84" and 96" worksurfaces require same support as two surfaces
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- · Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWF2442 in Nuform Select with Tapered Edge would be \$365 +\$40 +\$20

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
w	INBWF2442	42.3"	24"	\$365	+\$40	+\$20	+\$118	+\$345	+\$688
	INBWF2448	48.3"	24"	\$418	+\$46	+\$23	+\$134	+\$351	+\$699
D	INBWF2454	54.3"	24"	\$471	+\$51	+\$27	+\$152	+\$357	+\$710
	INBWF2460	60.3"	24"	\$523	+\$54	+\$29	+\$168	+\$371	+\$740
24" D Rectangular	INBWF2472	72.3"	24"	\$629	+\$65	+\$32	+\$202	+\$373	+\$743
Тор	INBWF2484	84.3"	24"	\$735	+\$78	+\$36	+\$236	+\$382	+\$761
End Storage	INBWF2496	96.3"	24"	\$842	+\$86	+\$44	+\$270	+\$388	+\$773
Application									
w	INBWF3042	42.3"	30"	\$458	+\$49	+\$26	+\$148	+\$394	+\$784
	INBWF3048	48.3"	30"	\$523	+\$54	+\$29	+\$168	+\$397	+\$791
D	INBWF3054	54.3"	30"	\$587	+\$61	+\$30	+\$189	+\$402	+\$801
	INBWF3060	60.3"	30"	\$655	+\$67	+\$33	+\$211	+\$404	+\$805
30" D Rectangular	INBWF3072	72.3"	30"	\$784	+\$81	+\$40	+\$253	+\$412	+\$822
Тор	INBWF3084	84.3"	30"	\$953	+\$98	+\$50	+\$306	+\$386	+\$769
End Storage	INBWF3096	96.3"	30"	\$1121	+\$117	+\$58	+\$360	+\$368	+\$734
Application									
w	INBWF3642	42.3"	36"	\$530	+\$54	+\$82	+\$170	+\$457	+\$910
	INBWF3648	48.3"	36"	\$605	+\$64	+\$93	+\$195	+\$471	+\$941
D	INBWF3654	54.3"	36"	\$680	+\$71	+\$103	+\$219	+\$476	+\$950
	INBWF3660	60.3"	36"	\$760	+\$80	+\$115	+\$244	+\$507	+\$1010
36" D Rectangular	INBWF3672	72.3"	36"	\$907	+\$91	+\$124	+\$292	+\$521	+\$1038

Тор End Storage Application

Electrical Access Worksurface Middle Application

## Bench

- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- Laminate & Veneer only Nuform not available
- 84" and 96" worksurfaces require same support as two surfaces
- See Inscape Bench Application Guide for cutout placement and quantities on various widths
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBWEA2448 in Veneer would be \$797 +\$1332

		Part number	w	D	Laminate/ base price	Grade 1 Iaminate	Grade 2 Iaminate	Veneer
	24" D Rectangular	INBWEA2448	48"	24"	\$797	+\$256	+\$668	+\$1332
	Electrical Access Worksurface	INBWEA2454	54"	24"	\$896	+\$288	+\$678	+\$1352
	Middle Application	INBWEA2460	60"	24"	\$994	+\$319	+\$704	+\$1406
		INBWEA2472	72"	24"	\$1194	+\$383	+\$707	+\$1413
		INBWEA2484	84"	24"	\$1399	+\$449	+\$726	+\$1448
		INBWEA2496	96"	24"	\$1604	+\$514	+\$735	+\$1467
	30" D Rectangular Electrical Access Worksurface	INBWEA3048	48"	30"	\$994	+\$319	+\$753	+\$1503
		INBWEA3054	54"	30"	\$1116	+\$359	+\$762	+\$1523
	Middle Application	INBWEA3060	60"	30"	\$1246	+\$400	+\$768	+\$1534
		INBWEA3072	72"	30"	\$1491	+\$478	+\$784	+\$1565
		INBWEA3084	84"	30"	\$1811	+\$580	+\$733	+\$1463
		INBWEA3096	96"	30"	\$2135	+\$684	+\$697	+\$1393
	36" D Rectangular Electrical Access	INBWEA3648	48"	36"	\$1207	+\$387	+\$868	+\$1732
	Worksurface	INBWEA3654	54"	36"	\$1358	+\$436	+\$874	+\$1745
	Middle Application	INBWEA3660	60"	36"	\$1517	+\$487	+\$925	+\$1849
	Middle Application	INBWEA3672	72"	36"	\$1811	+\$580	+\$947	+\$1892

Electrical Access Worksurface Full End Gable Application

## Bench

- Worksurfaces are to be specified when Full End Gable are used as end support
- Laminate & Veneer only Nuform not available
- 84" and 96" worksurfaces require same support as two surfaces
- See Inscape Bench Application Guide for cutout placement and quantities on various widths
- Place left hand version if end support is on left side, place right hand version if end support is on right side
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed

• Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWEAEL2448 in Veneer would be \$837 +\$1399

		Part number	w	D	Laminate/ base price	Grade 1 Iaminate	Grade 2 Iaminate	Veneer
	24" D Rectangular	INBWEAEL2448	50.75"	24"	\$837	+\$269	+\$700	+\$1399
	Electrical Access Worksurface	INBWEAEL2454	56.75"	24"	\$940	+\$302	+\$711	+\$1421
	Full End Gable Application	INBWEAEL2460	62.75"	24"	\$1043	+\$335	+\$740	+\$1478
		INBWEAEL2472	74.75"	24"	\$1254	+\$402	+\$743	+\$1484
		INBWEAEL2484	86.75"	24"	\$1468	+\$471	+\$761	+\$1520
		INBWEAEL2496 left-handed	98.75"	24"	\$1684	+\$540	+\$772	+\$1541
		INBWEAER2448	50.75"	24"	\$837	+\$269	+\$700	+\$1399
		INBWEAER2454	56.75"	24"	\$940	+\$302	+\$711	+\$1421
		INBWEAER2460	62.75"	24"	\$1043	+\$335	+\$740	+\$1478
		INBWEAER2472	74.75"	24"	\$1254	+\$402	+\$743	+\$1484
		INBWEAER2484	86.75"	24"	\$1468	+\$471	+\$761	+\$1520
		INBWEAER2496 right-handed	98.75"	24"	\$1684	+\$540	+\$772	+\$1541
		ngnt-handed						
	30" D Rectangular	INBWEAEL3048	50.75"	30"	\$1043	+\$335	+\$791	+\$1577
	Electrical Access Worksurface	INBWEAEL3054	56.75"	30"	\$1172	+\$375	+\$801	+\$1600
	Full End Gable Application	INBWEAEL3060	62.75"	30"	\$1308	+\$420	+\$806	+\$1610
		INBWEAEL3072	74.75"	30"	\$1565	+\$502	+\$822	+\$1641
		INBWEAEL3084	86.75"	30"	\$1901	+\$610	+\$769	+\$1537
		INBWEAEL3096 left-handed	98.75"	30"	\$2243	+\$719	+\$733	+\$1462
		INBWEAER3048	50.75"	30"	\$1043	+\$335	+\$791	+\$1577
		INBWEAER3054	56.75"	30"	\$1172	+\$375	+\$801	+\$1600
		INBWEAER3060	62.75"	30"	\$1308	+\$420	+\$806	+\$1610
		INBWEAER3072	74.75"	30"	\$1565	+\$502	+\$822	+\$1641
		INBWEAER3084	86.75"	30"	\$1901	+\$610	+\$769	+\$1537
		INBWEAER3096	98.75"	30"	\$2243	+\$719	+\$733	+\$1462

Electrical Access Worksurface Full End Gable Application

## Bench

- Worksurfaces are to be specified when Full End Gable are used as end support
- Laminate & Veneer only Nuform not available
- 84" and 96" worksurfaces require same support as two surfaces
- See Inscape Bench Application Guide for cutout placement and quantities on various widths
- Place left hand version if end support is on left side, place right hand version if end support is on right side
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed

• Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBWEAEL3648 in Veneer would be \$1207 +\$1879

		Part number	w	D	Laminate/ base price	Grade 1 Iaminate	Grade 2 Iaminate	Veneer
	36" D Rectangular	INBWEAEL3648	50.75"	36"	\$1207	+\$387	+\$941	+\$1879
	Electrical Access Worksurface	INBWEAEL3654	56.75"	36"	\$1358	+\$436	+\$951	+\$1899
	Full End Gable Application	INBWEAEL3660	62.75"	36"	\$1517	+\$487	+\$1010	+\$2016
		INBWEAEL3672	74.75"	36"	\$1811	+\$580	+\$1039	+\$2075
		left-handed						
		INBWEAER3648	50.75"	36"	\$1207	+\$387	+\$941	+\$1879
		INBWEAER3654	56.75"	36"	\$1358	+\$436	+\$951	+\$1899
		INBWEAER3660	62.75"	36"	\$1517	+\$487	+\$1010	+\$2016
		INBWEAER3672	74.75"	36"	\$1811	+\$580	+\$1039	+\$2075

Electrical Access Worksurface Open End Leg Application

## Bench

- Worksurfaces are to be specified when Open End Legs Be sure stretcher bars do not to interfere with support are used as end support
- Laminate & Veneer only Nuform not available
- 84" and 96" worksurfaces require same support as two surfaces
- See Inscape Bench Application Guide for cutout placement and quantities on various widths
- Place left hand version if end support is on left side, place right hand version if end support is on right side
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed

brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWEAOL2448 in Veneer would be \$837 +\$1399

		Part number	w	D	Laminate/ base price	Grade 1 Iaminate	Grade 2 laminate	Veneer
	24" D Rectangular	INBWEAOL2448	50.036"	24"	\$837	+\$269	+\$700	+\$1399
	Electrical Access Worksurface	INBWEAOL2454	56.036"	24"	\$940	+\$302	+\$711	+\$1421
	Open End Leg Application	INBWEAOL2460	62.036"	24"	\$1043	+\$335	+\$740	+\$1478
		INBWEAOL2472	74.036"	24"	\$1254	+\$402	+\$743	+\$1484
		INBWEAOL2484	86.036"	24"	\$1468	+\$471	+\$761	+\$1520
		INBWEAOL2496 left-handed	98.036"	24"	\$1684	+\$540	+\$772	+\$1541
		INBWEAOR2448	50.036"	24"	\$837	+\$269	+\$700	+\$1399
		INBWEAOR2454	56.036"	24"	\$940	+\$302	+\$711	+\$1421
		INBWEAOR2460	62.036"	24"	\$1043	+\$335	+\$740	+\$1478
		INBWEAOR2472	74.036"	24"	\$1254	+\$402	+\$743	+\$1484
		INBWEAOR2484	86.036"	24"	\$1468	+\$471	+\$761	+\$1520
		INBWEAOR2496	98.036"	24"	\$1684	+\$540	+\$772	+\$1541
		right-handed						
	30" D Rectangular	INBWEAOL3048	50.036"	30"	\$1043	+\$335	+\$791	+\$1577
	Electrical Access	INBWEAOL3054	56.036"	30"	\$1172	+\$375	+\$801	+\$1600
· · · · · ·	Worksurface Open End Leg Application	INBWEAOL3060	62.036"	30"	\$1308	+\$420	+\$806	+\$1610
	Open End Leg Application	INBWEAOL3072	74.036"	30"	\$1565	+\$502	+\$822	+\$1641
		INBWEAOL3084	86.036"	30"	\$1901	+\$610	+\$769	+\$1537
		INBWEAOL3096 left-handed	98.036"	30"	\$2243	+\$719	+\$733	+\$1462
		INBWEAOR3048	50.036"	30"	\$1043	+\$335	+\$791	+\$1577
		INBWEAOR3054	56.036"	30"	\$1172	+\$375	+\$801	+\$1600
		INBWEAOR3060	62.036"	30"	\$1308	+\$420	+\$806	+\$1610
		INBWEAOR3072	74.036"	30"	\$1565	+\$502	+\$822	+\$1641
		INBWEAOR3084	86.036"	30"	\$1901	+\$610	+\$769	+\$1537
		INBWEAOR3096	98.036"	30"	\$2243	+\$719	+\$733	+\$1462
		right-handed						

Electrical Access Worksurface Open End Leg Application

## Bench

- Worksurfaces are to be specified when Open End Legs Be sure stretcher bars do not to interfere with support are used as end support
- Laminate & Veneer only Nuform not available
- 84" and 96" worksurfaces require same support as two surfaces
- See Inscape Bench Application Guide for cutout placement and quantities on various widths
- Place left hand version if end support is on left side, place right hand version if end support is on right side
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed

brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWEAOL3648 in Veneer would be \$1207 + \$1879

	Part number	w	D	Laminate/ base price	Grade 1 Iaminate	Grade 2 laminate	Veneer
36" D Rectangular	INBWEAOL3648	50.036"	36"	\$1207	+\$387	+\$941	+\$1879
Electrical Access Worksurface	INBWEAOL3654	56.036"	36"	\$1358	+\$436	+\$951	+\$1899
Open End Leg Application	INBWEAOL3660	62.036"	36"	\$1517	+\$487	+\$1010	+\$2016
	INBWEAOL3672 left-handed	74.036"	36"	\$1811	+\$580	+\$1039	+\$2075
	INBWEAOR3648	50.036"	36"	\$1207	+\$387	+\$941	+\$1879
	INBWEAOR3654	56.036"	36"	\$1358	+\$436	+\$951	+\$1899
	INBWEAOR3660	62.036"	36"	\$1517	+\$487	+\$1010	+\$2016
	INBWEAOR3672	74.036"	36"	\$1811	+\$580	+\$1039	+\$2075

### 90° worksurface

## Bench

- Rectangular Curved worksurfaces have curved back corners and straight 90° front corners
- Stretcher bars are included with all perpendicular worksurfaces
- The curved rectangular perpendicular worksurface will overhang 4.5" from the spine end line
- The straight rectangular perpendicular worksurfaces will overhang .300" from the spine end line which will bring it flush with the end trim
- The shared worksurface is not available with a tapered edge and freestanding end support legs must be specified separately

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBWCP2448 in Nuform Select with Tapered Edge would be \$400 +\$43 +\$21

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate
	INBWCP2448	48"	24"	\$400	+\$43	+\$21	+\$128	+\$329
	INBWCP2454	54"	24"	\$449	+\$49	+\$26	+\$149	+\$340
	INBWCP2460	60"	24"	\$498	+\$52	+\$28	+\$159	+\$353
Curved Rectangular 90°	INBWCP3048	48"	30"	\$498	+\$52	+\$28	+\$159	+\$377
Worksurface	INBWCP3054	54"	30"	\$559	+\$58	+\$29	+\$179	+\$382
with back curved corners	INBWCP3060	60"	30"	\$624	+\$64	+\$32	+\$198	+\$385
	INBWSP2448	48"	24"	\$400	+\$43	+\$21	+\$128	+\$335
	INBWSP2454	54"	24"	\$449	+\$49	+\$26	+\$149	+\$340
	INBWSP2460	60"	24"	\$498	+\$52	+\$28	+\$159	+\$353
Straight Rectangular 90°	INBWSP3048	48"	30"	\$498	+\$52	+\$28	+\$159	+\$377
Worksurface	INBWSP3054	54"	30"	\$559	+\$58	+\$29	+\$179	+\$382
	INBWSP3060	60"	30"	\$624	+\$64	+\$32	+\$198	+\$385
	INBWSHSP3048	48"	30"	\$498	+\$52	_	+\$159	+\$377
	INBWSHSP3054	54"	30"	\$559	+\$58	-	+\$179	+\$382
	INBWSHSP3060	60"	30"	\$624	+\$64	-	+\$198	+\$385
Straight Rectangular	INBWSHSP3648	48"	36"	\$575	+\$61	_	+\$189	+\$450
Shared Worksurface	INBWSHSP3654	54"	36"	\$647	+\$67	-	+\$208	+\$455
	INBWSHSP3660	60"	36"	\$725	+\$77	-	+\$232	+\$482

120° Worksurface Middle Application

### Bench

- Worksurfaces are to be specified with any Inscape Bench spine in a middle or non-end position
- 24"d worksurfaces have a front dimension of 38"
- 30"d worksurfaces have a front dimension of 32"
- Specific worksurfaces must be used in specific
- applications based on location and end support • Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed

• Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBWVM363624-S in Veneer would be \$499 + \$1118

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
	INBWVM363624	36"	23"	\$499	+\$50	+\$28	+\$161	+\$560	+\$1118
	INBWVM424224	42"	23"	\$710	+\$73	+\$39	+\$228	+\$629	+\$1256
	INBWVM484824	48"	23"	\$869	+\$89	+\$44	+\$279	+\$741	+\$1480
24" D 120°	INBWVM545424	54"	23"	\$960	_	_	+\$308	_	+\$1834
Worksurface Middle Application	INBWVM606024	60"	23"	\$1209	-	-	+\$388	_	+\$2311
	INBWVM363630	36"	29"	\$616	+\$62	+\$31	+\$198	+\$590	+\$1178
$\langle  $	INBWVM424230	42"	29"	\$746	+\$77	+\$39	+\$239	+\$713	+\$1424
	INBWVM484830	48"	29"	\$899	-	_	+\$289	_	+\$1715
30" D 120°	INBWVM545430	54"	29"	\$1050	_	—	+\$337	—	+\$2003
Worksurface	INBWVM606030	60"	29"	\$1316	_	_	+\$422	_	+\$2517

Middle Application

### Bench

- Worksurfaces are to be specified when Full End Gable are used as end support
- 24" D worksurfaces have a front dimension of 38"
- 30" D worksurfaces have a front dimension of 32"
- Specific worksurfaces must be used in specific
- applications based on location and end support • Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- Stratght & tapered edge available of Nutorini
   Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBWVLHE363624-S in Veneer would be \$524 +\$1193

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
	INBWVLHE363624	36"	23"	\$524	+\$53	+\$28	+\$168	+\$598	+\$1193
	INBWVLHE424224	42"	23"	\$746	+\$77	+\$39	+\$239	+\$668	+\$1333
	INBWVLHE484824	48"	23"	\$911	+\$91	+\$47	+\$293	+\$780	+\$1558
24" D 120°	INBWVLHE545424	54"	23"	\$1009	_	-	+\$324	_	+\$1920
Worksurface	INBWVLHE606024	60"	23"	\$1270	_	-	+\$408	_	+\$2408
Full End Gable Application	left-handed								
	INBWVRHE363624	36"	23"	\$524	+\$53	+\$28	+\$168	+\$598	+\$1193
	INBWVRHE424224	42"	23"	\$746	+\$77	+\$39	+\$239	+\$668	+\$1333
	INBWVRHE484824	48"	23"	\$911	+\$91	+\$47	+\$293	+\$780	+\$1558
	INBWVRHE545424	54"	23"	\$1009	_	-	+\$324	_	+\$1920
	INBWVRHE606024	60"	23"	\$1270	_	_	+\$408	_	+\$2408
	right-handed								
	INBWVLHE363630	36"	29"	\$646	+\$65	+\$33	+\$208	+\$629	+\$1255
$\langle$	INBWVLHE424230	42"	29"	\$783	+\$80	+\$41	+\$252	+\$754	+\$1505
	INBWVLHE484830	48"	29"	\$943	_	-	+\$303	_	+\$1801
30" D 120°	INBWVLHE545430	54"	29"	\$1104	—	_	+\$354	—	+\$2091
Worksurface	INBWVLHE606030	60"	29"	\$1383	_	-	+\$443	_	+\$2617
Full End Gable Application	left-handed								
	INBWVRHE363630	36"	29"	\$646	+\$65	+\$33	+\$208	+\$629	+\$1255
	INBWVRHE424230	42"	29"	\$783	+\$80	+\$41	+\$252	+\$754	+\$1505
	INBWVRHE484830	48"	29"	\$943	_	_	+\$303	-	+\$1801
	INBWVRHE545430	54"	29"	\$1104	—	-	+\$354	—	+\$2091
	INBWVRHE606030	60"	29"	\$1383	_	-	+\$443	_	+\$2617
	right-handed								

## Bench

- Worksurfaces are to be specified when Full End Gable are used as end support
- 24" D worksurfaces have a front dimension of 38"
- 30" D worksurfaces have a front dimension of 32"
- Specific worksurfaces must be used in specific
- applications based on location and end support • Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBWVDE363624-S in Veneer would be \$548 +\$1269

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
	INBWVDE363624	36"	23"	\$548	+\$55	+\$29	+\$177	+\$635	+\$1269
$\leq$	INBWVDE424224	42"	23"	\$781	+\$80	+\$40	+\$252	+\$705	+\$1409
	INBWVDE484824	48"	23"	\$955	+\$95	+\$49	+\$306	+\$819	+\$1636
24" D 120°	INBWVDE545424	54"	23"	\$1055	-	-	+\$339	_	+\$2007
Worksurface	INBWVDE606024	60"	23"	\$1331	-	-	+\$428	_	+\$2505
Double Full End Gable Application									

7 INBWVDE363630	36"	29"	\$678	+\$67	+\$34	+\$219	+\$668	+\$1332
INBWVDE424230	42"	29"	\$820	+\$83	+\$42	+\$264	+\$795	+\$1586
INBWVDE484830	48"	29"	\$987	-	_	+\$317	_	+\$1886
INBWVDE545430	54"	29"	\$1155	-	_	+\$371	—	+\$2177
INBWVDE606030	60"	29"	\$1449	-	-	+\$465	_	+\$2716

Worksurface Double Full End Gable Application

30" D

### **Open End Leg Application**

## Bench

- Worksurfaces are to be specified when Open End Legs Be sure stretcher bars do not to interfere with support are used as end support
- 24" D worksurfaces have a front dimension of 38"
- 30" D worksurfaces have a front dimension of 32"
- Specific worksurfaces must be used in specific
- applications based on location and end support • Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBWVLHO363624-S in Veneer would be \$524 +\$1193

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
	INBWVLHO363624	36"	23"	\$524	+\$53	+\$27	+\$168	+\$598	+\$1193
	INBWVLHO424224	42"	23"	\$746	+\$77	+\$39	+\$239	+\$668	+\$1333
	INBWVLHO484824	48"	23"	\$911	+\$91	+\$47	+\$293	+\$780	+\$1558
24" D 120°	INBWVLHO545424	54"	23"	\$1009	_	-	+\$324	-	+\$1920
Worksurface	INBWVLHO606024	60"	23"	\$1270	_	-	+\$408	_	+\$2408
Open End Leg Application	left-handed								
	INBWVRHO363624	36"	23"	\$524	+\$53	+\$28	+\$168	+\$598	+\$1193
	INBWVRHO424224	42"	23"	\$746	+\$77	+\$39	+\$239	+\$668	+\$1333
	INBWVRHO484824	48"	23"	\$911	+\$91	+\$47	+\$293	+\$780	+\$1558
	INBWVRHO545424	54"	23"	\$1009	_	_	+\$324	—	+\$1920
	INBWVRHO606024	60"	23"	\$1270	-	-	+\$408	_	+\$2408
	right-handed						-	-	
	INBWVLHO363630	36"	29"	\$646	+\$65	+\$33	+\$208	+\$629	+\$1255
$\langle  $	INBWVLHO424230	42"	29"	\$783	+\$80	+\$41	+\$252	+\$754	+\$1505
	INBWVLHO484830	48"	29"	\$943	—	-	+\$303	_	+\$1801
30" D 120°	INBWVLHO545430	54"	29"	\$1104	_	-	+\$354	_	+\$2091
Worksurface	INBWVLHO606030	60"	29"	\$1383	-	-	+\$443	_	+\$2617
Open End Leg Application	left-handed								
	INBWVRHO363630	36"	29"	\$646	+\$65	+\$33	+\$208	+\$629	+\$1255
	INBWVRHO424230	42"	29"	\$783	+\$80	+\$41	+\$252	+\$754	+\$1505
	INBWVRHO484830	48"	29"	\$943	_	-	+\$303	-	+\$1801
	INBWVRHO545430	54"	29"	\$1104	_	_	+\$354	_	+\$2091
	INBWVRHO606030	60"	29"	\$1383	_	-	+\$443	_	+\$2617
	right-handed								

Open End Leg Application

## Bench

- Worksurfaces are to be specified when Open End Legs Be sure stretcher bars do not to interfere with support are used as end support
- 24" D worksurfaces have a front dimension of 38"
- 30" D worksurfaces have a front dimension of 32"
- Specific worksurfaces must be used in specific
- applications based on location and end support • Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform • Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- brackets, cable trays or other work tools

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBWVLHO363624-S in Veneer would be \$524 + \$1193

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
	INBWVDO363624	36"	23"	\$548	+\$55	+\$29	+\$177	+\$635	+\$1269
	INBWVDO424224	42"	23"	\$781	+\$80	+\$40	+\$252	+\$705	+\$1409
	INBWVDO484824	48"	23"	\$955	+\$95	+\$49	+\$306	+\$819	+\$1636
24" D 120°	INBWVDO545424	54"	23"	\$1055	_	-	+\$339	_	+\$2007
Worksurface	INBWVDO606024	60"	23"	\$1331	_	_	+\$428	_	+\$2505
Double Open End Leg Application									
	INBWVDO363630	36"	29"	\$678	+\$67	+\$34	+\$219	+\$668	+\$1332
$\langle  $	INBWVDO424230	42"	29"	\$820	+\$83	+\$42	+\$264	+\$795	+\$1586
	INBWVDO484830	48"	29"	\$987	-	_	+\$317	_	+\$1886
30" D 120°	INBWVDO545430	54"	29"	\$1155	-	-	+\$371	-	+\$2177
Worksurface	INBWVDO606030	60"	29"	\$1449	-	_	+\$465	-	+\$2716
Double Open End Leg Application									

Height Adjustable Worksurface Manual Pneumatic

## Bench

- Specific worksurfaces must be used in specific applications based on location and end support
- This manual pneumatic height adjustable table has a lift capacity of 25lbs (includes worksurface)
- Height adjustment is 28.5" to 48.5"; a total range of 20"
- Base comes in silver only
- Tops are adjustable by a paddle in the front right of the worksurface
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- End units are 1/2" shorter in length and Middle units are 1/2" shorter on each end eliminating potential pinch points
- Only to be installed on Full Height Spine option with either full height end gable or open end leg

- See Inscape Bench Application Guide for more details
- Stretcher bars not required for Height Adjustable worksurfaces

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBEZ2436 in Veneer would be \$2238 +\$613

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
	INBEZ2436	35"	23.675"	\$2238	+\$36	+\$18	+\$109	+\$307	+\$613
	INBEZ2442	41"	23.675"	\$2265	+\$38	+\$19	+\$113	+\$329	+\$656
TR	INBEZ2448	47"	23.675"	\$2315	+\$43	+\$21	+\$129	+\$335	+\$667
	INBEZ2454	53"	23.675"	\$2378	+\$49	+\$26	+\$146	+\$340	+\$678
	INBEZ2460	59"	23.675"	\$2426	+\$52	+\$28	+\$160	+\$353	+\$704
	INBEZ2472	71"	23.675"	\$2888	+\$62	+\$31	+\$193	+\$356	+\$707
24" D Manual Pneumatic Height Adjustable Worksurface Middle Application									
	INBEZ3036	35"	29.675"	\$2319	+\$36	+\$18	+\$133	+\$353	+\$703

1	INBEZ3036	35"	29.675"	\$2319	+\$36	+\$18	+\$133	+\$353	+\$703
	INBEZ3042	41"	29.675"	\$2364	+\$38	+\$19	+\$141	+\$374	+\$747
ALTE	INBEZ3048	47"	29.675"	\$2426	+\$43	+\$21	+\$160	+\$377	+\$752
	INBEZ3054	53"	29.675"	\$2738	+\$49	+\$26	+\$181	+\$382	+\$762
	INBEZ3060	59"	29.675"	\$2803	+\$52	+\$28	+\$200	+\$385	+\$768
	INBEZ3072	71"	29.675"	\$3030	+\$62	+\$31	+\$239	+\$394	+\$783

30" D Manual Pneumatic Height Adjustable Worksurface Middle Application

I	INBEZE2436	38.25" 23.675"	\$2238	+\$36	+\$18	+\$114	+\$307	+\$613
	INBEZE2442	44.25" 23.675"	\$2265	+\$38	+\$19	+\$118	+\$329	+\$656
ANTE	INBEZE2448	50.25" 23.675"	\$2315	+\$43	+\$21	+\$134	+\$335	+\$667
	INBEZE2454	56.25" 23.675"	\$2378	+\$49	+\$26	+\$152	+\$340	+\$678
	INBEZE2460	62.25" 23.675"	\$2426	+\$52	+\$28	+\$168	+\$353	+\$704
5	INBEZE2472	74.75" 23.675"	\$2888	+\$62	+\$31	+\$202	+\$356	+\$707

24" D Manual Pneumatic Height Adjustable Worksurface Full End Gable Application

Height Adjustable Worksurface Manual Pneumatic

## Bench

- Specific worksurfaces must be used in specific applications based on location and end support
- This manual pneumatic height adjustable table has a lift capacity of 25lbs (includes worksurface)
- Height adjustment is 28.5" to 48.5"; a total range of 20"
- Base comes in silver only
- Tops are adjustable by a paddle in the front right of the worksurface
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- End units are ½" shorter in length and Middle units are ½" shorter on each end eliminating potential pinch points
- Only to be installed on Full Height Spine option with either full height end gable or open end leg

- See Inscape Bench Application Guide for more details
- Stretcher bars not required for Height Adjustable worksurfaces

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBEZ2436 in Veneer would be \$2238 +\$613

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight
I	INBEZE3036	38.25"	29.675"	\$2319	+\$36	+\$18	+\$139	+\$353	+\$703
	INBEZE3042	44.25"	29.675"	\$2364	+\$38	+\$19	+\$148	+\$374	+\$747
R	INBEZE3048	50.25"	29.675"	\$2426	+\$43	+\$21	+\$168	+\$377	+\$752
	INBEZE3054	56.25"	29.675"	\$2738	+\$49	+\$26	+\$189	+\$382	+\$762
	INBEZE3060	62.25"	29.675"	\$2803	+\$52	+\$28	+\$211	+\$385	+\$768
	INBEZE3072	74.75"	29.675"	\$3030	+\$62	+\$31	+\$253	+\$394	+\$783

30" D Manual Pneumatic Height Adjustable Worksurface Full End Gable Application

I	INBEZOE2436	38.536" 23.675"	\$2238	+\$36	+\$18	+\$114	+\$307	+\$613
	INBEZOE2442	44.536" 23.675"	\$2265	+\$38	+\$19	+\$118	+\$329	+\$656
R	INBEZOE2448	50.536" 23.675"	\$2315	+\$43	+\$21	+\$134	+\$335	+\$667
	INBEZOE2454	56.536" 23.675"	\$2378	+\$49	+\$26	+\$152	+\$340	+\$678
	INBEZOE2460	62.536" 23.675"	\$2426	+\$52	+\$28	+\$168	+\$353	+\$704
	INBEZOE2472	74.536" 23.675"	\$2888	+\$62	+\$31	+\$202	+\$356	+\$707

24" D Manual Pneumatic Height Adjustable Worksurface Open End Leg Application

Ш	INBEZOE3036	38.536" 29.675"	\$2319	+\$36	+\$18	+\$139	+\$353	+\$703
	INBEZOE3042	44.536" 29.675"	\$2364	+\$38	+\$19	+\$148	+\$374	+\$747
ALTE	INBEZOE3048	50.536" 29.675"	\$2426	+\$43	+\$21	+\$168	+\$377	+\$752
	INBEZOE3054	56.536" 29.675"	\$2738	+\$49	+\$26	+\$189	+\$382	+\$762
	INBEZOE3060	62.536" 29.675"	\$2803	+\$52	+\$28	+\$211	+\$385	+\$768
	INBEZOE3072	74.536" 29.675"	\$3030	+\$62	+\$31	+\$253	+\$394	+\$783

30" D Manual Pneumatic Height Adjustable Worksurface Open End Leg Application

Height Adjustable Worksurface

## Bench

- Specific worksurfaces must be used in specific applications based on location and end support
- This electric height adjustable table with two motors
- has a lift capacity of 195lbs (includes worksurface)
- Height adjustment is 28.5" to 44.5"; a total range of 16"
- Base available in Steel Wool, White Velvet or Kettle Black
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- End units are ½" shorter in length and Middle units are ½" shorter on each end eliminating potential pinch points
- Can be installed on a Full Height or Partial Height Spine with Full able End support. No mid support is required
- Only to be installed on Full Height Panel option with either full height end gable or open end leg
- See Inscape Bench Application Guide for more details
- Stretcher bars not required for Height Adjustable worksurfaces

#### HANDSET OPTIONS

Included at no additional cost:

1. Handset with Up Down Buttons **OR** 

2. Intuitive Paddle

Optional with upcharge:

3. Handset with Up Down Buttons + Memory Display (+\$85) **OR** 

4. Intuitive Paddle with Bluetooth + Memory Display (+\$85)

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBELAKM2448 in Veneer would be \$3582 +\$599

	Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight	Accent paint
	INBELAKM2448	47"	23.675"	\$3582	+\$43	+\$21	+\$129	+\$301	+\$599	+\$360
	INBELAKM2454	53"	23.675"	\$3625	+\$49	+\$26	+\$146	+\$305	+\$609	+\$365
1	INBELAKM2460	59"	23.675"	\$3669	+\$52	+\$28	+\$160	+\$317	+\$632	+\$369
ļ	INBELAKM2472	71"	23.675"	\$3761	+\$62	+\$31	+\$193	+\$341	+\$681	+\$379



Worksurface Middle Application

$\frown$	INBELAKM3048	47"	29.675"	\$3669	+\$47	+\$21	+\$160	+\$339	+\$677	+\$369
	INBELAKM3054	53"	29.675"	\$3724	+\$58	+\$26	+\$181	+\$343	+\$685	+\$374
	INBELAKM3060	59"	29.675"	\$3783	+\$65	+\$28	+\$200	+\$346	+\$690	+\$381
	INBELAKM3072	71"	29.675"	\$3894	+\$78	+\$31	+\$239	+\$354	+\$706	+\$392

30" D Electric Height Adjustable Worksurface Middle Application

	INBELAKE2448	50.25" 23.675"	\$3761	+\$43	+\$21	+\$134	+\$316	+\$629	+\$379
I	INBELAKE2454	56.25" 23.675"	\$3808	+\$49	+\$26	+\$152	+\$321	+\$637	+\$383
	INBELAKE2460	62.25" 23.675"	\$3853	+\$52	+\$28	+\$168	+\$334	+\$665	+\$387
	INBELAKE2472	74.75" 23.675"	\$3946	+\$62	+\$31	+\$202	+\$359	+\$714	+\$397

24" D Electric Height Adjustable Worksurface Full End Gable Application

Height Adjustable Worksurface

## Bench

- Specific worksurfaces must be used in specific applications based on location and end support
- This electric height adjustable table with two motors
- has a lift capacity of 195lbs (includes worksurface)
- Height adjustment is 28.5" to 44.5"; a total range of 16"
- Base available in Steel Wool, White Velvet or Kettle Black
- Nuform, Laminate & Veneer
- Straight & Tapered edge available on Nuform
- End units are ½" shorter in length and Middle units are ½" shorter on each end eliminating potential pinch points
- Can be installed on a Full Height to Partial Height Spine with Full able End support. No mid support is required
- Only to be installed on Full Height Panel option with either full height end gable or open end leg
- See Inscape Bench Application Guide for more details
- Stretcher bars not required for Height Adjustable worksurfaces

#### HANDSET OPTIONS

Included at no additional cost:

1. Handset with Up Down Buttons **OR** 

2. Intuitive Paddle

Optional with upcharge:

3. Handset with Up Down Buttons + Memory Display (+\$85) **OR** 

4. Intuitive Paddle with Bluetooth + Memory Display (+\$85)

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBELAKE3048 in Veneer would be \$3853 +\$710

Part number	w	D	Nuform classic/ laminate/ base price	Nuform select	Nuform tapered	Grade 1 Iaminate	Grade 2 Iaminate	Veneer straight	Accent paint
INBELAKE3048	50.25"	29.675"	\$3853	+\$47	+\$21	+\$168	+\$357	+\$710	+\$387
INBELAKE3054	56.25"	29.675"	\$3911	+\$58	+\$26	+\$189	+\$362	+\$720	+\$394
INBELAKE3060	62.25"	29.675"	\$3972	+\$64	+\$28	+\$211	+\$364	+\$725	+\$399
INBELAKE3072	74.75"	29.675"	\$4088	+\$78	+\$31	+\$253	+\$372	+\$742	+\$410

30" D Electric Height Adjustable Worksurface Full End Gable Application

INBELAKO2448	50.536" 23.675"	\$3761	+\$43	+\$21	+\$134	+\$316	+\$629	+\$379
INBELAKO2454	56.536" 23.675"	\$3808	+\$49	+\$26	+\$152	+\$321	+\$637	+\$383
INBELAKO2460	62.536" 23.675"	\$3853	+\$52	+\$28	+\$168	+\$334	+\$665	+\$387
INBELAKO2472	74.536" 23.675"	\$3946	+\$62	+\$31	+\$202	+\$359	+\$714	+\$397

24" D Electric Height Adjustable Worksurface Open End Leg Application

INBELAKO3048	50.536" 29.675"	\$3853	+\$47	+\$21	+\$168	+\$357	+\$710	+\$387
INBELAKO3054	56.536" 29.675"	\$3911	+\$58	+\$26	+\$189	+\$362	+\$720	+\$394
INBELAKO3060	62.536" 29.675"	\$3972	+\$64	+\$28	+\$211	+\$364	+\$725	+\$399
INBELAKO3072	74.536" 29.675"	\$4088	+\$78	+\$31	+\$253	+\$372	+\$742	+\$410

30" D Electric Height Adjustable Worksurface Open End Leg Application

Bench

- Cantilever brackets support worksurfaces at mid-span
- Spacers are to be specified in conjunction with 22.5"id cases and ³/₄" thick tops to support worksurfaces
- A Bench 30"d Single Sided Electric Height Adjustable table must have rear glides at every height adjustable support bracket anchored to a concrete floor using the Leg Anchor Bracket and customer supplied ³/₄"-16 x 2.25" (min.) concrete anchor studs. See installation manual for further details.

		Part number	н	Eco black/ base price	Neutral paint	Accent paint
	Cantilever Bracket	INBRHCB	_	\$85	+\$6	+\$11
	Fixed Height Handed	right-handed				
		INBLHCB left-handed	_	\$85	+\$6	+\$11
. 5	120° Cantilever Bracket	INB120CB	-	\$73	+\$12	+\$10
$\bigcirc \bigcirc$	Spacers	WSPACERLAT	1.3"	\$63	_	+\$9
	(pkg.4)	For Laterals				
80		WSPACERPED	1.3"	\$33	-	+\$6
		For Pedestals				

	Part number	н	Neutral paint base price	Accent paint
Leg Anchor Bracket	INBLABKT	-	\$54	+\$7

## Bench

- Pedestal brackets dock pedestal cases to the benching spine. See Inscape Bench Application Guide
- Frame to Worksurface is to be specified in certain configurations where storage is the anchor. See Inscape Bench Application Guide
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are also required for all 30" or deeper worksurfaces no matter the width including when mid cantilever is installed
- Be sure stretcher bars do not to interfere with support brackets, cable trays or other work tools
- Stretcher bars not required for Height Adjustable worksurfaces
- Stretcher bars are 1 1/2" H

		Part number	н	Eco black/ base price	Neutral paint	Accent paint
( <b>1</b> )	Pedestal Bracket, End	INBPEDLHBREDE	_	\$85	_	+\$11
	Location	left-handed (illustrated)				
		INBPEDRHBREDE	_	\$85	-	+\$11
•		right-handed				
ก	Pedestal Bracket, Middle	INBPEDLHBRMDE	_	\$85	_	+\$11
الله ط	Location	left-handed (illustrated)				
		INBPEDRHBRMDE	_	\$85	-	+\$11
•		right-handed				
6	Frame to Worksurface	INBSPWSBRKT	_	\$84	_	+\$11
la c	Connection Bracket	Double Sided				
		INBSPWBRKTSS	_	\$85	-	+\$11
		Single Sided				

		Part number	w	Wt (lbs)	Eco black/ base price	Painted
M	Worksurface Stretcher Bar	INSBK54	44"	_	\$71	-
	For use with worksurfaces 54" and wider	For use with 54" surface				
		INSBK60	50"	_	\$105	_
¢.		For use with 60" surface				
		INSBK72	62"	-	\$125	_
		For use with 72" surface				
		INSBK84	74"	-	\$150	-
		For use with 84" surface				
		INSBK96	86"	_	\$169	-
		For use with 96" surface				

Worksurfaces Supports 90° Application

Mid module

## Bench

- 90° worksurface to spine support brackets support a 90° worksurface at the end of a spine frame at 28.5" H. These brackets are handed left or right and there is a double sided option
- The handedness of the support bracket is determined from the user perspective (i.e. a left handed bracket would install on the left hand side of the user)
- Shared worksurface support brackets are used to support either a 30" D or 36" D shared worksurface off of a spine frame(s) and are available in on module and mid module applications. See Inscape Bench Application Guide for application guidelines
- Brackets are available in all of Inscape's standard paint colors

_		Part number	н	Neutral paint/ base price	Accent paint
	90° Worksuface to Spine	INBWSBPERPLH	_	\$159	+\$18
R	Support Bracket	Single left hand bracket			
		INBWSBPERPRH	-	\$159	+\$18
Left hand bracket		Single right hand bracket			
		INBWSBPERPBB	-	\$236	+\$25
Back to back bracket		Double sided back-to-back bracket			
//	Shared Worksurface	INWSHSBRKT-OM	_	\$116	+\$14
	Support Bracket	For on module applications			
18		INWSHSBRKT-OFF	—	\$222	+\$24
On module		For mid module applications			
R.K.					

Inscape – State of Connecticut Price List | Contract #16PSX0171 | November 2019

## Worksurfaces & Supports Worksurfaces Supports

90° Application

26

No Accessories

- Height Adjustable Foot Docking Bracket must be specified when spine is freestanding with height adjustable tables
- Height Adjustable Foot Docking Bracket for use with no accessories can be used in parallel or 90° applications
- Height Adjustable Foot Docking Bracket for use with accessories can only be used in 90° applications
- The angled wood fixed worksurface support leg supports the end of a 90° or shared worksurface that is

not bracketed to the spine frames

- Wood support legs are available in Clear Maple and Black finishes
- 1/4" Tapcon Masonry Screws are NOT included with the Anchor Bracket

		Part number	н	Neutral paint/ base price	Accent paint
	Height Adjustable Foot Docking Bracket	INBHAFDBRKTACCY For Bench Spine with Accessories Attached	-	\$22	+\$5
With Accessories		INBHAFDBRKTACCN For Bench Spine with No Accessories	-	\$22	+\$5

	Part number	Н	List price
Angled Wood Fixed Vorksurface Support Leg	TANGCONPL28.5 Single leg	27 ¾"	\$466



### Worksurfaces & Supports Worksurfaces Supports

Parallel Application

**Bench** 

• Freestanding Height Adjustable Foot Docking Bracket can be specified to dock the non-mobile Height Adjustable Tables to a T Foot in parallel applications

		Part number	н	Neutral paint/ base price	Accent paint
°•	Freestanding Height Adjustable Foot Docking Bracket for parallel applications	INBHAFDBRKTPARL	-	\$26	-

## Bench

- ¾" thick tops are available in Nuform (straight edge), Laminate and Veneer
- Tops are specified on 22.5"id cases along with spacers to support surfaces at 28.5" H
- Pedestal top depths are sized so that the tops line up flush with the front of the pedestals and go all the way to the front of the tile behind, covering the docking bracket space
- Tops are not available with plywood edge band

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INSWTOP1836 in Veneer would be \$220 +\$403

		Part number	W	D	Nuform classic/ laminate/ base price	Nuform select	Grade 1 Iaminate	Veneer straight
	22" D x ¾" T Pedestal Top	INBPEDTOP1522	15"	23 %"	\$102	+\$15	+\$33	+\$428
$\langle$		For Storage with Handles						
		INBPEDTOP1522.7	15"	24 ⅓"	\$114	+\$13	+\$38	+\$435
		For 9900 series						
	28" D x ¾" T Pedestal Top	INBPEDTOP1528	15"	29 %"	\$127	+\$15	+\$43	+\$435
		For Storage with Handles						
		INBPEDTOP1528.7	15"	30 ⅓"	\$134	+\$23	+\$45	+\$451
		For 9900 series						
	18" D x ¾" T Lateral Top	INSWTOP1830	30"	18"	\$204	+\$13	+\$66	+\$354
		INSWTOP1836	36"	18"	\$220	+\$32	+\$71	+\$403
Constanting of the local division of the loc		INSWTOP1842	42"	18"	\$247	+\$41	+\$81	+\$439
		INSWTOP1848	48"	18"	\$273	+\$48	+\$89	+\$477
		INSWTOP1854	54"	18"	\$303	+\$49	+\$98	+\$520
		INSWTOP1860	60"	18"	\$469	+\$51	+\$152	+\$899
		INSWTOP1872	72"	18"	\$560	+\$58	+\$181	+\$913
		INSWTOP1878	78"	18"	\$651	+\$67	+\$210	+\$888

Worksurfaces Supports Full Gable

## Bench

- When specifying a Full Gable End Supports, choose the base, then option of inside and outside tiles and finally choose the worksurface support option
- Full Gable End Supports have options of Nuform, laminate, paint, veneer or no tile
- Full Gable Mid Support is available in paint and no tile
- Option "NO" interior tile when a Trading Desk unit is being installed
- Nuform, Laminate or Veneer with a pattern will run the length of the gable
- Full Gable Supports must be used with Full Height Spine Frames
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces

- 36" D single-sided Bench applications are not available
- Nuform Herringbone tile options is only available on the outside of the end gable.

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBFEG28.548 with inside and outisde in Laminate with fixed height worksurfaces supports on both sides would be \$847 +\$747 +\$820 +\$203

					Inside tile finish options							
Product number	н	w	Neutral paint/ base price	Accent paint	No tile	Paint	Nuform classic	Nuform select	Laminate	Grade 1 Iaminate	Veneer	
INBFEG28.548	28 ½"	48"	\$847	+\$87	+\$0	+\$150	+\$485	+\$538	+\$747	+\$764	+\$800	
INBFEG28.560	28 ½"	60"	\$913	+\$93	+\$0	+\$315	+\$505	+\$561	+\$753	+\$816	+\$941	
INBFEG28.572	28 ½"	72"	\$940	+\$96	+\$0	+\$323	+\$533	+\$592	+\$762	+\$869	+\$1082	

				Outs	de tile finish op	tions			
Product number	No tile	Paint	Nuform classic	Nuform select	Nuform Herringbone classic	Nuform Herringbone select	Laminate	Grade 1 laminate	Veneer
INBFEG28.548	_	+\$211	+\$820	+\$911	+\$917	+\$1018	+\$820	+\$874	+\$983
INBFEG28.560	_	+\$213	+\$875	+\$972	+\$979	+\$1087	+\$875	+\$958	+\$1123
INBFEG28.572	+\$0	+\$233	+\$917	+\$1018	+\$1028	+\$1142	+\$917	+\$1033	+\$1261

Worksurface support options

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed
INBFEG28.548	+\$203	+\$203	-	+\$102	+\$102	+\$203
INBFEG28.560	+\$203	+\$203	-	+\$102	+\$102	+\$203
INBFEG28.572	+\$203	-	-	-	-	-

Full Gable End Support

Worksurfaces Supports Full Gable

## Bench

- When specifying a Full Gable End Supports, choose the base, then option of inside and outside tiles and finally choose the worksurface support option
- Full Gable End Supports have options of Nuform, laminate, paint, veneer or no tile
- Full Gable Mid Support is available in paint and no tile
- Option "NO" interior tile when a Trading Desk unit is being installed
- Nuform, Laminate or Veneer with a pattern will run the length of the gable
- Full Gable Supports must be used with Full Height Spine Frames
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces

- 36" D single-sided Bench applications are not available
- Nuform Herringbone tile options is only available on the outside of the end gable.

#### NOTES


In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBFEG28.548 with inside and outisde in Laminate with fixed height worksurfaces supports on both sides would be \$847 +\$747 +\$820 +\$203

					Inside tile finish options							
Product number	н	w	Neutral paint/ base price	Accent paint	No tile	Paint	Nuform classic	Nuform select	Laminate	Grade 1 Iaminate	Veneer	
INBSFEG28.524 INBSFEG28.530	28 ½" 28 ½"	24" 30"	\$525 \$565	+\$54 +\$58	+\$0 +\$0	+\$112 +\$115	+\$430 +\$459	+\$477 +\$509	+\$430 +\$459	+\$458 +\$503	+\$517 +\$590	

				Outs	ide tile finish op	tions			
Product number	No tile	Paint	Nuform classic	Nuform select	Nuform Herringbone classic	Nuform Herringbone select	Laminate	Grade 1 laminate	Veneer
INBSFEG28.524	-	+\$112	+\$430	+\$477	+\$482	+\$535	+\$430	+\$458	+\$517
INBSFEG28.530	_	+\$115	+\$459	+\$509	+\$514	+\$571	+\$459	+\$503	+\$590



#### Worksurface support options

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed
INBSFEG28.524	+\$102	+\$102	-	-	-	-
INBSFEG28.530	+\$102	+\$102	_	_	_	_

Single-Sided Full Gable End Support

Worksurfaces Supports Full Gable

## Bench

- When specifying a Full Gable End Supports, choose the base, then option of inside and outside tiles and finally choose the worksurface support option
- Full Gable End Supports have options of Nuform, laminate, paint, veneer or no tile
- Full Gable Mid Support is available in paint and no tile
- Option "NO" interior tile when a Trading Desk unit is being installed
- Nuform, Laminate or Veneer with a pattern will run the length of the gable
- Full Gable Supports must be used with Full Height Spine Frames
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces

- 36" D single-sided Bench applications are not available
- Nuform Herringbone tile options is only available on the outside of the end gable.

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBFEG28.512 with inside and outisde in paint with fixed height worksurfaces supports on both sides would be \$631

					Inside tile finish options						
Product number	н	W	Neutral paint/ base price	Accent paint	No tile	Paint	Nuform classic	Nuform select	Laminate	Grade 1 Iaminate	Veneer
INBFEG28.512	28 ½"	12"	\$631	+\$64	+\$+\$-85	\$0	_	-	-	-	—
INBFEG28.518	28 ½"	18"	\$661	+\$67	+\$+\$-96	\$0	_	_	_	_	_
INBFEG28.524	28 ½"	24"	\$692	+\$71	-	\$0	_	-	-	_	-

				Outs	ide tile finish op	tions			
Product number	No tile	Paint	Nuform classic	Nuform select	Nuform Herringbone classic	Nuform Herringbone select	Laminate	Grade 1 laminate	Veneer
INBFEG28.512	-\$-85	+\$0	-	-	-	-	-	-	-
INBFEG28.518	-\$-96	+\$0	_	_		_	_	_	_
INBFEG28.524	-	+\$0	-	_	_	_	-	_	-



#### Worksurface support options

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed	Manual height adjustable (M) on left & fixed (F) on righ	Fixed (F) on left & manual height adjustable (M) on righ
INBFEG28.512	-	-	-	-	-	-	_	-
INBFEG28.518	-	-	-	-	-	-	_	_
INBFEG28.524	-	-	-	-	-	-	-	-

Full Gable Mid Support

### M F F M

# Worksurfaces & Supports Worksurfaces Supports Full Gable Brackets

## **Bench**

- Brackets for field reconfiguration purposes only
- The handedness of these brackets is chosen from the

user perspective of the fixed worksurface

		Part number	н	D	Neutral paint/ base price	Accent paint
**	Full Gable Mid Support	INBKTEGFF12	28 ½"	12"	\$90	+\$12
	Bracket Only for Supporting 2 Fixed Height Surfaces	12" D Full Gable				
Su	Oundees	INBKTEGFF18	28 ½"	18"	\$97	+\$12
		18" D Full Gable				
		INBKTEGFF24	28 ½"	24"	\$105	+\$13
		24" D Full Gable				
	Full Gable Mid Support	INBKTEGPLFR12	28 ½"	12"	\$90	+\$12
	Bracket Only for Supporting Manual Height Adjustable (M) Surface on	12" D Full Gable				
M F	Left, Fixed (F) Surface on	INBKTEGPLFR18	28 ½"	18"	\$97	+\$12
Right	18" D Full Gable					
		INBKTEGPLFR24	28 ½"	24"	\$105	+\$13
		24" D Full Gable				
	Full Gable Mid Support Bracket Only for Supporting Fixed (F) Surface on Left, Manual	INBKTEGFLPR12	28 ½"	12"	\$90	+\$12
		12" D Full Gable				
Rev.	Height Adjustable (M)	INBKTEGFLPR18	28 ½"	18"	\$97	+\$12
	Surface on Right	18" D Full Gable				
		INBKTEGFLPR24	28 ½"	24"	\$105	+\$13
		24" D Full Gable				
	Full Gable Mid Support	INBKTEGPP12	28 ½"	12"	\$90	+\$12
	Bracket Only for Supporting 2 Manual Height Adjustable Surfaces	12" D Full Gable				
	Toight Aujustable Surfaces	INBKTEGPP18	28 ½"	18"	\$97	+\$12
محمر کمنا		18" D Full Gable				
		INBKTEGPP24	28 ½"	24"	\$105	+\$13
		24" D Full Gable				
	Electric Height	INBEHAADBKT-LH	_	—	\$100	+\$13
	Adjustable (E) to Fixed (F) Worksurface Support Bracket	left-handed (illustrated)				
~		INBEHAADBKT-RH	_	_	\$100	+\$13
		right-handed F E				

Worksurfaces Supports Open A Leg

### Bench

- When specifying an Open A Leg Support, choose
- the base, then choose the worksurface support option
- Can be used with Partial Height Spine Frames only
  A Legs have a lower cover included when electric
- A Legs have a lower cover included when electric height adjustable worksurface supports are optioned
- Manual height adjustable is not available for use with the A Leg due to partial height bench frame restrictions
- 36"D applications are not available with the A Leg

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.


For example:

Product INBAALEG28.548 with fixed worksurfaces supports on both sides would be \$772 +\$188

	Part number	н	w	Neutral paint/ base price	Accent paint
Open A Leg End Suport	INBAALEG28.548	28 ½"	48"	\$772	+\$97
For use with regular height applications	INBAALEG28.560	28 ½"	60"	\$810	+\$101

#### Worksurface support options

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed
INBAALEG28.548	+\$188	-	+\$0	-	+\$94	-
INBAALEG28.560	+\$199	-	+\$0	-	+\$100	_



	Part number	н	w	Neutral paint/ base price	Accent paint
Single-Sided Open A Leg End Support For use with regular height applications	INBAAEG28.524LH left-handed (illustrated)	28 ½"	24"	\$611	+\$70
	INBAAEG28.524RH right-handed	28 1⁄2"	24"	\$611	+\$70
	INBAAEG28.530LH left-handed (illustrated)	28 ½"	30"	\$784	+\$72
	INBAAEG28.530RH right-handed	28 1⁄2"	30"	\$633	+\$72

#### Worksurface support options

Product number	Fixed height	Manual Height Adjustable		Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed
INBAAEG28.524LH	+\$71	-	+\$0	-	-	-
INBAAEG28.524RH	+\$71	_	+\$0	-	_	_
INBAAEG28.530LH	+\$76	-	+\$0	-	-	-
INBAAEG28.530RH	+\$76	_	+\$0	-	_	_

## Worksurfaces & Supports Worksurfaces Supports

Open A Leg

Bench

- Can be used with Partial Height Spine Frames only
- For double-sided applications, use 12" mid supports for 24"D surfaces and 18" mid supports for 30"D surfaces
- For single-sided applications, use 18" mid supports for
- 24"D surfaces and 24" mid supports for 30" D surfaces
- 36"D applications are not available with the A Leg

	Ĩ,
Ű	

	Part number	н	w	Neutral paint/ base price	Accent paint
Open A Leg Mid Support For use with regular height applications	INBAEG28.512	28 ½"	12"	\$397	+\$41
	INBAEG28.518	28 ½"	18"	\$419	+\$43
	INBAEG28.524	28 ½"	24"	\$483	+\$49

Worksurface	support	options
-------------	---------	---------

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed	Manual height adjustable (M) on left & fixed (F) on righ	Fixed (F) on left & manual height adjustable (M) on righ
INBAEG28.512	-	-	-	-	-	-	-	-
INBAEG28.518	-	_	-	-	-	-	-	-
INBAEG28.524	-	-	-	-	-	-	-	-
							MF	F M

Worksurfaces Supports Open H Leg

# Bench

- When specifying an Open H Leg Support, choose the base, then choose the worksurface support option
- Can be used with Full Height, Partial Height and Storage Spine Frames
- Regular height (28.5") and standing height options available
- Standing Height Open H Leg support fixed height worksurfaces only
- Has the ability to support various accessories which hang from the support bar of the leg
- When the Electric Height Adjustable worksurface support option is selected there will be exposed bracket mounting holes visible. For no holes, specify For Electric Height Adjustable Application Only
- 36"D single-sided Bench applications are not available


#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.


#### For example:

Product INBAHLEG28.548 with fixed height worksurfaces supports on both sides would be \$1107 +\$257

	Part number	н	w	Neutral paint/ base price	Accent paint
Open H Leg End Support For use with regular height applications	INBAHLEG28.548	28 ½"	48"	\$1107	+\$113
	INBAHLEG28.560	28 ½"	60"	\$1128	+\$115
	INBAHLEG28.572	28 ½"	72"	\$1135	+\$116



Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed
INBAHLEG28.548	+\$257	+\$115	+\$0	+\$58	+\$129	+\$186
INBAHLEG28.560	+\$257	+\$115	+\$0	+\$58	+\$129	+\$186
INBAHLEG28.572	+\$257	-	-	-	-	-



	Part number	н	w	Neutral paint/ base price	Accent paint
Single-Sided Open H Leg End Support For use with regular height applications	INBAHEG28.524LH left-handed (illustrated)	28 ½"	24"	\$732	+\$76
	INBAHEG28.524RH right-handed	28 ½"	24"	\$732	+\$76
	INBAHEG28.530LH left-handed (illustrated)	28 1⁄2"	30"	\$784	+\$81
	INBAHEG28.530RH right-handed	28 ½"	30"	\$784	+\$81

#### Worksurface support options

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed
INBAHEG28.524LH	+\$129	+\$58	+\$0	-	-	-
INBAHEG28.524RH	+\$129	+\$58	+\$0	-	_	-
INBAHEG28.530LH	+\$129	+\$58	+\$0	-	-	-
INBAHEG28.530RH	+\$129	+\$58	+\$0	_	_	_

Worksurfaces Supports Open H Leg

Bench

- Can be used with Full Height, Partial Height and Storage Spine Frames
- For double-sided applications, use 12" mid supports for 24"D surfaces, 18" mid supports for 30"D surfaces and 24" mid supports for 36"D surfaces
- For single-sided applications, use 18" mid supports for 24"D surfaces and 24" mid supports for 30"D surfaces
- 36"D single-sided Bench applications are not available
- Covers for "H" leg are specified when the holes on the interior of the leg are exposed when electric height adjustable is specified. These covers come 4 in a package and two are required under each worksurface

	Part number	н	w	Neutral paint/ base price	Accent paint
Open H Leg Mid Support	INBHEG28.512	28 ½"	12"	\$402	+\$43
For use with regular height applications	INBHEG28.518	28 ½"	18"	\$449	+\$47
	INBHEG28.524	28 ½"	24"	\$515	+\$53

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed	Manual height adjustable (M) on left & fixed (F) on righ	Fixed (F) on left & manual height adjustable (M) on righ
INBHEG28.512	_	-	-	_	-	-	—	_
INBHEG28.518	-	-	-	-	_	-	-	-
INBHEG28.524	-	-	_	-	_	_	-	-
INBHEG28.524	-	-	-	-	-	-	—	F

	Part number	н	w	Neutral paint/ base price	Accent paint
H Leg Hole Covers	INBHLEGCOVR-4	7⁄8"	1 ¾"	\$18	+\$5



Worksurfaces Supports Open H Leg

# Bench

- When specifying an Open H Leg Support, choose the base, then choose the worksurface support option
- Open H Leg Supports can be used with Full Height, Partial Height and Storage Spine Frames
- Regular height (28.5") and standing height options available
- Standing Height Open H Leg support fixed height worksurfaces only
- Has the ability to support various accessories which hang from the support bar of the leg
- When the Electric Height Adjustable worksurface support option is selected there will be exposed bracket mounting holes visible. For no holes, specify For Electric Height Adjustable Application Only
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces
- 36" D single-sided Bench applications are not available

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBAHLEG28.548 with fixed height worksurfaces supports on both sides would be \$1107 +\$257

		Part number	н	w	Neutral paint/ base price	Accent paint
ĸ	Open H Leg End Support	INBSHEG4248	42"	48"	\$1484	+\$151
	For use with standing height applications	INBSHEG4260	42"	60"	\$1857	+\$188
	Open H Leg Mid Support For use with standing	INBSHEG4212	42"	12"	\$652	+\$66

height applications

Worksurfaces Supports Open O Leg

# Bench

- When specifying an Open O Leg Support, choose the base, then choose the worksurface support option
- Open O Leg Supports can be used with Full Height, Partial Height and Storage Spine Frames
- Open O legs have the option to add glazed inserts which are avalable in clear, gray and etched 1 side glass. See example for how to price g;azed inserts
- Has the ability to support various accessories which hang from the support bar of the leg
- Use Open H leg Mid Supports to support mid applications
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for 30" D surfaces
- 36" D single-sided Bench applications are not available

### NOTES


In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBAHLEG28.548 with fixed height worksurfaces supports on both sides would be \$940 +\$257

Product INBAHLEG28.548 with fixed height worksurfaces supports on both sides and Gray glazed insert would be \$940 +\$257 + \$431 +\$50

						Glaze	Glazed Insert options		
		Part number	н	w	Neutral paint/base price	Clear/ base	Gray	Etched 1 side	Accent paint
	Open O Leg End Support	INBAOLEG28.548	28 ½"	48"	\$940	\$431	+\$50	+\$150	+\$96
1	For use with regular height applications	INBAOLEG28.560	28 ½"	60"	\$974	\$615	+\$71	+\$212	+\$99



#### Worksurface support options

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed
INBAOLEG28.548	+\$257	+\$115	-	+\$58	+\$129	+\$186
INBAOLEG28.560	+\$257	+\$115	-	+\$58	+\$129	+\$186



Single-Sided Open O Leg	INBAOEG28.524LH	28 ½"	24"	\$737	\$331	+\$51	+\$97	+\$77
End Support For use with regular height applications	left-handed (illustrated)							
	INBAOEG28.524RH	28 ½"	24"	\$737	\$331	+\$51	+\$97	+\$77
	right-handed							
	INBAOEG28.530LH	28 ½"	30"	\$806	\$370	+\$44	+\$128	+\$83
	left-handed (illustrated)							
	INBAOEG28.530RH	28 ½"	30"	\$806	\$370	+\$44	+\$128	+\$83
	right-handed							

#### Worksurface support options

Product number	Fixed height	Manual Height Adjustable	Electric Height Adjustable	Electric and Manual Height Adjustable	Electric Height Adjustable & Fixed	Manual Height Adjustable & Fixed
INBAOEG28.524LH	+\$129	+\$58	-	-	-	-
INBAOEG28.524RH	+\$129	+\$58	-	-	_	-
INBAOEG28.530LH	+\$129	+\$58	-	-	-	-
INBAOEG28.530RH	+\$129	+\$58	_	_	-	_

**Bench** 

- Supports for Electric Height Adjustable applications only
- No holes will be visible on these supports
- For single-sided applications, use 18" mid supports for 24" D surfaces and 24" mid supports for
- 30" D surfaces
- 36" D single-sided Bench applications are not available

	Part number	w	D	Neutral paint/ base price	Accent paint
Open H Leg End Support	INBHLEGHAW48	28 ½"	48"	\$958	+\$97
for Height Adjustable Worksurfaces only For use with regular height applications	INBHLEGHAW60	28 1/2"	60"	\$963	+\$98
Single-Sided Open H Leg	INBHLEGHAW24LH	28 ½"	24"	\$594	+\$60
End Support for Height Adjustable Worksurfaces	INBHLEGHAW24RH	28 ½"	24"	\$594	+\$60
only	INBHLEGHAW30LH	28 ½"	30"	\$663	+\$67
For use with regular height applications	INBHLEGHAW30RH	28 1⁄2"	30"	\$663	+\$67
Full Gable Mid Support	INBFEGADJ12	28 ½"	12"	\$631	+\$64
for Height Adjustable Worksurfaces only	INBFEGADJ18	28 ½"	18"	\$641	+\$65
For use with regular height applications	INBFEGADJ24	28 1⁄2"	24"	\$672	+\$68

# Worksurfaces & Supports Worksurface Top Filler Cap

# **Bench**

- Specified based on where filler is to be installed (mid or end)
- Provides a gap for cord management between the filler and the main worksurface (to accommodate adapters, the filler can easily be removed and replaced)

		Part number	w	D	Neutral paint/ Laminate/ base price	Grade 1 Iaminate	Veneer straight	Accent paint
	Worksurface Top Filler	INBWFM42	42"	2 ¾"	\$501	+\$161	+\$296	+\$52
	Cap, Middle Application	INBWFM48	48"	2 ¾"	\$514	+\$165	+\$303	+\$53
		INBWFM54	54"	2 ¾"	\$545	+\$176	+\$322	+\$56
		INBWFM60	60"	2 ¾"	\$554	+\$179	+\$326	+\$57
		INBWFM72	72"	2 ¾"	\$656	+\$211	+\$386	+\$66
		INBWFM84	84"	2 ¾"	\$726	+\$233	+\$427	+\$76
		INBWFM96	96"	2 ¾"	\$742	+\$238	+\$438	+\$77
	Worksurface Top Filler Cap,	INBWFE42	42"	2 ¾"	\$507	+\$163	+\$299	+\$52
	Full End Gable Application	INBWFE48	48"	2 ¾"	\$519	+\$167	+\$306	+\$53
		INBWFE54	54"	2 ¾"	\$551	+\$177	+\$325	+\$56
		INBWFE60	60"	2 ¾"	\$559	+\$181	+\$329	+\$57
		INBWFE72	72"	2 ¾"	\$668	+\$216	+\$395	+\$67
		INBWFE84	84"	2 ¾"	\$739	+\$237	+\$436	+\$77
		INBWFE96	96"	2 ¾"	\$843	+\$271	+\$495	+\$87
	Worksurface Top Filler Cap,	INBWFO42	42"	2 ¾"	\$507	+\$163	+\$299	+\$52
	Open Leg Applications	INBWFO48	48"	2 ¾"	\$519	+\$167	+\$306	+\$53
		INBWF054	54"	2 ¾"	\$551	+\$177	+\$325	+\$56
		INBWFO60	60"	2 ¾"	\$559	+\$181	+\$329	+\$57
		INBWF072	72"	2 ¾"	\$668	+\$216	+\$395	+\$67
		INBWFO84	84"	2 ¾"	\$739	+\$237	+\$436	+\$77
		INBWFO96	96"	2 ¾"	\$843	+\$271	+\$495	+\$87

# Bench Storage



work for ^{tomorrow}

#### PEDESTALS

Pedestals are of all-welded "wrap-around" construction of 20 and 22 gauge high quality, tension leveled, cold rolled steel. The steel gauge selected for drawer fronts, bodies and accessories ensure the highest quality durability and performance for all components. All glides on cases must be specified as flat glides (%" height adjustability) to work with Inscape Bench. Pedestal corners are welded at junction of top and case, eliminating horizontal lines for a cleaner, flush appearance, and strengthened with reinforcing gussets. A completely enclosed case provides rigid construction and dust-free interiors.

Box drawer sides are slotted on 1" centers to allow for maximum flexibility for drawer division. Doublewall construction allows lift-up doors to be picked up and recede smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. Storage with Handles is single-wall construction. File (10.5" and 12") and EDP (15") drawer bodies have full height sides to accommodate hanging file folders, eliminating the need for optional file frames. Fully progressive ball bearing suspensions on all drawers, including pencil and box drawers, are staged so that the left and right sides work in unison; this provides smooth drawer operation with minimum force. Staged suspensions allow the drawer to be completely pulled out, providing access to the entire drawer depth.

Special "claw-like" device incorporated in the suspension "grips" the fixed section of the suspension channel preventing drawer body bounce back or creep when drawer is closed. Modular interior allows complete interchangeability of drawer types within the pedestal case. For example, two 6" box drawers may be replaced by a 12" file drawer. Pedestals are standard with keyholes for attachment to underside of worksurface. For the Storage with Handles only cases: 18" deep pedestals come standard with 18" deep drawers, 22" and 28" deep pedestals come standard with 22" deep drawers. For all other Series, pedestal drawers match case depth.

Worksurface supporting pedestals are designed for use with the Inscape Bench when used with flat glides. Worksurface supporting pedestals are available in two depths to fit 24" and 30" deep worksurfaces and support finished worksurface height of 28.5". Pedestals with 3", 6" or 7.5" drawers include one pencil tray per pedestal. The 6" and 7.5" drawers also include a steel divider. The 10.5" and 12" drawers have one hang file suspension bar (two in a 28" deep pedestal) for side-to-side filing of legal or letter size folders or printout binders. Storage with Handles Pedestals do not include any suspension bars.

NOTE: System storage pedestal cases consist of holes in the top of the case and back of the case to allow for worksurface docking and panel mounted brackets to be secured.


#### CUSHION MOBILE PEDESTALS

Cushion Mobile Pedestals are topped with 1.25" thick Cal.117 fire-retardant polyurethane foam with a 2.2lb/ ft. density. This upholstery cushion is balanced with a 7/6" board and is attached to a pedestal top with Velcro. Select from our graded upholstery program of solid color fabrics and vinyl's or choose COM option (Customers Own Material). To determine if a COM fabric has been pre-approved for use on our cushion topper, contact your client services representative or go to www.inscapesolutions.com. For application of ALL fabrics, both from our graded program as well as COM (Customer Own Material) please specify layout orientation at time of order. If layup instructions are not provided Inscape will choose the direction to maximize production. Refer to the diagram for layup options.

After calculating the total amount of material needed in inches, divide the total number of inches by 36 for the total yardage and round up to the next full yard. Allow additional for repeat. Add 15% of total fabric required for small and medium pattern repeats. Add 20% of total fabric required for large patterns.

Due to the nature of the design and manufacture of our cushion, only approved fabrics will be accepted for application. For a description of the procedure required for COM fabric approval see sample 'Cushion COM Test Request' form found in the General Information section of this price list. This form can be downloaded from the Administration section of Insite or by contacting your client services representative for assistance.

#### FABRIC LAY UP OF PEDESTAL CUSHIONS



Pedestals come standard with lock. If lock is not required add suffix '**/NL**' after product number and deduct \$52 list per lock. Random keying is standard, and keyed alike may be ordered.

Locks feature removable core and are standard with two keys, one of which has a black neoprene plastic key cover. Locks may be ordered for field installation. Specify cabinet height and width or model number. Note: Locks cannot be field installed on hinged door cabinets.

#### LATERALS

Lateral cabinets are of all-welded construction using 20 and 22 gauge high quality, tension leveled, and cold rolled steel. Drawer fronts, lift-up doors, roll-out shelves and all steel accessories are manufactured of the steel gauge appropriate to function at the highest quality level. Laterals must be specified with flat glides to work with Inscape Bench. Flat Glides provide 0.125" height adjustment when docked and 0.75" height adjustment if unit is not docked.

With the addition of counterweights where appropriate, cabinets meet all BIFMA specifications. All interiors are completely modular and interchangeable so that cabinets can be retrofitted with new accessories and interiors as required. Cabinet corners (except for Storage with Handles) are welded at junction of top and case, eliminating horizontal lines for cleaner, flush appearance, and strengthened with reinforcing gussets. Double-wall construction allows lift-up doors to be picked up and receded smoothly, eliminates deformation, ensures flush fit within cabinet and improves lock performance. Lift-up door carrier mechanism has four nylon rollers two on each side - for smooth receding action with no binding or snagging. Self-closing, 110° opening, European style cupboard hinges for smooth door operations.

The absence of scissor mechanism in doors and drawers eliminates the potential for scissors binding, and facilitates reconfiguration of cabinet openings as needed. Front leading edge of pullout shelves is beaded and rolled to provide grip for pullout action and strengthen shelf; front leading edge of fixed shelf is flat for easy removal of material. Fully progressive ball bearing suspension slides provide smooth action with minimum force.

Special "claw-like" device incorporated in suspension slide channel "grips" the fixed section of the suspension channel preventing drawer bounce-back or creep when drawer is closed. A patented Safelock[™] interlock mechanism provides complete security and user safety against accidental opening of two or more drawers simultaneously. Lock fingers are configured with right angle bend upward not downward so that lift-up doors cannot be pulled down to disengage fingers from door slots and be forced to circumvent lock system. Lock bars operate vertically on both sides of cabinet for maximum security.

Knockouts that are included on case sides, top and bottom facilitate ganging and leveling. Glides - 2 in front and 2 in back - are adjustable from inside the cabinet so that cabinets can be leveled regardless of whether they are backed against a wall or banked. 9900 Series fronts have full width integral pulls with enamel finish to match case fronts. Storage with Handles fronts are available with 2 pull options. The standard pull option is the radius aluminum pull. A rectangular aluminum pull option is also available at no additional cost. Storage with Handles is single-wall construction. Nuform fronts include a Q- pull. Veneer fronts are available with 2 pull options. The standard Veneer pull option is the same Q- Pull that comes with the Nuform front. A continuous pull is also available on most veneer units.

Laterals include 1 pair of hang file bars in 10.5" and 12" fixed fronts, 1 EDP kit in 13.5" and 15" fixed fronts, pencil tray in 3" multi-file drawer and steel divider in 7.5" multi-file drawer, steel divider in 6" multi-file drawers and 3 divider plates in 13.5" lift-ups. Fixed shelf in lift-up is slotted in 1" increments. Lateral to panel bracket is required if lateral is positioned on-module.

#### NOTE: laterals and multi-files consist of slots in the back of the case to allow for panel mounted brackets to be secured.

Cabinets ship standard with single bitted lock. For applications requiring higher security a double bitted solution is available. If lock is not required it may be optioned as such. Random keying is standard, keyed alike is optional. Cabinets originally ordered as nonlocking may be field installed with the addition of locking bars and a lock core. Contact your client services representative for required parts. Locks may not be field installed in hinged door and sliding door cabinets. Master keys are available; refer to the accessories section to specify. Locks are standard with two keys, one of which has a black neoprene plastic cover.

All laterals are finished in standard 36.5° gloss baked enamel, electrostatically applied in a 2-coat process. Refer to the surface materials section for available colors. With the exception of custom micas, whites and metallic; custom colors are available at an up-charge and are be subject to extended lead times. For laterals specified in custom micas, specials whites or metallic, add an up-charge of 10% to the list price. All interior drawers/shelf bodies, exposed hardware (excluding European style hinges) hang file bars, dividers and media frames are finished in Eco Black.

#### TWIN-BINS

Twin-Bins are 5.75" deep on each side of the supporting frame. Twin-Bins may be specified to install in stack frames above the worksurface. Bins are manufactured from minimum 20 gauge steel with an extruded aluminum reinforced top. Double wall, sliding doors on each side of the unit, slide easily across the recessed groove built into the bin front. Twin-Bins are available with or without locks. The locking mechanism is individualized for each side of the unit, allowing for personal privacy on either side. Twin-Bins are available in 36", 42", 48" and 60" W. Recommended maximum load for Twin-Bins is 3lbs per linear inch. Bins are finished in standard 37.5° gloss baked enamel, electrostatically applied in a 2-coat process and are available in any of the colors shown in our Color Guide. Woodgrain fronts are available in any of our standard woodgrain finishes.

Handles are standard in aluminum finish and are located on the front of the sliding door. Case may still be ordered in any of the colors shown in our Color Guide.

#### ELECTRIFIED TWIN BIN

The Electrified Twin Bin is built on the same premise as the standard Twin Bin with the addition of electrical and a sliding door with locking capabilities in two positions. All electrical components are specified separately including power track, receptacles and jumper cables. The sliding door may lock either the binder storage portion (full depth of bin) or the electrified portion which is the center portion which is approximately 5"D. The back of the Electrified Twin Bin may be clad with either a tackboard or whiteboard which are both specific to this storage unit. A shelf may also be optioned for the electrified portion which is field installed midway between top and bottom of opening. A gap in the shelf allows for the cord of an electronic unit to plug into duplex (located near base of opening) and still sit on top of shelf.

### NOTE: These accessories are NOT compatible with the standard Twin Bin.

See Inscape Bench Application Guide for criteria on which heights of stack-on to use in conjunction with the Twin Bin and Electrified Twin Bin.

#### SPECIFY TWIN-BIN MOUNTING BRACKETS

Specify Twin-Bin Mounting Brackets separately according to location on frame. 1 bracket per Twin-Bin is required. When stacking Twin-Bins a 6.75" H tile minimum must separate the two. Do not specify over Power Track Kit. It is not recommended to specify Twin-Bins on wing panels. Twin-Bins should only be specified on spine panels for adequate stability. See Inscape Bench Application Guide for details.

#### DRAWER STANDARD EQUIPMENT

Lockers and towers containing 3" or 6" drawers are provided with one pencil tray per cabinet. 6" drawers are additionally standard with one steel divider. 10.5", 12" and 15" letter-width file drawers have one suspension bar for side-to-side filing of letter or legalsize folders. Full-width pullout drawers are standard with one pair hang file bars for side-to-side suspended filing. Full-width fixed shelves are standard with 3 plate dividers. Optional accessories are available.

#### GLIDES

Overall heights are inclusive of metal glides. Heights may be increased up to  $\frac{1}{3}$ " by extending the standard glide. Glides are accessible from inside the cabinet when the bottom drawer is fully extended or removed and may be adjusted with a 0.25" socket driver. Optional 1.5" stem glides are available. Specify and add \$24 list to the cabinet price. Requires field installation.

#### FRONT DETAILS & PULL OPTIONS 9900 Series fronts have full width integral pulls with enamel finish to match case fronts.

Storage with Handles have 6 styles options. FP005 is the default pull.

Pull	Storage with Handles
FP001 P290 Aluminum Leaf Finish	•
FP004 Brushed Nickel Finish	•
FP005 Satin Nickel Finish	ο
Available	e • Unavailable

Pulls FP004 and FP005 meet the guidelines for ADA compliance.

### LOCKS

Workplace Towers and Lockers come standard with lock with single bitted lock. For applications requiring higher security, a double bitted solution is available. If lock is not required add suffix '**/NL**' after product number. Deduct \$52 list per lock.

Locks are available in chrome and black finish. Specify. Random keying is standard. Files may be ordered keyed alike. Locks feature removable core and are standard with two keys, one of which has a black Neoprene plastic key cover. Cabinets originally ordered as non-locking may be field installed with the addition of locking bars and a lock core. Please contact Inscape Client Services for required parts. Locks may not be field installed in hinged and sliding door cabinets. Specify lateral file height and width or model number. Master keys are available at \$47 list.

### CUSTOM COLORS

Inscape System offers color matched to a customers' specification when possible. This matching is done through a database of over 2,000 existing color formulas or the development of a new custom color. A minimum order value of \$3,000 net per custom color, applies to each order. A \$250 net fee applies for each custom color below this minimum. In addition, Custom premium colors (bright whites and bright colors; textured paints; and reflection paints that use mica, aluminum or special chemical to create their reflective properties) will be subject to a 10% upcharge to the net value of the product.

- Includes holes in top and bracket slots in back of case
- 15" letter width pedestal
- Worksurface supporting for 28.5" H
- Be sure to specify a ³/₈" top along with spacers to achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
~	10.5" file, 12" file	INGH1522-F10F	25 ¾	15"	22"	93	\$832	+\$86
		INGH1528-F10F	25 ¾	15"	28"	105	\$858	+\$88
	2-6" box, 10.5" file	INGH1522-2BE10	25 3/2	15"	22"	93	\$947	+\$96

	2-6" box, 10.5" file	INGH1522-2BF10	25 ¾	15"	22"	93	\$947	+\$96
		INGH1528-2BF10	25 ¾	15"	28"	105	\$997	+\$101
	3" pencil, 7.5" box, 12" file	INGH1522-PB7F	25 ¾	15"	22"	93	\$947	+\$96
		INGH1528-PB7F	25 ¾	15"	28"	105	\$997	+\$101

- Includes holes in top and bracket slots in back of case
- Worksurface supporting for 28.5" H
- Be sure to specify a 3/8" top along with spacers to
- achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
	10.5" File, 12" File	INGE1522-F10F	25 ¾	15"	22 3⁄4"	95	\$846	+\$87
	Flat Glides	INGE1528-F10F Letter Width	25 ¾	15"	28 ¾"	105	\$879	+\$90
		INGE1822-F10F	25 ¾	18"	22 ¾"	100	\$987	+\$100
-		INGE1828-F10F	25 ¾	18"	28 ¾"	110	\$1028	+\$105
		Legal Width						
-	2-6" box, 1-10.5" file	INGE1522-2BF10	25 ¾	15"	22 ¾"	95	\$959	+\$97
	Flat Glides	INGE1528-2BF10	25 ¾	15"	28 ¾"	105	\$1005	+\$102
		Letter Width						
		INGE1822-2BF10	25 ¾	18"	22 ¾"	100	\$1116	+\$114
		INGE1828-2BF10	25 3/8	18"	28 ¾"	110	\$1172	+\$119
		Legal Width						
	3" pencil, 7.5" box, and	INGE1522-PB7F	25 ¾	15"	22 ¾"	95	\$961	+\$98
	12" file Flat Glides	INGE1528-PB7F	25 ¾	15"	28 ¾"	105	\$1009	+\$102
	That Glides	Letter Width						
		INGE1822-PB7F	25 ¾	18"	22 ¾"	100	\$1117	+\$114
		INGE1828-PB7F	25 3⁄8	18"	28 ¾"	110	\$1167	+\$119
		Legal Width						

- Worksurface supporting for 28.5" H
- Be sure to specify a 3/8" top along with spacers to
- achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
	10.5" file, 12" file	3022.5H-F10F	25 ¾"	30"	18"	_	\$1002	+\$101
	Flat Glides	3622.5H-F10F	25 %"	36"	18"	_	\$1100	+\$112
		4222.5H-F10F	25 ¾"	42"	18"	—	\$1209	+\$123



3" pencil, 7.5" box, 12" file	3022.5H-PB7F	25 ¾"	30"	18"	_	\$1029	+\$105
Flat Glides	3622.5H-PB7F	25 ¾"	36"	18"	_	\$1122	+\$115
	4222.5H-PB7F	25 ¾"	42"	18"	—	\$1232	+\$125

- Worksurface supporting for 28.5" H
- Be sure to specify a 3/8" top along with spacers to
- achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
$\frown$	10.5" file, 12" file	IN3022.5E-F10F	25 ⅔"	30"	18"	_	\$1013	+\$102
	Flat Glides	IN3622.5E-F10F	25 %"	36"	18"	-	\$1111	+\$113
		IN4222.5E-F10F	25 %"	42"	18"	-	\$1220	+\$124
	2-6" box, 10.5" file	IN3022.5E-2BF10	25 %"	30"	18"	_	\$1158	+\$118
-	Flat Glides	IN3622.5E-2BF10	25 %"	36"	18"	-	\$1281	+\$129
- Contraction		IN4222.5E-2BF10	25 ¾"	42"	18"	—	\$1399	+\$141
$\frown$	3" pencil, 7.5" box, 12" file	IN3022.5E-PB7F	25 %"	30"	18"	_	\$1039	+\$106
	Flat Glides	IN3622.5E-PB7F	25 %"	36"	18"	-	\$1137	+\$116
and the second s		IN4222.5E-PB7F	25 ¾"	42"	18"	—	\$1244	+\$126

- Worksurface supporting for 28.5" H
- Be sure to specify a 3/8" top along with spacers to
- achieve a 28.5" finished worksurface height
- FLAT GLIDE ONLY when used with Inscape Bench

		Part number	н	w	D	Wt (lbs)	Neutral paint/ base price	Accent paint
	Inscape Bench Bookcase	IN3022.5-1BK18	25 ¾"	30"	18"	_	\$986	+\$100
	Flat Glides	IN3622.5-1BK18	25 %"	36"	18"	_	\$1032	+\$105
		IN4222.5-1BK18	25 ¾"	42"	18"	—	\$1095	+\$112

- See Inscape Bench Application Guide for bracket details & locations
- Twin-Bin brackets are quoted separately and are specific to panel thickness
- Twin-Bin cannot be installed directly above a worksurface as it causes interference
- Jumper cables and receptacles for the Electrified Twin Bin power track specified separately
- The "IN3D_-UD-8" receptacles are to be specified in conjunction with the Electrified Twin-Bin
- See Inscape System Application Guide for bracket details and locations
- Twin-Bin brackets are specific to frame thickness
- "2F" denotes use with 2.75" thick frame
- Brackets are for use with Bench stack-on frames only

		Part number	н	w	Wt (lbs)	Nuform classic/ neutral paint/ base price	Nuform select	Accent paint
	Nuform Front Twin-Bin	INTWQB36LH	14"	36"	42	\$1341	+\$149	+\$135
		INTWQB42LH	14"	42"	52	\$1394	+\$154	+\$141
		INTWQB48LH	14"	48"	58	\$1442	+\$159	+\$147
		INTWQB54LH	14"	54"	62	\$1459	+\$161	+\$149
		INTWQB60LH	14"	60"	68	\$1475	+\$163	+\$150
	Composite Veneer Front	INTWVB36LH	14"	36"	42	\$2064	_	+\$208
	Twin-Bin	INTWVB42LH	14"	42"	52	\$2125	_	+\$215
		INTWVB48LH	14"	48"	58	\$2242	_	+\$226
L ROLLING		INTWVB54LH	14"	54"	62	\$2412	-	+\$243
		INTWVB60LH	14"	60"	68	\$2712	-	+\$272
	Nuform Front Electrified	INETWBQ36	14"	36"	42	\$1746	+\$193	+\$176
	Twin-Bin	INETWBQ42	14"	42"	52	\$1828	+\$202	+\$185
R		INETWBQ48	14"	48"	58	\$1874	+\$208	+\$189
		INETWBQ54	14"	54"	62	\$1896	+\$210	+\$191
		INETWBQ60	14"	60"	68	\$1917	+\$212	+\$193
	Composite Veneer Front	INETWBV36	14"	36"	42	\$2681	_	+\$269
	Electrified Twin-Bin	INETWBV42	14"	42"	52	\$2791	_	+\$281
The second		INETWBV48	14"	48"	58	\$2948	—	+\$297
		INETWBV54	14"	54"	62	\$3135	—	+\$315
		INETWBV60	14"	60"	68	\$3544	_	+\$356

		Part number	W	List price
Twin-	Twin-Bin Bracket for install	INTWBKTUH-36-2F	36"	\$164
Store and the store of the stor	on a 20.25" H Stack-on	INTWBKTUH-42-2F	42"	\$166
		INTWBKTUH-48-2F	48"	\$169
0		INTWBKTUH-54-2F	54"	\$171
		INTWBKTUH-60-2F	60"	\$174
	Twin-Bin Bracket for install on a 27" H Stack-on	INTWBKT-U	_	\$105

- Electrified Twin Bin shelf is installed in opening where electrical is located (center)
- Electrified Twin Bin Whiteboard + Tackboard only compatible with Electrified Twin Bin
- Receptacles are available in color options of black (default), white and gray
- White close match to 168 Glacier White and Gray close match to 290 – Aluminum Leaf
- The circuit 3 receptacle requires 2+2 or 3+1 wire designation ("4" in the code signifies 3+1 compatibility)
- USB power modules can be used with the Electrified
   Twin-Bin

### NOTE

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

	Part number	Н	w	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8
	INTWBTB-12	14"	12"	\$120	+\$7	+ <b>\$1</b> 4	_	+\$26	-	+\$68	-
N. 25	INTWBTB-14	14"	14"	\$123	+\$7	+\$14	_	+\$26	_	+\$68	_
	INTWBTB-16	14"	16"	\$128	+\$7	+\$14	_	+\$26	_	+\$68	_
	INTWBTB-18	14"	18"	\$134	+\$7	+\$14	—	+\$26	—	+\$68	_
	INTWBTB-20	14"	20"	\$147	+\$7	+\$14	_	+\$26	_	+\$68	—

Electrified Twin-Bin Tackboard

		Part number	н	w	Wt (lbs)	Base price	Accent paint
$\frown$	Electrified Twin-Bin Shelf	INETWBSHF-12	_	12"	_	\$97	+\$12
C		INETWBSHF-14	_	14"	-	\$97	+\$12
And and a second se		INETWBSHF-16	_	16"	-	\$97	+\$12
		INETWBSHF-18	_	18"	_	\$97	+\$12
		INETWBSHF-20	_	20"	_	\$97	+\$12
	Electrified Twin-Bin	INTWBWB-12	14"	12"	_	\$36	_
A	Whiteboard	INTWBWB-14	14"	14"	-	\$36	-
		INTWBWB-16	14"	16"	-	\$36	-
		INTWBWB-18	14"	18"	_	\$41	_
		INTWBWB-20	14"	20"	_	\$41	-
	Electrified Twin-Bin Power Track	INETPTWB-8	_	8"	-	\$81	-
The Mar							

		Part number	Black/ baseprice	White	Gray
	Receptacle for use in	IN3D1-UD-8	\$25	+\$10	+\$10
	Electrified Twin-Bin	IN3D2-UD-8	\$25	+\$10	+\$10
		IN3D3-UD-8	\$25	+\$10	+\$10
Et_		IN3D3U-UD-8	\$25	+\$10	+\$10
		IN3D4-UD-8	\$25	+\$10	+\$10

### Storage Trading Desk

# Bench

- Kit includes all components to create cavity for technology in a back to back or single sided application as specified
- End and middle units are specific to location being installed
- May only be specified with Full Height Benching Spine

### NOTE

Make sure to option "no tile" for inside of gables as trading desk comes with tile

		Part number	w	D	Neutral paint/ base price	Accent paint
1	Back to Back 30" D End	INTD30E42	42"	12"	\$2627	+\$264
	Section Kit	INTD30E48	48"	12"	\$2666	+\$268
		INTD30E54	54"	12"	\$2731	+\$274
		INTD30E60	60"	12"	\$2744	+\$276
		INTD30E72	72"	12"	\$3122	+\$314
1	Back to Back 36" D End Section Kit	INTD36E42	42"	12"	\$3316	+\$333
	Section Rit	INTD36E48	48"	12"	\$3329	+\$334
		INTD36E54	54"	12"	\$3379	+\$339
		INTD36E60	60"	12"	\$3393	+\$340
		INTD36E72	72"	12"	\$3779	+\$380
	Single Sided 30" D End	INTDSLH30E42	42"	12"	\$1439	+\$147
	Section Kit Handed	INTDSLH30E48	48"	12"	\$1446	+\$148
	Tanded	INTDSLH30E54	54"	12"	\$1459	+\$149
		INTDSLH30E60	60"	12"	\$1465	+\$149
		INTDSLH30E72	72"	12"	\$1669	+\$168
		left-handed				
		INTDSRH30E42	42"	12"	\$1424	+\$145
		INTDSRH30E48	48"	12"	\$1446	+\$148
		INTDSRH30E54	54"	12"	\$1459	+\$149
		INTDSRH30E60	60"	12"	\$1465	+\$149
		INTDSRH30E72	72"	12"	\$1669	+\$168
		right-handed				
1	Back to Back 30" D Middle Section Kit	INTD30M42	42"	12"	\$2389	+\$240
	Section Nit	INTD30M48	48"	12"	\$2423	+\$244
		INTD30M54	54"	12"	\$2487	+\$251
		INTD30M60	60"	12"	\$2495	+\$252
		INTD30M72	72"	12"	\$2837	+\$286
1	Back to Back 36" D Middle Section Kit	INTD36M42	42"	12"	\$3072	+\$309
	Section Nit	INTD36M48	48"	12"	\$3086	+\$311
		INTD36M54	54"	12"	\$3137	+\$316
		INTD36M60	60"	12"	\$3151	+\$317
		INTD36M72	72"	12"	\$3493	+\$351
1	Single Sided 30" D Middle	INTDS30M42	42"	12"	\$1293	+\$130
	Section Kit	INTDS30M48	48"	12"	\$1314	+\$132
		INTDS30M54	54"	12"	\$1330	+\$134
-		INTDS30M60	60"	12"	\$1333	+\$134
		INTDS30M72	72"	12"	\$1516	+\$154





work for ^{tomorrow}

Spine Accessories are units that may be specified to sit on top of any of the benching spines. The units are specified to include the stanchion kit or not (see notes on page). Height Adjustable worksurfaces must not be specified when spine accessories are specified due to interference with the lift mechanism. The only aception to this is Add on Glazing.

#### ADD-ON GLAZING

Add-on Glazing is manufactured from 1/4" tempered glass. A 3/8" tempered glass is also available. Glazing may be mounted to the top of any equivalent Inscape Bench spine or combination of bases outlined in the Application Guide. Glazing is available in clear, gray, etched one or two sides and designer glass Strie options. Add-on Glazing includes top trim, glass mounting extrusion and specified glass. Add-on Glazing is specified based on the thickness of the panel. Note: Hi-lo Add-on Glazing must be specified when installed directly adjacent to a higher panel at an inline situation only. The glaze and extrusion are inset on one side to allow for hi-lo vertical trim on the adjacent higher panel. If the situation calls for hi-lo on both sides, a special may be required. An Add on Glazing alignment clip is included with each Add on Glaze ordered in the 1/4" thickness option.

#### **TRANSACTION TOPS**

Transaction Tops are specific to spine width they are to be installed on. Stanchions and top trim are included in the kit, as well as a 1" thick Nuform or laminate top. Hi-Lo Transaction Top must be specified when a transaction top is specified directly adjacent to a higher panel. The worksurface takes into account the profile of the end trim.

On the Inset Transaction Top, the worksurface is inset 5" on each side from the ends of the top cap.

NOTE: 72", 84" and 96" W kits consist of two top caps and four stanchions (based on "Symmetrical Frame Configuration" module lines). Top Caps can be specified as an option and are included with the kit.

#### **UP-MOUNT BIN**

The Up-mount Bin is constructed of 24 gauge steel on the back and 20 gauge steel on bottom, sides and top. The Up-mount Bin is ordered and shipped independent of the stanchion kit, top trim and accessories to hang on back of bin. The stanchion kit includes hardware to mount the stanchions on the crossrail of the frame and top trim (tapered or flat). Stanchion kits are specified based on thickness of frame in which the Up-mount Bin is being installed. The backs of all Up-mount Bins require either a whiteboard or a tackboard to provide a clean aesthetic. These accessories are specific to the Up-mount Bin and include mounting hardware. The stanchion and Up-mount Bin provide an overall height of 20.25" module matching adjacent panel heights. The bin is 12.75" deep and may be specified directly adjacent to another Up-mount Bin facing the opposite direction; creating a "Twin- Bin" effect. Separate top cap and two stanchions will be required for each bin.

#### **OPEN LEG ACCESSORIES**

Open Leg Accessories are units which hang from the Open H Leg, O Leg or A Leg on the Inscape Bench. Most of these units are constructed of laminate and come complete with all brackets to hang. With the exception of the Worksurface Extention and the Upper Bookcase which are not compatable with height adjustable worksurfaces, these units may be specified when a Height Adjustable worksurface is being used. The units sit 2" lower than the worksurface so there is no concern of pinch points when lowering the worksurface. The Upper Bookcase is cantilevered over the end of the worksurface (similar to the Worksurface Extension). The weight capacity of shelves is 100 Ibs and all other units are 200 lbs. The HipStach is a painted unit and is available in any of Inscape's standard colors.

### SPINE DIVIDERS

Spine Dividers are situated on top of the bench spine only – full height or partial. They come complete with brackets and hardware to mount on the frame as well as a top cap. Dividers may span over two frame (see application guide). Accessories for the spine divider may only be hung on the laminate and veneer versions. The tackable version is for tackability only. The two heights of divider match overall A.F.F heights of 37" and 44". Tackable Spine Divider is a 1.125" thick fabric wrapped panel.

#### WORKSURFACE DIVIDER

Worksurface Divider with Accessory Rail is a 6.75" and 13.5" screen which runs perpendicular to the spine. These may only be used with bench as the depth correlates with the worksurface depth of the benching surfaces. The laminate and veneer versions allow for accessories to be hung on them, the tackable version does not. All hardware is included to mount the divider on the worksurface. It does not deface the worksurface and can be used with either 1" or 1 ¼" thick surfaces. Spine Divider Accessories have a slightly different aesthetic as Inscape System paper accessories. Accessories cannot hang on the tackboard spine divider.

### WORKSURFACE MOUNTED CORNER SCREENS

Worksurface mounted corner screens mount to main surface to provide privacy for the user. All worksurface mounted corner screens are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would install on the left hand side of the user). The overall screen height is half way between a 44" H and a 51" H frame; 3.37" above the 44" frame height. Screens are available in two types; curved wood and metal. Both screen types have an optional feature for a tackable fabric "skin" on the inside. Screens are worksurface specific due to corner detail differences between wood and metal.

Wood curved worksurface mounted corner screens have 16 %" above the worksurface and 8 ½" below. The optional fabric skin on a wood screen wraps all the way around the interior of the screen. These screens are finished in a clear coat on maple and must be mounted on a Curved Rectangular 90° Worksurface.

Metal worksurface mounted corner screens can be painted any of the standard color. The optional fabric skin on a metal screen is only on the interior back. Only metal worksurface mounted corner screens are compatible with freestanding height adjustable worksurfaces.

### **UPMOUNT SHELF**

Upmount shelves have a transaction top style shelf with a wrap around screen. Upmount shelves can be use with either parallel or 90° worksurface applications. The overall height is half way between a 44" H and a 51" H frame when mounted on a Bench spine frame (3.37" above the 44" frame height) and matches the over all height of a Worksurface Mounted Corner Screen. The shelf can be optioned in Nuform and laminate. The screens are available in two types; curved wood and metal. Both screens types have an optional feature for a tackable fabric "skin" on the inside.

The curved wood screens on the upmont shelves are finished in a clear coat on maple. The optional fabric skin on a wood screen wraps all the way around the interior of the screen.

The metal screens on the upmont shelves can be painted any of the standard color. The optional fabric skin on a metal screen is only on the interior back.

Back to back metal upmount shelves are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would be open on the left hand side when user is looking at the spine).

### Accessories Spine Accessories

# Bench

- Planter box and Cubbi Stor include painted rectangular stanchions kits and trim for spine mount
- 72" (36" top caps) wide kits consist of two top caps and four stanchions
- Flat trim profile only
- On-module installation only
- Cubbi Stor is constructed of laminate
- Planter box is available in both laminate and metal construction
- Cubbi Stor and Planter box are not available with plywood edge band
- Cubbi Stor is 6" deep

Cubbi Stor, Laminate

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBPLNTTOP-36 in Grade 1 Laminate would be \$2042 +\$655

		Part number	н	w	D	Neutral paint/ base price	Accent paint
	Planter Box,	INBMPLNTTOP30	5 ¼"	30"	4 1⁄2"	\$499	+\$51
	Metal	INBMPLNTTOP36	5 ¼"	36"	4 1⁄2"	\$531	+\$54
		INBMPLNTTOP48	5 ¼"	48"	4 1⁄2"	\$692	+\$71
- The		INBMPLNTTOP60	5 ¼"	60"	4 1⁄2"	\$745	+\$76

		Part number	н	w	D	Laminate/ base price	Grade 1 Iaminate	Accent paint
	Planter Box,	INBPLNTTOP-36	6"	36"	6"	\$2042	+\$655	+\$205
	Laminate	INBPLNTTOP-42	6"	42"	6"	\$2163	+\$694	+\$219
1		INBPLNTTOP-48	6"	48"	6"	\$2282	+\$731	+\$230
		INBPLNTTOP-60	6"	60"	6"	\$2401	+\$770	+\$242



INBUPPCUBLH-30	13 ¾"	30"	6"	\$1928	+\$618	+\$194
INBUPPCUBLH-36	13 ∛"	36"	6"	\$2091	+\$670	+\$210
INBUPPCUBLH-42	13 ∛₅"	42"	6"	\$2413	+\$773	+\$243
INBUPPCUBLH-48	13 ⅔"	48"	6"	\$2653	+\$849	+\$267
INBUPPCUBLH-54	13 ⅔"	54"	6"	\$2751	+\$881	+\$277
INBUPPCUBLH-60	13 ∛"	60"	6"	\$2875	+\$921	+\$290
INBUPPCUBLH-72	13 ∛"	72"	6"	\$3004	+\$963	+\$302
INBUPPCUBRH-30	13 ∛"	30"	6"	\$1928	+\$618	+\$194
INBUPPCUBRH-36	13 ∛"	36"	6"	\$2091	+\$670	+\$210
INBUPPCUBRH-42	13 ∛"	42"	6"	\$2413	+\$773	+\$243
INBUPPCUBRH-48	13 ∛"	48"	6"	\$2653	+\$849	+\$267
INBUPPCUBRH-54	13 ∛"	54"	6"	\$2751	+\$881	+\$277
INBUPPCUBRH-60	13 ∛"	60"	6"	\$2875	+\$921	+\$290
INBUPPCUBRH-72	13 ℁"	72"	6"	\$3004	+\$963	+\$302

- Transaction Tops include painted rectangular stanchions kits and trim for spine mount
- 72" (36" top caps) wide kits consist of two top caps and four stanchions
- Transaction Top is available in 1" Nuform or Laminate
- On the Inset Transaction Top, the worksurface is inset 5" on each side from the ends of the top cap
- Flat trim profile only
- On-module installation only

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBTRANTOP-36 in Grade 1 Laminate would be \$394 ++\$131

	Part number	Н	W	D	Nuform classic/ laminate/ base price	Nuform select	Grade 1 Iaminate	Grade 2 Iaminate	Accent paint
$\frown$	INBTRANTOP-36	6 5/16"	36"	12"	\$394	+\$21	+\$131	+\$262	+\$42
	INBTRANTOP-42	6 5⁄16"	42"	12"	\$417	+\$23	+\$128	+\$255	+\$44
	INBTRANTOP-48	6 5⁄16"	48"	12"	\$450	+\$25	+\$137	+\$274	+\$47
	<b>INBTRANTOP-54</b>	6 5⁄16"	54"	12"	\$473	+\$26	+\$145	+\$288	+\$49
~	INBTRANTOP-60	6 5⁄16"	60"	12"	\$478	+\$26	+\$149	+\$295	+\$50
Transaction Top	INBTRANTOP-72	6 5⁄16"	72"	12"	\$785	+\$41	+\$242	+\$480	+\$81
	INBACTRTOP-36	6 5⁄16"	36"	12"	\$417	+\$21	+\$131	+\$262	+\$44
	INBACTRTOP-42	6 5⁄16"	42"	12"	\$428	+\$23	+\$128	+\$255	+\$45
	INBACTRTOP-48	6 5⁄16"	48"	12"	\$450	+\$25	+\$137	+\$274	+\$47
	INBACTRTOP-54	6 ⁵⁄16"	54"	12"	\$473	+\$26	+\$145	+\$288	+\$49
Inset Transaction	INBACTRTOP-60	6 5⁄16"	60"	12"	\$478	+\$26	+\$149	+\$295	+\$50
Тор	INBACTRTOP-72	6 5⁄16"	72"	12"	\$785	+\$41	+\$242	+\$480	+\$81

- Up-mount overhead bins MUST always be specified to include a tackboard or whiteboard
- Up-mount bins stanchions must be specified to support a frame mounted up-mount bin
- "INB" Stanchion Kit must be used with Inscape Bench only
- Top caps included with stanchion kits and are specified to match frame and bin width
- Optional colored insert and shelf available for Up-Mount bin only
- Up-Mount shelf mounts below the Up-Mount Bin on module
- Stanchions are specific to the Bench frame and can not be used with Inscape System

### NOTE

Only Expo Markers are to be used on any Inscape Whiteboard. Whiteboards should be cleaned with Expo Eraser or a Microfiber cleaning cloth along with Expo Cleaning Solution which is formulated to remove residue from Expo Dry Erase Markers.

		Part number	н	w	D	Neutral paint/ base price	Accent paint
$\sim$	Up-Mount Bin	INPHUMB30	14"	30"	_	\$608	+\$62
Same		INPHUMB36	14"	36"	-	\$626	+\$63
		INPHUMB42	14"	42"	_	\$656	+\$66
		INPHUMB48	14"	48"	—	\$670	+\$68
		INPHUMB54	14"	54"	-	\$699	+\$71
		INPHUMB60	14"	60"	—	\$767	+\$80
$\Rightarrow$	Stanchion Kit for Up-	INBUSKT30-2F	13 ½"	30"	2 ¾"	\$608	+\$62
	Mount Bins For use with Bench spine	INBUSKT36-2F	13 ½"	36"	2 ¾"	\$626	+\$63
	frames	INBUSKT42-2F	13 ½"	42"	2 3⁄4"	\$656	+\$66
		INBUSKT48-2F	13 ½"	48"	2 ¾"	\$670	+\$68
		INBUSKT54-2F	13 ½"	54"	2 ¾"	\$699	+\$71
		INBUSKT60-2F	13 ½"	60"	2 ¾"	\$767	+\$80
	Colored Insert for back	IN12INSRT30	12 1⁄8"	30"	_	\$100	+\$13
	of bin	IN12INSRT36	12 1⁄8"	36"	_	\$107	+\$13
	For Up-Mounted bin only	IN12INSRT42	12 1⁄8"	42"	_	\$112	+\$14
		IN12INSRT48	12 1⁄8"	48"	—	\$118	+\$14
	Up-Mount Bin Whiteboard	INUBWHB1430	14"	30"	_	\$44	_
		INUBWHB1436	14"	36"	_	\$48	-
		INUBWHB1442	14"	42"	-	\$54	-
		INUBWHB1448	14"	48"	-	\$60	_
		INUBWHB1454	14"	54"	_	\$68	-
		INUBWHB1460	14"	60"	—	\$71	-

	Part number	н	w	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8
.87	INUBTAC1430	14"	30"	\$180	+\$6	+\$11	_	+\$26	_	+\$71	_
	INUBTAC1436	14"	36"	\$183	+\$11	+\$20	-	+\$40	_	+\$95	_
1 13 B. 11	INUBTAC1442	14"	42"	\$188	+\$12	+\$21	-	+\$41	_	+\$98	_
William -	INUBTAC1448	14"	48"	\$193	+\$12	+\$21	_	+\$44	_	+\$106	_
	INUBTAC1454	14"	54"	\$196	+\$11	+\$23	-	+\$43	_	+\$105	_
Up-Mount Bin Tackboard	INUBTAC1460	14"	60"	\$202	+\$9	+\$20	-	+\$42	-	+\$105	_

Inscape – State of Connecticut Price List | Contract #16PSX0171 | November 2019

- $\bullet$   $\ensuremath{\$_8}\xspace^{\ensuremath{\$_8}\xspace}$  top is installation ready, complete with double sided tape for adhesion to case
- Sliding door must be mounted on two up-mount bins of equal size that are side by side

		Part number	w	D	Nuform classic/ base price	Nuform select
$\sim$	%" T Up-Mount Bin Top	PHUMBTOP-1330	30"	13"	\$173	+\$18
Same		PHUMBTOP-1336	36"	13"	\$204	+\$15
		PHUMBTOP-1342	42"	13"	\$226	+\$25
		PHUMBTOP-1348	48"	13"	\$251	+\$27
		PHUMBTOP-1354	54"	13"	\$276	+\$28
		PHUMBTOP-1360	60"	13"	\$302	+\$31
		PHUMBTOP-1372	72"	13"	\$397	+\$41
		PHUMBTOP-1384	84"	13"	\$443	+\$44
		PHUMBTOP-1396	96"	13"	\$487	+\$50

	Part number	w	Nuform classic/ laminate/ base price	Nuform select	Grade 1 Iaminate	Veneer
Sliding Door & Track	INUMBSLDR30	30"	\$522	+\$58	+\$168	+\$145
Up-Mount bin specified	INUMBSLDR36	36"	\$537	+\$60	+\$173	+\$176
separately	INUMBSLDR42	42"	\$545	+\$61	+\$176	+\$209
	INUMBSLDR48	48"	\$560	+\$62	+\$181	+\$237

- For use with Inscape Bench only
- Screens and shelves (both metal and wood) have an OPTIONAL feature for a tackable fabric "skin" on the inside. Base price is without skin
- The fabric skin on the wood screens wraps all the way around the interior of the screen. On metal screens it is only on interior back
- Wood upmount shelf screens are finished in a clear coat on maple
- Wood upmount shelves and screens have a 5.5" curved corner while metal upmount shelves and screens have a 1" corner
- Metal upmount shelf screens can be painted in all standard colors
- Back to back metal upmount shelves are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would be open on the left hand side when user is looking at the spine)

- Upmount shelves can be use with either parallel or 90° worksurface applications; however, they can NOT be used on fully freestanding straight applications. Even one where docking brackets are used
- 72" sizes come with a 72" top cap

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBUPSHELFW-36 with a Grade D fabric skin and a Grade 1 laminate shelf would be \$1296 +\$57 +\$131



Single Wood Upmount Shelf

Part number	Н	W	D	List/ base price	No fabric layer	Grade A/ COM	Grade B	Grade C	Grade D	Grade E	Grade F	Accent paint		
INBUPSHELFW-36	15 ½"	26"	10 %"	\$1296	-\$165	+\$0	+\$39	+\$48	+\$57	+\$63	+\$75	+\$131		
For use with a 36"w spine frame														

### INBUPSHELFW-60 15 1/2" 50" 10 56" \$1367 -\$183 +\$0 +\$39 +\$48 +\$57 +\$63 +\$75 +\$137 For use with a **Twenporarily on hold**

Shelf finish options

Product number	Nuform classic/laminate	Nuform select	Grade 1 Iaminate	Grade 2 Iamainte
INBUPSHELFW-36	+\$0	+\$21	+\$131	+\$262
INBUPSHELFW-60	+\$0	+\$26	+\$149	+\$295

- For use with Inscape Bench only
- Screens and shelves (both metal and wood) have an OPTIONAL feature for a tackable fabric "skin" on the inside. Base price is without skin
- The fabric skin on the wood screens wraps all the way around the interior of the screen. On metal screens it is only on interior back
- Wood upmount shelf screens are finished in a clear coat on maple
- Wood upmount shelves and screens have a 5.5" curved corner while metal upmount shelves and screens have a 1" corner
- Metal upmount shelf screens can be painted in all standard colors
- Back to back metal upmount shelves are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would be open on the left hand side when user is looking at the spine)

- Upmount shelves can be use with either parallel or 90° worksurface applications; however, they can NOT be used on fully freestanding straight applications. Even one where docking brackets are used
- 72" sizes come with a 72" top cap

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBUPSHELFM-36 with a Grade D fabric skin and a Grade 1 laminate shelf would be \$871 +\$0 +\$57 +\$131

Fabric skin options

Part number	н	w	D	List/ base price	No fabric layer	Grade A/COM	Grade B	Grade C	Grade D	Grade E	Grade F	Accent paint
INBUPSHELFM-36	14.062"	26"	9 ½"	\$871	-\$144	+\$0	+\$39	+\$48	+\$57	+\$63	+\$75	+\$89
For use with a 36"w spine frame												
INBUPSHELFM-60	14.062"	50"	9 1⁄2"	\$1032	-\$162	+\$0	+\$39	+\$48	+\$57	+\$63	+\$75	+\$105
For use with a 60"w spine frame												
INBUPSHELFM-72	14.062"	62"	9 1⁄2"	\$1201	-\$190	+\$0	+\$54	+\$68	+\$85	+\$94	+\$107	+\$122
For use with a 72"w (2x 36") spine frame												
Shelf finish options												
Product number	Nufo	m classi	c/laminate		Nufo	rm select			Grade 1 Iaminate			Grade 2 lamainte
INBUPSHELFM-36			+\$0			+\$21			+\$131			+\$262
INBUPSHELFM-60			+\$0			+\$26			+\$149			+\$295
INBUPSHELFM-72			+\$0			+\$41			+\$242			+\$480
INBUPSHELFM72LH	14 1⁄8"	62"	9 1⁄2"	\$1186	-\$151	+\$0	+\$28	+\$36	+\$44	+\$49	+\$55	+\$120
For use with a 72"w (2x 36") spine frame left handed (illustrated)	78	02	572	¢1100	¢lol	τψο	TŲLO	1000	T W T T	T Q + O	T Q O	10120
INBUPSHELFM72RH	14 1⁄8"	62"	9 1⁄2"	\$1186	-\$151	+\$0	+\$28	+\$36	+\$44	+\$49	+\$55	+\$120
For use with a 72° w (2x 36°) spine frame right handed												



Single Metal Upmount Shelf

Back to Back Meta

### Shelf finish options

Product number	Nuform classic/laminate	Nuform select	Grade 1 Iaminate	Grade 2 Iamainte
INBUPSHELFM72LH	+\$0	+\$41	+\$262	+\$523
INBUPSHELFM72RH	+\$0	+\$41	+\$262	+\$523

- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the Inscape Bench Application Guide
- 10.125" thick glaze available in .25" thick
- One glaze Alignment clip is included with each Add-on Glazing
- Add-on Glazing up to 60" W require two additional Jesters to be specified if spanning multiple frames (i.e. a 60" W AOG installed on 2-30" frames)
- List/Base for 0.25" thick is clear glass

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG6.7530-2F 0.25" thick glass with Gray would be 208 + 100

The same product upgraded to 0.38" thick glass would be \$208 +\$103 +\$252

				Glazing thickness option	0.25" thick finish options			;	0.38" th	ick finish o	ptions	
	Part number	W	List/base / 0.25" thick glazing price	0.38" thick glazing	Clear	Gray	Etched 1 side	Etched 2 side	Clear	Gray	Etched 1 side	Accent paint
//	INAG6.7530-2F	30"	\$208	+\$103	+\$0	+\$100	+\$100	+\$197	+\$0	+\$252	+\$252	+\$23
́″/	INAG6.7536-2F	36"	\$229	+\$114	+\$0	+\$110	+\$110	+\$240	+\$0	+\$273	+\$273	+\$25
	INAG6.7542-2F	42"	\$245	+\$122	+\$0	+\$114	+\$114	+\$250	+\$0	+\$288	+\$288	+\$26
6.75" H Add-On Glazing	INAG6.7548-2F	48"	\$264	+\$129	+\$0	+\$118	+\$118	+\$255	+\$0	+\$304	+\$304	+\$28
For use with 2 ³ / ₄ " T	INAG6.7554-2F	54"	\$282	+\$140	+\$0	+\$121	+\$121	+\$259	+\$0	+\$317	+\$317	+\$30
frames	INAG6.7560-2F	60"	\$304	+\$151	+\$0	+\$133	+\$133	+\$287	+\$0	+\$348	+\$348	+\$32
	INAG6.7566-2F	66"	\$315	+\$155	+\$0	+\$165	+\$165	+\$311	+\$0	+\$401	+\$401	+\$33
	INAG6.7572-2F	72"	\$331	+\$164	+\$0	+\$184	+\$184	+\$340	+\$0	+\$436	+\$436	+\$34
	INAG6.7578-2F	78"	\$422	+\$206	+\$0	+\$142	+\$142	+\$292	+\$0	+\$419	+\$419	+\$45
	INAG6.7584-2F	84"	\$493	+\$243	+\$0	+\$119	+\$119	+\$261	+\$0	+\$419	+\$419	+\$51
	INAG6.7590-2F	90"	\$565	+\$279	+\$0	+\$94	+\$94	+\$231	+\$0	+\$419	+\$419	+\$58
	INAG6.7596-2F	96"	\$637	+\$314	+\$0	+\$71	+\$71	+\$201	+\$0	+\$419	+\$419	+\$65
	INAGHL6.7530-2F	30"	\$208	+\$103	+\$0	+\$100	+\$100	+\$197	+\$0	+\$252	+\$252	+\$23
k	INAGHL6.7536-2F	36"	\$229	+\$114	+\$0	+\$110	+\$110	+\$240	+\$0	+\$273	+\$273	+\$25
9 A	INAGHL6.7542-2F	42"	\$245	+\$122	+\$0	+\$114	+\$114	+\$250	+\$0	+\$288	+\$288	+\$26
	INAGHL6.7548-2F	48"	\$264	+\$129	+\$0	+\$118	+\$118	+\$255	+\$0	+\$304	+\$304	+\$28
6.75" H Hi-Lo Add-	INAGHL6.7554-2F	54"	\$282	+\$140	+\$0	+\$121	+\$121	+\$259	+\$0	+\$317	+\$317	+\$30
On Glazing For use with 2 ¾" T	INAGHL6.7560-2F	60"	\$304	+\$151	+\$0	+\$133	+\$133	+\$287	+\$0	+\$348	+\$348	+\$32
frames	INAGHL6.7566-2F	66"	\$315	+\$155	+\$0	+\$165	+\$165	+\$311	+\$0	+\$401	+\$401	+\$33
ilainoo	INAGHL6.7572-2F	72"	\$331	+\$164	+\$0	+\$184	+\$184	+\$340	+\$0	+\$436	+\$436	+\$34
	INAGHL6.7578-2F	78"	\$422	+\$206	+\$0	+\$142	+\$142	+\$292	+\$0	+\$419	+\$419	+\$45
	INAGHL6.7584-2F	84"	\$493	+\$243	+\$0	+\$119	+\$119	+\$261	+\$0	+\$419	+\$419	+\$51
	INAGHL6.7590-2F	90"	\$565	+\$279	+\$0	+\$94	+\$94	+\$231	+\$0	+\$419	+\$419	+\$58
	INAGHL6.7596-2F	96"	\$637	+\$314	+\$0	+\$71	+\$71	+\$201	+\$0	+\$419	+\$419	+\$65

- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the Inscape Bench Application Guide
- 10.125" thick glaze available in .25" thick
- One glaze Alignment clip is included with each Add-on Glazing
- Add-on Glazing up to 60" W require two additional Jesters to be specified if spanning multiple frames (i.e. a 60" W AOG installed on 2-30" frames)
- List/Base for 0.25" thick is clear glass

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG10.12530-2F 0.25" thick glass with Gray would be 209 + 102

The same product upgraded to 0.38" thick glass would be \$209 +\$123 +\$188

				Glazing thickness option	ig iss 0.25" thick finish options			;	0.38" th	ptions		
	Part number	w	List/base / 0.25" thick glazing price	0.38" thick glazing	Clear	Gray	Etched 1 side	Etched 2 side	Clear	Gray	Etched 1 side	Accent paint
1	INAG10.12530-2F	30"	\$209	+\$123	+\$0	+\$102	+\$102	+\$198	+\$0	+\$188	+\$188	+\$23
	INAG10.12536-2F	36"	\$233	+\$125	+\$0	+\$117	+\$117	+\$239	+\$0	+\$191	+\$191	+\$25
10.125" H Add-On	INAG10.12542-2F	42"	\$256	+\$128	+\$0	+\$127	+\$127	+\$263	+\$0	+\$194	+\$194	+\$27
Glazing	INAG10.12548-2F	48"	\$278	+\$148	+\$0	+\$141	+\$141	+\$287	+\$0	+\$221	+\$221	+\$29
For use with 2 ¾" T frames	INAG10.12554-2F	54"	\$300	+\$165	+\$0	+\$153	+\$153	+\$307	+\$0	+\$248	+\$248	+\$31
Irames	INAG10.12560-2F	60"	\$326	+\$171	+\$0	+\$169	+\$169	+\$341	+\$0	+\$263	+\$263	+\$34
	INAG10.12566-2F	66"	\$345	+\$185	+\$0	+\$195	+\$195	+\$368	+\$0	+\$286	+\$286	+\$36
	INAG10.12572-2F	72"	\$384	+\$198	+\$0	+\$194	+\$194	+\$370	+\$0	+\$308	+\$308	+\$41
	INAG10.12578-2F	78"	\$459	+\$212	+\$0	+\$166	+\$166	+\$338	+\$0	+\$331	+\$331	+\$48
	INAG10.12584-2F	84"	\$526	+\$227	+\$0	+\$150	+\$150	+\$312	+\$0	+\$354	+\$354	+\$54
	INAG10.12590-2F	90"	\$594	+\$239	+\$0	+\$127	+\$127	+\$287	+\$0	+\$377	+\$377	+\$60
	INAG10.12596-2F	96"	\$664	+\$253	+\$0	+\$110	+\$110	+\$262	+\$0	+\$401	+\$401	+\$67
//	INAGHL10.130-2F	30"	\$209	+\$123	+\$0	+\$102	+\$102	+\$198	+\$0	+\$188	+\$188	+\$23
1	INAGHL10.136-2F	36"	\$233	+\$125	+\$0	+\$117	+\$117	+\$239	+\$0	+\$191	+\$191	+\$25
10.125" H Hi-Lo	INAGHL10.142-2F	42"	\$256	+\$128	+\$0	+\$127	+\$127	+\$239	+\$0	+\$194	+\$194	+\$27
Add-On Glazing For use with 2 ¾" T	INAGHL10.148-2F	48"	\$278	+\$148	+\$0	+\$141	+\$141	+\$287	+\$0	+\$221	+\$221	+\$29
frames	INAGHL10.154-2F	54"	\$300	+\$165	+\$0	+\$153	+\$153	+\$307	+\$0	+\$248	+\$248	+\$31
Iramos	INAGHL10.160-2F	60"	\$326	+\$171	+\$0	+\$169	+\$169	+\$341	+\$0	+\$263	+\$263	+\$34
	INAGHL10.166-2F	66"	\$345	+\$185	+\$0	+\$195	+\$195	+\$368	+\$0	+\$286	+\$286	+\$36
	INAGHL10.172-2F	72"	\$384	+\$198	+\$0	+\$194	+\$194	+\$370	+\$0	+\$308	+\$308	+\$41
	INAGHL10.178-2F	78"	\$459	+\$212	+\$0	+\$166	+\$166	+\$338	+\$0	+\$331	+\$331	+\$48
	INAGHL10.184-2F	84"	\$526	+\$227	+\$0	+\$150	+\$150	+\$312	+\$0	+\$354	+\$354	+\$54
	INAGHL10.190-2F	90"	\$594	+\$239	+\$0	+\$127	+\$127	+\$287	+\$0	+\$377	+\$377	+\$60
	INAGHL10.196-2F	96"	\$664	+\$253	+\$0	+\$110	+\$110	+\$262	+\$0	+\$401	+\$401	+\$67

- Add-on Glazing comes complete with mounting hardware and top cap
- Add-on Glazing may span multiple frames according to guidelines set in the Inscape Bench Application Guide
- 10.125" thick glaze available in .25" thick
- One glaze Alignment clip is included with each Add-on Glazing
- Add-on Glazing up to 60" W require two additional Jesters to be specified if spanning multiple frames (i.e. a 60" W AOG installed on 2-30" frames)
- List/Base for 0.25" thick is clear glass

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INAG13.530-2F 0.25" thick glass with Gray would be 10 + 103

The same product upgraded to 0.38" thick glass would be 210 + 105 + 256

				Glazing thickness option	ng sss 0.25" thick finish options			;	0.38" th	ptions		
	Part number	W	List/base / 0.25" thick glazing price	0.38" thick glazing	Clear	Gray	Etched 1 side	Etched 2 side	Clear	Gray	Etched 1 side	Accent paint
//	INAG13.530-2F	30"	\$210	+\$105	+\$0	+\$103	+\$103	+\$198	+\$0	+\$256	+\$256	+\$23
/	INAG13.536-2F	36"	\$237	+\$118	+\$0	+\$123	+\$123	+\$238	+\$0	+\$300	+\$300	+\$25
13.5" H Add-On	INAG13.542-2F	42"	\$265	+\$131	+\$0	+\$144	+\$144	+\$278	+\$0	+\$343	+\$343	+\$28
Glazing	INAG13.548-2F	48"	\$293	+\$145	+\$0	+\$164	+\$164	+\$317	+\$0	+\$389	+\$389	+\$30
For use with 2 ¾" T	INAG13.554-2F	54"	\$321	+\$158	+\$0	+\$184	+\$184	+\$354	+\$0	+\$430	+\$430	+\$33
frames	INAG13.560-2F	60"	\$348	+\$171	+\$0	+\$203	+\$203	+\$395	+\$0	+\$475	+\$475	+\$38
	INAG13.566-2F	66"	\$374	+\$185	+\$0	+\$226	+\$226	+\$425	+\$0	+\$519	+\$519	+\$40
	INAG13.572-2F	72"	\$435	+\$212	+\$0	+\$203	+\$203	+\$435	+\$0	+\$518	+\$518	+\$46
	INAG13.578-2F	78"	\$495	+\$244	+\$0	+\$192	+\$192	+\$382	+\$0	+\$528	+\$528	+\$51
	INAG13.584-2F	84"	\$559	+\$274	+\$0	+\$181	+\$181	+\$363	+\$0	+\$542	+\$542	+\$57
	INAG13.590-2F	90"	\$621	+\$306	+\$0	+\$160	+\$160	+\$343	+\$0	+\$542	+\$542	+\$63
	INAG13.596-2F	96"	\$684	+\$338	+\$0	+\$148	+\$148	+\$322	+\$0	+\$554	+\$554	+\$70
	INAGHL13.530-2F	30"	\$210	+\$105	+\$0	+\$103	+\$103	+\$198	+\$0	+\$256	+\$256	+\$23
6	INAGHL13.536-2F	36"	\$237	+\$118	+\$0	+\$123	+\$123	+\$238	+\$0	+\$300	+\$300	+\$25
1	INAGHL13.542-2F	42"	\$265	+\$131	+\$0	+\$144	+\$144	+\$278	+\$0	+\$343	+\$343	+\$28
1 1 1	INAGHL13.548-2F	48"	\$293	+\$145	+\$0	+\$164	+\$164	+\$317	+\$0	+\$389	+\$389	+\$30
13.5" H Hi-Lo Add-	INAGHL13.554-2F	54"	\$321	+\$158	+\$0	+\$184	+\$184	+\$354	+\$0	+\$430	+\$430	+\$33
On Glazing For use with 2 ¾" T	INAGHL13.560-2F	60"	\$348	+\$171	+\$0	+\$203	+\$203	+\$395	+\$0	+\$475	+\$475	+\$38
frames	INAGHL13.566-2F	66"	\$374	+\$185	+\$0	+\$226	+\$226	+\$425	+\$0	+\$519	+\$519	+\$40
ilainoo	INAGHL13.572-2F	72"	\$435	+\$212	+\$0	+\$203	+\$203	+\$435	+\$0	+\$518	+\$518	+\$46
	INAGHL13.578-2F	78"	\$495	+\$244	+\$0	+\$192	+\$192	+\$382	+\$0	+\$528	+\$528	+\$51
	INAGHL13.584-2F	84"	\$559	+\$274	+\$0	+\$181	+\$181	+\$363	+\$0	+\$542	+\$542	+\$57
	INAGHL13.590-2F	90"	\$621	+\$306	+\$0	+\$160	+\$160	+\$343	+\$0	+\$542	+\$542	+\$63
	INAGHL13.596-2F	96"	\$684	+\$338	+\$0	+\$148	+\$148	+\$322	+\$0	+\$554	+\$554	+\$70

Accessory Rail

# Bench

- For use with Inscape Bench only
- Includes hardware and top cap
- Same rules as other spanning components spanning over two frames only (see application guide)
- Laminate divider accessories are compatible with this divider
- Dividers are not compatible with System Horizontal accessories
- These items are not available with plywood edge banding

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product INBAP1036 in Veneer would be \$507 +\$184

	Part number	н	w	Thickness	Laminate/ base price	Grade 1 Iaminate	Veneer	Accent paint
	INBAP1036	10.125"	36"	3⁄4 "	\$507	+\$163	+\$184	+\$52
	INBAP1042	10.125"	42"	3⁄4 "	\$570	+\$184	+\$180	+\$58
	INBAP1048	10.125"	48"	3⁄4 "	\$609	+\$196	+\$180	+\$62
	INBAP1054	10.125"	54"	3⁄4 "	\$640	+\$205	+\$232	+\$65
	INBAP1060	10.125"	60"	3⁄4 "	\$707	+\$228	+\$211	+\$73
	INBAP1066	10.125"	66"	3⁄4 "	\$789	+\$254	+\$259	+\$82
10.125" H Spine Divider with Accessory Rail	INBAP1072	10.125"	72"	3⁄4 "	\$917	+\$295	+\$179	+\$94
To match 37" H Frame	INBAP1078	10.125"	78"	3⁄4 "	\$948	+\$304	+\$230	+\$96
Height	INBAP1084	10.125"	84"	3⁄4 "	\$951	+\$305	+\$274	+\$97
-	INBAP1090	10.125"	90"	3⁄4 "	\$953	+\$306	+\$321	+\$97
	INBAP1096	10.125"	96"	3⁄4 "	\$957	+\$307	+\$367	+\$97
	INBAP1636	16.875"	36"	3⁄4 "	\$544	+\$175	+\$403	+\$56
	INBAP1642	16.875"	42"	3⁄4"	\$643	+\$206	+\$393	+\$65
	INBAP1648	16.875"	48"	3⁄4 "	\$637	+\$204	+\$471	+\$65
	INBAP1654	16.875"	54"	3⁄4 "	\$843	+\$271	+\$373	+\$87
	INBAP1660	16.875"	60"	3⁄4 "	\$847	+\$272	+\$449	+\$87
	INBAP1666	16.875"	66"	3⁄4 "	\$927	+\$298	+\$523	+\$94
	INBAP1672	16.875"	72"	3⁄4 "	\$931	+\$299	+\$604	+\$95
16.875" H Spine Divider with Accessory Rail	INBAP1678	16.875"	78"	3⁄4 "	\$1135	+\$364	+\$506	+\$116
To match 44" H Frame	INBAP1684	16.875"	84"	3⁄4 "	\$1137	+\$365	+\$581	+\$116
Height and 13.5" H	INBAP1690	16.875"	90"	3⁄4 "	\$1140	+\$366	+\$580	+\$116
Laminate Worksurface	INBAP1696	16.875"	96"	3⁄4 "	\$1143	+\$367	+\$656	+\$116
Divider Panel with								

- For use with Inscape Bench only
- 1.125" thick soft feel fabric wrapped tackboard panel
- Includes hardware and top cap
- Laminate divider accessories are not compatible with this panel

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product INBAPF1636 in Grade C would be \$752 +\$259

	Part number	н	w	Thickness	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F	Accent paint
0											
	INBAPF1636	16.875"	36"	1 1⁄8"	\$752	+\$136	+\$259	+\$338	+\$408	+\$582	+\$78
	INBAPF1642	16.875"	42"	1 1⁄8"	\$802	+\$159	+\$274	+\$394	+\$474	+\$677	+\$83
	INBAPF1648	16.875"	48"	1 1⁄8"	\$856	+\$154	+\$273	+\$434	+\$526	+\$757	+\$88
	INBAPF1660	16.875"	60"	1 1⁄8"	\$960	+\$252	+\$406	+\$531	+\$645	+\$933	+\$97
	INBAPF1666	16.875"	66"	1 1⁄8"	\$1037	+\$236	+\$487	+\$600	+\$728	+\$1042	+\$106
	INBAPF1672	16.875"	72"	1 1⁄8"	\$1101	+\$175	+\$440	+\$564	+\$701	+\$715	+\$112
875" H Spine	INBAPF1684	16.875"	84"	1 1⁄8"	\$1220	+\$211	+\$487	+\$632	+\$794	+\$1192	+\$124
kable Divider match 44" H	INBAPF1696	16.875"	96"	1 1⁄8"	\$1410	+\$312	+\$577	+\$750	+\$932	+\$1390	+\$142

16.875" H Spine Tackable Divider To match 44" H Frame Height and 13.5" H Worksurface Tackable Divider

Part number	н	w	Wt (lbs)	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Accent paint
INBRFD1630	16.875"	30"	2 ¾"	\$707	+\$7	+\$19	+\$27	+\$36	+\$58	+\$81	+\$111	+\$73
INBRFD1636	16.875"	36"	2 ¾"	\$782	+\$8	+\$20	+\$30	+\$41	+\$65	+\$91	+\$126	+\$80
INBRFD1642	16.875"	42"	2 ¾"	\$856	+\$8	+\$14	+\$27	+\$41	+\$66	+\$93	+\$129	+\$88
INBRFD1648	16.875"	48"	2 ¾"	\$878	+\$10	+\$26	+\$38	+\$48	+\$79	+\$106	+\$149	+\$89
INBRFD1654	16.875"	54"	2 ¾"	\$947	+\$10	+\$28	+\$42	+\$54	+\$87	+\$118	+\$163	+\$96
INBRFD1660	16.875"	60"	2 ¾"	\$953	+\$12	+\$40	+\$53	+\$67	+\$100	+\$133	+\$187	+\$96

16.875" H Rectangular Framed Spine Divider, Tackable To match 44" H Frame Height

- Includes hardware and top cap
- Laminate divider accessories are not compatible with this panel
- Compatible with height adjustable worksurfaces
- 17"H screen sits 13 ½"above the worksurface and matches other spine dividers
- 21"H screen sits 16 %"above the worksurface but does not align with other spine dividers or frames
- Also compatible with Inscape System
- Matches the aesthetics of the Rocklt screens

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBATF1636 in Grade C would be \$486 +\$74

	Part number	н	w	Thickness	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F	Accent paint
	INBATF1636	17"	36"	1⁄2"	\$486	+\$51	+\$74	+\$114	_	_	+\$34
	INBATF1642	17"	42"	1⁄2"	\$544	+\$57	+\$83	+\$127	_	_	+\$39
	INBATF1648	17"	48"	1⁄2"	\$594	+\$62	+\$90	+\$139	_	-	+\$43
	INBATF1654	17"	54"	1⁄2"	\$664	+\$70	+\$100	+\$155	—	-	+\$48
	INBATF1660	17"	60"	1⁄2"	\$721	+\$76	+\$110	+\$168	_	-	+\$51
	INBATF1666	17"	66"	1⁄2"	\$754	+\$79	+\$114	+\$177	_	-	+\$54
Slim Fabric	INBATF1672	17"	72"	1⁄2"	\$798	+\$83	+\$121	+\$186	_	-	+\$57
Tackboard Screen											
	INBATF2036	21"	36"	1⁄2"	\$559	+\$58	+\$85	+\$130	_	_	+\$40
	INBATF2042	21"	42"	1⁄2"	\$627	+\$65	+\$95	+\$147	_	_	+\$45
	INBATF2048	21"	48"	1⁄2"	\$683	+\$72	+\$103	+\$159	_	-	+\$49
	INBATF2054	21"	54"	1⁄2"	\$764	+\$80	+\$116	+\$179	_	-	+\$54
	INBATF2060	21"	60"	1⁄2"	\$830	+\$87	+\$125	+\$194	_	-	+\$59
	INBATF2066	21"	66"	1⁄2"	\$868	+\$90	+\$131	+\$202	_	-	+\$61
	INBATF2072	21"	72"	1⁄2"	\$918	+\$95	+\$139	+\$214	_	-	+\$65

- HipStash can be hung from A Leg only and can be painted in any of Inscape's standard colors
- Lower units are hung from the Open H or O Leg
- Lower units may be specified when a Height Adjustable worksurface is installed
- Upper bookcase may not specified adjcent to a Height Adjustable worksurface
- Accessories are constructed of laminate

- Specify units based on width of the Bench
- Shelves, hook and acrylic modesty hang from the Open H or O Leg
- Laminate items are not available with plywood edge banding
- Interior dimensions for recycling and garbage doors of Lower Bookcase: 16.75"W x 12.5"H x 13.5"D

	Part number	н	w	D	Natural paint/ base price	Accent paint
HipStash for A Leg	INBMASHELF48	12"	48"	5"	\$547	+\$56
	INBMASHELF60	12"	60"	5"	\$623	+\$63

		Part number	н	w	D	Laminate/ base price	Grade 1 Iaminate	Accent paint
	Lower Bookcase with Recycling and Garbage Laminate case with metal door fronts	INBLWRBRECY-48	14.011"	51 ⅓"	15"	\$3783	+\$1212	+\$381
		INBLWRBRECY-60	14.011"	63 ⅓"	15"	\$4082	+\$1308	+\$409
		INBLWRBRECY-72	14.011"	75 ⅓"	15"	\$4441	+\$1423	+\$446
~	Lower Bookcase		44.044		4 5 1	<b>A</b> O 100	<b>A</b> 4445	<b>*</b> 050
THE		INBLWRBOOK-48	14.011"	51 ⅓"	15"	\$3482	+\$1115	+\$350
		INBLWRBOOK-60	14.011"	63 ⅓"	15"	\$3842	+\$1230	+\$386
		INBLWRBOOK-72	14.011"	75 ⅓"	15"	\$4202	+\$1347	+\$422
	Lower Bookcase with Personal Centre	INBLWRBPERS-48	14.011"	5 <b>1</b> ⅓"	15"	\$4562	+\$1461	+\$458
		INBLWRBPERS-60	14.011"	63 ⅓"	15"	\$5042	+\$1615	+\$507
		INBLWRBPERS-72	14.011"	75 ⅓"	15"	\$5402	+\$1730	+\$542
	Personalized Side Access Bookcase	INBLWRPERSA-48	14.011"	51 ⅓"	15"	\$3328	+\$1067	+\$334
	Bookcase	INBLWRPERSA-60	14.011"	63 ⅓"	15"	\$3935	+\$1260	+\$396
		INBLWRPERSA-72	14.011"	75 ½"	15"	\$4473	+\$1432	+\$450
	Upper Bookcase					•	•	• • •
	Opper Bookcase	INBUPPBOOK-48	14.011"	51 ⅓"	15"	\$3482	+\$1115	+\$350
		INBUPPBOOK-60	14.011"	<b>63</b> ⅓"	15"	\$3842	+\$1230	+\$386
		INBUPPBOOK-72	14.011"	75 ⅓"	15"	\$4202	+\$1347	+\$422
EE	Lower Bookcase with Glazed Sliding Panel white or frosted panel options available	INBLWRBSLID-48	14.011"	51 ⅓"	15"	\$3482	+\$1115	+\$350
		INBLWRBSLID-60	14.011"	63 ⅓"	15"	\$3842	+\$1230	+\$386
		INBLWRBSLID-72	14.011"	75 ⅓"	15"	\$4082	+\$1308	+\$409

- Lower units are hung from the Open H or O Leg
- Lower units may be specified when a Height Adjustable worksurface is installed
- Upper bookcase may not specified adjcent to a Height Adjustable worksurface
- Accessories are constructed of laminate
- Specify units based on width of the Bench
- Shelves, hook and acrylic modesty hang from the Open H or O Leg
- Laminate items are not available with plywood edge banding

		Part number	н	w	D	Laminate/ base price	Grade 1 Iaminate	Accent paint
	Planter Box	INBPLNTEND-48	6"	51 ⅓"	6"	\$2282	+\$731	+\$230
		INBPLNTEND-60	6"	63 ⅓"	6"	\$2523	+\$808	+\$255
		INBPLNTEND-72	6"	75 ⅓"	6"	\$2763	+\$884	+\$278
	Shelf	INBSHELF-48	14 011	51 ⅓"	13"	¢1440	· ¢460	+\$147
		INBSHELF-40	14.011" 14.011"	63 ½"	13"	\$1442 \$1563	+\$463 +\$502	+\$147
		INBSHELF-72	14.011"	75 ⅓"	13"	\$1682	+\$540	+\$170
	Shelf with Planter	INBSHELFPLT-48	14.011"	51 ⅓"	13"	\$3722	+\$1192	+\$374
		INBSHELFPLT-60	14.011"	63 ⅓"	13"	\$3964	+\$1269	+\$398
		INBSHELFPLT-72	14.011"	75 ⅓"	13"	\$4202	+\$1347	+\$422
	Open Leg Accessory Hook	INBAHOOK	-	-	-	\$67	_	+\$10

- Worksurface Extension are mounted to the surface and may not specified when a Height Adjustable worksurface is installed
- Woodgrain pattern when applied on Worksurface Extension will run perpendicularly to main worksurfaces
- Worksurface Extension only to be used with Open H and NOTES O Leg end support
- acrylic modesty is sized to fit H Leg only
- Acrylic modesty and privacy screens may be specified when a Height Adjustable worksurface is installed
- Acrylic modesty and privacy screens can be use with both H Legs and O Legs (when no glazed insert is optioned)
- Acrylic white and frosted one side only

In order to get a total cost on products when upcharges • Shelves, hooks hang from the Open H or O Leg; however are present take the list price of the product number and add the upcharge cost shown to the list price.

> For example: Product INBWX1848 in Grade 2 Laminate would be \$530 +\$450

	Part number	н	D	Straight edge nuform classic/ laminate/ base price	Nuform select	Nuform tapered edge	Grade 1 Iaminate	Grade 2 Iaminate	Veneer	Accent paint
>	INBWX1848	51 ⅓"	18"	\$530	+\$43	+\$21	+\$170	+\$450	+\$896	+\$55
	INBWX1860	63 ⅓"	18"	\$601	+\$52	+\$28	+\$194	+\$466	+\$929	+\$61
	INBWX1872	75 ½"	18"	\$739	+\$62	+\$31	+\$237	+\$464	+\$924	+\$77



		Part number	н	w	White/ base price	Frosted	Accent paint
	Acrylic Modesty Panel	INBAMP-24	24 %"	22 4⁄5"	\$458	+\$458	+\$48
	for use with H Leg only	INBAMP-30	24 %"	28 5"	\$536	+\$536	+\$55
Į.		INBAMP-36	24 1⁄6"	34 %"	\$613	+\$613	+\$62
	Acrylic Privacy Screen	INBAPS-1948	18 %"	50 ¾"	\$685	+\$685	+\$70
	For privacy Matches 44" H overall	INBAPS-1960	18 %"	62 ¾"	\$766	+\$766	+\$79
	Matches 44 In Overall	INBAPS-1972	18 %"	74 ¾"	\$847	+\$847	+\$87
	Acrylic Privacy Screen	INBAPS-2948	28 ¾"	50 ¾"	\$867	+\$867	+\$89
	For modesty and privacy Matches 44" H overall	INBAPS-2960	28 ¾"	62 ¾"	\$910	+\$910	+\$93
	Watches 44 IT Overall	INBAPS-2972	28 ¾"	74 ¾"	\$1113	+\$1113	+\$114

- For use with Inscape Bench only
- Tackable divider is a 1.125" thick fabric wrapped tackboard panel
- Laminate divider accessories are not compatible with tackable divider
- Divider Screen for straight edge worksurfaces are available in a mid or end application option
- The end application Divider Screen can also be used on a height adjustable worksurfaces
- Divider Screen specific to tapered edge worksurfaces is 2" shorter then width stated to accommodate tapered edge and is easier to move
- Dividers Include hardware to mount to the worksurface perpendicular to spine

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBSDPF1324 in Grade C would be \$521 +\$192

Part number	н	w	Thickness	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F	Acceent paint
INBSDPF1324	13.5"	24"	1 1⁄8"	\$521	+\$116	+\$192	+\$267	+\$315	+\$432	+\$54
INBSDPF1330	13.5"	30"	1 1⁄8"	\$574	+\$119	+\$239	+\$311	+\$369	+\$514	+\$59
INBSDPF1336	13.5"	36"	1 1⁄8"	\$614	+\$140	+\$281	+\$367	+\$436	+\$611	+\$62

13.5" H Worksurface Tackable Divider for Mid Application With mounting brackets on front and back For use with straight edge worksurfaces Matches 44" H panel and 16.875" H Spine Tackable Divider

	INBSDPFED1324	13.5"	24"	1 1⁄8"	\$521	+\$116	+\$192	+\$267	+\$315	+\$432	+\$54
	INBSDPFED1330	13.5"	30"	1 1⁄8"	\$574	+\$119	+\$239	+\$311	+\$369	+\$514	+\$59
7	INBSDPFED1336	13.5"	36"	1 1⁄8"	\$614	+\$140	+\$281	+\$367	+\$436	+\$611	+\$62

13.5" H Worksurface Tackable Divider for End Application With mounting brackets on front and back For use with straight edge worksurfaces Matches 44" H panel and 16.875" H Spine Tackable Divider

- For use with Inscape Bench only
- Tackable divider is a 1.125" thick fabric wrapped tackboard panel
- Laminate divider accessories are not compatible with tackable divider
- Dividers Include hardware to mount to the worksurface perpendicular to spine
- Divider Screen for straight edge worksurfaces are available in a mid or end application option
- The end application Divider Screen can also be used on a height adjustable worksurfaces
- Divider Screen specific to tapered edge worksurfaces is 2" shorter then width stated to accommodate tapered edge and is easier to move


#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

### For example:

Product INBSDSF1324 in Grade C would be \$480 +\$188

Part number	н	w	Thickness	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F	Acceent paint
INBSDSF1324	13.5"	24"	1 1⁄8"	\$480	+\$131	+\$188	+\$274	+\$319	+\$427	+\$50
INBSDSF1330	13.5"	30"	1 1⁄8"	\$544	+\$128	+\$252	+\$307	+\$363	+\$499	+\$56
INBSDSF1336	13.5"	36"	1 1⁄8"	\$583	+\$152	+\$286	+\$366	+\$431	+\$596	+\$59



Matches 44" H panel and 16.875" H Spine Tackable Divider

- For use with Inscape Bench only
- Laminate divider accessories are compatible with these dividers
- Divider Screen for straight edge worksurfaces are available in a mid or end application option
- The end application Divider Screen can also be used on a height adjustable worksurfaces
- Divider Screen specific to tapered edge worksurfaces is 2" shorter then width stated to accommodate tapered edge and is easier to move
- Dividers are not compatible with System Horizontal accessories

- These items are not available with plywood edge banding
- Dividers Include hardware to mount to the worksurface perpendicular to spine

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBSDP624 in Veneer would be \$335 +\$47

	Part number	н	w	Thickness	Laminate/ base price	Grade 1 Iaminate	Veneer	Accent paint
6.75" H Worksurface Divider with Accessory Rail	INBSDP624	6.75"	24"	3⁄4 "	\$335	+\$109	+\$47	+\$34
With mounting brackets on	INBSDP630	6.75"	30"	3⁄4 "	\$359	+\$116	+\$50	+\$39
front and back	INBSDP636	6.75"	36"	3⁄4 "	\$386	+\$125	+\$54	+\$41
For use with straight edge worksurfaces Matches 37" H panel & 10.125" H Add-On Panel and Glazing								
6.75" H Worksurface	INBSDS624	6.75"	24"	3⁄4 "	\$375	+\$121	+\$47	+\$40
Divider Panel with Accessory Rail	INBSDS630	6.75"	30"	3⁄4 "	\$397	+\$128	+\$50	+\$42
With single bracket to be	INBSDS636	6.75"	36"	3⁄4 "	\$415	+\$133	+\$54	+\$44
mount at back of surface only For use with tapered edge worksurfaces Matches 37" H panel & 10.125" H Add-On Panel and Glazing								
13.5" H Worksurface	INBSDP1324	13.5"	24"	3⁄4 "	\$370	+\$120	+\$173	+\$40
Divider with Accessory Rail for Mid Application	INBSDP1330	13.5"	30"	3⁄4 "	\$398	+\$128	+\$185	+\$42
With mounting brackets on	INBSDP1336	13.5"	36"	3⁄4 "	\$427	+\$137	+\$198	+\$45
front and back For use with straight edge worksurfaces Matches 44" H panel and 16.875" H Spine Divider with Accessory Rail								

- For use with Inscape Bench only
- Laminate divider accessories are compatible with these dividers
- Dividers Include hardware to mount worksurface perpendicular to spine
- Divider Screen for straight edge worksurfaces are available in a mid or end application option
- The end application Divider Screen can also be used on a height adjustable worksurfaces
- Divider Screen specific to tapered edge worksurfaces is 2" shorter then width stated to accommodate tapered edge and is easier to move
- Dividers are not compatible with System Horizontal accessories

• These items are not available with plywood edge banding

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBSDPED1324 in Veneer would be \$370 +\$173

	Part number	н	w	Thickness	Laminate/ base price	Grade 1 Iaminate	Veneer	Accent paint
13.5" H Worksurface	INBSDPED1324	13.5"	24"	3⁄4 "	\$370	+\$120	+\$173	+\$40
Divider with Accessory Rail for End Application	INBSDPED1330	13.5"	30"	3⁄4 "	\$398	+\$128	+\$185	+\$42
With mounting brackets on front and back For use with straight edge worksurfaces Matches 44" H panel and 16.875" H Spine Divider with Accessory Rail	INBSDPED1336	13.5"	36"	3⁄4 "	\$427	+\$137	+\$198	+\$45
13.5" H Worksurface	INBSDS1324	13.5"	24"	3⁄4 "	\$434	+\$140	+\$173	+\$46
Divider Panel with Accessory Rail	INBSDS1330	13.5"	30"	3⁄4 "	\$460	+\$149	+\$185	+\$48
With single bracket to be	INBSDS1336	13.5"	36"	3⁄4 "	\$488	+\$157	+\$198	+\$51
mount at back of surface only For use with tapered edge worksurfaces Matches 44" H panel and 16.875" H Spine Divider with Accessory Rail								

- Accessories do not hang on the tackable version of the dividers
- Slightly different design detail from Inscape System paper trays

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBTTS1330 in Grade 5 would be \$354 +\$23

			Part nu	mber		н	W	D	Neutral pain base pric	e Accen	nt paint
	per Tray holes in bottom		INBA	PTRY		2"	12"	9"	\$78	3 -	+\$10
Per	sonal Accessory T	īray	INBA	PSHF		2"	18"	6"	\$110	5 -	+\$14
Divi For	sonal Accessory T ider with Felt Pad use with Persona cessory Tray		INBA	PSHFDV		-	-	-	\$9	1 -	+\$12
Acco	cessory Rail Magn een	etic	INBTN INBTN	NS1330 NS1336 NS1342 NS1348		13" 13" 13" 13"	30" 36" 42" 48"	-	\$221 \$252 \$270 \$300	2 - 6 -	+\$24 +\$27 +\$29 +\$31
Pa	urt number	н	w	Grade 1/ COM/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6 Grade 7	Ac Grade 8	cceent paint
INI	BTTS1330	13"	30"	\$354	+\$7	+\$12	_	+\$23	- +\$56		+\$38
INI	BTTS1336	13"	36"	\$380	+\$10	+\$19	-	+\$41	- +\$86		+\$41
INI	BTTS1342	13"	42"	\$405	+\$11	+\$20	_	+\$42	- +\$90		+\$43
INI	BTTS1348	13"	48"	\$431	+\$13	+\$22	_	+\$43	— +\$90		+\$45

Accessory Rail Tackboard

- $\bullet$  For use with 90° worksurface applications only
- Screens and shelves (both metal and wood) have an OPTIONAL feature for a tackable fabric "skin" on the inside. Base price is without skin
- The fabric skin on the wood screens wraps all the way around the interior of the screen. On metal screens it is only on interior back
- All worksurface mounted corner screens have 16 ⁷/₈" above the worksurface. The curved wood screen is 8 ¹/₂" below the surface and the metal is 6"
- Worksurface mounted corner wood curved screens are finished in a clear coat on maple
- Worksurface mounted corner metal screens can be painted in all of Inscape's standard colors
- All worksurface mounted corner screens are handed left or right. The handedness is determined from the user perspective (i.e. a left handed screen would install on the left hand side of the user)
- Screens are worksurface specific due to corner detail differences between wood and metal

- ONLY metal worksurface mounted corner screens are compatible with freestanding height adjustable worksurfaces
- There will be a 1" wire management gap between the screen and the back side of the worksurface

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

#### For example:

Product INBWMCSWLH with a Grade D fabric skin would be 1032 + - +113

						Fabric options								
Part number	н	w	D	Screen list/base price	No fabric layer	Grade A/ COM	Grade B	Grade C	Grade D	Grade E	Grade F	Accent paint		
	26 ½"	38 ¼"	17"	\$1032	-\$204	_	+\$73	+\$93	+\$113	+\$126	+\$144	+\$105		
left handed (illustrated)	20 / 2	00 / 1		\$100L	ψ <u></u> _υ.							φ		

## INBWMCSVFF 2614 "380" rariy 092 520 hold +\$93 +\$113 +\$126 +\$144 +\$105

Worksurface Mounted Corner Wood Curved Screen For use with curved 90° worksurfaces



Worksurface Mounted Corner Metal Screen For use with straight 90° worksurfaces

INBWMCSMLH	24"	41"	17"	\$611	-\$184	—	+\$73	+\$93	+\$113	+\$126	+\$144	+\$62
left handed (illustrated)												
INBWMCSMRH right handed	24"	41"	17"	\$611	-\$184	_	+\$73	+\$93	+\$113	+\$126	+\$144	+\$62

 Part number
 H
 W
 D
 List price

 INBAWHTBRD1816
 16"
 18"
 \$64

 INBAWHTBRD1116
 16"
 9 ½"
 \$64

Hand-On Whiteboard Accessory for worksurface Mounted Wood Screens

- Cove provides visual + acoustical properties
- Slim Surface Mounted Tackable Screen is 16 %" above the worksurface and matches the aesthetics of the Rocklt screens
- Can be mounted on any 1" or 1 ¼" thick worksurface
  Can also be used with Inscape System worksurfaces, freestanding fixed tables and freestanding height adjustable tables

### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product VLCOVECRV36 in Grade B would be \$1604 +\$204



Cove Inside flat surface is tackable

 Part number	н	w	Thickness	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Accent paint
INBTBMPS2536	25 ⅓"	36"	1⁄2"	\$648	+\$67	+\$98	+\$152	+\$65
INBTBMPS2542	25 ⅓"	42"	1⁄2"	\$727	+\$76	+\$110	+\$169	+\$74
INBTBMPS2548	25 ⅓"	48"	1⁄2"	\$793	+\$83	+\$120	+\$185	+\$80
 INBTBMPS2554	25 ⅓"	54"	1⁄2"	\$886	+\$92	+\$134	+\$206	+\$89
INBTBMPS2560	25 ⅓"	60"	1⁄2"	\$963	+\$100	+\$146	+\$225	+\$97

Slim Surface Mounted Tackable Screen

Worksurface Undermount accessories are available in any of Inscape's standard paint colors
Worksurface Undermount accessories can also be used

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INBUMBIN in an Accent Paint would be \$217 +\$14

		Part number	н	w	D	Neutral paint/ base price	Accent paint
	Worksurface Undermounted Bin	INBUMBIN	12 1⁄2"	9"	12"	\$217	+\$14
0	Worksurface Undermounted Accessory Hook	INBUMHOOK	2 ¼"	1 1⁄2"	1 1⁄2"	\$11	+\$4

on Inscape System and freestanding tables add For Proc

• For replacement parts only

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product INBWMCSWSKIN in Grade D would be \$204 +\$113

	Part number	н	w	Grade A/ COM/ base price	Grade B	Grade C	Grade D	Grade E	Grade F
	INBWMCSWSKIN	16 ½"	51 %"	\$204	+\$73	+\$93	+\$113	+\$126	+\$144
Replacement Fabric Skin for Corner Wood Curved Screen left and right hand compatible									
	INBWMCSMSKIN	16 1⁄8"	39 ⅓"	\$184	+\$73	+\$93	+\$113	+\$126	+\$144

Replacement Fabric Skin for Corner Metal Screen left and right hand compatible

----

• For replacement parts only

#### NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product INBSHELFWSKIN36 in Grade D would be \$165 +\$57

	Part number	н	w	Grade A/ COM/ base price	Grade B	Grade C	Grade D	Grade E	Grade F
	<b>INBSHELFWSKIN36</b> When shelf is used on a 36 [*] w spine frame	11 <del>/</del> /7"	39 7⁄8"	\$165	+\$39	+\$48	+\$57	+\$63	+\$75
	<b>INBSHELFWSKIN60</b> When shelf is used on a 60"w spine frame	<b>11                                   </b>	63 7⁄8"	\$183	+\$39	+\$48	+\$57	+\$63	+\$75
Replacement Fabric Skin for Single Wood Upmount Shelf									
	<b>INBSHELFMSKIN36</b> When shelf is used on a 36"w spine frame	11 %"	24 1⁄7"	\$144	+\$39	+\$48	+\$57	+\$63	+\$75
Replacement Fabric	<b>INBSHELFMSKIN60</b> When shelf is used on a 60*w spine frame	11 %"	48 1⁄7"	\$162	+\$39	+\$48	+\$57	+\$63	+\$75
Skin for Single Metal Upmount Shelf	<b>INBSHELFMSKIN72</b> When shelf is used on a 72"w (2x 36") spine frame	11 %"	60 1⁄7"	\$190	+\$54	+\$68	+\$85	+\$94	+\$107
	INBSHELFMSK72 When shelf is used on a 72"w (2x 36") spine frame	11 5⁄8"	29 %"	\$151	+\$28	+\$36	+\$44	+\$49	+\$55

Replacement Fabric Skin for Back to Back Metal Upmount Shelf left and right hand compatible single side replacement part

- For use with Inscape Bench only
- Table base is available in all paint colors
- The table and shelf sit flush with the spine top cap
- The table and shelf have straight fronts and backs with curved sides. They are available in 1¹/₄" thick Nuform and laminate options only
- Shelf brackets are available in all paint colors
- 72" W spine space = shelf
- 84" W spine space = shelf or table

Part number	н	w	D	Nuform classic/ laminate/ base price	Nuform select	Grade 1 Iaminate	Accent paint
INBCLBTBL	26"	33 ¾"	29 5⁄8"	\$1401	+\$71	+\$450	+\$141

#### **Collaborative Table**

INBCLBSHELF	26"	27 ¼"	10"	\$561	+\$28	+\$181	+\$57

Collaborative Shelf

## Tables US Price List

November 2019



work for tomorrow

# Tables Tables Collection



work for ^{tomorrow}

### **Tables Collection** Standing Height Tables

### Tables

- · Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cutout(s)
- Worksurfaces are 1 1/4" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Laminate is available in straight edge only

I.

T

- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default), Black Oak and Clear Maple finishes
- · Standing Height Tables include a foot rail that is available in all standard paint colors. Accent paint colors have an upcharge.

1

1

1

- The Flip-up power module is available in matte black, matte white and aluminium finishes
- The Mini Tap power module has a 72" long cord and is available in black only
- O Legs and foot rails are available in all standard paint colors. Accent paint colors have an upcharge.

#### NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

Power options

1

### For example:

1

1

Product TCRSTA3060 in Nuform Select with a Tapered Edge and 2 power modules would be \$2317 +\$64 +\$33 +\$670

	Part number	н	w	D	Thickness	Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	Grade 1 Iaminate Straight Edge only	None	1 module	2 module	Accent paint
	TCRSTA3060	39"	60"	30"	1 1⁄4"	\$2317	+\$64	+\$33	+\$198	_	+\$342	+\$670	+\$233
	TCRSTA3072	39"	72"	30"	1 ¼"	\$2374	+\$78	+\$55	+\$235	_	+\$342	+\$670	+\$239
	TCRSTA3660	39"	60"	36"	1 ¼"	\$2495	+\$77	+\$109	+\$248	_	+\$342	+\$670	+\$252
K	TCRSTA3672	39"	72"	36"	1 ¼"	\$2615	+\$87	+\$119	+\$265	_	+\$342	+\$670	+\$263
	TCRSTA4260	39"	60"	36"	1 1⁄4"	\$2742	+\$92	+\$125	+\$268	_	+\$342	+\$670	+\$276
Curved Rectangular Standing Height Table available with Mini Tap power option	TCRSTA4272	39"	72"	42"	1 ¼"	\$2870	+\$96	+\$130	+\$281	_	+\$342	+\$670	+\$289
	TRECSTA3060	39"	60"	30"	1 ¼"	\$2317	+\$64	+\$33	+\$198	_	+\$342	+\$670	+\$233
	TRECSTA3072	39"	72"	30"	1 ¼"	\$2374	+\$78	+\$55	+\$235	_	+\$342	+\$670	+\$239
	TRECSTA3660	39"	60"	36"	1 1⁄4"	\$2495	+\$77	+\$109	+\$248	_	+\$342	+\$670	+\$252
	TRECSTA3672	39"	72"	36"	1 1⁄4"	\$2622	+\$87	+\$119	+\$265	_	+\$342	+\$670	+\$264
	TRECSTA4260	39"	60"	42"	1 1⁄4"	\$2742	+\$92	+\$125	+\$268	_	+\$342	+\$670	+\$276
Rectangular Standing Height Table available with Mini Tap power option	TRECSTA4272	39"	72"	42"	1 ¼"	\$2870	+\$96	+\$130	+\$281	_	+\$342	+\$670	+\$289
	TMRECSTA3060	39"	60"	30"	1 ¼"	\$1702	+\$57	+\$78	+\$167	_	+\$342	+\$670	+\$171

\$1823

+\$61

+\$83 +\$179

1 . . . 1



Rectangular Standing Height Table with O Legs available with Mini Tap power option

TMRECSTA3672

39"

72"

36'

1 1/4"

- +\$342 +\$670 +\$183

### Tables Collection Standing Height Tables

### Tables

- Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cutout(s)
- Worksurfaces are 1 ¼" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Laminate is available in straight edge only
- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default), Black Oak and Clear Maple finishes
- Standing Height Tables include a foot rail that is available in all standard paint colors. Accent paint colors have an upcharge.

- The Flip-up power module is available in matte black, matte white and aluminium finishes
- The Mini Tap power module has a 72" long cord and is available in black only

### NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

#### For example:

Product TRNDSTA36 in Nuform Select with a Tapered Edge and 2 power modules would be \$2320 +\$43 +\$23 +\$670

									Po	wer optior	ıs	
Part number	Н	W	D	Thickness	Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	Grade 1 laminate Straight Edge only	None	1 module	2 module	Accent paint
TRNDSTA36	39"	36"	36"	1 1⁄4"	\$2320	+\$43	+\$23	+\$128	_	+\$342	+\$670	+\$234
TRNDSTA42	39"	42"	42"	1 1⁄4"	\$2405	+\$59	+\$31	+\$182	_	+\$342	+\$670	+\$243
TRNDSTA48	39"	48"	48"	1 ¼"	\$2494	+\$78	+\$40	+\$235	_	+\$342	+\$670	+\$252



Round Standing Height Table available with Mini Tap power option

- Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cutout(s)
- Worksurfaces are 1 ¼" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- Laminate is available in straight edge only
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default), Black Oak and Clear Maple finishes The Flip-up power module is available in matte black, matte white and aluminium finishes
- The Mini Tap power module has a 72" long cord and is available in black only
- 60" W and 72" W meeting tables can accomodate 1 flip-up power module only
- 84" W and 96" W meeting tables can accomodate 2 flip-up power modules only

										Power options							
	Part number	н	W	D	Thickness	Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	Grade 1 Iaminate Straight Edge only	None	1 module	2 module					
	TCRECMTG3660	28.5"	60"	36"	1 1⁄4"	\$1905	+\$77	+\$109	+\$232	_	+\$464	_					
SIT	TCRECMTG3672	28.5"	72"	36"	1 ¼"	\$1959	+\$87	+\$119	+\$265	_	+\$464	_					
	TCRECMTG3684	28.5"	84"	36"	1 ¼"	\$2161	+\$106	+\$145	+\$325	-	-	+\$904					
	TCRECMTG3696	28.5"	96"	36"	1 ¼"	\$2252	+\$128	+\$176	+\$395	_	_	+\$904					
Curved Rectangular	TCRECMTG4260	28.5"	60"	42"	1 ¼"	\$1938	+\$86	+\$125	+\$261	_	+\$464	_					
Meeting Table	TCRECMTG4272	28.5"	72"	42"	1 ¼"	\$1997	+\$100	+\$150	+\$308	_	+\$464	_					
available with Flip-	TCRECMTG4284	28.5"	84"	42"	1 ¼"	\$2204	+\$122	+\$180	+\$374	_	_	+\$904					
up power option	TCRECMTG4296	28.5"	96"	42"	1 ¼"	\$2300	+\$149	+\$217	+\$455	_	_	+\$904					
	TCRECMTG4860	28.5"	60"	48"	1 ¼"	\$1972	+\$97	+\$144	+\$298	_	+\$464	_					
	TCRECMTG4872	28.5"	72"	48"	1 ¼"	\$2035	+\$115	+\$171	+\$351	_	+\$464	_					
	TCRECMTG4884	28.5"	84"	48"	1 ¼"	\$2247	+\$140	+\$205	+\$431	_	_	+\$904					
	TCRECMTG4896	28.5"	96"	48"	1 ¼"	\$2348	+\$171	+\$250	+\$528	-	-	+\$904					
	TCRECMTG3636	28.5"	36"	36"	1 1⁄4"	\$1641	+\$51	+\$76	+\$156	-	+\$342	+\$670					
	TCRECMTG4242	28.5"	42"	42"	1 ¼"	\$1692	+\$61	+\$89	+\$188	_	+\$342	+\$670					
	TCRECMTG4848	28.5"	48"	48"	1 ¼"	\$1748	+\$81	+\$116	+\$245	_	+\$342	+\$670					

Curved Rectangular Meeting Table available with Mini Tap power option

- Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cutout(s)
- Worksurfaces are 1 ¼" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- Laminate is available in straight edge only
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default), Black Oak and Clear Maple finishes The Flip-up power module is available in matte black, matte white and aluminium finishes
- The Mini Tap power module has a 72" long cord and is available in black only
- 60" W and 72" W meeting tables can accomodate 1 flip-up power module only
- 84" W and 96" W meeting tables can accomodate 2 flip-up power modules only
- O Legs and foot rails are available in all standard paint colors. Accent paint colors have an upcharge.

		Power options										
	Part number	н	W	D	Thickness	Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	Grade 1 Iaminate Straight Edge only	None	1 module	2 module
	TRECMTG3660	28.5"	60"	36"	1 ¼"	\$1905	+\$77	+\$109	+\$232	—	+\$464	_
1ºTT	TRECMTG3672	28.5"	72"	36"	1 ¼"	\$1959	+\$87	+\$119	+\$265	_	+\$464	_
	TRECMTG3684	28.5"	84"	36"	1 ¼"	\$2161	+\$106	+\$145	+\$325	_	_	+\$904
	TRECMTG3696	28.5"	96"	36"	1 ¼"	\$2252	+\$128	+\$176	+\$395	—	—	+\$904
<b>_</b>	TRECMTG4260	28.5"	60"	42"	1 ¼"	\$1938	+\$86	+\$125	+\$261	—	+\$464	-
Rectangular Meeting Table	TRECMTG4272	28.5"	72"	42"	1 ¼"	\$1997	+\$100	+\$150	+\$308	_	+\$464	-
available with Flip-	TRECMTG4284	28.5"	84"	42"	1 ¼"	\$2204	+\$122	+\$180	+\$374	—	_	+\$904
up power option	TRECMTG4296	28.5"	96"	42"	1 ¼"	\$2300	+\$149	+\$217	+\$455	_	_	+\$904
	TRECMTG4848	28.5"	48"	48"	1 ¼"	\$1748	+\$81	+\$116	+\$245	—	+\$342	+\$670
	TRECMTG4872	28.5"	72"	48"	1 ¼"	\$2035	+\$115	+\$171	+\$351	-	+\$464	-
	TRECMTG4884	28.5"	84"	48"	1 ¼"	\$2247	+\$140	+\$205	+\$431	-	_	+\$904
	TRECMTG4896	28.5"	96"	48"	1 ¼"	\$2348	+\$171	+\$250	+\$528	—	—	+\$904
	TRECMTG3636	28.5"	36"	36"	1 ¼"	\$1641	+\$51	+\$76	+\$156	_	+\$342	+\$670
	TRECMTG4242	28.5"	42"	42"	1 ¼"	\$1692	+\$61	+\$89	+\$188	_	+\$342	+\$670
	TRECMTG4848	28.5"	48"	48"	1 ¼"	\$1748	+\$81	+\$116	+\$245	-	+\$342	+\$670

### Rectangular Meeting Table available with Mini Tap

power option



TMRECMTG3672	28.5"	72"	36"	1 ¼"	\$1702	+\$57	+\$78	+\$167	—	+\$464	_
TMRECMTG4284	28.5"	84"	42"	1 ¼"	\$1926	+\$64	+\$88	+\$189	_	—	+\$904
TMRECMTG4896	28.5"	96"	48"	1 ¼"	\$2151	+\$72	+\$97	+\$211	-	-	+\$904

Rectangular Meeting Table with O Legs available with Mini Tap power option

### Tables Collection Meeting Tables

### **Tables**

- Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cutout(s)
- Worksurfaces are 1 ¼" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- Laminate is available in straight edge only
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default), Black Oak and Clear Maple finishes The Flip-up power module is available in matte black, matte white and aluminium finishes
- The Mini Tap power module has a 72" long cord and is available in black only
- 60" W and 72" W meeting tables can accomodate 1 flip-up power module only
- 84" W and 96" W meeting tables can accomodate 2 flip-up power modules only

										Po	ower options	;
	Part number	н	W	D	Thickness	Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	Grade 1 Iaminate Straight Edge only	None	1 module	2 module
$\bigcirc$	TRNDMTG30	28.5"	30"	30"	1 ¼"	\$1616	+\$33	+\$22	+\$115	-	+\$342	+\$670
	TRNDMTG36	28.5"	36"	36"	1 1⁄4"	\$1619	+\$43	+\$24	+\$128	-	+\$342	+\$670
	TRNDMTG42	28.5"	42"	42"	1 1⁄4"	\$1686	+\$59	+\$31	+\$182	_	+\$342	+\$670
	TRNDMTG48	28.5"	48"	48"	1 ¼"	\$1761	+\$78	+\$40	+\$235	_	+\$342	+\$670

Round Meeting Table available with Mini Tap power option

### Tables Collection Coffee Tables

### Tables

- Codes come complete with surfaces, legs and optional power
- If power is optioned on tables with the flip up modules, the worksurfaces come with cutout(s)
- Worksurfaces are 1 ¼" thick only and available in laminate, grade 1 laminate (plywood edge) and Nuform surface finishes
- When manually specifying worksurface of laminate or veneer add suffix "-S" to the code
- Laminate is available in straight edge only
- Nuform is available in straight or tapered edge
- Legs are angled and conical shaped with black leveling glides
- Legs are available in Clear Oak (default), Black Oak and Clear Maple finishes
- The Mini Tap power module has a 72" long cord and is available in black only

#### NOTE

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

### For example:

Product TCRCOF30 in Nuform Select with a Tapered Edge and 2 power modules would be \$1124 +\$41 +\$23 +\$670

									Power options					
Part number	н	w	D	Thickness	Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	Grade 1 Iaminate Straight Edge only	None	1 module	2 module			
TCRCOF30	17"	30"	30"	1 1⁄4"	\$1124	+\$41	+\$23	+\$122	-	+\$342	+\$670			
TCRCOF36	17"	36"	36"	1 ¼"	\$1208	+\$51	+\$76	+\$156	_	+\$342	+\$670			
TCRCOF42	17"	42"	42"	1 ¼"	\$1258	+\$61	+\$89	+\$188	_	+\$342	+\$670			



Curved Rectangular Coffee Table available with Mini Tap power option



Rectangular Coffee Table available with Mini Tap power option



TRNDCOF30	17"	30"	30"	1 ¼"	\$1124	+\$39	+\$23	+\$116	_	+\$342	+\$670
TRNDCOF36	17"	36"	36"	1 ¼"	\$1185	+\$43	+\$24	+\$128	-	+\$342	+\$670
TRNDCOF42	17"	42"	42"	1 ¼"	\$1253	+\$59	+\$31	+\$182	_	+\$342	+\$670

Round Coffee Table available with Mini Tap power option

TSQUCOF30 17" 30" 30" 1 1⁄4" \$1124 +\$41 +\$23 +\$122 **TSQUCOF36** 17" \$1208 36" 36" 1 1⁄4" +\$51 +\$76 +\$156 1 1⁄4" **TSQUCOF42** 17" 42" 42" \$1258 +\$61 +\$89 +\$188

+\$342

+\$342

+\$342

+\$670

+\$670

+\$670

## Tables Worksurfaces



work for ^{tomorrow}

- 60"-72" W rectangular tops require a stretcher bar
- 78" W and over rectangular tops require a center leg
- Tables are true to size

- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code
- The tapered edge option on the 30" and 36" deep worksurfaces will only be on the front edge if specified
- The tapered edge option on the 42" and 48" deep worksurfaces will be on the all four sides if specified

#### NOTE

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

#### For example:

Product TW3030 in Nuform Select with a Tapered Edge would be \$363 +\$41 +\$23

Product TW3030 in Nuform Select with a 1" Straight Edge would be \$363 +\$41 -\$40

Product TW3030-S in Veneer would be \$363 +\$675

30" D Rectangular Top       TW3036       36" 30"       \$414       +\$44       +\$24       -\$43       +\$133         30" D Rectangular Top       TW3042       42" 30"       \$437       +\$47       +\$24       -\$46       +\$111         30" D Rectangular Top       TW3048       48" 30"       \$4398       +\$53       +\$28       -\$51       +\$110         TW3060       60" 30"       \$624       +\$63       +\$31       -\$63       +\$200         TW3066       66" 30"       \$666       +\$57       +\$34       -\$67       +\$215         TW3067       78" 30"       \$828       +\$84       +\$43       -\$67       +\$229       -\$77         TW3068       66" 30"       \$907       +\$84       +\$48       -\$83       +\$228       -\$100       +\$317         TW3084       84" 30"       \$907       +\$84       +\$48       -\$83       +\$228       -\$100       +\$317         TW3090       90" 30"       \$907       +\$110       +\$55       -\$100       +\$313       -\$202       -\$100       +\$317         TW3648       48" 36"       \$677       +\$100       +\$177       +\$233       -\$109       +\$163       -\$109       +\$163       -\$109       +\$163		Part number	w	D	1.25" Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Grade 1 Iaminate Straight Edge only	Veneer 1.25" Straight Edge only
30° D Rectangular Top       TW3042       42°       30°       \$437       +\$47       +\$24       -\$46       +\$141         30° D Rectangular Top       TW3054       54°       30°       \$498       +\$53       +\$28       -\$51       +\$160       42°         30° D Rectangular Top       TW3066       60°       30°       \$659       +\$48       +\$29       -\$56       +\$181       42°         TW3066       60°       30°       \$666       +\$67       +\$34       -\$67       +\$215       42°         TW3072       72°       30°       \$747       +\$77       +\$38       -\$77       +\$239       42°         TW3078       78°       30°       \$828       +\$44       +\$43       -\$83       +\$266       42°       42°       5907       +\$44       +\$48       -\$51       +\$17       4533       45292       433       446       48°       56°       \$507       +\$51       +\$163       4513       4543       4543       4543       4543       4543       4543       4529       4543       4543       4529       4543       4543       4529       4514       457       4510       45114       450       4513       4529       4513       4529		TW3030	30"	30"	\$363	+\$41	+\$23	-\$40	+\$118	+\$675
30° D Rectangular Top 30° D Rectangular Top 30° D Rectangular Top 30° D Rectangular Top 42° D Rectangular Top 40° D R D R D R D R D R D R D R D R D R D		TW3036	36"	30"	\$414	+\$44	+\$24	-\$43	+\$133	+\$703
30         Directangular top         TW3054         54*         30*         \$559         +\$58         +\$29         -\$56         +\$181           TW3060         60*         30*         \$624         +\$63         +\$31         -\$63         +\$200         -           TW3060         66*         30*         \$666         +\$67         +\$334         -\$67         +\$215         -           TW3072         72*         30*         \$747         +\$57         +\$38         -\$57         +\$239         -           TW3078         78*         30*         \$907         +\$94         +\$48         -\$933         +\$292         -           TW3096         96*         30*         \$1070         +\$110         +\$55         -\$100         +\$317         -           TW3096         96*         30*         \$1070         +\$110         +\$55         +\$100         +\$343         -           TW3642         42*         36*         \$667         +\$63         +\$116         -         \$1733         -           TW3642         42*         36*         \$667         +\$68         +\$80         +\$217         -           TW3664         54*         36*         \$1		TW3042	42"	30"	\$437	+\$47	+\$24	-\$46	+\$141	+\$747
TW3054         54"         30"         \$559         +\$58         +\$29         \$56         +\$181           TW3060         60"         30"         \$624         +\$63         +\$31         -\$663         +\$215         -           TW3066         66"         30"         \$666         +\$67         +\$34         -\$63         +\$215         -           TW3072         72"         30"         \$747         +\$77         +\$38         -\$77         +\$239         -           TW3078         76"         30"         \$828         +\$84         +\$43         -\$83         +\$292         -           TW3090         90"         30"         \$907         +\$94         +\$48         -\$93         +\$292         -           TW3096         96"         30"         \$1070         +\$110         +\$55         -\$109         +\$343         -           TW3064         48"         36"         \$507         +\$52         +\$79         -\$53         +\$163         -           TW3646         54"         36"         \$567         +\$61         +\$90         -\$63         +\$186         -           TW3646         54"         36"         \$776         +\$801	30" D Rectangular Top	TW3048	48"	30"	\$498	+\$53	+\$28	-\$51	+\$160	+\$753
TW3066         66"         30"         \$666         +\$67         +\$34         -\$67         +\$215           TW3072         72"         30"         \$747         +\$77         +\$38         -\$77         +\$239         -           TW3078         78"         30"         \$828         +\$84         +\$43         -\$83         +\$292         -           TW3090         90"         30"         \$987         +\$100         +\$52         -\$100         +\$317         -           TW3096         96"         30"         \$1070         +\$110         +\$55         -\$109         +\$343         -           TW3084         84"         36"         \$60"         +\$51         +\$76         -\$51         +\$155         -           TW3642         42"         36"         \$577         +\$61         +\$90         -\$63         +\$186         -           TW3660         60"         36"         \$778         +\$67         +\$19         -\$87         +\$208         +\$223         -           TW3660         60"         36"         \$776         +\$87         +\$114         -\$80         +\$247         +\$           TW3660         60"         36"         \$1053	oo Dinootangala iop	TW3054	54"	30"	\$559	+\$58	+\$29	-\$56	+\$181	+\$762
$ \frac{\mathbf{TW3072}}{\mathbf{TW3078}} = \frac{72"}{30"} = \frac{5747}{4} + \frac{577}{4} + \frac{538}{5} = \frac{-577}{4} + \frac{5239}{5} = \frac{-577}{5} + \frac{5239}{5} = \frac{-573}{5} = -$		TW3060	60"	30"	\$624	+\$63	+\$31	-\$63	+\$200	+\$767
TW3078         78"         30"         \$828         +\$84         +\$43         -\$83         +\$266         -           TW3084         84"         30"         \$907         +\$94         +\$48         -\$93         +\$292         -           TW3090         90"         30"         \$987         +\$100         +\$52         -\$100         +\$317         -           TW3096         96"         30"         \$1070         +\$110         +\$55         -\$109         +\$343         -           W3096         96"         30"         \$1070         +\$110         +\$55         -\$109         +\$343         -           36" D Rectangular Top         TW3636         36"         \$617         +\$67         +\$98         -\$63         +\$163         -           TW3664         48"         36"         \$775         +\$87         +\$19         -\$77         +\$233         -           TW3666         66"         36"         \$768         +\$80         +\$114         -\$80         +\$278         -           TW3666         66"         36"         \$768         +\$80         +\$114         -\$80         +\$278         -           TW3666         66"         36"		TW3066	66"	30"	\$666	+\$67	+\$34	-\$67	+\$215	+\$802
TW3084         84"         30"         \$907         +\$94         +\$48         -\$93         +\$292         -           TW3090         90"         30"         \$987         +\$100         +\$52         -\$100         +\$317         -           TW3096         96"         30"         \$1070         +\$110         +\$55         -\$109         +\$343         -           TW3636         36"         36"         \$61"         +\$51         +\$76         -\$51         +\$155         -           TW3648         48"         36"         \$557         +\$61         +\$90         -\$63         +\$186         -           TW3664         48"         36"         \$575         +\$61         +\$90         -\$63         +\$186         -           TW3664         44"         36"         \$575         +\$61         +\$90         -\$63         +\$186         -           TW3666         66"         36"         \$775         +\$61         +\$90         -\$77         +\$238         -           TW3666         66"         36"         \$768         +\$80         +\$114         -\$80         +\$247         4           TW3678         78"         36"         \$1053		TW3072	72"	30"	\$747	+\$77	+\$38	-\$77	+\$239	+\$783
$\frac{TW3090}{TW3096} = 90^{\circ} 30^{\circ} \$987} + \$100 + \$52 - \$100 + \$317 - \$317 + \$3096 + \$3096 + \$30^{\circ} \$1070 + \$110 + \$55 - \$109 + \$343 + \$30^{\circ} \$1070 + \$110 + \$55 - \$109 + \$343 + \$30^{\circ} \$1070 + \$110 + \$55 - \$109 + \$343 + \$30^{\circ} \$1070 + \$110 + \$55 - \$109 + \$343 + \$30^{\circ} \$1070 + \$110 + \$55 - \$109 + \$343 + \$100 + \$100 + \$155 + \$100 + \$155 + \$166 + \$100 + \$166 + \$166 + \$100 + \$166 + \$166 + \$100 + \$166 + \$166 + \$100 + \$166 + \$166 + \$100 + \$166 + \$166 + \$100 + \$166 + \$166 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + 110 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + \$100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100$		TW3078	78"	30"	\$828	+\$84	+\$43	-\$83	+\$266	+\$784
TW3096         96"         30"         \$1070         +\$110         +\$55         -\$109         +\$343           36"         36"         36"         \$480         +\$51         +\$76         -\$51         +\$155         -\$           36" D Rectangular Top         TW3642         42"         36"         \$647         +\$67         +\$98         -\$63         +\$186         -\$           TW3666         66"         36"         \$775         +\$109         -\$77         +\$233         -\$           TW3666         66"         36"         \$775         +\$109         -\$77         +\$233         -\$           TW3666         66"         36"         \$768         +\$80         +\$114         -\$80         +\$247         45           TW3666         66"         36"         \$768         +\$80         +\$114         -\$80         +\$247         45           TW3678         78"         36"         \$959         +\$93         +\$131         -\$93         +\$307         -\$           TW3684         84"         36"         \$1053         +\$106         +\$112         +\$338         -\$           TW3678         78"         36"         \$1272         +\$128         +\$116<		TW3084	84"	30"	\$907	+\$94	+\$48	-\$93	+\$292	+\$733
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		TW3090	90"	30"	\$987	+\$100	+\$52	-\$100	+\$317	+\$712
$\frac{1}{36" \text{ D Rectangular Top}} = \frac{1}{100} \frac{1}{36"} $		TW3096	96"	30"	\$1070	+\$110	+\$55	-\$109	+\$343	+\$696
$ \frac{1}{36" \text{ D Rectangular Top} } 36" \frac{1}{36"} \frac{1}{3$		TW3636	36"	36"	\$480	+\$51	+\$76	-\$51	+\$155	+\$714
36" D Rectangular Top       TW3654       54"       36"       \$647       +\$67       +\$98       -\$63       +\$208       -         36" D Rectangular Top       TW3660       60"       36"       \$775       +\$77       +\$109       -\$77       +\$233       -         TW3666       66"       36"       \$768       +\$80       +\$114       -\$80       +\$247       +\$         TW3672       72"       36"       \$865       +\$87       +\$119       -\$87       +\$278       -         TW3678       78"       36"       \$959       +\$95       +\$131       -\$93       +\$307       -         TW3684       84"       36"       \$1053       +\$106       +\$145       -\$102       +\$338       -         TW3690       90"       36"       \$1158       +\$118       +\$160       -\$112       +\$372       -         TW3696       96"       36"       \$1272       +\$128       +\$176       -\$122       +\$408       -         TW4260       60"       42"       \$841       +\$86       +\$125       -       +\$270       +\$         42" D Rectangular Top       TW4242       42"       \$217       -       +\$388       +\$ <td></td> <td>TW3642</td> <td>42"</td> <td>36"</td> <td>\$507</td> <td>+\$52</td> <td>+\$79</td> <td>-\$53</td> <td>+\$163</td> <td>+\$867</td>		TW3642	42"	36"	\$507	+\$52	+\$79	-\$53	+\$163	+\$867
$36" D \operatorname{Rectangular Top} \qquad \begin{array}{ccccccccccccccccccccccccccccccccccc$		TW3648	48"	36"	\$575	+\$61	+\$90	-\$63	+\$186	+\$896
$42" \text{ D Rectangular Top} \begin{array}{ c c c c c c c c c c c c c c c c c c c$		TW3654	54"	36"	\$647	+\$67	+\$98	-\$63	+\$208	+\$906
$\frac{TW3672}{TW3678} = \frac{72"}{36"} = \frac{36"}{9865} + \frac{1}{987} + \frac{1}{919} + \frac{1}{987} + \frac{1}{9278} + \frac{1}{923} + \frac{1}{9307} + \frac{1}{930} + \frac{1}{9307} + \frac{1}{$	36" D Rectangular Top	TW3660	60"	36"	\$725	+\$77	+\$109	-\$77	+\$233	+\$961
$\frac{TW3678}{TW3684} = \frac{78''}{36''} = \frac{\$959}{1053} + \frac{\$95}{1166} + \frac{\$131}{145} - \frac{\$93}{1102} + \frac{\$338}{1338} = \frac{1163}{1166} + \frac{\$145}{1166} - \frac{\$102}{112} + \frac{\$338}{1337} = \frac{1166}{1166} + \frac{\$145}{112} + \frac{\$372}{112} + \frac{\$372}{112} = \frac{1166}{112} + \frac{\$372}{112} = \frac{1166}{112} + \frac{\$372}{112} = \frac{1166}{112} + \frac{\$372}{112} = \frac{1166}{112} + \frac{\$372}{112} = \frac{1166}{116} + \frac{\$89}{112} = - \frac{1166}{112} + \frac{1166}{116} = - \frac{1166}{112} + \frac{1166}{116} = \frac{1166}{116} + \frac{1166}{116} = - \frac{1166}{116} + \frac{1166}{116} + \frac{1166}{116} = - \frac{1166}{116} + \frac{1166}{116} + \frac{116}{116} = - \frac{116}{116} + \frac{116}{$		TW3666	66"	36"	\$768	+\$80	+\$114	-\$80	+\$247	+\$1003
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		TW3672	72"	36"	\$865	+\$87	+\$119	-\$87	+\$278	+\$988
$\frac{TW3690}{TW3696} = 90" - 36" + \$1158 + \$118 + \$160 - \$112 + \$372 + \$372 + \$13696 + \$1272 + \$128 + \$176 - \$122 + \$408 + \$176 + \$122 + \$408 + \$176 + \$122 + \$408 + \$176 + \$122 + \$100 + \$150 + \$125 + \$176 + \$125 + \$176 + \$125 + \$176 + \$125 + \$176 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + \$125 + \$160 + 149 + \$116 + 1468 + 856 + 1425 + 1460 + 149 + 1427 + 1416 + 1468 + 856 + 1425 + 1460 + 149 + 1427 + 116 + 116 + 1468 + 856 + 1425 + 116 + 1468 + 856 + 1468 + 856 + 1468 + 856 + 1468 + 1468 + 856 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 + 1468 +$		TW3678	78"	36"	\$959	+\$95	+\$131	-\$93	+\$307	+\$970
$\frac{TW3696}{42"} = \frac{96"}{36"} = \frac{\$1272}{+\$128} + \frac{\$176}{-\$122} + \frac{\$408}{+\$408} + \frac{\$408}{\$408} + \frac{\$176}{\$125} + \frac{\$122}{\$100} + \frac{\$122}{\$120} + \frac{\$122}{\$1460} + \frac{\$149}{\$121} + \frac{\$116}{$-$} + \frac{\$468}{$+$} + \frac{\$116}{$-$} + \frac{\$309}{$-$} + \frac{\$1151}{$-$} + \frac{\$115}{$-$} + \frac{\$117}{$-$} + \frac{\$171}{$-$} + \frac{\$171}{$-$} + \frac{\$16}{$-$} + \frac{\$369}{$-$} + \frac{\$16}{$-$} + \frac{\$369}{$-$} + \frac{\$16}{$-$} + \frac{\$116}{$-$} + \frac{\$116}{$-$} + \frac{\$116}{$-$} + \frac{\$116}{$-$} + \frac{\$116}{$-$} + \frac{\$16}{$-$} + \frac{\$16}{$-$} + \frac{\$16}{$-$} + \frac{\$16}{$-$} + \frac{\$16}{$-$} + \frac{\$16}{$-$} + \frac{\$116}{$-$} + \frac{\$16}{$-$} + \frac{16}{$-$} + \frac{16}{$-$		TW3684	84"	36"	\$1053	+\$106	+\$145	-\$102	+\$338	+\$944
$\frac{TW4242}{Y} = \frac{42"}{2} = \frac{42"}{100} = \frac{1000}{100} + $		TW3690	90"	36"	\$1158	+\$118	+\$160	-\$112	+\$372	+\$910
$ \frac{1}{42" \text{ D Rectangular Top}} \left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$		TW3696	96"	36"	\$1272	+\$128	+\$176	-\$122	+\$408	+\$869
$ \frac{1}{42" \text{ D Rectangular Top}} $ $ \frac{1}{1002} \frac{1}{$		TW4242	42"	42"	\$591	+\$61	+\$89	_	+\$190	+\$1066
TW4284       84"       42"       \$129 $+$122$ $+$180$ $ +$388$ $+$5$ 42" D Rectangular Top       TW4296       96"       42"       \$1460 $+$149$ $+$217$ $ +$388$ $+$5$ TW4296       96"       42"       \$1460 $+$149$ $+$217$ $ +$468$ $+$5$ TW4848       48"       48"       \$769 $+$81$ $+$116$ $ +$247$ $+$5$ TW4860       60"       48"       \$966 $+$97$ $+$144$ $ +$309$ $+$5$ TW4872       72"       48"       \$1151 $+$115$ $+$171$ $ +$369$ $+$5$		TW4260	60"	42"	\$841	+\$86	+\$125	_	+\$270	+\$1188
42" D Rectangular Top       TW4296       96"       42"       \$1460       +\$149       +\$217       -       +\$468       +\$5         TW4848       48"       48"       \$769       +\$81       +\$116       -       +\$247       +\$5         TW4860       60"       48"       \$966       +\$97       +\$144       -       +\$309       +\$5         TW4872       72"       48"       \$1151       +\$115       +\$171       -       +\$369       +\$5		TW4272	72"	42"	\$1002	+\$100	+\$150	_	+\$322	+\$1229
TW4290         90         42         \$1400         +\$143         +\$217         -         +\$403         +\$           TW4848         48"         48"         \$769         +\$81         +\$116         -         +\$247         +\$           TW4860         60"         48"         \$966         +\$97         +\$144         -         +\$309         +\$           TW4872         72"         48"         \$1151         +\$115         +\$171         -         +\$369         +\$		TW4284	84"	42"	\$1209	+\$122	+\$180	_	+\$388	+\$1183
TW4860       60"       48"       \$966       +\$97       +\$144       -       +\$309       +\$         TW4872       72"       48"       \$1151       +\$115       +\$171       -       +\$369       +\$	42" D Rectangular Top	TW4296	96"	42"	\$1460	+\$149	+\$217	-	+\$468	+\$1106
<b>TW4872</b> 72" 48" \$1151 +\$115 +\$171 - +\$369 +\$		TW4848	48"	48"	\$769	+\$81	+\$116	_	+\$247	+\$1355
		TW4860	60"	48"	\$966	+\$97	+\$144	_	+\$309	+\$1465
		TW4872	72"	48"	\$1151	+\$115	+\$171	_	+\$369	+\$1523
- + 445 + 3		TW4884	84"	48"	\$1390	+\$140	+\$205	_	+\$445	+\$1478
48" D Rectangular Top <b>TW4896</b> 96" 48" \$1676 +\$171 +\$250 - +\$538 +\$	48" D Rectangular Top	TW4896	96"	48"	\$1676	+\$171	+\$250	-	+\$538	+\$1397

- Racetrack Tops for use with 2 cylindrical table bases
- Bases are not included. See Legs and Bases section
- Tables are true to size

**TWBT4884** 

**TWBT4896** 

- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider

#### NOTE

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

#### For example:

Product TWRT3672 in Nuform Select with a Tapered Edge would be \$915 +\$91 +\$124

Product TWRT3672-S in Veneer would be \$915 +\$1038

	Part number	w	D	1.25" Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Grade 1 laminate Straight Edge only	Veneer 1.25" Straight Edge only
	TWRT3672	72"	36"	\$915	+\$91	+\$124	_	+\$294	+\$1038
	TWRT4284	84"	42"	\$1270	+\$127	+\$189	_	+\$408	+\$1243
	TWRT4896	96"	48"	\$1759	+\$180	+\$261	-	+\$564	+\$1466
Racetrack Top For use with 2 cylindrical table bases									
	TWBT3672	72"	36"	\$915	+\$91	+\$124	_	+\$294	+\$1038
36" D Boat Top									
	TWBT4284	84"	42"	\$1270	+\$127	+\$189	_	+\$408	+\$1243
	TWBT4296	96"	42"	\$1533	+\$155	+\$228	_	+\$492	+\$1161

\$1459

\$1759

+\$148

+\$1903

+\$261

+\$1985

+\$468

+\$564

+\$1552

+\$3191

48"

48"

84"

96"

42" D Boat Top

48" D Boat Top

Inscape - State of Connecticut Price List | Contract #16PSX0171 | November 2019

• Tables are true to size

- When manually specifying worksurface of Plastic
- Laminate or Veneer add suffix "-S" to the code

### NOTE

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWRND30 in Nuform Select with a Tapered Edge would be \$399 +\$39 +\$23

Product TWRND30 in Nuform Select with a 1" Straight Edge would be \$399 +\$39 -\$23

Product TWRND30-S in Veneer would be \$399 +\$317

	Part number	w	D	1.25" Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Grade 1 Iaminate Straight Edge only	Veneer 1.25" Straight Edge only
	TWRND30	30"	30"	\$399	+\$39	+\$23	-\$23	+\$128	+\$317
30" D Round Top									
	TWRND36	36"	36"	\$438	+\$43	+\$24	-\$25	+\$141	+\$506
36" D Round Top									
	TWRND42	42"	42"	\$609	+\$59	+\$31	-\$31	+\$196	+\$599
42" D Round Top									
	TWRND48	48"	48"	\$767	+\$78	+\$40	-\$40	+\$247	+\$741

48" D Round Top

- Requires 2 legs and 2 flush brackets
- Legs and brackets are not included. See Legs and Bases section
- Tables are true to size
- Grain direction runs from straight edge towards arc on the 42" W and 48" W surfaces
- Grain direction runs from side to side on the 60" W and 72" W surfaces
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider

#### NOTE

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

#### For example:

Product TWSC4221 in Nuform Select with a Tapered Edge would be \$439 +\$50 +\$27

Product TWSC4221 in Nuform Select with a 1" Straight Edge would be \$439 +\$50 -\$48

Product TWSC4221-S in Veneer would be \$439 +\$345

	Part number	w	D	1.25" Straight edge Nuform classic/ Iaminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Grade 1 laminate Straight Edge only	Veneer 1.25" Straight Edge only
	TWSC4221	42"	21"	\$439	+\$50	+\$27	-\$48	+\$142	+\$345
42" W Semi-circle Top									
	TWSC4824	48"	24"	\$547	+\$58	+\$29	-\$58	+\$176	+\$429
48" W Semi-circle Top									
	TWSC6030	60"	30"	\$762	+\$79	+\$38	-\$78	+\$245	+\$598
60" W Semi-circle Top									
	TWSC7236	72"	36"	\$975	+\$96	+\$44	-\$94	+\$313	+\$767

72" W Semi-circle Top

- Requires one post leg and 2 flush mount brackets
- Legs and brackets are not included. See Legs and Bases section
- Tables are true to size
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code

### NOTE

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWQC30 in Nuform Select with a Tapered Edge would be \$382 +\$40 +\$20


Product TWQC30 in Nuform Select with a 1" Straight Edge would be \$382 +\$40 -\$39

Product TWQC30-S in Veneer would be \$382 +\$300

 Part number	w	D	1.25" Straight edge Nuform classic/ Iaminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Grade 1 laminate Straight Edge only	Veneer 1.25" Straight Edge only
TWQC30	30"	30"	\$382	+\$40	+\$20	-\$39	+\$123	+\$300

30" D Quarter-circle Top

TWQC36	36"	36"	\$489	+\$50	+\$24	-\$48	+\$158	+\$384



- Tables are true to size
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider

### NOTE

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example:

Product TWTRAP3060 in Nuform Select with a 1" Straight Edge would be \$683 +\$68 -\$67

Product TWTRAP3060-S in Veneer would be \$683 +\$830

	Part number	w	D	1.25" Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Grade 1 laminate Straight Edge only	Veneer 1.25" Straight Edge only
	TWTRAP3060	60"	_	\$683	+\$68	-	-\$67	+\$220	+\$830
Trapezoid Top 30"x30"x60"									
	TWTRAP2448	48"	_	\$514	+\$52	_	-\$52	+\$165	+\$623
		10		<b>\$011</b>	1002		ΨŪĽ	10100	10020

Trapezoid Top 24"x24"x48"

- Tables are true to size
- Not available in tapered edge
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider
- When manually specifying worksurface of Plastic Laminate
- or Veneer add suffix "-S" to the code
- Pebble Top for use with 1 cylindrical table base only
- Rhombus Top for use with 2 cylindrical table bases only

### NOTE

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

#### For example:

Product TWHEXL3072 in Nuform Select with a 1" Straight Edge would be \$816 +\$83 -\$82

	Part number	w	D	1.25" Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Veneer 1.25" Straight Edge only
Hex Top	TWHEXL3072 left-handed	72"	30"	\$816	+\$83	-	-\$82	-
	TWHEXR3072 right-handed	72"	30"	\$816	+\$83	-	-\$82	-
$\bigcirc$	TWPEB3648	48"	36"	\$806	+\$81	-	-\$42	-
Pebble Top								
$\bigcirc$	TWROM4890	90"	48"	\$1759	+\$180	-	-\$169	-

Rhombus Top

- 60" & 72" W rectangular tops require a stretcher bar
- $\bullet$  78" W and over rectangular tops require a center leg
- 30" & 36" deep surfaces include power modules positioned 2" in from the back edge. 60" and 72" W have one module and 84" & 96" have two modules
- 42" & 48" deep surfaces include power modules centered front to back. 60" & 72" W have one module and 84" and 96" have two modules
- Stretcher bars are required for unsupported worksurfaces of 54" W or wider
- Rectangular Tops with Flip Up Power Module are not available in Nuform

#### NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

#### For example:

Product TWP3060-S in Veneer would be \$1465 +\$767

	Part number	w	D	1.25" Straight edge Nuform classic/ Iaminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Grade 1 laminate Straight Edge only	Veneer 1.25" Straight Edge only
$\sim$	TWP3060-S	60"	30"	\$1465	_	_	_	+\$470	+\$767
	TWP3072-S	72"	30"	\$1587	-	-	-	+\$509	+\$783
30" D Rectangular Top	TWP3084-S	84"	30"	\$1748	-	-	-	+\$561	+\$733
with power module	TWP3096-S	96"	30"	\$1910	—	_	-	+\$612	+\$696
$\sim$	TWP3660-S	60"	36"	\$1565	_	_	_	+\$502	+\$961
$\rightarrow$	TWP3672-S	72"	36"	\$1704	_	-	-	+\$546	+\$988
36" D Rectangular Top	TWP3684-S	84"	36"	\$1886	_	_	_	+\$605	+\$944
with power module	TWP3696-S	96"	36"	\$2104	_	-	-	+\$675	+\$869
~ ~ ~	TWP4260-S	60"	42"	\$1673	_	_	_	+\$537	+\$1188
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	TWP4272-S	72"	42"	\$1834	_	_	-	+\$588	+\$1229
42" D Rectangular Top	TWP4284-S	84"	42"	\$2041	-	-	-	+\$655	+\$1183
with power module	TWP4296-S	96"	42"	\$2291	_	_	_	+\$734	+\$1106
~ ~~	TWP4860-S	60"	48"	\$1798	-	-	_	+\$577	+\$1465
	TWP4872-S	72"	48"	\$1983	_	_	-	+\$635	+\$1523
48" D Rectangular Top	TWP4884-S	84"	48"	\$2220	_	-	-	+\$712	+\$1478
with power module	TWP4896-S	96"	48"	\$2508	_	_	-	+\$804	+\$1397

- Stretcher bars are required for unsupported worksurfaces of 54" W or wider
- When manually specifying worksurface of Plastic Laminate or Veneer add suffix "-S" to the code

NOTES

In order to get a total cost on products when an upcharge or downcharge is present you take the list price of the product number and add the upcharge or deduct the downcharge cost shown to the list price.

For example: Product TCTB2460 in Nuform Select would be \$609 +\$64

Product TCTB2460 in Nuform Select with a 1" Straight Edge would be \$609 +\$64 -\$62

	Part number	w	D	1.25" Straight edge Nuform classic/ laminate (base)	Nuform select	Nuform tapered edge	1" Straight edge Nuform	Grade 1 Iaminate Straight Edge only	Veneer 1.25" Straight Edge only
	TCTB2460	60"	24"	\$609	+\$64	_	-\$62	+\$196	_
	TCTB2466	66"	24"	\$668	+\$67	_	-\$67	+\$216	_
	TCTB2472	72"	24"	\$729	+\$79	-	-\$78	+\$234	_
Bullet Top	TCTB3060	60"	30"	\$761	+\$82	_	-\$81	+\$245	_
	TCTB3066	66"	30"	\$810	+\$84	_	-\$83	+\$261	-
	TCTB3072	72"	30"	\$911	+\$94	-	-\$93	+\$293	_
\bigcirc	TB2748	48"	27"	\$456	+\$64	-	-\$62	+\$148	-
Bean Top									
	TOM3048	48"	30"	\$609	+\$64	_	-\$62	+\$196	-
Oval Top									
	TCUR27405	40 ½"	27"	\$428	+\$46	-	-\$44	+\$137	-

Curved Rectangular Top

Tables Legs & Bases



work for ^{tomorrow}

- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colors. Accent paint colors have an upcharge.
- To adjust the height there are two bolts that unthread and then pull out so that inner leg can then move up of down
- Round caster legs recommended to b used 2 with a brake and 2 without

		Part number	н	D	Wt (lbs)	Neutral paint/ base price	Accent paint
1 Alexandre	"H" Leg	THLEG2428.5	28 ½"	24"	-	\$449	+\$47
	Fixed Height	THLEG3028.5	28 ½"	30"	_	\$473	+\$49
		THLEG3628.5	28 ½"	36"	-	\$489	+\$51

and the second s	"H" Leg	THLEG24-ADJ	28 ½"	24"	_	\$545	+\$56
	Manual Adjustable Height	THLEG30-ADJ	28 ½"	30"	_	\$568	+\$58
		THLEG36-ADJ	28 ½"	36"	-	\$586	+\$60
U							
A	"O" Leg	TOLEG2428.5	28 ½"	24"	_	\$373	+\$40
	Fixed Height	TOLEG3028.5	28 ½"	30"	-	\$385	+\$41
		TOLEG3628.5	28 ½"	36"	-	\$389	+\$41
9	Round Caster Leg	TRNDLEGCASTER	28 ½"	-	_	\$231	+\$25

- Height adjustable leg provides manual adjustability to five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colors. Accent paint colors have an upcharge.


	Part number	н	D	Wt (lbs)	Neutral paint/ base price	Accent paint
Post Leg Visual to match Height Adjustable Table launched June 2017	INPLAK28.5	28 1/2"	-	_	\$277	+\$29
Freestanding "C" Leg for 24"D worksurfaces Visual to match Height Adjustable Table launched June 2017	INLAKFLEG24LH left hand (illustrated) INLAKFLEG24RH right hand	28 ½" 28 ½"	-	_	\$321 \$321	+\$33 +\$33
Freestanding "C" Leg for 30"D worksurfaces Visual to match Height Adjustable Table launched June 2017	INLAKFLEG30LH left hand (illustrated) INLAKFLEG30RH right hand	28 ½" 28 ½"	-	_	\$326 \$326	+\$34 +\$34

- Height adjustable leg provides manual adjustability to
- five heights -25.5", 27", 28.5", 30", 31.5"
- Legs are available in any of Inscape's standard paint colors

		Part number	н	D	Wt (lbs)	Neutral paint/ base price	Accent paint
\sim	"C" Leg	TCLEG1828.5F	28 ½"	18"	7	\$356	+\$38
	Fixed Height						
\sim	"C" Leg	TCLEG18MLH	_	18"	8	\$441	+\$46
	Manual Adjustable Height Handed	TCLEG18MRH	_	18"	8	\$441	+\$46
Alter .	"L" Leg	TLLEG2428.5F	28 ½"	24"	7	\$362	+\$39
	Fixed Height	TLLEG3028.5F	28 1⁄2"	30"	7	\$375	+\$40
A Contraction of the second seco	"L" Leg Manual Adjustable Height Handed	TLLEG24MLH	_	24"	8	\$441	+\$46
		TLLEG24MRH	-	24"	8	\$441	+\$46
		TLLEG30MLH	-	30"	8	\$453	+\$47
		TLLEG30MRH	-	30"	8	\$453	+\$47

- Height adjustable leg provides manual adjustability to
- five heights -25.5", 27", 28.5", 30", 31.5" • Legs are available in any of Inscape's standard

paint colors



- Legs available in any of Inscape's standard paint colors (except cylindrical table base). Accent paint colors have an upcharge.
- Limited color options with Cylindrical Table Base
- Base only
- Cylindrical Table bases only for use with Round, Pebble, Racetrack and Rhombus Tops
- 2 Cylindrical Table bases required for Racetrack and Rhombus Tops

	Part number	н	Wt (lbs)	Neutral paint/ base price	Accent paint
"X" Table Base Top specified separately	TX-BASE30 For use with 30" and 36" W Round tops only	-	-	\$1187	+\$121
	TX-BASE36 For use with 42" and 48" W Round tops only	-	-	\$1223	+\$124

	Part number	н	White/ base price	Silver
Cylindrical Table Base Available in white & silver only Top specified separately	TCBASE-20	20"	\$1810	\$18
	TCBASE-28.5	28 ½"	\$1831	\$19
	TCBASE-42	42"	\$1861	\$21





work for ^{tomorrow}

Tables

- Link bracket is specified to link two tables together
- Stretcher bars are required to be specified with worksurfaces 54" and wider which do have any mid support
- Stretcher bars are 1 1/2" H

		Part number	Wt (lbs)	List price
	Table Link Bracket	LBRKT	-	\$68
000	Flush Bracket Kit of 2	INFB	0.2	\$16
Citize in the second	20" Flush Bracket	INFB20	1	\$24

		Part number	w	Wt (lbs)	Eco black	Painted
	Worksurface Stretcher Bar For use with worksurfaces 54" and wider	INSBK54 For use with 54" surface	44"	-	\$71	-
		INSBK60 For use with 60" surface	50"	-	\$105	-
		INSBK72 For use with 72" surface	62"	-	\$125	-
		INSBK84 For use with 84" surface	74"	-	\$150	-
		INSBK96 For use with 96" surface	86"	—	\$169	-

Tables

- Table mounted screens mount to worksurfaces
- It is recommended that the Adjustable Framed Table Mounted Screen is installed to allow 20" of visual privacy
- Freestanding Table Screen is made of 6mm thick frosted acrylic which is 13" H, seated in a painted aluminum extrusion, which can be painted any of Inscape's standard colors. This screen is 5" less in depth than depth of worksurface it will be placed on
- Table Mounted Screen/Modesty has 14" of the tackboard mounted above the surface and 13 ¹/₂" below

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product TMST3736 in Grade 3 Fabric would be \$562 +\$83

Product TSWTMS48 in Frosted Acrylic would be \$802 +\$95

	Part number	н	D	Wt (lbs)	Grade 1/ base price	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Accent paint
2	TMST3736	37"	36"	13	\$562	+\$53	+\$83	_	+ \$1 44	+\$267	+\$394	_	+\$58
	TMST3742	37"	42"	15	\$586	+\$54	+\$84	_	+\$144	+\$271	+\$398	_	+\$60
+	TMST3748	37"	48"	16	\$609	+\$59	+\$85	_	+\$145	+\$274	+\$402	_	+\$62
	TMST3754	37"	54"	18	\$630	+\$61	+\$90	—	+\$148	+\$282	+\$411	_	+\$64
	TMST3760	37"	60"	19	\$652	+\$66	+\$95	_	+\$148	+\$288	+\$421	_	+\$66

37" H Adjustable Framed Table Mounted Screen Tackable

	Part number	н	w	Grade A/ base price	Grade B/ COM	Grade C	Grade D	Grade E	Grade F	Accent paint
	INTMSF2948	29"	48"	\$1186	+\$168	+\$462	+\$895	+\$1078	+\$1472	+\$120
<u>م</u>	INTMSF2954	29"	54"	\$1203	+\$327	+\$639	+\$1083	+\$1290	+\$1811	+\$122
r	INTMSF2960	29"	60"	\$1284	+\$375	+\$723	+\$1209	+\$1439	+\$2013	+\$130

Table Mounted Screen/Modesty Tackable

P

	Part number	н	D	Wt (lbs)	Clear acrylic	White acrylic	Frosted acrylic
Table Mounted	TSWTMS48	20"	48"	4	\$802	+\$95	+\$95
Acrylic Screen	TSWTMS54	20"	54"	5	\$1258	+\$198	+\$198
	TSWTMS60	20"	60"	6	\$1458	+\$197	+\$197

	Part number	н	D	Wt (lbs)	Neutral paint/ base price	Accent paint
Freestanding Table Screen	TINSPS24	13"	19"	2	\$112	+\$14
	TINSPS30	13"	25"	2	\$156	+\$18
	TINSPS32	13"	28"	2	\$163	+\$18
	TINSPS36	13"	31"	2	\$169	+\$19

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Specify modesty panels 12" shorter then the surface length when being used with a Height Adjustable Table

Neutral paint/ base price	Accent paint
\$125	+\$15
\$128	+\$15
\$130	+\$15
\$133	+\$16
\$136	+\$16
\$140	+\$16
\$147	+\$17
\$149	+\$17
\$151	+\$17
\$154	+\$18
\$156	+\$18
\$158	+\$18
\$160	+\$18
\$161	+\$18
\$164	+\$19
	base price \$125 \$128 \$130 \$133 \$136 \$140 \$147 \$147 \$149 \$151 \$154 \$155 \$158 \$158 \$160 \$161

 \leq

Tables

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Specify modesty panels 12" shorter then the surface length when being used with a Height Adjustable Table
- The Nuform option has a gray backer
- The laminate option is laminate on both sides with a self edge
- The veneer option is veneer on both sides with a self edge

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Nuform

Product TMDPNW30 in Veneer would be \$288 +\$139

		Part number	н	w	classic/ laminate/ base price	Nuform select	Grade 1 Iaminate	Veneer	Accent paint
	Wood Core Partial Height	TMDPNW30	13.5"	30"	\$288	+\$32	+\$93	+\$139	+\$30
Constant of Constant of Constant	Modesty Panel	TMDPNW33	13.5"	33"	\$308	+\$34	+\$99	+\$139	+\$32
		TMDPNW36	13.5"	36"	\$316	+\$36	+\$102	+\$154	+\$33
		TMDPNW39	13.5"	39"	\$353	+\$40	+\$115	+\$136	+\$38
6 7 .00		TMDPNW42	13.5"	42"	\$360	+\$41	+\$117	+\$153	+\$39
		TMDPNW45	13.5"	45"	\$369	+\$42	+\$120	+\$166	+\$40
		TMDPNW48	13.5"	48"	\$375	+\$43	+\$121	+\$190	+\$40
		TMDPNW51	13.5"	51"	\$411	+\$46	+\$132	+\$175	+\$44
		TMDPNW54	13.5"	54"	\$418	+\$47	+\$134	+\$196	+\$44
		TMDPNW57	13.5"	57"	\$428	+\$48	+\$137	+\$209	+\$45
		TMDPNW60	13.5"	60"	\$449	+\$50	+\$146	+\$209	+\$47
		TMDPNW63	13.5"	63"	\$524	+\$58	+\$168	+\$157	+\$54
		TMDPNW66	13.5"	66"	\$546	+\$61	+\$176	+\$157	+\$56
		TMDPNW69	13.5"	69"	\$566	+\$63	+\$183	+\$158	+\$58
		TMDPNW72	13.5"	72"	\$589	+\$65	+\$190	+\$165	+\$60
		TMDPNW75	13.5"	75"	\$656	\$656	+\$211	+\$121	+\$66
		TMDPNW78	13.5"	78"	\$661	+\$74	+\$213	+\$139	+\$67
		TMDPNW81	13.5"	81"	\$668	+\$75	+\$216	+\$153	+\$67
		TMDPNW84	13.5"	84"	\$672	+\$75	+\$217	+\$170	+\$68
		TMDPNW87	13.5"	87"	\$678	+\$76	+\$219	+\$186	+\$68
		TMDPNW90	13.5"	90"	\$682	+\$76	+\$220	+\$201	+\$70

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Specify modesty panels 12" shorter then the surface length when being used with a Height Adjustable Table

	detailed applications					
		Part number	н	w	Neutral paint/ base price	Accent paint
	Acrylic Partial Height	TMDPNA30	13.5"	30"	\$472	_
	Modesty Panel	TMDPNA33	13.5"	33"	\$476	_
		TMDPNA36	13.5"	36"	\$484	-
		TMDPNA39	13.5"	39"	\$489	_
		TMDPNA42	13.5"	42"	\$495	-
		TMDPNA45	13.5"	45"	\$506	-
		TMDPNA48	13.5"	48"	\$511	-
		TMDPNA51	13.5"	51"	\$533	-
		TMDPNA54	13.5"	54"	\$557	-
		TMDPNA57	13.5"	57"	\$578	_
		TMDPNA60	13.5"	60"	\$608	_
		TMDPNA63	13.5"	63"	\$635	_
		TMDPNA66	13.5"	66"	\$666	_
		TMDPNA69	13.5"	69"	\$693	-
		TMDPNA72	13.5"	72"	\$724	_
		TMDPNA75	13.5"	75"	\$737	-
		TMDPNA78	13.5"	78"	\$754	_
		TMDPNA81	13.5"	81"	\$769	-
		TMDPNA84	13.5"	84"	\$786	-
		TMDPNA87	13.5"	87"	\$802	-
		TMDPNA90	13.5"	90"	\$819	_
	Frame Frosted Acrylic	TMDPNG30	13.5"	30"	\$707	+\$73
and a state of the	Partial Height Modesty	TMDPNG33	13.5"	33"	\$732	+\$76
	Panel	TMDPNG36	13.5"	36"	\$754	+\$78
		TMDPNG39	13.5"	39"	\$777	+\$81
		TMDPNG42	13.5"	42"	\$800	+\$83
		TMDPNG45	13.5"	45"	\$824	+\$85
		TMDPNG48	13.5"	48"	\$846	+\$87
		TMDPNG51	13.5"	51"	\$871	+\$89
		TMDPNG54	13.5"	54"	\$894	+\$91
		TMDPNG57	13.5"	57"	\$915	+\$93
		TMDPNG60	13.5"	60"	\$940	+\$96
		TMDPNG63	13.5"	63"	\$1095	+\$112
		TMDPNG66	13.5"	66"	\$1118	+\$114
		TMDPNG69	13.5"	69"	\$1142	+\$116
		TMDPNG72	13.5"	72"	\$1165	+\$119
		TMDPNG75	13.5"	75"	\$1188	+\$121
		TMDPNG78	13.5"	78"	\$1210	+\$123
		TMDPNG81	13.5"	81"	\$1234	+\$125
		TMDPNG84	13.5"	84"	\$1256	+\$127
		TMDPNG87	13.5"	87"	\$1282	+\$129
		TMDPNG90	13.5"	90"	\$1304	+\$131

Tables

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Specify modesty panels 12" shorter then the surface length when being used with a Height Adjustable Table
- The Nuform option has a gray backer
- The laminate option is laminate on both sides with a self edge

- The veneer option is veneer on both sides with a self edge
- Nuform finish is on one side with white backer

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product TMDFHPNW30 in Veneer would be \$371 +\$235

		Part number	н	w	Nuform classic/ laminate/ base price	Nuform select	Grade 1 laminate	Veneer	Accent paint
	Wood Core Full Height	TMDFHPNW30	24"	30"	\$371	+\$42	+\$120	+\$235	+\$40
- Contraction of the local division of the l	Modesty Panel	TMDFHPNW33	24"	33"	\$404	+\$46	+\$130	+\$240	+\$43
		TMDFHPNW36	24"	36"	\$412	+\$46	+\$133	+\$269	+\$44
		TMDFHPNW39	24"	39"	\$471	+\$53	+\$152	+\$253	+\$49
		TMDFHPNW42	24"	42"	\$480	+\$54	+\$155	+\$282	+\$50
		TMDFHPNW45	24"	45"	\$430	+\$48	+\$139	+\$372	+\$45
		TMDFHPNW48	24"	48"	\$500	+\$56	+\$161	+\$350	+\$52
		TMDFHPNW51	24"	51"	\$618	+\$68	+\$199	+\$271	+\$63
		TMDFHPNW54	24"	54"	\$629	+\$71	+\$202	+\$311	+\$64
		TMDFHPNW57	24"	57"	\$637	+\$71	+\$204	+\$340	+\$65
		TMDFHPNW60	24"	60"	\$655	+\$73	+\$211	+\$364	+\$66
		TMDFHPNW63	24"	63"	\$682	+\$76	+\$220	+\$373	+\$70
		TMDFHPNW66 TMDFHPNW69	24" 24"	66" 69"	\$700 \$700	+\$78	+\$225	+\$395	+\$71
		TMDFHPNW89	24 24"	69 72"	\$720 \$734	+\$80 +\$82	+\$231 +\$236	+\$415 +\$450	+\$75 +\$76
		TMDFHPNW72	24 24"	75"	\$734 \$838	+\$02	+\$269	+\$450	+\$76
		TMDFHPNW78	24"	78"	\$844	+\$94	+\$271	+\$303	+\$87
		TMDFHPNW81	24"	81"	\$849	+\$94	+\$272	+\$453	+\$87
		TMDFHPNW84	24"	84"	\$855	+\$95	+\$274	+\$485	+\$88
		TMDFHPNW87	24"	87"	\$860	+\$95	+\$276	+\$520	+\$88
		TMDFHPNW90	24"	90"	\$869	+\$96	+\$279	+\$549	+\$89

- Modesty panels are available in a variety of materials and mounting options correspond with each variety
- Modesty panels mount to the underside of worksurface and are field installed
- See Application Guide for specific dimension detailed applications
- All hardware included
- Specify modesty panels 12" shorter then the surface length when being used with a Height Adjustable Table



	1		I I	1	1
	Part number	н	w	Neutral paint/ base price	Accent paint
Framed Frosted Acrylic	TMDFHPNG30	24"	30"	\$844	+\$87
Full Height Modesty Panel	TMDFHPNG33	24"	33"	\$877	+\$90
	TMDFHPNG36	24"	36"	\$910	+\$93
	TMDFHPNG39	24"	39"	\$945	+\$96
	TMDFHPNG42	24"	42"	\$976	+\$99
	TMDFHPNG45	24"	45"	\$1011	+\$102
	TMDFHPNG48	24"	48"	\$1044	+\$106
	TMDFHPNG51	24"	51"	\$1077	+\$110
	TMDFHPNG54	24"	54"	\$1111	+\$113
	TMDFHPNG57	24"	57"	\$1143	+\$116
	TMDFHPNG60	24"	60"	\$1177	+\$120
	TMDFHPNG63	24"	63"	\$1343	+\$135
	TMDFHPNG66	24"	66"	\$1377	+\$139
	TMDFHPNG69	24"	69"	\$1409	+\$142
	TMDFHPNG72	24"	72"	\$1444	+\$147
	TMDFHPNG75	24"	75"	\$1475	+\$150
	TMDFHPNG78	24"	78"	\$1510	+\$154
	TMDFHPNG81	24"	81"	\$1544	+\$157
	TMDFHPNG84	24"	84"	\$1574	+\$160
	TMDFHPNG87	24"	87"	\$1609	+\$163
	TMDFHPNG90	24"	90"	\$1639	+\$166

۰.

Tables

- Grommets must be field installed
- Round Grommet = 2" diameter
- Rectangular Grommet = 3" x 5.25"
- Clamp on Power Modules have white inserts and a 72" long power cord. It attaches to 1" and 1 ¼" thick worksurfaces
- All electrical components on this page are field installed

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example: Product PLNGRKIT in Stainless Steel would be \$192 +\$78

	Part number	Dimensions	List/ base price	Black	White	Silver	Stainless steel
Grommet Sleeve & Cover Kit	PLNGRKIT	5 1⁄4"	\$192	+\$0	-	-	+\$78
Worksurface Grommet-PVC Sleeve & CAP	GROMMET-WS	-	\$16	+\$0	-	-	-
	Part number	н	w	D	Wt (lbs)		List price
Clamp-on Power Module 2 receptacles/2 voice/data ports	PVDMODTC	-	-	-	-		\$480
Clamp-on Power Module 1 receptacle/1 dual USB port	PVDMODTC-1P1U	-	-	-	-		\$519
Clamp-on Power Module 3 receptacle/1 dual USB port	PVDMODTC-3P1U	-	-	-	-		\$585

- Flip-up Power & Data Module is finished with a clear anodized aluminum with white inserts and a 72" long power cord
- Mini Tap and Flip-up Module include clips and screws for basic wire management
- All electrical components on this page are field installed when specified separately from a table

		Part number	н	w	D	Wt (lbs)	List price
BARA CONTRACT	Flip-up Power & Data Module 2 outlets + 1 dual USB + 1 data	PVDMODFL	-	_	_	-	\$835
	Mini Tap Undermount Power Module available in black only	PVDMODSMT-1P1U Single Configuration: 1 Power + 1 USB	-	-	-	-	\$342
\$3		PVDMODDMT-1P1U Double Configuration: 1 Power + 1 USB (2 paired units)	-	-	-	-	\$670
	Flip-up Power & Data Module available in matte black, matte white and aluminium	PVDMODS-2P1U1D Single Configuration: 2 outlets + 1 duplex USB + 1 data	-	-	-	-	\$464
		PVDMODD-2P1U1D Double Configuration: 2 outlets + 1 duplex USB + 1 data (2 paired units)	-	-	-	-	\$904

Ъ

- Wire Management clips are white and attach by double sided tape which is included
- Cable Management Tray (INCMTXX) is available in two
- lengths, painted Eco Black and includes mounting hardware
- The cable drop has an optional 7' sleeve that is available in black, white, gray and beige

	Part number	w	Wt (lbs)	List price
Mesh Cable Management Tray Silver	TWMTRAY	28"	-	\$123

0	Cable Management Tray	INCMT18	18"	-	\$33
for		INCMT30	30"	_	\$43
log 1					

	Part number	w	Wt (lbs)	No cable sleve/ neutral paint/ base price	With cable sleeve	Accent paint
Cable Drop for use with both standing height and meeting tables with O legs	ТWСМ	-	-	\$55	+\$155	+\$7

Wing Price List

November 2019





work for tomorrow





work for ^{tomorrow}

- · Seated privacy
- Panels have horizontal plywood finish on interior and • exterior in Clear Maple only
- · Interior of panels include optional partial height fabric layer
- Node Power Module is available in black or white and is configured to include 1 outlet + 1 USB outlet
- When power optioned, (1) power module per surface and a wire manager are included
- Wire manager is concealed below the worksurface
- Worksurfaces are 1 1/4" thick ٠
- · Worksurface support brackets are available in all standard paint colours. Accent paint colours have an upcharge.

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INPDSA4860LH in a Grade 1 Laminate with optional power and Grade C fabric layer would be \$7725 +\$106 +\$317 +\$90

<i>[</i>		

Solo Angled Wing In-surface Node Power Module optional

					w	orksurface f	inish options	5	Power of	ptions	
Part number	н	w	D	List/base	Nuform classic straight edge/ laminate	Nuform select	Nuform tapered edge	Grade 1 Iaminate	No power	Power	Accent paint upcharge
INPDSA4860LH 24"d x 42"w worksurface left side opening (illustrated)	51"	48"	60"	\$7725	+\$0	+\$34	+\$17	+\$106	+\$0	+\$317	+\$21
INPDSA4860RH 24"d x 42"w worksurface right side opening	51"	48"	60"	\$7725	+\$0	+\$34	+\$17	+\$106	+\$0	+\$317	+\$21

Fabric layer options

Product number	No fabric layer	Grade A	Grade B/COM	Grade C	Grade D	Grade E	Grade F
INPDSA4860LH	-\$707	+\$0	+\$71	+\$90	+\$110	+\$122	+\$140
INPDSA4860RH	-\$707	+\$0	+\$71	+\$90	+\$110	+\$122	+\$140

- Seated privacy
- Panels have horizontal plywood finish on interior and exterior in Clear Maple only
- Interior of panels include optional partial height fabric layer
- Node Power Module is available in black or white and is configured to include 1 outlet + 1 USB outlet
- When power optioned, (1) power module per surface and a wire manager are included
- Wire manager is concealed below the worksurface
- Worksurfaces are 1 1/4" thick
- Worksurface support brackets are available in all standard paint colours. Accent paint colours have an upcharge.

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INPDBBA48120 in a Grade 1 Laminate with optional power and Grade C fabric layer would be \$12360 +\$211 +\$633 +\$161

					W	orksurface f	inish options	s	Power o	ptions	
Part number	н	w	D	List/base	Nuform classic straight edge/ laminate	Nuform select	Nuform tapered edge	Grade 1 Iaminate	No power	Power	Accent paint upcharge
INPDBBA48120	51"	48"	120"	\$12360	+\$0	+\$68	+\$33	+\$211	+\$0	+\$633	+\$42
24"d x 42"w worksurface											



Solo Shared Back to Back Angled Wing In-surface Node Power Module optional

Fabric layer options

Product number	No fabric layer	Grade A	Grade B/COM	Grade C	Grade D	Grade E	Grade F
INPDBBA48120	-\$1182	+\$0	+\$125	+\$161	+\$195	+\$218	+\$249





work for ^{tomorrow}

- Wing Shelf has painted metal support with Nuform or Laminate self surface. Metal components are available in any of Inscape's standard paint finishes. Accent paint colours have an upcharge.
- Wing Shelf/Bin combination unit has one piece metal construction and is available in any of Inscape's standard paint finishes. Accent paint colours have an upcharge.
- Wing Sign with Hook, Hook and Worksurface Undermount Bin are available in any of Inscape's standard paint finishes. Accent paint colours have an upcharge.
- Recommendations for signage: the sign is all metal and could be painted using whiteboard paint or a vinyl decal could be applied (not included)

NOTES

In order to get a total cost on products when upcharges are present take the list price of the product number and add the upcharge cost shown to the list price.

For example:

Product INPDASHELF in a Grade 1 Laminate would be \$146 +\$28

	Part number	н	w	D	List/base	Nuform classic /laminate	Nuform select	Grade 1 Iaminate	Grade 2 Iaminate	Accent paint
8	INPDASHELF	-	18"	6 ¾"	\$146	+\$0	+\$13	+\$28	+\$56	+\$21
8										
Al l										

Wing Shelf

	Part number	н	w	D	List price	Accent paint
Wing Shelf/Bin	INPDASHLFBIN	10"	18"	6"	\$272	+\$42
Wing Sign with Hook	INPDASIGN	6"	4"	-	\$52	+\$21
Wing Hook	INPDAHOOK	1 1⁄2"	1 1⁄2"	-	\$42	+\$21

		Part number	н	w	D	List price	Accent paint
2	Wing Whiteboard	INPDAWHTBRD	18"	18"	-	\$62	_
	Wing Worksurface Undermount Bin	INPDAWSUMBIN	12 ℁"	9 1⁄3"	12"	\$127	+\$42



November 2019



INSCAPE SYSTEM FRAMES

Inscape System frames are powder-coated in scuffresistant Eco-black epoxy. Clips, plates, plugs and bracketry are finished in black.

TRIMS

Trims are available epoxy powder-coated in a smooth or textured finish. In Addition, veneer trim is available in the same applications.

WORKSURFACES

Worksurfaces are available in Nuform Classic, Nuform Select, Laminate and Veneer.

NUFORM

Nuform is a themofoil sheet that is continuously bonded to an MDF substrate. The sheet is surface-coated with a scratch resistant film. The underside of the worksurface is finished with low-pressure melamine. Nuform worksurfaces have optional pencil grove. No edge banding is required with Nuform because of its unique design, which wraps the foil to the underside of the wordsurface. This eliminates the need for edge banding. Nuform is also available on tiles (ensure the application is reviewed for rules).

NUFORM CLASSIC

Colorways	Product code
Sandstone	F123
Frosty White	F127
Designer White	F129
Calm Grey	F131
Pitch Black	F132
Honey Brown	F09
Espresso	F38
Swiss Elm	F40
Blonde Maple	F42

NUFORM SELECT

Colorways	Product code
Rustic Plank	F45
English Walnut	F46
Natural Plywood	F47
Nordic Ash	F48
Ink Thread	F49
Rose Gold Thread	F50
Copper Thread	F51
Fossil Slab	F52
Pearl Slab	F53
Stark Slab	F54
Alabaster Sandstone	F55
Aurora Marble	F56
Pure Oak	F57
Holland Hickory	F58
Essential Oak	F59

LAMINATE

Laminate is bonded to 1.25" thick particleboard. The underside of the worksurface is finished with a wood-fiber veneer backer. Worksurfaces specified with a laminate finish include a 2mm edge banding in a coordinating color. Plastic laminate tops do not have optional pencil groove.

Standard laminate finishes are prefixed with 'LCC' and standard low laminate storage finishes are prefixed with 'MCC'.

Code legend:

LLC	= HPL with matching edge band
L1C	= HPL with matching or plywood edge band
OCC	= HPL with self edge
01C	= HPL with self edge

MCC = LPL with matching edge band

Colorways	Product code	Edge color
Wild Cherry	LCC01	Rustic Cherry
Maple	LCC02	Fusion Maple
White	LCC07	Designer White
Pumice	LCC08	Beige
Antique White	LCC09	Warm White
Gray	LCC12/ MCC009	Folk Stone
Madagascar	LCC14	Madagascar
Asian Sand	LCC15	Asian Sand
River Cherry	LCC16	River Cherry
Wenge	LCC17	Wenge
Elegant White	LCC19	Frosty White
Neowalnut	LCC23	Neowalnut
Mangalore Mango	LCC29	Mangalore Mango
Pearwood	LCC30	Pearwood
Black	LCC33/ MCC012	Black
Walnut Heights	LCC35	Walnut Heights
Studio Teak	LCC36	Studio Teak
Slate Gray	LCC41	Slate Gray
Raven	LCC42	Raven
Dalia	LCC43/ MCC007	Dalia
Mimosa	LCC44/ MCC008	Mimosa
Inspiration	LCC45/ MCC010	Inspiration
Nova White	LCC46/ MCC001	Designer White
Storm	LCC47/ MCC011	Storm

1		
Colorways	Product code	Edge color
White Lace	LCC48/ MCC013	White Lace
Chill	LCC49/ MCC014	Chill
Haze	LCC51/ MCC016	Haze
Dover White	LCC52	Dover White
Graphite	LCC53	Graphite

LCC-18 is available but is reserved for exsiting customers due to its different edge banding.

GRADE 1 LAMINATE

Colorways	Product code	Edge color
Elegant White	L1C001 Plywood	
Black	L1C002	Plywood
Slate Gray	L1C003	Plywood
Raven	L1C004	Plywood
White Ash	L1C005	White Ash
Weathered Ash	L1C006	Weathered Ash
Finnish Oak	L1C007	Finnish Oak
Fawn Cypress	L1C008	Fawn Cypress

GRADE 2 LAMINATE

Colorways	Product code	Edge color	
Natural Grain	L2C001	Natural Grain	

VENEER

Veneer thickness is 0.025". Overall thickness of the tops is 1.25". The stain color is permeated throughout the veneer for color consistency. The open pore veneer is clear coated with a lacquer utilizing a multi-step process and has a gloss value of 45° when dry. Tops are constructed utilizing 45 lbs density particle board with an engineered balanced backer for structural integrity. Tops are edged in 3mm thick same species veneer and do not include a pencil groove. Grain direction on tiles and storage fronts is vertival. Direction on worksurfaces is along the length. Available in Natural and Composite.

COMPOSITE VENEER

For worksurfaces, tiles and storage fronts.

Colorways	Product code
Cherry	VC001
Maple	VC002
Wenge	VC003

Composite veneer is the only option when veeneer is available on trim and connecors.

NOTE: Veneer is not available as on transaction top trim and Add on Glaze trim.

NATURAL VENEER*

Colorways	Product code
Natural Cherry	VN001
Standard Cherry	VN002
Natural Maple	VN003
Cape Coast Walnut	VN004
Natural Walnut	VN005

*Natural Veneer finishes are not available on tiles and storage fronts.

NOTE: Custom stains on veneers are available at an additional 20% upcharge and extra lead time. Due to the natural variations of wood products, Inscape can not guarantee the exact matching of color or grain patterns.

PLYWOOD

Is currently only available on the Inscape Bench wood worksurface mounted screens, upmount shelf screen and Wing.

Colorways	Product code
Clear Coat Maple	VP001

WOOD LEGS

These legs are available on Inscape Bench, Tables Collection and Wing.

Colorways	Product code
Clear Oak	CLROAK
Black Oak	BLKOAK
Clear Maple	CLRMPL

ACRYLIC

Colorways	Product code
Clear	CA
Frosted	FA
White	WH

POLYCARBONATE

Colorways	Product code
Clear	CP
White	WP

GLASS

Colorways	Product code
Clear	CL
Etched 1 Side	ET1
Etched 2 Sides	ET2
Grey	GRY

TILES

Inscape System and Bench tiles are available fabric wrapped, epoxy powder coated, in Nuform and veneer finishes. Nuform tiles may be specified in finishes same as worksurfaces. Grain direction in Nuform and veneer is vertical. Tiles may be covered with our standard fabrics, or covered with COM. Use of any COM must be approved by Inscape prior to acceptance of order. Refer to "Conditions of Sale, Orders involving Customer's Own Material (COM)". Fabrics with an asterisk* below, as well as any transparent (typically light colored) COM fabrics, will be subject to an upcharge due to additional costs associated with the manufacturing of the tile to eliminate transparency. The upcharge is included in specification tools, or through your Client Services Representative.

Fabric wrapped tiles, including tackable tiles, are available in a variety of standard fabrics as well as COM. COM fabrics are subject to approval. White or extremely light colored COM fabrics will incur an upcharge of 25% to the tile pricing with which the fabric is being applied. This is due to special handling of the fabric and tiles, in addition to painting of the tiles. Light colored fabrics include; but are not limited to:

ANCHORAGE

Part of the Focus Fabric Collection

Colorways	Product code
White	U1437

OFF THE GRID

Colorways	Product code
Lava	U3110
Steam	U3112
Thermal	U3113
Solar	U3114
Fossil	U3116
Earthglow	U3117

GAMUT

Colorways	Product code
Chalk	U3300
Mist	U3338
Pumice	U3339
Pebble	U3340

Fabric patterns which are available in 54" and 55" width both have limitations on the sizes of tiles available. When being applied "Off the Blot" tile sizes longer than 42" are not available.

Patterns include: Gamut

GRADE 1 FABRICS ANCHORAGE

Colorways	Product code
Green Apple	U1400
Red Delicious	U1401
Onyx	U1402
Slate	U1403
Amber	U1404
Willow	U1405
Flax	U1406
Angora	U1407
Green Olive	U1412
Goose	U1413
Cumin	U1414
Deep Water	U1415
Quarry Blue	U1416
Midnight	U1417
Sunshine	U1419
Asteroid	U1421
Coffee Bean	U1425
Geranium	U1426
Thistle	U1427
Chocolate	U1431
Lapis	U1432
Vanilla	U1434
Pumpkin	U1435
Wolf	U1436
White	U1437

NETIQUETTE

Colorways	Product code
Bitmap	U1350
Chipset	U1351
Dashboard	U1352
Analog	U1353
Schema	U1354
Inkjet	U1355
Vector	U1356
Gamma	U1357
Refresh	U1358
Pixel	U1359

PEBBLE

Colorways	Product code
Sindari	U1535
Nice	U1536
Waikiki	U1537
Siesta	U1538
South Beach	U1539
Schoolhouse	U1540
Mabua	U1541
Langkawi	U1542
Tenerife	U1543
Cape Cod	U1544
Maybay	U1545
Surfers Paradise	U1546
Negril	U1547
Papakolea	U1548
Chesil	U1549
Red Beach	U1550
Copacabana	U1551

WHISPER

WHISFEN			
Colorways	Product code		
Dim	U1485		
Ambience	U1486		
Silence	U1487		
Tranquility	U1488		
Hush	U1489		
Zen	U1490		
Stillness	U1491		
Mute	U1492		
Serenity	U1493		
Quiet	U1494		
Muffle	U1495		
Cloud	U1496		
Lull	U1497		
Reserve	U1498		
Реер	U1499		
Baffle	U1500		
Mellow	U1501		
Placid	U1502		
Chant	U1503		
Secret	U1504		
Mum	U1505		
Undertone	U1506		
Mystery	U1507		
Spirit	U1508		

GRADE 1 FABRICS (Continued) **MEANDER**

Colorways	Product code
Sandshell	U1061
Overcast	U1062
Agate Taupe	U1063
Nightshadow	U1064

UNIVERSE

Colorways	Product code
Crème Brulee	U1000
Grey Mist	U1001
Wheat	U1002
Seneca	U1003
Milkyway	U1004
Mica	U1005
Cosmic	U1006
Depth	U1007

QUATTRO

	QUAITINO	
	Colorways	Product code
	Chalk	U1889
	Deep Crimson	U1890
	Golden Orange	U1891
	Granite	U1892
	Hibiscus	U1893
	Honeycomb	U1894
	Khaki	U1895
	Laguna	U1896
	Leaf	U1897
	Mallard	U1898
	Mercury	U1899
	Midnight Blue	U1900
	Pumice	U1901
	Skyway	U1902
	Spring Green	U1903
	Umber	U1904
	Wheat	U1905

CROSS CHECK

Colorways	Product code
Biscuit	U1552
Blue Ribbon	U1553
Bottle	U1554
Dove	U1555
Evergreen	U1556
Imperial	U1557
Lime	U1558
Marine	U1559
Otter	U1560
Paradise	U1561
Peacock	U1562
Platinum	U1563
Plumberry	U1564
Red Baron	U1565
Slate Black	U1566
Stone	U1567
Sunshine	U1568
Taupe	U1569
Vermillion	U1570

GRADE 2 FABRIC CAMEO

•••••	
Colorways	Product code
Almond	U2110
Metal	U2111
Ivory	U2112
Coffee	U2113
Smoke	U2114
Stone	U2115
Mist	U2116

PRONTO SOLID

Colorways	Product code
Drift	U1200
Windblown	U1201
Erosion	U1202
Clear Sky	U1210
Raven	U1215
Darkness	U1220
Breeze	U1280

PUNCH CARD

Colorways	Product code
Alabaster	U2060
Carbon	U2061
Putty	U2062
Silver Lining	U2063
Crisp	U2064
Sky	U2065
Crimson	U2066
Orange	U2067
Navy	U2068
Cadet	U2069
Burgundy	U2070
Peat	U2071
Abyss	U2072

CURTAIN CALL

Colorways	Product code
Latte	U2100
Desert	U2101
Dove	U2102
Pebble	U2103
Tawny	U2104
Sea	U2105

PROVERB

Colorways	Product code
Anchor	U1740
Armor	U1741
Basalt	U1742
Buff	U1743
Cinder	U1744
Crystal	U1745
Linen	U1746
Mist	U1747
Oyster	U1748
Rye	U1749
Steel	U1750
Storm	U1751

GRADE 2 FABRIC (Continued) **PACT**

Colorways	Product code
Putty	U2175
Calla	U2176
Eureka	U2177
Lime	U2178
Coastal	U2179
Nectar	U2180
Dragon	U2181
Toasty	U2182
Fern	U2183
Azure	U2184
Delft	U2185
Rubine	U2186
Taupe	U2187
Dove	U2188
Aloe	U2189
Harbour	U2190
Tanzanite	U2191
Roma	U2192
Lily	U2193
Sketch	U2194
Patina	U2195
Roast	U2196
Midnight	U2197

SCRIPT

Colorways	Product code
Almond	U1752
Charcoal	U1753
Feldspar	U1754
Flint	U1755
Nectar	U1756
Patina	U1757
Pebble	U1758
Sand	U1759
Shadow	U1760
Slate	U1761
Sterling	U1762
Taupe	U1763
Zinc	U1764

GLINT

Colorways	Product code
Barley	U1658
Caspian	U1659
Column	U1660
Gobi	U1661
Gypsum	U1662
Note	U1663
Pearl	U1664
Pumice	U1665
Relic	U1666
Rune	U1667
Serene	U1668
Shale	U1669
Sisal	U1670
Turret	U1671
Vera	U1672

GRADE 3 FABRIC DASHING

Colorways	Product code
Antique Sage	U3180
Bespoke Tan	U3181
Dapper Grey	U3182
Genteel Beige	U3183
Polish Slate	U3184
Refine Marble	U3185
Classic Silver	U3186

OFF THE GRID

Colorways	Product code
Lava	U3110
Flora	U3111
Steam	U3112
Thermal	U3113
Solar	U3114
Woodchip	U3115
Fossil	U3116
Earthglow	U3117
Hydro	U3118
Flame	U3119
Tidal	U3120

GAMUT

GAMOT	
Colorways	Product code
Chalk	U3300
Nutmeg	U3303
Mango	U3308
Cherry	U3313
Port	U3314
Cerulean	U3317
Pool	U3318
Macaw	U3319
Deep Ocean	U3320
Spruce	U3321
Navy	U3322
Ink	U3323
Olive	U3326
Concord	U3334
Solar	U3335
Persimmon	U3337
Mist	U3338
Pumice	U3339
Pebble	U3340

GRADE 3 FABRIC (Continued) MILLENNIUM

Colorways	Product code
Aglow	U1628
Amber	U1629
Anchor	U1630
Cascade	U1631
Cavern	U1632
Cerise	U1633
Clean	U1634
Coastal	U1635
Copper	U1636
Crisp	U1637
Electric	U1638
Geode	U1639
Lush	U1640
Mocha	U1641
Monument	U1642
Nector	U1643
Onyx	U1644
Orchid	U1645
Peridot	U1646
Plateau	U1647
Pool	U1648
Pyrite	U1649
Safari	U1650
Sapphire	U1651
Spark	U1652
Steel	U1653
Tanzanite	U1654
Thrill	U1655
Voyage	U1656
Zinc	U1657

ODYSSEY

Colorways	Product code
Alloy	U1765
Amp	U1766
Breeze	U1767
Captain	U1768
Carbon	U1769
Cedar	U1770
Craft	U1771
Cruise	U1772
Dijon	U1773
Eggplant	U1774
Emerald	U1775
Fossil	U1776
Ink	U1777
Inlet	U1778
Iris	U1779
Kiss	U1780
Linen	U1781
Lively	U1782
Maritime	U1783
Nettle	U1784
Oliver	U1785
Opaque	U1786
Primary	U1787
Roast	U1788
Rue	U1789
Sangria	U1790
Skim	U1791
Smith	U1792
Tinge	U1793
Western	U1794

GRADE 3 FABRIC (Continued) **TRADITION**

Colorways	Product code
Ash	U1795
Branch	U1796
Class	U1797
Distant	U1798
Flirt	U1799
Frond	U1800
Grain	U1801
Hedge	U1802
Hidden	U1803
Isle	U1804
Jazz	U1805
Kelly	U1806
Latte	U1807
Malbec	U1808
Miller	U1809
Mist	U1810
Peel	U1811
Plated	U1812
Regal	U1813
Sly	U1814
Soar	U1815
Soy	U1816
Spiced	U1817
Sprout	U1818
Sterling	U1819
Sun	U1820
Tango	U1821
Theater	U1822
Wash	U1823
Weld	U1824

BEEHAVE

Colorways	Product code
Azure	U1825
Black	U1826
Carnelian	U1827
Clementine	U1828
Concord	U1829
Currant	U1830
Gris	U1831
Java	U1832
Lapis	U1833
Lemon	U1834
Pear	U1835
Pine	U1836
Plum	U1837
Slate	U1838

CADENCE

Colorways	Product code
Citrine	U1863
Coral	U1864
Garnet	U1865
Jade	U1866
Jet	U1867
Lapis	U1868
Opal	U1869
Pearl	U1870
Peridot	U1871
Quartz	U1872
Ruby	U1873
Sapphire	U1874
Тораz	U1875
Turquoise	U1876

GRADE 3 FABRIC (Continued) **OPTIC**

Colorways	Product code
Ash	U1907
Brown Bear	U1908
Coal	U1909
Elephant	U1910
Fieldstone	U1911
Green Apple	U1912
Mulberry	U1913
Mushroom	U1914
Ocean	U1916
Red	U1917
Springtime	U1918
Sunrise	U1919
Tangerine	U1920
Yale	U1921

GRADE 4 FABRIC No fabrics fall into this grade at this time.

PRISM

Colorways	Product code
Alabaster	U1690
Asparagus	U1691
Café Au Lait	U1692
Caramel	U1693
Caribbean	U1694
Cerulean	U1695
Charcoal	U1696
Claret	U1697
Clay	U1698
Clementine	U1699
Cornflower	U1700
Dove	U1701
Espresso	U1702
Indigo	U1703
Kale	U1704
Lipstick	U1705
Mocha	U1706
Olive	U1707
Onyx	U1708
Plum	U1709
Raisin	U1710
Stone	U1711
Tomato	U1712
Тораz	U1713
Zinc	U1714

GRADE 5 FABRIC SPRITE

Colorways	Product code
Linen	U5000
Powder	U5001
Khaki	U5002
Kiwi	U5003
Harvest	U5004
Snow	U5005

GRADE 6 FABRIC CROSSWEAVE

Colorways	Product code
Flax	UW1101
Antelope	UW1102
Mountain	UW1103
Straw	UW1104
Cantaloupe	UW1105
Tangelo	UW1106
Shiraz	UW1107
Flower	UW1108
Alfalfa	UW1109
Parsley	UW1110
Freshwater	UW1111
Lake	UW1112
Atlantic	UW1113
Soapstone	UW1114
Penguin	UW1115
Seal	UW1116

GRADE 7 FABRIC No fabrics fall into this grade at this time.

- Open House is an upholstery version of our graded Anchorage panel fabric. You can color match with your panel tile selection by choosing the 'same name' color from the Open House collection
- CAL 133 there is a \$30 unit net upcharge for CAL 133 fire retardant treatment on mobile pedestal cushions.
- COL 'Customers' Own Leather COL is available and will be quoted on a per order basis
- Contrasting Top Stitching 'White' contrasting top stitching is available at 'no upcharge'. Please specify at time of order placement

GRADE A OPEN HOUSE

Pattern	Product code
Green Apple	U1400
Red Delicious	U1401
Onyx	U1402
Slate	U1403
Amber	U1404
Willow	U1405
Straw	U1406
Angora	U1407
Green Olive	U1412
Goose	U1413
Cumin	U1414
Deep Water	U1415
Quarry Blue	U1416
Midnight	U1417
Sunshine	U1419
Asteroid	U1421
Coffee Bean	U1425
Geranium	U1426
Thistle	U1427
Fossil	U1431
Lapis	U1432
Vanilla	U1434
Pumpkin	U1435
Wolf	U1436
Birch	UC2086
Eucalypt	UC2088
Graphite	UC2090
Cobalt	UC2091
Mulberry	UC2092
	UC2095
Pineneedle	002095

PEBBLE

Pattern	Product code
Sindari	U1535
Nice	U1536
Waikiki	U1537
Siesta	U1538
South Beach	U1539
Schoolhouse	U1540
Mabua	U1541
Langkawi	U1542
Tenerife	U1543
Cape Cod	U1544
Maybay	U1545
Surfers Paradise	U1546
Negril	U1547
Papakolea	U1548
Chesil	U1549
Red Beach	U1550
Copacabana	U1551

PUNCH CARD

Pattern	Product code
Alabaster	U2060
Carbon	U2061
Putty	U2062
Silver Lining	U2063
Crisp	U2064
Sky	U2065
Crimson	U2066
Orange	U2067
Navy	U2068
Cadet	U2069
Burgundy	U2070
Peat	U2071
Abyss	U2072

GRADE A (Continued)

QUATTRO

Pattern	Product code
Chalk	U1889
Deep Crimson	U1890
Golden Orange	U1891
Granite	U1892
Hibiscus	U1893
Honeycomb	U1894
Khaki	U1895
Laguna	U1896
Leaf	U1897
Mallard	U1898
Mercury	U1899
Midnight Blue	U1900
Pumice	U1901
Skyway	U1902
Spring Green	U1903
Umber	U1904
Wheat	U1905

CROSS CHECK

CROSS CHECK	
Pattern	Product code
Biscuit	U1552
Blue Ribbon	U1553
Bottle	U1554
Dove	U1555
Evergreen	U1556
Imperial	U1557
Lime	U1558
Marine	U1559
Otter	U1560
Paradise	U1561
Peacock	U1562
Platinum	U1563
Plumberry	U1564
Red Baron	U1565
Slate Black	U1566
Stone	U1567
Sunshine	U1568
Taupe	U1569
Vermillion	U1570

PROVERB

Pattern	Product code
Anchor	U1740
Armor	U1741
Basalt	U1742
Buff	U1743
Cinder	U1744
Crystal	U1745
Linen	U1746
Mist	U1747
Oyster	U1748
Rye	U1749
Steel	U1750
Storm	U1751

GRADE A (Continued) **GLINT**

Pattern	Product code
Barley	U1658
Caspian	U1659
Column	U1660
Gobi	U1661
Gypsum	U1662
Note	U1663
Pearl	U1664
Pumice	U1665
Relic	U1666
Rune	U1667
Serene	U1668
Shale	U1669
Sisal	U1670
Turret	U1671
Vera	U1672

SCRIPT

Pattern	Product code
Almond	U1752
Charcoal	U1753
Feldspar	U1754
Flint	U1755
Nectar	U1756
Patina	U1757
Pebble	U1758
Sand	U1759
Shadow	U1760
Slate	U1761
Sterling	U1762
Taupe	U1763
Zinc	U1764

MILLENNIUM

Pattern	Product code
Aglow	U1628
Amber	U1629
Anchor	U1630
Cascade	U1631
Cavern	U1632
Cerise	U1633
Clean	U1634
Coastal	U1635
Copper	U1636
Crisp	U1637
Electric	U1638
Geode	U1639
Lush	U1640
Mocha	U1641
Monument	U1642
Nector	U1643
Onyx	U1644
Orchid	U1645
Peridot	U1646
Plateau	U1647
Pool	U1648
Pyrite	U1649
Safari	U1650
Sapphire	U1651
Spark	U1652
Steel	U1653
Tanzanite	U1654
Thrill	U1655
Voyage	U1656
Zinc	U1657

GRADE A (Continued) **BEEHAVE**

Pattern	Product code
Azure	U1825
Black	U1826
Carnelian	U1827
Clementine	U1828
Concord	U1829
Currant	U1830
Gris	U1831
Java	U1832
Lapis	U1833
Lemon	U1834
Pear	U1835
Pine	U1836
Plum	U1837
Slate	U1838

Pattern	Product code
Primary	U1787
Roast	U1788
Rue	U1789
Sangria	U1790
Skim	U1791
Smith	U1792
Tinge	U1793
Western	U1794

TRADITION

	Product code
Pattern	Product code
Ash	U1795
Branch	U1796
Class	U1797
Distant	U1798
Flirt	U1799
Frond	U1800
Grain	U1801
Hedge	U1802
Hidden	U1803
Isle	U1804
Jazz	U1805
Kelly	U1806
Latte	U1807
Malbec	U1808
Miller	U1809
Mist	U1810
Peel	U1811
Plated	U1812
Regal	U1813
Sly	U1814
Soar	U1815
Soy	U1816
Spiced	U1817
Sprout	U1818
Sterling	U1819
Sun	U1820
Tango	U1821
Theater	U1822
Wash	U1823
Weld	U1824

ODYSSEY

Pattern	Product code
Alloy	U1765
Amp	U1766
Breeze	U1767
Captain	U1768
Carbon	U1769
Cedar	U1770
Craft	U1771
Cruise	U1772
Dijon	U1773
Eggplant	U1774
Emerald	U1775
Fossil	U1776
Ink	U1777
Inlet	U1778
Iris	U1779
Kiss	U1780
Linen	U1781
Lively	U1782
Maritime	U1783
Nettle	U1784
Oliver	U1785
Opaque	U1786

GRADE A (Continued) **CADENCE**

Pattern	Product code
Citrine	U1863
Coral	U1864
Garnet	U1865
Jade	U1866
Jet	U1867
Lapis	U1868
Opal	U1869
Pearl	U1870
Peridot	U1871
Quartz	U1872
Ruby	U1873
Sapphire	U1874
Topaz	U1875
Turquoise	U1876

OPTIC

	I
Pattern	Product code
Ash	U1907
Brown Bear	U1908
Coal	U1909
Elephant	U1910
Fieldstone	U1911
Green Apple	U1912
Mulberry	U1913
Mushroom	U1914
Ocean	U1916
Red	U1917
Springtime	U1918
Sunrise	U1919
Tangerine	U1920
Yale	U1921

PRISM

Pattern	Product code
Alabaster	U1690
Asparagus	U1691
Café Au Lait	U1692
Caramel	U1693
Caribbean	U1694
Cerulean	U1695
Charcoal	U1696
Claret	U1697
Clay	U1698
Clementine	U1699
Cornflower	U1700
Dove	U1701
Espresso	U1702
Indigo	U1703
Kale	U1704
Lipstick	U1705
Mocha	U1706
Olive	U1707
Onyx	U1708
Plum	U1709
Raisin	U1710
Stone	U1711
Tomato	U1712
Тораz	U1713
Zinc	U1714

INTUITION

Pattern	Product code
Admiral	U1849
Bisque	U1850
Charcoal	U1851
Coral	U1852
Hickory	U1853
Honey	U1854
Ochre	U1855
Peacock	U1856
Platinum	U1857
Sage	U1858
Sand	U1859
Scarlet	U1860
Slate	U1861
Viridian	U1862

GRADE A (Continued) **FEDORA**

Pattern	Product code
Aegean	U1583
Aquamarine	U1584
Bitumen	U1585
Cactus	U1586
Charcoal	U1587
Citron	U1588
Dapper	U1589
Dew	U1590
Espresso	U1591
Eucalyptus	U1592
Fawn	U1593
Indigo	U1594
Light Grey	U1595
Midnight	U1596
Mink	U1597
Opal	U1598
Persimmon	U1599
Pewter	U1600
Plumberry	U1601
Purple	U1602
Ruby	U1603
Tangelo	U1604
Tomato	U1605
Тораz	U1606
Winter	U1607

FLORENTINO

FLORENTINO	
Pattern	Product code
Bark	U1936
Basil	U1937
Biscuit	U1938
Bluejay	U1939
Caramel	U1940
Chili	U1941
Cream	U1942
Dijon	U1943
Dove	U1944
Fern	U1945
Jet	U1946
Jonquil	U1947
Khaki	U1948
Latte	U1949
Lipstick	U1950
Mango	U1951
Marine	U1952
Mocha	U1953
Mushroom	U1954
Plum	U1955
Sable	U1956
Sapphire	U1957
Scarlet	U1958
Sepia	U1959
Slate	U1960
Turquoise	U1961
Willow	U1962

RANCHERO

Pattern	Product code
Basil	U1922
Black	U1923
Brandy	U1924
Chocolate	U1925
Driftwood	U1926
Ecru	U1927
Greige	U1928
Lipstick	U1929
Navy	U1930
Nickel	U1931
Sapphire	U1932
Sepia	U1933
Slate	U1934
Thunder	U1935

GRADE A (Continued) **KEY LARGO**

Pattern	Product code
Aegean	U1968
Cayenne	U1969
Chocolate	U1970
Crimson	U1971
Ebony	U1972
Gold Coast	U1973
Graphite	U1974
Jonquil	U1975
Jungle	U1976
Khaki	U1977
Nassau	U1978
Palm	U1979
Parchment	U1980
Pear	U1981
Quarry	U1982
Raspberry	U1983
Sand	U1984
Sandstone	U1985
Tangerine	U1986
Toast	U1987
Ultramarine	U1988
Wheat	U1989

GRADE B CROSSWEAVE

Pattern	Product code
Flax	UW1101
Antelope	UW1102
Mountain	UW1103
Straw	UW1104
Cantaloupe	UW1105
Tangelo	UW1106
Shiraz	UW1107
Flower	UW1108
Alfalfa	UW1109
Parsley	UW1110
Freshwater	UW1111
Lake	UW1112
Atlantic	UW1113
Soapstone	UW1114
Penguin	UW1115
Seal	UW1116

GRADE B (Continued) **TWEED MULTI**

Pattern	Product code
Taupe	UW1001
Tan	UW1002
Dark Taupe	UW1003
Yellow	UW1004
Pink	UW1005
Flame	UW1006
Medium Blue	UW1007
Turquoise	UW1008
Dark Blue	UW1009
Green	UW1010
Orange	UW1011
Light Grey	UW1012
Medium Grey	UW1013

i.

EVOKE

EVORE	
Pattern	Product code
Breeze	U1877
Cerise	U1878
Flax	U1879
Graphite	U1880
Grey Mist	U1881
Iris	U1882
Mahogany	U1883
Natural	U1884
Noir	U1885
Pacific	U1886
Pear	U1887
Terracotta	U1888

QUADRILLE

Pattern	Product code
Fair	UC1001
Cabaret	UC1002
Gambol	UC1003
Leisure	UC1004
Regalia	UC1005
Spring	UC1006
Zest	UC1007
Fiesta	UC1008
Carnival	UC1009
Spree	UC1010
Jubilee	UC1011
Opus	UC1012
Masquerade	UC1013
Soiree	UC1014
Revelry	UC1015
Escapade	UC1016
Shenanigan	UC1017

GRADE C **No fabrics fall into this grade at this time.**

GRADE D TINY HERRINGBONE

Pattern	Product code
Tan	UW4201
Brown	UW4202
Blue Green	UW4203
Blue	UW4204
Medium Grey	UW4205
Dark Charcoal	UW4206

COM Calculator & Fabric Layup


Finishes

COM CALCULATOR

Cushion Width	Cushion Depth	Cushion Thickness	Fabric Orientation	Back to Back Lateral	Fabric Quantity (run inches)
15"	18"	1.25"	Off the bolt		28
15"	22"	1.25"	Off the bolt		32
15"	28"	1.25"	Off the bolt		38
15"	18.75"	1.25"	Off the bolt		29
15"	22.75"	1.25"	Off the bolt		33
15"	28.75"	1.25"	Off the bolt		39
15"	36"	1.25"	Off the bolt	• (Planna Peds)	47
30"	18"	1.25"	Off the bolt		28
30"	36"	1.25"	Off the bolt	•	47
36"	18"	1.25"	Off the bolt		29
36"	36"	1.25"	Off the bolt	•	47
42"	18"	1.25"	Off the bolt		29
42"	36"	1.25"	Off the bolt	•	47
60"	18"	1.25"	Off the bolt		N/A
66"	18"	1.25"	Off the bolt		N/A
72"	18"	1.25"	Off the bolt		N/A
78"	18"	1.25"	Off the bot		N/A
84"	18"	1.25"	Off the bolt		N/A
15"	18"	1.25"	Railroad		25
15"	22"	1.25"	Railroad		25
15"	28"	1.25"	Railroad		25
15"	18.75"	1.25"	Railroad		25
15"	22.75"	1.25"	Railroad		25
15"	28.75"	1.25"	Railroad		25
15"	36"	1.25"	Railroad		25
30"	18"	1.25"	Railroad		41
30"	36"	1.25"	Railroad	•	41
36"	18"	1.25"	Railroad		47
36"	36"	1.25"	Railroad	•	47
42"	18"	1.25"	Railroad		52
42"	36"	1.25"	Railroad	•	52
60"	18"	1.25"	Railroad		69
66"	18"	1.25"	Railroad		75
72"	18"	1.25"	Railroad		83
78"	18"	1.25"	Railroad		87
84"	18"	1.25"	Railroad		93


FABRIC LAYUP

LATERAL CUSHION FABRIC LAYUP



Application

PEDESTAL CUSHION FABRIC LAYUP



HOW TO CALCULATE COM YARDAGE REFER TO 'COM FABRIC CALCULATOR'

INPUT

- 1. Select cushion width and depth appropriate to your specification
- 2. Select cushion thickness
- 3. Select fabric orientation (refer to 'Cushion Layup' sketches)
- 4 Find the corresponding fabric quantity in 'running inches' from the table

CALCULATION

- 1. Multiply the number of cushions required by the fabric quantity in 'running inches' off of the table
- 2. Divide the number of running inches by 36 to convert to yardage required. Round up to the nearest half yard.
- 3. If a pattern repeat is required, ordering a sample cushion is advised to determine fabric yardage and any applicable upcharges. A layup instruction will also be required for review.

EXAMPLE:

- Storage with Handles Pedestal
- Quantity 31 cushions
- 15"wide x 22"deep x 1.25" thick

- COM fabric is a solid colour and has no directional weave; best fabric usage is 'off the bolt' orientation.

Note: Highlighted areas on the COM Calculator indicates 2 cushion yield per piece.

CALCULATION:

32 running inches x 16 cushions = 512" of fabric required

512" divided by 36 = 14yds, 8"

Total fabric required = 14 ½ yards (rounded up)

ADDITIONAL SPECIFICATION INFORMATION:

- 1. Pedestal Cushion Depth options vary by product profile and application. Ensure you are referencing the correct dimensions
- Lateral Cushion Depth options vary by application Ensure you are 2. referencing the correct dimensions
- Fabric Quantity is based on a 54" wide roll 3.
- 4. Highlighted rows yield 2 cushions per fabric quantity listed
- All directional/patterned fabrics (Graded or COM) require cushion 5. layup instructions with order placement. Depending on layup additional fabric may be required and upcharges may apply. If layup instructions are not provided the layup that maximizes the production yield will be chosen. (Refer to the layup diagrams)
- For any cushion sizes not listed on the COM Calculator or 6. for further information please contact your Client Service Representative for assistance

Finishes

For COM fabric testing on Adjustable Framed Table Mounted Screens (MST37XX) and tiles, please provide the following to your SRT – Customer Experience specialist:

- (1) memo sample of the fabric to be tested
- (1) yard of fabric to be tested
- Product Code that the fabric is to be applied to

Testing turnaround times are 3 to 5 days upon receipt of memos samples/yardage. Your Customer Experience specialist will provide the results of the application testing.

For COM fabric testing on all other products including cushions, divider screens and risers, please provide the following to your SRT – Customer Experience specialist:

(4) memo samples of the fabric to be testedProduct Code that the fabric is to be applied to

General testing turnaround times are 48 to 72 hours upon receipt of memos samples. Your Customer Experience specialist will provide the results of the application testing.

Finishes

PAINT CODE MATRIX

1

Painted System and Bench components include; tiles, trim, support brackets, accessories, legs and storage.

The following prefixes will be referenced on order acknowledgements:

E	indicates standard paint on all filing and storage items
ET	indicates standard textured paint on all filing and storage items, a 10% upcharge is applicable to the net value of the product
EA	indicates standard accent paint on all filing and storage items
Ρ	indicates standard paint on all other items
PT	indicates standard textured paint on all other items, a 10% upcharge is applicable to the net value of the product
PA	indicates standard accent paint on all other items

CUSTOM (NON-STANDARD) COLORS

Office Specialty offers colors matched to a customer's specification when possible. This matching is done through a database of over 3,000 existing color formulas or the development of a new custom color. A \$300 net fee applies for each custom color. In addition, Custom Premium colors (bright whites and bright colors; textured paints; and reflection paints that use mica, aluminum or special chemical to create their reflective properties) will be subject to a 10% upcharge to the net value of the product.

MULTI-COLOR CABINETS

For multi-color cabinets where the case is one color and the drawer fronts are a second color, a \$250 net fee applies per color. (Tie bars and reference shelves will be painted the same color as the case.). This charge is applicable for multi-colour applications using Neutral, Accent or Custom paints. If using an Accent paint on a Multi-color cabinet, the standard Accent paint upcharge for the unit will also be applicable.

NOTE: Multi-color cabinets are not available on Storage with Handles.

TEXTURED COLORS

Available
 Ounavailable

NOTE: A 10% UPCHARGE IS APPLICABLE TO THE NET VALUE OF THE PRODUCT FOR TEXTURED COLORS.

NEUTRAL PAINT COLLECTION

	code	Textured colors
Bisque	004	•
Chinook	010	0
Onyx	013	•
Frost	022	•
Arctic	023	•
Champagne	024	•
Titanium	052	•
Mushroom	055	0
Krypton Reflections	063	•
Cinder Reflections	066	•
Soapstone	112	•
Warm White	121	•
Mist	122	0
Sandstone	123	•
Light Taupe	124	•
Medium Gray	126	•
Nickel Reflections	127	•
Slate Reflections	128	•
Quartz	160	0
Glacier White	168	0
Charcoal Gray	205	•
Pebble Gray	217	•
Deep White	223	•
Mocha	255	0
Latte	274	0
Juniper Reflections	281	0
Quicksilver Reflections	282	0
Sunstone Reflections	284	•
Aluminum Leaf	290	•
Sasha	300	0
Elson	301	0
Shade	302	0
Anonymous	303	0
Urban	304	0
Dorian	305	0
Dover	306	ο
Jubilee	307	ο
Softer Tan	308	ο
Storm Cloud	309	ο
Rice Grain	310	ο
Ramie	311	0

Finishes

NEUTRAL PAINT COLLECTION (Continued)

Name	Color code	Textured colors
Favorite Tan	312	
High Tea	314	
Stone Reflections	315	
Dovetail Reflections	316	
Yorkshire	317	
Coriander	318	
Snowcap	319	
Salem	320	
Burnt Sierra	321	
Drizzle	322	
Scroll	323	
Cumin	324	
Seagull	325	
Smoke	326	
Gunpowder Blue	327	
Starlight Silver	329	
Martini Reflections	330	
Laminate White	332	
Steel Wool	334	
Kettle Black	335	
White Velvet	336	
Simply White	337	
Dark Bronze **	338	

**Due to the semi-transparent nature of clear coat paint finish, the substrate material, as well as markings from the manufacturing process may be visible through the finish. For warranty information, please refer to the Inscape North American warranty on inscapesolutions.com

ACCENT PAINT COLLECTION

Standard colors are prefixed with a 'A'.

Name	Color code
Peony	A339
Lilac	A340
Amethyst	A341
Mulberry	A342
Plum	A343
Citrine	A344
Canary	A345
Lotus	A346
Monarch	A347
Coral	A348
Amaryllis	A349
Apricot	A350
Cantaloupe	A351
Рорру	A352
Caliche	A353
Obsidian	A354
Dahlia	A355
Honeydew	A356
Sage	A357
Hummingbird	A358
Spring	A359
Marimo	A360
Fern	A361
Azure	A362
Wave	A363
Lapis Blue	A364
Atoll	A365
Papillon	A366
Lagoon	A367
Night Sky	A368
Aqua	A369
Inscape Teal	A370

Care & Maintenance

November 2019



work for tomorrow

Care & Maintenance

The following information provides general guidelines for cleaning and maintaining Inscape products including: Worksurfaces, Tables, Tiles, Trim, Screens, Storage and Accessories.

WORKSURFACES, TABLES & STORAGE

Nuform surfaces are manufactured by thermoforming a polymer sheet around an MDF substrate. The polymer sheet is surface-coated with a scratch resistant film.

- For general cleaning, use warm soapy water or a mild, non-abrasive household cleanser such as "Vim" or "Windex"
- Tougher stains, such as ink, may be removed with methyl hydrate
- Do not use abrasive cleansers or highly solvent based chemicals such as gasoline, acetone or toluene as they may scratch or affect the surface appearance.
- Do not place hot appliances directly on Nuform surfaces
- Although Nuform is scratch resistant, avoid dragging sharp objects across the surface
- Light scratches may be buffed from the foil surface by using a 400 – 600 grit wet sandpaper under light hand pressure in circular motions or by using a 3M Scotch Brite Pad (green color only) under light hand pressure in circular motions. Note: Under no circumstances should power buffing tools be used
- Chips and deep scratches may be repaired by a professional touch-up service. Minor imperfections should be addressed immediately as neglect can result in more serious problems that could void the warranty
- Optimal temperature range for storing of Nuform surfaces is 41°F to 86°F

LAMINATE

High pressure laminate is available for use on surfaces and is optional on laminate storage door fronts. Low pressure laminate is available for use on laminate storage cases and door fronts. Both laminate options are laminated to particleboard and includes a color coordinated edge banding.

- Dust laminated surfaces off prior to cleaning
- For general cleaning, use a damp cloth with warm soapy water or a mild, non-abrasive household cleanser such as "Vim" or "Windex". Remember to wipe the surface with the grain using a dry soft cloth.
- In addition, laminate storage may also be cleaned with "Glass Plus", "Dawn", "Pledge" or "Mr. Clean"
- An eraser may assist with removing ink marks
- Do not use abrasive cleaners or bleaching cleansers as they may scratch or affect the surface appearance
- Take note that any product with Hydrochloric, Sulfuric, or Phosphoric acid may permanently damage the surface
- Although high pressure plastic laminates are resistant to scratching and wear, avoid dragging sharp objects across the surface
- Although laminates are heat resistant, a hot pad should be placed under appliances

VENEER

Wood Veneer surfaces are sealed and top coated with an open pore, catalyzed lacquer and are edged in 0.25" thick, same species solid hardwood. Like all natural products, wood Veneer surfaces may vary slightly in grain, texture and color. For this reason, minor variations between pieces can be expected.

- Use a coaster for beverages
- Dust surfaces with a dry cloth in the direction of the grain
- For dirtier surfaces, use warm soapy water and a soft cloth
- Do not use abrasive cleaning products as they may scratch or affect the surface appearance.
- Although waxing and polishing is not necessary, waxing and polishing products may be applied if care is taken to avoid wax build-up which may cloud the finish
- Blot spills up immediately
- Exposure to strong sunlight should be avoided since fading may result
- Avoid exposure to extreme heat, cold or humidity
- Avoid dragging sharp objects across the surface
- Chips and scratches may be repaired by a professional touch-up service

Care & Maintenance

TILES, SCREEN AND STORAGE UPHOLSTERED

- Vacuum or lightly brush panel fabrics to remove dirt build-up
- Promptly remove stains by blotting, not rubbing the fabric to retain pile texture
- Fabric may be cleaned with mild water-free solvents or water-based cleaning agents or foam. Always follow the manufacturer's instructions and test clean a non-visible area first

GLAZED TILES

- Glazed tiles are available in both acrylic and tempered glass
- Clean acrylic with a clean soft cloth and warm soapy water
- Clean tempered glass with a mild window cleaner such as "Windex"

PAINTED

- Clean with a soft damp cloth and warm soapy water
- Paint touch-up kits are available to repair minor scratches
- If a product has an unsightly scratch or dent, the damaged product can easily be switched with another product in a less visible area

NUFORM TILES

- Nuform tiles are manufactured by thermoforming a polymer sheet around an MDF substrate. The polymer sheet is surface-coated with a scratch resistant film
- Refer to "General Care" instructions for Nuform Worksurfaces, Tables & Storage for guidelines on maintaining Nuform tiles

TRIM

PANEL TRIM

- Clean woodgrain vinyl trim, painted and textured trim with a soft damp cloth
- Touch up paint is available to repair minor scratches on painted trim finishes

ACCESSORIES WHITEBOARDS

- Use only dry erase markers with whiteboards
- Clean whiteboards with eraser and cleaner formulated for whiteboards
- INSCAPE recommends using Sanford Expo Dry Erase Markers and Sanford Whiteboard Cleaner

SLIDING DOORS

- Clean with a clean, dry, absorbent, lint-free, nonabrasive cloth
- DO NOT USE rayon or polyester cloths which can scratch the plastic

BIN/SHELF-MOUNTED TASK LIGHT FIXTURES

 Include a 120V/60HZ magnetic ballast. Replacement ballasts can be purchased from any electrical supply store



67 Toll Road Holland Landing, Ontario L9N 1H2 Canada

T 905 836 7676 **F** 905 836 6000 **Toll Free** 1 866 467 2273

myinscape.com

© Inscape Corporation 2019 ® Trademarks of Inscape Corporation. Patents may be pending. Certain names, words, logos and graphics or designs contained herein are trademarks or service marks of Inscape Corporation.