

Height Adjustable Tables



inscape



Contents

SkyRocket	
Pneumatic	6
Electric	8
Height Adjustable Solutions for Inscape	
Bench and System	10
Freestanding Tables	
2 Stage Basic	12
2 Stage Advanced	14
3 Stage Advanced	14
Pneumatic 2 Stage	16
Freestanding Tables Comparison Chart	18



Sit or stand. We have you covered.

Take your health and productivity to the next level with Inscape height adjustable tables. Our collection offers greater height range and flexibility, with the ability to add accessories. Choose Pneumatic or Electric tables or one of our Freestanding or integrated solutions.

SkyRockIt Pneumatic

RKHAW

SkyRockIt height adjustable tables are smart, efficient and designed with wellness in mind. The Pneumatic model is smooth, quiet, suits any environment and is easy to reconfigure and adjust at any time.

- Beautiful and functional light scale height adjustability supports up to 25 lbs
- Hidden mechanism, no visual distractions and clean below the worksurface
- Movement with paddle lift activation
- Linear, single freestanding & 90 degree applications to suit any environment



SkyRockIt Electric

RKHAE

SkyRockIt Electric height adjustable tables feature intelligent design for a clean aesthetic. RockIt is easy to reconfigure and height adjustability can be added at any time.

- Supports up to 130 lbs. for a more intensive workload
- Wires are hidden behind the post.
- Choice of 4 control options, including Bluetooth
- Linear and single freestanding applications



Height Adjustable Solutions for Inscape Bench and System

Our freestanding height adjustable tables let you quickly and seamlessly move from sitting to standing. We offer three solutions that work with our Bench and System, and can improve both productivity and wellness. Available in a number of finish options, including Nuform and Laminate, our freestanding height adjustable tables support everything from monitors, privacy screens and suspended storage on select models. Optional casters are available for untethered freedom and cables can be hidden for a clean aesthetic.



3 Stage Advanced with Bench core



2 Stage Advanced with System



Integrated Bench Height Adjustable



Freestanding Table 2 Stage Basic

INKD2S

- This electric height adjustable table with two motors has a lift capacity of 200lbs* (includes worksurface)
- 2 Stage rectangular style leg
- Available in our most popular sizes with nuform and laminate worksurfaces
- Minimalist design paddle control to raise and lower the table
- Designed for quick and efficient installation
- Freestanding application
- Height range is 28.4" - 48"
- Base available in Grey
- Quick install lever (shown bottom left)

*Distributed load only. Concentrated load above leg is Max. 120lbs.



Freestanding Table 2 Stage Advanced


INLAKE2S

- Lift capacity of 200lbs (includes worksurface)
- Height range is 28.5" to 48" for a total range of 19.5"
- Base is available in Steel Wool, White Velvet or Kettle Black.
- Available with casters or glides
- Matching fixed height leg available

3 Stage Advanced

INLAKE3S

- Lift capacity of 220lbs (includes worksurface)
- Height range is 22.2" to 49.3" for a total range of 27.1"
- Base is available in Steel Wool, White Velvet or Kettle Black.
- Available with casters or glides
- Matching fixed height leg available





Freestanding Table Pneumatic

EGFTCB

- Quiet table movement with counterbalance mechanism to seamlessly adjust the height
- Effortless single-handed operation with paddle control
- Freedom of movement with no leg obstructions
- Height range 27" to 47"
- Freestanding application
- 160lbs includes worksurface
- Available in white and silver

Freestanding Height Adjustable Tables

Overview



Leg Type	2 Stage Basic*
Part Number	INKD2S
24" Foot	✗
30" Foot	✓
Weight	200 lbs includes worksurface
Height Range With Worksurface	28.4" - 48"
Height Range Base Only	27.3" - 46.9"
Speed	36 mm/s
Control Options	1 Up/Down
Bluetooth Control	✗
Anti-Collision	✓
Worksurfaces	Nuform or Laminate: 48", 60", 72"
Leg Configuration	T Leg
Glides/Casters	Glides
Matching Fixed Height Leg	✗
90 Degree & 120 Degree Configuration	✗
Table to Panel Bracket	✗
Laminate Shroud	✗
BIFMA	n/a
UL	✓
Colors	

2 Stage Advanced	3 Stage Advanced	Pneumatic
INLAKE2S	INLAKE3S	EGFTCB
✓	✓	✓
✓	✓	✓
200 lbs includes worksurface	220 lbs includes worksurface	160 lbs includes worksurface
28.3" to 48.1"	22.2" to 49.4"	27" to 47"
27.2" to 46.9"	21.1" to 48.2"	n/a
38 mm/s	38 mm/s	✗
4 - Handset, Paddle, Memory, Digital & Bluetooth	4 - Handset, Paddle, Memory, Digital & Bluetooth	1 Paddle
✓	✓	✗
✗	✓	✗
Nuform or Laminate: 42", 48", 54", 60", 66", 72"	Nuform or Laminate: 42", 48", 54", 60", 66", 72"	Nuform or Laminate: 48", 54", 60", 66", 72"
C Leg	C Leg	C Leg
Glides or Casters	Glides or Casters	Glides
✓	✓	✗
✓	✓	✗
✓	✓	✗
✓	✗	✗
✓	✓	✓
✓	✓	n/a

*Distributed load only. Concentrated load above leg is Max. 120lbs.

inscape

myinscape.com

