



# Height Adjustable Workstations

Sit, stand. What's right for you?

Improve your comfort, health and productivity with our selection of height adjustable workstations. Our collection offers greater height range and lifting capacity with smooth and quiet mechanisms.



**BENCH ELECTRIC**  
MODEL: INBELAK



**FREESTANDING ELECTRIC**  
MODEL: INKD2S



**FREESTANDING ELECTRIC**  
MODEL: INLAKE2S/INLAKE3S



**FREESTANDING PNEUMATIC**  
MODEL: EGFTCB

Discover more at [myinscape.com](https://myinscape.com)

**inscape**

work for tomorrow



## Bench Electric INBELAK

### SPECIFICATIONS:

- Weight capacity: 200 lbs. (includes worksurface)
- Height range: 28.5" to 44.5"h
- Max. speed 38 mm/s unloaded
- Fully loaded: 120V — total current draw is 2.5A
- Standby power: draw 0.1w or 0.0008A
- Worksurfaces: Nuform, Laminate
- Leg Colors: White Velvet, Steel Wool, Kettle Black

### HANDSETS (SHOWN BELOW):

1. Handset with Up Down Buttons
2. Intuitive Paddle
3. Handset with Up Down Buttons & Display + Memory
4. Intuitive Paddle with Bluetooth & Display + Memory

### HANDSET FEATURES:

#### Handsets with Digital Display

- Display height readout
- Set height range so not to interfere with storage below

#### Handset 4: Intuitive Paddle with Bluetooth & Display + Memory

- Mobile phone application allows movement control through device — compatible with iOS & Android
- Light strip reminder to stand found on paddle
- Four memory setting positions



1. Handset with Up Down Buttons



2. Intuitive Paddle



3. Handset with Up Down Buttons & Display + Memory



4. Intuitive Paddle with Digital Display



## Freestanding Electric 2 Stage Basic INKD2S

### **SPECIFICATIONS:**

- Weight capacity: 200 lbs.\* (includes worksurface)
- Height range: With worksurface - 28.4" - 48"
- Height range: Base only - 27.3" - 46.9"
- Base only or 3 worksurface options:  
30"D x 48", 60", 72" W
- Simple up/down paddle control
- 30" foot
- Leg Colors: Grey

\*Distributed load only. Concentrated load above leg is Max. 120lbs.

### **FEATURES:**

- Anti-collision technology
- Low noise level (<50 db)
- Very low standby power consumption (100-240V)
- Quick-install

### **HANDSETS (SHOWN BELOW):**

1. Simple Handset with Up Down Buttons





## Freestanding Electric 2 & 3 Stage Advanced INLAKE2S/INLAKE3S

### SPECIFICATIONS:

- Weight capacity: 200 lbs. (includes worksurface)
- Height Range: 2 Stage - 28.3" to 48.1"  
(with worksurface) 3 Stage - 22.2" to 49.5"
- Height Range: 2 Stage - 27.2" to 46.9"  
(base only) 3 Stage - 21.1" to 48.2"
- Max. speed 38 mm/s unloaded
- Fully loaded: 120V — total current draw is 2.5A
- Standby power: draw 0.1w or 0.0008A
- Worksurfaces: Nuform, Laminate
- Leg Colors: White Velvet, Steel Wool, Kettle Black

### FEATURES:

- Stretcher bar for wire management
- "C" Type leg, provides room for hanging accessories
- Add-on options: battery pack, Bluetooth functionality
- Minimum setting programmed via hard computer hook-up
- 3 leg version – 90° & 120° Configurations
- ¾" Glide adjustment or caster option

### HANDSETS (SHOWN BELOW):

1. Handset with Up Down Buttons
2. Intuitive Paddle
3. Handset with Up Down Buttons & Display + Memory
4. Intuitive Paddle with Bluetooth & Display + Memory

### HANDSET FEATURES:

#### Handsets with Digital Display

- Display height readout
- Set height range so not to interfere with storage below

#### Handset 4: Intuitive Paddle with Bluetooth & Display + Memory

- Mobile phone application allows movement control through device - compatible with iOS & Android
- Light strip reminder to stand found on paddle
- Four memory setting positions



1. Handset with Up Down Buttons



2. Intuitive Paddle



3. Handset with Up Down Buttons & Display + Memory



4. Intuitive Paddle with Digital Display



## Freestanding Pneumatic EGFTCB

### **SPECIFICATIONS:**

---

- Counterbalance mechanism
- Weight capacity: 160 lbs. (includes worksurface)
- Height range: 27" to 47" h
- Worksurfaces: Nuform and Laminate
- Leg Colors: Silver, White

### **FEATURES:**

---

- Effortless single-handed operation
- Single-handed paddle mechanism (on right)
- Freedom of movement with no leg obstruction
- "C" Type leg, provides room for hanging accessories
- Recycled steel and aluminum
- 3/4" glide adjustment

### **MECHANISM:**


---

#### **Single-Handed Paddle**


- Located on right of the user
- Simple motion to adjust
- Instantaneous adjustment

# Electric Height Adjustable Table Ranges

2 STAGE BASIC  
INKD2S



2 STAGE ADVANCED  
INLAKE2S



3 STAGE ADVANCED  
INLAKE3S

