



## **Countersunk woodscrews**

## **Application**

• For fastening to timber

## **Key Features**

- Pozi drive recess
- Ribbed double countersunk head increases strength and countersinks better into timber
- Double slash point eliminates need for pre-drilling
- Thread serations prevent timber from splitting



01 FASTENER SYSTEMS Countersunk woodscrews

## **Countersunk woodscrews**

Code	Diameter (mm)	Length (mm)	Drive bit	Boxed in
CWS+-4 x 20	4	20	2-PZD	200
CWS+-4 x 25	4	25	2-PZD	200
CWS+-4 x 30	4	30	2-PZD	200
CWS+-4 x 40	4	40	2-PZD	200
CWS+-4 x 45	4	45	2-PZD	200
CWS+-4 x 50	4	50	2-PZD	200
CWS+-4 x 60	4	60	2-PZD	200
CWS+-5 x 25	5	20	2-PZD	200
CWS+-5 x 30	5	30	2-PZD	200
CWS+-5 x 40	5	40	2-PZD	200
CWS+-5 x 45	5	45	2-PZD	200
CWS+-5 x 50	5	50	2-PZD	200
CWS+-5 x 60	5	60	2-PZD	200
CWS+-5 x 80	5	80	2-PZD	100
CWS+-5 x 100	5	100	2-PZD	100
CWS+-6 x 40	6	40	3-PZD	200
CWS+-6 x 50	6	50	3-PZD	200
CWS+-6 x 60	6	60	3-PZD	100
CWS+-6 x 80	6	80	3-PZD	100
CWS+-6 x 100	6	100	3-PZD	100
CWS+-6 x 130	6	130	3-PZD	100
CWS+-6 x 150	6	150	3-PZD	100
CWS+-6 x 180	6	180	3-PZD	100
CWS+-6 x 200	6	200	3-PZD	100



FIXFAST Ltd | Merlin House | Seven Mile Lane | Borough Green | Sevenoaks | Kent | TN15 8QY T: 0800 304 7616 | F: 0845 450 7486 | E: info@fixfast.com | W: www.fixfast.com

