

Maximum reliability. Minimum fuss.



Technical Data Sheet



PVC Air sealing tape

Sealing Products

Application

- + Roofing and cladding seals
- + Coldroom panels and cold bridging
- + Sealing partition walls
- + Rooflights, access doors and gutter joints
- + Profiled sheeting

Key Features

- + Closed cell, self adhesive expanded PVC air sealing tape
- + When compressed to 30% of its original thickness it provides a water seal
- + Flexible and comfortable
- + Economical
- + Clean & easy to use

Substrate compatibility

Steel	Aluminium	GRP / PVC	Fibre Cement	Glass (uncoated)	Timber (painted or stained)	Concrete/Brickwork
✓	✓	✓	-	✓	✓	●

Dimensions

Code	Thickness x width (mm)	Roll length (m)	Colour
AST-2 x 30 x 12 + PK5	2 x 30	12	White
AST-6 x 20 x 12 + PK5	6 x 20	12	
AST-6 x 50 x 12	6 x 50	12	
AST-3 x 120 x 25	3 x 120	25	
AST-9 x 20 x 12 + PK5	9 x 20	12	
AST 9 x 60 x 12	9 x 60	12	





Merlin House
Seven Mile Lane
Borough Green
Sevenoaks
Kent
TN15 8QY

Enquiries

0800 304 7616

International

+44 (0) 1732 882387

Fax

0845 450 7486

Email

info@fixfast.com



Certificate number 10905
ISO 9001, ISO 14001
ISO 45001