New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

Purple Runtz

Sample ID: 2507NBL0375.1081
Matrix: Plant
Type: Flower - Uncured
Sample Size:

Received: 07/17/2026
Completed: 07/17/2026
Batch#:

Client
LH Transportation Team



Summary

Test	Date Tested	Result
Cannabinoids	07/17/2026	Complete

Cannabinoids

Complete

18.071%	0.097%	9.217%	29.966%
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0485	0.073	ND	ND
9R-HHC	0.0485	0.073	ND	ND
(6aR,9S)-d10-THC	0.0485	0.073	ND	ND
9S-HHC	0.0485	0.073	ND	ND
CBC	0.0485	0.073	ND	ND
CBCa	0.0485	0.073	<LOQ	<LOQ
CBD	0.0485	0.073	9.217	92.17
CBDa	0.0485	0.073	ND	ND
CBDV	0.0485	0.073	ND	ND
CBDVa	0.0485	0.073	ND	ND
CBG	0.0485	0.073	ND	ND
CBGa	0.0485	0.073	0.079	0.79
CBN	0.0485	0.073	ND	ND
CBNa	0.0485	0.073	ND	ND
Δ8-THC	0.0485	0.073	ND	ND
Δ9-THC	0.0485	0.073	0.097	0.97
THCa	0.0485	0.073	20.495	204.95
THCp	0.0485	0.073	ND	ND
THCV	0.0485	0.073	ND	ND
THCVa	0.0485	0.073	0.078	0.78
Total THC			**18.071**	**180.713**
Total CBD			**9.217**	**92.175**
Total			**29.966**	**299.660**

Date Tested: 07/17/2026

Testing Method: HPLC, CON-P-3000
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected
Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%

Ashley Phillips
Laboratory Director
07/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000