

The solution for your implant workflow

Osteotomy
5.5 Ncm for all bone qualities and 90 ml/min coolant to prevent necrosis.

Threading
Stress-free healing. It prevents compression of the bone.

Implant insertion
Controlled insertion of all types of implant with torque of up to 70 Ncm.

W&H accessories



Coolant hose
> Precise fit
> Flexible to use for all W&H surgical devices



Surgical trolley
> Your W&H control units in one compact location
> Space-saving
> Mobile



Transportation case
> Securely packed for travel
> Space for Implantmed, foot control, straight and contra-angle handpieces

Technical data

Pictures are for illustrative purposes only. Additional equipment and contents of the accessories shown are not included as standard.

CE 0297	Implantmed SI-923	Implantmed SI-915
Type:	230 V	120 V
Mains voltage:	220 – 240 V	110 – 130 V
Permissible voltage fluctuation:	0.3 – 0.8 A	0.3 – 1.6 A
Rated current:	50 – 60 Hz	
Frequency:	250 V – T1.6 AH	
Mains fuse (2 pcs):	160 VA	
Maximum power consumption:	80 W	
Maximum power output:	5.5 Ncm	
Maximum torque at motor:	300 – 40,000 rpm	
Motor speed range in the rated voltage range:	at least 90 ml/min	
Coolant flow volume at 100%:	100 x 235 x 240	
Dimensions in mm (height x width x depth):	2.7 kg	
Weight in kg:	S-N2	
Foot control:	WI-75 E/KM / S-9 L G / S-11 L G / WS-56 L G / WS-75 L G / WS-91 L G / WS-92 L G	
Straight and contra-angle handpieces:	12 months	
Warranty:		



W&H Dentalwerk Bürmoos GmbH
Ignaz-Glaser-Straße 53, Postfach 1
5111 Bürmoos, Austria
t +43 6274 6236-0
f +43 6274 6236-55
office@wh.com
wh.com

Oral surgery & implantology

Ergonomic, simple, powerful.



Respects your needs.
Today and tomorrow.

implantmed CLASSIC

Focus on the essentials

Implantmed impresses users with its intuitive ease of use. You can fully and completely concentrate on the most important aspect: your patients.



Easy to use

Its new display with auto backlight makes Implantmed easy and uncomplicated to use.



Fatigue-free operation

In combination the short motor and the ergonomically shaped contra-angle handpiece are perfectly balanced. You can work for long periods without fatigue or cramp in your hand.



Stress-free healing

The automatic thread cutter function supports you when inserting implants in hard bone. It prevents compression of the bone.



Implantmed
with new
electric motor
EM-19



Powerful motor

With a motor torque of 5.5 Ncm and a motor speed range of 300 to 40,000 rpm, Implantmed is an impressively powerful instrument.

»Who really needs complex menus during an implantation? I work with Implantmed because I can operate it blindfolded.«

Dr. Wiebke Möller-Uhlken,
dentist, Germany

The surgical straight and contra-angle handpieces with mini LED+ and generator

WS-75 L G | 20:1

Specially designed for preparation of the implant site and implant insertion.

S-9 L G | 1:1

S-11 L G | 1:1

Developed for apical resections, osteotomies, sequestrotomies, bone modelling and bone smoothing as well as the extraction of wisdom teeth.

WS-91 L G | 1:2,7

Specially designed to improve access in the premolar and molar region as well as for the extraction of wisdom teeth.

WS-56 L G | 1:1

WS-92 L G | 1:2,7

Designed for osteotomies, sequestrotomies, germectomies, hemisections.

