

Door closer Price List 2026

Price list | 2026



Table of contents

4 General Information

5 SLIDE CHANNEL DOOR CLOSER - CAM ACTION (EN STANDARD)

5	TS 98 XEA
9	TS 92 XEA
11	G-Ubivis XEA
12	Slide channel System XEA
21	TS 97 FL XEA and TS 97 FLR-K XEA
22	Accessories XEA
26	TS 93 Contur Design
32	Slide channel System Contur Design (single leaf)
34	TS 99 FL, TS 99 FLR and TS 99 FLR-K Contur Design
38	GSR System Contur Design (double leaf)
45	Smoke detectors and accessories
47	TS 92 Contur Design
50	TS 91 Contur Design
51	TS 97 Contur Design
52	TS 90 Impulse
53	Accessories Contur Design

62 SLIDE CHANNEL DOOR CLOSER – CAM ACTION (ANSI STANDARD)

62	TS 93 Contur Design (ANSI)
----	----------------------------

63 CONCEALED SLIDE CHANNEL DOOR CLOSER

63	ITS 96
66	ITS 96 FL
67	ITS Home
68	G96 System
70	G96 EMF, G96 GSR, G96 GSR-EMF
73	Double Action variants
74	ITS 96 and ITS 96 FL accessories
77	ITS 96 and ITS 932 bulk packaging
79	ITS 96 and ITS 932 accessories bulk packaging
82	ITS OEM versions and accessories
87	ITS 915, ITS 900 and accessories

88 SCISSOR ARM DOOR CLOSER - R&P (EN STANDARD)

88	TS 83
94	TS 73V
96	TS 73 EMF
97	TS 89F OEM versions and accessories
101	Arms for TS 83 and TS 73
104	Accessories for TS 83 and TS 73
108	TS Profil
109	TS 72
112	TS 71
114	Arms and accessories for TS 72 and TS 71
116	TS 79 and accessories
117	TS 69, TS 68 and accessories
121	TS Kompakt
122	TS 77 and accessories

Table of contents

124 FLOOR SPRING DOOR CLOSER (EN STANDARD)

- 125 BTS 80 V, BTS 80 VF
- 128 BTS 80, BTS 80 F, BTS 80 EMB, BTS 80 FLB
- 130 BTS 75 V
- 134 BTS 70
- 135 BTS 84
- 137 BTS 65
- 139 BTS accessories, spindles and cover plates
- 144 For single action timber doors (rebated)
- 145 For single action timber doors (flush-closing)
- 147 For single action steel doors
- 148 BTS accessories for single action doors
- 151 Top centre for light double action doors
- 153 Top centre for heavy double action doors
- 155 BTS accessories for double action doors

158 FLOOR SPRING DOOR CLOSER (ANSI STANDARD)

- 158 BTS 80 V BF (ANSI)
- 159 BTS 80 F, BTS 80 BF, BTS 80 EMB (ANSI)
- 160 BTS 75 V (ANSI)
- 161 BTS accessories (ANSI)

162 TRANSOM DOOR CLOSER

- 162 RTS 80 EMB
- 163 RTS 87
- 165 RTS 85
- 167 Accessories for double action doors and centrally suspended single action doors (side-load fixing)
- 168 Accessories for double action doors and centrally suspended single action doors (end-load fixing)
- 169 Accessories for all-glass doors
- 170 RTS accessories
- 172 RTS accessories country/ customer specific

176 FIRE AND SMOKE DOOR ACCESSORIES

- 176 SR universal door coordinators and MK carry bars
- 178 EM, receiver plate and HT

182 Index

Surcharge Door Control

1. Standard Colours

If a product in the required colour has its own order number, this colour can be regarded as a standard colour and no surcharge is made.

2. Special Colours

In the case of products that have an order number for special colours, special colours similar to RAL shades (pearl shades on request) are possible, and the following surcharges are made on the special colour price:

	1-9 units / set € / gross	10-20 units / set € / gross	21-50 units / set € / gross	51-100 units / set € / gross
Door closers for:				
single-leaf doors	55,00	30,00	16,00	8,00
double-leaf doors	110,00	60,00	32,00	16,00
Ceiling-mounted smoke detector	55,00	30,00	16,00	8,00
Other (e.g. MK 396 carry bar ...)	37,00	22,00	11,00	5,00
Individual components (e.g. end caps, etc.) (Set-up cost code No. 99000087)	29,00	16,00	9,00	5,00

Special colours as per a sample chart are subject to a surcharge of € 75,00 net.

3. Design

The term "Design" refers to the surface finish of the products.

4. Direct deliveries (drop shipments to third parties) and national minimum amount surcharges

For direct deliveries to installers and fabricators requested by trade customers, we currently charge a flat rate of € 25,00 net plus VAT per consignment (99000088). Please note our national minimum quantity surcharges.

For Germany, the minimum quantity surcharge is € 25,00 where the order value is less than €125,00.

General Information Door Control

1. Guide values for your material management requirements

The order numbers are provided with codes which are intended to help you in the management of your product orders. Articles with no code are available from stock at short notice. A delivery period of around 2 weeks (+ despatch journey time) is normal in these cases.

2. CE conformity

Products which correspond to supplement ZA of the European standards may carry the CE mark of conformity.

3. National general terms and conditions of business

The national general terms and conditions of business can be found in the individual site offices and also on the internet (www.dorma.com), and will also be sent on request.

4. Article master data

On request, we will be glad to send you the master data for the DORMA Door Control price list (Order No., text, gross price, EAN No. and weight) in the form of a Microsoft Excel file (without DORMA Door Furniture items, see point 3 above).





5. Validity

The validity period of the price list also applies in the case of products that are not included in the price list. All products are subject to technical modifications and colour variations without notice. As of the date of publication, this price list supersedes all preceding price catalogues, price lists and price agreements, which therefore lose their validity. All the information provided is subject to error and printing mistakes, for which no liability will be accepted. Prices quoted in € without VAT.

6. Sketches/Drawings

The sketches/drawings appearing in this price list have been included solely for guidance purposes only. They are not true to scale and do not represent any precise or binding Design finish of the products!



	Components			€/each
TS 98 XEA N Standard Type 	1 TS 98 XEA, BC/DC 1 G-N XEA	2	Standard finish	302,00
			Special finish*	316,00
			Design finish	393,00
TS 98 XEA RF Mechanical hold-open  	1 TS 98 XEA, BC/DC 1 G-N XEA 1 RF for G-N	3	Standard finish	333,00
			Special finish*	347,00
			Design finish	424,00
TS 98 XEA EMF Electro-mechanical hold-open 	1 TS 98 XEA, BC/DC 1 G-EMF XEA	2	Standard finish	542,00
			Special finish*	568,00
			Design finish	704,00
TS 98 XEA EMR Electro-mechanical hold-open with integrated smoke detector, with connection for external manual release and floating change-over contact 	1 TS 98 XEA, BC/DC 1 G-EMR XEA	2	Standard finish	1.165,00
			Special finish*	1.223,00
			Design finish	1.516,00
TS 98 XEA Ubivis Hold-Open Device with network-independent power supply, hold-open point between 80° and 140°, including battery pack and integrated smoke detector, in XEA design. 	1 TS 98 XEA, BC/DC 1 G-Ubivis XEA	2	Standard finish	1.517,00
			Special finish*	1.592,00
			Design finish	1.973,00
TS 98 XEA GSR Slide channel door co-ordinator, not prepared for EMF connection 	2 TS 98 XEA, BC/DC 1 GSR/V XEA (surcharge VL)	3	Standard finish	751,00
			Special finish*	787,00
			Design finish	976,00
TS 98 XEA GSR-EMF 1 Slide channel door co-ordinator with electro-mechanical hold-open in the inactive leaf 	2 TS 98 XEA, BC/DC 1 GSR-EMF 1/V XEA (surcharge VL)	3	Standard finish	1.034,00
			Special finish*	1.085,00
			Design finish	1.346,00
TS 98 XEA GSR-EMF 2 Slide channel door co-ordinator with electro-mechanical hold-open in both leaves 	2 TS 98 XEA, BC/DC 1 GSR-EMF 2/V XEA (surcharge VL)	3	Standard finish	1.239,00
			Special finish*	1.300,00
			Design finish	1.611,00
TS 98 XEA GSR-EMF 1G Slide channel door co-ordinator with electro-mechanical hold-open in the active leaf 	2 TS 98 XEA, BC/DC 1 GSR-EMF 1G/V XEA (surcharge VL)	3	Standard finish	1.008,00
			Special finish*	1.056,00
			Design finish	1.310,00
TS 98 XEA GSR-EMR 1 Slide channel door co-ordinator with integrated smoke detector, electro-mechanical hold-open in the inactive leaf 	2 TS 98 XEA, BC/DC 1 GSR-EMR 1/V XEA (surcharge VL)	3	Standard finish	1.615,00
			Special finish*	1.693,00
			Design finish	2.099,00
TS 98 XEA GSR-EMR 2 Slide channel door co-ordinator with integrated smoke detector, electro-mechanical hold-open in both leaves 	2 TS 98 XEA, BC/DC 1 GSR-EMR 2/V XEA (surcharge VL)	3	Standard finish	1.817,00
			Special finish*	1.907,00
			Design finish	2.363,00



	Components		€/each	
TS 98 XEA GSR-EMR 1G Slide channel door co-ordinator with integrated smoke detector, electro-mechanical hold-open in the active leaf	2 TS 98 XEA, BC/DC 1 GSR-EMR 1G/V XEA (surcharge VL)	3	Standard finish	1.586,00
			Special finish*	1.663,00
			Design finish	2.062,00
				
TS 98 XEA GSR/BG Slide channel door co-ordinator on opposite hinge side, not prepared for EMF connection	2 TS 98 XEA, BC/DC 1 GSR/V/BG XEA	3	Standard finish	833,00
			Special finish*	871,00
			Design finish	1.083,00
				
TS 98 XEA GSR-EMF 2/BG Slide channel door co-ordinator with electro-mechanical hold-open on opposite hinge side, hold-open in both leaves	2 TS 98 XEA, BC/DC 1 GSR-EMF 2/V/BG XEA	3	Standard finish	1.343,00
			Special finish*	1.408,00
			Design finish	1.747,00
				
TS 98 XEA GSR-EMR 2/BG Slide channel door co-ordinator with integrated smoke detector on opposite hinge side, electro-mechanical hold-open in both leaves	2 TS 98 XEA , BC/DC 1 GSR-EMR 2/V/BG XEA	3	Standard finish	1.901,00
			Special finish*	1.994,00
			Design finish	2.471,00
				
TS 98 XEA GSR-RF 1 Slide channel door co-ordinator with mechanical hold-open for the inactive leaf	2 TS 98 XEA, BC/DC 1 GSR/V XEA 1 RF for GSR (surcharge VL)	4	Standard finish	808,00
			Special finish*	844,00
			Design finish	1.033,00




TS 98 XEA

TS 90

			Part Number	EAN Code	Price
TS 90 Impulse EN 3-4 with slide channel, Black P 190					PCE
 Surface mounted slide channel, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°). Black P 190.	1.0000	2,182	10200419	4021226867228	

TS 98 XEA

Finish			Part Number	EAN Code	Price (EUR)
TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate					PCE
 Surface mounted slide channel door closer in XEA design, for pull and push side application, non-handed. With second closing range (15°-0°) and latch control (7°-0°), with adjustable backcheck and delayed action, with decorative metal plate and mounting plate.					
silver P 600	1.0000	4,826	44110101	4048442638647	259.00
white P 100	1.0000	4,836	44110111	4048442638654	259.00
 pure white P 210	1.0000	4,840	44110110	4048442638661	259.00
black P 190	1.0000	4,842	44110119	4048442638678	259.00
special finish P 000	1.0000	4,185	44110109		271.00
stainless steel design P 700	1.0000	5,284	44110104	4048442638685	337.00
gold P 750	1.0000	5,302	44110105	4048442638692	337.00

TS 90

			Part Number	EAN Code	Price
 Surface mounted slide channel, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°). Black P 190.	1.0000	2,182	10200419	4021226867228	



TS 98 XEA

TS 98 XEA

Finish			Part Number	EAN Code	Price (EUR)
TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate, with G-N XEA, with fire protection plate					PCE
 Surface mounted slide channel door closer in XEA design, for pull and push side application, non-handed. With second closing range (15°-0°) and latch control (7°-0°), with adjustable backcheck and delayed action, with decorative metal plate and mounting plate. This version include also the fire protection plate and the GN-XEA slide channel.					
silver P 600	1.0000	6,000	44710301	4048442689922	393.00
black P 190	1.0000	6,000	44710319	4048442699129	393.00

CE

SLIDE CHANNEL DOOR CLOSER -
CAM ACTION (EN STANDARD)



TS 92 XEA

Slide channel G-N / Door closer TS 92 XEA

	Components		TS 92/EN 1-4 €/each	
N (Standard type) 	1 TS 92 XEA 1 G-N XEA	2	Standard finish	178,00
			Special finish*	186,00
			Design finish	230,00
RF (hold-open unit)* 	1 TS 92 XEA 1 G-N XEA 1 RF	3	Standard finish	209,00
			Special finish*	217,00
			Design finish	261,00



TS 92 XEA

Finish			Part Number	EAN Code	Price (EUR)
TS 92 XEA B EN 1-4					PCE
 CE EN 1154 DIN Spec 1104 CHN/718 15896	Surface mounted slide channel door closer in XEA design, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with decorative metal plate and mounting plate.				
	silver P 600	1.0000 2,290	42200101	4048442639095	135.00
	white P 100	1.0000 2,298	42200111	4048442639149	135.00
	pure white P 210	1.0000 2,358	42200110	4048442639132	135.00
	black P 190	1.0000 2,326	42200119	4048442639156	135.00
	special finish P 000	1.0000 2,300	42200109		141.00
	stainless steel design P 700	1.0000 2,666	42200104	4048442639118	174.00
	gold P 750	1.0000 2,734	42200105	4048442639125	174.00

TS 92 XEA G EN 1-4					PCE
 CE EN 1154 DIN Spec 1104 CHN/718 15896	Surface mounted slide channel door closer in XEA design, door leaf fixing on push side, transom fixing on pull side, with second closing range (15°-0°), with decorative metal plate and mounting plate.				
	silver P 600	1.0000 2,272	42210101	4048442639170	135.00
	white P 100	1.0000 2,369	42210111	4048442639224	135.00
	pure white P 210	1.0000 2,298	42210110	4048442639217	135.00
	black P 190	1.0000 2,296	42210119	4048442639231	135.00
	special finish P 000	1.0000 2,304	42210109		141.00
	stainless steel design P 700	1.0000 2,662	42210104	4048442639194	174.00
	gold P 750	1.0000 2,740	42210105	4048442639200	174.00

TS 92 XEA with G-N XEA

Finish			Part Number	EAN Code	Price (EUR)
TS 92 XEA B EN 1-4 with G-N XEA					PCE
 CE EN 1154 DIN Spec 1104 CHN/718 15896	Surface mounted slide channel door closer in XEA design, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with decorative metal plate, with mounting plate and G-N slide channel in XEA design.				
	silver P 600	1.0000 3,325	42200701	4048442639163	173.00

TS 92 XEA G EN 1-4 with G-N XEA					PCE
 CE EN 1154 DIN Spec 1104 CHN/718 15896	Surface mounted slide channel door closer in XEA design, door leaf fixing on push side, transom fixing on pull side, with second closing range (15°-0°), with decorative metal plate, with mounting plate and G-N slide channel in XEA design.				
	silver P 600	1.0000 3,370	42210701	4048442639248	173.00

List prices excluding VAT. Prices are subject to change without notice 01/26



G-Ubivis XEA

Finish				Part Number	EAN Code	Price (EUR)
G-Ubivis XEA						PCE
  DIN Spec 1104 EN12719:1999	Slide channel in XEA design, with network-independent power supply unit and integrated adjustable electro-mechanical hold-open between 80° and 140°, including lithium battery pack and integrated smoke detector.					
	silver P 600	1.0000	3,960	57070601	4048442636865	1258.00
	Carrier profile Silver P 600, Inlay Black P 190	1.0000	3,815	57070607	4048442652551	1258.00
	white P 100	1.0000	3,815	57070611	4048442636919	1258.00
	pure white P 210	1.0000	3,815	57070610	4048442641685	1258.00
	black P 190	1.0000	3,815	57070619	4048442636926	1258.00
	special finish P 000	1.0000	3,815	57070609		1321.00
	customer confection P 001	1.0000	3,815	57070608		1636.00
	stainless steel design P 700	1.0000	3,815	57070604	4048442636872	1636.00
	gold P 750	1.0000	3,619	57070605	4048442636889	1636.00
G-Ubivis XEA lithium battery						PCE
	Lithium battery pack for use with G-Ubivis XEA.					
		1.0000	0,132	57650000	4048442636933	137.00
G-Ubivis XEA mounting plate for narrow frames						PCE
	Mounting plate 825 x 40 mm for G-Ubivis XEA for narrow frames.					
	silver P 600	1.0000	0,454	57360001	4048442651929	36.00
	special finish P 000	1.0000	0,449	57360009		41.00



Slide channel System XEA

G-N XEA

Finish			Part Number	EAN Code	Price (EUR)	
G-N XEA					PCE	
 	Slide channel in XEA design, standard type, height-adjustable.					
	silver P 600	1.0000	0,862	57010001	4048442638869	43.00
	white P 100	1.0000	0,852	57010011	4048442638876	43.00
	pure white P 210	1.0000	0,860	57010010	4048442638883	43.00
	black P 190	1.0000	0,860	57010019	4048442638890	43.00
	special finish P 000	1.0000	0,866	57010009		45.00
	stainless steel design P 700	1.0000	0,930	57010004	4048442638906	56.00
	gold P 750	1.0000	1,036	57010005	4048442638913	56.00
G-N XEA for direct transom fixing					PCE	
 	Slide channel in XEA design, for direct transom fixing, for door frames with a deep reveal, height-adjustable.					
	silver P 600	1.0000	0,870	57040001	4048442641531	55.00
	white P 100	1.0000	0,876	57040011	4048442641548	55.00
	pure white P 210	1.0000	0,928	57040010	4048442641555	55.00
	black P 190	1.0000	0,866	57040019	4048442641562	55.00
	special finish P 000	1.0000	1,010	57040009		58.00
	stainless steel design P 700	1.0000	0,860	57040004	4048442641586	71.00
	gold P 750	1.0000	0,978	57040005	4048442641593	71.00
G-N XEA with arm, length 320 mm					PCE	
 	Slide channel in XEA design, standard type with 320 mm arm, height-adjustable.					
	silver P 600	1.0000	0,802	57050001	4048442641739	43.00
	white P 100	1.0000	0,822	57050011	4048442641746	43.00
	pure white P 210	1.0000	0,896	57050010	4048442641753	43.00
	black P 190	1.0000	0,806	57050019	4048442641760	43.00
	special finish P 000	1.0000	0,890	57050009		45.00
	stainless steel design P 700	1.0000	0,808	57050004	4048442641784	56.00
	gold P 750	1.0000	0,910	57050005	4048442641791	56.00



Slide channel System XEA

Finish			Part Number	EAN Code	Price (EUR)	
G-N XEA with drill pattern 428 mm					PCE	
 CE EN 1154	Slide channel in XEA design, height adjustable, with drill pattern 428 mm.					
	silver P 600	1.0000	0,834	57150001	4048442639941	43.00
	white P 100	1.0000	0,882	57150011	4048442639996	43.00
	pure white P 210	1.0000	0,908	57150010	4048442639989	43.00
	black P 190	1.0000	0,880	57150019	4048442640008	43.00
	dark brown P 290	1.0000	0,908	57150003	4048442639958	on request
	special finish P 000	1.0000	0,908	57150009		45.00
	stainless steel design P 700	1.0000	0,864	57150004	4048442639965	56.00
	gold P 750	1.0000	0,908	57150005	4048442639972	56.00

G-EMF XEA

Finish			Part Number	EAN Code	Price (EUR)	
G-EMF XEA, 140°					PCE	
 CE EN 1155	Slide channel in XEA design, with adjustable electro-mechanical hold-open, with variable hold-open point between 80°-140°. Operating voltage 24 V DC.					
	silver P 600	1.0000	1,594	57080001	4048442639491	283.00
	white P 100	1.0000	1,499	57080011	4048442639521	283.00
	special finish P 000	1.0000	1,578	57080009		297.00
	stainless steel design P 700	1.0000	1,582	57080004	4048442639507	367.00
	gold P 750	1.0000	1,584	57080005	4048442639514	367.00

G-EMF XEA, 140°, 48V						PCE
 CE EN 1155	Slide channel in XEA design, with adjustable electro-mechanical hold-open, with variable hold-open point between 80°-140°. Operating voltage 48 V DC.					
	silver P 600	1.0000	1,602	57080201	4048442641876	283.00
	white P 100	1.0000	1,590	57080211	4048442641883	283.00
	special finish P 000	1.0000	1,590	57080209		297.00



Slide channel System XEA

G-EMR XEA

Finish			Part Number	EAN Code	Price (EUR)
G-EMR XEA, 140°					PCE
 CE EN 54 T.7 EN 1155	Slide channel in XEA design design with adjustable electro-mechanical hold-open (80°-140°), integrated Smoke detector power supply unit. Floating change-over contact & connection terminals for external manual release. Input voltage 230 V AC, operating voltage 24 V DC.				
	silver P 600	1.0000 2,210	57070001	4048442639408	906.00
	white P 100	1.0000 2,220	57070011	4048442639439	906.00
	special finish P 000	1.0000 2,228	57070009		952.00
	stainless steel design P 700	1.0000 2,200	57070004	4048442639415	1179.00
	gold P 750	1.0000 2,071	57070005	4048442639422	1179.00

G-EMR XEA without EMF-unit					PCE
 CE EN 54 T.7 EN 1155	Slide channel in XEA design, with integrated smoke detector & power supply unit, without electro-mechanical hold-open, for connection to external magnetic clamps. Floating change-over contact & connection terminals for external manual release. Input voltage 230 V AC, operating voltage 24 V DC. For doors > 950 mm.				
	silver P 600	1.0000 1,860	57070501	4048442639484	646.00
	special finish P 000	1.0000 1,850	57070509		678.00

GSR XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR V XEA					PCE
 CE EN 1158	Slide channel door coordinator in XEA design, with thrust rod clamp system, for door width V 1350-2500 mm.				
	silver P 600	1.0000 3,570	57102001	4048442639569	233.00
	white P 100	1.0000 3,610	57102011	4048442639590	233.00
	special finish P 000	1.0000 3,590	57102009		245.00
	stainless steel design P 700	1.0000 3,560	57102004	4048442639576	302.00
	gold P 750	1.0000 3,700	57102005	4048442639583	302.00

GSR VL XEA					PCE
 CE EN 1158	Slide channel door coordinator in XEA design, with thrust rod clamp system, for door width VL 2500-3200 mm.				
	silver P 600	1.0000 4,180	57103001	4048442639606	262.00
	white P 100	1.0000 4,310	57103011	4048442639620	262.00
	special finish P 000	1.0000 4,280	57103009		275.00
	stainless steel design P 700	1.0000 4,190	57103004	4048442639613	343.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Slide channel System XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR VK XEA					PCE
 Slide channel door coordinator in XEA design, with thrust rod clamp system, for door width VK 1220-1350 mm, arm length 320 mm.					
silver P 600	1.0000	3,000	57101001	4048442639538	235.00
white P 100	1.0000	3,040	57101011	4048442639552	235.00
special finish P 000	1.0000	3,020	57101009		246.00
stainless steel design P 700	1.0000	3,060	57101004	4048442639545	305.00

CE EN 1158

GSR BG XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR V/BG XEA					PCE
 Slide channel door coordinator in XEA design, with thrust rod clamp system, for door width V 1500-2500 mm, for mounting on push side.					
silver P 600	1.0000	3,780	57144001	4048442639910	315.00
white P 100	1.0000	3,860	57144011	4048442639934	315.00
special finish P 000	1.0000	3,754	57144009		329.00
stainless steel design P 700	1.0000	3,730	57144004	4048442639927	409.00

CE EN 1158

GSR-EMF 1 XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 1/V XEA					PCE
 Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the inactive leaf. For door width V 1350-2500 mm. Operating voltage 24 V DC.					
silver P 600	1.0000	3,890	57112001	4048442639668	516.00
white P 100	1.0000	3,890	57112011	4048442639682	516.00
special finish P 000	1.0000	3,858	57112009		543.00
stainless steel design P 700	1.0000	3,810	57112004	4048442639675	672.00

CE EN 1155 EN 1158

GSR-EMF 1/V XEA, 48V

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 1/V XEA, 48V					PCE
 Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the inactive leaf, for door width V 1350-2500 mm. Operating voltage 48 V DC.					
silver P 600	1.0000	3,890	57112201	4048442641937	516.00
white P 100	1.0000	3,800	57112211	4048442641944	516.00
special finish P 000	1.0000	3,800	57112209		543.00

CE EN 1155 EN 1158

List prices excluding VAT. Prices are subject to change without notice 01/26



Slide channel System XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 1/VL XEA					PCE
Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the inactive leaf. For door width VL 2500-3200 mm. Operating voltage 24 V DC.					
 silver P 600	1.0000	4,410	57113001	4048442639699	547.00
white P 100	1.0000	4,590	57113011	4048442639712	547.00
special finish P 000	1.0000	4,620	57113009		573.00
   stainless steel design P 700	1.0000	4,447	57113004	4048442639705	711.00

GSR-EMF 1/VK XEA					PCE
Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the inactive door leaf. For door width VK 1220-1350 mm, arm length 320 mm. Operating voltage 24 V DC.					
 silver P 600	1.0000	3,250	57111001	4048442639637	516.00
white P 100	1.0000	3,254	57111011	4048442639651	516.00
   special finish P 000	1.0000	3,182	57111009		543.00
stainless steel design P 700	1.0000	3,274	57111004	4048442639644	672.00

GSR-EMF 2 XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 2/V XEA					PCE
Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive leaf. For door width V 1350-2500 mm. Operating voltage 24 V DC.					
 silver P 600	1.0000	4,130	57132001	4048442639842	721.00
white P 100	1.0000	4,160	57132011	4048442639873	721.00
special finish P 000	1.0000	4,140	57132009		758.00
   stainless steel design P 700	1.0000	4,010	57132004	4048442639859	937.00
gold P 750	1.0000	4,111	57132005	4048442639866	937.00


GSR-EMF 2/V XEA, 48V					PCE
Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive leaf, for door width V 1350-2500 mm. Operating voltage 48 V DC.					
 silver P 600	1.0000	4,120	57132201	4048442641951	721.00
white P 100	1.0000	4,100	57132211	4048442641968	721.00
special finish P 000	1.0000	4,100	57132209		758.00
  					




Slide channel System XEA


Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 2/VL XEA					PCE
 Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive leaf. For door width VL 2500-3200 mm. Operating voltage 24 V DC.					
silver P 600	1.0000	4,640	57133001	4048442639880	751.00
white P 100	1.0000	4,840	57133011	4048442639903	751.00
special finish P 000	1.0000	4,610	57133009		788.00
stainless steel design P 700	1.0000	4,692	57133004	4048442639897	976.00

GSR-EMF 2/VK XEA						PCE
	Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive door leaf. For door width VK 1220-1350 mm, arm length 320 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	3,540	57131001	4048442639811	721.00
	white P 100	1.0000	3,478	57131011	4048442639835	721.00
	 special finish P 000	1.0000	3,437	57131009		758.00
	stainless steel design P 700	1.0000	3,499	57131004	4048442639828	937.00

GSR-EMF 1G XEA

Finish			Part Number	EAN Code	Price (EUR)	
GSR-EMF 1G/V XEA					PCE	
Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the active leaf. For door width V 1350-2500 mm. Operating voltage 24 V DC.						
	silver P 600	1.0000	3,870	57122001	4048442639750	490.00
	white P 100	1.0000	3,970	57122011	4048442639774	490.00
	special finish P 000	1.0000	3,835	57122009		514.00
	 stainless steel design P 700	1.0000	3,835	57122004	4048442639767	636.00

GSR-EMF 1G/VK XEA						PCE
	Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the active door leaf. For door width VK 1220-1350 mm, arm length 320 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	3,310	57121001	4048442639729	490.00
	white P 100	1.0000	3,335	57121011	4048442639743	490.00
	 special finish P 000	1.0000	3,335	57121009		514.00
	stainless steel design P 700	1.0000	3,254	57121004	4048442639736	636.00



Slide channel System XEA

Finish				Part Number	EAN Code	Price (EUR)
   	GSR-EMF 1G/VL XEA					PCE
	Slide channel door coordinator in XEA design, with thrust rod clamp system, with electro-mechanical hold-open in the active leaf. For door width VL 2500-3200 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	5,100	57123001	4048442639781	519.00
	white P 100	1.0000	4,488	57123011	4048442639804	519.00
	special finish P 000	1.0000	4,488	57123009		545.00
	stainless steel design P 700	1.0000	4,417	57123004	4048442639798	675.00

GSR-EMF 2 BG XEA

Finish				Part Number	EAN Code	Price (EUR)
   	GSR-EMF 2/V/BG XEA					PCE
	Slide channel door coordinator in XEA design, with thrust rod clamp system, for mounting on push side, with electro-mechanical hold-open in the active and inactive leaf. For door width V 1500-2500 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	4,270	57174001	4048442640015	825.00
	white P 100	1.0000	4,370	57174011	4048442640039	825.00
	special finish P 000	1.0000	4,243	57174009		866.00
	stainless steel design P 700	1.0000	4,315	57174004	4048442640022	1073.00

GSR-EMR 1 XEA

Finish			Part Number	EAN Code	Price (EUR)	
GSR-EMR 1/V XEA					PCE	
 CE EN 1158 EN 54 T.7 EN 1155	Slide channel door coordinator in XEA design, with thrust rod clamp system, with integrated smoke detector with electro-mechanical hold-open in the inactive leaf. For door width V 1700-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	4,670	57215001	4048442640053	1097.00
	white P 100	1.0000	4,750	57215011	4048442640077	1097.00
	special finish P 000	1.0000	4,712	57215009		1151.00
	stainless steel design P 700	1.0000	4,753	57215004	4048442640060	1425.00
GSR-EMR 1/VL XEA					PCE	
 CE EN 1158 EN 54 T.7 EN 1155	Slide channel door coordinator in XEA design, with thrust rod clamp system, with integrated smoke detector with electro-mechanical hold-open in the inactive leaf. For door width VL 2500-3200 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	5,590	57216001	4048442640084	1126.00
	white P 100	1.0000	5,600	57216011	4048442640107	1126.00
	special finish P 000	1.0000	5,896	57216009		1182.00
	stainless steel design P 700	1.0000	5,437	57216004	4048442640091	1853.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Slide channel System XEA

GSR-EMR 2 XEA

Finish			Part Number	EAN Code	Price (EUR)	
GSR-EMR 2/V XEA					PCE	
 CE EN 1158 EN 54 T.7 EN 1155	Slide channel door coordinator in XEA design, with thrust rod clamp system, with integrated smoke detector with electro-mechanical hold-open in the active & inactive leaf. For door width V 1700-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	4,890	57235001	4048442640176	1299.00
	white P 100	1.0000	4,940	57235011	4048442640206	1299.00
	special finish P 000	1.0000	4,920	57235009		1365.00
	stainless steel design P 700	1.0000	4,957	57235004	4048442640183	1689.00
	gold P 750	1.0000	4,810	57235005	4048442640190	1689.00

GSR-EMR 2/VL XEA						PCE
	Slide channel door coordinator in XEA design, with thrust rod clamp system, with integrated smoke detector with electro-mechanical hold-open in the active & inactive leaf. For door width VL 2500-3200 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	5,391	57236001	4048442640244	1329.00
	white P 100	1.0000	5,830	57236011	4048442640268	1329.00
	special finish P 000	1.0000	6,161	57236009		1395.00
	stainless steel design P 700	1.0000	5,386	57236004	4048442640251	1727.00

GSR-EMR 1G XEA

Finish				Part Number	EAN Code	Price (EUR)
	GSR-EMR 1G/V XEA					PCE
	Slide channel door coordinator in XEA design, with thrust rod clamp system, with integrated smoke detector with electro-mechanical hold-open in the inactive leaf. For door width V 1700-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	4,650	57225001	4048442640114	1068.00
	white P 100	1.0000	4,760	57225011	4048442640138	1068.00
	special finish P 000	1.0000	4,712	57225009		1121.00
  						
						
stainless steel design P 700		1.0000	4,712	57225004	4048442640121	1388.00

GSR-EMR 1G/VL XEA						PCE
    	Slide channel door coordinator in XEA design, with thrust rod clamp system, with integrated smoke detector with electro-mechanical hold-open in the inactive leaf. For door width VL 2500-3200 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	5,342	57226001	4048442640145	1098.00
	white P 100	1.0000	5,560	57226011	4048442640169	1098.00
	special finish P 000	1.0000	5,651	57226009		1152.00
	stainless steel design P 700	1.0000	5,590	57226004	4048442640152	1426.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Slide channel System XEA

GSR-EMR XEA without EMF

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMR without EMF-unit/V XEA					PCE
Slide channel door coordinator in XEA design, with thrust rod clamp system, with integrated smoke detector without electro-mechanical hold-open, for connection to external magnetic clamp. For door width V 1700-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000 4,300	57205001	4048442640046	792.00
	special finish P 000	1.0000 4,320	57205009		831.00

CE EN 1155 EN 54 T.7

EN 1158

GSR-EMR 2 BG XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMR 2/V/BG XEA					PCE
Slide channel door coordinator in XEA design, with thrust rod clamp system, for mounting on push side, with integrated smoke detector with electro-mechanical hold-open in the active & inactive leaf. For door width V 1800-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000 5,200	57277001	4048442640305	1383.00
	white P 100	1.0000 5,210	57277011	4048442640329	1383.00
	special finish P 000	1.0000 5,134	57277009		1452.00
	stainless steel design P 700	1.0000 5,171	57277004	4048442640312	1797.00

CE EN 1158 EN 54 T.7

EN 1155

RMZ XEA

Finish			Part Number	EAN Code	Price (EUR)
RMZ XEA					PCE
Smoke detector in XEA design, with integrated power supply unit & visual smoke sensor for transom fixing. For activating of dormakaba hold-open devices. Floating change-over contact & connection terminals for external manual release. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000 0,616	57800001	4048442640718	630.00

EN 54 T.7



TS 97 FL XEA and TS 97 FLR-K XEA

TS 97 FL XEA

Finish			Part Number	EAN Code	Price (EUR)
TS 97 FL XEA EN 3-6 with slide channel					PCE
Free swing door closer in XEA design, free swing function > 0° opening angle, door leaf fixing for pull and push side application, non handed, with slide channel.					
 silver P 600	1.0000	7,092	13020001	4048442654517	878.00
white P 100	1.0000	7,040	13020011	4048442654548	878.00
special finish P 000	1.0000	7,040	13020009		898.00
 stainless steel design P 700	1.0000	7,028	13020004	4048442654524	1034.00

TS 97 FLR-K XEA

Finish			Part Number	EAN Code	Price (EUR)
TS 97 FLR-K XEA EN 3-6 with slide channel					PCE
Free swing door closer in XEA design free swing function > 0° opening angle, with integrated power supply unit & smoke detector & slide channel. Smoke detector with operation & service indication. Door leaf fixing on pull & push side. Input voltage 230 V AC, operating voltage 24 V DC.					
 silver P 600	1.0000	7,590	13040001	4048442654555	1262.00
white P 100	1.0000	7,846	13040011	4048442654586	1262.00
special finish P 000	1.0000	7,820	13040009		1323.00
 stainless steel design P 700	1.0000	7,820	13040004	4048442654562	1512.00

TS 97 FL XEA for GSR

Finish			Part Number	EAN Code	Price (EUR)
TS 97 FL XEA EN 3-6 for GSR XEA					PCE
Free swing door closer in XEA design, free swing function > 0° opening angle, door leaf fixing on active leaf (pull side), for GSR application, with lever.					
 silver P 600	1.0000	6,674	13030001	4048442654630	856.00
white P 100	1.0000	3,620	13030011	4048442654470	856.00
special finish P 000	1.0000	3,620	13030009		893.00
 stainless steel design P 700	1.0000	3,620	13030004	4048442654647	1030.00



Accessories XEA

TS 92 XEA

Finish			Part Number	EAN Code	Price (EUR)
TS 92 XEA glass door shoe					PCE
For laminated safety glass (LSG) made from toughened safety glass (TSG).					
silver P 600	1.0000	0,594	42000201	4048442639057	79.00
white P 100	1.0000	0,590	42000211	4048442639088	79.00
special finish P 000	1.0000	0,585	42000209		83.00
stainless steel design P 700	1.0000	0,586	42000204	4048442639064	102.00
gold P 750	1.0000	0,590	42000205	4048442639071	102.00



G-N XEA

Finish			Part Number	EAN Code	Price (EUR)
G-N XEA mounting plate, height 30 mm					PCE
For G-N slide channel in XEA design. Size 5 x 30 mm.					
silver P 600	1.0000	0,228	57400001	4048442640879	30.00
white P 100	1.0000	0,236	57400011	4048442640961	30.00
pure white P 210	1.0000	0,224	57400010	4048442640954	30.00
black P 190	1.0000	0,236	57400019	4048442641807	30.00
special finish P 000	1.0000	0,218	57400009		32.00
stainless steel design P 700	1.0000	0,230	57400004	4048442640947	38.00
gold P 750	1.0000	0,211	57400005	4048442641821	38.00



G-N XEA mounting plate, height 40 mm					PCE
For G-N slide channel in XEA design. Size 5 x 40 mm.					
silver P 600	1.0000	0,296	57410001	4048442640886	30.00
white P 100	1.0000	0,304	57410011	4048442640985	30.00
pure white P 210	1.0000	0,292	57410010	4048442640978	30.00
black P 190	1.0000	0,302	57410019	4048442641838	30.00
special finish P 000	1.0000	0,271	57410009		32.00
stainless steel design P 700	1.0000	0,310	57410004	4048442641852	38.00
gold P 750	1.0000	0,316	57410005	4048442641869	38.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Accessories XEA

Finish			Part Number	EAN Code	Price (EUR)
G-N XEA mounting plate, height 30 mm, with drill pattern 428 mm					PCE
For G-N slide channel in XEA design. Size 5 x 30 mm.					
 silver P 600	1.0000	0,196	57370001	4048442640367	30.00
white P 100	1.0000	0,190	57370011	4048442640381	30.00
pure white P 210	1.0000	0,190	57370010	4048442640374	30.00
special finish P 000	1.0000	0,190	57370009		32.00
G-N XEA mounting plate, height 40 mm, with drill pattern 428 mm					PCE
For G-N slide channel in XEA design. Size 5 x 40 mm.					
 silver P 600	1.0000	0,254	57380001	4048442640398	30.00
white P 100	1.0000	0,260	57380011	4048442640411	30.00
pure white P 210	1.0000	0,260	57380010	4048442640404	30.00
special finish P 000	1.0000	0,260	57380009		32.00
G-N XEA angle bracket					PCE
For G-N slide channel in XEA design.					
 silver P 600	1.0000	0,322	57430001	4048442640862	38.00
white P 100	1.0000	0,340	57430011	4048442641111	38.00
pure white P 210	1.0000	0,328	57430010	4048442641104	38.00
black P 190	1.0000	0,340	57430019	4048442641708	38.00
special finish P 000	1.0000	0,304	57430009		39.00
stainless steel design P 700	1.0000	0,316	57430004	4048442640992	48.00
gold P 750	1.0000	0,362	57430005	4048442641722	48.00
G-N XEA angle bracket with drill pattern 428 mm					PCE
For G-N slide channel in XEA design.					
 silver P 600	1.0000	0,298	57390001	4048442640428	38.00
white P 100	1.0000	0,286	57390011	4048442640459	38.00
pure white P 210	1.0000	0,286	57390010	4048442640442	38.00
special finish P 000	1.0000	0,286	57390009		39.00
stainless steel design P 700	1.0000	0,286	57390004	4048442640435	48.00



Accessories XEA

G-EMF XEA

Finish			Part Number	EAN Code	Price (EUR)
G-EMF XEA mounting plate, 140°					PCE
For G-EMF XEA slide channel with variable hold-open point between 80°-140°.					
 silver P 600	1.0000	0,302	57420001	4048442640466	33.00
white P 100	1.0000	0,302	57420011	4048442640503	33.00
special finish P 000	1.0000	0,305	57420009		35.00
stainless steel design P 700	1.0000	0,305	57420004	4048442640473	42.00
gold P 750	1.0000	0,305	57420005	4048442640480	42.00

G-EMF XEA angle bracket, 140°					PCE
For G-EMF XEA slide channel with variable hold-open point between 80°-140°.					
 silver P 600	1.0000	0,346	57440001	4048442640510	48.00
white P 100	1.0000	0,342	57440011	4048442640541	48.00
pure white P 210	1.0000	0,340	57440010	4048442640534	48.00
special finish P 000	1.0000	0,340	57440009		50.00
stainless steel design P 700	1.0000	0,328	57440004	4048442640527	62.00

G-EMR XEA

Finish			Part Number	EAN Code	Price (EUR)
G-EMR XEA mounting plate, 140°					PCE
For G-EMR XEA slide channel with variable hold-open point between 80°-140°.					
 silver P 600	1.0000	0,475	57460001	4048442640596	33.00
white P 100	1.0000	0,490	57460011	4048442640626	33.00
special finish P 000	1.0000	0,500	57460009		35.00
stainless steel design P 700	1.0000	0,485	57460004	4048442640602	42.00
gold P 750	1.0000	0,490	57460005	4048442640619	42.00



Accessories XEA

GSR XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR XEA mounting plate set					PCE
Set contains 1 mounting plate each for active and passive leaf and 1 mounting plate for the base part. For slide channel door coordinator in XEA design.					
silver P 600	1.0000	1,690	57480001	4048442640657	74.00
white P 100	1.0000	1,720	57480011	4048442640664	74.00
special finish P 000	1.0000	1,729	57480009		80.00






GSR BG XEA

Finish			Part Number	EAN Code	Price (EUR)
GSR BG XEA mounting plate set					PCE
Set contains 1 mounting plate each for active and passive leaf and 1 mounting plate for the base part. For slide channel door coordinator in XEA design, for mounting on the push side.					
silver P 600	1.0000	1,290	57490001	4048442640671	85.00
white P 100	1.0000	1,330	57490011	4048442640688	85.00
special finish P 000	1.0000	1,270	57490009		89.00

GSR BG XEA angle bracket set					PCE
Set contains 1 angle bracket each for active and passive leaf and 1 angle bracket for the base part. For slide channel door coordinator in XEA design, for mounting on the push side.					
silver P 600	1.0000	1,430	57470001	4048442640633	109.00
white P 100	1.0000	1,460	57470011	4048442640640	109.00
special finish P 000	1.0000	1,400	57470009		114.00

List prices excluding VAT. Prices are subject to change without notice 01/26



 in Contur Design	Components			EN 2-5 €/each	EN 5-7 €/each
TS 93 N Standard Type 	1 TS 93 B, BC/DC 1 G-N	2	Standard finish	249,00	304,00
			Special finish*	258,00	313,00
			Design finish	376,00	434,00
TS 93 RF Mechanical hold-open  	1 TS 93 B, BC/DC 1 G-N 1 RF for G-N	3	Standard finish	280,00	
			Special finish*	289,00	
			Design finish	407,00	
TS 93 EMF Electro-mechanical hold-open 	1 TS 93 B, BC/DC 1 G-EMF	2	Standard finish	469,00	
			Special finish*	489,00	
			Design finish	622,00	
TS 93 EMR Electro-mechanical hold-open with integrated smoke detector, with connection for external manual release and floating change-over contact 	1 TS 93 B, BC/DC 1 G-EMR	2	Standard finish	1.083,00	
			Special finish*	1.103,00	
			Design finish	1.272,00	
TS 93 GSR Slide channel door co-ordinator, not prepared for EMF connection 	2 TS 93 B, BC/DC 1 GSR/V (surcharge VL)	3	Standard finish	632,00	742,00
			Special finish*	679,00	789,00
			Design finish	943,00	1059,00
TS 93 GSR-EMF 1 Slide channel door co-ordinator with electro-mechanical hold-open in the inactive leaf 	2 TS 93 B, BC/DC 1 GSR-EMF 1/V (surcharge VL)	3	Standard finish	916,00	
			Design finish	1.227,00	
TS 93 GSR-EMF 2 Slide channel door co-ordinator with electro-mechanical hold-open in both leaves 	2 TS 93 B, BC/DC 1 GSR-EMF 2/V (surcharge VL)	3	Standard finish	1.120,00	
			Special finish*	1.163,00	
			Design finish	1.430,00	
TS 93 GSR-EMF 1G Slide channel door co-ordinator with electro-mechanical hold-open in the active leaf 	2 TS 93 B, BC/DC 1 GSR-EMF 1G/V (surcharge VL)	3	Standard finish	916,00	
			Special finish*	956,00	
			Design finish	1.246,00	
TS 93 GSR-EMR 1 Slide channel door co-ordinator with integrated smoke detector, electro-mechanical hold-open in the inactive leaf 	2 TS 93 B, BC/DC 1 GSR-EMR 1/V (surcharge VL)	3	Standard finish	1.474,00	
			Design finish	1.870,00	
TS 93 GSR-EMR 2 Slide channel door co-ordinator with integrated smoke detector, electro-mechanical hold-open in both leaves 	2 TS 93 B, BC/DC 1 GSR-EMR 2/V (surcharge VL)	3	Standard finish	1.678,00	
			Special finish*	1.735,00	
			Design finish	2.073,00	



 in Contur Design	Components		EN 2-5 €/each	
TS 93 GSR-EMR 1G Slide channel door co-ordinator with integrated smoke detector, electro-mechanical hold-open in the active leaf 	2 TS 93 B, BC/DC 1 GSR-EMR 1G/V (surcharge VL)	3	Standard finish	1.494,00
			Special finish*	1.563,00
			Design finish	1.998,00
TS 93 GSR/BG Slide channel door co-ordinator on opposite hinge side, not prepared for EMF connection 	2 TS 93 G, BC/DC 1 GSR/V/BG	3	Standard finish	714,00
			Special finish*	759,00
			Design finish	1.039,00
TS 93 GSR-EMF 2/BG Slide channel door co-ordinator with electro-mechanical hold-open on opposite hinge side, hold-open in both leaves 	2 TS 93 G, BC/DC 1 GSR-EMF 2/V/BG	3	Standard finish	1.203,00
			Special finish*	1.251,00
			Design finish	1.530,00
TS 93 GSR-EMR 2/BG Slide channel door co-ordinator with integrated smoke detector on opposite hinge side, electro-mechanical hold-open in both leaves 	2 TS 93 G, BC/DC 1 GSR-EMR 2/V/BG	3	Standard finish	1.761,00
			Special finish*	1.818,00
			Design finish	2.174,00
TS 93 GSR-RF 1 Slide channel door co-ordinator with mechanical hold-open for the inactive leaf	2 TS 93 B, BC/DC 1 GSR/V 1 RF for GSR-S (surcharge VL)	4	Standard finish	689,00
			Special finish*	736,00
			Design finish	1.000,00
			€/each	
Surcharge: Cover Sets for doors of 2500 mm to 3200 mm (does not count for BG)			Standard finish	+ 30,00
			Special finish*	+ 33,00
			Design finish	+ 71,00



TS 93 Contur Design

TS 93 B

Finish			Part Number	EAN Code	Price (EUR)
TS 93 B EN 2-5 BC/DC					PCE
Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck and delayed action, with latch control (7°-0°) and mounting plate.					
silver P 600	1.0000	3,568	43020001	4021226300800	213.00
white P 100	1.0000	3,520	43020011	4021226300817	213.00
pure white P 210	1.0000	3,500	43020010	4021226301296	213.00
black P 190	1.0000	3,440	43020019	4021226318119	213.00
dark brown P 290	1.0000	3,470	43020003	4021226319802	213.00
special finish P 000	1.0000	3,490	43020009		221.00
stainless steel design P 700	1.0000	3,694	43020004	4021226300824	305.00

TS 93 B EN 5-7 BC/DC					PCE
Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck and delayed action, with latch control (7°-0°) and mounting plate.					
silver P 600	1.0000	5,222	43520001	4021226300848	268.00
white P 100	1.0000	5,224	43520011	4021226300855	268.00
pure white P 210	1.0000	5,214	43520010	4021226301470	268.00
black P 190	1.0000	5,268	43520019	4048442653985	268.00
special finish P 000	1.0000	5,188	43520009		276.00
stainless steel design P 700	1.0000	5,438	43520004	4021226300862	363.00

TS 93 G

Finish			Part Number	EAN Code	Price (EUR)
TS 93 G EN 2-5 BC/DC					PCE
Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with adjustable backcheck and delayed action, with latch control (7°-0°) and mounting plate.					
silver P 600	1.0000	3,450	43030001	4021226301418	213.00
white P 100	1.0000	3,520	43030011	4021226301432	213.00
pure white P 210	1.0000	3,502	43030010	4021226301425	213.00
black P 190	1.0000	3,480	43030019	4021226318126	213.00
dark brown P 290	1.0000	3,400	43030003	4021226319819	213.00
special finish P 000	1.0000	3,557	43030009		221.00
stainless steel design P 700	1.0000	3,678	43030004	4021226301456	305.00

List prices excluding VAT. Prices are subject to change without notice 01/26



TS 93 Contur Design

Finish			Part Number	EAN Code	Price (EUR)
TS 93 G EN 5-7 BC/DC					PCE
 CE EN 1154 DIN Spec 1104 GEN/718.15896	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with adjustable backcheck and delayed action, with latch control (7°-0°) and mounting plate.				
	silver P 600	1.0000 5,234	43530001	4021226301494	268.00
	white P 100	1.0000 5,290	43530011	4021226301517	268.00
	pure white P 210	1.0000 5,292	43530010	4021226301500	268.00
	black P 190	1.0000 5,190	43530019	4048442653961	268.00
	special finish P 000	1.0000 5,200	43530009		276.00
	stainless steel design P 700	1.0000 5,438	43530004	4021226301531	363.00

TS 93 2S

Finish			Part Number	EAN Code	Price (EUR)
TS 93 B EN 2-5 BC/DC 2S					PCE
 CE EN 1154 DIN Spec 1104 GEN/718.15896	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck and delayed action, with second closing range (15°-0°) and mounting plate.				
	silver P 600	1.0000 3,450	43080001	4021226301555	213.00
	white P 100	1.0000 3,514	43080011	4021226301562	213.00
	black P 190	1.0000 3,484	43080019	4021226318140	213.00
	special finish P 000	1.0000 3,544	43080009		221.00
	stainless steel design P 700	1.0000 3,752	43080004	4021226319826	305.00

TS 93 G EN 2-5 BC/DC 2S					PCE
 CE EN 1154 DIN Spec 1104 GEN/718.15896	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with adjustable backcheck and delayed action, with second closing range (15°-0°) and mounting plate.				
	silver P 600	1.0000 3,540	43070001	4021226301586	213.00
	white P 100	1.0000 3,528	43070011	4021226301593	213.00
	black P 190	1.0000 3,524	43070019	4021226318133	213.00
	special finish P 000	1.0000 3,520	43070009		221.00

TS 93 B with G-N

Finish			Part Number	EAN Code	Price (EUR)
TS 93 B EN 2-5 BC/DC with G-N					PCE
 CE EN 1154 DIN Spec 1104 GEN/718.15896	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck and delayed action, with latch control (7°-0°), with mounting plate and G-N slide channel.				
	silver P 600	1.0000 4,418	43020501	4021226321317	248.00

List prices excluding VAT. Prices are subject to change without notice 01/26



TS 93 Contur Design

TS 93 Basic

Finish			Part Number	EAN Code	Price (EUR)	
TS 93 Basic B EN 2-5 BC with G-N					PCE	
	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck, with latch control (7°-0°), with mounting plate and G-N slide channel.					
	silver P 600	1.0000	4,320	43020401	4021226316054	226.00
	white P 100	1.0000	4,318	43020411	4021226850756	226.00
	black P 190	1.0000	4,410	43020419	4048442627597	231.00
   						
TS 93 Basic G EN 2-5 BC, 2S with G-N					PCE	
	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with adjustable backcheck, with second closing range (15°-0°), with mounting plate and G-N slide channel.					
	silver P 600	1.0000	4,400	43070401	4021226265185	231.00
	white P 100	1.0000	4,306	43070411	4048442627573	231.00
	black P 190	1.0000	4,330	43070419	4048442627580	231.00
   						

TS 93 EN 1-5

Finish			Part Number	EAN Code	Price (EUR)
TS 93 B EN 1-5 BC/DC, variant Australia					PCE
	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck and delayed action, with latch control (7°-0°) and mounting plate. Variant Australia.				
	silver P 600	1.0000	3,480	43090001	4021226265192
CE EN 1154 DIN Spec 1104 CHN/718 15896 country specific					
TS 93 G EN 1-5 BC/DC, variant Australia					PCE
	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with adjustable backcheck and delayed action, with latch control (7°-0°) and mounting plate. Variant Australia.				
	silver P 600	1.0000	3,500	43100001	4021226265406
CE EN 1154 DIN Spec 1104 CHN/718 15896 country specific					

List prices excluding VAT. Prices are subject to change without notice 01/26



TS 93 Contur Design

TS 93 EN 1-5 with G-N

Finish				Part Number	EAN Code	Price (EUR)
TS 93 B EN 1-5 BC/DC with G-N, variant Australia						PCE
	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck and delayed action, with latch control (7°-0°), with mounting plate and G-N slide channel. Variant Australia.					
	silver P 600	1.0000	4,400	43090501	4021226318157	248.00
						
TS 93 G EN 1-5 BC/DC with G-N, variant Australia						PCE
	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with adjustable backcheck and delayed action, with latch control (7°-0°), with G-N slide channel and mounting plate. Variant Australia.					
	silver P 600	1.0000	4,530	43100501	4021226318164	248.00
						



Slide channel System Contur Design (single leaf)

G-N

	Finish			Part Number	EAN Code	Price (EUR)
 CE EN 1154	Slide channel, standard type, height-adjustable.					PCE
	silver P 600	1.0000	0,820	64010001	4021226300954	36.00
	white P 100	1.0000	0,816	64010011	4021226300961	36.00
	pure white P 210	1.0000	0,808	64010010	4021226301890	36.00
	black P 190	1.0000	0,812	64010019	4021226318218	36.00
	dark brown P 290	1.0000	0,806	64010003	4021226319871	36.00
	special finish P 000	1.0000	0,814	64010009		37.00
	stainless steel design P 700	1.0000	0,812	64010004	4021226300978	71.00

G-EMF

	Finish			Part Number	EAN Code	Price (EUR)
 CE EN 1155	Slide channel, with adjustable electro-mechanical hold-open, with variable hold-open point between 80°-140°. Operating voltage 24 V DC.					PCE
	silver P 600	1.0000	1,430	64080001	4021226876138	256.00
	white P 100	1.0000	1,475	64080011	4021226876190	256.00
	black P 190	1.0000	1,420	64080019	4048442654104	256.00
	dark brown P 290	1.0000	1,432	64080003	4021226876145	256.00
	special finish P 000	1.0000	1,424	64080009		268.00
	stainless steel design P 700	1.0000	1,418	64080004	4021226876152	317.00

G-EMF 120°, 48V

 CE EN 1155	Slide channel, with adjustable electro-mechanical hold-open, with variable hold-open point between 80°-120°. Operating voltage 48 V DC.					PCE
	silver P 600	1.0000	1,270	64020201	4021226318522	256.00
	white P 100	1.0000	1,280	64020211	4021226318539	256.00

G-EMF without EMF-unit

 CE EN 1154	Slide channel, with the dimensions of the EMF variant but without electro-mechanical hold-open unit.					on request
	silver P 600	1.0000		64080501	4048442630542	

List prices excluding VAT. Prices are subject to change without notice 01/26



Slide channel System Contur Design (single leaf)

G-EMR

	Finish			Part Number	EAN Code	Price (EUR)
G-EMR 140°						PCE
	Slide channel, with adjustable electro-mechanical hold-open, with variable hold-open point between 80°-140°, with integrated smoke detector & power supply unit. Floating change-over contact & connection terminals for external manual release. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	2,042	64070001	4021226876374	870.00
	white P 100	1.0000	2,014	64070011	4021226876411	870.00
	special finish P 000	1.0000	2,000	64070009		882.00
	stainless steel design P 700	1.0000	2,029	64070004	4021226876381	967.00
G-EMR 120°						PCE
	Slide channel, with adjustable electro-mechanical hold-open, with variable hold-open point between 80°-120°, with integrated smoke detector & power supply unit. Floating change-over contact & connection terminals for external manual release. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	1,898	64030001	4021226301944	870.00
	white P 100	1.0000	1,911	64030011	4021226301968	870.00
	black P 190	1.0000	1,900	64030019	4048442654111	870.00
	special finish P 000	1.0000	1,813	64030009		882.00
	stainless steel design P 700	1.0000	1,900	64030004	4021226301982	967.00
G-EMR without EMF-unit						PCE
	Slide channel, with integrated smoke detector & power supply unit, without electro-mechanical hold-open, for connection to external magnetic clamps. Floating change-over contact & connection terminals for external manual release. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	1,760	64070501	4021226896396	610.00
	special finish P 000	1.0000	1,770	64070509		620.00



TS 99 GSR IN CONTUR DESIGN

Door closer TS 99 for double leaf doors

	in Contur Design	Components			TS 99 FL €/each
TS 99 FL-GSR		1 TS 99 FL standard installation for GSR	3	Standard finish	1.206,00
		1 TS 93 B, BC/ÖD + DC/SV, EN 2-5 1 GSR/V			
TS 99 FL-GSR-EMF 1		1 TS 99 FL standard installation for GSR	3	Standard finish	1.490,00
		1 TS 93 B, BC/ÖD + DC/SV, EN 2-5 1 GSR-EMF 1/V			
TS 99 FL-GSR-EMR 1		1 TS 99 FL standard installation for GSR	3	Standard finish	2.048,00
		1 TS 93 B, BC/ÖD + DC/SV, EN 2-5 1 GSR-EMR 1/V			



TS 99 FL, TS 99 FLR and TS 99 FLR-K Contur Design

TS 99 FL

Finish				Part Number	EAN Code	Price (EUR)
TS 99 FL EN 2-5 door leaf fixing (pull), with slide channel						PCE
 CE EN 1155 EN 54 T.7 EN 1154	Free swing door closer, free swing function > 0° opening angle, door leaf fixing on pull side, with free swing slide channel. Operating voltage: 24 V DC					
	silver P 600	1.0000	5,190	53320201	4021226838358	787.00
	white P 100	1.0000	5,194	53320211	4021226838365	787.00
	special finish P 000	1.0000	5,390	53320209		809.00
	stainless steel design P 700	1.0000	5,262	53320204	4021226838389	942.00
TS 99 FL EN 2-5 transom fixing (pull), with slide channel						PCE
 CE EN 1155 EN 54 T.7 EN 1154	Free swing door closer, free swing function > 0° opening angle, transom fixing on pull side, with free swing slide channel. Operating voltage 24 V DC.					
	silver P 600	1.0000	5,132	53330201	4021226838396	787.00
	white P 100	1.0000	5,156	53330211	4021226838501	787.00
	special finish P 000	1.0000	5,230	53330209		809.00
	stainless steel design P 700	1.0000	5,200	53330204	4021226838525	942.00
TS 99 FL EN 2-5 transom fixing (push), with slide channel, variant Netherlands						PCE
 CE EN 1155 EN 54 T.7 EN 1154 country specific	Free swing door closer, free swing function > 0° opening angle, transom fixing on push side, with free swing slide channel. Operating voltage 24 V DC. Variant Netherlands.					
	silver P 600	1.0000	5,156	53420501	4048442678865	793.00
	white P 100	1.0000	4,400	53420511	4048442678896	793.00
	special finish P 000	1.0000	4,400	53420509		814.00
	stainless steel design P 700	1.0000	4,400	53420504	4048442678872	949.00

TS 99 FL PI

Finish			Part Number	EAN Code	Price (EUR)	
TS 99 FL PI EN 2-5 door leaf fix (pull), with slide channel, variant Netherlands					PCE	
	Free swing door closer, free swing function > 0° opening angle, door leaf fixing on pull side, with free swing slide channel. Additional screw to secure the door closer cover. Operating voltage 24 V DC. Variant Netherlands.					
	silver P 600	1.0000	5,230	53350201	4021226838334	798.00
	special finish P 000	1.0000	5,230	53350209		819.00

CE EN 1154 EN 1155

country specific

List prices excluding VAT. Prices are subject to change without notice 01/26



TS 99 FL, TS 99 FLR and TS 99 FLR-K Contur Design

Finish			Part Number	EAN Code	Price (EUR)	
TS 99 FL PI EN 2-5 transom fixing (pull), with slide channel, variant Netherland					PCE	
	Free swing door closer, free swing function > 0° opening angle, transom fixing on pull side, with free swing slide channel. Additional screw to secure the door closer cover. Operating voltage 24 V DC. Variant Netherland.					
	silver P 600	1.0000	5,122	53360201	4021226838310	798.00
	special finish P 000	1.0000	5,098	53360209		819.00



TS 99 FLR

Finish			Part Number	EAN Code	Price (EUR)	
TS 99 FLR EN 2-5 transom fixing (pull), with slide channel					PCE	
 CE EN 1155 EN 54 T.7 EN 1154	Free swing door closer, free swing function > 0° opening angle, with integrated power supply unit & Smoke detector transom fixing on pull side, with free swing slide channel. Smoke detector with operating & service indication. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	6,180	54290301	4021226838532	1172.00
	special finish P 000	1.0000	6,379	54290309		1255.00
	stainless steel design P 700	1.0000	6,250	54290304	4021226838549	1421.00

TS 99 FLR-K

Finish			Part Number	EAN Code	Price (EUR)		
TS 99 FLR-K EN 2-5 door leaf fixing (pull), > 950 mm, with slide channel					PCE		
	Free swing door closer, free swing function > 0° opening angle, with integrated power supply unit & smoke detector with operation & service indication. Door leaf fixing on pull side with free swing slide channel. For doors above 950 mm door width. Input voltage 230 V AC, operating voltage 24 V DC.						
	silver P 600	1.0000	6,260	54310101	4021226875797	1172.00	
  	white P 100	1.0000	6,320	54310111	4021226876121	1172.00	
		special finish P 000	1.0000	6,312	54310109		1232.00
	stainless steel design P 700	1.0000	6,200	54310104	4021226876107	1421.00	
TS 99 FLR-K EN 2-5 door leaf fixing (pull), with slide channel					PCE		
	Free swing door closer, free swing function > 0° opening angle, with integrated power supply unit & smoke detector with operation & service indication. Door leaf fixing on pull side with free swing slide channel. Input voltage 230 V AC, operating voltage 24 V DC.						
	silver P 600	1.0000	6,100	54300101	4021226838556	1172.00	
  	white P 100	1.0000	6,086	54300111	4021226838563	1172.00	
		special finish P 000	1.0000	6,130	54300109		1232.00
	stainless steel design P 700	1.0000	5,270	54300104	4021226838587	1421.00	

List prices excluding VAT. Prices are subject to change without notice 01/26



TS 99 FL, TS 99 FLR and TS 99 FLR-K Contur Design

TS 99 FL for GSR

Finish			Part Number	EAN Code	Price (EUR)	
TS 99 FL EN 2-5 door leaf fixing (pull) for GSR					PCE	
    	Free swing door closer, free swing function > 0° opening angle, door leaf fixing on pull side, with free swing lever for GSR application.					
	silver P 600	1.0000	4,820	53380201	4021226838594	765.00
	special finish P 000	1.0000	4,900	53380209		801.00
	stainless steel design P 700	1.0000	4,836	53380204	4048442628327	939.00

SLIDE CHANNEL DOOR CLOSER -
CAM ACTION (EN STANDARD)



GSR System Contur Design (double leaf)

GSR

Finish			Part Number	EAN Code	Price (EUR)
GSR V					PCE
Slide channel door coordinator, with thrust rod clamp system, for door width V 1350-2500 mm.					
 silver P 600	1.0000	3,294	64 102001	4021226315163	206.00
white P 100	1.0000	3,430	64 102011	4021226315170	206.00
black P 190	1.0000	3,380	64 102019	4048442653954	333.00
special finish P 000	1.0000	3,350	64 102009		237.00
stainless steel design P 700	1.0000	3,390	64 102004	4021226315187	333.00
GSR V, variant OEM					PCE
Slide channel door coordinator, with thrust rod clamp system, for door width V 1220-2500 mm. Variant OEM.					
silver P 600	1.0000	3,270	64 188001	4021226319895	236.00
GSR VL					PCE
Slide channel door coordinator, with thrust rod clamp system, for door width VL 2500-3200 mm.					
 silver P 600	1.0000	3,910	64 103001	4021226302156	236.00
white P 100	1.0000	4,080	64 103011	4021226302163	236.00
special finish P 000	1.0000	4,060	64 103009		270.00
stainless steel design P 700	1.0000	4,040	64 103004	4021226302187	404.00
GSR VK					PCE
Slide channel door coordinator, with thrust rod clamp system, for door width VK 1220-1350 mm.					
 silver P 600	1.0000	2,820	64 101001	4021226302101	207.00
white P 100	1.0000	2,840	64 101011	4021226302118	207.00
special finish P 000	1.0000	2,900	64 101009		237.00
stainless steel design P 700	1.0000	3,000	64 101004	4021226302132	333.00

List prices excluding VAT. Prices are subject to change without notice 01/26



GSR System Contur Design (double leaf)

GSR BG

	Finish			Part Number	EAN Code	Price (EUR)
GSR V/BG						PCE
 CE EN 1158	Slide channel door coordinator, with thrust rod clamp system, for door width V 1500-2500 mm, for mounting on push side.					
	silver P 600	1.0000	3,506	64 144 001	4021226302460	288.00
	white P 100	1.0000	3,650	64 144 011	4021226302439	288.00
	black P 190	1.0000	3,610	64 144 019	4048442653978	288.00
	special finish P 000	1.0000	3,560	64 144 009		317.00
	stainless steel design P 700	1.0000	3,600	64 144 004	4021226302453	429.00

GSR-EMF 1

	Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 1/V						PCE
 CE EN 1155 EN 1158	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the inactive leaf. For door width V 1350-2500 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	3,590	64 112 001	4021226315231	490.00
	white P 100	1.0000	3,640	64 112 011	4021226302194	490.00
	stainless steel design P 700	1.0000	3,660	64 112 004	4021226302217	617.00

GSR-EMF 1/V, 48V						PCE
 CE EN 1155 EN 1158	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the inactive leaf, for door width V 1350-2500 mm. Operating voltage 48 V DC.					
	silver P 600	1.0000	3,610	64 112 201	4021226318553	538.00
	white P 100	1.0000	3,650	64 112 211	4021226265420	538.00

GSR-EMF 1/VL						PCE
 CE EN 1155 EN 1158	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the inactive leaf. For door width VL 2500-3200 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	4,300	64 113 001	4021226302224	519.00
	white P 100	1.0000	4,400	64 113 011	4021226302231	519.00
	stainless steel design P 700	1.0000	4,360	64 113 004	4021226302255	687.00

List prices excluding VAT. Prices are subject to change without notice 01/26



GSR System Contur Design (double leaf)

Finish			Part Number	EAN Code	Price (EUR)	
GSR-EMF 1/VK					PCE	
   	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the active door leaf. For door width VK 1220-1350 mm, arm length 320 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	3,100	64 111001	4021226315194	490.00
	white P 100	1.0000	3,190	64 111011	4021226315200	490.00
	stainless steel design P 700	1.0000	3,210	64 111004	4021226315224	617.00

GSR-EMF 2

Finish			Part Number	EAN Code	Price (EUR)	
GSR-EMF 2/V					PCE	
	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive leaf. For door width V 1350-2500 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	3,850	64 132001	4021226315286	694.00
	white P 100	1.0000	3,930	64 132011	4021226302378	694.00
	special finish P 000	1.0000	3,960	64 132009		721.00
	stainless steel design P 700	1.0000	3,900	64 132004	4021226302392	820.00



GSR-EMF 2/V, 48V						PCE
	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive leaf, for door width V 1350-2500 mm. Operating voltage 48 V DC.					
	silver P 600	1.0000	3,920	64 132201	4021226318560	761.00
	white P 100	1.0000	3,920	64 132211	4021226265444	761.00
CE EN 1155 EN 1158						

GSR-EMF 2/VL						PCE
 CE EN 1155 EN 1158	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive leaf. For door width VL 2500-3200 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	4,530	64 133001	4021226315293	723.00
	white P 100	1.0000	4,640	64 133011	4021226302408	723.00
	special finish P 000	1.0000	4,520	64 133009		756.00
	stainless steel design P 700	1.0000	4,600	64 133004	4021226302422	891.00

GSR-EMF 2/VK						PCE
   	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive door leaf. For door width VK 1220- 1350 mm, arm length 320 mm. Operating voltage 24 V DC.					
	silver P 600	1.0000	3,330	64 131001	4021226315354	694.00
	white P 100	1.0000	3,340	64 131011	4021226302347	694.00
	special finish P 000	1.0000	3,370	64 131009		722.00
	stainless steel design P 700	1.0000	3,430	64 131004	4021226302361	820.00

List prices excluding VAT. Prices are subject to change without notice 01/26



GSR System Contur Design (double leaf)

GSR-EMF 2 BG

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 2/V/BG					PCE
 CE EN 1155 EN 1158	Slide channel door coordinator, with thrust rod clamp system, for mounting on push side, with electro-mechanical hold-open in the active and inactive leaf. For door width V 1500-2500 mm. Operating voltage 24 V DC.				
	silver P 600	1.0000 4,080	64 174 001	4021226315309	777.00
	white P 100	1.0000 4,160	64 174 011	4021226302477	777.00
	special finish P 000	1.0000 4,160	64 174 009		809.00
	stainless steel design P 700	1.0000 3,280	64 174 004	4021226302491	920.00

GSR-EMF 1

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 1/V without adjustment, variant Export					PCE
 CE EN 1155 EN 1158 Customer specific	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the inactive leaf. For door width V 1350-2500 mm, without adjustment. Operating voltage 24 V DC. Variant Export.				
	silver P 600	1.0000 3,610	64 112 101	4021226321348	on request
GSR-EMF 1/VK without adjustment, variant Export					PCE
 CE EN 1155 EN 1158 Customer specific	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the active door leaf. For door width VK 1220-1350 mm, arm length 320 mm, without adjustment. Operating voltage 24 V DC. Variant Export.				
	silver P 600	1.0000 3,140	64 111 101	4021226321331	on request



GSR System Contur Design (double leaf)

GSR-EMF 2

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMF 2/V without adjustment, variant Export					PCE
	Slide channel door coordinator, with thrust rod clamp system, with electro-mechanical hold-open in the active and inactive leaf. For door width V 1350-2500 mm, without adjustment. Operating voltage 24 V DC. Variant Export.				
	silver P 600	1.0000	3,920	64 132 101	4021226321362
CE EN 1155 EN 1158 Customer specific					

GSR-EMF 2/VK without adjustment, variant Export						PCE
	Slide channel door coordinator with thrust rod clamp system, with electro-mechanical hold-open in the active & inactive door leaf. For door width VK 1220-1350 mm, arm length 320 mm, without adjustment. Operating voltage 24 V DC. Variant Export.					
	silver P 600	1.0000	3,380	64 131 101	4021226321355	on request
CE EN 1155 EN 1158 Customer specific						

GSR-EMR 1

Finish			Part Number	EAN Code	Price (EUR)	
GSR-EMR 1/V					PCE	
	Slide channel door coordinator, with thrust rod clamp system, with integrated Smoke detector with electro-mechanical hold-open in the inactive leaf. For door width V 1700-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	4,560	64215001	4021226302507	1048.00
	white P 100	1.0000	4,620	64215011	4021226302514	1048.00
	stainless steel design P 700	1.0000	4,590	64215004	4021226302538	1260.00

**EN 1155** **EN 1158**
EN 54 T.7

GSR-EMR 1/VL						PCE
	Slide channel door coordinator, with thrust rod clamp system, with integrated Smoke detector with electro-mechanical hold-open in the inactive leaf. For door width VL 2500-3200 mm. Input voltage 230 V AC, operating voltage 24 V DC.					
	silver P 600	1.0000	5,400	64216001	4021226302545	1078.00
	white P 100	1.0000	5,780	64216011	4021226302552	1078.00
	stainless steel design P 700	1.0000	5,330	64216004	4021226302576	1331.00

CE

EN 1155

EN 1158

EN 54 T.7

List prices excluding VAT. Prices are subject to change without notice 01/26



GSR System Contur Design (double leaf)

GSR-EMR 2

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMR 2/V					PCE
 CE EN 1155 EN 1158 EN 54 T.7	Slide channel door coordinator, with thrust rod clamp system, with integrated Smoke detector with electro-mechanical hold-open in the active and inactive leaf. For door width V 1700-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.				
	silver P 600	1.0000 4,790	64235001	4021226302668	1252.00
	white P 100	1.0000 4,880	64235011	4021226302675	1252.00
	special finish P 000	1.0000 4,820	64235009		1293.00
	stainless steel design P 700	1.0000 4,810	64235004	4021226302699	1463.00
GSR-EMR 2/VL					PCE
 CE EN 1155 EN 1158 EN 54 T.7	Slide channel door coordinator, with thrust rod clamp system, with integrated Smoke detector with electro-mechanical hold-open in the active and inactive leaf. For door width VL 2500-3200 mm. Input voltage 230 V AC, operating voltage 24 V DC.				
	silver P 600	1.0000 5,640	64236001	4021226302705	1282.00
	white P 100	1.0000 5,730	64236011	4021226302712	1282.00
	special finish P 000	1.0000 5,760	64236009		1328.00
	stainless steel design P 700	1.0000 5,280	64236004	4021226302736	1535.00

GSR-EMR 2 BG

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMR 2/V/BG					PCE
 CE EN 1155 EN 1158 EN 54 T.7	Slide channel door coordinator with thrust rod clamp system, for mounting on push side, with integrated Smoke detector with electro-mechanical hold-open in the active & inactive leaf. For door width V 1800-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.				
	silver P 600	1.0000 5,010	64277001	4021226302743	1335.00
	white P 100	1.0000 5,076	64277011	4021226302750	1335.00
	special finish P 000	1.0000 4,450	64277009		1376.00
	stainless steel design P 700	1.0000 5,070	64277004	4021226302774	1564.00

List prices excluding VAT. Prices are subject to change without notice 01/26



GSR System Contur Design (double leaf)

GSR-EMR

Finish			Part Number	EAN Code	Price (EUR)
GSR-EMR without EMF-unit/V					PCE
	Slide channel door coordinator with thrust rod clamp system, with integrated Smoke detector without electro-mechanical hold-open, for connection to external magnetic clamps, for door width V 1700-2500 mm. Input voltage 230 V AC, operating voltage 24 V DC.				
silver P 600	1.0000	4,290	64205001	4021226321379	744.00
   white P 100	1.0000	4,340	64205011	4021226321508	744.00
 special finish P 000	1.0000	4,310	64205009		784.00
stainless steel S 700	1.0000	4,460	64205004	4021226321386	744.00

SLIDE CHANNEL DOOR CLOSER -
CAM ACTION (EN STANDARD)



Smoke detectors and accessories

RMZ XEA

Finish			Part Number	EAN Code	Price (EUR)
RMZ XEA					PCE
Smoke detector in XEA design, with integrated power supply unit & visual smoke sensor for transom fixing. For activating of dormakaba hold-open devices. Floating change-over contact & connection terminals for external manual release. Input voltage 230 V AC, operating voltage 24 V DC.					
 white P 100	1.0000	0,624	57800011	4048442640749	630.00
special finish P 000	1.0000	0,473	57800009		662.00
 stainless steel design P 700	1.0000	0,626	57800004	4048442640725	819.00
gold P 750	1.0000	0,609	57800005	4048442640732	819.00

RMZ

Finish			Part Number	EAN Code	Price (EUR)
RMZ					PCE
Smoke detector with integrated power supply unit & visual smoke sensor for transom fixing. For activating of hold-open devices. Floating change-over contact & connection terminals for external manual release. Input voltage 230 V AC, operating voltage 24 V DC.					
 silver P 600	1.0000	0,482	64800001	4021226301326	603.00
white P 100	1.0000	0,480	64800011	4021226302002	603.00
 black P 190	1.0000	0,508	64800019	4048442654128	603.00
special finish P 000	1.0000	0,464	64800009		612.00
stainless steel design P 700	1.0000	0,476	64800004	4021226301333	694.00

RM-N

Finish			Part Number	EAN Code	Price (EUR)
RM-N smoke detector, packing unit (PU), White					PCE
RM-N optical smoke detector for ceiling mounting. Combinable with smoke detection systems in Contur & XEA RM ED for swing door operators ED 100/ ED 250, motor lock controls & escape route safety systems. Packing unit contains 2 pieces. Operating voltage 24 V DC. White					
 white	1.0000	0,376	64830900	4021226856208	402.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Smoke detectors and accessories

RM-F

Finish			Part Number	EAN Code	Price (EUR)
RM-F wireless smoke detector, packing unit (PU)					PCE
RM-F wireless smoke detector. Packing unit (PU) contains 2 pieces.					
white	1.0000	0,262	57280011	4048442687843	571.00



CE EN 54 T.7

FM AP

Finish			Part Number	EAN Code	Price (EUR)
FM AP wireless module					PCE
FM AP radio module for wireless smoke detection system.					
silver	1.0000	0,140	57290001	4048442687850	213.00
white	1.0000	0,138	57290011	4048442687867	213.00
black	1.0000	0,113	57290019	4048442687874	213.00
special finish P 000	1.0000	0,113	57290009		450.00



CE EN 54 T.7

HT AP/UP F

Finish			Part Number	EAN Code	Price (EUR)
HT AP F, HT UP F wireless push button					PCE
HT AP F, HT UP F wireless push button for surface and concealed wall mounting.					
white	1.0000	0,262	57300011	4048442687898	213.00



EN 54 T.7





Slide channel G-N / Door closer TS 92 or TS 91

 in Contur Design	Components			TS 92/EN 1-4	TS 91/EN 3
				€/each	€/each
 N (Standard type)	1 TS 92/91	2	Standard finish	138,00	104,00
	1 G-N		Special finish*	175,00	130,00
			Design finish	301,00	
 RF (hold-open unit)*	1 TS 92/91	3	Standard finish	167,00	133,00
	1 G-N		Special finish*	204,00	159,00
	1 RF		Design finish	330,00	



TS 92 Contur Design

TS 92

Finish				Part Number	EAN Code	Price (EUR)
TS 92 B EN 1-4						PCE
 	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with mounting plate.					
	silver P 600	1.0000	1,996	42020101	4021226300886	118.00
	white P 100	1.0000	2,010	42020111	4021226300893	118.00
	pure white P 210	1.0000	2,016	42020110	4021226301647	118.00
	black P 190	1.0000	2,002	42020119	4021226318690	118.00
	dark brown P 290	1.0000	2,070	42020103	4021226319840	118.00
	special finish P 000	1.0000	2,000	42020109		155.00
	stainless steel design P 700	1.0000	2,212	42020104	4021226300909	240.00
TS 92 G EN 1-4						PCE
 	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with second closing range (15°-0°), with mounting plate.					
	silver P 600	1.0000	2,002	42030101	4021226301661	118.00
	white P 100	1.0000	2,002	42030111	4021226301685	118.00
	pure white P 210	1.0000	2,008	42030110	4021226301678	118.00
	black P 190	1.0000	2,012	42030119	4021226318805	118.00
	dark brown P 290	1.0000	2,010	42030103	4021226319857	118.00
	special finish P 000	1.0000	2,000	42030109		155.00
	stainless steel design P 700	1.0000	2,194	42030104	4021226301708	240.00
TS 92 B EN 1-4 with full cover, variant UK						PCE
 	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with mounting plate and full cover. Variant UK.					
	silver P 600	1.0000		42020401	4021226855409	155.00
	stainless steel S 700	1.0000		42020415	4021226855386	291.00
TS 92 G EN 1-4 with full cover, variant UK						PCE
 	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with second closing range (15°-0°), with mounting plate and full cover. Variant UK.					
	silver P 600	1.0000		42030401	4021226855416	155.00
	stainless steel S 700	1.0000	2,346	42030415	4021226855393	291.00



TS 92 Contur Design

TS 92 with G-N


Finish			Part Number	EAN Code	Price (EUR)
TS 92 B EN 1-4 with G-N, variant Australia					PCE
	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with mounting plate and G-N slide channel. Variant Australia.				
silver P 600	1.0000	2,942	42020201	4021226308219	154.00
					
TS 92 G EN 1-4 with G-N, variant Australia					PCE
	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with second closing range (15°-0°), with mounting plate and G-N slide channel. Variant Australia.				
silver P 600	1.0000		42030201	4021226318935	154.00
					

SLIDE CHANNEL DOOR CLOSER -
CAM ACTION (EN STANDARD)



TS 91 Contur Design


TS 91

Finish			Part Number	EAN Code	Price (EUR)	
TS 91 B EN 3					PCE	
 	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°).					
	silver P 600	1.0000	1,698	4 1020 101	4021226308226	84.00
	white P 100	1.0000	1,702	4 1020 111	4021226308233	84.00
	black P 190	1.0000	1,730	4 1020 119	4021226318249	84.00
	dark brown P 290	1.0000	1,708	4 1020 103	4021226319864	84.00
	special finish P 000	1.0000	1,714	4 1020 109		108.00
	stainless steel design P 700	1.0000	1,878	4 1020 104	4021226318232	244.00
TS 91 G EN 3					PCE	
 	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with second closing range (15°-0°).					
	silver P 600	1.0000	1,720	4 1030 101	4021226308257	84.00
	white P 100	1.0000	1,720	4 1030 111	4021226308264	84.00
	black P 190	1.0000	1,702	4 1030 119	4021226318256	84.00
	special finish P 000	1.0000	1,730	4 1030 109		109.00
TS 91 B EN 4					PCE	
 	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°).					
	silver P 600	1.0000	1,740	4 1050 101	4021226308295	101.00
	white P 100	1.0000	1,738	4 1050 111	4048442629249	103.00
	black P 190	1.0000	1,760	4 1050 119	4048442629256	103.00



TS 97 Contur Design

TS 97

Finish				Part Number	EAN Code	Price (EUR)
TS 97 EN 2-4 with slide channel						PCE
 	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, self-closing from 160°, with end latch (7°-0°), with slide channel, with cushioned limit stay and mounting plate.					
	silver P 600	1.0000	2,618	13010001	4021226291603	231.00
	white P 100	1.0000	2,616	13010011	4021226291641	231.00
	special finish P 000	1.0000	2,622	13010009		266.00
	stainless steel design P 700	1.0000	2,608	13010004	4021226291610	367.00
	gold P 750	1.0000	2,635	13010005	4021226291627	367.00

SLIDE CHANNEL DOOR CLOSER -
CAM ACTION (EN STANDARD)



TS 90 Impulse

Finish			Part Number	EAN Code	Price (EUR)	
TS 90 Impulse EN 3/4 with slide channel					PCE	
 CE EN 1154 DIN Spec 1104 CHN/718.15894	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with slide channel.					
	silver P 600	1.0000	2,180	10200401	4021226301364	86.00
	white P 100	1.0000	2,200	10200411	4021226301395	86.00
	dark brown P 290	1.0000	2,200	10200403	4021226301371	86.00
	special finish P 000	1.0000	2,200	10200409		109.00

TS 90 Impulse EN 3/4 BC with slide channel						PCE
   DIN Spec 1104 CHN/718.15894	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with backcheck, with second closing range (15°-0°), with slide channel.					
	silver P 600	1.0000	2,209	10210401	4021226320006	107.00
	white P 100	1.0000	2,214	10210411	4021226320020	107.00
	black P 190	1.0000	2,209	10210419	4021226837085	107.00
	special finish P 000	1.0000		10210409		138.00

TS 90 Impulse EN 3 with slide channel						PCE
	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with slide channel.					
	silver P 600	1.0000	2,050	10200201	4021226288061	80.00

CE EN 1154

DIN Spec 1104

CHN/718.15894

TS 90 Impulse EN 2 NP with slide channel, variant Japan						PCE
	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with slide channel. Variant Japan.					
	silver P 600	1.0000	10220501	4021226266052		102.00
 EN 1154 						

TS 90 Impulse H

Finish			Part Number	EAN Code	Price (EUR)	
TS 90 Impulse H EN 3/4 with slide channel					PCE	
 	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with second closing range (15°-0°), with slide channel.					
	silver P 600	1.0000	2,194	10240401	4021226803363	102.00
	white P 100	1.0000	2,205	10240411	4021226803370	102.00
	black P 190	1.0000	2,190	10240419	4021226803387	102.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Accessories Contur Design

TS 98/93/92/91/83/73V

			Part Number	EAN Code	Price (EUR)
TS 98 XEA, TS 92 XEA, TS 93, TS 92, TS 91, TS 83, TS 73V drilling jig					PCE
Drilling jig for TS 98 XEA, TS 92 XEA, TS 93, TS 92, TS 91, TS 83, TS 73 V.					
	1.0000	1,342	18390010	4021226216330	202.00

TS 93

			Part Number	EAN Code	Price (EUR)
TS 93 mounting plate, variant OEM, delivery unit 20					PCE
Mounting plate for TS 93, delivery unit contains 20 pieces. Variant OEM					
	1.0000	4,054	43000600	4048442628655	397.00
	1.0000	0,250	43000900	4048442654852	on request

TS 92

Finish			Part Number	EAN Code	Price (EUR)
TS 92 glass door shoe					PCE
Glas door shoe for TS 92 for laminated safety glass (LSG) made from toughened safety glass (TSG).					
silver P 600	1.0000	0,544	42000101	4021226301739	62.00
white P 100	1.0000	0,548	42000111	4021226301746	62.00
special finish P 000	1.0000	0,546	42000109		66.00
stainless steel design P 700	1.0000	0,538	42000104	4021226301760	98.00
gold P 750	1.0000	0,534	42000105	4021226301777	98.00



Accessories Contur Design

TS 91

Finish			Part Number	EAN Code	Price (EUR)
TS 91 mounting plate					PCE
Mounting plate for TS 91 door closer.					
silver P 600	1.0000	0,274	4 1000201	4021226301869	10.00
white P 100	1.0000	0,272	4 1000211	4021226301876	10.00
special finish P 000	1.0000	0,279	4 1000209		10.00



TS 93 EN 2-5, TS 92, TS 91

Finish			Part Number	EAN Code	Price (EUR)
TS 93 EN 2-5, TS 92, TS 91 full softline cover & mounting bracket, variant UK					PCE
Softline cover and mounting bracket without door closer for TS 93 EN 2-5, TS 92, TS 91. Variant UK					
stainless steel S 700	1.0000	0,482	12000115	4021226282212	103.00
TS 93 EN 2-5, TS 92, TS 91 full cover + mounting bracket, variant UK					PCE
Full cover and mounting bracket without door closer for TS 93 EN 2-5, TS 92, TS 91. Variant UK					
stainless steel S 700	1.0000	0,470	12000215	4021226282229	103.00



TS 97

Finish			Part Number	EAN Code	Price (EUR)
TS 97 glass door shoe, Silver P 600					PCE
Glas door shoe for TS 97 for laminated safety glass (LSG) made from toughened safety glass (TSG). Silver P 600.					
silver P 600	1.0000	0,500	13000201	4021226804339	72.00
white P 100	1.0000	0,479	13000211	4021226804346	72.00
special finish P 000	1.0000	0,489	13000209		79.00
stainless steel design P 700	1.0000	0,480	13000204	4021226804360	107.00
gold P 750	1.0000	0,489	13000205	4021226804377	107.00



Accessories Contur Design

TS 97/G 96 N20

			Part Number	EAN Code	Price (EUR)
TS 97/G 96 N20 mechanical hold-open unit					PCE
TS 97/G 96 N20 mechanical hold-open unit with on/off feature. Adjustable release force.					
	1.0000	0,058	13000100	4021226291238	51.00
					

G90 Impulse

Finish			Part Number	EAN Code	Price (EUR)
G90 Impulse mounting plate					PCE
Mounting plate for G90 Impulse slide channel.					
 silver P 600	1.0000	0,136	10002801	4021226264706	22.00
white P 100	1.0000	0,136	10002811	4021226264713	22.00
G90 Impulse cushioned limited stay					PCE
Cushioned limited stay G90 Impulse					
 without color	1.0000	0,020	10002000	4021226291245	18.00
G90 Impulse angle bracket, Silver P 600					PCE
Angle bracket for G90 Impulse slide channel. Silver P 600.					
 silver P 600	1.0000	0,254	10003001	4021226269404	33.00
white P 100	1.0000	0,258	10003011	4021226269367	33.00
special finish P 000	1.0000	0,235	10003009		41.00
G90 Impulse mechanical hold-open unit					PCE
Mechanical hold-open unit without on/off feature. Adjustable release force.					
	1.0000	0,050	10002100	4021226290514	22.00
					

List prices excluding VAT. Prices are subject to change without notice 01/26



Accessories Contur Design

G-N

Finish				Part Number	EAN Code	Price (EUR)
G-N arm cranked 375 mm						PCE
	G-N arm cranked, length 375 mm for TS 98 XEA, TS 93, TS 92 for 180° opening angle,					
	silver P 600	1.0000	0,394	57240001	4048442686365	59.00
	silver P 600	1.0000	0,400	57250001	4048442686372	59.00
G-N mounting plate, height 30 mm						PCE
	G-N mounting plate size 5 x 30 mm for G-N slide channel.					
	silver P 600	1.0000	0,198	64400001	4021226302903	24.00
	white P 100	1.0000	0,188	64400011	4021226302927	24.00
	pure white P 210	1.0000	0,206	64400010	4021226302910	24.00
	special finish P 000	1.0000	0,206	64400009		28.00
	stainless steel design P 700	1.0000	0,196	64400004	4021226266786	73.00
G-N mounting plate, height 40 mm						PCE
	G-N mounting plate size 5 x 40 mm for G-N slide channel.					
	silver P 600	1.0000	0,252	64410001	4021226302941	28.00
	white P 100	1.0000	0,270	64410011	4021226302965	28.00
	pure white P 210	1.0000	0,278	64410010	4021226302958	28.00
	special finish P 000	1.0000	0,274	64410009		30.00
G-N angle bracket						PCE
	Angle bracket for G-N slide channel.					
	silver P 600	1.0000	0,276	64430001	4021226303009	35.00
	white P 100	1.0000	0,291	64430011	4021226303023	35.00
	pure white P 210	1.0000	0,296	64430010	4021226303016	35.00
	black P 190	1.0000	0,296	64430019	4048442653992	35.00
	special finish P 000	1.0000	0,270	64430009		38.00
	stainless steel design P 700	1.0000	0,294	64430004	4021226303047	89.00



Accessories Contur Design

G-N XEA, G-N, G-N Basic

			Part Number	EAN Code	Price (EUR)
G-N XEA, G-N, G-N Basic cushioned limited stay					PCE
Basic cushioned limited stay for TS 92/TS93, height 30 mm.					
	1.0000	0,062	35800093	4021226005477	24.00

DIN EN ISO 14025

G-N

			Part Number	EAN Code	Price (EUR)
G-N cushioned limited stay, with accessories, variant OEM, delivery unit 105					PCE
Variant OEM. Delivery unit contains 105 pieces.					
	1.0000	5,902	64770000	4048442688116	on request

105x

G-N XEA, G-N, G-N Basic

			Part Number	EAN Code	Price (EUR)
G-N XEA, G-N, G-N Basic mechanical hold-open unit					PCE
Basic mechanical hold-open unit with on/off feature. Adjustable release force.					
	1.0000	0,060	18570000	4021226229484	31.00



Accessories Contur Design

G-EMF

Finish			Part Number	EAN Code	Price (EUR)
G-EMF mounting plate, 140°					PCE
Mounting plate for G-EMF slide channel, with variable hold-open point between 80°-140°.					
 silver P 600	1.0000	0,290	64420001	4021226315316	29.00
white P 100	1.0000	0,294	64420011	4021226315330	29.00
pure white P 210	1.0000	0,296	64420010	4021226315323	29.00
special finish P 000	1.0000	0,280	64420009		30.00
stainless steel design P 700	1.0000	0,292	64420004	4021226302989	79.00
gold P 750	1.0000	0,310	64420005	4021226302996	79.00

G-EMF angle bracket, 140°					PCE
Angle bracket for G-EMF slide channel, with variable hold-open point between 80°-140°.					
 silver P 600	1.0000	0,334	64440001	4021226303054	44.00
white P 100	1.0000	0,342	64440011	4021226303078	44.00
pure white P 210	1.0000	0,325	64440010	4021226303061	44.00
special finish P 000	1.0000	0,371	64440009		46.00
stainless steel design P 700	1.0000	0,320	64440004	4021226303092	100.00

G-EMR

Finish			Part Number	EAN Code	Price (EUR)
G-EMR mounting plate, 140°					PCE
Mounting plate for G-EMR slide channel, with variable hold-open point between 80°-140°.					
 silver P 600	1.0000	0,487	64460001	4021226876206	29.00
white P 100	1.0000	0,492	64460011	4021226876251	29.00
special finish P 000	1.0000	0,448	64460009		30.00
stainless steel design P 700	1.0000	0,440	64460004	4021226876213	79.00
gold P 750	1.0000		64460005	4021226876220	79.00

G-EMR mounting plate, 120°					PCE
Mounting plate for G-EMR slide channel, with variable hold-open point between 80°-120°.					
 silver P 600	1.0000	0,440	64450001	4021226303108	29.00
white P 100	1.0000	0,440	64450011	4021226303122	29.00
special finish P 000	1.0000	0,450	64450009		30.00
stainless steel design P 700	1.0000	0,500	64450004	4021226303146	79.00
gold P 750	1.0000	0,457	64450005	4021226303153	79.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Accessories Contur Design

GSR

Finish			Part Number	EAN Code	Price (EUR)
GSR mounting plate set					PCE
Set contains 1 mounting plate each for active and passive leaf and 1 mounting plate for the base part. For slide channel door coordinator.					
 silver P 600	1.0000	1,630	64480001	4021226303191	60.00
white P 100	1.0000	1,690	64480011	4021226303207	60.00
special finish P 000	1.0000	1,695	64480009		62.00

GSR XEA, GSR

			Part Number	EAN Code	Price (EUR)
GSR XEA, GSR mechanical hold-open unit					PCE
Basic mechanical hold-open unit with on/off feature in the inactive leaf only. Adjustable release force.					
	1.0000	0,238	18540000	4021226225837	57.00



DIN EN ISO 14025

GSR

Finish			Part Number	EAN Code	Price (EUR)
GSR pivot block					PCE
GSR pivot block					
 silver P 600	1.0000	0,322	64500001	4021226303252	57.00
white P 100	1.0000	0,330	64500011	4021226303269	57.00
special finish P 000	1.0000	0,320	64500009		59.00

CE EN 1158



Accessories Contur Design

GSR XEA, GSR, G96 GSR

			Part Number	EAN Code	Price (EUR)
GSR XEA, GSR, G96 GSR cushioned limited stay					PCE
Cushioned limited stay, height 30 mm.					
	1.0000	0,086	18020000	4021226212172	29.00

DIN EN ISO 14025

GSR

Finish			Part Number	EAN Code	Price (EUR)
GSR BG mounting plate set					PCE
Set contains 1 mounting plate each for active and passive leaf and 1 mounting plate for the base part. For slide channel door coordinator, for mounting on push side.					
silver P 600	1.0000	1,300	64490001	4021226303221	68.00
white P 100	1.0000	1,328	64490011	4021226303238	68.00
special finish P 000	1.0000	1,340	64490009		72.00
GSR BG angle bracket set					PCE
Set contains 1 angle bracket each for active and passive leaf and 1 angle bracket for the base part. For slide channel door coordinator, for mounting on push side.					
silver P 600	1.0000	1,420	64470001	4021226303160	94.00
white P 100	1.0000	1,455	64470011	4021226303177	94.00
special finish P 000	1.0000	1,620	64470009		100.00

Approval labels for hold-open system

			Part Number	EAN Code	Price (EUR)
Approval labels for hold-open system					PCE
Approval labels for hold-open system.					
	1.0000	0,004	5661345532	4021226438039	6.00



Accessories Contur Design

Approval set for hold-open system

			Part Number	EAN Code	Price (EUR)
Approval set for hold-open system					PCE
 For G-EMR XEA, G-EMR, GSR-EMR XEA, GSR-EMR, RMZ XEA, RMZ, TS 99 FLR-K, RM-ED. Approval sticker, log book, general building inspectorate approval code of practice for hold-open systems, approval sticker for hold-open systems. All documents are in German.	1.0000	0,042	64620000	4021226321300	7.00

Test book for general building inspection

			Part Number	EAN Code	Price (EUR)
Test book for general building inspection					PCE
 All documents are in German.	1.0000	0,022	5372645532	4021226763278	11.00



TS 93 Contur Design (ANSI)

TS 93 ANSI

Finish			Part Number	EAN Code	Price (EUR)
TS 93 B ANSI 1-5 BC/DC					PCE
	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck and delayed action, with latch control (7°-0°) and mounting plate. ANSI Grade 1.				
	silver P 600	1.0000	5,020	43540001	4021226866788
TS 93 G ANSI 1-5 BC/DC					PCE
	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with adjustable backcheck and delayed action, with latch control (7°-0°) and mounting plate. ANSI Grade 1.				
	silver P 600	1.0000	5,090	43550001	4021226866900

TS 93 ANSI with G-N

Finish			Part Number	EAN Code	Price (EUR)
TS 93 B ANSI 1-5 BC/DC with G-N					PCE
	Surface mounted slide channel door closer, door leaf fixing on pull side, transom fixing on push side, with adjustable backcheck and delayed action, with latch control (7°-0°), with mounting plate and G-N slide channel. ANSI Grade 1.				
	silver P 600	1.0000	6,050	43540501	4021226866795
TS 93 G ANSI 1-5 BC/DC with G-N					PCE
	Surface mounted slide channel door closer, door leaf fixing on push side, transom fixing on pull side, with adjustable backcheck and delayed action, with latch control (7°-0°), with G-N slide cahnnel and mounting plate. ANSI Grade 1.				
	silver P 600	1.0000	5,980	43550501	4021226866917



ITS 96		Door closer and slide channel			
ANSI 156.4	Components		EN 2–4 €/each	EN 3–6 €/each	
ITS 96 N 20 Standard type	1 ITS 96	2	Standard finish	273,00	301,00
	1 G 96 N 20		Special finish*	278,00	306,00
			Design finish	304,00	332,00
ITS 96 N Standard type	1 ITS 96	2	Standard finish	273,00	301,00
	1 G 96 N		Special finish*	278,00	306,00
			Design finish	304,00	332,00
ITS 96 N 20 RF Mechanical hold-open 	1 ITS 96	3	Standard finish	307,00	335,00
	1 G 96 N 20		Special finish*	312,00	340,00
	1 RF for G 96 N 20		Design finish	338,00	366,00
ITS 96 EMF Electro-mechanical hold-open	1 ITS 96	2	Standard finish	553,00	581,00
	1 G 96 EMF		Special finish*	560,00	588,00
			Design finish	582,00	610,00
ITS 96 GSR Slide channel door co-ordinator, without EMF connection Standard design: Inactive leaf width >700 mm Special design: Inactive leaf width von 540 – 700 mm	2 ITS 96	3	Standard finish	711,00	767,00
	1 G 96 GSR		Special finish*	723,00	779,00
			Design finish	772,00	828,00
			Standard finish	791,00	847,00
			Special finish*	813,00	869,00
			Design finish	911,00	967,00
ITS 96 GSR-EMF Slide channel door co-ordinator, with electro-mechanical hold-open in both leafs Standard design: Inactive leaf width >700 mm Special design: Inactive leaf width von 540 – 700 mm	2 ITS 96	3	Standard finish	1.361,00	1.417,00
	1 G 96 GSR-EMF		Special finish*	1.371,00	1.427,00
			Design finish	1.422,00	1.478,00
			Standard finish	1.440,00	1.496,00
			Special finish*	1.463,00	1.519,00
			Design finish	1.562,00	1.618,00
ITS 96 GSR-EMF 1 Slide channel door co-ordinator, with electro-mechanical hold-open in the inactive leaf	2 ITS 96	3	Standard finish	1.169,00	1.225,00
	1 G 96 GSR-EMF1		Special finish*	1.180,00	1.236,00
			Design finish	1.230,00	1.286,00
ITS 96 GSR-RF 1 Slide channel door co-ordinator, with mechanical hold-open in the inactive leaf	2 ITS 96	4	Standard finish	778,00	834,00
	1 G 96 GSR		Special finish*	790,00	846,00
	1 RF for G 96 GSR		Design finish	839,00	895,00
Special design: Inactive leaf width 540 – 700 mm 			Standard finish	858,00	914,00
			Special finish*	880,00	936,00
			Design finish	978,00	1.034,00



ITS 96		Door closers ITS 96 FL EN 3-6		
	Components		ITS 96 FL €/each	
ITS 96 FL N 20 Standard type	1 ITS 96 FL	2	Standard finish	1.227,00
	1 G 96 N 20		Special finish*	1.232,00
			Design finish	1.258,00
ITS 96 FL N Standard type	1 ITS 96 FL	2	Standard finish	1.227,00
	1 G 96 N		Special finish*	1.232,00
			Design finish	1.258,00
ITS 96 FL GSR Slide channel door co-ordinator Standard design: Inactive leaf width > 700 mm ITS 96 EN 2-4 + ITS 96 FL EN 3-6 ITS 96 EN 3-6 + ITS 96 FL EN 3-6 Special design: Inactive leaf width 540 – 700 mm ITS 96 EN 2-4 + ITS 96 FL EN 3-6 ITS 96 EN 3-6 + ITS 96 FL EN 3-6	1 ITS 96 (EN 2-4/EN 3-6)	3		
	1 ITS 96 FL			
	1 G 96 GSR			
			Standard finish	1.665,00
			Special finish*	1.677,00
			Design finish	1.726,00
			Standard finish	1.693,00
			Special finish*	1.705,00
			Design finish	1.754,00
			Standard finish	1.745,00
			Special finish*	1.767,00
			Design finish	1.865,00
			Standard finish	1.773,00
			Special finish*	1.767,00
			Design finish	1.865,00



ITS 96

Spindle ITS (length)				Part Number	EAN Code	Price (EUR)
ITS 96 EN 2-4						PCE
	Concealed slide channel door closer. Closing action from 120°-0° and end latch from 7°-0°.					
	standard spindle	1.0000	1,922	52400150	4021226254516	218.00
	extended by 1,5 mm	1.0000	1,912	52430150	4021226254547	218.00
	extended by 4 mm	1.0000	1,916	52410150	4021226254523	218.00
	extended by 8 mm	1.0000	1,928	52420150	4021226254530	218.00
 EN 1154 DIN Spec 1104 CEH/718 15094						
ITS 96 EN 2-4 2S						PCE
	Concealed slide channel door closer. Closing action from 120°-0° and second closing range from 15°-0°.					
	standard spindle	1.0000	1,928	52350150	4021226283301	218.00
	extended by 1,5 mm	1.0000	1,918	52380150	4021226283332	218.00
	extended by 4 mm	1.0000	1,924	52360150	4021226283318	218.00
	extended by 8 mm	1.0000	1,880	52370150	4021226283325	218.00
 EN 1154 DIN Spec 1104 CEH/718 15094						
ITS 96 EN 3-6						PCE
	Concealed slide channel door closer. Closing action from 120°-0° and end latch from 7°-0°.					
	standard spindle	1.0000	2,642	52250150	4021226229859	246.00
	extended by 1,5 mm	1.0000	2,660	52290150	4021226254509	246.00
	extended by 4 mm	1.0000	2,678	52260150	4021226229866	246.00
	extended by 8 mm	1.0000	2,652	52270150	4021226229873	246.00
 EN 1154 DIN Spec 1104 CEH/718 15094						

ITS 96 BCA

Spindle ITS (length)				Part Number	EAN Code	Price (EUR)
ITS 96 EN 3-6 BCA						PCE
	Concealed slide channel door closer with adjustable "thinking" backcheck. Closing action from 120°-0° and end latch from 7°-0°.					
	standard spindle	1.0000	2,763	52100250	4048442690195	246.00
	extended by 1,5 mm	1.0000	2,754	52110250	4048442690201	246.00
	extended by 4 mm	1.0000	2,760	52120250	4048442690225	246.00
	extended by 8 mm	1.0000	2,760	52130250	4048442690218	246.00
 EN 1154 DIN Spec 1104 CEH/718 15094						



ITS 96 FL

Spindle ITS (length)				Part Number	EAN Code	Price (EUR)
ITS 96 FL EN 3-6						PCE
 Concealed slide channel door closer, free swing function > 0° opening angle. Closing action from 120°-0° and end latch from 7°-0°.						
  						
standard spindle		1.0000	4,560	52630150	4021226875674	1172.00
extended by 1,5 mm		1.0000	4,600	52660150	4021226875803	1172.00
extended by 4 mm		1.0000	4,572	52640150	4021226875681	1172.00
extended by 8 mm		1.0000	4,572	52650150	4021226875698	1172.00

CONCEALED SLIDE CHANNEL
DOOR CLOSER



ITS Home

Handing				Part Number	EAN Code	Price (EUR)
ITS Home						PCE
		Integrated door damping system with soft opening and closing for non-fire-rated doors.				
Left Handed (LH)		1.0000	1,818	52840150	4048442657044	218.00
Right Handed (RH)		1.0000	1,816	52850150	4048442657051	218.00



CONCEALED SLIDE CHANNEL
DOOR CLOSER



G96 System

G96 N20

Finish	Handing			Part Number	EAN Code	Price (EUR)	
G96 N20 K8/K12 with punched cranked arm						PCE	
 CE EN 1154	Concealed slide channel for ITS 96, size: 20 x 12 mm, with cushioned limited stay, with punched cranked arm.						
	silver P 600	Left Handed (LH)	1.0000	0,566	52003701	4021226256510	55.00
	special finish P 000	Left Handed (LH)	1.0000	0,433	52003709		60.00
	stainless steel design P 700	Left Handed (LH)	1.0000	0,564	52003704	4021226956960	86.00
	gold P 750	Left Handed (LH)	1.0000	0,562	52003717	4021226956977	86.00
	silver P 600	Right Handed (RH)	1.0000	0,566	52003801	4021226256503	55.00
	special finish P 000	Right Handed (RH)	1.0000	0,570	52003809		60.00
	stainless steel design P 700	Right Handed (RH)	1.0000	0,566	52003804	4021226956984	86.00
gold P 750	Right Handed (RH)	1.0000	0,558	52003817	4021226956991	86.00	
G96 N20 K8/K12 with punched cranked arm, length 260 mm						PCE	
 CE EN 1154 ANSI	Concealed slide channel for ITS 96, size: 20 x 12 mm, with cushioned limited stay, with punched cranked arm 260 mm.						
	silver P 600	Left Handed (LH)	1.0000	0,460	52007901	4021226857984	61.00
	silver P 600	Right Handed (RH)	1.0000	0,458	52008001	4021226857991	61.00
G96 N20 K8/K12 with forged arm						PCE	
 CE EN 1154	Concealed slide channel for ITS 96, size: 20 x 12 mm, with cushioned limited stay, with forged arm.						
	silver P 600	Left Handed (LH)	1.0000	0,442	52980101	4021226957080	55.00
	silver P 600	Right Handed (RH)	1.0000	0,434	52980201	4021226957097	55.00
G96 N20 with punched arm, length 375 mm, non-handed						PCE	
 CE EN 1154	Concealed slide channel for ITS 96, size: 20 x 12 mm, with cushioned limited stay, with punched arm, length 375 mm. Non-handed.						
	silver P 600	Non-Handed (LH/RH)	1.0000	0,694	52003901	4021226266908	54.00
	special finish P 000	Non-Handed (LH/RH)	1.0000	0,662	52003909		54.00
	stainless steel S 700	Non-Handed (LH/RH)	1.0000	0,672	52003915	4021226360415	73.00



G96 System

G96 N

	Finish	Handing			Part Number	EAN Code	Price (EUR)
G96 N K8/K12 with punched cranked arm							PCE
 CE EN 1154	Concealed slide channel for ITS 96, size: 31 x 20 mm, with cushioned limited stay, with punched cranked arm.						
	silver P 600	Left Handed (LH)	1.0000	0,712	52001901	4021226216828	55.00
	special finish P 000	Left Handed (LH)	1.0000	0,722	52001909		60.00
	stainless steel design P 700	Left Handed (LH)	1.0000	0,635	52001904	4021226957318	86.00
	gold P 750	Left Handed (LH)	1.0000	0,720	52001917	4021226957325	86.00
	silver P 600	Right Handed (RH)	1.0000	0,708	52002001	4021226216835	55.00
	special finish P 000	Right Handed (RH)	1.0000	0,754	52002009		60.00
	stainless steel design P 700	Right Handed (RH)	1.0000	0,751	52002004	4021226957349	86.00
	gold P 750	Right Handed (RH)	1.0000	0,660	52002017	4021226957356	86.00
G96 N K8/K12 with forged arm							PCE
 CE EN 1154	Concealed slide channel for ITS 96, size: 31 x 20 mm, with cushioned limited stay, with forged arm.						
	silver P 600	Left Handed (LH)	1.0000	0,586	52980301	4021226957103	55.00
	silver P 600	Right Handed (RH)	1.0000	0,586	52980401	4021226957110	55.00
G96 N K8/K12 with punched arm, length 375 mm, non-handed							PCE
 CE EN 1154	Concealed slide channel for ITS 96, size: 31 x 20 mm, with cushioned limited stay, with punched arm 375 mm. Non-handed.						
	silver P 600	Non-Handed (LH/RH)	1.0000	0,820	52000501	4021226025420	54.00



G96 EMF, G96 GSR, G96 GSR-EMF

G96 EMF

	Finish	Handing			Part Number	EAN Code	Price (EUR)
G96 EMF K8/K12 with punched cranked arm							PCE
 CE EN 1155	Concealed slide channel for ITS 96, with integrated adjustable electro-mechanical hold-open. Hold-open point adjustable between 80°-120°. Operating voltage 24 V DC. Height 30 mm, with punched cranked arm.						
	silver P 600	Left Handed (LH)	1.0000	1,144	52001501	4021226216859	335.00
	special finish P 000	Left Handed (LH)	1.0000	1,114	52001509		342.00
	stainless steel design P 700	Left Handed (LH)	1.0000	1,010	52001504	4021226957370	364.00
	gold P 750	Left Handed (LH)	1.0000	1,144	52001517	4021226957387	364.00
	silver P 600	Right Handed (RH)	1.0000	1,102	52001601	4021226216866	335.00
	special finish P 000	Right Handed (RH)	1.0000	1,146	52001609		342.00
	stainless steel design P 700	Right Handed (RH)	1.0000	1,010	52001604	4021226957400	364.00
	gold P 750	Right Handed (RH)	1.0000	1,159	52001617	4021226957417	364.00
G96 EMF K8/K12 with punched cranked arm, 48V							PCE
 CE EN 1155	Concealed slide channel for ITS 96, with integrated adjustable electro-mechanical hold-open. Hold-open point adjustable between 80°-120°. Operating voltage 48 V DC. Height 30 mm, with punched cranked arm.						
	silver P 600	Left Handed (LH)	1.0000	1,098	52009401	4048442630559	343.00
	silver P 600	Right Handed (RH)	1.0000	1,100	52009501	4048442630566	343.00
G96 EMF K8/K12 with forged arm							PCE
 CE EN 1155	Concealed slide channel for ITS 96, with integrated adjustable electro-mechanical hold-open. Hold-open point adjustable between 80°-120°. Operating voltage 24 V DC. Height 30 mm, with forged arm.						
	silver P 600	Left Handed (LH)	1.0000	1,010	52980501	4021226957127	335.00
	silver P 600	Right Handed (RH)	1.0000	0,994	52980601	4021226957134	335.00
G96 EMF K8/K12 with forged arm, without EMF-unit							PCE
CE EN 1155	Concealed slide channel G96 EMF K8/K1 for ITS 96, with the dimensions of the EMF variant but without electro-mechanical hold-open unit. With forged arm.						
	silver P 600	Left Handed (LH)	1.0000	0,794	52982301	4048442689601	69.00
	silver P 600	Right Handed (RH)	1.0000	0,740	52982201	4048442689496	69.00



G96 EMF, G96 GSR, G96 GSR-EMF

G96 GSR

Finish			Part Number	EAN Code	Price (EUR)
G96 GSR K8/K12 with punched cranked arm, inactive leaf width > 700 mm					PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with cushioned limited stay, with punched cranked arm. Inactive leaf width >700 mm.				
	silver P 600	1.0000 2,760	52001801	4021226216842	275.00
	special finish P 000	1.0000 2,740	52001809		287.00
	stainless steel design P 700	1.0000 2,760	52001804	4021226957431	336.00
	gold P 750	1.0000 2,740	52001817	4021226957448	336.00
G96 GSR K8/K12 with punched cranked arm, inactive leaf width 540-700 mm					PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with cushioned limited stay, with punched cranked arm. Special model for timber doors. Inactive leaf width 540-700 mm.				
	silver P 600	1.0000 3,040	52004001	4021226867433	355.00
	special finish P 000	1.0000 2,650	52004009		377.00
	stainless steel design P 700	1.0000 2,650	52004004	4021226957462	475.00
	gold P 750	1.0000 2,650	52004017	4021226957479	475.00
G96 GSR K8/K12 with forged arm, inactive leaf width > 700 mm					PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with cushioned limited stay, with forged arm. Inactive leaf width >700 mm.				
	silver P 600	1.0000 2,524	52980701	4021226957141	275.00
G96 GSR K8/K12 with forged arm, inactive leaf width 540-700 mm					PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with cushioned limited stay, with forged arm. Special model for timber doors. Inactive leaf width 540-700 mm.				
	silver P 600	1.0000 2,650	52980801	4021226957158	355.00

G96 GSR-EMF

Finish			Part Number	EAN Code	Price (EUR)
G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width > 700 mm					PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with integrated adjustable electro-mechanical hold-open in the active and inactive leaf, with punched cranked arm. Inactive leaf width >700 mm.				
	silver P 600	1.0000 3,110	52001701	4021226216873	925.00
	special finish P 000	1.0000 2,820	52001709		935.00
	stainless steel design P 700	1.0000 2,820	52001704	4021226957493	986.00
	gold P 750	1.0000 3,140	52001717	4021226957509	986.00

List prices excluding VAT. Prices are subject to change without notice 01/26



G96 EMF, G96 GSR, G96 GSR-EMF

Finish				Part Number	EAN Code	Price (EUR)
G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width 540-700mm						PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with integrated adjustable electro-mechanical hold-open in the active and inactive leaf, with punched cranked arm. Special model for timber doors. Inactive leaf width 540-700 mm.					
	silver P 600	1.0000	3,460	52004201	4021226255827	1004.00
	special finish P 000	1.0000	3,500	52004209		1027.00
	stainless steel design P 700	1.0000	3,100	52004204	4021226957523	1126.00
	gold P 750	1.0000	3,100	52004217	4021226957530	1126.00
G96 GSR-EMF K8/K12 with forged arm, inactive leaf width > 700 mm						PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with integrated adjustable electro-mechanical hold-open in the active and inactive leaf, with forged arm. Inactive leaf width >700 mm.					
	silver P 600	1.0000	2,870	52980901	4021226957165	925.00
G96 GSR-EMF K8/K12 with forged arm, inactive leaf width 540-700 mm						PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with integrated adjustable electro-mechanical hold-open in the active and inactive leaf, with forged arm. Special model for timber doors. Inactive leaf width 540-700 mm.					
	silver P 600	1.0000	3,030	52981001	4021226957172	1004.00

G96 GSR-EMF 1

Finish				Part Number	EAN Code	Price (EUR)
G96 GSR-EMF 1 K8/K12 with punched cranked arm, inactive leaf width > 700 mm						PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with integrated adjustable electro-mechanical hold-open in the inactive leaf, with punched cranked arm. Inactive leaf width >700 mm.					
	silver P 600	1.0000	2,970	52008701	4021226896020	733.00
	special finish P 000	1.0000	3,000	52008709		744.00
	stainless steel design P 700	1.0000	3,000	52008704	4021226957554	794.00
	gold P 750	1.0000		52008717	4021226957561	794.00
G96 GSR-EMF 1 K8/K12 with forged arm > 700 mm						PCE
 CE EN 1158	Concealed slide channel door coordinator for ITS 96, with integrated adjustable electro-mechanical hold-open in the inactive leaf, with forged arm. Inactive leaf width >700 mm.					
	silver P 600	1.0000	2,730	52981101	4021226957189	733.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Double Action variants

G96 N20

Finish	Function (product type)			Part Number	EAN Code	Price (EUR)
G96 N20 with punched arm, double action						PCE
 Concealed slide channel for ITS 96, size: 20 x 12 mm, with cushioned limited stay, with punched arm. For double action doors.						
silver P 600	Double Action	1.0000	0,564	52006901	4021226289631	73.00

CE EN 1154
ANSI

G96 EMF

Finish	Function (product type)			Part Number	EAN Code	Price (EUR)
G96 EMF, double action						PCE
 Concealed slide channel for ITS 96, with integrated adjustable electro-mechanical hold-open with punched cranked arm for double action doors (375 mm). Hold-open point adjustable between 80°-120°. Operating voltage 24 V DC. Height 30 mm,						
silver P 600	Double Action	1.0000	1,114	52007701	4021226851418	401.00
G96 EMF without EMF-unit, double action						PCE
Concealed slide channel for ITS 96, with the dimensions of the EMF variant but without electro-mechanical hold-open unit. For double action use.						
silver P 600	Double Action	1.0000		52007601	4021226804803	100.00

EN 1155

EN 1155



ITS 96 and ITS 96 FL accessories

ITS 96

			Part Number	EAN Code	Price (EUR)
ITS 96 fixing plate set for profil framed doors					PCE
Fixing plates for ITS 96 for profile doors. Set contains 2 fixing plates and screws.					
	1.0000	0,050	52000300	4021226008317	10.00
ITS 96 mechanical hold-open unit for non-handed arms					PCE
Holding force adjustable, overridable, K 8/12					
	1.0000	0,062	24700000199	4021226380611	34.00
					

CONCEALED SLIDE CHANNEL
DOOR CLOSER

TS 97/G 96 N20

			Part Number	EAN Code	Price (EUR)
TS 97/G 96 N20 mechanical hold-open unit					PCE
TS 97/G 96 N20 mechanical hold-open unit with on/off feature. Adjustable release force.					
	1.0000	0,058	13000100	4021226291238	51.00
					

G96 N20

			Part Number	EAN Code	Price (EUR)
G96 N20 fixing components					PCE
Fixing components G96 N20 for profile doors.					
	1.0000	0,044	52000405	4021226279885	12.00

List prices excluding VAT. Prices are subject to change without notice 01/26



ITS 96 and ITS 96 FL accessories

G96 N

					Price (EUR)
					PCE
G96 N mechanical hold-open unit					
Mechanical hold-open unit for G96 N. Holding force adjustable with override function K 8/12.					
 					34.00
G96 N BZ I fixing components, 15-24 mm					PCE
Height adjustment in profile doors. 15-24 mm					
					34.00
G96 N BZ II fixing components, 23-40 mm					PCE
Height adjustment in profile doors. 23-40 mm					
					34.00
G96 N fixing components for profile doors					PCE
G96 N fixing components for profile doors.					
					12.00
G96 N fixing components for wood doors					PCE
G96 N fixing components for wood doors.					
					12.00



ITS 96 and ITS 96 FL accessories

G96 GSR

			Part Number	EAN Code	Price (EUR)
G96 GSR mechanical hold-open unit					PCE
Mechanical hold-open unit for G96 GSR in inactive leaf only.					
	1.0000	0,228	52003500	4021226229477	67.00
	1.0000	0,066	52004400	4021226256909	44.00
G96 GSR connection frame					PCE
G96 GSR connection frame for use on doors with overhead locking device.					

G96 N, G96 GSR

			Part Number	EAN Code	Price (EUR)
G96 N, G96 GSR pivot bearing with standard spindle					PCE
Pivot bearing G96 N, G96 GSR with standard spindle.					
	1.0000	0,192	52003400	4021226229460	62.00



ITS 96 and ITS 932 bulk packaging

ITS 96 EN 2-4

Spindle ITS (length)				Part Number	EAN Code	Price (EUR)
ITS 96, variant OEM, delivery unit 100						PCE
  	Concealed slide channel door closer, with fixing plate. Variant OEM. Delivery unit contains 100 pieces.					
	standard spindle	1.0000	1,810	52780150	4048442640909	218.00
	extended by 1,5 mm	1.0000	1,828	52910150	4048442689007	on request
	extended by 4 mm	1.0000	1,850	52530150	4021226804384	218.00
ITS 96 EN 2-4 with extended spindle by 1,5 mm, with screws, variant OEM, delivery unit 100						PCE
  	Concealed slide channel door closer with extended spindle by 1,5 mm, with screws. Variant OEM. Delivery unit contains 100 pieces. Orders are only possible in these units or a multiple thereof.					
	extended by 1,5 mm	1.0000	2,004	52700150	4021226895481	218.00
ITS 96 EN 2-4 with extended spindle by 4 mm, with G96 N20, variant OEM, delivery unit 100						PCE
  	Concealed slide channel door closer with extended spindle by 4 mm with G96 N20 slide channel. Closing action from 120°-0° and end latch from 7°-0°. Variant OEM. Delivery unit contains 100 pieces. Orders are only possible in these units or a multiple thereof.					
	extended by 4 mm	1.0000	1,832	52820150	4048442655378	218.00
ITS 96 EN 2-4 2S with extended spindle by 1,5 mm, variant OEM, delivery unit 322						
  	ITS 96 EN 2-4 2S with extended spindle by 1,5 mm. Variant OEM, delivery unit 322					
	extended by 1,5 mm	1.0000	1,860	52950150	4048442689045	on request



ITS 96 and ITS 932 bulk packaging

Spindle ITS (length)			Part Number	EAN Code	Price (EUR)
ITS 96 EN 2-4 2S with extended spindle by 8 mm, variant OEM, delivery unit 322					on request
ITS 96 EN 2-4 2S with extended spindle by 8 mm. Variant OEM, delivery unit 322					
extended by 8 mm	1.0000	1,860	52970150	4048442689069	

CE

EN 1154

DIN Spec 1104

GENTLE TOUGH

OEM

Version



ITS 96 EN 3-6

Spindle ITS (length)			Part Number	EAN Code	Price (EUR)
ITS 96, variant OEM, delivery unit 100					PCE
Concealed slide channel door closer, with standard spindle, with fixing plate. Variant OEM. Delivery unit contains 100 pieces. Orders are only possible in these units or a multiple thereof.					on request
standard spindle	1.0000	2,500	52900150	4048442686273	
extended by 1,5 mm	1.0000	2,500	52930150	4048442689021	
extended by 4 mm	1.0000	2,500	52540150	4021226804391	



ITS 932

Closing force	Spindle ITS (length)			Part Number	EAN Code	Price (EUR)
ITS 932, variant OEM, delivery unit 252						PCE
Concealed slide channel door closer, without fixing plate. Variant OEM. Delivery unit contains 252 pieces. Orders are only possible in these units or a multiple thereof.						218.00
EN 3	extended by 1,5 mm	1.0000	2,180	52880150	4048442681421	
EN 4	extended by 1,5 mm	1.0000	1,606	52860150	4048442680639	
EN 3	extended by 4 mm	1.0000	2,180	52890150	4048442681438	
EN 4	extended by 4 mm	1.0000	2,180	52870150	4048442680646	



List prices excluding VAT. Prices are subject to change without notice 01/26



ITS 96 and ITS 932 accessories bulk packaging

ITS 96

Closing force	Handing			Part Number	EAN Code	Price (EUR)
ITS 96 EN 2-4 fixing set for 100 arm, packing unit (PU), variant OEM						PCE
	ITS 96 EN 2-4 fixing set for 100 arm. Variant OEM.					
		1.0000	1,368	52982000	4048442678780	29.00
ITS 96 punched arm, variant OEM, delivery unit 100						PCE
	Punched arm for ITS 96. Delivery unit with each 100 pieces. Variant OEM.					
		1.0000	0,450	52981901	4048442678773	32.00
ITS 96 forged arm, variant OEM, delivery unit 50						
	ITS 96 forged arm, variant OEM. Delivery unit contains 50 pieces.					
	silver P 600 Left Handed (LH)	1.0000	11,300	52983101	4048442700238	on request
	silver P 600 Right Handed (RH)	1.0000	11,300	52983201	4048442700245	on request
ITS 96 punched cranked arm, variant OEM, delivery unit 50						
	ITS 96 punched cranked arm, variant OEM, delivery unit 50.					
	silver P 600 Left Handed (LH)	1.0000	0,342	52982901	4048442700214	on request
	silver P 600 Right Handed (RH)	1.0000	0,336	52983001	4048442700221	on request
ITS 96 connecting screw to closer, variant OEM, delivery unit 100						
	ITS 96 connecting screw to closer, variant OEM. Delivery unit contains 100 pieces.					
		1.0000	0,580	52983400	4048442700269	on request

G96 N20

Finish	Handing			Part Number	EAN Code	Price (EUR)
G96 N20 with punched cranked arm, variant OEM, delivery unit 100						PCE
Variant OEM. Delivery unit contains 100 pieces.						
	silver P 600 Left Handed (LH)	1.0000	0,420	52008501	4021226895504	55.00
	silver P 600 Right Handed (RH)	1.0000	0,460	52008601	4021226895511	55.00
 						

List prices excluding VAT. Prices are subject to change without notice 01/26



ITS 96 and ITS 932 accessories bulk packaging

Finish	Handing			Part Number	EAN Code	Price (EUR)
G96 N20 without arm, variant OEM, delivery unit 100						PCE
Slide channel G96 N20 without arm, with accessories. Delivery unit with each 100 pieces. Variant OEM.						
  						
		1.0000	0,128	52004900	4021226269329	55.00
G96 N20 slide channel only without arm, variant OEM, delivery unit 100						
Slide channel G96 N20 without arm, without accessories. Delivery unit with each 100 pieces. Variant OEM.						
silver P 600		1.0000	1,500	52982601	4048442700184	on request
G96 N20 K8/K12 slider, variant OEM, delivery unit 100						
G96 N20 K8/K12 slider. Variant OEM,. Delivery unit 100 pieces.						
		1.0000	0,138	52982700	4048442700191	on request
G96 N20 cushion limit stay, variant OEM, delivery unit 100						
	G96 N20 cushion limit stay, variant OEM, delivery unit 100.					
		1.0000	1,611	52982800	4048442700207	on request
G96 N20 end caps, variant OEM, delivery unit 200						
G96 N20 end caps, variant OEM, delivery unit 200.						
silver P 600		1.0000	2,000	52983601	4048442700283	on request

G96 N

Finish			Part Number	EAN Code	Price (EUR)
G96 N with punched arm, with accessories, OEM, delivery unit 100					PCE
Variant OEM. Delivery unit contains 100 pieces.					
  					
silver P 600	1.0000	0,790	52008401	4021226895498	55.00

List prices excluding VAT. Prices are subject to change without notice 01/26



ITS 96 and ITS 932 accessories bulk packaging

G96

			Part Number	EAN Code	Price (EUR)
G96 K8/K12 washer, delivery unit 100					
G96 K8/K12 washer. Delivery unit contains 100 pieces.					
	1.0000	0,010	52983300	4048442700252	on request
G96 connect screw to slider, variant OEM, delivery unit 100					
G96 connect screw to slider, variant OEM, delivery unit 100.					
	1.0000	0,298	52983500	4048442700276	on request

CONCEALED SLIDE CHANNEL
DOOR CLOSER



ITS OEM versions and accessories

ITS 96

Spindle ITS (length)	Spindle ITS (length)			Part Number	EAN Code	Price (EUR)
ITS 96 EN 3-6 without bosses						PCE
Concealed slide channel door closer with punched arm. Closing action from 120°-0° and end latch 7°-0° angle.						
		1.0000	2,632	52330150	4021226274170	253.00
 						
  						
ITS 96 EN 3-6 with extended spindle by 4 mm with G96 N, variant Technal						PCE
Concealed slide channel door closer with extended spindle by 4 mm with G96 N slide channel. Closing action from 120°-0° and end latch from 7°-0°. Variant Technal.						
extended by 4 mm		1.0000	3,616	52470150	4021226270301	300.00
 						
  						
ITS 96 with G96 N						PCE
Concealed slide channel door closer, with G96 N slide channel, with punched arm. Closing action from 120°-0° and end latch 7°-0°.						
EN 2-4	extended by 1,5 mm	1.0000		52680150	4021226886724	on request
EN 3-6	extended by 1,5 mm	1.0000	2,870	52690150	4021226886731	on request
 						
  						

ICT FR

				Part Number	EAN Code	Price (EUR)
ICT FR EN 3-6 with special accessories, variant Schüco						PCE
ICT FR EN 3-6. Variant Schüco.						
		1.0000	2,716	52730150	4048442630016	on request
 						
 						

List prices excluding VAT. Prices are subject to change without notice 01/26



ITS OEM versions and accessories

ICT

Closing force			Part Number	EAN Code	Price (EUR)
ICT, variant Schüco					PCE
ICT with special accessories. Variant Schüco.					
 EN 2-4	1.0000	1,940	52710150	4021226955758	on request
EN 3-6	1.0000	2,696	52720150	4021226955765	on request



ITS 96 FL

Spindle ITS (length)			Part Number	EAN Code	Price (EUR)
ITS 96 FL EN 3-6, variant Schüco					PCE
Concealed slide channel door closer, free swing function > 0° opening angle. Closing action from 120°-0° and end latch from 7°-0°. For punched cranked arm. Variant Schüco.					
 standard spindle	1.0000	4,640	52810150	4048442653114	1172.00



ICT slide channel

			Part Number	EAN Code	Price (EUR)
ICT slide channel, variant Schüco					PCE
3 meter. Variant Schüco.					
 Customer specific	1.0000	0,500	52009201	4021226955772	on request



ITS OEM versions and accessories

ICT FR

Finish			Part Number	EAN Code	Price (EUR)
ICT FR arm, variant Schüco					PCE
ICT FR arm, left handed. Variant Schüco.					
	silver P 600	1.0000 0,366	52009801	4048442630023	on request
	silver P 600	1.0000 0,368	52009901	4048442630030	on request
					

ICT

Closing force			Part Number	EAN Code	Price (EUR)
ICT arm, variant Schüco					PCE
ICT arm. Variant Schüco.					
	silver P 600	1.0000 0,368	52009001	4021226955796	on request
	silver P 600	1.0000 0,368	52009101	4021226955741	on request
					

ICT mechanical hold-open unit, variant Schüco					PCE
ICT mechanical hold-open unit. Variant Schüco.					
		1.0000 0,110	52008901	4021226955734	on request
					

ICT cushioned limited stay, variant Schüco					PCE
ICT cushioned limited stay. Variant Schüco.					
		1.0000 0,088	52008801	4021226955727	on request
					



ITS OEM versions and accessories

ITS 96

Spindle ITS (length)				Part Number	EAN Code	Price (EUR)
ITS 96 Royal-S, variant Schüco						PCE
Concealed slide channel door closer ITS96 EN 2-4.. Closing action from 120°-0° and end latch from 7°-0°. Variant Schüco.						
	EN 2-4	1.0000	1,924	52490150	4021226299807	218.00
	EN 3-6	1.0000	2,662	52340150	4021226299791	246.00

CE EN 1154 DIN Spec 1104

Customer specific

G96

Finish	Handing			Part Number	EAN Code	Price (EUR)
G96 N20 Royal-S BZ-I, variant Schüco						PCE
G96 N20 Royal-S BZ-I with special fixing accessories. Left handed (ISO 6). Variant Schüco.						
	silver P 600 Left Handed (LH) ISO 6	1.0000	0,592	52005201	4021226299722	65.00
	silver P 600 Right Handed (RH) ISO 5	1.0000	0,612	52005501	4021226299753	65.00

EN 1154

Customer specific

G96 N20 Royal-S BZ-II, variant Schüco						PCE
G96 N20 Royal-S BZ-II with special fixing accessories. Variant Schüco.						
	silver P 600 Left Handed (LH) ISO 6	1.0000	0,614	52005401	4021226299746	65.00

EN 1154

Customer specific



ITS OEM versions and accessories

G96 GSR Royal-S

Finish			Part Number	EAN Code	Price (EUR)
G96 GSR Royal-S BZ-II, variant Schüco					PCE
G96 GSR Royal-S BZ-II. Variant Schüco.					
 silver P 600	1.0000	2,750	52005801	4021226299777	308.00
 					
G96 GSR Royal-S BZ-I slide channel complete, variant Schüco					PCE
G96 GSR Royal-S BZ-I slide channel complete. Variant Schüco.					
 silver P 600	1.0000	2,800	52005701	4021226299760	308.00
 					

CONCEALED SLIDE CHANNEL
DOOR CLOSER

ITS 96 and G96

			Part Number	Price (EUR)
ITS 96, G96 GSR fitting carrier set, variant Schüco				
Fitting carrier set containing carriers for ITS 96 and G96 GSR for Schüco profile ADS FR 90/ADS 76 NI with screws and accessories for installation.				
	1.0000	0,450	52983800	on request
				
ITS 96, G96 N, G96 EMF fitting carrier set, variant Schüco				
Fitting carrier set containing carriers for ITS 96 and G96 N or G96 EMF for Schüco profile ADS FR 90/ADS 76 NI with screws and accessories for installation.				
	1.0000	0,208	52983700	on request

List prices excluding VAT. Prices are subject to change without notice 01/26



ITS 915, ITS 900 and accessories

ITS 915

Closing force			Part Number	EAN Code	Price (EUR)
ITS 915 with slide channel					PCE
 Concealed slide channel door closer with slide channel. Closing action from 115°-15° and end latch from 15°-0°.					
EN 3	1.0000	1,825	52760150	4021226960301	224.00
EN 4	1.0000	1,900	52770150	4021226960318	224.00
CE EN 1154					
ITS 915 with slide channel (black)					
ITS 915 with slide channel (surface of arm and egde from slide channel in black P 190)					
EN 3	1.0000	1,825	52140219	4048442688130	on request
EN 4	1.0000	1,850	52150219	4048442688147	on request
CE EN 1154					

CONCEALED SLIDE CHANNEL
DOOR CLOSER

ITS 900

Closing force			Part Number	EAN Code	Price (EUR)
ITS 900 with slide channel					PCE
 Concealed slide channel door closer with slide channel. Closing action from 115°-15° and end latch from 15°-0°.					
Size 3	1.0000	1,810	52740150	4021226960080	195.00
Size 4	1.0000	1,840	52750150	4021226960097	195.00
					





ITS 915, ITS 900

			Part Number	EAN Code	Price (EUR)
ITS 915, ITS 900 mechanical hold-open unit					PCE
 ITS 915, ITS 900 mechanical hold-open unit.					
	1.0000	0,042	52009301	4021226960325	22.00
					

List prices excluding VAT. Prices are subject to change without notice 01/26



Arms / Door closer TS 83 / TS 73

	Components		TS 83/ EN 3-6 €/each	TS 83/ EN 7 €/each	TS 73 V EN 2-4 €/each
CLASSICLINE					
	1 TS 83 / TS 73 V	2	silver	190,00	100,00
	1 Standard arm		Special finish*	166,00	137,00
	1 TS 83 / TS 73 V	2	silver	124,00	104,00
	1 Platform arm		Special finish*	168,00	139,00
	1 TS 83 / TS 73	2	silver	238,00	148,00
	1 Hold-open arm with on/off feature		Special finish*	208,00	179,00
	Surcharges for special features:			€/each	
TS 83 EN 3-6 with backcheck (BC/ÖD)			silver	+ 72,00	
and delayed closing (DC/SV).			Special finish*	+ 75,00	



TS 83

TS 83 EN 3-6

Finish				Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6 BCA without arm						PCE
 	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck.					
	silver P 600	1.0000	1,940	38010101	4021226312803	102.00
	white P 100	1.0000	1,950	38010111	4021226312834	102.00
	black P 190	1.0000	1,900	38010119	4021226318577	102.00
	dark brown P 290	1.0000	1,966	38010103	4021226312810	102.00
	special finish P 000	1.0000	1,936	38010109		135.00
	gold P 750	1.0000	1,950	38010102	4021226877968	102.00

TS 83 EN 3-6 BCA/DC without arm						PCE
 	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck and delayed action.					
	silver P 600	1.0000	1,944	38020101	4021226312964	174.00

TS EN 3-6

Finish				Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6 BCA/DC without arm						PCE
 	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck and delayed action.					
	white P 100	1.0000	1,940	38020111	4021226313008	174.00
	black P 190	1.0000	1,940	38020119	4021226313015	174.00
	dark brown P 290	1.0000	1,922	38020103	4021226312971	174.00
	special finish P 000	1.0000	1,960	38020109		210.00

TS 83 EN 3-6

Finish				Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6 BCA without arm, variant Sobinco						PCE
  	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck. Variant Sobinco.					
	silver P 600	1.0000	1,960	38011401	4021226312926	109.00



TS 83

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6 BCA without arm, variant Denmark					PCE
Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck. Variant Denmark.					
 silver P 600	1.0000		38011301	4021226312919	109.00
					

TS 83 EN 7

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 7 BCA without arm					PCE
Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck.					
 silver P 600	1.0000	2,492	83060101	4021226322093	172.00
					

TS 83 EN 3-6

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6 BCA with standard arm					PCE
Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with standard arm.					
 silver P 600	1.0000	2,506	38010601	4021226312865	119.00
					
TS 83 EN 3-6 BCA with standard arm, variant Novoferm					PCE
Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with mounting plate, with standard arm. Variant Novoferm.					
 silver P 600	1.0000	2,790	38011701	4021226312957	147.00
					



TS 83

Finish			Part Number	EAN Code	Price (EUR)	
TS 83 EN 3-6 BCA with standard arm, variant UK						
Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with parallel arm bracket, with standard arm. Variant UK.						
silver P 600	1.0000	2,710	38060501	4021226312841		on request
gold P 750	1.0000		38060502	4021226312858		on request

 EN 1154

country specific



TS 83 EN 2-5

Finish			Part Number	EAN Code	Price (EUR)	
TS 83 EN 2-5 BCA/DC with standard arm, variant UK						
Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck and delayed closing, with parallel arm bracket, with standard arm. Variant UK.						
silver P 600	1.0000	2,840	38070501	4021226313022		on request
gold P 750	1.0000		38070502	4021226313039		on request

 EN 1154

country specific



SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)

TS 83

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6 BCA with standard arm, anti corrosive type (AC)					PCE
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with standard arm. Anti corrosive type (AC).				
	silver P 600	1.0000	1,944	38030301	4021226313121
					
TS 83 EN 7 BCA with standard arm, anti corrosive type (AC)					PCE
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with standard arm. Anti corrosive type (AC).				
	silver P 600	1.0000	3,220	83050301	4021226316627
					



TS 83

Finish				Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6 BCA with flatform arm						
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with flatform arm.					
	silver P 600	1.0000		38010701	4021226312872	on request
	gold P 750	1.0000		38010702	4021226312889	on request
CE EN 1154						
TS 83 EN 3-6 BCA/DC with flatform arm						
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck and delayed closing, with flatform arm.					
	silver P 600	1.0000		38020701	4021226313046	on request
CE EN 1154						
TS 83 EN 3-6 BCA/DC with flatform arm, with parallel arm bracket						
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck and delayed closing, with parallel arm bracket, with flatform arm.					
	silver P 600	1.0000		38020801	4021226313053	on request
CE EN 1154						
TS 83 EN 7 BCA with flatform arm, variant DMW						
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with mounting plate, with flatform arm. Variant DMW.					
	silver P 600	1.0000	3,500	83061901	4021226018309	on request
CE EN 1154 Customer specific						
TS 83 EN 3-6 BCA/DC with hold-open arm						
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck and delayed closing, with hold-open arm.					
	silver P 600	1.0000		38020901	4021226313077	on request
EN 1154						



TS 83

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 2-5 BCA door closer for full cover, variant UK					PCE
Surface mounted scissor arm door closer, for full cover appliction, for pull and push side application, with adjustable backcheck and delayed closing. Variant UK.					
silver P 600	1.0000	1,900	38061001	4021226312902	79.00



TS 83 EN 2-5 BCA/DC door closer for full cover, variant UK					
Surface mounted scissor arm door closer, for full cover appliction, for pull and push side application, with adjustable backcheck and delayed closing. Variant UK.					
silver P 600	1.0000	1,870	38071001	4021226313107	on request



SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)



TS 73V

Finish				Part Number	EAN Code	Price (EUR)
TS 73V EN 2-4 BCA without arm						PCE
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck.					
	silver P 600	1.0000	1,486	37010101	4021226312193	82.00
	white P 100	1.0000	1,490	37010111	4021226312322	82.00
	black P 190	1.0000	1,480	37010119	4021226312339	106.00
	dark brown P 290	1.0000	1,472	37010103	4021226312308	82.00
	special finish P 000	1.0000	1,480	37010109		106.00
TS 73V EN 2-4 BCA without arm, variant IVANA						PCE
 CE EN 1154 Customer specific	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck. Variant IVANA.					
	silver P 600	1.0000	1,910	37011201	4021226312469	95.00
TS 73V EN 2-4 BCA with standard arm						PCE
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with standard arm.					
	silver P 600	1.0000		37010201	4021226312346	93.00
	gold P 750	1.0000		37010202	4021226312353	98.00
TS 73V EN 2-4 BCA with standard arm, variant UK						PCE
 CE EN 1154 country specific	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with parallel arm bracket, with standard arm. Variant UK.					
	silver P 600	1.0000	2,260	37010501	4021226312391	106.00
TS 73V EN 2-4 BCA with hold-open arm						PCE
 EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with hold-open arm.					
	silver P 600	1.0000		37010901	4021226312414	141.00



TS 73V

Finish			Part Number	EAN Code	Price (EUR)
TS 73V EN 2-4 BCA door closer body only, variant D-Line Denmark					PCE
Surface mounted scissor arm door closer, body only, for pull and push side application, with adjustable backcheck. Variant Denmark.					
 silver P 600	1.0000		37011301	4021226312476	83.00



TS 73V EN 1-4

Finish		Part Number	EAN Code	Price (EUR)	
TS 73V EN 1-4 BCA/DC with standard arm, with PAB, variant Australia				PCE	
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck and delayed action, with parallel arm bracket, with standard arm. Variant Australia.				
	silver P 600	1.0000	37020401	4021226312483	106.00
	gold P 750	1.0000	37020402	4021226312490	111.00



country

specific



SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)



TS 73 EMF


Closing force		Finish			Part Number	EAN Code	Price (EUR)
TS 73 EMF without arm, door leaf fixing (pull)							PCE
	Surface mounted scissor arm door closer, door leaf fixing on pull side, with electro-hydraulic hold-open between 75° and 180° door opening angle, junction box with connecting cable. Operating voltage 24 V DC.						
	EN 4	silver P 600	1.0000	2,716	53010101	4021226008478	679.00
	EN 6	silver P 600	1.0000	2,734	53070101	4021226008614	679.00
  							
TS 73 EMF without arm, transom fixing (push)							PCE
	Surface mounted scissor arm door closer, transom fixing on push side, with electro-hydraulic hold-open between 75° and 180° door opening angle, for direct connection. Operating voltage 24 V DC.						
	EN 4	silver P 600	1.0000	2,606	53110101	4021226008676	657.00
	EN 6	silver P 600	1.0000	2,668	53170101	4021226008812	657.00
  							
TS 73 EMF with standard arm, door leaf fixing (pull)							PCE
	Surface mounted scissor arm door closer, door leaf fixing on pull side, with electro-hydraulic hold-open between 75° and 180° door opening angle, junction box with connecting cable, with standard arm. Operating Voltage 24 V DC.						
	EN 4	silver P 600	1.0000	3,304	53010001	4021226008447	722.00
	  						
TS 73 EMF with standard arm, transom fixing (push)							PCE
	Surface mounted scissor arm door closer, transom fixing on push side, with electro-hydraulic hold-open between 75° and 180° door opening angle, for direct connection, with standard arm. Operating voltage 24 V DC						
	EN 4	silver P 600	1.0000	3,200	53110001	4021226008645	679.00
	  						

SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)



TS 89F OEM versions and accessories

TS 89F

Finish			Part Number	EAN Code	Price (EUR)
TS 89F EN 3-6 with standard arm					PCE
Surface mounted scissor arm door closer, for pull and push side application, with standard arm.					
silver P 600	1.0000	2,480	38040201	4021226313428	95.00
					
TS 89F EN 3-6 with standard arm for mounting plate fixing					PCE
Surface mounted scissor arm door closer, for pull and push side application, for mounting plate fixing, with standard arm.					
silver P 600	1.0000	2,496	38040601	4021226313435	97.00
					
TS 89F EN 3-6 with standard arm, variant Tortec					PCE
Surface mounted scissor arm door closer, for pull and push side application, with standard arm. Variant Tortec.					
silver P 600	1.0000	2,480	38043501	4021226266427	109.00
					
TS 89F EN 3-6 with standard arm, variant DMW					PCE
Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant DMW.					
silver P 600	1.0000	2,650	38041601	4021226313442	109.00
					
TS 89F EN 3-6 with standard arm, variant Riexinger					PCE
Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant Riexinger.					
silver P 600	1.0000	2,700	38041701	4021226313459	109.00
					



TS 89F OEM versions and accessories

Finish				Part Number	EAN Code	Price (EUR)
TS 89F EN 3-6 with standard arm, variant Podzuck						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant Podzuck.					
silver P 600		1.0000	2,672	38041801	4021226313466	109.00
						
TS 89F EN 3-6 with standard arm, variant Buchele						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant Buchele.					
silver P 600		1.0000	2,656	38042101	4021226313510	109.00
						
TS 89F EN 3-6 with standard arm, variant Köhler & Brandl						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant Köhler & Brandl.					
silver P 600		1.0000	2,660	38042601	4021226313589	109.00
						
TS 89F EN 3-6 with standard arm, variant Schörghuber						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant Schörghuber.					
silver P 600		1.0000	2,660	38042801	4021226313602	109.00
						
TS 89F EN 3-6 with standard arm, variant Tekla						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant Tekla.					
silver P 600		1.0000	2,720	38042901	4021226313619	109.00
						



TS 89F OEM versions and accessories

Finish			Part Number	EAN Code	Price (EUR)
TS 89F EN 3-6 with standard arm, variant Westag Getalit					PCE
 CE EN 1154 Customer specific	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant Westag Getalit.				
	silver P 600	1.0000 2,700	38043001	4021226313633	109.00
TS 89F EN 3-6 with standard arm, variant Wirus					PCE
 CE EN 1154 Customer specific	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm. Variant Wirus.				
	silver P 600	1.0000 2,890	38043101	4021226313640	on request
TS 89F EN 3-6 with standard arm, with hinge plate, variant Wirus					PCE
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm, with hinge plate. Variant Wirus.				
	silver P 600	1.0000 2,736	38043201	4021226313657	116.00
TS 89F EN 3-6 with standard arm, with hinge plate, variant Herholz					PCE
 CE EN 1154 Customer specific	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm, with hinge plate. Variant Herholz.				
	silver P 600	1.0000 2,720	38042201	4021226313527	116.00
	white P 100	1.0000	38042211	4021226313534	116.00
TS 89F EN 3-6 with standard arm, with hinge plate, variant Jeld Wen					PCE
 CE EN 1154 Customer specific	Surface mounted scissor arm door closer, for pull and push side application, with mounting plate, with standard arm, with hinge plate. Variant Jeld Wen.				
	silver P 600	1.0000 2,710	38043601	4021226803707	116.00



TS 89F OEM versions and accessories

Finish			Part Number	EAN Code	Price (EUR)	
TS 89F EN 3-6 with standard arm, variant for Aido/India						
Surface mounted scissor arm door closer, for pull and push side application, with standard arm. Variant Aido/India.						
silver P 600	1.0000	2,690	38043901	4048442698603		on request
black P 190	1.0000	2,690	38043919	4048442698610		on request
TS 89F EN 3-6 without arm, variant Aido/India						
Surface mounted scissor arm door closer, for pull and push side application, without arm. Variant Aido/India.						
silver P 600	1.0000	2,480	38043801	4048442698481		on request
black P 190	1.0000	2,480	38043819	4048442698498		on request
TS 89F EN 3-6 door closer body only, variant India					PCE	
Surface mounted scissor arm door closer, body only, for pull and push side application. Variant India.						
	primed P 020	1.0000	38043712	4021226803769		88.00
						
TS 89F fixing bracket					PCE	
TS 89F fixing bracket						
steel zinc-plated P 716	1.0000	0,625	28142101140	4021226869260		8.00

TS 83/ TS 89F

Finish			Part Number	EAN Code	Price (EUR)
TS 83, TS 89F tandem mounting plates with accessories					PCE
TS 83/ TS 89F tandem mounting plates with accessories.					
silver P 600	1.0000	0,556	38001301	4048442687409	



Arms for TS 83 and TS 73

TS 83, TS 73V, TS 72, TS 71

Finish			Part Number	EAN Code	Price (EUR)	
TS 83, TS 73V, TS 72, TS 71 standard arm					PCE	
 CE	TS 83, TS 73V, TS 72, TS 71 standard arm					
	silver P 600	1.0000	0,598	22002301	4021226264201	18.00
	white P 100	1.0000	0,596	22002311	4021226264256	18.00
	black P 190	1.0000	0,602	22002319	4021226264263	27.00
	dark brown P 290	1.0000	0,598	22002303	4021226264225	18.00
	special finish P 000	1.0000	0,598	22002309		31.00
TS 83 EN 3-6/ EN 7, TS 73V, TS 72, TS 71 parallel arm bracket					PCE	
	TS 83 EN 3-6/ EN 7, TS 73V, TS 72, TS 71 parallel arm bracket.					
	silver P 600	1.0000	0,222	28006601	4021226872192	14.00

TS 83, TS 73V

Finish			Part Number	EAN Code	Price (EUR)	
TS 83, TS 73V standard arm, with steel lever, variant Belgium					PCE	
 CE EN 1154 country specific	TS 83, TS 73V standard arm with steel lever. Variant Belgium					
	silver P 600	1.0000	0,626	22002901	4021226269701	18.00
	white P 100	1.0000	0,630	22002911	4021226269749	18.00
	black P 190	1.0000	0,550	22002919	4021226269756	28.00
TS 83, TS 73V platform arm					PCE	
 CE EN 1154	TS 83, TS 73V platform arm.					
	silver P 600	1.0000	0,734	83000101	4021226184592	22.00
	white P 100	1.0000	0,738	83000111	4021226184554	22.00
	black P 190	1.0000	0,738	83000119	4021226223420	22.00
	special finish P 000	1.0000	0,740	83000109		33.00



Arms for TS 83 and TS 73

TS 83

Finish			Part Number	EAN Code	Price (EUR)
TS 83 flatform arm, variant Scandinavia					PCE
TS 83 flatform arm. Variant Scandinavia					
 silver P 600	1.0000	0,762	83003401	4021226274149	19.00
					
TS 83 flatform arm, with steel lever, variant Denmark					PCE
TS 83 flatform arm, with steel lever including hex head screw. Variant Denmark					
 silver P 600	1.0000	0,768	22003201	4021226269824	22.00
white P 100	1.0000	0,772	22003211	4021226269862	22.00
dark brown P 290	1.0000	0,600	22003203	4021226269831	22.00
					

TS 83, TS 73V

Finish			Part Number	EAN Code	Price (EUR)
TS 83, TS 73V hold-open arm, with on/off feature					PCE
TS 83, TS 73V hold-open arm, with on/off feature					
 silver P 600	1.0000	1,012	22003001	4021226272305	66.00
white P 100	1.0000	1,012	22003011	4021226276662	66.00
black P 190	1.0000	1,016	22003019	4021226276679	73.00
dark brown P 290	1.0000	1,016	22003003	4021226276631	66.00
special finish P 000	1.0000	1,065	22003009		73.00
					
TS 83, TS 73V slide channel, Classic Line					PCE
TS 83, TS 73V slide channel, Classic Line					
 silver P 600	1.0000	0,770	22002601	4021226264348	34.00
white P 100	1.0000	0,780	22002611	4021226264393	34.00
black P 190	1.0000	0,778	22002619	4021226264409	36.00
special finish P 000	1.0000	0,772	22002609		36.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Arms for TS 83 and TS 73

TS 73 EMF

Finish			Part Number	EAN Code	Price (EUR)
TS 73 EMF standard arm					PCE
TS 73 EMF standard arm, for fixing on the pull and push side.					
 silver P 600	1.0000	0,628	75400100	4021226015445	45.00
TS 73 EMF free swing arm					PCE
TS 73 EMF free swing arm, for fixing on the pull and push side.					
 silver P 600	1.0000	0,668	53000501	4021226008355	74.00
TS 73 EMF extended adjustable arm					PCE
Extended adjustable arm for TS 73 EMF with extended lock for push side application.					
 silver P 600	1.0000	0,766	75400101	4021226015452	52.00
TS 73 EMF extended arm					PCE
Extended arm assembly for TS 73 EMF for push side application.					
 silver P 600	1.0000	0,828	75400134	4021226015490	81.00



Accessories for TS 83 and TS 73

TS 83

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6 mounting plate					PCE
Mounting plate for TS 83 EN 3-6 with universal hole pattern.					
 silver P 600	1.0000	0,248	38000101	4021226313138	12.00
white P 100	1.0000	0,244	38000111	4021226313176	12.00
black P 190	1.0000	0,244	38000119	4021226313183	14.00
dark brown P 290	1.0000	0,246	38000103	4021226313152	12.00
special finish P 000	1.0000	0,240	38000109		14.00
gold P 750	1.0000	0,240	38000102	4021226313145	19.00
TS 83 EN 3-6 mounting plate, variant OEM, delivery unit 50					PCE
Mounting plate for TS 83 EN 3-6 with universal hole pattern. Variant OEM. Delivery unit contains 50 pieces. Orders are only possible in these units or a multiple thereof.					
 silver P 600	1.0000	0,186	38001201	4048442656450	on request

SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)

TS 83 EN 7

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 7 mounting plate					PCE
Mounting plate for TS 83 EN 7 with universal hole pattern.					
 silver P 600	1.0000	0,296	83001101	4021226184233	12.00
TS 83 EN 7 mounting plate, variant Sweden					PCE
Mounting plate for TS 83 EN 7 with universal hole pattern. Variant Sweden.					
 silver P 600	1.0000	0,218	38000501	4021226313190	13.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Accessories for TS 83 and TS 73

TS 83

			Part Number	EAN Code	Price (EUR)
TS 83 spindle extension					PCE
TS 83 spindle extension for tandem fixing.					
	1.0000	0,088	83003705	4021226279007	28.00

TS 73V

Finish			Part Number	EAN Code	Price (EUR)
TS 73V mounting plate					PCE
TS 73V mounting plate with universal hole pattern.					
silver P 600	1.0000	0,230	37000101	4021226312506	12.00
white P 100	1.0000	0,230	37000111	4021226312544	12.00
black P 190	1.0000	0,230	37000119	4021226312551	12.00
dark brown P 290	1.0000	0,232	37000103	4021226312520	12.00

TS 73V adapter plate, variant Scandinavia					PCE
TS 73V adapter plate. Variant Scandinavia					
 silver P 600	1.0000	0,139	83003600	4021226274163	13.00



TS 73 EMF

Finish			Part Number	EAN Code	Price (EUR)
TS 73 EMF mounting plate					PCE
TS 73 EMF mounting plate with universal hole pattern.					
 silver P 600	1.0000	0,288	73000110	4021226015391	24.00



Accessories for TS 83 and TS 73

TS 83 EN 3-6, TS 73V

			Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6, TS 73V drop plate					PCE
 TS 83 EN 3-6, TS 73V drop plate	1.0000	0,880	38000201	4021226313206	29.00



TS 83

Finish			Part Number	EAN Code	Price (EUR)
TS 83 angle bracket					PCE
TS 83 angle bracket					
silver P 600	1.0000	0,846	38000301	4021226313268	33.00
white P 100	1.0000	0,843	38000311	4021226313305	33.00



TS 73V

Finish			Part Number	EAN Code	Price (EUR)
TS 73V angle bracket					PCE
TS 73V angle bracket					
silver P 600	1.0000	0,738	37000301	4021226312650	29.00



Accessories for TS 83 and TS 73

TS 83 EN 3-6/ EN 7, TS 73V

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6, TS 83 EN 7, TS 73V hing plate for narrow door frames					PCE
TS 83 EN 3-6, TS 83 EN 7, TS 73V hing plate for narrow door frames					
 silver P 600	1.0000	0,054	83001401	4021226184103	6.00

TS 83, TS 73V

Finish		Part Number	EAN Code	Price (EUR)
TS 83, TS 73V full cover with accessory, variant UK				PCE
 Full cover, with flatform arm, with mounting plate, with parallel arm bracket. Variant UK.				
silver P 600	1.0000	38000901	4021226313398	48.00
TS 83, TS 73V full cover, variant UK				PCE
 Full cover, with flatform arm, with mounting plate. Variant UK.				
stainless steel S 700	1.0000	38000815	4021226313374	86.00
brass R 746 polished	1.0000	38000816	4021226313381	105.00
TS 83, TS 73V Softline cover, variant UK				PCE
 Softline cover, with flatform arm, with mounting plate, with parallel arm bracket. Variant UK.				
primed P 020	1.0000	83004312	4021226285411	45.00






TS Profil

Finish				Part Number	EAN Code	Price (EUR)
TS Profil EN 2/3/4 BCA with standard arm						PCE
 	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with standard arm.					
	silver P 600	1.0000	1,820	27112201	4021226839430	91.00
	white P 100	1.0000	1,830	27112211	4021226839447	91.00
	black P 190	1.0000	1,800	27112219	4021226839454	107.00
TS Profil EN 2/3/4 + Size 5 BCA with standard arm						PCE
 	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with standard arm.					
	silver P 600	1.0000	1,832	27142201	4048442630641	on request
	white P 100	1.0000	1,832	27142211	4048442653916	on request
	dark brown P 290	1.0000	1,832	27142203	4048442653923	on request
TS Profil EN 2/3/4 + Size 5 BCA with standard arm, variant Maxbar						PCE
  	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with standard arm. Variant Maxbar.					
	silver P 600	1.0000	1,810	27122201	4021226876480	96.00
	white P 100	1.0000	1,810	27122211	4021226876503	96.00
	dark brown P 290	1.0000	1,810	27122203	4021226876497	126.00



Arms / Door closers TS 72 / TS 71

	Components		TS 72/ EN 2-4 €/each	TS 71/ EN 3/4 €/each
Standard arm 	1 TS 72 / TS 71 1 Standard arm	2 silver	69,00	51,00
Hold-open arm without on/off feature  	1 TS 72 / TS 71 1 Hold-open arm without on/off feature	2 silver	102,00	84,00

TS 72

Finish				Part Number	EAN Code	Price (EUR)
TS 72 EN 2-4 without arm						PCE
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with cover.					
	silver P 600	1.0000	1,146	22232101	4021226263648	51.00
	white P 100	1.0000	1,140	22232111	4021226263693	51.00
	black P 190	1.0000	1,156	22232119	4021226263709	79.00
	dark brown P 290	1.0000	1,164	22232103	4021226263662	51.00
TS 72 EN 2-4 with standard arm						
CE	Surface mounted scissor arm door closer, for pull and push side application, with standard arm, with cover.					
	black P 190	1.0000	1,720	22232219	4048442692175	94.00
TS 72 EN 2-4 with hold-open arm						
 CE	Surface mounted scissor arm door closer, for pull and push side application, with hold-open arm, with cover.					
	black P 190	1.0000	1,720	22232519	4048442692182	118.00
TS 72 EN 2-4 BCA without arm						PCE
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with cover.					
	silver P 600	1.0000	1,150	22252101	4021226316702	74.00
	white P 100	1.0000	1,160	22252111	4021226896327	74.00
	black P 190	1.0000	1,150	22252119	4021226856031	103.00
	dark brown P 290	1.0000	1,166	22252103	4021226896310	102.00
TS 72 EN 2-4 BCA, door closer body only, variant UK						PCE
 CE EN 1154 country specific	Surface mounted scissor arm door closer, body only, for pull and push side application, with adjustable backcheck. Variant UK.					
	silver P 600	1.0000		22253201	4021226872710	63.00



TS 72

Finish			Part Number	EAN Code	Price (EUR)
TS 72 EN 2-4 BCA with standard arm					PCE
	Surface mounted scissor arm door closer, for pull and push side application, with backcheck, with standard arm, with cover.				
	silver P 600	1.0000	1,750	22242201 4021226271230	104.00
					
TS 72 EN 2-4 BCA with cranked arm					PCE
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with cranked arm, with cover.				
	gold P 750	1.0000		22253116 4021226872703	134.00
					
TS 72 EN 2-4 BCA with cranked arm, with parallel arm bracket, variant UK					PCE
	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with cranked arm, with cover, with parallel arm bracket. Variant UK.				
	silver P 600	1.0000	1,930	22252401 4021226866832	108.00
 					

SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)



TS 71

Finish				Part Number	EAN Code	Price (EUR)
TS 71 EN 3/4 without arm						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with cover.					
	silver P 600	1.0000	1,130	222 12 101	4021226263501	33.00
	white P 100	1.0000	1,124	222 12 111	4021226263556	33.00
	black P 190	1.0000	1,122	222 12 119	4021226263563	33.00
	dark brown P 290	1.0000	1,145	222 12 103	4021226263525	58.00
						
TS 71 EN 3/4 without arm, with mounting plate, variant Dierre						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with cover, with mounting plate and screws. Variant Dierre.					
	silver P 600	1.0000	1,320	222 15 101	4021226283936	67.00
 						
TS 71 EN 3/4 with standard arm						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with standard arm, with cover.					
	silver P 600	1.0000	1,732	222 12 201	4021226267608	51.00
	white P 100	1.0000	1,718	222 12 211	4021229001414	51.00
	black P 190	1.0000	1,720	222 12 219	4021226856024	73.00
	dark brown P 290	1.0000	1,710	222 12 203		73.00
						
TS 71 EN 3/4 with standard arm, with parallel arm bracket, variant UK						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with standard arm, with cover, with parallel arm bracket. Variant UK.					
	silver P 600	1.0000	1,904	222 12 401	4021226263570	65.00
 						
TS 71 EN 3/4 with standard arm, with screws, variant Austria						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with standard arm, with cover, with special screw bag. Variant Austria.					
	silver P 600	1.0000	1,746	222 14 201	4021226290705	54.00
 						



TS 71

Finish			Part Number	EAN Code	Price (EUR)	
TS 71 EN 3/4 with standard arm, variant Ninz					PCE	
  	Surface mounted scissor arm door closer, for pull and push side application, with standard arm, with cover. Variant Ninz.					
	silver P 600	1.0000	1,922	222 135 01	402 122 62 70 60 8	68.00
	black P 190	1.0000	1,910	222 135 19	402 122 68 94 4 15	68.00
TS 71 EN 3/4 with hold-open arm					PCE	
 	Surface mounted scissor arm door closer, for pull and push side application, with hold-open arm, with cover.					
	silver P 600	1.0000	1,770	222 125 01	402 122 62 67 6 22	84.00
	white P 100	1.0000	1,770	222 125 11	402 122 68 77 9 5 1	84.00
	black P 190	1.0000	1,770	222 125 19	404 84 4 26 9 2 16 8	84.00
	dark brown P 290	1.0000	1,788	222 125 03	402 122 62 67 6 4 6	109.00
TS 71 EN 3/4 door closer body only					PCE	
Surface mounted scissor arm door closer, body only, for pull and push side application.						
silver P 600	1.0000		222 132 01	402 122 62 70 1 10	45.00	
						

SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)



Arms and accessories for TS 72 and TS 71

TS 83, TS 73V, TS 72, TS 71

Finish			Part Number	EAN Code	Price (EUR)
TS 83 EN 3-6/ EN 7, TS 73V, TS 72, TS 71 parallel arm bracket					PCE
TS 83 EN 3-6/ EN 7, TS 73V, TS 72, TS 71 parallel arm bracket.					
 silver P 600	1.0000	0,222	28006601	4021226872192	14.00
TS 83, TS 73V, TS 72, TS 71 standard arm					PCE
TS 83, TS 73V, TS 72, TS 71 standard arm					
 silver P 600	1.0000	0,598	22002301	4021226264201	18.00
white P 100	1.0000	0,596	22002311	4021226264256	18.00
black P 190	1.0000	0,602	22002319	4021226264263	27.00
dark brown P 290	1.0000	0,598	22002303	4021226264225	18.00
special finish P 000	1.0000	0,598	22002309		31.00

TS 72, TS 71

Finish			Part Number	EAN Code	Price (EUR)	
TS 72, TS 71 standard arm, with steel lever, variant UK					PCE	
TS 72, TS 71 standard arm with steel lever. Variant UK						
 country specific	silver P 600	1.0000	0,628	22002401	4021226269763	16.00
TS 72, TS 71 flatarm arm, with steel lever, variant UK					PCE	
TS 72, TS 71 flatarm arm, with steel lever. Variant UK.						
 country specific	chrome P 602	1.0000		22003114	4021226872734	35.00
TS 72, TS 71 hold-open arm, without on/off feature					PCE	
TS 72, TS 71 hold-open arm, without on/off feature						
 country specific	silver P 600	1.0000	0,640	22002501	4021226264270	51.00
	white P 100	1.0000	0,646	22002511	4021226264324	51.00
	black P 190	1.0000	0,646	22002519	4021226264331	59.00

List prices excluding VAT. Prices are subject to change without notice 01/26



Arms and accessories for TS 72 and TS 71

Finish			Part Number	EAN Code	Price (EUR)
TS 72, TS 71 mounting plate					PCE
	TS 72, TS 71 mounting plate.				
	silver P 600	1.0000 0,254	22002101	4021226264065	7.00
	white P 100	1.0000 0,258	22002111	4021226264119	7.00
	black P 190	1.0000 0,254	22002119	4021226264126	7.00
	special finish P 000	1.0000 0,230	22002109		7.00
TS 72, TS 71 full cover, variant UK					PCE
TS 72, TS 71 full cover. Variant UK.					
	stainless steel design P 700	1.0000	22003714	4021226276600	29.00
	stainless steel S 700	1.0000	22003715	4021226276617	29.00

EN 1154
country
specific

TS 71

Finish			Part Number	EAN Code	Price (EUR)
TS 71 spindle extension 32 mm, variant Dierre					PCE
	TS 71 spindle extension 32 mm. Variant Dierre.				
	silver P 600	1.0000 0,112	22004701	4021226283974	28.00
	brass N 790	1.0000 0,112	22004702	4021226286746	55.00

Customer
specific



TS 79 and accessories

TS 79

Finish				Part Number	EAN Code	Price (EUR)
TS 79 EN 2/3/4 BC with standard arm						PCE
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with standard arm.					
	silver P 600	1.0000	1,796	22302901	4021226805480	83.00
	white P 100	1.0000	1,780	22302911	4021226851722	84.00
	black P 190	1.0000	1,804	22302919	4021226878668	109.00
	dark brown P 290	1.0000	1,770	22302903	4048442627559	84.00
TS 79 EN 2/3/4 BC with flatform arm						PCE
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with flatform arm.					
	silver P 600	1.0000		22305501	4021226270448	87.00
TS 79 EN 2/3/4 BC with hold-open arm, without on/off feature						PCE
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with hold-open arm without on/off feature.					
	silver P 600	1.0000	1,820	22305601	4021226838204	134.00
	white P 100	1.0000	1,830	22305611	4021226957271	137.00
	black P 190	1.0000	1,854	22305619	4021226878675	159.00
	dark brown P 290	1.0000	1,874	22305603	4048442628297	137.00
TS 79 EN 2/3/4 BC with standard arm, with parallel arm bracket						
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with adjustable backcheck, with standard arm, with parallel arm bracket.					
	silver P 600	1.0000	1,850	22315701	4021226850855	on request
TS 79 standard arm inseperable, variant Australia						PCE
 country specific	TS 79 standard arm inseperable. Variant Australia.					
	silver P 600	1.0000	0,600	22005001	4021226287002	42.00



TS 69, TS 68 and accessories

TS 69

Finish				Part Number	EAN Code	Price (EUR)
TS 69 EN 2/3/4 without arm						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with needle bearing, with full cover.					
	silver P 600	1.0000	1,060	66490001	4021226851005	on request
	black P 190	1.0000		66490019	4021226851029	on request
 						
TS 69 EN 2/3/4 with standard arm						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with needle bearing, with standard arm, with full cover.					
	silver P 600	1.0000	1,534	66480101	4021226289761	on request
	white P 100	1.0000		66480111	4021226289778	on request
	black P 190	1.0000	1,516	66480119	4021226289785	on request
	dark brown P 290	1.0000		66480103	4021226837603	on request
 						
TS 69 EN 2/3/4 with standard arm, length 270 mm						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with needle bearing, with arm, length 270 mm, with full cover.					
	silver P 600	1.0000	1,600	66481501	4048442604864	on request
	black P 190	1.0000	1,566	66481519	4048442604871	on request
 						
TS 69 EN 2/3/4 with hold-open arm						PCE
	Surface mounted scissor arm door closer, for pull and push side application, with needle bearing, with hold-open arm, with full cover.					
	silver P 600	1.0000	1,614	66480201	4021226837573	on request
	white P 100	1.0000	1,600	66480211	4021226959374	on request
	black P 190	1.0000	1,630	66480219	4021226837597	on request
	dark brown P 290	1.0000		66480203	4021226837580	on request
 						



TS 69, TS 68 and accessories

TS 68 EN 2/3/4

Finish			Part Number	EAN Code	Price (EUR)	
TS 68 EN 2/3/4 with standard arm					PCE	
 CE EN 1154	Surface mounted scissor arm door closer, for pull and push side application, with needle bearing, with standard arm.					
	silver P 600	1.0000	1,400	66470101	4021226291870	47.00
	white P 100	1.0000	1,396	66470111	4021226877982	47.00
	black P 190	1.0000	1,420	66470119	4048442692151	47.00
	dark brown P 290	1.0000	1,410	66470103	4021226318041	70.00

TS 68 EN 2/3/4 with standard arm, with full cover					PCE
Surface mounted scissor arm door closer, for pull and push side application, with needle bearing, with standard arm, with full cover.					
silver P 600	1.0000	66460101	4021226287163	48.00	

CE EN 1154

CE EN 1154

TS 68 Size 2/3/4

Finish			Part Number	EAN Code	Price (EUR)	
TS 68 SIZE 2/3/4 without arm					PCE	
Surface mounted scissor arm door closer, for pull and push side application.						
	silver P 600	1.0000	0,970	66400001	4021226221655	24.00
	dark brown P 290	1.0000	0,992	66400003	4021226221761	28.00



TS 68 SIZE 2/3/4 with hold-open arm						PCE
 	Surface mounted scissor arm door closer, for pull and push side application, with hold-open arm.					
	silver P 600	1.0000	1,506	66400201	4021226221679	73.00
	white P 100	1.0000	1,510	66400211	4021226224809	65.00
	pure white P 210	1.0000		66400210	4021226882504	63.00
	black P 190	1.0000	1,524	66400219	4021226609163	65.00
	dark brown P 290	1.0000	1,510	66400203	4021226221822	73.00

List prices excluding VAT. Prices are subject to change without notice 01/26



TS 69, TS 68 and accessories

Finish			Part Number	EAN Code	Price (EUR)
TS 68 SIZE 2/3/4 door closer body only, variant India					PCE
Surface mounted scissor arm door closer, body only, for pull and push side application. Variant India.					
 silver P 600	1.0000		66401001	4021226278406	31.00
dark brown P 290	1.0000		66401003	4021226278420	31.00



TS 69, TS 68

Finish			Part Number	EAN Code	Price (EUR)
TS 69, TS 68 standard arm					PCE
TS 69, TS 68 standard arm.					
 silver P 600	1.0000	430,000	66000101	4021226417478	13.00
black P 190	1.0000		66000119	4021226609149	13.00
dark brown P 290	1.0000		66000103	4021226417492	16.00

SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)

TS 68 Size 2/3/4

Finish			Part Number	EAN Code	Price (EUR)
TS 68 SIZE 2/3/4 with standard arm					PCE
Surface mounted scissor arm door closer, for pull and push side application, with standard arm.					
 silver P 600	1.0000	1,416	66400101	4021226221662	35.00
white P 100	1.0000	1,398	66400111	4021226224793	44.00
pure white P 210	1.0000	1,450	66400110	4021226295816	44.00
black P 190	1.0000	1,450	66400119	4021226295823	44.00
dark brown P 290	1.0000	1,390	66400103	4021226221792	39.00



TS 68 EN 2/3/4

Finish			Part Number	EAN Code	Price (EUR)
TS 68 EN 2/3/4 with standard arm, with parallel arm bracket					PCE
Surface mounted scissor arm door closer, for pull and push side application, with needle bearing, with standard arm, with parallel arm bracket.					
 silver P 600	1.0000	1,570	66400301	4021226225530	60.00



List prices excluding VAT. Prices are subject to change without notice 01/26



TS 69, TS 68 and accessories

Finish			Part Number	EAN Code	Price (EUR)	
TS 68 EN 2/3/4 with standard arm, variant Legallais					PCE	
	Surface mounted scissor arm door closer, for pull and push side application, with needle bearing, with standard arm, with cover. Variant Legallais.					
	silver P 600	1.0000	1,510	66450101	4021226286456	on request
	white P 100	1.0000	1,517	66450111	4021226286463	on request


TS 69, TS 68

Finish			Part Number	EAN Code	Price (EUR)
TS 69, TS 68 hold-open arm					PCE
TS 69, TS 68 hold-open arm.					
silver P 600	1.0000		66000201	4021226609156	44.00
black P 190	1.0000	0,580	66000219		44.00
dark brown P 290	1.0000		66000203		on request



TS 69, TS 68 slide channel							PCE
	TS 69, TS 68 slide channel						
	silver P 600	1.0000	0,690	66000801	4021226267103		30.00
	white P 100	1.0000	0,710	66000811	4021226267134		30.00
	black P 190	1.0000	0,696	66000819	4021226803974		29.00
	dark brown P 290	1.0000	0,710	66000803	4021226267127		35.00

TS 69, TS 68 parallel arm bracket						PCE
	Mounting bracket for parallel arm installation.					
	silver P 600	1.0000	0,182	66000501	9322844110730	on request
	white P 100	1.0000		66000511	4021226957899	on request
	black P 190	1.0000		66000519	4021226957905	on request
	dark brown P 290	1.0000		66000503	4021226957882	on request

List prices excluding VAT. Prices are subject to change without notice 01/26



TS Kompakt

Finish			Part Number	EAN Code	Price (EUR)	
TS Kompakt SIZE 2/3/4 with standard arm					PCE	
	Surface mounted scissor arm door closer, for pull and push side application, with standard arm.					
	silver P 600	1.0000	1,320	67010101	4021226875810	42.00
	white P 100	1.0000	1,302	67010111	4021226875827	42.00
	black P 190	1.0000	1,320	67010119	4021226875834	42.00
	dark brown P 290	1.0000	1,306	67010103	4021226875841	42.00
TS Kompakt SIZE 2/3/4 with hold-open arm					PCE	
	Surface mounted scissor arm door closer, for pull and push side application, with hold-open arm.					
	silver P 600	1.0000	1,430	67010201	4021226875858	70.00
	white P 100	1.0000	1,420	67010211	4021226875865	70.00
	black P 190	1.0000	1,430	67010219	4021226875872	70.00
	dark brown P 290	1.0000	1,418	67010203	4021226875889	70.00
TS Kompakt door closer body only, Variant India/AIDO, delivery unit 600						
	Surface mounted scissor arm door closer body only, for pull and push side application, Variant India, AIDO, delivery unit 600					
	silver P 600	1.0000	1,320	67100101	4048442698412	on request
	black P 190	1.0000	3,100	67100119	4048442702300	on request
						
TS Kompakt SIZE 2/3/4 with standard arm, Variant dap						
	Surface mounted scissor arm door closer, for pull and push side application, with standard arm. Variant dap.					
	silver P 600	1.0000	1,320	67080101	4048442696630	on request
	white P 100	1.0000	1,320	67080111	4048442700405	on request
	black P 190	1.0000	1,320	67080119	4048442700412	on request
						



TS 77 and accessories

TS 77

Finish			Part Number	EAN Code	Price (EUR)	
TS 77 SIZE 2 with standard arm					PCE	
 	Surface mounted scissor arm door closer, for pull and push side application, with standard arm.					
	silver P 600	1.0000	76040101	4021226267806	42.00	
	white P 100	1.0000	76040111	4021226267844	42.00	
	black P 190	1.0000	76040119	4021226802335	42.00	
	dark brown P 290	1.0000	76040103	4021226267837	42.00	
	gold P 750	1.0000	76040102	4021226267813	42.00	
TS 77 SIZE 3 with standard arm					PCE	
 	Surface mounted scissor arm door closer, for pull and push side application, with standard arm.					
	silver P 600	1.0000	1,532	76050101	4021226266564	42.00
	white P 100	1.0000	1,602	76050111	4021226266571	42.00
	black P 190	1.0000		76050119	4021226802342	42.00
	dark brown P 290	1.0000	1,524	76050103	4021226266595	42.00
	gold P 750	1.0000		76050102	4021226266588	42.00
TS 77 SIZE 4 with standard arm					PCE	
 	Surface mounted scissor arm door closer, for pull and push side application, with standard arm.					
	silver P 600	1.0000		76060101	4021226267899	42.00
	white P 100	1.0000		76060111	4021226267929	42.00
	black P 190	1.0000		76060119	4021226802359	42.00
	dark brown P 290	1.0000		76060103	4021226267912	42.00
	gold P 750	1.0000		76060102	4021226267905	42.00
TS 77 SIZE 2 with hold-open arm					PCE	
 	Surface mounted scissor arm door closer, for pull and push side application, with hold-open arm.					
	silver P 600	1.0000		76040201	4021226267851	70.00
	white P 100	1.0000		76040211	4021226267882	70.00
	dark brown P 290	1.0000		76040203	4021226267875	70.00
	gold P 750	1.0000		76040202	4021226267868	70.00
TS 77 SIZE 3 with hold-open arm					PCE	
 	Surface mounted scissor arm door closer, for pull and push side application, with hold-open arm.					
	silver P 600	1.0000		76050201	4021226266748	70.00
	white P 100	1.0000		76050211	4021226266755	70.00
	dark brown P 290	1.0000		76050203	4021226266779	70.00
	gold P 750	1.0000		76050202	4021226266762	70.00



TS 77 and accessories

Finish			Part Number	EAN Code	Price (EUR)
TS 77 SIZE 4 with hold-open arm					PCE
Surface mounted scissor arm door closer, for pull and push side application, with hold-open arm.					
silver P 600	1.0000		76060201	4021226267936	70.00
white P 100	1.0000		76060211		70.00
dark brown P 290	1.0000		76060203	4021226267950	70.00
gold P 750	1.0000		76060202	4021226267943	70.00



TSO 400

Finish		Part Number	EAN Code	Price (EUR)
TSO 400 EN 3 BC, variant Australia				
Variant Australia.				
silver P 600	1.0000	53390401	4048442603843	on request





SCISSOR ARM DOOR CLOSER -
R&P (EN STANDARD)

TSO 500

Finish		Part Number	EAN Code	Price (EUR)
TSO 500 EN 3-5 BC, variant Australia				
Variant Australia.				
silver P 600	1.0000	53400401	4048442603850	on request



BTS 80

BTS				
BTS	Components		€/each	
BTS 80 V  	1 BTS 80 V 1 spindle insert standard 1 cover plate	3	Cover plate stainless steel	683,00
			Cover plate satin brass	701,00
BTS 80 VF 	1 BTS 80 VF 1 spindle insert standard 1 cover plate	3	Cover plate stainless steel	741,00
			Cover plate satin brass	759,00
BTS 80  	1 BTS 80 1 spindle insert standard 1 cover plate	3	Cover plate stainless steel	628,00
			Cover plate satin brass	646,00
BTS 80 F 	1 BTS 80 F 1 spindle insert standard 1 cover plate	3	Cover plate stainless steel	657,00
			Cover plate satin brass	675,00
BTS 80 EMB 	1 BTS 80 EMB 1 spindle insert standard 1 cover plate	3	Cover plate stainless steel	1.239,00
			Cover plate satin brass	1.257,00
BTS 80 FLB 	1 BTS 80 FLB 1 spindle insert standard 1 cover plate	3	Cover plate stainless steel	1.239,00
			Cover plate satin brass	1.257,00



BTS \ BSR

BTS	BSR Components		€/each
BTS 80 VF BSR 	2 BTS 80 VF 2 spindle inserts BSR standard 2 cover plates BSR 1 BSR cpl.	7	Cover plate stainless steel 2.737,00
			Cover plate satin brass 2.787,00
BTS 80 BSR-EMB 1G/VF 1S 	1 BTS 80 VF (inactive leaf) 1 BTS 80 EMB (active door leaf) 2 spindle inserts BSR standard 2 cover plates BSR 1 BSR cpl.	7	Cover plate stainless steel 3.235,00
			Cover plate satin brass 3.285,00
BTS 80 BSR-FLB 1G/VF 1S 	1 BTS 80 VF (inactive door leaf) 1 BTS 80 FLB (active door leaf) 2 spindle inserts BSR standard 2 cover plates BSR 1 BSR cpl.	7	Cover plate stainless steel 3.235,00
			Cover plate satin brass 3.285,00
BTS 80 F BSR 	2 BTS 80 F 2 spindle inserts BSR standard 2 cover plates BSR 1 BSR cpl.	7	Cover plate stainless steel 2.569,00
			Cover plate satin brass 2.619,00
BTS 80 BSR-EMB 1G 	1 BTS 80 EMB (active door leaf) 1 BTS 80 F (inactive door leaf) 2 spindle inserts BSR standard 2 cover plates BSR 1 BSR cpl.	7	Cover plate stainless steel 3.151,00
			Cover plate satin brass 3.201,00
BTS 80 BSR-FLB 1G 	1 BTS 80 FLB (active door leaf) 1 BTS 80 F (inactive door leaf) 2 spindle inserts BSR standard 2 cover plates BSR 1 BSR cpl.	7	Cover plate stainless steel 3.151,00
			Cover plate satin brass 3.201,00
BTS 80 BSR-EMB 1 	1 BTS 80 FLB (active door leaf) 1 BTS 80 EMB (inactive door leaf) 2 spindle inserts BSR standard 2 cover plates BSR 1 BSR cpl.	7	Cover plate stainless steel 3.733,00
			Cover plate satin brass 3.783,00
BTS 80 BSR-EMB 2 	2 BTS 80 EMB 2 spindle inserts BSR standard 2 cover plates BSR 1 BSR cpl.	7	Cover plate stainless steel 3.733,00
			Cover plate satin brass 3.783,00



BTS 80 V, BTS 80 VF

BTS 80 V (available Q3/2025)

Closing force			Part Number	EAN Code	Price (EUR)
BTS 80 V with spindle, with bubble level					PCE
	Floor spring, adjustable closing action from 175°-0°, with feature selection between adjustable delayed closing or on/off hydraulic hold-open function. With variable function start-angle, with backcheck, with bubble level, with standard spindle, with cement box.				
	EN 3-6	1.0000	7,200	80180000	4048442698771
BTS 80 V without spindle, with bubble level					PCE
	Floor spring,, adjustable closing action from 175°-0°, with feature selection between adjustable delayed closing or on/off hydraulic hold-open function. With variable function start-angle, with backcheck, with bubble level, with cement box.				
	EN 3-6	1.0000	7,200	80180001	4048442698788

BTS 80 VF (available Q3/2025)

Closing force	Function (product type)			Part Number	EAN Code	Price (EUR)	
BTS 80 VF with spindle, with bubble level, double action						PCE	
	Floor spring, for fire doors, adjustable closing action from 175°-0° and latching from 7°-0°, with backcheck, with bubble level, with standard spindle, with cement box.						
	EN 3-6	Double Action	1.0000	7,200	80280000	4048442698719	679.00
BTS 80 VF without spindle, with bubble level, double action						PCE	
	Floor spring, for fire doors, adjustable closing action from 175°-0° and latching from 7°-0°, with backcheck, with bubble level, with cement box.						
	EN 3-6	Double Action	1.0000	7,428	80280001	4048442698740	655.00
BTS 80 VF with spindle, with bubble level						PCE	
	Floor spring, for fire doors, adjustable closing action from 180°-0° and latching from 7°-0°, with backcheck, with bubble level, with standard spindle, with cement box.						
	EN 3-6	Left Handed (LH)	1.0000	7,468	80280100	4048442698726	679.00
	EN 3-6	Right Handed (RH)	1.0000	7,200	80280200	4048442698733	679.00



BTS 80 V, BTS 80 VF

Closing force		Function (product type)			Part Number	EAN Code	Price (EUR)
BTS 80 VF without spindle, with bubble level							PCE
	Floor spring, for fire doors, adjustable closing action from 180°-0° and latching from 7°-0°, with backcheck, with bubble level, with cement box.						
	EN 3-6	Left Handed (LH)	1.0000	7,200	80280101	4048442698757	655.00
	EN 3-6	Right Handed (RH)	1.0000	7,200	80280201	4048442698764	655.00

FLOOR SPRING DOOR CLOSER (EN STANDARD)



BTS 80, BTS 80 F, BTS 80 EMB, BTS 80 FLB

BTS 80

Closing force				Part Number	EAN Code	Price (EUR)
BTS 80 with spindle, with cement box						PCE
  EN 1154 DIN Spec 1104 CEM/71R 15894	Floor spring, adjustable closing action from 175°-0°, with backcheck, With feature selection between adjustable delayed closing or on/off hydraulic hold-open function with variable function start-angle, with two adjustable closing speed ranges, with standard spindle, with cement box.					
	EN 3	1.0000	6,570	80120000	4021226016442	566.00
	EN 4	1.0000	6,528	80110000	4021226016398	566.00
	EN 6	1.0000	6,624	80130000	4021226016497	566.00
BTS 80 without spindle, with cement box						PCE
  EN 1154 DIN Spec 1104 CEM/71R 15894	Floor spring, adjustable closing action from 175°-0°, with backcheck, With feature selection between adjustable delayed closing or on/off hydraulic hold-open function with variable function start-angle, with two adjustable closing speed ranges, with cement box.					
	EN 3	1.0000	6,498	80120001	4021226016459	543.00
	EN 4	1.0000	6,486	80110001	4021226016404	543.00
	EN 6	1.0000	6,572	80130001	4021226016503	543.00

BTS 80 F

Closing force		Function (product type)			Part Number	EAN Code	Price (EUR)
BTS 80 F without spindle, with cement box, double action							PCE
  EN 1154 DIN Spec 1104 CEM/71R 15894	Floor spring, for fire doors, closing action from 175°-0° and latching from 7°-0°, with backcheck, with cement box.						
	EN 4	Double Action	1.0000	6,404	80220001	4021226216408	595.00
	EN 5	Double Action	1.0000	6,352	80210001	4021226216415	595.00
	EN 6	Double Action	1.0000	6,412	80230001	4021226216422	595.00
BTS 80 F without spindle, with cement box							PCE
  EN 1154	Floor spring, for fire doors, adjustable closing action from 180°-0° and latching from 7°-0°, with backcheck, with cement box.						
	EN 4	Left Handed (LH)	1.0000	6,356	80220101	4021226216347	595.00
	EN 5	Left Handed (LH)	1.0000	6,404	80210101	4021226216354	595.00
	EN 6	Left Handed (LH)	1.0000	6,520	80230101	4021226216361	595.00
	EN 4	Right Handed (RH)	1.0000	6,368	80220201	4021226216378	595.00
	EN 5	Right Handed (RH)	1.0000	6,368	80210201	4021226216385	595.00
	EN 6	Right Handed (RH)	1.0000	6,472	80230201	4021226216392	595.00



BTS 80, BTS 80 F, BTS 80 EMB, BTS 80 FLB

BTS 80 EMB

	Closing force	Function (product type)			Part Number	EAN Code	Price (EUR)
BTS 80 EMB without spindle, with cement box, double action							PCE
 CE EN 1154 EN 1155	Floor spring, with electro-hydraulic hold-open device 75°-170°, with connecting cable, without plastic conduit, with backcheck, with cement box. Closing action from 175°-0° and latching from 7°-0°. Operating voltage 24 V DC.						
	EN 4	Double Action	1.0000	6,724	82224001	4021226216491	1177.00
	EN 5	Double Action	1.0000	6,700	82214001	4021226216507	1177.00
	EN 6	Double Action	1.0000	6,810	82234001	4021226216514	1177.00

BTS 80 EMB without spindle, with cement box							PCE
 CE EN 1154 EN 1155	Floor spring, with electro-hydraulic hold-open device 75°-170°, with connecting cable, without plastic conduit, closing action from 180°-0° and latching from 7°-0°, with backcheck, with cement box. Operating voltage 24 V DC.						
	EN 4	Left Handed (LH)	1.0000	6,682	82224101	4021226216439	1177.00
	EN 5	Left Handed (LH)	1.0000	6,652	82214101	4021226216446	1177.00
	EN 6	Left Handed (LH)	1.0000	6,762	82234101	4021226216453	1177.00
	EN 4	Right Handed (RH)	1.0000	6,740	82224201	4021226216460	1177.00
	EN 5	Right Handed (RH)	1.0000	6,694	82214201	4021226216477	1177.00
	EN 6	Right Handed (RH)	1.0000	6,734	82234201	4021226216484	1177.00

BTS 80 FLB

	Closing force	Handing			Part Number	EAN Code	Price (EUR)
BTS 80 FLB without spindle, with cement box							PCE
 CE EN 1154 EN 1155	Floor spring, with free swing function > 0° opening angle, with square tapered hole, with closing action from 180°-0°, with cement box. Operating voltage 24 V DC.						
	EN 4	Left Handed (LH)	1.0000	6,750	82124101	4021226216521	1177.00
	EN 5	Left Handed (LH)	1.0000	6,730	82114101	4021226216545	1177.00
	EN 6	Left Handed (LH)	1.0000	6,802	82134101	4021226216552	1177.00
	EN 4	Right Handed (RH)	1.0000	6,760	82124201	4021226216569	1177.00
	EN 5	Right Handed (RH)	1.0000	6,652	82114201	4021226216576	1177.00
	EN 6	Right Handed (RH)	1.0000	6,782	82134201	4021226216583	1177.00



BTS 75 V

Hold-open				Part Number	EAN Code	Price (EUR)
BTS 75 V EN 1-4 with bridge fixing, with spindle, without hold-open						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with bridge fixing, with standard spindle, with cement box.					
without hold-open		1.0000	3,260	61701000	4021226010839	213.00
 						
BTS 75 V EN 1-4 with bridge fixing, without spindle, without hold-open						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with bridge fixing, with cement box.					
without hold-open		1.0000	3,180	61701001	4021226010846	191.00
 						
BTS 75 V EN 1-4 with bridge fixing, with spindle, with hold-open						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with bridge fixing, with standard spindle, with cement box.					
hold-open 90°		1.0000	3,260	61701200	4021226010853	216.00
hold-open 105°		1.0000	3,260	61701300	4021226010877	216.00
 						
BTS 75 V EN 1-4 with bridge fixing, without spindle						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with bridge fixing, with cement box.					
hold-open 90°		1.0000	3,166	61701201	4021226010860	198.00
hold-open 105°		1.0000	3,154	61701301	4021226010884	198.00
 						
BTS 75 V EN 1-4 with bridge fixing, with spindle, with bubble level, without hold-open						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with bridge fixing, with standard spindle, with cement box.					
without hold-open		1.0000	3,261	61601000	4048442638500	213.00
 						



BTS 75 V

Hold-open				Part Number	EAN Code	Price (EUR)
BTS 75 V EN 1-4 with bridge fixing, without spindle, with bubble level, without hold-open						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with bubble level, with bridge fixing, with cement box.					
without hold-open		1.0000	3,177	61601001	4048442638531	191.00
 						
BTS 75 V EN 1-4 with bridge fixing, with spindle, with bubble level						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with bubble level, with bridge fixing, with standard spindle, with cement box.					
hold-open 90°		1.0000	3,266	61601200	4048442638517	216.00
hold-open 105°		1.0000	3,278	61601300	4048442638524	216.00
 						
BTS 75 V EN 1-4 with bridge fixing, with bubble level, without spindle						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with bubble level, with bridge fixing, with cement box.					
hold-open 90°		1.0000	3,186	61601201	4048442638548	198.00
hold-open 105°		1.0000	3,170	61601301	4048442638555	198.00
 						
BTS 75 V EN 1-4 with clamp fixing, with spindle, without hold-open						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cover plate, with double action accessories, with standard spindle, with cement box.					
without hold-open		1.0000	4,300	61801050	4021226878750	300.00
 						
BTS 75 V EN 1-4 with clamp fixing, without spindle, without hold-open						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cement box.					
without hold-open		1.0000	3,040	61801001	4021226011003	191.00
 						
BTS 75 V EN 1-4 with clamp fixing, with spindle						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cover plate, with double action accessories, with standard spindle, with cement box.					
hold-open 90°		1.0000	4,290	61801250	4021226878743	303.00
 						



BTS 75 V

Hold-open			Part Number	EAN Code	Price (EUR)	
BTS 75 V EN 1-4 with clamp fixing, without spindle					PCE	
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cement box.					
	hold-open 90°	1.0000	3,000	6 180 120 1	402 122 601 1010	198.00
	hold-open 105°	1.0000	3,036	6 180 130 1	402 122 601 1027	198.00
						
BTS 75 V EN 1-4 with clamp fixing, with cement box, variant Brazil					PCE	
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cement box. Variant Brazil.					
	hold-open 90°	1.0000	3,083	6 180 125 1	402 122 689 283 1	on request
						
						
BTS 75 V EN 1-4 with clamp fixing, without cement box, variant Brazil					PCE	
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing. Variant Brazil.					
	hold-open 90°	1.0000	2,294	6 180 525 1	402 122 689 284 8	on request
						
						
BTS 75 V EN 1-4 with clamp fixing, without spindle & hold-open, Brazil					PCE	
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cement box. Variant Brazil.					
	without hold-open	1.0000	3,014	6 180 105 1	402 122 689 285 5	on request
						
						
						
BTS 75 V EN 1-4 with clamp fixing, without hold-open, variant Brazil					PCE	
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, without cement box. Variant Brazil.					
	without hold-open	1.0000	3,014	6 180 505 1	402 122 689 286 2	on request
						
						



BTS 75 V

Hold-open			Part Number	EAN Code	Price (EUR)
BTS 75 V EN 1-4 with clamp fixing, without hold-open, variant Technal					PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cover plate, with French square-type spindle, with cement box. Variant Technal.				
	without hold-open	1.0000	3,430	61821021	4021226299814
CE EN 1154 Customer specific					

BTS 75 V EN 1-4 with clamp fixing, variant Technal						PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cover plate, with French square-type spindle, with cement box. Variant Technal.					
	hold-open 90°	1.0000	3,492	61821221	4021226299821	265.00
 EN 1154						
						

BTS 75 R

Hold-open			Part Number	EAN Code	Price (EUR)
BTS 75 R EN 2-5 with clamp fixing, without spindle, without hold-open					PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cement box.				
	without hold-open	1.0000	3,040	61855001	4021226892886
 EN 1154					
BTS 75 R EN 2-5 with clamp fixing, without spindle					PCE
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with cement box.				
	hold-open 90°	1.0000	3,070	61855201	4021226892879
 EN 1154					



BTS 70

Hold-open		Part Number	EAN Code	Price (EUR)
BTS 70 EN 2-4 with clamp fixing, with spindle, with cement box, without hold-open				
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with fixed spindle, with cement box.			
	without hold-open	1.0000	61856006	4048442652018
 Standard QB				
BTS 70 EN 2-4 with clamp fixing, with spindle, with cement box				
	Floor spring, adjustable closing action from 175°-0° and second closing range 15°-0°, with backcheck, with clamp fixing, with fixed spindle, with cement box.			
	hold-open 90°	1.0000	61856206	4048442652025
 Standard QB				

FLOOR SPRING DOOR CLOSER (EN STANDARD)



BTS 84

	Closing force	Hold-open			Part Number	EAN Code	Price (EUR)
BTS 84 with spindle, with cement box							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with standard spindle, with cement box.						
	EN 3	without hold-open	1.0000	4,898	81110002	4021226016824	165.00
	EN 4	without hold-open	1.0000	4,984	81100002	4021226016756	165.00
 EN 1154							
BTS 84 with spindle, with cement box							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with standard spindle, with cement box.						
	EN 2	without hold-open	1.0000	4,908	81125002	4021226016886	165.00
 EN 1154							
BTS 84 without spindle, with cement box							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with cement box.						
	EN 3	without hold-open	1.0000	4,810	81110001	4021226016817	145.00
	EN 4	without hold-open	1.0000	4,930	81100001	4021226016749	145.00
 EN 1154							
BTS 84 without spindle, with cement box							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with cement box.						
	EN 2	without hold-open	1.0000	4,776	81125001	4021226016879	145.00
 EN 1154							
BTS 84 with spindle, with cement box, with hold-open							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with standard spindle, with cement box.						
	EN 2	hold-open 90°	1.0000	5,030	81225002	4021226017098	169.00
	EN 3	hold-open 90°	1.0000	4,910	81210002	4021226016985	169.00
	EN 4	hold-open 90°	1.0000	5,050	81200002	4021226016916	169.00
 EN 1154							



BTS 84

Closing force Hold-open				Part Number	EAN Code	Price (EUR)
BTS 84 without spindle, with cement box, with hold-open						PCE
		Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with cement box.				
EN 2	hold-open 90°	1.0000	4,852	81225001	4021226017081	150.00
EN 3	hold-open 90°	1.0000	4,980	81210001	4021226016978	150.00
EN 4	hold-open 90°	1.0000	4,920	81200001	4021226016909	150.00
						
BTS 84, variant VITEC						PCE
		Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with cover plate stainless steel, with cement box. Variant VITEC.				
EN 3	hold-open 90°	1.0000	5,460	81215242	4021226269503	on request
 						



BTS 65

Closing force	Hold-open			Part Number	EAN Code	Price (EUR)
BTS 65 with spindle, with cement box						PCE
Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with standard spindle, spindle enclosed not pre-assembled, with cement box.						
EN 3	without hold-open	1.0000		25030 101	402122628 1949	159.00
EN 4	without hold-open	1.0000		25040 101	402122628 1840	159.00

CE EN 1154

BTS 65 without spindle, with cement box							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with cement box.						
	EN 3	without hold-open	1.0000	4,076	25030100	4021226281802	143.00
	EN 4	without hold-open	1.0000	4,072	25040100	4021226281925	143.00
CE EN 1154							

CE EN 1154

BTS 65 with spindle, with cement box, with hold-open						PCE
Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with standard spindle, spindle enclosed not pre-assembled, with cement box.						
EN 3	hold-open 90°	1.0000		25130 101	402122628 1833	159.00
EN 4	hold-open 90°	1.0000		25140 101	402122628 1857	159.00

 EN 1154

BTS 65 without spindle, with cement box, with hold-open							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with cement box.						
	EN 3	hold-open 90°	1.0000	4,070	25130100	4021226281819	146.00
	EN 4	hold-open 90°	1.0000	4,150	25140100	4021226281826	146.00

 EN 1154

 EN 1154

BTS 65 with extended spindle by 5 mm, variant Asia						PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with 5 mm extended fixed spindle, with accessories, with cement box. Variant Asia.					
	EN 3	without hold-open	1.0000	25030 103	402122628 1864	194.00
	EN 4	without hold-open	1.0000	25040 103	402122628 1888	194.00
CE EN 1154 country specific						

CE EN 1154

country specific



BTS 65

Closing force		Hold-open			Part Number	EAN Code	Price (EUR)
BTS 65 with extended spindle by 5 mm, with hold-open, variant Asia							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with 5 mm extended fixed spindle, with accessories, with cement box. Variant Asia.						
	EN 3	hold-open 90°	1.0000		25 130 103	402 122 628 187 1	194.00
	EN 4	hold-open 90°	1.0000	4,280	25 140 103	402 122 628 189 5	194.00
 							
BTS 65 with Speedy spindle, with hold-open							PCE
	Floor spring, adjustable closing action from 130°-20° and second closing range 20°-0°, with Speedy spindle, with cement box.						
	EN 3	hold-open 90°	1.0000	4,180	25 130 104	402 122 63 148 52	153.00
	EN 4	hold-open 90°	1.0000	4,198	25 140 104	402 122 63 148 76	153.00
							

FLOOR SPRING DOOR CLOSER (EN STANDARD)

List prices excluding VAT. Prices are subject to change without notice 01/26



BTS accessories, spindles and cover plates

Spindle insert

	Spindle insert (extension)			Part Number	EAN Code	Price (EUR)
	Spindle insert, right handed (ISO 5) + left handed (ISO 6)					PCE
	BTS accessory. Spindle insert, right handed (ISO 5) + left handed (ISO 6), Flat tapered, zinc-plated.					
	standard	1.0000	0,054	45200401	4021226006597	23.00
	5 mm	1.0000	0,075	45200402	4021226006603	31.00
	7,5 mm	1.0000	0,080	45200403	4021226006610	31.00
	10 mm	1.0000	0,092	45200404	4021226006627	35.00
	12,5 mm	1.0000	0,100	45200419	4021226006757	35.00
	15 mm	1.0000	0,110	45200405	4021226006634	43.00
	20 mm	1.0000	0,128	45200406	4021226006641	43.00
	25 mm	1.0000	0,148	45200407	4021226006658	43.00
	28 mm	1.0000	0,158	45200414	4021226006726	43.00
	30 mm	1.0000	0,166	45200408	4021226006665	43.00
	35 mm	1.0000	0,184	45200409	4021226006672	43.00
	40 mm	1.0000	0,202	45200410	4021226006689	43.00
	45 mm	1.0000	0,224	45200411	4021226006696	43.00
	50 mm	1.0000	0,238	45200412	4021226006702	43.00

	Spindle insert, offset 3°, right handed (ISO 5)					PCE
	BTS accessory. Spindle insert, offset 3°, right handed (ISO 5), Flat tapered, zinc-plated.					
	standard	1.0000	0,056	45201418	4021226006931	23.00
	5 mm	1.0000	0,074	45201420	4021226006948	32.00
	10 mm	1.0000	0,090	45201404	4021226006856	32.00
	15 mm	1.0000	0,110	45201405	4021226006863	43.00
	20 mm	1.0000	0,128	45201406	4021226006870	43.00
	25 mm	1.0000	0,146	45201407	4021226006887	43.00
	30 mm	1.0000	0,166	45201408	4021226006894	43.00

	Spindle insert, offset 3°, left handed (ISO 6)					PCE
	BTS accessory. Spindle insert, offset 3°, left handed (ISO 6), Flat tapered, zinc-plated.					
	standard	1.0000	0,054	45205418	4021226007044	23.00
	5 mm	1.0000	0,064	45205420	4021226007051	32.00
	10 mm	1.0000	0,094	45205404	4021226006962	32.00
	15 mm	1.0000	0,108	45205405	4021226006979	43.00
	20 mm	1.0000	0,128	45205406	4021226006986	43.00
	25 mm	1.0000	0,146	45205407	4021226006993	43.00
	30 mm	1.0000	0,166	45205408	4021226007006	43.00



BTS accessories, spindles and cover plates

BSR spindle insert

	Spindle insert (extension)			Part Number	EAN Code	Price (EUR)
	BSR spindle insert					PCE
BSR spindle insert for BTS 80 VF, BTS 80 F, BTS 80 EMB, BTS 80 FLB, flat tapered, zinc-plated.						
	standard	1.0000	0,132	45200470	4021226212042	39.00
	5 mm	1.0000	0,152	45200471	4021226212059	41.00
	25 mm	1.0000	0,228	45200477	4021226212110	54.00

Square spindle insert

	Spindle insert (extension)	Handing			Part Number	EAN Code	Price (EUR)
	Square spindle insert						PCE
Square spindle insert, standard length, zinc-plated.							
	standard		1.0000	0,068	45200413	4021226006719	32.00

Square spindle insert, 3° offset

	Spindle insert (extension)		Handing			Part Number	EAN Code	Price (EUR)
	Square spindle insert zinc-plated, 3° offset, left handed (ISO 6), zinc-plated.							PCE
	Left Handed (LH) ISO 6			1.0000	0,068	45205413	4021226007013	32.00

Spindle insert

	Spindle insert (extension)	Handing			Part Number	EAN Code	Price (EUR)
	Spindle insert, variant N&T						PCE
Spindle insert zinc-plated. Variant N&T							
	13 mm		1.0000	0,135	45200416	4021226006740	43.00



Customer specific



BTS accessories, spindles and cover plates

Spindle insert (extension)		Handing			Part Number	EAN Code	Price (EUR)
Spindle insert, 3° offset, variant N&T							PCE
 Customer specific	Spindle insert zinc-plated, 3° offset. Variant N&T.						
		Left Handed (LH) ISO 6	1.0000	0,082	452054 17	4021226007037	32.00
		Right Handed (RH) ISO 5	1.0000	0,100	452014 17	4021226006924	32.00
Spindle insert, 3° offset, extended, variant N&T							PCE
 Customer specific	Spindle insert zinc-plated, 3° offset, extended. Variant N&T						
	13 mm	Right Handed (RH) ISO 5	1.0000	0,084	452004 15	4021226006733	32.00
Spindle insert, variant GIBBONS							PCE
 Customer specific	Spindle insert zinc-plated. Variant GIBBONS						
			1.0000	0,088	452004 39	4021226006825	32.00
Spindle insert, variant France							PCE
 country specific	Spindle insert. Variant France. Zinc-plated.						
	standard		1.0000	0,062	452004 21	4021226006764	32.00
	5 mm		1.0000	0,078	452004 25	4021226006788	32.00
	10 mm		1.0000	0,098	452004 27	4021226006795	32.00
	15 mm		1.0000	0,114	452004 28	4021226006801	43.00
	20 mm		1.0000	0,134	452004 29	4021226006818	43.00
Spindle insert, 3° offset, variant France							PCE
 country specific	Spindle insert zinc-plated, 3° offset. Variant France						
		Left Handed (LH) ISO 6	1.0000	0,100	452054 23	4021226007068	32.00
		Right Handed (RH) ISO 5	1.0000	0,100	452014 23	4021226006955	32.00
Spindle insert, variant Italy							PCE
 country specific	Spindle insert for BTS. Variant Italy						
			1.0000	0,052	452004 41	4021226006849	32.00



BTS accessories, spindles and cover plates

Speedy spindle insert

			Part Number	EAN Code	Price (EUR)
BTS 75 V speedy spindle insert					PCE
BTS 75 V speedy spindle insert.					
	1.0000	0,046	45200443	4021226025246	32.00

BTS shim plate

			Part Number	EAN Code	Price (EUR)
BTS shim plate for flat spindle					PCE
Plate for levelling of flat tapered spindle BTS 80					
	1.0000	0,001	45090440	4021226006573	7.00

Cover plate

Finish			Part Number	EAN Code	Price (EUR)
BTS 80 cover plate					PCE
Cover plate for BTS 80 VF, BTS 80 V, BTS 80, BTS 80 F, BTS 80 EMB, BTS 80 FLB.					
 stainless steel S 700	1.0000	0,420	46700000	4021226007594	39.00
brass R 745 satin	1.0000	0,444	46700100	4021226007785	57.00
BTS 75 V cover plate for bridge fixing					PCE
BTS 75 V cover plate for bridge fixing					
 stainless steel S 700	1.0000	0,352	46700059	4021226007747	22.00
brass R 745 satin	1.0000	0,380	46700159	4021226007815	34.00
BTS 75 V, BTS 75 R cover plate for clamp fixing					PCE
BTS 75 V, BTS 75 R cover plate for clamp fixing					
 stainless steel S 700	1.0000	0,312	46700060	4021226007754	22.00
brass R 745 satin	1.0000	0,340	46700160	4021226007822	34.00



BTS accessories, spindles and cover plates

Finish			Part Number	EAN Code	Price (EUR)
BTS 84 cover plate					PCE
	BTS 84 cover plate				
	stainless steel S 700	1.0000 0,333	46700022	4021226007624	16.00
	brass R 745 satin	1.0000 0,420	46700023	4021226007631	27.00

BTS 65 cover plate						PCE
	BTS 65 cover plate.					
	stainless steel S 700	1.0000	0,500	46700086	4021226278512	16.00
	brass R 745 satin	1.0000	0,500	46700186	4021226278505	23.00

BSR

Finish	Handing			Part Number	EAN Code	Price (EUR)
BSR door coordinator						PCE
	BSR door coordinator for BTS 80 VF, BTS 80 F, BTS 80 EMB, BTS 80 FLB.					1217.00
	stainless steel S 700	1.0000	5,520	45700900	4021226212011	

CE EN 1158

BSR cover plate, left handed						PCE
	BSR cover plate for BTS 80 VF, BTS 80 F, BTS 80 EMB 1G/VF 1S, BTS 80 EMB 1, BTS 80 EMB 2, BTS 80 EMB 1G, BTS 80 FLB 1G/VF 1S, BTS 80 FLB 1G.					42.00
	stainless steel S 700	Left Handed (LH)	1.0000	0,388	46700080	
	brass R 745 satin	Left Handed (LH)	1.0000	0,360	46700280	67.00

BSR cover plate, right handed						PCE
	BSR cover plate for BTS 80 VF, BTS 80 F, BTS 80 EMB 1G/VF 1S, BTS 80 EMB 1, BTS 80 EMB 2, BTS 80 EMB 1G, BTS 80 FLB 1G/VF 1S, BTS 80 FLB 1G.					42.00
	stainless steel S 700	Right Handed (RH)	1.0000	0,424	46700081	
	brass R 745 satin	Right Handed (RH)	1.0000	0,454	46700281	67.00



For single action timber doors (rebated)

Top centre

Finish	Handing			Part Number	EAN Code	Price (EUR)
Top centre 74 11 K/46 complete						PCE
 With eccentric bolts and eccentric plastic bushing to align the door after installation (+/- 2mm adjustment), screw-on type. For single action flush-closing timber doors.						
steel zinc-plated P 716	Left Handed (LH)	1.0000	0,732	45305015	4021226007129	74.00
steel zinc-plated P 716	Right Handed (RH)	1.0000	0,730	45301015	4021226007112	74.00

Bottom strap

Finish				Part Number	EAN Code	Price (EUR)
Bottom strap 74 11/46 screw-on type						PCE
 Bottom strap 74 11/46. Screw-on type.						
steel zinc-plated P 716		1.0000	0,434	45010000	4021226005767	32.00

Cover cap set

Finish	Handing			Part Number	EAN Code	Price (EUR)
Cover cap set 7484						PCE
 Cover cap set 7484 for single action rebated timber doors, for pivot hinge (74 11 K/46). Set contains 2 pieces.						
Silver N 600	Left Handed (LH)	1.0000	0,168	45505400	4021226007228	47.00
Silver N 600	Right Handed (RH)	1.0000	0,160	45501400	4021226007181	47.00

Cover cap

Finish	Handing			Part Number	EAN Code	Price (EUR)
Cover cap 7482						PCE
 Cover cap 7482, for single action rebated timber doors, for bottom strap (74 11 K/46).						
Silver N 600	Left Handed (LH)	1.0000	0,074	45055401	4021226006146	24.00
Silver N 600	Right Handed (RH)	1.0000	0,064	45051401	4021226006061	24.00

List prices excluding VAT. Prices are subject to change without notice 01/26



For single action timber doors (flush-closing)

Top centre

Finish	Handing			Part Number	EAN Code	Price (EUR)
Top centre 74 11 K/56 complete						PCE
	With eccentric bolts and eccentric plastic bushing to align the door after installation (+/- 2mm adjustment), screw-on type. For single action flush-closing timber doors.					
	steel zinc-plated P 716	1.0000	0,750	45300016	4021226007099	74.00
Top centre 74 11 K/56						PCE
Top centre including top centre eye, screw-on type. For single action flush-closing timber doors.						
steel zinc-plated P 716	Right Handed (RH)	1.0000	0,326	45040011	4021226006023	34.00
steel zinc-plated P 716	Left Handed (LH)	1.0000	0,326	45040009	4021226006016	34.00

Bottom strap

Finish			Part Number	EAN Code	Price (EUR)
Bottom strap 74 11/56 screw-on type					PCE
	Screw-on type.				
	steel zinc-plated P 716	1.0000	0,460	45010003	4021226005774

Cover cap set

	Finish	Handing			Part Number	EAN Code	Price (EUR)
	Cover cap set 7483						PCE
	Cover cap set 7483, non-handed for single action flush-closing timber doors, for pivot hinge (74 11 K/56, 7431 K, 7441 K). Set contains 2 pieces.						
	aluminium mill finish R 600	Non-Handed (LH/RH)	1.0000	0,178	45500301	4021226007136	44.00
	silver	Non-Handed (LH/RH)	1.0000	0,182	45500401	4021226007143	47.00

List prices excluding VAT. Prices are subject to change without notice 01/26



For single action timber doors (flush-closing)

Cover cap

Finish	Handing			Part Number	EAN Code	Price (EUR)
Cover cap 7481						PCE
 Cover cap 7481 for single action flush-closing timber doors, for bottom strap 7411 K/56, 7431 K, 7441 K.						
aluminium mill finish R 600	Left Handed (LH)	1.0000	0,092	45055300	4021226006115	20.00
silver	Left Handed (LH)	1.0000	0,088	45055400	4021226006139	24.00
aluminium mill finish R 600	Right Handed (RH)	1.0000	0,088	45051300	4021226006030	20.00
silver	Right Handed (RH)	1.0000	0,088	45051400	4021226006054	24.00

FLOOR SPRING DOOR CLOSER (EN STANDARD)



For single action steel doors

Top centre

Finish			Part Number	EAN Code	Price (EUR)
Top centre 7431 K weld-on					PCE
With eccentric pin and threaded hole for cover caps, weld-on type.					
 without color	1.0000	0,436	45300012	4021226007075	44.00
Top centre 7441 K weld-in					PCE
Top centre 7441 K weld-in, primer coated.					
 primed P 020	1.0000	0,600	45300014	4021226007082	42.00

Bottom strap

Finish			Part Number	EAN Code	Price (EUR)
Bottom strap 7431 weld-on type					PCE
Bottom strap 7431, weld-on type.					
 primed P 020	1.0000	0,226	45010005	4021226005781	19.00

Top washer

							Part Number	EAN Code	Price (EUR)	
Top washer 7432 for steel door strap top									PCE	
Top washer 7432 f or steel door strap, top only.										
						1.0000	0,024	1167100000	4021226019443	7.00



BTS accessories for single action doors

Weld-on pivot bearing

Handing			Part Number	EAN Code	Price (EUR)
Weld-on pivot bearing 7472 K					PCE
With ball bearing, for maximum 200 kg door weight, with door strap 7431.					
	1.0000	0,444	45070011	4021226006221	62.00
Weld-on pivot bearing 7474 K					PCE
Weld-on pivot bearing 7474 K, with ball bearing, for maximum 200 kg door weight, without door strap.					
	Left Handed (LH)	1.0000	0,260	45075007	44.00
	Right Handed (RH)	1.0000	0,261	45071007	44.00

Weld-on hinge

			Part Number	EAN Code	Price (EUR)
Weld-on hinge 7472 M, centre hinge					PCE
Weld-on centre hinge 7472 M.					
	1.0000	0,446	45900008	4021226007259	44.00

Screw-on pivot bearing


Handing			Part Number	EAN Code	Price (EUR)
Screw-on pivot bearing 7473 K					PCE
Screw-on pivot bearing 7473 K, with ball bearing, for maximum 200 kg door weight, without door strap.					
	Left Handed (LH)	1.0000	0,236	45075005	41.00
	Right Handed (RH)	1.0000	0,238	45071005	41.00
Screw-on pivot bearing 7476 AX					PCE
With angular contact precision ball bearing, for maximum of 300 kg door weight (heavy duty model), without door strap.					
	1.0000	0,333	45070012	4021226006238	84.00

List prices excluding VAT. Prices are subject to change without notice 01/26



BTS accessories for single action doors

Floor pivot bearing

				Part Number	EAN Code	Price (EUR)
						PCE
Floor pivot bearing with spindle 7471 K						
	With ball bearing, square shape, for maximum of 200 kg door weight, without door strap.					
	1.0000	0,302	45070001	4021226006191	40.00	
Floor pivot bearing with spindle 7471 AX						
	With angular contact precision ball bearing, square shape, for maximum of 300 kg door weight, without door strap.					
	1.0000	0,312	45070002	4021226006207	47.00	

Bottom strap for aluminium doors

Finish	Handing			Part Number	EAN Code	Price (EUR)
						PCE
Bottom strap for aluminium doors 7459						
	For single action aluminium doors. Distance pivot point to first screw hole 49 mm and from first screw hole to second 61 mm.					
	Silver N 600	1.0000	0,544	45010409	4021226005873	72.00
Bottom strap for aluminium doors 7459 B						
	For single action aluminium doors. Distance pivot point to first screw hole 40 mm and from first screw hole to second 70 mm.					
	Silver N 600	1.0000	0,542	45010482	4021226005903	72.00
Bottom strap for aluminium doors 7456/1						
	For aluminium doors.					
	Non-Handed (LH/RH)	1.0000	0,710	45010006	4021226005798	70.00



BTS accessories for single action doors

BTS slide channel

			Part Number	EAN Code	Price (EUR)
BTS slide channel 7453 N					PCE
Length 300 mm.					
	1.0000	0,224	45090053	4021226006450	29.00

BTS swing lever

Finish			Part Number	EAN Code	Price (EUR)
BTS swing lever 7451 N					PCE
BTS swing lever 7451 N with cover.					
stainless steel S 700	1.0000	0,482	45090070	4021226006504	58.00

Sealing compound

			Part Number	EAN Code	Price (EUR)
Sealing compound 2300 top					
Sealing compound 2300 top.					
	1.0000	0,850	45090087	4048442692014	on request



Top centre for light double action doors

Top centre

Finish	Pin (extension)			Part Number	EAN Code	Price (EUR)
Top centre 8062						PCE
 Top centre 8062, standard pin, with needle bearing, upper and lower part.						
aluminium mill finish R 600	Standard	1.0000	0,528	46300003	4021226007556	45.00
Top centre 8067						PCE
 Top centre 8067, standard pin, with plastic bearing, with upper and lower part.						
aluminium mill finish R 600	Standard	1.0000	0,414	46300005	4021226007563	45.00
Top centre 8062/8067, upper part						PCE
 Top centre 8062/8067, upper part. Standard pin.						
aluminium mill finish R 600	Standard	1.0000	0,330	46020031	4021226007389	28.00
Top centre 8062, lower part						PCE
 Top centre 8062, lower part, with needle bearing.						
aluminium mill finish R 600	Standard	1.0000	0,202	46020033	4021226007402	19.00
Top centre 8067, lower part						PCE
 Top centre 8067, lower part, with plastic bearing.						
aluminium mill finish R 600	Standard	1.0000	0,082	46020011	4021226007372	19.00



Top centre for light double action doors

Cover plate

Finish			Part Number	EAN Code	Price (EUR)
Cover plate 8062					PCE
Cover plate 8062.					
 stainless steel S 700	1.0000	0,046	46020045	4021226007471	11.00
					

FLOOR SPRING DOOR CLOSER (EN STANDARD)



Top centre for heavy double action doors

Top centre

	Finish	Pin (extension)			Part Number	EAN Code	Price (EUR)
Top centre 8066							PCE
	Top centre 8066, standard pin, with needle bearing, with upper and lower part.						
	steel raw R 715	Standard	1.0000	0,642	46300006	4021226007570	64.00
Top centre 8066, upper part							PCE
	Top centre 8066, upper part.						
	steel raw R 715	Standard	1.0000	0,340	46020036	4021226007433	40.00
	steel raw R 715	10 mm	1.0000	0,352	46020037	4021226007440	41.00
	steel raw R 715	20 mm	1.0000	0,364	46020046	4021226007488	46.00
Top centre 8066, lower part							PCE
	Top centre 8066, lower part. With needle bearing.						
	steel raw R 715		1.0000	0,308	46020047	4021226007495	28.00
Top centre 7461, upper part							PCE
	Top centre 7461, upper part.						
	steel raw R 715	Standard	1.0000	0,336	46020050	4021226007525	40.00
	steel raw R 715	10 mm	1.0000	0,350	46020051	4021226007532	41.00
Top centre 7461, lower part							PCE
	Top centre 7461, lower part. Type A, with needle bearing.						
	steel raw R 715		1.0000	0,280	46020048	4021226007501	35.00
Top centre 7463, lower part							PCE
	Top centre 7463, lower part. Type B, with needle bearing.						
	steel raw R 715		1.0000	0,252	46020049	4021226007518	35.00



Top centre for heavy double action doors

Cover plate

Finish				Part Number	EAN Code	Price (EUR)
Cover plate 8064						PCE
	Cover plate 8064					
	stainless steel S 700	1.0000	0,035	46020044	4021226007464	11.00

FLOOR SPRING DOOR CLOSER (EN STANDARD)



BTS accessories for double action doors

Door strap

Finish			Part Number	EAN Code	Price (EUR)
Door strap 7421					PCE
	Door strap 7421.				
	steel zinc-plated P 716	1.0000	0,440	46010001	4021226007358
Door strap 7422					PCE
	Door strap 7422				
	steel zinc-plated P 716	1.0000	0,464	46010002	4021226007365
Door strap 8021					PCE
	Door strap 8021.				
	steel zinc-plated P 716	1.0000	0,280	45010410	4021226005880
Door strap 6221-AZ, variant Schüco 209106					PCE
 	Door strap for aluminium doors. 6221-AZ. Variant Schüco. 209106				
		1.0000	0,450	43900060	4021226005750

Floor pivot

Floor pivot for BTS/ RTS				Part Number	EAN Code	Price (EUR)
Floor pivot 8560 G E						PCE
Floor pivot 8560 G E. With flat-tapered spindle.						
	1.0000	0,254	65540059	4021226015360	102.00	



BTS accessories for double action doors

Floor pivot for BTS/ RTS				Part Number	EAN Code	Price (EUR)
Floor pivot 8560 G, with extended spindle						PCE
	Floor pivot 8560 G with extended spindle.					
	2,5 mm	1.0000	0,264	85210033	4021226218266	42.00
	5 mm	1.0000	0,272	85210025	4021226018644	42.00
	10 mm	1.0000	0,294	85210026	4021226018651	42.00
	15 mm	1.0000	0,314	85210027	4021226018668	42.00
	20 mm	1.0000	0,338	85210028	4021226018675	42.00
	25 mm	1.0000	0,358	85210029	4021226018682	42.00
	30 mm	1.0000	0,382	85210030	4021226018699	42.00
	50 mm	1.0000	0,466	85210031	4021226018705	42.00

Floor pivot bearing

				Part Number	EAN Code	Price (EUR)
Floor pivot bearing with spindle 7475 AX						PCE
	With angular contact precision ball bearing, rectangle shape, for maximum of 300 kg door weight, without door strap.					
		1.0000	0,260	45070003	4021226006214	47.00
Floor pivot bearing with spindle 7471 K						PCE
	With ball bearing, square shape, for maximum of 200 kg door weight, without door strap.					
		1.0000	0,302	45070001	4021226006191	40.00
Floor pivot bearing with spindle 7471 AX						PCE
	With angular contact precision ball bearing, square shape, for maximum of 300 kg door weight, without door strap.					
		1.0000	0,312	45070002	4021226006207	47.00



BTS accessories for double action doors

BTS slide channel

			Part Number	EAN Code	Price (EUR)
BTS slide channel 7453 N					PCE
Length 300 mm.					
	1.0000	0,224	45090053	4021226006450	29.00

BTS swing lever

Finish			Part Number	EAN Code	Price (EUR)
BTS swing lever 7451 N					PCE
BTS swing lever 7451 N with cover.					
stainless steel S 700	1.0000	0,482	45090070	4021226006504	58.00

Sealing compound

			Part Number	EAN Code	Price (EUR)
Sealing compound 2300 top					
Sealing compound 2300 top.					
	1.0000	0,850	45090087	4048442692014	on request



BTS 80 V BF (ANSI)

Function (product type)				Part Number	EAN Code	Price (EUR)
BTS 80 V BF ANSI 1-4 without spindle, with bubble level, variant USA						PCE
	Floor spring, with barrier-free in accordance to ADA requirements, adjustable closing action from 175°, with two adjustable closing speed ranges, with bubble level, with cement box. Variant USA.					
	Double Action	1.0000	7,200	80190008	4048442698795	610.00

ANSI



BTS 80 F, BTS 80 BF, BTS 80 EMB (ANSI)

BTS 80 F (ANSI)

Closing force		Handing			Part Number	EAN Code	Price (EUR)	
BTS 80 F without spindle, with cement box, variant USA							PCE	
		Floor spring for fire doors, ANSI Grade 1, adjustable closing action from 180°-0° and latching from 7°-0°, with backcheck, with cement box. Variant USA.						
		ANSI 5	Left Handed (LH)	1.0000	6,430	80250101	4021226016701	595.00
		ANSI 5	Right Handed (RH)	1.0000	6,390	80250201	4021226016718	595.00
								

BTS 80 BF (ANSI)

Closing force				Part Number	EAN Code	Price (EUR)
BTS 80 BF ANSI 3 barrier free, without spindle, variant USA						PCE
Floor spring, barrier-free version. Variant USA.						
	ANSI 3	1.0000	6,530	80120005	4021226016466	560.00

BTS 80 BF 5lbf barrier free, ADA, without spindle, variant USA							PCE
		Floor spring, barrier-free version. Variant USA. 5 lbf, ADA					
		1.0000	6,464	80170005	4048442634267	560.00	
							

BTS 80 EMB (ANSI)

Closing force		Handing			Part Number	EAN Code	Price (EUR)
BTS 80 EMB without spindle, with cement box, variant USA							PCE
Floor spring with electro-hydraulic hold-open device 75°-170°, with connecting cable, without plastic conduit, ANSI Grade 1, adjustable closing action from 180°-0° and latching from 7°-0°, with backcheck, with cement box. Operating voltage 24 V DC. Variant USA.							
	ANSI 5	Left Handed (LH)	1.0000	6,710	82254101	4021226017470	1177.00
	ANSI 5	Right Handed (RH)	1.0000	6,700	82254201	4021226017487	1177.00



BTS 75 V (ANSI)

Hold-open				Part Number	EAN Code	Price (EUR)
BTS 75 V BF ANSI 1-4 with bridge fixing, without hold-open, variant USA						PCE
	Floor spring, barrier-free, ANSI Grade 1, adjustable closing action from 180°-70°, with bridge fixing, with cement box. Variant USA.					
	without hold-open	1.0000	3,185	61704001	4021226361313	252.00
						
BTS 75 V BF ANSI 1-4 with bridge fixing, with hold-open 90°, variant USA						PCE
	Floor spring, barrier-free, ANSI Grade 1, adjustable closing action from 180°-70°, with bridge fixing, with cement box. Variant USA. Hold-open 90°					
	hold-open 90°	1.0000	3,100	61704201	4021226361320	261.00
						

List prices excluding VAT. Prices are subject to change without notice 01/26



BTS accessories (ANSI)

Top centre

			Part Number	EAN Code	Price (EUR)
Top centre 8062, upper part, variant USA					PCE
Top centre 8062, upper part, variant USA.					
	1.0000	0,324	46020034	4021226007419	28.00
					
Top centre 8062, lower part, variant USA					PCE
Top centre 8062, lower part, variant USA.					
	1.0000	0,202	46020035	4021226007426	28.00
					



RTS 80 EMB

Closing force				Part Number	EAN Code	Price (EUR)
RTS 80 EMB						PCE
 CE  EN 1154  EN 1155	Transom door closer, with electro-magnetic hold-open from 75°-175°, adjustable closing action from 175°-7° and latching from 7°-0°, with backcheck, with mounting plate, with closer arm and slide channel, with floor pivot. Operating voltage 24 V DC.					
	EN 3	1.0000	7,200	85314101	4021226313916	1374.00
	EN 4	1.0000	7,162	85324101	4021226313930	1374.00
	EN 5	1.0000	7,164	85334101	4021226313954	1374.00

RTS 80 EMB without closer arm						PCE
	Transom door closer, with electro-magnetic hold-open from 75°-175°, adjustable closing action from 175°-7° and latching from 7°-0°, with backcheck, with mounting plate. Operating voltage 24 V DC.					
	EN 4	1.0000	6,380	85324161	4021226880852	1374.00
	EN 5	1.0000	6,342	85334161	4021226880869	1374.00
CE EN 1154 EN 1155						

RTS 80 EMB, variant EKEM						PCE
	Transom door closer, with electro-magnetic hold-open 75°-175°, adjustable closing action from 175°-7° and latching from 7°-0°, with backcheck. Operating voltage 24 V DC. Variant EKEM.					
	EN 3	1.0000	6,370	85314141	4021226836675	1374.00
	EN 4	1.0000	6,400	85324141	4021226836705	1374.00
	EN 5	1.0000	6,340	85334141	4021226836682	1374.00

CE

EN 1154

EN 1155

Customer specific

RTS 80 EMB with wide mounting plate, variant UK						PCE
	Transom door closer, with electro-magnetic hold-open 75°-175°, adjustable closing action from 175°-7° and latching from 7°-0°, with backcheck, with wide mounting plate. Operating voltage 24 V DC. Variant UK.					
	EN 4	1.0000	6,482	85324181	4048442627337	1399.00
	EN 5	1.0000	6,512	85334181	4048442627344	1399.00
CE EN 1154 EN 1155						
country specific						

RTS 80 FLB

Closing force				Part Number	EAN Code	Price (EUR)
RTS 80 FLB EN 4 without arm						PCE
	Transom door closer, with electro-magnetic free swing between 0° and 175°, adjustable closing action from 175°-0°, with backcheck. Operating voltage 24 V DC. EN 4					
	EN 4	1.0000	6,540	85326101	4021226356104	on request
CE EN 1154 EN 1155						

List prices excluding VAT. Prices are subject to change without notice 01/26



RTS 87

Closing force	Hold-open			Part Number	EAN Code	Price (EUR)
RTS 87 EN 1-4 without arm, without hold-open						PCE
Transom door closer, adjustable closing action from 175°-15° and latching from 15°-0°, with backcheck, with fixed spindle.						
EN 1-4	without hold-open	1.0000	3,500	85351151	4021226880876	384.00

CE EN 1154

RTS 87 EN 1-4 with short plate, without hold-open						PCE
Transom door closer, adjustable closing action from 175°-15° and latching from 15°-0°, with backcheck, with fixed spindle, with short plate.						
EN 1-4	without hold-open	1.0000	2,898	85351121	4021226804100	460.00

CE EN 1154

RTS 87 EN 1-4 with short plate, with hold-open						PCE
Transom door closer, adjustable closing action from 175°-15° and latching from 15°-0°, with backcheck, with fixed spindle, with short plate.						
EN 1-4	hold-open 90°	1.0000	2,890	85352121	4021226838969	465.00

EN 1154

RTS 87 EN 1-4 with spindle, with end-load accessory, without hold-open, variant France						PCE
Transom door closer, adjustable closing action from 175°-15° and latching from 15°-0°, with backcheck, with fixed spindle, with door strap 8534, with floor pivot 8552, with mounting plate. Variant France.						
EN 1-4	without hold-open	1.0000	4,320	85351101	4021226297537	384.00



CE EN 1154

country specific

RTS 87 H

Closing force			Part Number	EAN Code	Price (EUR)
RTS 87 H EN 1-4 with spindle					PCE
Transom door closer, adjustable closing action from 175°-70° and from 70°-0°, with backcheck, with fixed spindle, with mounting plate.					
EN 1-4	1.0000	3,470	85351171	4021226881194	on request

CE EN 1154

List prices excluding VAT. Prices are subject to change without notice 01/26



RTS 87

RTS 87

Closing force	Hold-open			Part Number	EAN Code	Price (EUR)
RTS 87 EN 2-5 with short plate, without hold-open						on request
Transom door closer, adjustable closing action from 175°-15° and latching from 15°-0°, with backcheck, with fixed spindle, with short plate.						
EN 2-5	without hold-open	1.0000	2,898	85361121	4048442654791	

CE 

CE EN 1154

RTS 87 EN 2-5 with short plate, with hold-open							on request
Transom door closer, adjustable closing action from 175°-15° and latching from 15°-0°, with backcheck, with fixed spindle, with short plate.							
EN 2-5	hold-open 90°	1.0000	2,898	85362121	4048442655507		



 EN 1154



RTS 85

	Closing force	Hold-open			Part Number	EAN Code	Price (EUR)
RTS 85 without hold-open							PCE
  EN 1154	Transom door closer, for single and double action doors with 70 mm pivot point, adjustable closing action, with adjustable delayed action, with backcheck, with cushioned limit stay.						
	EN 3	without hold-open	1.0000	4,590	85311101	4021226018750	362.00
	EN 4	without hold-open	1.0000	4,554	85321101	4021226018934	362.00
	EN 5	without hold-open	1.0000	4,750	85331101	4021226019115	362.00
RTS 85 with hold-open							PCE
  EN 1154	Transom door closer, for single and double action doors with 70 mm pivot point, adjustable closing action, with adjustable delayed action, with backcheck, with cushioned limit stay.						
	EN 3	hold-open 90°	1.0000	4,572	85312101	4021226018811	362.00
	EN 3	hold-open 105°	1.0000	4,724	85313101	4021226018873	362.00
	EN 4	hold-open 90°	1.0000	4,558	85322101	4021226018996	362.00
	EN 4	hold-open 105°	1.0000	4,970	85323101	4021226019054	362.00
	EN 5	hold-open 90°	1.0000	4,670	85332101	4021226019184	362.00
	EN 5	hold-open 105°	1.0000	4,546	85333101	4021226019245	362.00
RTS 85 with extended spindle by 5 mm, without hold-open							PCE
  EN 1154	Transom door closer, for single and double action doors with 70 mm pivot point, adjustable closing action, with adjustable delayed action, with backcheck, with cushioned limit stay, with spindle extended by 5 mm.						
	EN 3	without hold-open	1.0000	4,526	85311102	4021226018767	364.00
	EN 4	without hold-open	1.0000	4,610	85321102	4021226018941	364.00
	EN 5	without hold-open	1.0000	4,670	85331102	4021226019122	364.00
RTS 85 with extended spindle 5 mm, with hold-open							PCE
  EN 1154	Transom door closer, for single and double action doors with 70 mm pivot point, adjustable closing action, with adjustable delayed action, with backcheck, with cushioned limit stay, with spindle extended by 5 mm.						
	EN 4	hold-open 90°	1.0000	4,660	85322102	4021226019009	364.00
	EN 4	hold-open 105°	1.0000	4,474	85323102	4021226019061	364.00
RTS 85 with extended spindle by 10 mm, without hold-open							PCE
  EN 1154	Transom door closer, for single and double action doors with 70 mm pivot point, adjustable closing action, with adjustable delayed action, with backcheck, with cushioned limit stay, with spindle extended by 10 mm.						
	EN 3	without hold-open	1.0000	4,620	85311103	4021226018774	364.00
	EN 4	without hold-open	1.0000	4,600	85321103	4021226018958	364.00
	EN 5	without hold-open	1.0000	4,640	85331103	4021226019139	364.00



RTS 85

Closing force		Hold-open			Part Number	EAN Code	Price (EUR)
RTS 85 with extended spindle 10 mm, with hold-open							PCE
	Transom door closer, for single and double action doors with 70 mm pivot point, adjustable closing action, with adjustable delayed action, with backcheck, with cushioned limit stay, with spindle extended by 10 mm.						
	EN 3	hold-open 90°	1.0000	4,660	85312103	4021226018835	364.00
	EN 4	hold-open 90°	1.0000	4,604	85322103	4021226019016	364.00
	EN 5	hold-open 90°	1.0000	4,728	85332103	4021226019207	364.00
							
RTS 85 for toughened glass door, 65 mm pivot point, without hold-open							PCE
	Transom door closer, for toughened glass doors with pivot point 65 mm, with adjustable closing action, with adjustable delayed action, with backcheck, with mechanical cushioned limit stay.						
	EN 3	without hold-open	1.0000	4,554	85311301	4021226018781	364.00
	EN 4	without hold-open	1.0000	4,516	85321301	4021226018965	364.00
							
RTS 85 for toughened glass door, 65 mm pivot point, with hold-open							PCE
	Transom door closer, for toughened glass doors with pivot point 65 mm, with adjustable closing action, with adjustable delayed action, with backcheck, with mechanical cushioned limit stay, with hold-open.						
	EN 3	hold-open 90°	1.0000	4,545	85312301	4021226018842	364.00
	EN 4	hold-open 90°	1.0000	4,476	85322301	4021226019023	364.00
							
RTS 85 for tough glass door, 65 mm pivot point, with 5 mm extended spindle, without hold-open							PCE
	Transom door closer, for toughened glass doors with pivot point 65 mm, with adjustable closing action, with adjustable delayed action, with backcheck, with mechanical cushioned limit stay, with 5 mm extended spindle.						
	EN 3	without hold-open	1.0000	4,670	85311302	4021226018798	366.00
	EN 4	without hold-open	1.0000	4,652	85321302	4021226018972	366.00
							



Accessories for double action doors and centrally suspended single action doors (side-load fixing)

RTS arm

			Part Number	EAN Code	Price (EUR)
RTS arm with closer arm rail 8530, 70 mm pivot point					PCE
 RTS arm with closer arm rail 8530, for side-load fixing, 70 mm pivot point.					
	1.0000	0,610	85210005	4021226018521	64.00

RTS floor pivot set

			Part Number	EAN Code	Price (EUR)
RTS floor pivot set 8550, height 27 mm, 70 mm pivot point					PCE
 RTS floor pivot set 8550, height 27 mm, for side-load fixing, 70 mm pivot point.					
	1.0000	0,164	65310300	4021226015278	30.00

RTS floor pivot set 8551, height 57 mm, 70 mm pivot point					PCE
 RTS floor pivot set 8551, height 57 mm, for side-load fixing, 70 mm pivot point.					
	1.0000	0,216	65410300	4021226015292	38.00

Threshold bearing

			Part Number	EAN Code	Price (EUR)
Threshold bearing 8554, 70 mm pivot point					PCE
 Threshold bearing 8554, for side-load fixing, 70 mm pivot point.					
	1.0000	0,134	65510400	4021226015315	32.00



Accessories for double action doors and centrally suspended single action doors (end-load fixing)

RTS arm

			Part Number	EAN Code	Price (EUR)
RTS arm with closer arm rail 8534, 70 mm pivot point					PCE
 RTS closer arm rail 8534, for end-load fixing, 70 mm pivot point.	1.0000	0,638	85210009	4021226018545	83.00

RTS floor pivot set

			Part Number	EAN Code	Price (EUR)
RTS floor pivot set 8552, height 27 mm, 70 mm pivot point					PCE
 RTS floor pivot set 8552, height 27 mm, for end-load fixing, 70 mm pivot point.	1.0000	0,190	65320300	4021226015285	33.00



Accessories for all-glass doors

Fixing bracket

			Part Number	EAN Code	Price (EUR)
Fixing bracket 8520 G					PCE
Fixing bracket 8520. With 70 mm pivot point.					
	1.0000	0,090	65000040	4021226015216	8.00

Floor pivot

			Part Number	EAN Code	Price (EUR)
Floor pivot 8560 G for toughend glass door, with 65 mm pivot point					PCE
Floor pivot 8560 G for toughend glass door, with 65 mm pivot point. Anti-corrosive type.					
	1.0000	0,254	65540000	4021226015353	39.00



RTS accessories

Floor pivot

Floor pivot for BTS/ RTS				Part Number	EAN Code	Price (EUR)
Floor pivot 8560 G E						PCE
Floor pivot 8560 G E. With flat-tapered spindle.						
		1.0000	0,254	65540059	4021226015360	102.00
Floor pivot 8560 G, with extended spindle						PCE
Floor pivot 8560 G with extended spindle.						
	2,5 mm	1.0000	0,264	85210033	4021226218266	42.00
	5 mm	1.0000	0,272	85210025	4021226018644	42.00
	10 mm	1.0000	0,294	85210026	4021226018651	42.00
	15 mm	1.0000	0,314	85210027	4021226018668	42.00
	20 mm	1.0000	0,338	85210028	4021226018675	42.00
	25 mm	1.0000	0,358	85210029	4021226018682	42.00
	30 mm	1.0000	0,382	85210030	4021226018699	42.00
	50 mm	1.0000	0,466	85210031	4021226018705	42.00

Floor pivot bearing

				Part Number	EAN Code	Price (EUR)
Floor pivot bearing with spindle 7475 AX						PCE
With angular contact precision ball bearing, rectangle shape, for maximum of 300 kg door weight, without door strap.						
		1.0000	0,260	45070003	4021226006214	47.00
Floor pivot bearing with spindle 7471 K						PCE
With ball bearing, square shape, for maximum of 200 kg door weight, without door strap.						
		1.0000	0,302	45070001	4021226006191	40.00
Floor pivot bearing with spindle 7471 AX						PCE
With angular contact precision ball bearing, square shape, for maximum of 300 kg door weight, without door strap.						
		1.0000	0,312	45070002	4021226006207	47.00



RTS accessories

Adjustment bracket

			Part Number	EAN Code	Price (EUR)
Adjustment bracket					PCE
Adjustment bracket					
	1.0000	0,074	65000041	4021226015223	7.00

Floor pivot

			Part Number	EAN Code	Price (EUR)
Floor pivot upper portion, for side-load fixing					PCE
 Floor pivot upper portion for side-load fixing. For article 8550, 8551 and 8554					
	1.0000	0,068	65010020	4021226015254	23.00

Floor pivot upper portion, for end-load fixing					PCE
Floor pivot upper portion for end-load fixing. For article 8552.					
	1.0000	0,072	65020020	4021226015261	23.00

RTS 85 weld-on 8521

Spindle insert (extension)			Part Number	EAN Code	Price (EUR)
RTS 85 weld-on 8521					PCE
 RTS 85 weld-on 8521.					
40 mm	1.0000	0,264	85110001	4021226018439	35.00



RTS accessories country/ customer specific

Floor pivot complete

			Part Number	EAN Code	Price (EUR)
Floor pivot complete for side-load fixing, variant UK					PCE
Floor pivot complete side-load fixing. Variante UK					
	1.0000	0,216	852 10022	4021226018613	42.00
					

Floor pivot complete for end-load fixing, variant UK					PCE
Floor pivot complete end-load fixing. Variante UK					
	1.0000	0,242	852 10021	4021226018606	42.00
					

Floor pivot

			Part Number	EAN Code	Price (EUR)
Floor pivot upper portion for side-load fixing, variant UK					PCE
Floor pivot upper portion for side-load fixing. Variante UK					
	1.0000	0,216	852 10024	4021226018637	51.00
					

Threshold pivot complete

			Part Number	EAN Code	Price (EUR)
Threshold pivot complete for end-load fixing, variant UK					PCE
Threshold pivot complete end-load fixing. Variante UK					
	1.0000	0,218	852 10023	4021226018620	51.00
					

List prices excluding VAT. Prices are subject to change without notice 01/26



RTS accessories country/ customer specific

Floor pivot bearing

Floor pivot for BTS/ RTS				Part Number	EAN Code	Price (EUR)
Floor pivot bearing, with extended spindle, variant USA						PCE
 country specific	Floor pivot bearing with extended spindle. Variant USA.					
	2,5 mm	1.0000	0,254	85210040	4021226025512	44.00
	5 mm	1.0000	0,270	85210041	4021226025529	44.00
	15 mm	1.0000	0,300	85210042	4021226025536	44.00
	50 mm	1.0000	0,317	85210043	4021226025543	44.00
	20 mm	1.0000	0,300	85210044	4021226025550	44.00
	65 mm	1.0000	0,360	85210045	4021226025567	44.00
	30 mm	1.0000	0,350	85210046	4021226025574	45.00
	25 mm	1.0000	0,350	85210047	4021226025581	45.00
	10 mm	1.0000	0,420	85210048	4021226025598	45.00
	15 mm	1.0000	0,500	85210049	4021226025604	45.00

Floor pivot bearing all units, variant USA

 country specific	Floor pivot bearing. All units 70 mm pivot point, anti corrosive. Variant USA					PCE
		1.0000	0,242	85210013	4021226018569	55.00

Floor pivot bearing 8560 G AC, variant USA

 country specific	Floor pivot bearing 8560 G AC. All units 70 mm pivot point, anti corrosive. Variant USA					PCE
		1.0000	0,256	85220013	4021226018743	40.00

Cover plate

				Part Number	EAN Code	Price (EUR)
RTS 85 cover plate 212694/D, variant USA						PCE
 country specific	RTS 85 cover plate 212694/D. No. 212694/D 1-140 all units 70 mm pivot point. Variant USA					
		1.0000	0,010	85110014	4021226018491	7.00

List prices excluding VAT. Prices are subject to change without notice 01/26



RTS accessories country/ customer specific

Fixing bracket

			Part Number	EAN Code	Price (EUR)
Fixing bracket, variant USA					PCE
 Fixing bracket. With 70 mm pivot point. Variant USA	1.0000	0,072	65000043	4021226015230	7.00
					

Closer arm

			Part Number	EAN Code	Price (EUR)
Closer arm with slide channel, variant KAWNEER					PCE
 Closer arm with slide channel. With slide channel for RTS 85. Variant KAWNEER	1.0000	0,648	85210035	4021226018712	on request
					

Bottom strap

			Part Number	EAN Code	Price (EUR)
Bottom strap 7421 shortened, variant Socomal					PCE
 Bottom strap 7421 shortened. Variant Socomal	1.0000	0,428	46010323	4021226316726	on request
					



RTS accessories country/ customer specific

Weld-on socket

  Part Number EAN Code					Price (EUR)
Weld-on socket with spindle, variant Trimborn					PCE
 Customer specific Weld-on socket with spindle. Variant Trimborn					
1.0000	0,258	85110012	4021226018484		58.00



SR universal door coordinators and MK carry bars

SR 390

Finish	Door material			Part Number	EAN Code	Price (EUR)
SR 390 door coordinator						PCE
SR 390 door coordinator for double-leaf timber doors.						
 silver P 600	Wooden Door	1.0000	1,486	47000001	4021226007860	104.00
 						
SR 390 door coordinator						PCE
SR 390 door coordinator for double-leaf steel doors.						
 steel zinc-plated P 716	Steel Door	1.0000	1,318	47000000	4021226007853	96.00
special finish P 000	Steel Door	1.0000	1,400	47000030		106.00
 						
SR 390 door coordinator with guide sleeves						PCE
SR 390 door coordinator with guide sleeves for double-leaf steel doors						
steel zinc-plated P 716	Steel Door, Aluminium Door	1.0000	1,400	47000014	4021226007952	184.00
 						

SR 392

Finish				Part Number	EAN Code	Price (EUR)
SR 392 concealed door coordinator, length 1050 mm						PCE
SR 392 concealed door coordinator for double-leaf doors, length 1050 mm, non-handed.						
 steel zinc-plated P 716		1.0000	1,950	47000010	4021226007914	184.00
 						
SR 392 concealed door coordinator, length 650 mm						PCE
SR 392 concealed door coordinator for double-leaf doors, length 650, non-handed.						
 steel zinc-plated P 716		1.0000	1,390	47000012	4021226007938	184.00
 						

List prices excluding VAT. Prices are subject to change without notice 01/26



SR universal door coordinators and MK carry bars

MK 396

Finish			Part Number	EAN Code	Price (EUR)
MK 396 carry bar					PCE
MK 396 carry bar for double-leaf doors.					
 steel zinc-plated P 716	1.0000	0,234	47102800	4021226007983	35.00
special finish P 000	1.0000	0,236	47002830		40.00

CE EN 1158

MK 397

Finish			Part Number	EAN Code	Price (EUR)
MK 397 carry bar					PCE
MK 397 carry bar for double-leaf doors. For ITS 96 System.					
 steel zinc-plated P 716	1.0000	0,746	47002900	4021226215975	57.00
special finish P 000	1.0000	0,754	47002930		64.00

CE EN 1158

MK 397 V

Finish			Part Number	EAN Code	Price (EUR)
MK 397 V carry bar					PCE
MK 397 V carry bar for double-leaf doors. For ITS 96 System, adjustable.					
 steel zinc-plated P 716	1.0000	0,808	47003000	4021226956939	65.00
special finish P 000	1.0000	0,780	47003030		70.00

CE EN 1158



EM, receiver plate and HT

EM 500 G

Finish			Part Number	EAN Code	Price (EUR)
EM 500 G for wall mounting					PCE
Floor magnet for wall mounting with base plate. Operating voltage 24 V AC/DC.					
white	1.0000	0,440	69011511	4021226190654	94.00
stainless steel design P 700	1.0000	0,440	69012511	4021226213032	120.00



CE EN 1155

EM 500 U

Finish			Part Number	EAN Code	Price (EUR)
EM 500 U for flush mounting					PCE
Floor magnet for flush mounting with swiveling base plate. Operating voltage 24 V AC/DC.					
white	1.0000	0,452	69011521	4021226190661	94.00
EDSTD	1.0000	0,450	69012521	4021226212967	120.00



CE EN 1155

EM 500 A

Finish			Part Number	EAN Code	Price (EUR)
EM 500 A for surface mounting					PCE
Floor magnet for surface mounting with manual release button. Operating voltage 24 V AC/DC.					
white	1.0000	0,496	69011531	4021226190678	115.00
stainless steel design P 700	1.0000	0,498	69012531	4021226213063	157.00



CE EN 1155



EM, receiver plate and HT

EM 500 H

			Part Number	EAN Code	Price (EUR)
EM 500 H, baseplate 70x70 mm, 150/175 mm					PCE
 Electro magnet EM 500 H for floor, ceiling or wall installation, supplied with manual release button. Operating voltage 24 V DC. 150/175 mm. baseplate 70x70 mm	1.0000	0,734	69015005	4021226213735	202.00
					
EM 500 H, baseplate 90x80 mm, 300/325 mm					PCE
 Electro magnet EM 500 H for floor, ceiling or wall installation, supplied with manual release button. Operating voltage 24 V DC. 300/325 mm, baseplate 90x80 mm.	1.0000	1,200	69015006	4021226213742	209.00
					
EM 500 H, baseplate 90x80 mm, 450/475 mm					PCE
 Electro magnet EM 500 H for floor, ceiling or wall installation, supplied with manual release button. Operating voltage 24 V DC. 450/475 mm, baseplate 90x80 mm.	1.0000	1,484	69015007	4021226213759	221.00
					


MAG receiver

			Part Number	EAN Code	Price (EUR)
MAG receiver with baseplate					PCE
 MAG receiver with baseplate	1.0000	0,122	69020110	4021226190685	24.00
					



EM, receiver plate and HT

EM 500 H

			Part Number	EAN Code	Price (EUR)
EM 500 H MAG receiver with swiveling plate					PCE
 CE EN 1155					
EM 500 H MAG receiver with swiveling plate	1.0000	0,136	69021113	4021226213766	34.00

MAW receiver swiveling

			Part Number	EAN Code	Price (EUR)
MAW receiver swiveling for angle adjustment					PCE
 CE EN 1155					
MAW receiver swiveling for angle adjustment	1.0000	0,166	69020111	4021226190692	51.00

MAT receiver

			Part Number	EAN Code	Price (EUR)
MAT receiver telescopic keeper					PCE
 CE EN 1155					
MAT receiver telescopic keeper	1.0000	0,232	69020112	4021226190708	102.00



EM, receiver plate and HT

EM 500 A/G

			Part Number	EAN Code	Price (EUR)
EM 500 A/G floor fixing bracket					PCE
 CE EN 1155			EM 500 A/G floor fixing bracket		
	1.0000	0,636	69011540	4021226190715	32.00

Adapter frame

Finish			Part Number	EAN Code	Price (EUR)
Adapter frame					PCE
			Adapter frame		
white	1.0000	0,058	69011541	4021226212165	16.00
stainless steel design P 700	1.0000	0,092	69012541	4021226215791	36.00

Push button

			Part Number	EAN Code	Price (EUR)
Push button "Tür schließen", system 55					PCE
			Manual release push button "Tür schließen" for hold-open devices. System 55.		
	1.0000	0,114	19144601175	4021226289600	35.00

Box for surface mounting

			Part Number	EAN Code	Price (EUR)
Box for surface mounting, system 55					PCE
			Box for surface mounting single-type incl. frame. System 55.		
	1.0000	0,088	5158533332	4021226776933	23.00



Index

Part Number		EAN Code	Price (EUR)	Page
10002000	G90 Impulse cushioned limited stay	4021226291245	18.00	55
10002100	G90 Impulse mechanical hold-open unit	4021226290514	22.00	55
10002801	G90 Impulse mounting plate	4021226264706	22.00	55
10002811	G90 Impulse mounting plate	4021226264713	22.00	55
10003001	G90 Impulse angle bracket, Silver P 600	4021226269404	33.00	55
10003009	G90 Impulse angle bracket, Special Finish P 000		41.00	55
10003011	G90 Impulse angle bracket, White P 100	4021226269367	33.00	55
10200201	TS 90 Impulse EN 3 with slide channel	4021226288061	80.00	52
10200401	TS 90 Impulse EN 3/4 with slide channel	4021226301364	86.00	52
10200403	TS 90 Impulse EN 3/4 with slide channel, Dark Brown P 290	4021226301371	86.00	52
10200409	TS 90 Impulse EN 3/4 with slide channel, Special Finish P 000		109.00	52
10200411	TS 90 Impulse EN 3/4 with slide channel, White P 100	4021226301395	86.00	52
10200419	TS 90 Impulse EN 3-4 with slide channel, Black P 190	4021226867228		7
10200419	TS 90 Impulse EN 3-4 with slide channel, Black P 190	4021226867228		7
10210401	TS 90 Impulse EN 3/4 BC with slide channel	4021226320006	107.00	52
10210409	TS 90 Impulse EN 3/4 BC with slide channel, Special Finish P 000		138.00	52
10210411	TS 90 Impulse EN 3/4 BC with slide channel, White P 100	4021226320020	107.00	52
10210419	TS 90 Impulse EN 3/4 BC with slide channel, Black P 190	4021226837085	107.00	52
10220501	TS 90 Impulse EN 2 NP with slide channel, variant Japan	4021226266052	102.00	52
10240401	TS 90 Impulse H EN 3/4 with slide channel	4021226803363	102.00	52
10240411	TS 90 Impulse H EN 3/4 with slide channel, White P 100	4021226803370	102.00	52
10240419	TS 90 Impulse H EN 3/4 with slide channel, Black P 190	4021226803387	102.00	52
1167100000	Top washer 7432 for steel door strap top	4021226019443	7.00	147
12000115	TS 93 EN 2-5, TS 92, TS 91 full softline cover & mounting bracket, variant UK	4021226282212	103.00	54
12000215	TS 93 EN 2-5, TS 92, TS 91 full cover + mounting bracket, variant UK	4021226282229	103.00	54
13000100	TS 97/G 96 N20 mechanical hold-open unit	4021226291238	51.00	55
13000100	TS 97/G 96 N20 mechanical hold-open unit	4021226291238	51.00	74
13000201	TS 97 glass door shoe, Silver P 600	4021226804339	72.00	54
13000204	TS 97 glass door shoe, Stainless Steel Design P 700	4021226804360	107.00	54
13000205	TS 97 glass door shoe, Gold P 750	4021226804377	107.00	54
13000209	TS 97 glass door shoe, Special Finish P 000		79.00	54
13000211	TS 97 glass door shoe, White P 100	4021226804346	72.00	54
13010001	TS 97 EN 2-4 with slide channel	4021226291603	231.00	51
13010004	TS 97 EN 2-4 with slide channel, Stainless Steel Design P 700	4021226291610	367.00	51
13010005	TS 97 EN 2-4 with slide channel, Gold P 750	4021226291627	367.00	51
13010009	TS 97 EN 2-4 with slide channel, Special Finish P 000		266.00	51
13010011	TS 97 EN 2-4 with slide channel, White P 100	4021226291641	231.00	51

Index

Part Number		EAN Code	Price (EUR)	Page
13020001	TS 97 FL XEA EN 3-6 with slide channel	4048442654517	878.00	21
13020004	TS 97 FL XEA EN 3-6 with slide channel	4048442654524	1034.00	21
13020009	TS 97 FL XEA EN 3-6 with slide channel		898.00	21
13020011	TS 97 FL XEA EN 3-6 with slide channel	4048442654548	878.00	21
13030001	TS 97 FL XEA EN 3-6 for GSR XEA	4048442654630	856.00	21
13030004	TS 97 FL XEA EN 3-6 for GSR XEA	4048442654647	1030.00	21
13030009	TS 97 FL XEA EN 3-6 for GSR XEA		893.00	21
13030011	TS 97 FL XEA EN 3-6 for GSR XEA	4048442654470	856.00	21
13040001	TS 97 FLR-K XEA EN 3-6 with slide channel	4048442654555	1262.00	21
13040004	TS 97 FLR-K XEA EN 3-6 with slide channel	4048442654562	1512.00	21
13040009	TS 97 FLR-K XEA EN 3-6 with slide channel		1323.00	21
13040011	TS 97 FLR-K XEA EN 3-6 with slide channel	4048442654586	1262.00	21
18020000	GSR XEA, GSR, G96 GSR cushioned limited stay	4021226212172	29.00	60
18390010	TS 98 XEA, TS 92 XEA, TS 93, TS 92, TS 91, TS 83, TS 73V drilling jig	4021226216330	202.00	53
18540000	GSR XEA, GSR mechanical hold-open unit	4021226225837	57.00	59
18570000	G-N XEA, G-N, G-N Basic mechanical hold-open unit	4021226229484	31.00	57
19144601175	Push button "Tür schließen", system 55	4021226289600	35.00	181
22002101	TS 72, TS 71 mounting plate	4021226264065	7.00	115
22002109	TS 72, TS 71 mounting plate		7.00	115
22002111	TS 72, TS 71 mounting plate	4021226264119	7.00	115
22002119	TS 72, TS 71 mounting plate	4021226264126	7.00	115
22002301	TS 83, TS 73V, TS 72, TS 71 standard arm	4021226264201	18.00	101
22002301	TS 83, TS 73V, TS 72, TS 71 standard arm	4021226264201	18.00	114
22002303	TS 83, TS 73V, TS 72, TS 71 standard arm	4021226264225	18.00	101
22002303	TS 83, TS 73V, TS 72, TS 71 standard arm	4021226264225	18.00	114
22002309	TS 83, TS 73V, TS 72, TS 71 standard arm		31.00	101
22002309	TS 83, TS 73V, TS 72, TS 71 standard arm		31.00	114
22002311	TS 83, TS 73V, TS 72, TS 71 standard arm	4021226264256	18.00	101
22002311	TS 83, TS 73V, TS 72, TS 71 standard arm	4021226264256	18.00	114
22002319	TS 83, TS 73V, TS 72, TS 71 standard arm	4021226264263	27.00	101
22002319	TS 83, TS 73V, TS 72, TS 71 standard arm	4021226264263	27.00	114
22002401	TS 72, TS 71 standard arm, with steel lever, variant UK	4021226269763	16.00	114
22002501	TS 72, TS 71 hold-open arm, without on/off feature	4021226264270	51.00	114
22002511	TS 72, TS 71 hold-open arm, without on/off feature	4021226264324	51.00	114
22002519	TS 72, TS 71 hold-open arm, without on/off feature	4021226264331	59.00	114
22002601	TS 83, TS 73V slide channel, Classic Line	4021226264348	34.00	102
22002609	TS 83, TS 73V slide channel, Classic Line		36.00	102
22002611	TS 83, TS 73V slide channel, Classic Line	4021226264393	34.00	102

Index

Part Number		EAN Code	Price (EUR)	Page
22002619	TS 83, TS 73V slide channel, Classic Line	4021226264409	36.00	102
22002901	TS 83, TS 73V standard arm, with steel lever, variant Belgium	4021226269701	18.00	101
22002911	TS 83, TS 73V standard arm, with steel lever, variant Belgium	4021226269749	18.00	101
22002919	TS 83, TS 73V standard arm, with steel lever, variant Belgium	4021226269756	28.00	101
22003001	TS 83, TS 73V hold-open arm, with on/off feature	4021226272305	66.00	102
22003003	TS 83, TS 73V hold-open arm, with on/off feature	4021226276631	66.00	102
22003009	TS 83, TS 73V hold-open arm, with on/off feature		73.00	102
22003011	TS 83, TS 73V hold-open arm, with on/off feature	4021226276662	66.00	102
22003019	TS 83, TS 73V hold-open arm, with on/off feature	4021226276679	73.00	102
22003114	TS 72, TS 71 flatform arm, with steel lever, variant UK	4021226872734	35.00	114
22003201	TS 83 flatform arm, with steel lever, variant Denmark	4021226269824	22.00	102
22003203	TS 83 flatform arm, with steel lever, variant Denmark	4021226269831	22.00	102
22003211	TS 83 flatform arm, with steel lever, variant Denmark	4021226269862	22.00	102
22003714	TS 72, TS 71 full cover, variant UK	4021226276600	29.00	115
22003715	TS 72, TS 71 full cover, variant UK	4021226276617	29.00	115
22004701	TS 71 spindle extension 32 mm, variant Dierre	4021226283974	28.00	115
22004702	TS 71 spindle extension by 32 mm, variant Dierre	4021226286746	55.00	115
22005001	TS 79 standard arm inseperable, variant Australia	4021226287002	42.00	116
22212101	TS 71 EN 3/4 without arm	4021226263501	33.00	112
22212103	TS 71 EN 3/4 without arm	4021226263525	58.00	112
22212111	TS 71 EN 3/4 without arm	4021226263556	33.00	112
22212119	TS 71 EN 3/4 without arm	4021226263563	33.00	112
22212201	TS 71 EN 3/4 with standard arm	4021226267608	51.00	112
22212203	TS 71 EN 3/4 with standard arm		73.00	112
22212211	TS 71 EN 3/4 with standard arm	4021229001414	51.00	112
22212219	TS 71 EN 3/4 with standard arm	4021226856024	73.00	112
22212401	TS 71 EN 3/4 with standard arm, with parallel arm bracket, variant UK	4021226263570	65.00	112
22212501	TS 71 EN 3/4 with hold-open arm	4021226267622	84.00	113
22212503	TS 71 EN 3/4 with hold-open arm	4021226267646	109.00	113
22212511	TS 71 EN 3/4 with hold-open arm	4021226877951	84.00	113
22212519	TS 71 EN 3/4 with hold-open arm	4048442692168	84.00	113
22213201	TS 71 EN 3/4 door closer body only	4021226270110	45.00	113
22213501	TS 71 EN 3/4 with standard arm, variant Ninz	4021226270608	68.00	113
22213519	TS 71 EN 3/4 with standard arm, variant Ninz	4021226894415	68.00	113
22214201	TS 71 EN 3/4 with standard arm, with screws, variant Austria	4021226290705	54.00	112
22215101	TS 71 EN 3/4 without arm, with mounting plate, variant Dierre	4021226283936	67.00	112
22232101	TS 72 EN 2-4 without arm	4021226263648	51.00	110
22232103	TS 72 EN 2-4 without arm	4021226263662	51.00	110

Index

Part Number		EAN Code	Price (EUR)	Page
22232111	TS 72 EN 2-4 without arm	4021226263693	51.00	110
22232119	TS 72 EN 2-4 without arm	4021226263709	79.00	110
22232219	TS 72 EN 2-4 with standard arm	4048442692175	94.00	110
22232519	TS 72 EN 2-4 with hold-open arm	4048442692182	118.00	110
22242201	TS 72 EN 2-4 BCA with standard arm	4021226271230	104.00	111
22252101	TS 72 EN 2-4 BCA without arm	4021226316702	74.00	110
22252103	TS 72 EN 2-4 BCA without arm	4021226896310	102.00	110
22252111	TS 72 EN 2-4 BCA without arm	4021226896327	74.00	110
22252119	TS 72 EN 2-4 BCA without arm	4021226856031	103.00	110
22252401	TS 72 EN 2-4 BCA with cranked arm, with parallel arm bracket, variant UK	4021226866832	108.00	111
22253116	TS 72 EN 2-4 BCA with cranked arm	4021226872703	134.00	111
22253201	TS 72 EN 2-4 BCA, door closer body only, variant UK	4021226872710	63.00	110
22302901	TS 79 EN 2/3/4 BC with standard arm	4021226805480	83.00	116
22302903	TS 79 EN 2/3/4 BC with standard arm	4048442627559	84.00	116
22302911	TS 79 EN 2/3/4 BC with standard arm	4021226851722	84.00	116
22302919	TS 79 EN 2/3/4 BC with standard arm	4021226878668	109.00	116
22305501	TS 79 EN 2/3/4 BC with flatform arm	4021226270448	87.00	116
22305601	TS 79 EN 2/3/4 BC with hold-open arm, without on/off feature	4021226838204	134.00	116
22305603	TS 79 EN 2/3/4 BC with hold-open arm, without on/off feature	4048442628297	137.00	116
22305611	TS 79 EN 2/3/4 BC with hold-open arm, without on/off feature	4021226957271	137.00	116
22305619	TS 79 EN 2/3/4 BC with hold-open arm, without on/off feature	4021226878675	159.00	116
22315701	TS 79 EN 2/3/4 BC with standard arm, with parallel arm bracket	4021226850855	on request	116
24700000199	ITS 96 mechanical hold-open unit for non-handed arms	4021226380611	34.00	74
25030100	BTS 65 without spindle, with cement box	4021226281802	143.00	137
25030101	BTS 65 with spindle, with cement box	4021226281949	159.00	137
25030103	BTS 65 with extended spindle by 5 mm, variant Asia	4021226281864	194.00	137
25040100	BTS 65 without spindle, with cement box	4021226281925	143.00	137
25040101	BTS 65 with spindle, with cement box	4021226281840	159.00	137
25040103	BTS 65 with extended spindle by 5 mm, variant Asia	4021226281888	194.00	137
25130100	BTS 65 without spindle, with cement box, with hold-open	4021226281819	146.00	137
25130101	BTS 65 with spindle, with cement box, with hold-open	4021226281833	159.00	137
25130103	BTS 65 with extended spindle by 5 mm, with hold-open, variant Asia	4021226281871	194.00	138
25130104	BTS 65 with Speedy spindle, with hold-open	4021226314852	153.00	138
25140100	BTS 65 without spindle, with cement box, with hold-open	4021226281826	146.00	137
25140101	BTS 65 with spindle, with cement box, with hold-open	4021226281857	159.00	137
25140103	BTS 65 with extended spindle by 5 mm, with hold-open, variant Asia	4021226281895	194.00	138
25140104	BTS 65 with Speedy spindle, with hold-open	4021226314876	153.00	138

Index

Part Number		EAN Code	Price (EUR)	Page
27112201	TS Profil EN 2/3/4 BCA with standard arm	4021226839430	91.00	108
27112211	TS Profil EN 2/3/4 BCA with standard arm	4021226839447	91.00	108
27112219	TS Profil EN 2/3/4 BCA with standard arm	4021226839454	107.00	108
27122201	TS Profil EN 2/3/4 + Size 5 BCA with standard arm, variant Maxbar	4021226876480	96.00	108
27122203	TS Profil EN 2/3/4 + Size 5 BCA with standard arm, variant Maxbar	4021226876497	126.00	108
27122211	TS Profil EN 2/3/4 + Size 5 BCA with standard arm, variant Maxbar	4021226876503	96.00	108
27142201	TS Profil EN 2/3/4 + Size 5 BCA with standard arm	4048442630641	on request	108
27142203	TS Profil EN 2/3/4 + Size 5 BCA with standard arm	4048442653923	on request	108
27142211	TS Profil EN 2/3/4 + Size 5 BCA with standard arm	4048442653916	on request	108
28006601	TS 83 EN 3-6/ EN 7, TS 73V, TS 72, TS 71 parallel arm bracket	4021226872192	14.00	101
28006601	TS 83 EN 3-6/ EN 7, TS 73V, TS 72, TS 71 parallel arm bracket	4021226872192	14.00	114
28142101140	TS 89F fixing bracket	4021226869260	8.00	100
35800093	G-N XEA, G-N, G-N Basic cushioned limited stay	4021226005477	24.00	57
37000101	TS 73V mounting plate	4021226312506	12.00	105
37000103	TS 73V mounting plate	4021226312520	12.00	105
37000111	TS 73V mounting plate	4021226312544	12.00	105
37000119	TS 73V mounting plate	4021226312551	12.00	105
37000301	TS 73V angle bracket	4021226312650	29.00	106
37010101	TS 73V EN 2-4 BCA without arm	4021226312193	82.00	94
37010103	TS 73V EN 2-4 BCA without arm	4021226312308	82.00	94
37010109	TS 73V EN 2-4 BCA without arm		106.00	94
37010111	TS 73V EN 2-4 BCA without arm	4021226312322	82.00	94
37010119	TS 73V EN 2-4 BCA without arm	4021226312339	106.00	94
37010201	TS 73V EN 2-4 BCA with standard arm	4021226312346	93.00	94
37010202	TS 73V EN 2-4 BCA with standard arm	4021226312353	98.00	94
37010501	TS 73V EN 2-4 BCA with standard arm, variant UK	4021226312391	106.00	94
37010901	TS 73V EN 2-4 BCA with hold-open arm	4021226312414	141.00	94
37011201	TS 73V EN 2-4 BCA without arm, variant IVANA	4021226312469	95.00	94
37011301	TS 73V EN 2-4 BCA door closer body only, variant D-Line Denmark	4021226312476	83.00	95
37020401	TS 73V EN 1-4 BCA/DC with standard arm, with PAB, variant Australia	4021226312483	106.00	95
37020402	TS 73V EN 1-4 BCA/DC with standard arm, with PAB, variant Australia	4021226312490	111.00	95
38000101	TS 83 EN 3-6 mounting plate	4021226313138	12.00	104
38000102	TS 83 EN 3-6 mounting plate	4021226313145	19.00	104
38000103	TS 83 EN 3-6 mounting plate	4021226313152	12.00	104
38000109	TS 83 EN 3-6 mounting plate		14.00	104
38000111	TS 83 EN 3-6 mounting plate	4021226313176	12.00	104

Index

Part Number		EAN Code	Price (EUR)	Page
38000119	TS 83 EN 3-6 mounting plate	4021226313183	14.00	104
38000201	TS 83 EN 3-6, TS 73V drop plate	4021226313206	29.00	106
38000301	TS 83 angle bracket	4021226313268	33.00	106
38000311	TS 83 angle bracket	4021226313305	33.00	106
38000501	TS 83 EN 7 mounting plate, variant Sweden	4021226313190	13.00	104
38000815	TS 83, TS 73V full cover, variant UK	4021226313374	86.00	107
38000816	TS 83, TS 73V full cover, variant UK	4021226313381	105.00	107
38000901	TS 83, TS 73V full cover with accessory, variant UK	4021226313398	48.00	107
38001201	TS 83 EN 3-6 mounting plate, variant OEM, delivery unit 50	4048442656450	on request	104
38001301	TS 83, TS 89F tandem mounting plates with accessories	4048442687409	46.00	100
38010101	TS 83 EN 3-6 BCA without arm	4021226312803	102.00	89
38010102	TS 83 EN 3-6 BCA without arm	4021226877968	102.00	89
38010103	TS 83 EN 3-6 BCA without arm	4021226312810	102.00	89
38010109	TS 83 EN 3-6 BCA without arm		135.00	89
38010111	TS 83 EN 3-6 BCA without arm	4021226312834	102.00	89
38010119	TS 83 EN 3-6 BCA without arm	4021226318577	102.00	89
38010601	TS 83 EN 3-6 BCA with standard arm	4021226312865	119.00	90
38010701	TS 83 EN 3-6 BCA with flatform arm	4021226312872	on request	92
38010702	TS 83 EN 3-6 BCA with flatform arm	4021226312889	on request	92
38011301	TS 83 EN 3-6 BCA without arm, variant Denmark	4021226312919	109.00	90
38011401	TS 83 EN 3-6 BCA without arm, variant Sobinco	4021226312926	109.00	89
38011701	TS 83 EN 3-6 BCA with standard arm, variant Novoferm	4021226312957	147.00	90
38020101	TS 83 EN 3-6 BCA/DC without arm	4021226312964	174.00	89
38020103	TS 83 EN 3-6 BCA/DC without arm	4021226312971	174.00	89
38020109	TS 83 EN 3-6 BCA/DC without arm		210.00	89
38020111	TS 83 EN 3-6 BCA/DC without arm	4021226313008	174.00	89
38020119	TS 83 EN 3-6 BCA/DC without arm	4021226313015	174.00	89
38020701	TS 83 EN 3-6 BCA/DC with flatform arm	4021226313046	on request	92
38020801	TS 83 EN 3-6 BCA/DC with flatform arm, with parallel arm bracket	4021226313053	on request	92
38020901	TS 83 EN 3-6 BCA/DC with hold-open arm	4021226313077	on request	92
38030301	TS 83 EN 3-6 BCA with standard arm, anti corrosive type (AC)	4021226313121	230.00	91
38040201	TS 89F EN 3-6 with standard arm	4021226313428	95.00	97
38040601	TS 89F EN 3-6 with standard arm for mounting plate fixing	4021226313435	97.00	97
38041601	TS 89F EN 3-6 with standard arm, variant DMW	4021226313442	109.00	97
38041701	TS 89F EN 3-6 with standard arm, variant Riexinger	4021226313459	109.00	97
38041801	TS 89F EN 3-6 with standard arm, variant Podzuck	4021226313466	109.00	98
38042101	TS 89F EN 3-6 with standard arm, variant Buchele	4021226313510	109.00	98

Index

Part Number		EAN Code	Price (EUR)	Page
38042201	TS 89F EN 3-6 with standard arm, with hinge plate, variant Herholz	4021226313527	116.00	99
38042211	TS 89F EN 3-6 with standard arm, with hinge plate, variant Herholz	4021226313534	116.00	99
38042601	TS 89F EN 3-6 with standard arm, variant Köhler & Brandl	4021226313589	109.00	98
38042801	TS 89F EN 3-6 with standard arm, variant Schörghuber	4021226313602	109.00	98
38042901	TS 89F EN 3-6 with standard arm, variant Tekla	4021226313619	109.00	98
38043001	TS 89F EN 3-6 with standard arm, variant Westag Getalit	4021226313633	109.00	99
38043101	TS 89F EN 3-6 with standard arm, variant Wirus	4021226313640	on request	99
38043201	TS 89F EN 3-6 with standard arm, with hinge plate, variant Wirus	4021226313657	116.00	99
38043501	TS 89F EN 3-6 with standard arm, variant Tortec	4021226266427	109.00	97
38043601	TS 89F EN 3-6 with standard arm, with hinge plate, variant Jeld Wen	4021226803707	116.00	99
38043712	TS 89F EN 3-6 door closer body only, variant India	4021226803769	88.00	100
38043801	TS 89F EN 3-6 without arm, variant Aido/India	4048442698481	on request	100
38043819	TS 89F EN 3-6 without arm, variant Aido/India	4048442698498	on request	100
38043901	TS 89F EN 3-6 with standard arm, variant for Aido/India	4048442698603	on request	100
38043919	TS 89F EN 3-6 with standard arm, variant for Aido/India	4048442698610	on request	100
38060501	TS 83 EN 3-6 BCA with standard arm, variant UK	4021226312841	on request	91
38060502	TS 83 EN 3-6 BCA with standard arm, variant UK	4021226312858	on request	91
38061001	TS 83 EN 2-5 BCA door closer for full cover, variant UK	4021226312902	79.00	93
38070501	TS 83 EN 2-5 BCA/DC with standard arm, variant UK	4021226313022	on request	91
38070502	TS 83 EN 2-5 BCA/DC with standard arm, variant UK	4021226313039	on request	91
38071001	TS 83 EN 2-5 BCA/DC door closer for full cover, variant UK	4021226313107	on request	93
41000201	TS 91 mounting plate	4021226301869	10.00	54
41000209	TS 91 mounting plate		10.00	54
41000211	TS 91 mounting plate	4021226301876	10.00	54
41020101	TS 91 B EN 3	4021226308226	84.00	50
41020103	TS 91 B EN 3	4021226319864	84.00	50
41020104	TS 91 B EN 3	4021226318232	244.00	50
41020109	TS 91 B EN 3		108.00	50
41020111	TS 91 B EN 3	4021226308233	84.00	50
41020119	TS 91 B EN 3	4021226318249	84.00	50
41030101	TS 91 G EN 3	4021226308257	84.00	50
41030109	TS 91 G EN 3		109.00	50
41030111	TS 91 G EN 3	4021226308264	84.00	50
41030119	TS 91 G EN 3	4021226318256	84.00	50
41050101	TS 91 B EN 4	4021226308295	101.00	50
41050111	TS 91 B EN 4	4048442629249	103.00	50
41050119	TS 91 B EN 4	4048442629256	103.00	50

Index

Part Number		EAN Code	Price (EUR)	Page
42000101	TS 92 glass door shoe	4021226301739	62.00	53
42000104	TS 92 glass door shoe	4021226301760	98.00	53
42000105	TS 92 glass door shoe	4021226301777	98.00	53
42000109	TS 92 glass door shoe		66.00	53
42000111	TS 92 glass door shoe	4021226301746	62.00	53
42000201	TS 92 XEA glass door shoe	4048442639057	79.00	22
42000204	TS 92 XEA glass door shoe	4048442639064	102.00	22
42000205	TS 92 XEA glass door shoe	4048442639071	102.00	22
42000209	TS 92 XEA glass door shoe		83.00	22
42000211	TS 92 XEA glass door shoe	4048442639088	79.00	22
42020101	TS 92 B EN 1-4	4021226300886	118.00	48
42020103	TS 92 B EN 1-4	4021226319840	118.00	48
42020104	TS 92 B EN 1-4	4021226300909	240.00	48
42020109	TS 92 B EN 1-4		155.00	48
42020110	TS 92 B EN 1-4	4021226301647	118.00	48
42020111	TS 92 B EN 1-4	4021226300893	118.00	48
42020119	TS 92 B EN 1-4	4021226318690	118.00	48
42020201	TS 92 B EN 1-4 with G-N, variant Australia	4021226308219	154.00	49
42020401	TS 92 B EN 1-4 with full cover, variant UK	4021226855409	155.00	48
42020415	TS 92 B EN 1-4 with full cover, variant UK	4021226855386	291.00	48
42030101	TS 92 G EN 1-4	4021226301661	118.00	48
42030103	TS 92 G EN 1-4	4021226319857	118.00	48
42030104	TS 92 G EN 1-4	4021226301708	240.00	48
42030109	TS 92 G EN 1-4		155.00	48
42030110	TS 92 G EN 1-4	4021226301678	118.00	48
42030111	TS 92 G EN 1-4	4021226301685	118.00	48
42030119	TS 92 G EN 1-4	4021226318805	118.00	48
42030201	TS 92 G EN 1-4 with G-N, variant Australia	4021226318935	154.00	49
42030401	TS 92 G EN 1-4 with full cover, variant UK	4021226855416	155.00	48
42030415	TS 92 G EN 1-4 with full cover, variant UK	4021226855393	291.00	48
42200101	TS 92 XEA B EN 1-4	4048442639095	135.00	10
42200104	TS 92 XEA B EN 1-4	4048442639118	174.00	10
42200105	TS 92 XEA B EN 1-4	4048442639125	174.00	10
42200109	TS 92 XEA B EN 1-4		141.00	10
42200110	TS 92 XEA B EN 1-4	4048442639132	135.00	10
42200111	TS 92 XEA B EN 1-4	4048442639149	135.00	10
42200119	TS 92 XEA B EN 1-4	4048442639156	135.00	10
42200701	TS 92 XEA B EN 1-4 with G-N XEA	4048442639163	173.00	10

Index

Part Number		EAN Code	Price (EUR)	Page
42210101	TS 92 XEA G EN 1-4	4048442639170	135.00	10
42210104	TS 92 XEA G EN 1-4	4048442639194	174.00	10
42210105	TS 92 XEA G EN 1-4	4048442639200	174.00	10
42210109	TS 92 XEA G EN 1-4		141.00	10
42210110	TS 92 XEA G EN 1-4	4048442639217	135.00	10
42210111	TS 92 XEA G EN 1-4	4048442639224	135.00	10
42210119	TS 92 XEA G EN 1-4	4048442639231	135.00	10
42210701	TS 92 XEA G EN 1-4 with G-N XEA	4048442639248	173.00	10
43000600	TS 93 mounting plate, variant OEM, delivery unit 20	4048442628655	397.00	53
43000900	TS 93 mounting plate, variant OEM, delivery unit 20	4048442654852	on request	53
43020001	TS 93 B EN 2-5 BC/DC	4021226300800	213.00	28
43020003	TS 93 B EN 2-5 BC/DC	4021226319802	213.00	28
43020004	TS 93 B EN 2-5 BC/DC	4021226300824	305.00	28
43020009	TS 93 B EN 2-5 BC/DC		221.00	28
43020010	TS 93 B EN 2-5 BC/DC	4021226301296	213.00	28
43020011	TS 93 B EN 2-5 BC/DC	4021226300817	213.00	28
43020019	TS 93 B EN 2-5 BC/DC	4021226318119	213.00	28
43020401	TS 93 Basic B EN 2-5 BC with G-N	4021226316054	226.00	30
43020411	TS 93 Basic B EN 2-5 BC with G-N	4021226850756	226.00	30
43020419	TS 93 Basic B EN 2-5 BC with G-N	4048442627597	231.00	30
43020501	TS 93 B EN 2-5 BC/DC with G-N	4021226321317	248.00	29
43030001	TS 93 G EN 2-5 BC/DC	4021226301418	213.00	28
43030003	TS 93 G EN 2-5 BC/DC	4021226319819	213.00	28
43030004	TS 93 G EN 2-5 BC/DC	4021226301456	305.00	28
43030009	TS 93 G EN 2-5 BC/DC		221.00	28
43030010	TS 93 G EN 2-5 BC/DC	4021226301425	213.00	28
43030011	TS 93 G EN 2-5 BC/DC	4021226301432	213.00	28
43030019	TS 93 G EN 2-5 BC/DC	4021226318126	213.00	28
43070001	TS 93 G EN 2-5 BC/DC 2S	4021226301586	213.00	29
43070009	TS 93 G EN 2-5 BC/DC 2S		221.00	29
43070011	TS 93 G EN 2-5 BC/DC 2S	4021226301593	213.00	29
43070019	TS 93 G EN 2-5 BC/DC 2S	4021226318133	213.00	29
43070401	TS 93 Basic G EN 2-5 BC, 2S with G-N	4021226265185	231.00	30
43070411	TS 93 Basic G EN 2-5 BC, 2S with G-N	4048442627573	231.00	30
43070419	TS 93 Basic G EN 2-5 BC, 2S with G-N	4048442627580	231.00	30
43080001	TS 93 B EN 2-5 BC/DC 2S	4021226301555	213.00	29
43080004	TS 93 B EN 2-5 BC/DC 2S	4021226319826	305.00	29
43080009	TS 93 B EN 2-5 BC/DC 2S		221.00	29

Index

Part Number		EAN Code	Price (EUR)	Page
43080011	TS 93 B EN 2-5 BC/DC 2S	4021226301562	213.00	29
43080019	TS 93 B EN 2-5 BC/DC 2S	4021226318140	213.00	29
43090001	TS 93 B EN 1-5 BC/DC, variant Australia	4021226265192	213.00	30
43090501	TS 93 B EN 1-5 BC/DC with G-N, variant Australia	4021226318157	248.00	31
43100001	TS 93 G EN 1-5 BC/DC, variant Australia	4021226265406	213.00	30
43100501	TS 93 G EN 1-5 BC/DC with G-N, variant Australia	4021226318164	248.00	31
43520001	TS 93 B EN 5-7 BC/DC	4021226300848	268.00	28
43520004	TS 93 B EN 5-7 BC/DC	4021226300862	363.00	28
43520009	TS 93 B EN 5-7 BC/DC		276.00	28
43520010	TS 93 B EN 5-7 BC/DC	4021226301470	268.00	28
43520011	TS 93 B EN 5-7 BC/DC	4021226300855	268.00	28
43520019	TS 93 B EN 5-7 BC/DC	4048442653985	268.00	28
43530001	TS 93 G EN 5-7 BC/DC	4021226301494	268.00	29
43530004	TS 93 G EN 5-7 BC/DC	4021226301531	363.00	29
43530009	TS 93 G EN 5-7 BC/DC		276.00	29
43530010	TS 93 G EN 5-7 BC/DC	4021226301500	268.00	29
43530011	TS 93 G EN 5-7 BC/DC	4021226301517	268.00	29
43530019	TS 93 G EN 5-7 BC/DC	4048442653961	268.00	29
43540001	TS 93 B ANSI 1-5 BC/DC	4021226866788	322.00	62
43540501	TS 93 B ANSI 1-5 BC/DC with G-N	4021226866795	358.00	62
43550001	TS 93 G ANSI 1-5 BC/DC	4021226866900	322.00	62
43550501	TS 93 G ANSI 1-5 BC/DC with G-N	4021226866917	358.00	62
43900060	Door strap 6221-AZ, variant Schüco 209106	4021226005750	57.00	155
44110101	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate	4048442638647	259.00	7
44110104	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate	4048442638685	337.00	7
44110105	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate	4048442638692	337.00	7
44110109	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate		271.00	7
44110110	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate	4048442638661	259.00	7
44110111	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate	4048442638654	259.00	7
44110119	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate	4048442638678	259.00	7
44710301	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate, with G-N XEA, with fire protection plate	4048442689922	393.00	8
44710319	TS 98 XEA EN 1-6 BC/DC 2S end latch, mounting plate, with G-N XEA, with fire protection plate	4048442699129	393.00	8
45010000	Bottom strap 7411/46 screw-on type	4021226005767	32.00	144
45010003	Bottom strap 7411/56 screw-on type	4021226005774	32.00	145
45010005	Bottom strap 7431 weld-on type	4021226005781	19.00	147
45010006	Bottom strap for aluminium doors 7456/1	4021226005798	70.00	149
45010409	Bottom strap for aluminium doors 7459	4021226005873	72.00	149

Index

Part Number		EAN Code	Price (EUR)	Page
45010410	Door strap 8021	4021226005880	20.00	155
45010482	Bottom strap for aluminium doors 7459 B	4021226005903	72.00	149
45040009	Top centre 7411 K/56	4021226006016	34.00	145
45040011	Top centre 7411 K/56	4021226006023	34.00	145
45051300	Cover cap 7481	4021226006030	20.00	146
45051400	Cover cap 7481	4021226006054	24.00	146
45051401	Cover cap 7482	4021226006061	24.00	144
45055300	Cover cap 7481	4021226006115	20.00	146
45055400	Cover cap 7481	4021226006139	24.00	146
45055401	Cover cap 7482	4021226006146	24.00	144
45070001	Floor pivot bearing with spindle 7471 K	4021226006191	40.00	149
45070001	Floor pivot bearing with spindle 7471 K	4021226006191	40.00	156
45070001	Floor pivot bearing with spindle 7471 K	4021226006191	40.00	170
45070002	Floor pivot bearing with spindle 7471 AX	4021226006207	47.00	149
45070002	Floor pivot bearing with spindle 7471 AX	4021226006207	47.00	156
45070002	Floor pivot bearing with spindle 7471 AX	4021226006207	47.00	170
45070003	Floor pivot bearing with spindle 7475 AX	4021226006214	47.00	156
45070003	Floor pivot bearing with spindle 7475 AX	4021226006214	47.00	170
45070011	Weld-on pivot bearing 7472 K	4021226006221	62.00	148
45070012	Screw-on pivot bearing 7476 AX	4021226006238	84.00	148
45071005	Screw-on pivot bearing 7473 K	4021226006368	41.00	148
45071007	Weld-on pivot bearing 7474 K	4021226006375	44.00	148
45075005	Screw-on pivot bearing 7473 K	4021226006382	41.00	148
45075007	Weld-on pivot bearing 7474 K	4021226006399	44.00	148
45090053	BTS slide channel 7453 N	4021226006450	29.00	150
45090053	BTS slide channel 7453 N	4021226006450	29.00	157
45090070	BTS swing lever 7451 N	4021226006504	58.00	150
45090070	BTS swing lever 7451 N	4021226006504	58.00	157
45090087	Sealing compound 2300 top	4048442692014	on request	150
45090087	Sealing compound 2300 top	4048442692014	on request	157
45090440	BTS shim plate for flat spindle	4021226006573	7.00	142
45200401	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006597	23.00	139
45200402	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006603	31.00	139
45200403	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006610	31.00	139
45200404	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006627	35.00	139
45200405	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006634	43.00	139
45200406	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006641	43.00	139
45200407	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006658	43.00	139

Index

Part Number		EAN Code	Price (EUR)	Page
45200408	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006665	43.00	139
45200409	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006672	43.00	139
45200410	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006689	43.00	139
45200411	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006696	43.00	139
45200412	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006702	43.00	139
45200413	Square spindle insert	4021226006719	32.00	140
45200414	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006726	43.00	139
45200415	Spindle insert, 3° offset, extended, variant N&T	4021226006733	32.00	141
45200416	Spindle insert, variant N&T	4021226006740	43.00	140
45200419	Spindle insert, right handed (ISO 5) + left handed (ISO 6)	4021226006757	35.00	139
45200421	Spindle insert, variant France	4021226006764	32.00	141
45200425	Spindle insert, variant France	4021226006788	32.00	141
45200427	Spindle insert, variant France	4021226006795	32.00	141
45200428	Spindle insert, variant France	4021226006801	43.00	141
45200429	Spindle insert, variant France	4021226006818	43.00	141
45200439	Spindle insert, variant GIBBONS	4021226006825	32.00	141
45200441	Spindle insert, variant Italy	4021226006849	32.00	141
45200443	BTS 75 V speedy spindle insert	4021226025246	32.00	142
45200470	BSR spindle insert	4021226212042	39.00	140
45200471	BSR spindle insert	4021226212059	41.00	140
45200477	BSR spindle insert	4021226212110	54.00	140
45201404	Spindle insert, offset 3°, right handed (ISO 5)	4021226006856	32.00	139
45201405	Spindle insert, offset 3°, right handed (ISO 5)	4021226006863	43.00	139
45201406	Spindle insert, offset 3°, right handed (ISO 5)	4021226006870	43.00	139
45201407	Spindle insert, offset 3°, right handed (ISO 5)	4021226006887	43.00	139
45201408	Spindle insert, offset 3°, right handed (ISO 5)	4021226006894	43.00	139
45201417	Spindle insert, 3° offset, variant N&T	4021226006924	32.00	141
45201418	Spindle insert, offset 3°, right handed (ISO 5)	4021226006931	23.00	139
45201420	Spindle insert, offset 3°, right handed (ISO 5)	4021226006948	32.00	139
45201423	Spindle insert, 3° offset, variant France	4021226006955	32.00	141
45205404	Spindle insert, offset 3°, left handed (ISO 6)	4021226006962	32.00	139
45205405	Spindle insert, offset 3°, left handed (ISO 6)	4021226006979	43.00	139
45205406	Spindle insert, offset 3°, left handed (ISO 6)	4021226006986	43.00	139
45205407	Spindle insert, offset 3°, left handed (ISO 6)	4021226006993	43.00	139
45205408	Spindle insert, offset 3°, left handed (ISO 6)	4021226007006	43.00	139
45205413	Square spindle insert, 3° offset	4021226007013	32.00	140
45205417	Spindle insert, 3° offset, variant N&T	4021226007037	32.00	141
45205418	Spindle insert, offset 3°, left handed (ISO 6)	4021226007044	23.00	139

Index

Part Number		EAN Code	Price (EUR)	Page
45205420	Spindle insert, offset 3°, left handed (ISO 6)	4021226007051	32.00	139
45205423	Spindle insert, 3° offset, variant France	4021226007068	32.00	141
45300012	Top centre 7431 K weld-on	4021226007075	44.00	147
45300014	Top centre 7441 K weld-in	4021226007082	42.00	147
45300016	Top centre 7411 K/56 complete	4021226007099	74.00	145
45301015	Top centre 7411 K/46 complete	4021226007112	74.00	144
45305015	Top centre 7411 K/46 complete	4021226007129	74.00	144
45500301	Cover cap set 7483	4021226007136	44.00	145
45500401	Cover cap set 7483	4021226007143	47.00	145
45501400	Cover cap set 7484	4021226007181	47.00	144
45505400	Cover cap set 7484	4021226007228	47.00	144
45700900	BSR door coordinator	4021226212011	1217.00	143
45900008	Weld-on hinge 7472 M, centre hinge	4021226007259	44.00	148
46010001	Door strap 7421	4021226007358	29.00	155
46010002	Door strap 7422	4021226007365	45.00	155
46010323	Bottom strap 7421 shortened, variant Socomal	4021226316726	on request	174
46020011	Top centre 8067, lower part	4021226007372	19.00	151
46020031	Top centre 8062/8067, upper part	4021226007389	28.00	151
46020033	Top centre 8062, lower part	4021226007402	19.00	151
46020034	Top centre 8062, upper part, variant USA	4021226007419	28.00	161
46020035	Top centre 8062, lower part, variant USA	4021226007426	28.00	161
46020036	Top centre 8066, upper part	4021226007433	40.00	153
46020037	Top centre 8066, upper part	4021226007440	41.00	153
46020044	Cover plate 8064	4021226007464	11.00	154
46020045	Cover plate 8062	4021226007471	11.00	152
46020046	Top centre 8066, upper part	4021226007488	46.00	153
46020047	Top centre 8066, lower part	4021226007495	28.00	153
46020048	Top centre 7461, lower part	4021226007501	35.00	153
46020049	Top centre 7463, lower part	4021226007518	35.00	153
46020050	Top centre 7461, upper part	4021226007525	40.00	153
46020051	Top centre 7461, upper part	4021226007532	41.00	153
46300003	Top centre 8062	4021226007556	45.00	151
46300005	Top centre 8067	4021226007563	45.00	151
46300006	Top centre 8066	4021226007570	64.00	153
46700000	BTS 80 cover plate	4021226007594	39.00	142
46700022	BTS 84 cover plate	4021226007624	16.00	143
46700023	BTS 84 cover plate	4021226007631	27.00	143
46700059	BTS 75 V cover plate for bridge fixing	4021226007747	22.00	142

Index

Part Number		EAN Code	Price (EUR)	Page
46700060	BTS 75 V, BTS 75 R cover plate for clamp fixing	4021226007754	22.00	142
46700080	BSR cover plate, left handed	4021226212028	42.00	143
46700081	BSR cover plate, right handed	4021226212035	42.00	143
46700086	BTS 65 cover plate	4021226278512	16.00	143
46700100	BTS 80 cover plate	4021226007785	57.00	142
46700159	BTS 75 V cover plate for bridge fixing	4021226007815	34.00	142
46700160	BTS 75 V, BTS 75 R cover plate for clamp fixing	4021226007822	34.00	142
46700186	BTS 65 cover plate	4021226278505	23.00	143
46700280	BSR cover plate, left handed	4021226212158	67.00	143
46700281	BSR cover plate, right handed	4021226212141	67.00	143
47000000	SR 390 door coordinator	4021226007853	96.00	176
47000001	SR 390 door coordinator	4021226007860	104.00	176
47000010	SR 392 concealed door coordinator, length 1050 mm	4021226007914	184.00	176
47000012	SR 392 concealed door coordinator, length 650 mm	4021226007938	184.00	176
47000014	SR 390 door coordinator with guide sleeves	4021226007952	184.00	176
47000030	SR 390 door coordinator		106.00	176
47002830	MK 396 carry bar		40.00	177
47002900	MK 397 carry bar	4021226215975	57.00	177
47002930	MK 397 carry bar		64.00	177
47003000	MK 397 V carry bar	4021226956939	65.00	177
47003030	MK 397 V carry bar		70.00	177
47102800	MK 396 carry bar	4021226007983	35.00	177
5158533332	Box for surface mounting, system 55	4021226776933	23.00	181
52000105	G96 N fixing components for wood doors	4021226008294	12.00	75
52000205	G96 N fixing components for profile doors	4021226008300	12.00	75
52000300	ITS 96 fixing plate set for profil framed doors	4021226008317	10.00	74
52000405	G96 N20 fixing components	4021226279885	12.00	74
52000501	G96 N K8/K12 with punched arm, length 375 mm, non-handed	4021226025420	54.00	69
52001501	G96 EMF K8/K12 with punched cranked arm	4021226216859	335.00	70
52001504	G96 EMF K8/K12 with punched cranked arm	4021226957370	364.00	70
52001509	G96 EMF K8/K12 with punched cranked arm		342.00	70
52001517	G96 EMF K8/K12 with punched cranked arm	4021226957387	364.00	70
52001601	G96 EMF K8/K12 with punched cranked arm	4021226216866	335.00	70
52001604	G96 EMF K8/K12 with punched cranked arm	4021226957400	364.00	70
52001609	G96 EMF K8/K12 with punched cranked arm		342.00	70
52001617	G96 EMF K8/K12 with punched cranked arm	4021226957417	364.00	70
52001701	G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226216873	925.00	71

Index

Part Number		EAN Code	Price (EUR)	Page
52001704	G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226957493	986.00	71
52001709	G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width > 700 mm		935.00	71
52001717	G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226957509	986.00	71
52001801	G96 GSR K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226216842	275.00	71
52001804	G96 GSR K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226957431	336.00	71
52001809	G96 GSR K8/K12 with punched cranked arm, inactive leaf width > 700 mm		287.00	71
52001817	G96 GSR K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226957448	336.00	71
52001901	G96 N K8/K12 with punched cranked arm	4021226216828	55.00	69
52001904	G96 N K8/K12 with punched cranked arm	4021226957318	86.00	69
52001909	G96 N K8/K12 with punched cranked arm		60.00	69
52001917	G96 N K8/K12 with punched cranked arm	4021226957325	86.00	69
52002001	G96 N K8/K12 with punched cranked arm	4021226216835	55.00	69
52002004	G96 N K8/K12 with punched cranked arm	4021226957349	86.00	69
52002009	G96 N K8/K12 with punched cranked arm		60.00	69
52002017	G96 N K8/K12 with punched cranked arm	4021226957356	86.00	69
52003400	G96 N, G96 GSR pivot bearing with standard spindle	4021226229460	62.00	76
52003500	G96 GSR mechanical hold-open unit	4021226229477	67.00	76
52003600	G96 N mechanical hold-open unit	4021226279892	34.00	75
52003701	G96 N20 K8/K12 with punched cranked arm	4021226256510	55.00	68
52003704	G96 N20 K8/K12 with punched cranked arm	4021226956960	86.00	68
52003709	G96 N20 K8/K12 with punched cranked arm		60.00	68
52003717	G96 N20 K8/K12 with punched cranked arm	4021226956977	86.00	68
52003801	G96 N20 K8/K12 with punched cranked arm	4021226256503	55.00	68
52003804	G96 N20 K8/K12 with punched cranked arm	4021226956984	86.00	68
52003809	G96 N20 K8/K12 with punched cranked arm		60.00	68
52003817	G96 N20 K8/K12 with punched cranked arm	4021226956991	86.00	68
52003901	G96 N20 with punched arm, length 375 mm, non-handed	4021226266908	54.00	68
52003909	G96 N20 with punched arm, length 375 mm, non-handed		54.00	68
52003915	G96 N20 with punched arm, length 375 mm, non-handed	4021226360415	73.00	68
52004001	G96 GSR K8/K12 with punched cranked arm, inactive leaf width 540-700 mm	4021226867433	355.00	71
52004004	G96 GSR K8/K12 with punched cranked arm, inactive leaf width 540-700 mm	4021226957462	475.00	71
52004009	G96 GSR K8/K12 with punched cranked arm, inactive leaf width 540-700 mm		377.00	71
52004017	G96 GSR K8/K12 with punched cranked arm, inactive leaf width 540-700 mm	4021226957479	475.00	71
52004201	G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width 540-700mm	4021226255827	1004.00	72

Index

Part Number		EAN Code	Price (EUR)	Page
52004204	G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width 540-700mm	4021226957523	1126.00	72
52004209	G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width 540-700mm		1027.00	72
52004217	G96 GSR-EMF K8/K12 with punched cranked arm, inactive leaf width 540-700mm	4021226957530	1126.00	72
52004400	G96 GSR connection frame	4021226256909	44.00	76
52004705	G96 N BZ I fixing components, 15-24 mm	4021226268803	34.00	75
52004805	G96 N BZ II fixing components, 23-40 mm	4021226268810	34.00	75
52004900	G96 N20 without arm, variant OEM, delivery unit 100	4021226269329	55.00	80
52005201	G96 N20 Royal-S BZ-I, variant Schüco	4021226299722	65.00	85
52005401	G96 N20 Royal-S BZ-II, variant Schüco	4021226299746	65.00	85
52005501	G96 N20 Royal-S BZ-I, variant Schüco	4021226299753	65.00	85
52005701	G96 GSR Royal-S BZ-I slide channel complete, variant Schüco	4021226299760	308.00	86
52005801	G96 GSR Royal-S BZ-II, variant Schüco	4021226299777	308.00	86
52006901	G96 N20 with punched arm, double action	4021226289631	73.00	73
52007601	G96 EMF without EMF-unit, double action	4021226804803	100.00	73
52007701	G96 EMF, double action	4021226851418	401.00	73
52007901	G96 N20 K8/K12 with punched cranked arm, length 260 mm	4021226857984	61.00	68
52008001	G96 N20 K8/K12 with punched cranked arm, length 260 mm	4021226857991	61.00	68
52008401	G96 N with punched arm, with accessories, OEM, delivery unit 100	4021226895498	55.00	80
52008501	G96 N20 with punched cranked arm, variant OEM, delivery unit 100	4021226895504	55.00	79
52008601	G96 N20 with punched cranked arm, variant OEM, delivery unit 100	4021226895511	55.00	79
52008701	G96 GSR-EMF 1 K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226896020	733.00	72
52008704	G96 GSR-EMF 1 K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226957554	794.00	72
52008709	G96 GSR-EMF 1 K8/K12 with punched cranked arm, inactive leaf width > 700 mm		744.00	72
52008717	G96 GSR-EMF 1 K8/K12 with punched cranked arm, inactive leaf width > 700 mm	4021226957561	794.00	72
52008801	ICT cushioned limited stay, variant Schüco	4021226955727	on request	84
52008901	ICT mechanical hold-open unit, variant Schüco	4021226955734	on request	84
52009001	ICT arm, variant Schüco	4021226955796	on request	84
52009101	ICT arm, variant Schüco	4021226955741	on request	84
52009201	ICT slide channel, variant Schüco	4021226955772	on request	83
52009301	ITS 915, ITS 900 mechanical hold-open unit	4021226960325	22.00	87
52009401	G96 EMF K8/K12 with punched cranked arm, 48V	4048442630559	343.00	70
52009501	G96 EMF K8/K12 with punched cranked arm, 48V	4048442630566	343.00	70
52009801	ICT FR arm, variant Schüco	4048442630023	on request	84
52009901	ICT FR arm, variant Schüco	4048442630030	on request	84
52100250	ITS 96 EN 3-6 BCA	4048442690195	246.00	65

Index

Part Number		EAN Code	Price (EUR)	Page
52110250	ITS 96 EN 3-6 BCA	4048442690201	246.00	65
52120250	ITS 96 EN 3-6 BCA	4048442690225	246.00	65
52130250	ITS 96 EN 3-6 BCA	4048442690218	246.00	65
52140219	ITS 915 with slide channel (black)	4048442688130	on request	87
52150219	ITS 915 with slide channel (black)	4048442688147	on request	87
52250150	ITS 96 EN 3-6	4021226229859	246.00	65
52260150	ITS 96 EN 3-6	4021226229866	246.00	65
52270150	ITS 96 EN 3-6	4021226229873	246.00	65
52290150	ITS 96 EN 3-6	4021226254509	246.00	65
52330150	ITS 96 EN 3-6 without bosses	4021226274170	253.00	82
52340150	ITS 96 Royal-S, variant Schüco	4021226299791	246.00	85
52350150	ITS 96 EN 2-4 2S	4021226283301	218.00	65
52360150	ITS 96 EN 2-4 2S	4021226283318	218.00	65
52370150	ITS 96 EN 2-4 2S	4021226283325	218.00	65
52380150	ITS 96 EN 2-4 2S	4021226283332	218.00	65
52400150	ITS 96 EN 2-4	4021226254516	218.00	65
52410150	ITS 96 EN 2-4	4021226254523	218.00	65
52420150	ITS 96 EN 2-4	4021226254530	218.00	65
52430150	ITS 96 EN 2-4	4021226254547	218.00	65
52470150	ITS 96 EN 3-6 with extended spindle by 4 mm with G96 N, variant Technal	4021226270301	300.00	82
52490150	ITS 96 Royal-S, variant Schüco	4021226299807	218.00	85
52530150	ITS 96 variant OEM, delivery unit 100	4021226804384	218.00	77
52540150	ITS 96 variant OEM, delivery unit 100	4021226804391	218.00	78
52630150	ITS 96 FL EN 3-6	4021226875674	1172.00	66
52640150	ITS 96 FL EN 3-6	4021226875681	1172.00	66
52650150	ITS 96 FL EN 3-6	4021226875698	1172.00	66
52660150	ITS 96 FL EN 3-6	4021226875803	1172.00	66
52680150	ITS 96 with G96 N	4021226886724	on request	82
52690150	ITS 96 with G96 N	4021226886731	on request	82
52700150	ITS 96 EN 2-4 with extended spindle by 1,5 mm, with screws, variant OEM, delivery unit 100	4021226895481	218.00	77
52710150	ICT, variant Schüco	4021226955758	on request	83
52720150	ICT, variant Schüco	4021226955765	on request	83
52730150	ICT FR EN 3-6 with special accessories, variant Schüco	4048442630016	on request	82
52740150	ITS 900 with slide channel	4021226960080	195.00	87
52750150	ITS 900 with slide channel	4021226960097	195.00	87
52760150	ITS 915 with slide channel	4021226960301	224.00	87
52770150	ITS 915 with slide channel	4021226960318	224.00	87

Index

Part Number		EAN Code	Price (EUR)	Page
52780150	ITS 96, variant OEM, delivery unit 100	4048442640909	218.00	77
52810150	ITS 96 FL EN 3-6, variant Schüco	4048442653114	1172.00	83
52820150	ITS 96 EN 2-4 with extended spindle by 4 mm, with G96 N20, variant OEM, delivery unit 100	4048442655378	218.00	77
52840150	ITS Home	4048442657044	218.00	67
52850150	ITS Home	4048442657051	218.00	67
52860150	ITS 932, variant OEM, delivery unit 252	4048442680639	218.00	78
52870150	ITS 932, variant OEM, delivery unit 252	4048442680646	218.00	78
52880150	ITS 932, variant OEM, delivery unit 252	4048442681421	218.00	78
52890150	ITS 932, variant OEM, delivery unit 252	4048442681438	218.00	78
52900150	ITS 96, variant OEM, delivery unit 100	4048442686273	on request	78
52910150	ITS 96 EN 2-4 variant OEM, delivery unit 100	4048442689007	on request	77
52930150	ITS 96 EN 3-6 variant OEM, delivery unit 100	4048442689021	on request	78
52950150	ITS 96 EN 2-4 2S with extended spindle by 1,5 mm, variant OEM, delivery unit 322	4048442689045	on request	77
52970150	ITS 96 EN 2-4 2S with extended spindle by 8 mm, variant OEM, delivery unit 322	4048442689069	on request	78
52980101	G96 N20 K8/K12 with forged arm	4021226957080	55.00	68
52980201	G96 N20 K8/K12 with forged arm	4021226957097	55.00	68
52980301	G96 N K8/K12 with forged arm	4021226957103	55.00	69
52980401	G96 N K8/K12 with forged arm	4021226957110	55.00	69
52980501	G96 EMF K8/K12 with forged arm	4021226957127	335.00	70
52980601	G96 EMF K8/K12 with forged arm	4021226957134	335.00	70
52980701	G96 GSR K8/K12 with forged arm, inactive leaf width > 700 mm	4021226957141	275.00	71
52980801	G96 GSR K8/K12 with forged arm, inactive leaf width 540-700 mm	4021226957158	355.00	71
52980901	G96 GSR-EMF K8/K12 with forged arm, inactive leaf width > 700 mm	4021226957165	925.00	72
52981001	G96 GSR-EMF K8/K12 with forged arm, inactive leaf width 540-700 mm	4021226957172	1004.00	72
52981101	G96 GSR-EMF 1 K8/K12 with forged arm > 700 mm	4021226957189	733.00	72
52981901	ITS 96 punched arm, variant OEM, delivery unit 100	4048442678773	32.00	79
52982000	ITS 96 EN 2-4 fixing set for 100 arm, packing unit (PU), variant OEM	4048442678780	29.00	79
52982201	G96 EMF K8/K12 with forged arm, without EMF-unit	4048442689496	69.00	70
52982301	G96 EMF K8/K12 with forged arm, without EMF-unit	4048442689601	69.00	70
52982601	G96 N20 slide channel only without arm, variant OEM, delivery unit 100	4048442700184	on request	80
52982700	G96 N20 K8/K12 slider, variant OEM, delivery unit 100	4048442700191	on request	80
52982800	G96 N20 cushion limit stay, variant OEM, delivery unit 100	4048442700207	on request	80
52982901	ITS 96 punched cranked arm, variant OEM, delivery unit 50	4048442700214	on request	79
52983001	ITS 96 punched cranked arm, variant OEM, delivery unit 50	4048442700221	on request	79
52983101	ITS 96 forged arm, variant OEM, delivery unit 50	4048442700238	on request	79

Index

Part Number		EAN Code	Price (EUR)	Page
52983201	ITS 96 forged arm, variant OEM, delivery unit 50	4048442700245	on request	79
52983300	G96 K8/K12 washer, delivery unit 100	4048442700252	on request	81
52983400	ITS 96 connecting screw to closer, variant OEM, delivery unit 100	4048442700269	on request	79
52983500	G96 connect screw to slider, variant OEM, delivery unit 100	4048442700276	on request	81
52983601	G96 N20 end caps, variant OEM, delivery unit 200	4048442700283	on request	80
52983700	ITS 96, G96 N, G96 EMF fitting carrier set, variant Schüco		on request	86
52983800	ITS 96, G96 GSR fitting carrier set, variant Schüco		on request	86
53000501	TS 73 EMF free swing arm	4021226008355	74.00	103
53010001	TS 73 EMF with standard arm, door leaf fixing (pull)	4021226008447	722.00	96
53010101	TS 73 EMF without arm, door leaf fixing (pull)	4021226008478	679.00	96
53070101	TS 73 EMF without arm, door leaf fixing (pull)	4021226008614	679.00	96
53110001	TS 73 EMF with standard arm, transom fixing (push)	4021226008645	679.00	96
53110101	TS 73 EMF without arm, transom fixing (push)	4021226008676	657.00	96
53170101	TS 73 EMF without arm, transom fixing (push)	4021226008812	657.00	96
53320201	TS 99 FL EN 2-5 door leaf fixing (pull), with slide channel	4021226838358	787.00	35
53320204	TS 99 FL EN 2-5 door leaf fixing (pull), with slide channel	4021226838389	942.00	35
53320209	TS 99 FL EN 2-5 door leaf fixing (pull), with slide channel		809.00	35
53320211	TS 99 FL EN 2-5 door leaf fixing (pull), with slide channel	4021226838365	787.00	35
53330201	TS 99 FL EN 2-5 transom fixing (pull), with slide channel	4021226838396	787.00	35
53330204	TS 99 FL EN 2-5 transom fixing (pull), with slide channel	4021226838525	942.00	35
53330209	TS 99 FL EN 2-5 transom fixing (pull), with slide channel		809.00	35
53330211	TS 99 FL EN 2-5 transom fixing (pull), with slide channel	4021226838501	787.00	35
53350201	TS 99 FL PI EN 2-5 door leaf fix (pull), with slide channel, variant Netherlands	4021226838334	798.00	35
53350209	TS 99 FL PI EN 2-5 door leaf fix (pull), with slide channel, variant Netherlands		819.00	35
53360201	TS 99 FL PI EN 2-5 transom fixing (pull), with slide channel, variant Netherlands	4021226838310	798.00	36
53360209	TS 99 FL PI EN 2-5 transom fixing (pull), with slide channel, variant Netherlands		819.00	36
53380201	TS 99 FL EN 2-5 door leaf fixing (pull) for GSR	4021226838594	765.00	37
53380204	TS 99 FL EN 2-5 door leaf fixing (pull) for GSR	4048442628327	939.00	37
53380209	TS 99 FL EN 2-5 door leaf fixing (pull) for GSR		801.00	37
53390401	TSO 400 EN 3 BC, variant Australia	4048442603843	on request	123
53400401	TSO 500 EN 3-5 BC, variant Australia	4048442603850	on request	123
53420501	TS 99 FL EN 2-5 transom fixing (push), with slide channel, variant Netherlands	4048442678865	793.00	35
53420504	TS 99 FL EN 2-5 transom fixing (push), with slide channel, variant Netherlands	4048442678872	949.00	35
53420509	TS 99 FL EN 2-5 transom fixing (push), with slide channel, variant Netherlands		814.00	35
53420511	TS 99 FL EN 2-5 transom fixing (push), with slide channel, variant Netherlands	4048442678896	793.00	35

Index

Part Number		EAN Code	Price (EUR)	Page
5372645532	Test book for general building inspection	4021226763278	11.00	61
54290301	TS 99 FLR EN 2-5 transom fixing (pull), with slide channel	4021226838532	1172.00	36
54290304	TS 99 FLR EN 2-5 transom fixing (pull), with slide channel	4021226838549	1421.00	36
54290309	TS 99 FLR EN 2-5 transom fixing (pull), with slide channel		1255.00	36
54300101	TS 99 FLR-K EN 2-5 door leaf fixing (pull), with slide channel	4021226838556	1172.00	36
54300104	TS 99 FLR-K EN 2-5 door leaf fixing (pull), with slide channel	4021226838587	1421.00	36
54300109	TS 99 FLR-K EN 2-5 door leaf fixing (pull), with slide channel		1232.00	36
54300111	TS 99 FLR-K EN 2-5 door leaf fixing (pull), with slide channel	4021226838563	1172.00	36
54310101	TS 99 FLR-K EN 2-5 door leaf fixing (pull), > 950 mm, with slide channel	4021226875797	1172.00	36
54310104	TS 99 FLR-K EN 2-5 door leaf fixing (pull), > 950 mm, with slide channel	4021226876107	1421.00	36
54310109	TS 99 FLR-K EN 2-5 door leaf fixing (pull), > 950 mm, with slide channel		1232.00	36
54310111	TS 99 FLR-K EN 2-5 door leaf fixing (pull), > 950 mm, with slide channel	4021226876121	1172.00	36
5661345532	Approval labels for hold-open system	4021226438039	6.00	60
57010001	G-N XEA	4048442638869	43.00	12
57010004	G-N XEA	4048442638906	56.00	12
57010005	G-N XEA	4048442638913	56.00	12
57010009	G-N XEA		45.00	12
57010010	G-N XEA	4048442638883	43.00	12
57010011	G-N XEA	4048442638876	43.00	12
57010019	G-N XEA	4048442638890	43.00	12
57040001	G-N XEA for direct transom fixing	4048442641531	55.00	12
57040004	G-N XEA for direct transom fixing	4048442641586	71.00	12
57040005	G-N XEA for direct transom fixing	4048442641593	71.00	12
57040009	G-N XEA for direct transom fixing		58.00	12
57040010	G-N XEA for direct transom fixing	4048442641555	55.00	12
57040011	G-N XEA for direct transom fixing	4048442641548	55.00	12
57040019	G-N XEA for direct transom fixing	4048442641562	55.00	12
57050001	G-N XEA with arm, length 320 mm	4048442641739	43.00	12
57050004	G-N XEA with arm, length 320 mm	4048442641784	56.00	12
57050005	G-N XEA with arm, length 320 mm	4048442641791	56.00	12
57050009	G-N XEA with arm, length 320 mm		45.00	12
57050010	G-N XEA with arm, length 320 mm	4048442641753	43.00	12
57050011	G-N XEA with arm, length 320 mm	4048442641746	43.00	12
57050019	G-N XEA with arm, length 320 mm	4048442641760	43.00	12
57070001	G-EMR XEA, 140°	4048442639408	906.00	14
57070004	G-EMR XEA, 140°	4048442639415	1179.00	14
57070005	G-EMR XEA, 140°	4048442639422	1179.00	14

Index

Part Number		EAN Code	Price (EUR)	Page
57070009	G-EMR XEA, 140°		952.00	14
57070011	G-EMR XEA, 140°	4048442639439	906.00	14
57070501	G-EMR XEA without EMF-unit	4048442639484	646.00	14
57070509	G-EMR XEA without EMF-unit		678.00	14
57070601	G-Ubivis XEA	4048442636865	1258.00	11
57070604	G-Ubivis XEA	4048442636872	1636.00	11
57070605	G-Ubivis XEA	4048442636889	1636.00	11
57070607	G-Ubivis XEA	4048442652551	1258.00	11
57070608	G-Ubivis XEA, customer confection		1636.00	11
57070609	G-Ubivis XEA		1321.00	11
57070610	G-Ubivis XEA	4048442641685	1258.00	11
57070611	G-Ubivis XEA	4048442636919	1258.00	11
57070619	G-Ubivis XEA	4048442636926	1258.00	11
57080001	G-EMF XEA, 140°	4048442639491	283.00	13
57080004	G-EMF XEA, 140°	4048442639507	367.00	13
57080005	G-EMF XEA, 140°	4048442639514	367.00	13
57080009	G-EMF XEA, 140°		297.00	13
57080011	G-EMF XEA, 140°	4048442639521	283.00	13
57080201	G-EMF XEA, 140°, 48V	4048442641876	283.00	13
57080209	G-EMF XEA, 140°, 48V		297.00	13
57080211	G-EMF XEA, 140°, 48V	4048442641883	283.00	13
57101001	GSR VK XEA	4048442639538	235.00	15
57101004	GSR VK XEA	4048442639545	305.00	15
57101009	GSR VK XEA		246.00	15
57101011	GSR VK XEA	4048442639552	235.00	15
57102001	GSR V XEA	4048442639569	233.00	14
57102004	GSR V XEA	4048442639576	302.00	14
57102005	GSR V XEA	4048442639583	302.00	14
57102009	GSR V XEA		245.00	14
57102011	GSR V XEA	4048442639590	233.00	14
57103001	GSR VL XEA	4048442639606	262.00	14
57103004	GSR VL XEA	4048442639613	343.00	14
57103009	GSR VL XEA		275.00	14
57103011	GSR VL XEA	4048442639620	262.00	14
57111001	GSR-EMF 1/VK XEA	4048442639637	516.00	16
57111004	GSR-EMF 1/VK XEA	4048442639644	672.00	16
57111009	GSR-EMF 1/VK XEA		543.00	16
57111011	GSR-EMF 1/VK XEA	4048442639651	516.00	16

Index

Part Number		EAN Code	Price (EUR)	Page
57112001	GSR-EMF 1/V XEA	4048442639668	516.00	15
57112004	GSR-EMF 1/V XEA	4048442639675	672.00	15
57112009	GSR-EMF 1/V XEA		543.00	15
57112011	GSR-EMF 1/V XEA	4048442639682	516.00	15
57112201	GSR-EMF 1/V XEA, 48V	4048442641937	516.00	15
57112209	GSR-EMF 1/V XEA, 48V		543.00	15
57112211	GSR-EMF 1/V XEA, 48V	4048442641944	516.00	15
57113001	GSR-EMF 1/VL XEA	4048442639699	547.00	16
57113004	GSR-EMF 1/VL XEA	4048442639705	711.00	16
57113009	GSR-EMF 1/VL XEA		573.00	16
57113011	GSR-EMF 1/VL XEA	4048442639712	547.00	16
57121001	GSR-EMF 1G/VK XEA	4048442639729	490.00	17
57121004	GSR-EMF 1G/VK XEA	4048442639736	636.00	17
57121009	GSR-EMF 1G/VK XEA		514.00	17
57121011	GSR-EMF 1G/VK XEA	4048442639743	490.00	17
57122001	GSR-EMF 1G/V XEA	4048442639750	490.00	17
57122004	GSR-EMF 1G/V XEA	4048442639767	636.00	17
57122009	GSR-EMF 1G/V XEA		514.00	17
57122011	GSR-EMF 1G/V XEA	4048442639774	490.00	17
57123001	GSR-EMF 1G/VL XEA	4048442639781	519.00	18
57123004	GSR-EMF 1G/VL XEA	4048442639798	675.00	18
57123009	GSR-EMF 1G/VL XEA		545.00	18
57123011	GSR-EMF 1G/VL XEA	4048442639804	519.00	18
57131001	GSR-EMF 2/VK XEA	4048442639811	721.00	17
57131004	GSR-EMF 2/VK XEA	4048442639828	937.00	17
57131009	GSR-EMF 2/VK XEA		758.00	17
57131011	GSR-EMF 2/VK XEA	4048442639835	721.00	17
57132001	GSR-EMF 2/V XEA	4048442639842	721.00	16
57132004	GSR-EMF 2/V XEA	4048442639859	937.00	16
57132005	GSR-EMF 2/V XEA	4048442639866	937.00	16
57132009	GSR-EMF 2/V XEA		758.00	16
57132011	GSR-EMF 2/V XEA	4048442639873	721.00	16
57132201	GSR-EMF 2/V XEA, 48V	4048442641951	721.00	16
57132209	GSR-EMF 2/V XEA, 48V		758.00	16
57132211	GSR-EMF 2/V XEA, 48V	4048442641968	721.00	16
57133001	GSR-EMF 2/VL XEA	4048442639880	751.00	17
57133004	GSR-EMF 2/VL XEA	4048442639897	976.00	17
57133009	GSR-EMF 2/VL XEA		788.00	17

Index

Part Number		EAN Code	Price (EUR)	Page
57133011	GSR-EMF 2/VL XEA	4048442639903	751.00	17
57144001	GSR V/BG XEA	4048442639910	315.00	15
57144004	GSR V/BG XEA	4048442639927	409.00	15
57144009	GSR V/BG XEA		329.00	15
57144011	GSR V/BG XEA	4048442639934	315.00	15
57150001	G-N XEA with drill pattern 428 mm	4048442639941	43.00	13
57150003	G-N XEA with drill pattern 428 mm	4048442639958	on request	13
57150004	G-N XEA with drill pattern 428 mm	4048442639965	56.00	13
57150005	G-N XEA with drill pattern 428 mm	4048442639972	56.00	13
57150009	G-N XEA with drill pattern 428 mm		45.00	13
57150010	G-N XEA with drill pattern 428 mm	4048442639989	43.00	13
57150011	G-N XEA with drill pattern 428 mm	4048442639996	43.00	13
57150019	G-N XEA with drill pattern 428 mm	4048442640008	43.00	13
57174001	GSR-EMF 2/V/BG XEA	4048442640015	825.00	18
57174004	GSR-EMF 2/V/BG XEA	4048442640022	1073.00	18
57174009	GSR-EMF 2/V/BG XEA		866.00	18
57174011	GSR-EMF 2/V/BG XEA	4048442640039	825.00	18
57205001	GSR-EMR without EMF-unit/V XEA	4048442640046	792.00	20
57205009	GSR-EMR without EMF-unit/V XEA		831.00	20
57215001	GSR-EMR 1/V XEA	4048442640053	1097.00	18
57215004	GSR-EMR 1/V XEA	4048442640060	1425.00	18
57215009	GSR-EMR 1/V XEA		1151.00	18
57215011	GSR-EMR 1/V XEA	4048442640077	1097.00	18
57216001	GSR-EMR 1/VL XEA	4048442640084	1126.00	18
57216004	GSR-EMR 1/VL XEA	4048442640091	1853.00	18
57216009	GSR-EMR 1/VL XEA		1182.00	18
57216011	GSR-EMR 1/VL XEA	4048442640107	1126.00	18
57225001	GSR-EMR 1G/V XEA	4048442640114	1068.00	19
57225004	GSR-EMR 1G/V XEA	4048442640121	1388.00	19
57225009	GSR-EMR 1G/V XEA		1121.00	19
57225011	GSR-EMR 1G/V XEA	4048442640138	1068.00	19
57226001	GSR-EMR 1G/VL XEA	4048442640145	1098.00	19
57226004	GSR-EMR 1G/VL XEA	4048442640152	1426.00	19
57226009	GSR-EMR 1G/VL XEA		1152.00	19
57226011	GSR-EMR 1G/VL XEA	4048442640169	1098.00	19
57235001	GSR-EMR 2/V XEA	4048442640176	1299.00	19
57235004	GSR-EMR 2/V XEA	4048442640183	1689.00	19
57235005	GSR-EMR 2/V XEA	4048442640190	1689.00	19

Index

Part Number		EAN Code	Price (EUR)	Page
57235009	GSR-EMR 2/V XEA		1365.00	19
57235011	GSR-EMR 2/V XEA	4048442640206	1299.00	19
57236001	GSR-EMR 2/VL XEA	4048442640244	1329.00	19
57236004	GSR-EMR 2/VL XEA	4048442640251	1727.00	19
57236009	GSR-EMR 2/VL XEA		1395.00	19
57236011	GSR-EMR 2/VL XEA	4048442640268	1329.00	19
57240001	G-N arm cranked 375 mm	4048442686365	59.00	56
57250001	G-N arm cranked 375 mm	4048442686372	59.00	56
57277001	GSR-EMR 2/V/BG XEA	4048442640305	1383.00	20
57277004	GSR-EMR 2/V/BG XEA	4048442640312	1797.00	20
57277009	GSR-EMR 2/V/BG XEA		1452.00	20
57277011	GSR-EMR 2/V/BG XEA	4048442640329	1383.00	20
57280011	RM-F wireless smoke detector, packing unit (PU)	4048442687843	571.00	46
57290001	FM AP wireless module	4048442687850	213.00	46
57290009	FM AP wireless module		450.00	46
57290011	FM AP wireless module	4048442687867	213.00	46
57290019	FM AP wireless module	4048442687874	213.00	46
57300011	HT AP F, HT UP F wireless push button	4048442687898	213.00	46
57360001	G-Ubivis XEA mounting plate for narrow frames	4048442651929	36.00	11
57360009	G-Ubivis XEA mounting plate for narrow frames		41.00	11
57370001	G-N XEA mounting plate, height 30 mm, with drill pattern 428 mm	4048442640367	30.00	23
57370009	G-N XEA mounting plate, height 30 mm, with drill pattern 428 mm		32.00	23
57370010	G-N XEA mounting plate, height 30 mm, with drill pattern 428 mm	4048442640374	30.00	23
57370011	G-N XEA mounting plate, height 30 mm, with drill pattern 428 mm	4048442640381	30.00	23
57380001	G-N XEA mounting plate, height 40 mm, with drill pattern 428 mm	4048442640398	30.00	23
57380009	G-N XEA mounting plate, height 40 mm, with drill pattern 428 mm		32.00	23
57380010	G-N XEA mounting plate, height 40 mm, with drill pattern 428 mm	4048442640404	30.00	23
57380011	G-N XEA mounting plate, height 40 mm, with drill pattern 428 mm	4048442640411	30.00	23
57390001	G-N XEA angle bracket with drill pattern 428 mm	4048442640428	38.00	23
57390004	G-N XEA angle bracket with drill pattern 428 mm	4048442640435	48.00	23
57390009	G-N XEA angle bracket with drill pattern 428 mm		39.00	23
57390010	G-N XEA angle bracket with drill pattern 428 mm	4048442640442	38.00	23
57390011	G-N XEA angle bracket with drill pattern 428 mm	4048442640459	38.00	23
57400001	G-N XEA mounting plate, height 30 mm	4048442640879	30.00	22
57400004	G-N XEA mounting plate, height 30 mm	4048442640947	38.00	22

Index

Part Number		EAN Code	Price (EUR)	Page
57400005	G-N XEA mounting plate, height 30 mm	4048442641821	38.00	22
57400009	G-N XEA mounting plate, height 30 mm		32.00	22
57400010	G-N XEA mounting plate, height 30 mm	4048442640954	30.00	22
57400011	G-N XEA mounting plate, height 30 mm	4048442640961	30.00	22
57400019	G-N XEA mounting plate, height 30 mm	4048442641807	30.00	22
57410001	G-N XEA mounting plate, height 40 mm	4048442640886	30.00	22
57410004	G-N XEA mounting plate, height 40 mm	4048442641852	38.00	22
57410005	G-N XEA mounting plate, height 40 mm	4048442641869	38.00	22
57410009	G-N XEA mounting plate, height 40 mm		32.00	22
57410010	G-N XEA mounting plate, height 40 mm	4048442640978	30.00	22
57410011	G-N XEA mounting plate, height 40 mm	4048442640985	30.00	22
57410019	G-N XEA mounting plate, height 40 mm	4048442641838	30.00	22
57420001	G-EMF XEA mounting plate, 140°	4048442640466	33.00	24
57420004	G-EMF XEA mounting plate, 140°	4048442640473	42.00	24
57420005	G-EMF XEA mounting plate, 140°	4048442640480	42.00	24
57420009	G-EMF XEA mounting plate, 140°		35.00	24
57420011	G-EMF XEA mounting plate, 140°	4048442640503	33.00	24
57430001	G-N XEA angle bracket	4048442640862	38.00	23
57430004	G-N XEA angle bracket	4048442640992	48.00	23
57430005	G-N XEA angle bracket	4048442641722	48.00	23
57430009	G-N XEA angle bracket		39.00	23
57430010	G-N XEA angle bracket	4048442641104	38.00	23
57430011	G-N XEA angle bracket	4048442641111	38.00	23
57430019	G-N XEA angle bracket	4048442641708	38.00	23
57440001	G-EMF XEA angle bracket, 140°	4048442640510	48.00	24
57440004	G-EMF XEA angle bracket, 140°	4048442640527	62.00	24
57440009	G-EMF XEA angle bracket, 140°		50.00	24
57440010	G-EMF XEA angle bracket, 140°	4048442640534	48.00	24
57440011	G-EMF XEA angle bracket, 140°	4048442640541	48.00	24
57460001	G-EMR XEA mounting plate, 140°	4048442640596	33.00	24
57460004	G-EMR XEA mounting plate, 140°	4048442640602	42.00	24
57460005	G-EMR XEA mounting plate, 140°	4048442640619	42.00	24
57460009	G-EMR XEA mounting plate, 140°		35.00	24
57460011	G-EMR XEA mounting plate, 140°	4048442640626	33.00	24
57470001	GSR BG XEA angle bracket set	4048442640633	109.00	25
57470009	GSR BG XEA angle bracket set		114.00	25
57470011	GSR BG XEA angle bracket set	4048442640640	109.00	25
57480001	GSR XEA mounting plate set	4048442640657	74.00	25

Index

Part Number		EAN Code	Price (EUR)	Page
57480009	GSR XEA mounting plate set		80.00	25
57480011	GSR XEA mounting plate set	4048442640664	74.00	25
57490001	GSR BG XEA mounting plate set	4048442640671	85.00	25
57490009	GSR BG XEA mounting plate set		89.00	25
57490011	GSR BG XEA mounting plate set	4048442640688	85.00	25
57650000	G-Ubivis XEA lithium battery	4048442636933	137.00	11
57800001	RMZ XEA	4048442640718	630.00	20
57800004	RMZ XEA	4048442640725	819.00	45
57800005	RMZ XEA	4048442640732	819.00	45
57800009	RMZ XEA		662.00	45
57800011	RMZ XEA	4048442640749	630.00	45
61601000	BTS 75 V EN 1-4 with bridge fixing, with spindle, with bubble level, without hold-open	4048442638500	213.00	130
61601001	BTS 75 V EN 1-4 with bridge fixing, without spindle, with bubble level, without hold-open	4048442638531	191.00	131
61601200	BTS 75 V EN 1-4 with bridge fixing, with spindle, with bubble level	4048442638517	216.00	131
61601201	BTS 75 V EN 1-4 with bridge fixing, with bubble level, without spindle	4048442638548	198.00	131
61601300	BTS 75 V EN 1-4 with bridge fixing, with spindle, with bubble level	4048442638524	216.00	131
61601301	BTS 75 V EN 1-4 with bridge fixing, with bubble level, without spindle	4048442638555	198.00	131
61701000	BTS 75 V EN 1-4 with bridge fixing, with spindle, without hold-open	4021226010839	213.00	130
61701001	BTS 75 V EN 1-4 with bridge fixing, without spindle, without hold-open	4021226010846	191.00	130
61701200	BTS 75 V EN 1-4 with bridge fixing, with spindle, with hold-open	4021226010853	216.00	130
61701201		4021226010860	198.00	130
61701300	BTS 75 V EN 1-4 with bridge fixing, with spindle, with hold-open	4021226010877	216.00	130
61701301	BTS 75 V EN 1-4 with bridge fixing, without spindle	4021226010884	198.00	130
61704001	BTS 75 V BF ANSI 1-4 with bridge fixing, without hold-open, variant USA	4021226361313	252.00	160
61704201	BTS 75 V BF ANSI 1-4 with bridge fixing, with hold-open 90°, variant USA	4021226361320	261.00	160
61801001	BTS 75 V EN 1-4 with clamp fixing, without spindle, without hold-open	4021226011003	191.00	131
61801050	BTS 75 V EN 1-4 with clamp fixing, with spindle, without hold-open	4021226878750	300.00	131
61801051	BTS 75 V EN 1-4 with clamp fixing, without spindle & hold-open, Brazil	4021226892855	on request	132
61801201	BTS 75 V EN 1-4 with clamp fixing, without spindle	4021226011010	198.00	132
61801250	BTS 75 V EN 1-4 with clamp fixing, with spindle	4021226878743	303.00	131
61801251	BTS 75 V EN 1-4 with clamp fixing, with cement box, variant Brazil	4021226892831	on request	132
61801301	BTS 75 V EN 1-4 with clamp fixing, without spindle	4021226011027	198.00	132
61805051	BTS 75 V EN 1-4 with clamp fixing, without hold-open, variant Brazil	4021226892862	on request	132

Index

Part Number		EAN Code	Price (EUR)	Page
61805251	BTS 75 V EN 1-4 with clamp fixing, without cement box, variant Brazil	4021226892848	on request	132
61821021	BTS 75 V EN 1-4 with clamp fixing, without hold-open, variant Technal	4021226299814	261.00	133
61821221	BTS 75 V EN 1-4 with clamp fixing, variant Technal	4021226299821	265.00	133
61855001	BTS 75 R EN 2-5 with clamp fixing, without spindle, without hold-open	4021226892886	on request	133
61855201	BTS 75 R EN 2-5 with clamp fixing, without spindle	4021226892879	on request	133
61856006	BTS 70 EN 2-4 with clamp fixing, with spindle, with cement box, without hold-open	4048442652018	on request	134
61856206	BTS 70 EN 2-4 with clamp fixing, with spindle, with cement box	4048442652025	on request	134
64010001	G-N	4021226300954	36.00	32
64010003	G-N	4021226319871	36.00	32
64010004	G-N	4021226300978	71.00	32
64010009	G-N		37.00	32
64010010	G-N	4021226301890	36.00	32
64010011	G-N	4021226300961	36.00	32
64010019	G-N	4021226318218	36.00	32
64020201	G-EMF 120°, 48V	4021226318522	256.00	32
64020211	G-EMF 120°, 48V	4021226318539	256.00	32
64030001	G-EMR 120°	4021226301944	870.00	33
64030004	G-EMR 120°	4021226301982	967.00	33
64030009	G-EMR 120°		882.00	33
64030011	G-EMR 120°	4021226301968	870.00	33
64030019	G-EMR 120°	4048442654111	870.00	33
64070001	G-EMR 140°	4021226876374	870.00	33
64070004	G-EMR 140°	4021226876381	967.00	33
64070009	G-EMR 140°		882.00	33
64070011	G-EMR 140°	4021226876411	870.00	33
64070501	G-EMR without EMF-unit	4021226896396	610.00	33
64070509	G-EMR without EMF-unit		620.00	33
64080001	G-EMF 140°	4021226876138	256.00	32
64080003	G-EMF 140°	4021226876145	256.00	32
64080004	G-EMF 140°	4021226876152	317.00	32
64080009	G-EMF 140°		268.00	32
64080011	G-EMF 140°	4021226876190	256.00	32
64080019	G-EMF 140°	4048442654104	256.00	32
64080501	G-EMF without EMF-unit	4048442630542	on request	32
64101001	GSR VK	4021226302101	207.00	38
64101004	GSR VK	4021226302132	333.00	38
64101009	GSR VK		237.00	38

Index

Part Number		EAN Code	Price (EUR)	Page
64 10 10 11	GSR VK	4021226302118	207.00	38
64 10 20 01	GSR V	4021226315163	206.00	38
64 10 20 04	GSR V	4021226315187	333.00	38
64 10 20 09	GSR V		237.00	38
64 10 20 11	GSR V	4021226315170	206.00	38
64 10 20 19	GSR V	4048442653954	333.00	38
64 10 30 01	GSR VL	4021226302156	236.00	38
64 10 30 04	GSR VL	4021226302187	404.00	38
64 10 30 09	GSR VL		270.00	38
64 10 30 11	GSR VL	4021226302163	236.00	38
64 11 10 01	GSR-EMF 1/VK	4021226315194	490.00	40
64 11 10 04	GSR-EMF 1/VK	4021226315224	617.00	40
64 11 10 11	GSR-EMF 1/VK	4021226315200	490.00	40
64 11 11 01	GSR-EMF 1/VK without adjustment, variant Export	4021226321331	on request	41
64 11 20 01	GSR-EMF 1/V	4021226315231	490.00	39
64 11 20 04	GSR-EMF 1/V	4021226302217	617.00	39
64 11 20 11	GSR-EMF 1/V	4021226302194	490.00	39
64 11 21 01	GSR-EMF 1/V without adjustment, variant Export	4021226321348	on request	41
64 11 22 01	GSR-EMF 1/V, 48V	4021226318553	538.00	39
64 11 22 11	GSR-EMF 1/V, 48V	4021226265420	538.00	39
64 11 30 01	GSR-EMF 1/VL	4021226302224	519.00	39
64 11 30 04	GSR-EMF 1/VL	4021226302255	687.00	39
64 11 30 11	GSR-EMF 1/VL	4021226302231	519.00	39
64 13 10 01	GSR-EMF 2/VK	4021226315354	694.00	40
64 13 10 04	GSR-EMF 2/VK	4021226302361	820.00	40
64 13 10 09	GSR-EMF 2/VK		722.00	40
64 13 10 11	GSR-EMF 2/VK	4021226302347	694.00	40
64 13 11 01	GSR-EMF 2/VK without adjustment, variant Export	4021226321355	on request	42
64 13 20 01	GSR-EMF 2/V	4021226315286	694.00	40
64 13 20 04	GSR-EMF 2/V	4021226302392	820.00	40
64 13 20 09	GSR-EMF 2/V		721.00	40
64 13 20 11	GSR-EMF 2/V	4021226302378	694.00	40
64 13 21 01	GSR-EMF 2/V without adjustment, variant Export	4021226321362	on request	42
64 13 22 01	GSR-EMF 2/V, 48V	4021226318560	761.00	40
64 13 22 11	GSR-EMF 2/V, 48V	4021226265444	761.00	40
64 13 30 01	GSR-EMF 2/VL	4021226315293	723.00	40
64 13 30 04	GSR-EMF 2/VL	4021226302422	891.00	40
64 13 30 09	GSR-EMF 2/VL		756.00	40

Index

Part Number		EAN Code	Price (EUR)	Page
64133011	GSR-EMF 2/VL	4021226302408	723.00	40
64144001	GSR V/BG	4021226302460	288.00	39
64144004	GSR V/BG	4021226302453	429.00	39
64144009	GSR V/BG		317.00	39
64144011	GSR V/BG	4021226302439	288.00	39
64144019	GSR V/BG	4048442653978	288.00	39
64174001	GSR-EMF 2/V/BG	4021226315309	777.00	41
64174004	GSR-EMF 2/V/BG	4021226302491	920.00	41
64174009	GSR-EMF 2/V/BG		809.00	41
64174011	GSR-EMF 2/V/BG	4021226302477	777.00	41
64188001	GSR V, variant OEM	4021226319895	236.00	38
64205001	GSR-EMR without EMF-unit/V	4021226321379	744.00	44
64205004	GSR-EMR without EMF-unit/V	4021226321386	744.00	44
64205009	GSR-EMR without EMF-unit/V		784.00	44
64205011	GSR-EMR without EMF-unit/V	4021226321508	744.00	44
64215001	GSR-EMR 1/V	4021226302507	1048.00	42
64215004	GSR-EMR 1/V	4021226302538	1260.00	42
64215011	GSR-EMR 1/V	4021226302514	1048.00	42
64216001	GSR-EMR 1/VL	4021226302545	1078.00	42
64216004	GSR-EMR 1/VL	4021226302576	1331.00	42
64216011	GSR-EMR 1/VL	4021226302552	1078.00	42
64235001	GSR-EMR 2/V	4021226302668	1252.00	43
64235004	GSR-EMR 2/V	4021226302699	1463.00	43
64235009	GSR-EMR 2/V		1293.00	43
64235011	GSR-EMR 2/V	4021226302675	1252.00	43
64236001	GSR-EMR 2/VL	4021226302705	1282.00	43
64236004	GSR-EMR 2/VL	4021226302736	1535.00	43
64236009	GSR-EMR 2/VL		1328.00	43
64236011	GSR-EMR 2/VL	4021226302712	1282.00	43
64277001	GSR-EMR 2/V/BG	4021226302743	1335.00	43
64277004	GSR-EMR 2/V/BG	4021226302774	1564.00	43
64277009	GSR-EMR 2/V/BG		1376.00	43
64277011	GSR-EMR 2/V/BG	4021226302750	1335.00	43
64400001	G-N mounting plate, height 30 mm	4021226302903	24.00	56
64400004	G-N mounting plate, height 30 mm	4021226266786	73.00	56
64400009	G-N mounting plate, height 30 mm		28.00	56
64400010	G-N mounting plate, height 30 mm	4021226302910	24.00	56
64400011	G-N mounting plate, height 30 mm	4021226302927	24.00	56

Index

Part Number		EAN Code	Price (EUR)	Page
64410001	G-N mounting plate, height 40 mm	4021226302941	28.00	56
64410009	G-N mounting plate, height 40 mm		30.00	56
64410010	G-N mounting plate, height 40 mm	4021226302958	28.00	56
64410011	G-N mounting plate, height 40 mm	4021226302965	28.00	56
64420001	G-EMF mounting plate, 140°	4021226315316	29.00	58
64420004	G-EMF mounting plate, 140°	4021226302989	79.00	58
64420005	G-EMF mounting plate, 140°	4021226302996	79.00	58
64420009	G-EMF mounting plate, 140°		30.00	58
64420010	G-EMF mounting plate, 140°	4021226315323	29.00	58
64420011	G-EMF mounting plate, 140°	4021226315330	29.00	58
64430001	G-N angle bracket	4021226303009	35.00	56
64430004	G-N angle bracket	4021226303047	89.00	56
64430009	G-N angle bracket		38.00	56
64430010	G-N angle bracket	4021226303016	35.00	56
64430011	G-N angle bracket	4021226303023	35.00	56
64430019	G-N angle bracket	4048442653992	35.00	56
64440001	G-EMF angle bracket, 140°	4021226303054	44.00	58
64440004	G-EMF angle bracket, 140°	4021226303092	100.00	58
64440009	G-EMF angle bracket, 140°		46.00	58
64440010	G-EMF angle bracket, 140°	4021226303061	44.00	58
64440011	G-EMF angle bracket, 140°	4021226303078	44.00	58
64450001	G-EMR mounting plate, 120°	4021226303108	29.00	58
64450004	G-EMR mounting plate, 120°	4021226303146	79.00	58
64450005	G-EMR mounting plate, 120°	4021226303153	79.00	58
64450009	G-EMR mounting plate, 120°		30.00	58
64450011	G-EMR mounting plate, 120°	4021226303122	29.00	58
64460001	G-EMR mounting plate, 140°	4021226876206	29.00	58
64460004	G-EMR mounting plate, 140°	4021226876213	79.00	58
64460005	G-EMR mounting plate, 140°	4021226876220	79.00	58
64460009	G-EMR mounting plate, 140°		30.00	58
64460011	G-EMR mounting plate, 140°	4021226876251	29.00	58
64470001	GSR BG angle bracket set	4021226303160	94.00	60
64470009	GSR BG angle bracket set		100.00	60
64470011	GSR BG angle bracket set	4021226303177	94.00	60
64480001	GSR mounting plate set	4021226303191	60.00	59
64480009	GSR mounting plate set		62.00	59
64480011	GSR mounting plate set	4021226303207	60.00	59
64490001	GSR BG mounting plate set	4021226303221	68.00	60

Index

Part Number		EAN Code	Price (EUR)	Page
64490009	GSR BG mounting plate set		72.00	60
64490011	GSR BG mounting plate set	4021226303238	68.00	60
64500001	GSR pivot block	4021226303252	57.00	59
64500009	GSR pivot block		59.00	59
64500011	GSR pivot block	4021226303269	57.00	59
64620000	Approval set for hold-open system	4021226321300	7.00	61
64770000	G-N cushioned limited stay, with accessories, variant OEM, delivery unit 105	4048442688116	on request	57
64800001	RMZ	4021226301326	603.00	45
64800004	RMZ	4021226301333	694.00	45
64800009	RMZ		612.00	45
64800011	RMZ	4021226302002	603.00	45
64800019	RMZ	4048442654128	603.00	45
64830900	RM-N smoke detector, packing unit (PU), White	4021226856208	402.00	45
65000040	Fixing bracket 8520 G	4021226015216	8.00	169
65000041	Adjustment bracket	4021226015223	7.00	171
65000043	Fixing bracket, variant USA	4021226015230	7.00	174
65010020	Floor pivot upper portion, for side-load fixing	4021226015254	23.00	171
65020020	Floor pivot upper portion, for end-load fixing	4021226015261	23.00	171
65310300	RTS floor pivot set 8550, height 27 mm, 70 mm pivot point	4021226015278	30.00	167
65320300	RTS floor pivot set 8552, height 27 mm, 70 mm pivot point	4021226015285	33.00	168
65410300	RTS floor pivot set 8551, height 57 mm, 70 mm pivot point	4021226015292	38.00	167
65510400	Threshold bearing 8554, 70 mm pivot point	4021226015315	32.00	167
65540000	Floor pivot 8560 G for toughend glass door, with 65 mm pivot point	4021226015353	39.00	169
65540059	Floor pivot 8560 G E	4021226015360	102.00	155
65540059	Floor pivot 8560 G E	4021226015360	102.00	170
66000101	TS 69, TS 68 standard arm	4021226417478	13.00	119
66000103	TS 69, TS 68 standard arm	4021226417492	16.00	119
66000119	TS 69, TS 68 standard arm	4021226609149	13.00	119
66000201	TS 69, TS 68 hold-open arm	4021226609156	44.00	120
66000203	TS 69, TS 68 hold-open arm		on request	120
66000219	TS 69, TS 68 hold-open arm		44.00	120
66000501	TS 69, TS 68 parallel arm bracket	9322844110730	on request	120
66000503	TS 69, TS 68 parallel arm bracket	4021226957882	on request	120
66000511	TS 69, TS 68 parallel arm bracket	4021226957899	on request	120
66000519	TS 69, TS 68 parallel arm bracket	4021226957905	on request	120
66000801	TS 69, TS 68 slide channel	4021226267103	30.00	120
66000803	TS 69, TS 68 slide channel	4021226267127	35.00	120

Index

Part Number		EAN Code	Price (EUR)	Page
66000811	TS 69, TS 68 slide channel	4021226267134	30.00	120
66000819	TS 69, TS 68 slide channel	4021226803974	29.00	120
66400001	TS 68 SIZE 2/3/4 without arm	4021226221655	24.00	118
66400003	TS 68 SIZE 2/3/4 without arm	4021226221761	28.00	118
66400101	TS 68 SIZE 2/3/4 with standard arm	4021226221662	35.00	119
66400103	TS 68 SIZE 2/3/4 with standard arm	4021226221792	39.00	119
66400110	TS 68 SIZE 2/3/4 with standard arm	4021226295816	44.00	119
66400111	TS 68 SIZE 2/3/4 with standard arm	4021226224793	44.00	119
66400119	TS 68 SIZE 2/3/4 with standard arm	4021226295823	44.00	119
66400201	TS 68 SIZE 2/3/4 with hold-open arm	4021226221679	73.00	118
66400203	TS 68 SIZE 2/3/4 with hold-open arm	4021226221822	73.00	118
66400210	TS 68 SIZE 2/3/4 with hold-open arm	4021226882504	63.00	118
66400211	TS 68 SIZE 2/3/4 with hold-open arm	4021226224809	65.00	118
66400219	TS 68 SIZE 2/3/4 with hold-open arm	4021226609163	65.00	118
66400301	TS 68 EN 2/3/4 with standard arm, with parallel arm bracket	4021226225530	60.00	119
66401001	TS 68 SIZE 2/3/4 door closer body only, variant India	4021226278406	31.00	119
66401003	TS 68 SIZE 2/3/4 door closer body only, variant India	4021226278420	31.00	119
66450101	TS 68 EN 2/3/4 with standard arm, variant Legallais	4021226286456	on request	120
66450111	TS 68 EN 2/3/4 with standard arm, variant Legallais	4021226286463	on request	120
66460101	TS 68 EN 2/3/4 with standard arm, with full cover	4021226287163	48.00	118
66470101	TS 68 EN 2/3/4 with standard arm	4021226291870	47.00	118
66470103	TS 68 EN 2/3/4 with standard arm	4021226318041	70.00	118
66470111	TS 68 EN 2/3/4 with standard arm	4021226877982	47.00	118
66470119	TS 68 EN 2/3/4 with standard arm	4048442692151	47.00	118
66480101	TS 69 EN 2/3/4 with standard arm	4021226289761	on request	117
66480103	TS 69 EN 2/3/4 with standard arm	4021226837603	on request	117
66480111	TS 69 EN 2/3/4 with standard arm	4021226289778	on request	117
66480119	TS 69 EN 2/3/4 with standard arm	4021226289785	on request	117
66480201	TS 69 EN 2/3/4 with hold-open arm	4021226837573	on request	117
66480203	TS 69 EN 2/3/4 with hold-open arm	4021226837580	on request	117
66480211	TS 69 EN 2/3/4 with hold-open arm	4021226959374	on request	117
66480219	TS 69 EN 2/3/4 with hold-open arm	4021226837597	on request	117
66481501	TS 69 EN 2/3/4 with standard arm, length 270 mm	4048442604864	on request	117
66481519	TS 69 EN 2/3/4 with standard arm, length 270 mm	4048442604871	on request	117
66490001	TS 69 EN 2/3/4 without arm	4021226851005	on request	117
66490019	TS 69 EN 2/3/4 without arm	4021226851029	on request	117
67010101	TS Kompakt SIZE 2/3/4 with standard arm	4021226875810	42.00	121
67010103	TS Kompakt SIZE 2/3/4 with standard arm	4021226875841	42.00	121

Index

Part Number		EAN Code	Price (EUR)	Page
67010111	TS Kompakt SIZE 2/3/4 with standard arm	4021226875827	42.00	121
67010119	TS Kompakt SIZE 2/3/4 with standard arm	4021226875834	42.00	121
67010201	TS Kompakt SIZE 2/3/4 with hold-open arm	4021226875858	70.00	121
67010203	TS Kompakt SIZE 2/3/4 with hold-open arm	4021226875889	70.00	121
67010211	TS Kompakt SIZE 2/3/4 with hold-open arm	4021226875865	70.00	121
67010219	TS Kompakt SIZE 2/3/4 with hold-open arm	4021226875872	70.00	121
67080101	TS Kompakt SIZE 2/3/4 with standard arm, Variant dap	4048442696630	on request	121
67080111	TS Kompakt SIZE 2/3/4 with standard arm, Variant dap	4048442700405	on request	121
67080119	TS Kompakt SIZE 2/3/4 with standard arm, Variant dap	4048442700412	on request	121
67100101	TS Kompakt door closer body only, Variant India/AIDO, delivery unit 600	4048442698412	on request	121
67100119	TS Kompakt door closer body only, Variant India/AIDO, delivery unit 600	4048442702300	on request	121
69011511	EM 500 G for wall mounting	4021226190654	94.00	178
69011521	EM 500 U for flush mounting	4021226190661	94.00	178
69011531	EM 500 A for surface mounting	4021226190678	115.00	178
69011540	EM 500 A/G floor fixing bracket	4021226190715	32.00	181
69011541	Adapter frame	4021226212165	16.00	181
69012511	EM 500 G for wall mounting	4021226213032	120.00	178
69012521	EM 500 U for flush mounting	4021226212967	120.00	178
69012531	EM 500 A for surface mounting	4021226213063	157.00	178
69012541	Adapter frame	4021226215791	36.00	181
69015005	EM 500 H, baseplate 70x70 mm, 150/175 mm	4021226213735	202.00	179
69015006	EM 500 H, baseplate 90x80 mm, 300/325 mm	4021226213742	209.00	179
69015007	EM 500 H, baseplate 90x80 mm, 450/475 mm	4021226213759	221.00	179
69020110	MAG receiver with baseplate	4021226190685	24.00	179
69020111	MAW receiver swiveling for angle adjustment	4021226190692	51.00	180
69020112	MAT receiver telescopic keeper	4021226190708	102.00	180
69021113	EM 500 H MAG receiver with swiveling plate	4021226213766	34.00	180
73000110	TS 73 EMF mounting plate	4021226015391	24.00	105
75400100	TS 73 EMF standard arm	4021226015445	45.00	103
75400101	TS 73 EMF extended adjustable arm	4021226015452	52.00	103
75400134	TS 73 EMF extended arm	4021226015490	81.00	103
76040101	TS 77 SIZE 2 with standard arm	4021226267806	42.00	122
76040102	TS 77 SIZE 2 with standard arm	4021226267813	42.00	122
76040103	TS 77 SIZE 2 with standard arm	4021226267837	42.00	122
76040111	TS 77 SIZE 2 with standard arm	4021226267844	42.00	122
76040119	TS 77 SIZE 2 with standard arm	4021226802335	42.00	122
76040201	TS 77 SIZE 2 with hold-open arm	4021226267851	70.00	122

Index

Part Number		EAN Code	Price (EUR)	Page
76040202	TS 77 SIZE 2 with hold-open arm	4021226267868	70.00	122
76040203	TS 77 SIZE 2 with hold-open arm	4021226267875	70.00	122
76040211	TS 77 SIZE 2 with hold-open arm	4021226267882	70.00	122
76050101	TS 77 SIZE 3 with standard arm	4021226266564	42.00	122
76050102	TS 77 SIZE 3 with standard arm	4021226266588	42.00	122
76050103	TS 77 SIZE 3 with standard arm	4021226266595	42.00	122
76050111	TS 77 SIZE 3 with standard arm	4021226266571	42.00	122
76050119	TS 77 SIZE 3 with standard arm	4021226802342	42.00	122
76050201	TS 77 SIZE 3 with hold-open arm	4021226266748	70.00	122
76050202	TS 77 SIZE 3 with hold-open arm	4021226266762	70.00	122
76050203	TS 77 SIZE 3 with hold-open arm	4021226266779	70.00	122
76050211	TS 77 SIZE 3 with hold-open arm	4021226266755	70.00	122
76060101	TS 77 SIZE 4 with standard arm	4021226267899	42.00	122
76060102	TS 77 SIZE 4 with standard arm	4021226267905	42.00	122
76060103	TS 77 SIZE 4 with standard arm	4021226267912	42.00	122
76060111	TS 77 SIZE 4 with standard arm	4021226267929	42.00	122
76060119	TS 77 SIZE 4 with standard arm	4021226802359	42.00	122
76060201	TS 77 SIZE 4 with hold-open arm	4021226267936	70.00	123
76060202	TS 77 SIZE 4 with hold-open arm	4021226267943	70.00	123
76060203	TS 77 SIZE 4 with hold-open arm	4021226267950	70.00	123
76060211	TS 77 SIZE 4 with hold-open arm		70.00	123
80110000	BTS 80 with spindle, with cement box	4021226016398	566.00	128
80110001	BTS 80 without spindle, with cement box	4021226016404	543.00	128
80120000	BTS 80 with spindle, with cement box	4021226016442	566.00	128
80120001	BTS 80 without spindle, with cement box	4021226016459	543.00	128
80120005	BTS 80 BF ANSI 3 barrier free, without spindle, variant USA	4021226016466	560.00	159
80130000	BTS 80 with spindle, with cement box	4021226016497	566.00	128
80130001	BTS 80 without spindle, with cement box	4021226016503	543.00	128
80170005	BTS 80 BF 5lbf barrier free, ADA, without spindle, variant USA	4048442634267	560.00	159
80180000	BTS 80 V with spindle, with bubble level	4048442698771	621.00	126
80180001	BTS 80 V without spindle, with bubble level	4048442698788	597.00	126
80190008	BTS 80 V BF ANSI 1-4 without spindle, with bubble level, variant USA	4048442698795	610.00	158
80210001	BTS 80 F without spindle, with cement box, double action	4021226216415	595.00	128
80210101	BTS 80 F without spindle, with cement box	4021226216354	595.00	128
80210201	BTS 80 F without spindle, with cement box	4021226216385	595.00	128
80220001	BTS 80 F without spindle, with cement box, double action	4021226216408	595.00	128
80220101	BTS 80 F without spindle, with cement box	4021226216347	595.00	128
80220201	BTS 80 F without spindle, with cement box	4021226216378	595.00	128

Index

Part Number		EAN Code	Price (EUR)	Page
80230001	BTS 80 F without spindle, with cement box, double action	4021226216422	595.00	128
80230101	BTS 80 F without spindle, with cement box	4021226216361	595.00	128
80230201	BTS 80 F without spindle, with cement box	4021226216392	595.00	128
80250101	BTS 80 F without spindle, with cement box, variant USA	4021226016701	595.00	159
80250201	BTS 80 F without spindle, with cement box, variant USA	4021226016718	595.00	159
80280000	BTS 80 VF with spindle, with bubble level, double action	4048442698719	679.00	126
80280001	BTS 80 VF without spindle, with bubble level, double action	4048442698740	655.00	126
80280100	BTS 80 VF with spindle, with bubble level	4048442698726	679.00	126
80280101	BTS 80 VF without spindle, with bubble level	4048442698757	655.00	127
80280200	BTS 80 VF with spindle, with bubble level	4048442698733	679.00	126
80280201	BTS 80 VF without spindle, with bubble level	4048442698764	655.00	127
81100001	BTS 84 without spindle, with cement box	4021226016749	145.00	135
81100002	BTS 84 with spindle, with cement box	4021226016756	165.00	135
81110001	BTS 84 without spindle, with cement box	4021226016817	145.00	135
81110002	BTS 84 with spindle, with cement box	4021226016824	165.00	135
81125001	BTS 84 without spindle, with cement box	4021226016879	145.00	135
81125002	BTS 84 with spindle, with cement box	4021226016886	165.00	135
81200001	BTS 84 without spindle, with cement box, with hold-open	4021226016909	150.00	136
81200002	BTS 84 with spindle, with cement box, with hold-open	4021226016916	169.00	135
81210001	BTS 84 without spindle, with cement box, with hold-open	4021226016978	150.00	136
81210002	BTS 84 with spindle, with cement box, with hold-open	4021226016985	169.00	135
81215242	BTS 84, variant VITEC	4021226269503	on request	136
81225001	BTS 84 without spindle, with cement box, with hold-open	4021226017081	150.00	136
81225002	BTS 84 with spindle, with cement box, with hold-open	4021226017098	169.00	135
82114101	BTS 80 FLB without spindle, with cement box	4021226216545	1177.00	129
82114201	BTS 80 FLB without spindle, with cement box	4021226216576	1177.00	129
82124101	BTS 80 FLB without spindle, with cement box	4021226216521	1177.00	129
82124201	BTS 80 FLB without spindle, with cement box	4021226216569	1177.00	129
82134101	BTS 80 FLB without spindle, with cement box	4021226216552	1177.00	129
82134201	BTS 80 FLB without spindle, with cement box	4021226216583	1177.00	129
82214001	BTS 80 EMB without spindle, with cement box, double action	4021226216507	1177.00	129
82214101	BTS 80 EMB without spindle, with cement box	4021226216446	1177.00	129
82214201	BTS 80 EMB without spindle, with cement box	4021226216477	1177.00	129
82224001	BTS 80 EMB without spindle, with cement box, double action	4021226216491	1177.00	129
82224101	BTS 80 EMB without spindle, with cement box	4021226216439	1177.00	129
82224201	BTS 80 EMB without spindle, with cement box	4021226216460	1177.00	129
82234001	BTS 80 EMB without spindle, with cement box, double action	4021226216514	1177.00	129
82234101	BTS 80 EMB without spindle, with cement box	4021226216453	1177.00	129

Index

Part Number		EAN Code	Price (EUR)	Page
82234201	BTS 80 EMB without spindle, with cement box	4021226216484	1177.00	129
82254101	BTS 80 EMB without spindle, with cement box, variant USA	4021226017470	1177.00	159
82254201	BTS 80 EMB without spindle, with cement box, variant USA	4021226017487	1177.00	159
83000101	TS 83, TS 73V flatform arm	4021226184592	22.00	101
83000109	TS 83, TS 73V flatform arm		33.00	101
83000111	TS 83, TS 73V flatform arm	4021226184554	22.00	101
83000119	TS 83, TS 73V flatform arm	4021226223420	22.00	101
83001101	TS 83 EN 7 mounting plate	4021226184233	12.00	104
83001401	TS 83 EN 3-6, TS 83 EN 7, TS 73V hing plate for narrow door frames	4021226184103	6.00	107
83003401	TS 83 flatform arm, variant Scandinavia	4021226274149	19.00	102
83003600	TS 73V adapter plate, variant Scandinavia	4021226274163	13.00	105
83003705	TS 83 spindle extension	4021226279007	28.00	105
83004312	TS 83, TS 73V Softline cover, variant UK	4021226285411	45.00	107
83050301	TS 83 EN 7 BCA with standard arm, anti corrosive type (AC)	4021226316627	301.00	91
83060101	TS 83 EN 7 BCA without arm	4021226322093	172.00	90
83061901	TS 83 EN 7 BCA with flatform arm, variant DMW	4021226018309	on request	92
85110001	RTS 85 weld-on 8521	4021226018439	35.00	171
85110012	Weld-on socket with spindle, variant Trimborn	4021226018484	58.00	175
85110014	RTS 85 cover plate 212694/D, variant USA	4021226018491	7.00	173
85210005	RTS arm with closer arm rail 8530, 70 mm pivot point	4021226018521	64.00	167
85210009	RTS arm with closer arm rail 8534, 70 mm pivot point	4021226018545	83.00	168
85210013	Floor pivot bearing all units, variant USA	4021226018569	55.00	173
85210021	Floor pivot complete for end-load fixing, variant UK	4021226018606	42.00	172
85210022	Floor pivot complete for side-load fixing, variant UK	4021226018613	42.00	172
85210023	Threshold pivot complete for end-load fixing, variant UK	4021226018620	51.00	172
85210024	Floor pivot upper portion for side-load fixing, variant UK	4021226018637	51.00	172
85210025	Floor pivot 8560 G, with extended spindle	4021226018644	42.00	156
85210025	Floor pivot 8560 G, with extended spindle	4021226018644	42.00	170
85210026	Floor pivot 8560 G, with extended spindle	4021226018651	42.00	156
85210026	Floor pivot 8560 G, with extended spindle	4021226018651	42.00	170
85210027	Floor pivot 8560 G, with extended spindle	4021226018668	42.00	156
85210027	Floor pivot 8560 G, with extended spindle	4021226018668	42.00	170
85210028	Floor pivot 8560 G, with extended spindle	4021226018675	42.00	156
85210028	Floor pivot 8560 G, with extended spindle	4021226018675	42.00	170
85210029	Floor pivot 8560 G, with extended spindle	4021226018682	42.00	156
85210029	Floor pivot 8560 G, with extended spindle	4021226018682	42.00	170
85210030	Floor pivot 8560 G, with extended spindle	4021226018699	42.00	156
85210030	Floor pivot 8560 G, with extended spindle	4021226018699	42.00	170

Index

Part Number		EAN Code	Price (EUR)	Page
85210031	Floor pivot 8560 G, with extended spindle	4021226018705	42.00	156
85210031	Floor pivot 8560 G, with extended spindle	4021226018705	42.00	170
85210033	Floor pivot 8560 G, with extended spindle	4021226218266	42.00	156
85210033	Floor pivot 8560 G, with extended spindle	4021226218266	42.00	170
85210035	Closer arm with slide channel, variant KAWNEER	4021226018712	on request	174
85210040	Floor pivot bearing, with extended spindle, variant USA	4021226025512	44.00	173
85210041	Floor pivot bearing, with extended spindle, variant USA	4021226025529	44.00	173
85210042	Floor pivot bearing, with extended spindle, variant USA	4021226025536	44.00	173
85210043	Floor pivot bearing, with extended spindle, variant USA	4021226025543	44.00	173
85210044	Floor pivot bearing, with extended spindle, variant USA	4021226025550	44.00	173
85210045	Floor pivot bearing, with extended spindle, variant USA	4021226025567	44.00	173
85210046	Floor pivot bearing, with extended spindle, variant USA	4021226025574	45.00	173
85210047	Floor pivot bearing, with extended spindle, variant USA	4021226025581	45.00	173
85210048	Floor pivot bearing, with extended spindle, variant USA	4021226025598	45.00	173
85210049	Floor pivot bearing, with extended spindle, variant USA	4021226025604	45.00	173
85220013	Floor pivot bearing 8560 G AC, variant USA	4021226018743	40.00	173
85311101	RTS 85 without hold-open	4021226018750	362.00	165
85311102	RTS 85 with extended spindle by 5 mm, without hold-open	4021226018767	364.00	165
85311103	RTS 85 with extended spindle by 10 mm, without hold-open	4021226018774	364.00	165
85311301	RTS 85 for toughened glass door, 65 mm pivot point, without hold-open	4021226018781	364.00	166
85311302	RTS 85 for tough glass door, 65 mm pivot point, with 5 mm extended spindle, without hold-open	4021226018798	366.00	166
85312101	RTS 85 with hold-open	4021226018811	362.00	165
85312103	RTS 85 with extended spindle 10 mm, with hold-open	4021226018835	364.00	166
85312301	RTS 85 for toughened glass door, 65 mm pivot point, with hold-open	4021226018842	364.00	166
85313101	RTS 85 with hold-open	4021226018873	362.00	165
85314101	RTS 80 EMB	4021226313916	1374.00	162
85314141	RTS 80 EMB, variant EKEM	4021226836675	1374.00	162
85321101	RTS 85 without hold-open	4021226018934	362.00	165
85321102	RTS 85 with extended spindle by 5 mm, without hold-open	4021226018941	364.00	165
85321103	RTS 85 with extended spindle by 10 mm, without hold-open	4021226018958	364.00	165
85321301	RTS 85 for toughened glass door, 65 mm pivot point, without hold-open	4021226018965	364.00	166
85321302	RTS 85 for tough glass door, 65 mm pivot point, with 5 mm extended spindle, without hold-open	4021226018972	366.00	166
85322101	RTS 85 with hold-open	4021226018996	362.00	165
85322102	RTS 85 with extended spindle 5 mm, with hold-open	4021226019009	364.00	165
85322103	RTS 85 with extended spindle 10 mm, with hold-open	4021226019016	364.00	166
85322301	RTS 85 for toughened glass door, 65 mm pivot point, with hold-open	4021226019023	364.00	166

Index

Part Number		EAN Code	Price (EUR)	Page
85323101	RTS 85 with hold-open	4021226019054	362.00	165
85323102	RTS 85 with extended spindle 5 mm, with hold-open	4021226019061	364.00	165
85324101	RTS 80 EMB	4021226313930	1374.00	162
85324141	RTS 80 EMB, variant EKEM	4021226836705	1374.00	162
85324161	RTS 80 EMB without closer arm	4021226880852	1374.00	162
85324181	RTS 80 EMB with wide mounting plate, variant UK	4048442627337	1399.00	162
85326101	RTS 80 FLB EN 4 without arm	4021226356104	on request	162
85331101	RTS 85 without hold-open	4021226019115	362.00	165
85331102	RTS 85 with extended spindle by 5 mm, without hold-open	4021226019122	364.00	165
85331103	RTS 85 with extended spindle by 10 mm, without hold-open	4021226019139	364.00	165
85332101	RTS 85 with hold-open	4021226019184	362.00	165
85332103	RTS 85 with extended spindle 10 mm, with hold-open	4021226019207	364.00	166
85333101	RTS 85 with hold-open	4021226019245	362.00	165
85334101	RTS 80 EMB	4021226313954	1374.00	162
85334141	RTS 80 EMB, variant EKEM	4021226836682	1374.00	162
85334161	RTS 80 EMB without closer arm	4021226880869	1374.00	162
85334181	RTS 80 EMB with wide mounting plate, variant UK	4048442627344	1399.00	162
85351101	RTS 87 EN 1-4 with spindle, with end-load accessory, without hold-open, variant France	4021226297537	384.00	163
85351121	RTS 87 EN 1-4 with short plate, without hold-open	4021226804100	460.00	163
85351151	RTS 87 EN 1-4 without arm, without hold-open	4021226880876	384.00	163
85351171	RTS 87 H EN 1-4 with spindle	4021226881194	on request	163
85352121	RTS 87 EN 1-4 with short plate, with hold-open	4021226838969	465.00	163
85361121	RTS 87 EN 2-5 with short plate, without hold-open	4048442654791	on request	164
85362121	RTS 87 EN 2-5 with short plate, with hold-open	4048442655507	on request	164