













LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)*1 二合一螺杆 2-in-1-screw	 (B)*1 大三合一锁饼 Three-in-one large lock	 (C)*6 木榫- $\varnothing 8 \times 30$ Wood tenon	 (D)*16 层板托 Shelf support	编号NO.	名称Name	规格 (mm) Specification	数量QTY	材质Material
产品名称 Model NO.	PK1X-A (0.4m)	 (E)*13 大扁白攻M4*30mm Flat head tapping screw	 (F)*13 垫片-M5 Shim	 (G)*1 拉手-铝合金黑色哑光 Handle	 (H)*1 拉手螺丝-M4x25mm Pulling screw	①	面板 Top panel	423*330*18	1	实木 wood
产品规格 Specification	423*341*2001mm					②	底板 Bottom board	383*283*18	1	实木 wood
安装工具 Tool	安装人数Installer					③	左侧板组立 Side board assembly(L)	1980*330*40	1	实木 wood
						④	右侧板组立 Side board assembly(R)	1980*330*40	1	实木 wood
		⑤	前拉条 Front brace	383*50*20	1	实木 wood				
		⑥	固定层板 Fixed shelf	383*260*18	1	实木 wood				
		⑦	活动层板 Movable shelf	382*260*18	4	实木 wood				
		⑧	背板 Back board	1942*393*8	1	实木 wood				
		⑨	五金门 Hardware door	1924*377*21	1	铝合金+玻璃 aluminium alloy+Glass				
		铝合金门框内自带五金 Aluminum alloy door frame with hardware  (M)*4 大弯铝框门铰 Large bend aluminum frame door hinge								

PK1X-A(0.4m)


安装方法
Installation method




大二合一 two-in-one




层板托5mm
shelf support




(A)*1




(B)*1



1



(C)*2




(E)*4



(F)*4




(L)*6




2

3



(C)*4




(D)*16




(E)*8



(F)*8



4



PK1X-A(0.4m)

安装方法

Installation method

大弯big bend

中弯middle bending

直弯straight bending

侧板
side board

门板
Door panel



调节上下
Adjust up and down

调节左右
Adjust left and right

调节前后
Before and after adjustment

门铰Hinge

背板扣
Back Plate Buckle



5

(G)*1

(H)*1

(M)*4

提示：五金门可左右
互换安装

Note: the hardware door can be
interchanged and installed
left and right

6

7

8

