

LINSY 林氏家居	
安装示意图/Assembly Instruction	
产品名称 Model NO.	DS1B-A
产品规格 Specification	444*398*505 mm
安装工具 Tool	安装人数 Installer

五金表/Hardware list

(A) * 32

二合一螺杆 (35mm)

2-in-1-screw

(B) * 32

大三合一锁饼 (15mm)

Three-in-one large lock

(C) * 4

小二合一杆 7*28

small two-in-one rod

(D) * 4

小三合一锁饼 (13mm)

small three-in-one lock

(E) * 17

木榫 08x30mm

wood tenon

(F) * 4

塑料螺母

Plastic Nut

(G) * 4

自攻螺丝 M4x40mm

Self-tapping screw

(H) * 1

三节滚珠导轨 -10"

Three-section rail

(I) * 13

自攻螺丝 M3. 5x12mm

Self-tapping screw

(J) * 4


9厘透明防滑PVC胶塞

Rubber stopper


[illegible]

DS1B-A

安装方法/ Installation method




大二合一
two-in-one



塑料螺母
Plastic Nut

- (C)*4
- (D)*4
- (F)*4
- (G)*4
- (H)*1
- (I)*6




(H) 副轨
Sub track

1

- (A)*12
- (B)*12
- (E)*8
- (J)*4

左脚框
Foot
frame (L)
俯视效果
Look down

右脚框
Foot
frame (L)
俯视效果
Look down




注意：安装时圆角朝外！
When installing, the
fillet faces outward

2

3

- (H)*1
- (I)*6



H 主轨
Main rail


4

DS1B-A


安装方法/ Installation method

阀门开关(下压为开)
Valve switch
(press down to open)


1




注: 先将A与B拆下来
Note: remove a and B first



3




4




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail



5



► 安装完成
installation is complet

7

6

