


LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		(A)*57 大三合一锁饼 3-in-1 large lock (B)*40 二合一螺杆 2-in-1-screw (C)*25 木榫-($\varnothing$8*30mm) Wood tenon (D)*9 导轨10寸 Three-section rail				编号NO.	名称Name	规格 (MM) Specification	数量QTY	材质Material
产品名称 Model NO.		KQ3E-A				①	面板Top panel	1560*388*15	1	三胺板 Melamine
产品规格 Specification		1590*400*787MM				②	底板Bottom board	1560*388*15	1	三胺板 Melamine
安装工具 Tool		安装人数Installer				③	左侧板Side board (L)	594*350*15	1	三胺板 Melamine
						④	右侧板Side board (R)	594*350*15	1	三胺板 Melamine
		(E)*11 背板扣 White buckle (F)*11 自攻螺丝M3.5*16 Tapping screw (G)*4 五金脚 Metal foot (H)*1 夹板条L-1558 White splint strip				⑤	中侧板Middle side board	589*350*15	2	三胺板 Melamine
		(I)*131 自攻螺丝M3.5*12 Tapping screw (J)*2 调节五金脚 Adjustable hardware foot (K)*2 斜边十字螺杆-M8*30 Bevel cross screw (L)*8 双头三合一螺杆64mm Double head 3-in-1 screw				⑥	拉条Brace	510*58*15	6	三胺板 Melamine
		(M)*38 小二合一杆 2-in-1 small rod (N)*38 小三合一-锁饼 3-in-1 small lock (O)*38 自攻螺丝 (M4*40mm) Tapping screw (P)*38 塑料螺母 Plastic Nut				⑦	装饰条1 Decorative strip 1	350*50*15	1	实木 Wood
		(Q)*12 斜边十字螺杆-M6*12 Bevel cross screw (R)*1 家具防倒器白色 Anti-fall device (S)*8 小角码 Small bracket				⑧	装饰条2 Decorative strip 2	350*50*15	1	实木 Wood
						⑨	左前柱Left anterior column	644*50*15	1	实木 Wood
						⑩	右前柱Right anterior column	644*50*15	1	实木 Wood
						⑪	背板Back board	1570*298*5	2	三胺板 Melamine
						⑫	上抽屉面板Upper drawer's panel	506*125*15	2	三胺板 Melamine
						⑬	中上抽屉面板Upper middle drawer's panel	540*125*15	1	三胺板 Melamine
						⑭	下抽屉面板Bottom drawer's panel	506*205*15	4	三胺板 Melamine
						⑮	中下抽屉面板Bottom middle drawer's panel	540*205*15	2	三胺板 Melamine
						⑯	上抽屉左侧板Upper drawer left panel	340*78*12	3	三胺板 Melamine
						⑰	上抽屉右侧板Upper drawer right panel	340*78*12	3	三胺板 Melamine
						⑱	下抽屉左侧板Lower drawer left panel	340*142*12	6	三胺板 Melamine
						⑲	下抽屉右侧板Lower drawer right panel	340*142*12	6	三胺板 Melamine
						⑳	上抽屉后板Upper drawer's back board	460*78*12	3	三胺板 Melamine
						㉑	下抽屉后板Down drawer's back board	460*142*12	6	三胺板 Melamine
						㉒	抽屉底板Drawer's Bottom board	470*336*5	9	三胺板 Melamine
						㉓	中脚Middle foot	145*30*30	2	实木 Wood


KQ3E-A

安装方法/
Installation method




二合一
two-in-one

- (M) *36
- (N) *36
- (O) *36
- (P) *36




- (I) *54
- (D) *9


(D) 副轨
Sub track



- (A) *10
- (B) *10
- (C) *8




- (I) *54
- (D) *9




D 主轨
Main track

KQ3E-A


安装方法/
Installation method



背板扣 Back Plate Buckle




(K)*2




(Q)*12



(J)*2



(G)*4




5



(A)*16



(L)*8



6




(A)*4



(B)*4



(C)*4



7



(A)*4



(B)*4




(C)*4



(S)*8



(I)*8




8




KQ3E-A

安装方法/ Installation method

阀门开关(下压为开)
Valve switch
(press down to open)







注: 先将A与B拆下来
Note: remove a and B first




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail



KQ3E-A

安装方法/
Installation method


(R)*1

R处放大图
Enlarged drawing

13

实体墙
Solid wall

R

14

