



LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)*63 二合一螺杆 2-in-1-screw	 (B)*63 大三合一锁饼 3-in-1 large lock	 (C)*2 挂衣托 Clothes hanger	 (D)*6 背板扣 White buckle	编号NO.	名称Name	规格 (mm) Specification	数量QTY	材质Material
产品名称 Model NO.	TR5D-A 两门衣柜 (带抽)	 (E)*38 白攻螺丝M3. 5*12mm Tapping screw	 (F)*6 白攻螺丝M3. 5*16mm Tapping screw	 (G)*8 缓冲门铰直弯-杯035 Straight bend hinge	 (H)*1 挂衣杆-L=758mm Clothes hanging rod	1	顶板Top board	766*582*15	1	人造板 WBP
产品规格 Specification	796*600*2423MM					2	底板Bottom board	766*582*15	1	人造板 WBP
安装工具 Tool	安装人数Installer					3	前脚条Front foot strip	766*58*15	2	人造板 WBP
						4	右侧板Side board(R)	2420*582*15	1	人造板 WBP
		5	左侧板Side board(L)	2420*582*15	1	人造板 WBP				
		6	背拉条Back brace	2331*101*15	2	人造板 WBP				
		7	背板Back board	2341*575*5	1	人造板 WBP				
		8	活动层板Movable shelf	765*560*15	2	人造板 WBP				
		9	拉条Brace	766*58*15	2	人造板 WBP				
		10	左门板Door board(L)	1879*395*18	1	人造板 WBP				
		11	右门板Door board(R)	1879*395*18	1	人造板+五金 WBP+Hardware				
		12	抽屉面板Drawer's top panel	792*233*18	2	人造板 WBP				
		13	抽屉侧板Drawer's sideboard	395*142*15	4	人造板 WBP				
		14	抽屉后板Drawer's Back board	740*142*15	2	人造板 WBP				
		15	抽屉底板Drawer's Bottom board	720*405*5	2	人造板 WBP				
		16	抽屉底托条Drawer's bottom bracket	395*58*15	2	人造板 WBP				

TR5D-A 两门衣柜（带抽）	爆炸图/The explosion	部件表/Parts List	
	编号NO.	名称Name	
	1	顶板Top board	
	2	底板Bottom board	
	3	前脚条Front foot strip	
	4	右侧板Side board(R)	
	5	左侧板Side board(L)	
	6	背拉条Back brace	
	7	背板Back board	
	8	活动层板Movable shelf	
	9	拉条Brace	
	10	左门板Door board(L)	
	11	右门板Door board(R)	
	12	抽屉面板Drawer's top panel	
	13	抽屉侧板Drawer's sideboard	
	14	抽屉后板Drawer's Back board	
	15	抽屉底板Drawer's Bottom board	
	16	抽屉底托条Drawer's bottom bracket	


安装方法
Installation method




二合一 two-in-one

阀门开关 (下压为开)
Valve switch (press down to open)


前 Forward ↓ 后 Back



(A) *24




(B) *24



X2


1



(E) *16




(M) *2




X2


2




(A) *4




(B) *4




(K) *4




3




(A) *8



(B) *8



(I) *1



4

TR5D-A 两门衣柜 (带抽)

安装方法

Installation method

二合一 two-in-one

大弯big bend

中弯middle bending

直弯straight bending

侧板 side board

门板 Door panel

调节上下 Adjust up and down

调节左右 Adjust left and right

调节前后 Before and after adjustment

门铰 Hinge

(A)*24

(B)*24

(L)*12

(K)*4

4

5

9

(J)*8

(N)*2

(E)*4

8

8

侧板 Side plate

1

2

(E)*4

(C)*2

(H)*1

6

将五金C的盖子拆开再锁
Remove the cover of hardware C and lock it

将五金H套进五金C的盖子再
盖在五金C的底座上
Put hardware H into the cover of hardware C and then cover the base of hardware C

(E)*12

(M)*2

(G)*8

8





10

11

12


M主轨 Main rail

安装方法
Installation method




二合一 two-in-one

(D)*6
(F)*6



9



此处缝隙设计为开
启抽屉、门板使用
小心夹伤
The gap here is designed as:
Open drawer and door panel for use
Beware of pinching

10