











LINSY 林氏家居		五金表/Hardware list				部件表/Parts List					
安装示意图/Assembly Instruction		 (A)*19 二合一螺杆 2-in-1-screw	 (B)*19 大三合一锁饼 Three-in-one large lock	 (C)*6 木榫- $\varnothing 8 \times 30$ Wood tenon	 (D)*8 层板托 Shelf support	编号NO.	名称Name	规格 (mm) Specification	数量QTY	材质Material	
产品名称 Model NO.	PK2X-C (0.6m)					①	面板 Top panel	594*330*18	1	实木 wood	
产品规格 Specification	594*340*2001mm					②	底板 Bottom board	554*283*18	1	实木 wood	
安装工具 Tool	安装人数Installer					③	左侧板组立 Side board assembly(L)	1980*330*40	1	实木 wood	
  		 (E)*25 白攻螺丝M4*10mm Tapping screw	 (F)*25 塑料螺母 Plastic Nut	 (G)*3 拉手螺丝-M4x35mm Pulling screw	 (H)*2 家具防倒器-白色 Anti-fall device	④	右侧板组立 Side board assembly(R)	1980*330*40	1	实木 wood	
						⑤	前拉条 Front brace	554*50*20	1	实木 wood	
						⑥	中层板 Middle shelf	554*282*18	1	实木 wood	
						⑦	下层板 Lower shelf	554*260*18	1	实木 wood	
						⑧	活动层板 Movable shelf	553*282*18	2	实木 wood	
						⑨	边背拉条 Side back brace	1930*130*18	2	实木 wood	
						⑩	背板 Back board	1942*310*8	1	实木 wood	
						⑪	上抽屉面板 Upper drawer's panel	548*190*20	2	实木 wood	
						⑫	抽屉前板 Drawer's front board	504*142*12	3	实木 wood	
						⑬	抽屉侧板 Drawer's sideboard	260*142*12	6	实木 wood	
						⑭	抽屉后板 Drawer's Back board	504*142*12	3	实木 wood	
						⑮	抽屉底板 Drawer's Bottom board	514*244*8	3	实木 wood	
						⑯	下抽屉面板 Bottom drawer's panel	548*222*20	1	实木 wood	

PK2X-C (0.6m)

安装方法

Installation method

塑料螺母

Plastic Nut

自攻螺丝

Self-tapping screw

塑料螺母

Plastic Nut

阀门开关(下压为开)

Valve switch (press down to open)

前 Forward

后 Back

主轨 Main track

副轨 Sub track

三节滚珠导轨-10"

Three-section rail

(E)*16

(F)*16

(M)*8

13

12

14

11

15

E

F

E

M

E

X2

(G)*2

(K)*2

(L)*12

(P)*2

11

13

12

14

15

L

G

P

L

L

X2

(E)*8

(F)*8

(M)*4

13

12

14

16

15

E

F

E

M

E

X2

(G)*1

(K)*1

(L)*6

(P)*1

16

13

12

14

15

L

G

P

L



L

X2


2/5

PK2X-C (0.6m)

安装方法/
Installation method




(A)*2
(B)*2



5




(A)*4
(B)*4




6




(A)*8
(B)*8
(C)*2
(N)*4
(O)*4
(Q)*6



7





(A)*4
(B)*4
(C)*4
(N)*4
(O)*4





8

PK2X-C (0.6m)

安装方法/ Installation method




层板托5mm
shelf support




背板扣
Back Plate Buckle


$$(N) * 8$$
$$(0) * 8$$


(D) *8



(K) *3




(L)*18




10

(I)*6

(J) *6




10




1 1

安裝方法
Installation method


(H)*2

12



13

