


LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)*8 小二合一杆 2-in-1 small rod	 (B)*8 小三合一锁饼 3-in-1 small lock	 (C)* 54 二合一螺杆 (35mm) 2-in-1-screw	 (D)* 54 大三合一锁饼 (15mm) Three-in-one large lock	编号NO.	名称Name	规格(mm) Specification	数量QTY	材质Material
产品名称 Model NO.	KQ2X-A					①	面板Top panel	901*280*15	1	三胺板 Melamine
产品规格 Specification	901*362*900mm	 (E)* 34 木榫Ø8x30mm wood tenon	 (F)*8 塑料螺母 Plastic Nut	 (G)* 8 自攻螺丝M4x40mm Self tapping screw	 (H)* 25 自攻螺丝M3.5x12mm Self tapping screw	②	拉条1Brace 1	901*70*15	1	实木 Wood
安装工具 Tool	安装人数Installer					③	底板Bottom board	869*280*15	1	三胺板 Melamine
 		 (I)*2 三节滚珠导轨10~ Three-section rail	 (J)*11 背板扣 Back Panel Buckle	 (K)*10 脚垫-灰色毛毡 Foot pad	 (L)* 11 自攻螺丝M3.5x16mm Self tapping screw	④	拉条2Brace 2	869*70*15	1	实木 Wood
						⑤	固定层板Fixed shelf	869*258*15	1	三胺板 Melamine
		 (M)*2 拉手螺丝-M4x18mm Pulling screw	 (N)* 2 圆拉手 Round handle	 (O)*1 家具防倒器-白色 Anti-fall device	 (P)*2 棕色夹板条-l=868 splint strip	⑥	拉条3Brace 3	869*70*15	1	实木 Wood
						⑦	右侧板Side board (R)	885*280*15	1	三胺板 Melamine
		 (Q)*8 层板托5mm shelf support	 (R)*8 透明防撞垫片 Transparent anti-collision gasket			⑧	左侧板Side board (L)	885*280*15	1	三胺板 Melamine
						⑨	右立柱Stand column (R)	885*70*15	1	实木 Wood
						⑩	左立柱Stand column (L)	885*70*15	1	实木 Wood
						⑪	前后立水Front and back apron	869*58*15	2	三胺板 Melamine
						⑫	中立水Middle apron	310*58*15	1	三胺板 Melamine
						⑬	下中侧板Middle-down side panel	305*194*15	1	三胺板 Melamine
						⑭	中侧板Middle side board	603*265*15	1	三胺板 Melamine
						⑮	活动层板Movable shelf	426*265*15	2	三胺板 Melamine
						⑯	背板Back board	879*272*5	3	三胺板 Melamine
						⑰	趟门板Door plank	609*443*20	2	实木 Wood
						⑱	右抽屉面板Drawer's panel (R)	431.5*190*15	1	三胺板 Melamine
						⑲	左抽屉面板Drawer's panel (L)	431.5*190*15	1	三胺板 Melamine
						⑳	抽屉左侧板Drawer's side board (L)	295*142*12	2	三胺板 Melamine
						㉑	抽屉右侧板Drawer's side board (R)	295*142*12	2	三胺板 Melamine
						㉒	抽屉后板Drawer's Back board	377*142*12	2	三胺板 Melamine
						㉓	抽屉底板Drawer's Bottom board	387*291*5	2	三胺板 Melamine


KQ2X-A

安装方法

Installation method




二合一
two-in-one




塑料螺母
Plastic Nut


阀门开关(下压为开)
Valve switch (press down to open)




主轨 Main track




三节滚珠导轨-10"
Three-section rail



(A)*8




(B)*8




X2


1



(F)*8




(G)*8




X2


2



(M)*2




(H)*12



(N)*2



(I)*2




X2


3




(C)*4



(D)*4



(E)*4




4


KQ2X-A

安装方法


Installation method




二合一
two-in-one




(C)*2




(D)*2




5




(C)*5




(D)*5




6




(C)*4




(D)*4




(E)*4




7



(C)*6



(D)*6




8



KQ2X-A

安装方法



Installation method





二合一
two-in-one





9



10



11




12

KQ2X-A


安装方法

Installation method




二合一
two-in-one


阀门开关(下压为开)
Valve switch (press down to open)




主轨 Main track





三节滚珠导轨-10"
Three-section rail




(I)*2




(H)*12




(R)*8




13



(J)*10




(L)*10



15

KQ2X-A

安裝方法
Installation method



二合一
two-in-one

