





















LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)*8 二合一螺杆 2-in-1-screw	 (B)*8 大三合一锁饼 3-in-1 large lock	 (C)*8 木榫Ø8x30mm Wood tenon	 (D)*4 灰色毛毡垫 Foot pad	编号NO.	名称Name	规格(mm) Specification	数量QTY	材质Material
产品名称 Model NO.	KQ8E-A					①	顶底板Top base board	720*350*15	2	三胺板 Melamine
产品规格 Specification	720*350*363mm					②	右侧板Side board(R)	330*350*15	1	三胺板 Melamine
安装工具 Tool	安装人数Installer					③	左侧板Side board(L)	330*350*15	1	三胺板 Melamine
 		 (E)*29 白攻螺丝M3.5*12mm Tapping screw	 (F)*13 白攻螺丝M3.5*16mm Tapping screw	 (G)*6 背板扣 White buckle	 (H)*2 U型卡扣 U-shaped buckle	④	背板Back board	698*340*5	1	三胺板 Melamine
		 (I)*1 家具防倒器-白色 Anti-fall device	 (J)*2 三节滚珠导轨10" Three-section rail	 (K)*13 塑料螺母 Plastic Nut	 (L)*13 白攻螺丝M4*10mm Tapping screw	⑤	抽屉面板 Drawer's top panel	684*128*15	2	三胺板 Melamine
						⑥	抽屉后板 Drawer's Back board	638*78*12	2	三胺板 Melamine
						⑦	抽屉右侧板 Drawer's side board(R)	295*78*12	2	三胺板 Melamine
						⑧	抽屉左侧板 Drawer's side board(L)	295*78*12	2	三胺板 Melamine
						⑨	抽屉底板 Drawer's Bottom board	648*291*5	2	三胺板 Melamine
		 (M)*13 小二合一杆 2-in-1 small rod	 (N)*13 小三合一锁饼 3-in-1 small lock	 (O)*2 亚克力 Acrylic	 (P)*6 镜钉 Mirror nail	⑩	抽屉底托条 Drawer's bottom bracket	281*58*12	2	三胺板 Melamine
						⑪				
						⑫				
						⑬				
						⑭				
						⑮				
						⑯				
						⑰				
						⑱				
						⑲				
						⑳				
						㉑				
						㉒				
						㉓				
						㉔				
						㉕				

KQ8E-A


安装方法

Installation method




二合一 two-in-one

阀门开关(下压为开)
Valve switch (press down to open)




主轨 Main track



副轨 Sub track



三节滚珠导轨-10"
Three-section rail

- (M) *12
- (N) *12
- (L) *12
- (K) *12
- (A) *4
- (B) *4
- (C) *4




×2


- (E) *12
- (F) *6
- (J) *2
- (O) *2
- (P) *6



×2




- (A) *4
- (B) *4
- (C) *4




KQ8E-A

安装方法

Installation method





二合一 two-in-one



背板扣


Back Plate Buckle

阀门开关(下压为开)
Valve switch (press down to open)





主轨 Main track
副轨 Sub track
三节滚珠导轨-10"
Three-section rail

(E)*12
(J)*2




(J) 副轨
Sub track


(F)*6
(G)*6



(D)*4



接触地面需安装五金(D)
Hardware installation required for contact with the ground (D)




无接触地面不需安装五金(D)
No need to install hardware without touching the ground (D)


安装方法
Installation method

← (E) *4
(H) *2


组合连接方式, 如只购买单个柜体无需安装
Combination connection method, such as
purchasing only a single cabinet without
installation



上下组合安装方式
Upper and lower combination
installation method



左右组合安装方式
Left and right combination
installation method



柜子组合高度超600MM
需安装上防倒器
Cabinet combination
height exceeding
600MM requires
installation of an
anti fall device

