





















LINSY 林氏家居		五金表/Hardware list				部件表/Parts List				
安装示意图/Assembly Instruction		 (A)* 21 大三合一锁饼(15mm) Three-in-one large lock	 (B)* 21 二合一螺杆(35mm) 2-in-1-screw	 (C)* 13 木榫Ø8x30mm wood tenon	 (D)* 6 自攻螺丝M4x25mm Self-tapping screw	编号NO.	名称Name	规格 (mm) Specification	数量QTY	材质Material
产品名称 Model NO.	TV2G-A 1.2m	 (E)* 4 膨胀胶粒 Expanded colloidal particle	 (F)* 6 镜钉 Mirror nail	 (G)* 27 自攻螺丝M4x20mm Self-tapping screw	 (H)* 2 隐藏两节导轨 Hide two guide rails	①	面底板Bottom board	1163*348*15	2	三胺板Melamine
产品规格 Specification	1193*348*300mm					②	背板Back board	1163*270*15	1	三胺板Melamine
安装工具 Tool	安装人数 Installer					③	右侧板Side board(R)	348*300*15	1	三胺板Melamine
						④	左侧板Side board(L)	348*300*15	1	三胺板Melamine
		⑤	中侧板Middle side board	305*270*21	1	三胺板Melamine				
		⑥	饰条Decorative strip	567*58*15	2	三胺板Melamine				
 冲击钻 Percussion drill	 胶锤 Rubber hammer	 (I)* 2 门板亚克力 Door panel acrylic	 (J)* 4 自攻螺丝M4x40mm Self-tapping screw	 (K)*2 连接铁片 Connecting iron sheet	 (L)* 4 自攻螺丝M3.5x12mm Self-tapping screw	⑦	挂条Hanging board	1160*58*15	2	三胺板Melamine
		 (M)*1 家具防倒器-白色 Anti-fall device								

TV2G-A 1.2m


安装方法/
Installation method




大二合一
two-in-one




(A)*8




(B)*8




(C)*4




1




(A)*12




(B)*12



(C)*8




(D)*2




2


(G)*14 (I)*2




(H)*4




(F)*6




X2



3




(G)*12



(H)*4




(H)*4



4

TV2G-A 1.2m


5




(D)*4

6


安装方法/
Installation method




注意：翻门上方预留缝隙是设计用于翻门转动的空间，小心夹手，
Note: The reserved gap above the door is designed to turn the door, be careful not to pinch your hands.




注意！
挂条方向，斜边朝下
Pay attention to the direction of the hanging plate, with the beveled edge facing downward



(E)*4




(J)*4





注意！挂条方向，斜边朝上
Pay attention to the direction of the hanging plate, with the beveled edge facing downward

注意：实心墙厚度应不少于120mm，谨防打穿
Note: The thickness of the solid wall should not be less than 120mm to prevent penetration

7



安装方法/
Installation method




If purchasing the hardware KL for locking the lower cabinet


8

TV7E-A flip door bucket cabinet 1.2m

9



规格specifications:1195*349*884mm



实体墙
Solid wall

