# LINSY 林氏家居

## 安装示意图/Assembly Instruction

| | |
|---|---|
| 产品名称 Model NO. | 0V2C-A |
| 产品规格 Specification | 1048~816*448*1300mm |
| 安装工具 Tool | 安装人数Installer |









注意：妆台可左右互换安装
Tips: The product can be installed interchangeably from left to right.

## 五金表/Hardware list

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| (A)*11 小三合一锁饼 3 in 1 small lock | (B)*11 小二合一杆 2 in 1 small rod | (C)*45 二合一螺杆 2-in-1-screw | (D)*45 大三合一锁饼 3 in 1 large lock |  (E)*23 木榫08x30mm Wood tenon |  (F)*53 自攻螺丝M3.5*12mm Tapping screw |  (G)*13 自攻螺丝M3.5*16mm Tapping screw |  (H)*11 自攻螺丝M4*40mm Tapping screw |
| (I)*11 塑料螺母 Plastic Nut |  (J)*8 斜边十字螺杆M8*20mm Bevel croos screw | (K)*13 背板扣 White buckle | (L)*12 层板托5mm shelf support | (M)*2 趟门轮 Gate wheel | (N)*2 三节滚珠导轨10" Three-section rail |  (O)*2 垫片-黑色L=300mm Black shim |  (P)*1 家具防倒器 白色 Anti-fall device |
|  (Q)*2 缓冲门铰直弯-杯035 Straight bend hinge |  (R)*4 小角码（14*21*1.5mm） Small bracket |  (S)*5 灰色毛毡垫 Foot pad |  (T)*4 透明防撞垫片 Anti collision gasket |  (U)*2 垫片-M5 Shim | (V)*1 脚 Foot | | |

OV2C-A

## 安装方法
## Installation method

## 部件表/Parts List

| 编号NO. | 名称Name | 规格(mm) Specification | 数量QTY | 材质Material |
|---|---|---|---|---|
| ① | 顶板Top board | 786*144*15 | 1 | 三胺板 Melamine |
| ② | 固定层板Fixed shelf | 786*144*15 | 1 | 三胺板 Melamine |
| ③ | 上档板Upper baffle | 786*40*15 | 1 | 三胺板 Melamine |
| ④ | 右侧板Side board(R) | 701*448*15 | 1 | 三胺板 Melamine |
| ⑤ | 左侧板Side board(L) | 701*448*15 | 1 | 三胺板 Melamine |
| ⑥ | 上中侧板 Upper middle side board | 348*98*15 | 1 | 三胺板 Melamine |
| ⑦ | 活动层板Movable shelf | 384*98*15 | 2 | 三胺板 Melamine |
| ⑧ | 面板Top panel | 786*298*15 | 1 | 三胺板 Melamine |
| ⑨ | 底板Bottom board | 786*430*15 | 1 | 三胺板 Melamine |
| ⑩ | 中隔板Middle clapboard | 786*104*15 | 1 | 三胺板 Melamine |
| ⑪ | 面底板Bottom board | 786*129*15 | 1 | 三胺板 Melamine |
| ⑫ | 上背板Upper back board | 796*356*5 | 1 | 三胺板 Melamine |
| ⑬ | 下背板Lower back board | 796*274*5 | 1 | 三胺板 Melamine |
| ⑭ | 妆镜组合 Makeup mirror combination | 408*343*20 | 1 | 三胺板+镜子 Melamine+Mirror |
| ⑮ | 抽屉面板Drawer's top panel | 782*114*15 | 1 | 三胺板 Melamine |
| ⑯ | 抽屉左侧板 Drawer's side board(L) | 260*78*12 | 2 | 三胺板 Melamine |
| ⑰ | 抽屉右侧板 Drawer's side board(R) | 260*78*12 | 2 | 三胺板 Melamine |
| ⑱ | 抽屉后板Drawer's Back board | 736*78*12 | 1 | 三胺板 Melamine |
| ⑲ | 抽屉底板 Drawer's Bottom board | 746*256*5 | 1 | 三胺板 Melamine |
| ⑳ | 抽屉底托条 Drawer's bottom bracket | 246*58*12 | 1 | 三胺板 Melamine |
| ㉑ | 附柜面板 Attached counter board | 382*448*15 | 1 | 三胺板 Melamine |
| ㉒ | 附柜底板 Attached bottom board | 350*431*15 | 1 | 三胺板 Melamine |
| ㉓ | 附柜左侧板Sideboard of attached cabinet(L) | 579*431*15 | 1 | 三胺板 Melamine |
| ㉔ | 附柜右侧板Sideboard of attached cabinet(R) | 579*431*15 | 1 | 三胺板 Melamine |
| ㉕ | 附柜层板 Shelf of attached cabinet | 349*398*15 | 1 | 三胺板 Melamine |

## 部件表/Parts List

| 编号NO. | 名称Name | 规格(mm) Specification | 数量QTY | 材质Material |
|---|---|---|---|---|
| ㉖ | 拉条Brace | 350*58*15 | 2 | 三胺板 Melamine |
| ㉗ | 附柜背板 Attached back board | 516*360*5 | 1 | 三胺板 Melamine |
| ㉘ | 下门板Under door board | 401*380*15 | 1 | 三胺板 Melamine |
| ㉙ | 附柜抽屉面板 Cabinet drawer panel | 380*126*15 | 1 | 三胺板 Melamine |
| ㉚ | 下抽屉后板 Down drawer's back board | 300*78*12 | 1 | 三胺板 Melamine |
| ㉛ | 下抽屉底板 Bottom plate of lower drawer | 310*256*5 | 1 | 三胺板 Melamine |

OV2C-A

# 安装方法
# Installation method




二合一 two-in-one




塑料螺母 Plastic Nut

阀门开关(下压为开)
Valve switch(press down to open)







三节滚珠导轨-10″
Three-section rail

1




2




3




4



OV2C-A

# 安装方法
# Installation method




二合一 two-in-one







层板托5mm
shelf support

阀门开关(下压为开)
Valve switch(press down to open)







三节滚珠导轨-10″
Three-section rail

5







6




7







8



OV2C-A

# 安装方法
## Installation method




二合一 two-in-one

阀门开关(下压为开)
Valve switch(press down to open)

前 Forward ⇩ 后 Back






三节滚珠导轨-10″
Three-section rail

9

(J)*8
(V)*1
(O)*2




10

(C)*12
(E)*4
(F)*6
(N)*1







11

(D)*12
(S)*5




12

(C)*4
(D)*1
(E)*4



# 安装方法
# Installation method




门铰 llinge




背板扣
Back Plate Buckle

13

(L)*4




14

(Q)*2




15

(L)*8







16

(K)*12

(G)*12










注意！
请适当调整妆台长度，使妆台稳固不易倾倒。座位净空最窄不少于525mm，最长不长于531mm
Be careful !
Please adjust the length of the dresser appropriately to make it stable and not easy to topple. The narrowest seat clearance shall not be less than 525mm and the longest shall not be longer than 531mm.



注意！
使用产品时请适当调整主柜与边柜组合间距离，单独放置会有倾倒的风险。
Be careful !
Please properly adjust the distance between the attached and main cabinet. Placing the main cabinet alone will have a risk of dumping.