

**ACRYLIC LAMINATE 1.5 MM**

**6H** ANTI SCRATCH  
100% ACRYLIC  
TESTED & VERIFIED BY SGS

## About us

Hexalam Acrylic Laminates is a premium surface solution brand committed to redefining modern interiors through innovation, durability and aesthetics. Designed for those who seek elegance without compromise, Hexalam brings together cutting-edge acrylic technology and contemporary design to create surfaces that truly stand out.

Our acrylic laminates are known for their high-gloss finish, exceptional clarity, scratch resistance, and long-lasting color brilliance. Each sheet is engineered with precision to ensure superior performance, making Hexalam an ideal choice for modular kitchens, wardrobes, furniture, wall panels, and luxury interior applications.

At Hexalam, quality is not just a promise—it's a process. From stringent raw material selection to advanced manufacturing standards, every laminate reflects our dedication to consistency, reliability, and excellence. Our products are UV-resistant, moisture-resistant, easy to maintain, and crafted to withstand the demands of everyday living while maintaining their luxurious appeal.

Driven by design innovation and market insight, Hexalam offers a thoughtfully curated range of colors and finishes that align with evolving interior trends. We work closely with architects, designers, fabricators, and dealers to deliver solutions that elevate spaces and inspire creativity. Hexalam Acrylic Laminates—where technology meets timeless design, and surfaces transform into statements of style.

# FEATURES

## 6H ANTI-SCRATCH RESISTANCE

Treated with special lacquer coating on the surface, our 6H anti scratch acrylic laminates with 1.5 mm thickness can bear daily wear & tear.

## ANTI YELLOW

UV Resistance Protects the laminate surface from yellowing due to UV exposure. Lots of Range and Huge Collection Wide variety of designs.

## TERMITE & BORER RESISTANCE

Our laminates are specially treated to ensure they remain termite and borer free for several years.

## EASY INSTALLATION & LIGHT WEIGHT

For ease of use and effortless installation, our range of laminates have been developed in a way to keep them extremely light weight.

## ANTI BACTERIAL & ANTI FUNGAL

Helps maintain hygiene and prevents bacterial & fungal growth Low Porosity / Low Water Absorption which is Designed to resist moisture penetration water absorption.

## DURABLE

Special features accumulated with German Technology makes them strong & highly durable.

## INDEX

NAME	SERIES	PAGE NO.
WHITE	SOLID	02
GREY	SOLID	04
BROWN	SOLID	06
GREEN	SOLID	08 & 10
BLUE & PINK	SOLID	12
MISC.	SOLID	14
SHIMMER	SHIMMER	16 & 18
METALLIC	METALLIC	20
MARBLE	MARBLE	22



# Plain Colours



## WHITE SHADES



Where  
high gloss  
meets high class





# Plain Colours

## GREY SHADES



- 1.5 MM THICKNESS
- WATER PROOF
- 100% PURE ACRYLIC
- ANTI YELLOW
- ANTI SCRATCH
- ANTI RUST

Luxury Surfaces  
Timeless Shine





# Plain Colours

## BROWN SHADES



- 1.5 MM THICKNESS
- WATER PROOF
- 100% PURE ACRYLIC
- ANTI YELLOW
- ANTI SCRATCH
- ANTI RUST

Crafted for Spaces that Speak Style



# Plain Colours




## GREEN SHADES



Premium Deserves  
a Perfect Finish

- 1.5 MM THICKNESS
- WATER PROOF
- 100% PURE ACRYLIC
- ANTI YELLOW
- ANTI SCRATCH
- ANTI RUST
- TERMITE PROOF



# Plain Colours


## GREEN SHADES



- 1.5 MM THICKNESS
- WATER PROOF
- 100% PURE ACRYLIC
- ANTI YELLOW
- ANTI SCRATCH
- ANTI RUST



Gloss that  
Transforms Spaces




# Plain Colours

## BLUE & PINK SHADES



- 1.5 MM THICKNESS
- WATER PROOF
- 100% PURE ACRYLIC
- ANTI YELLOW
- ANTI SCRATCH
- ANTI RUST

Bold Colours  
Brilliant Shine




# Plain Colours



## MISC. SHADES



Designed to Reflect Your Style



- 1.5 MM THICKNESS
- WATER PROOF
- 100% PURE ACRYLIC
- ANTI YELLOW
- ANTI SCRATCH
- ANTI RUST
- TERMITE PROOF






# SHIMMER SHADE



*Gloss that Transforms Spaces*





## SHIMMER SHADE



- 1.5 MM THICKNESS
- WATER PROOF
- 100% PURE ACRYLIC
- ANTI YELLOW
- ANTI SCRATCH
- ANTI RUST

*Designed to dazzle.*




**METALLIC SHADES**



*Make your  
Spaces sparkle*

-   
THICKNESS
-   
WATER PROOF
-   
PURE ACRYLIC
-   
ANTI YELLOW
-   
ANTI SCRATCH
-   
ANTI RUST
-   
TERMITE PROOF



# Marble Shades



**HL MB-01 | BALCK & WHITE MARBLE**



**HL MB-03 | NATURAL STONE**



**HL MB-02 | SATVARIO**




**HL MB-04 | WHITE GOLDEN**





# Product Structure



Sheet Size: 8'x4' (2440x1220 mm)

Sheet Standard Thickness: 1.5 mm

## DISCLAIMER

The Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. We recommend customers to inspect products properly before installing.

Product's warranty in no way covers defects and non-compliance from or otherwise attributable to any other causes, including, without limitation the following:

- Improper handling / transportation / storage of Hexalam Acrylic Laminates.
- Improper installation of Hexalam Acrylic Laminates.
- Improper or unintended usage of Hexalam Acrylic Laminates.
- Lack of or improper maintenance of Hexalam Acrylic Laminates.
- Exposure to high temperatures.
- Unauthorized alteration to the products.
- Outdoor applications.
- Do not use plywood with high moisture content.
- Do not use ply with uneven surface.

# ABOUT ACRYLIC LAMINATES

Acrylic Laminates are the perfect blend of luxury aesthetics and long-lasting performance. Crafted with a high-gloss mirror-like finish, these laminates bring unmatched depth, clarity, and elegance to modern interiors.

Their smooth, non-porous surface enhances color vibrancy while ensuring superior resistance to scratches, stains, and moisture. Ideal for kitchens, wardrobes, wall panels, office furniture, and retail spaces, acrylic laminates elevate any space with a sleek, contemporary appeal.

Easy to maintain and eco-friendly, they retain their shine for years, making them a smart choice for both residential and commercial applications.



**6H ANTI-SCRATCH RESISTANCE**

Treated with special lacquer coating on the surface, our 6H anti scratch acrylic laminates with 1.5 mm thickness can bear daily wear & tear.

**ANTI YELLOW**

UV Resistance Protects the laminate surface from yellowing due to UV exposure. Lots of Range and Huge Collection Wide variety of designs.

**ANTI BACTERIAL & ANTI FUNGAL**

Helps maintain hygiene and prevents bacterial & fungal growth Low Porosity / Low Water Absorption which is Designed to resist moisture penetration water absorption.

**TERMITE & BORER RESISTANCE**


Our laminates are specially treated to ensure they remain termite and borer free for several years.

**EASY INSTALLATION & LIGHT WEIGHT**

For ease of use and effortless installation, our range of laminates have been developed in a way to keep them extremely light weight.

**DURABLE**

Special features accumulated with German Technology makes them strong & highly durable.



Reasons for Air Bubble Formations on Acrylic Sheets to avoid delamination / air bubbles in between ply and laminate, the below steps should be taken care of Bonding of acrylic sheets shouldn't be completed under high humidity.

**Common Reasons:**

- Acrylics are bonded in extremely humid conditions.
- De-bonding in certain areas because of uneven substrate surface.
- Use of water-base synthetic resin adhesive other than the PEVA (Polyethylene Vinyl Acetate Co-polymer).
- Insufficient or lack of pressing during the bonding period of laminate.
- When substrate loses moisture after installation.
- Use of extremely large acrylic/PVC sheets(more than 8 ft × 2 ft long) Causes of Yellow Patches and Colour Fading After Installation.
- Exposure to direct sunlight can greatly affect a laminate's appearance.
- Use of inferior or sub-standard dipped plywood or dipped lining board, which may chemically react with the adhesive.
- The use of synthetic rubber adhesives such as SR / Tap Tap, Paste, Fevicol, Heatax, etc.
- Prolonged exposure to high temperature (above 30°C – 35°C).
- If hot cookware or utensils are directly placed on the laminates Causes of Crack Lines or Stretch Lines in Acrylic Laminates Sheets.
- Improper storage and handling of acrylic laminate sheets Important

**Note: To avoid inside cracks & stretch lines, do not store acrylic sheets in roll form.**

