



## East Bay Community Energy Rate Sheets

Rates effective as of August 1, 2020

This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
A1	Summer	0.09962	0.10095	0.11095	0.03255	0.13217	0.13350	0.14350	0.13350	kWh
A1	Winter	0.05988	0.06081	0.07081	0.03255	0.09243	0.09336	0.10336	0.09336	kWh
A10P	Max Demand Summer	4.96980	5.02000	5.02000		4.96980	5.02000	5.02000	5.02000	kW
A10P	Summer	0.07692	0.07805	0.08805	0.03506	0.11198	0.11311	0.12311	0.11311	kWh
A10P	Winter	0.05341	0.05430	0.06430	0.03506	0.08847	0.08936	0.09936	0.08936	kWh
A10PX	Max Demand Summer	4.96980	5.02000	5.02000		4.96980	5.02000	5.02000	5.02000	kW
A10PX	Off-Peak Summer	0.05218	0.05306	0.06306	0.03506	0.08724	0.08812	0.09812	0.08812	kWh
A10PX	Off-Peak Winter	0.04926	0.05011	0.06011	0.03506	0.08432	0.08517	0.09517	0.08517	kWh
A10PX	Part-Peak Summer	0.07854	0.07969	0.08969	0.03506	0.11360	0.11475	0.12475	0.11475	kWh
A10PX	Part-Peak Winter	0.06498	0.06599	0.07599	0.03506	0.10004	0.10105	0.11105	0.10105	kWh
A10PX	Peak Summer	0.12860	0.13025	0.14025	0.03506	0.16366	0.16531	0.17531	0.16531	kWh
A10S	Max Demand Summer	5.72220	5.78000	5.78000		5.72220	5.78000	5.78000	5.78000	kW
A10S	Summer	0.08702	0.08825	0.09825	0.03506	0.12208	0.12331	0.13331	0.12331	kWh
A10S	Winter	0.05998	0.06094	0.07094	0.03506	0.09504	0.09600	0.10600	0.09600	kWh
A10SX	Max Demand Summer	5.72220	5.78000	5.78000		5.72220	5.78000	5.78000	5.78000	kW
A10SX	Off-Peak Summer	0.05800	0.05894	0.06894	0.03506	0.09306	0.09400	0.10400	0.09400	kWh
A10SX	Off-Peak Winter	0.05312	0.05401	0.06401	0.03506	0.08818	0.08907	0.09907	0.08907	kWh
A10SX	Part-Peak Summer	0.08579	0.08701	0.09701	0.03506	0.12085	0.12207	0.13207	0.12207	kWh
A10SX	Part-Peak Winter	0.07001	0.07107	0.08107	0.03506	0.10507	0.10613	0.11613	0.10613	kWh
A10SX	Peak Summer	0.14037	0.14214	0.15214	0.03506	0.17543	0.17720	0.18720	0.17720	kWh
A10T	Max Demand Summer	3.91050	3.95000	3.95000		3.91050	3.95000	3.95000	3.95000	kW



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
A10T	Summer	0.06722	0.06825	0.07825	0.03506	0.10228	0.10331	0.11331	0.10331	kWh
A10T	Winter	0.04665	0.04748	0.05748	0.03506	0.08171	0.08254	0.09254	0.08254	kWh
A10TX	Max Demand Summer	3.91050	3.95000	3.95000		3.91050	3.95000	3.95000	3.95000	kW
A10TX	Off-Peak Summer	0.04259	0.04337	0.05337	0.03506	0.07765	0.07843	0.08843	0.07843	kWh
A10TX	Off-Peak Winter	0.04154	0.04231	0.05231	0.03506	0.07660	0.07737	0.08737	0.07737	kWh
A10TX	Part-Peak Summer	0.06763	0.06867	0.07867	0.03506	0.10269	0.10373	0.11373	0.10373	kWh
A10TX	Part-Peak Winter	0.05596	0.05688	0.06688	0.03506	0.09102	0.09194	0.10194	0.09194	kWh
A10TX	Peak Summer	0.11404	0.11555	0.12555	0.03506	0.14910	0.15061	0.16061	0.15061	kWh
A15	Summer	0.09962	0.10095	0.11095	0.03255	0.13217	0.13350	0.14350	0.13350	kWh
A15	Winter	0.05988	0.06081	0.07081	0.03255	0.09243	0.09336	0.10336	0.09336	kWh
A1X	Off-Peak Summer	0.06398	0.06495	0.07495	0.03255	0.09653	0.09750	0.10750	0.09750	kWh
A1X	Off-Peak Winter	0.07016	0.07120	0.08120	0.03255	0.10271	0.10375	0.11375	0.10375	kWh
A1X	Part-Peak Summer	0.09106	0.09231	0.10231	0.03255	0.12361	0.12486	0.13486	0.12486	kWh
A1X	Part-Peak Winter	0.09086	0.09211	0.10211	0.03255	0.12341	0.12466	0.13466	0.12466	kWh
A1X	Peak Summer	0.11447	0.11596	0.12596	0.03255	0.14702	0.14851	0.15851	0.14851	kWh
A6	Off-Peak Summer	0.05849	0.05941	0.06941	0.03255	0.09104	0.09196	0.10196	0.09196	kWh
A6	Off-Peak Winter	0.06638	0.06738	0.07738	0.03255	0.09893	0.09993	0.10993	0.09993	kWh
A6	Part-Peak Summer	0.11621	0.11771	0.12771	0.03255	0.14876	0.15026	0.16026	0.15026	kWh
A6	Part-Peak Winter	0.08371	0.08488	0.09488	0.03255	0.11626	0.11743	0.12743	0.11743	kWh
A6	Peak Summer	0.35339	0.35729	0.36729	0.03255	0.38594	0.38984	0.39984	0.38984	kWh
AG1A	Connected Load Summer	1.53450	1.55000	1.55000		1.53450	1.55000	1.55000	1.55000	kW
AG1A	Summer	0.08146	0.08259	0.09259	0.03039	0.11185	0.11298	0.12298	0.11298	kWh
AG1A	Winter	0.06025	0.06117	0.07117	0.03039	0.09064	0.09156	0.10156	0.09156	kWh
AG1B	Max Demand Summer	2.31660	2.34000	2.34000		2.31660	2.34000	2.34000	2.34000	kW
AG1B	Summer	0.08517	0.08634	0.09634	0.03039	0.11556	0.11673	0.12673	0.11673	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
AG1B	Winter	0.06076	0.06168	0.07168	0.03039	0.09115	0.09207	0.10207	0.09207	kWh
AG4A	Connected Load Summer	1.55430	1.57000	1.57000		1.55430	1.57000	1.57000	1.57000	kW
AG4A	Off-Peak Summer	0.04950	0.05031	0.06031	0.03039	0.07989	0.08070	0.09070	0.08070	kWh
AG4A	Off-Peak Winter	0.04217	0.04290	0.05290	0.03039	0.07256	0.07329	0.08329	0.07329	kWh
AG4A	Part-Peak Winter	0.05402	0.05487	0.06487	0.03039	0.08441	0.08526	0.09526	0.08526	kWh
AG4A	Peak Summer	0.14895	0.15076	0.16076	0.03039	0.17934	0.18115	0.19115	0.18115	kWh
AG4B	Max Demand Summer	2.74230	2.77000	2.77000		2.74230	2.77000	2.77000	2.77000	kW
AG4B	Max Peak Demand Summer	2.92050	2.95000	2.95000		2.92050	2.95000	2.95000	2.95000	kW
AG4B	Off-Peak Summer	0.05084	0.05166	0.06166	0.03039	0.08123	0.08205	0.09205	0.08205	kWh
AG4B	Off-Peak Winter	0.03765	0.03834	0.04834	0.03039	0.06804	0.06873	0.07873	0.06873	kWh
AG4B	Part-Peak Winter	0.04892	0.04972	0.05972	0.03039	0.07931	0.08011	0.09011	0.08011	kWh
AG4B	Peak Summer	0.10683	0.10822	0.11822	0.03039	0.13722	0.13861	0.14861	0.13861	kWh
AG4C	Max Part-Peak Demand Summer	1.15830	1.17000	1.17000		1.15830	1.17000	1.17000	1.17000	kW
AG4C	Max Peak Demand Summer	6.79140	6.86000	6.86000		6.79140	6.86000	6.86000	6.86000	kW
AG4C	Off-Peak Summer	0.03615	0.03682	0.04682	0.03039	0.06654	0.06721	0.07721	0.06721	kWh
AG4C	Off-Peak Winter	0.03260	0.03324	0.04324	0.03039	0.06299	0.06363	0.07363	0.06363	kWh
AG4C	Part-Peak Summer	0.06048	0.06140	0.07140	0.03039	0.09087	0.09179	0.10179	0.09179	kWh
AG4C	Part-Peak Winter	0.04306	0.04380	0.05380	0.03039	0.07345	0.07419	0.08419	0.07419	kWh
AG4C	Peak Summer	0.12745	0.12904	0.13904	0.03039	0.15784	0.15943	0.16943	0.15943	kWh
AG5A	Connected Load Summer	4.22730	4.27000	4.27000		4.22730	4.27000	4.27000	4.27000	kW
AG5A	Off-Peak Summer	0.05412	0.05497	0.06497	0.03039	0.08451	0.08536	0.09536	0.08536	kWh
AG5A	Off-Peak Winter	0.04554	0.04631	0.05631	0.03039	0.07593	0.07670	0.08670	0.07670	kWh
AG5A	Part-Peak Winter	0.05791	0.05880	0.06880	0.03039	0.08830	0.08919	0.09919	0.08919	kWh
AG5A	Peak Summer	0.13621	0.13789	0.14789	0.03039	0.16660	0.16828	0.17828	0.16828	kWh
AG5B	Max Demand Summer	5.14800	5.20000	5.20000		5.14800	5.20000	5.20000	5.20000	kW



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
AG5B	Max Peak Demand Summer	6.44490	6.51000	6.51000		6.44490	6.51000	6.51000	6.51000	kW
AG5B	Off-Peak Summer	0.02683	0.02741	0.03741	0.03039	0.05722	0.05780	0.06780	0.05780	kWh
AG5B	Off-Peak Winter	0.01764	0.01813	0.02813	0.03039	0.04803	0.04852	0.05852	0.04852	kWh
AG5B	Part-Peak Winter	0.04905	0.04985	0.05985	0.03039	0.07944	0.08024	0.09024	0.08024	kWh
AG5B	Peak Summer	0.13342	0.13507	0.14507	0.03039	0.16381	0.16546	0.17546	0.16546	kWh
AG5C	Max Part-Peak Demand Summer	2.25720	2.28000	2.28000		2.25720	2.28000	2.28000	2.28000	kW
AG5C	Max Peak Demand Summer	11.99880	12.12000	12.12000		11.99880	12.12000	12.12000	12.12000	kW
AG5C	Off-Peak Summer	0.02900	0.02960	0.03960	0.03039	0.05939	0.05999	0.06999	0.05999	kWh
AG5C	Off-Peak Winter	0.02576	0.02633	0.03633	0.03039	0.05615	0.05672	0.06672	0.05672	kWh
AG5C	Part-Peak Summer	0.04993	0.05074	0.06074	0.03039	0.08032	0.08113	0.09113	0.08113	kWh
AG5C	Part-Peak Winter	0.03528	0.03594	0.04594	0.03039	0.06567	0.06633	0.07633	0.06633	kWh
AG5C	Peak Summer	0.10615	0.10753	0.11753	0.03039	0.13654	0.13792	0.14792	0.13792	kWh
AGA1	Off-Peak Summer	0.07296	0.07400	0.08400	0.03039	0.10335	0.10439	0.11439	0.10439	kWh
AGA1	Off-Peak Winter	0.04348	0.04423	0.05423	0.03039	0.07387	0.07462	0.08462	0.07462	kWh
AGA1	Peak Summer	0.19144	0.19368	0.20368	0.03039	0.22183	0.22407	0.23407	0.22407	kWh
AGA1	Peak Winter	0.06967	0.07068	0.08068	0.03039	0.10006	0.10107	0.11107	0.10107	kWh
AGA2	Off-Peak Summer	0.07296	0.07400	0.08400	0.03039	0.10335	0.10439	0.11439	0.10439	kWh
AGA2	Off-Peak Winter	0.04348	0.04423	0.05423	0.03039	0.07387	0.07462	0.08462	0.07462	kWh
AGA2	Peak Summer	0.19144	0.19368	0.20368	0.03039	0.22183	0.22407	0.23407	0.22407	kWh
AGA2	Peak Winter	0.06967	0.07068	0.08068	0.03039	0.10006	0.10107	0.11107	0.10107	kWh
AGB	Off-Peak Summer	0.08973	0.09094	0.10094	0.03039	0.12012	0.12133	0.13133	0.12133	kWh
AGB	Off-Peak Winter	0.05850	0.05940	0.06940	0.03039	0.08889	0.08979	0.09979	0.08979	kWh
AGB	Peak Summer	0.21157	0.21401	0.22401	0.03039	0.24196	0.24440	0.25440	0.24440	kWh
AGB	Peak Winter	0.08444	0.08560	0.09560	0.03039	0.11483	0.11599	0.12599	0.11599	kWh
AGC	Max Peak Demand Summer	12.39480	12.52000	12.52000		12.39480	12.52000	12.52000	12.52000	kW



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
AGC	Off-Peak Summer	0.05530	0.05617	0.06617	0.03039	0.08569	0.08656	0.09656	0.08656	kWh
AGC	Off-Peak Winter	0.04473	0.04549	0.05549	0.03039	0.07512	0.07588	0.08588	0.07588	kWh
AGC	Peak Summer	0.08449	0.08565	0.09565	0.03039	0.11488	0.11604	0.12604	0.11604	kWh
AGC	Peak Winter	0.07000	0.07101	0.08101	0.03039	0.10039	0.10140	0.11140	0.10140	kWh
AGFA	Off-Peak Summer	0.08104	0.08217	0.09217	0.03039	0.11143	0.11256	0.12256	0.11256	kWh
AGFA	Off-Peak Winter	0.04476	0.04552	0.05552	0.03039	0.07515	0.07591	0.08591	0.07591	kWh
AGFA	Peak Summer	0.15741	0.15931	0.16931	0.03039	0.18780	0.18970	0.19970	0.18970	kWh
AGFA	Peak Winter	0.07095	0.07197	0.08197	0.03039	0.10134	0.10236	0.11236	0.10236	kWh
AGFB	Off-Peak Summer	0.09900	0.10031	0.11031	0.03039	0.12939	0.13070	0.14070	0.13070	kWh
AGFB	Off-Peak Winter	0.06088	0.06180	0.07180	0.03039	0.09127	0.09219	0.10219	0.09219	kWh
AGFB	Peak Summer	0.17950	0.18162	0.19162	0.03039	0.20989	0.21201	0.22201	0.21201	kWh
AGFB	Peak Winter	0.08706	0.08825	0.09825	0.03039	0.11745	0.11864	0.12864	0.11864	kWh
AGFC	Max Peak Demand Summer	12.39480	12.52000	12.52000		12.39480	12.52000	12.52000	12.52000	kW
AGFC	Off-Peak Summer	0.06220	0.06314	0.07314	0.03039	0.09259	0.09353	0.10353	0.09353	kWh
AGFC	Off-Peak Winter	0.05145	0.05228	0.06228	0.03039	0.08184	0.08267	0.09267	0.08267	kWh
AGFC	Peak Summer	0.09191	0.09315	0.10315	0.03039	0.12230	0.12354	0.13354	0.12354	kWh
AGFC	Peak Winter	0.07764	0.07873	0.08873	0.03039	0.10803	0.10912	0.11912	0.10912	kWh
AGRA	Connected Load Summer	1.51470	1.53000	1.53000		1.51470	1.53000	1.53000	1.53000	kW
AGRA	Off-Peak Summer	0.04806	0.04885	0.05885	0.03039	0.07845	0.07924	0.08924	0.07924	kWh
AGRA	Off-Peak Winter	0.04369	0.04444	0.05444	0.03039	0.07408	0.07483	0.08483	0.07483	kWh
AGRA	Part-Peak Winter	0.05594	0.05681	0.06681	0.03039	0.08633	0.08720	0.09720	0.08720	kWh
AGRA	Peak Summer	0.26918	0.27221	0.28221	0.03039	0.29957	0.30260	0.31260	0.30260	kWh
AGRB	Max Demand Summer	2.25720	2.28000	2.28000		2.25720	2.28000	2.28000	2.28000	kW
AGRB	Max Peak Demand Summer	2.53440	2.56000	2.56000		2.53440	2.56000	2.56000	2.56000	kW
AGRB	Off-Peak Summer	0.04740	0.04819	0.05819	0.03039	0.07779	0.07858	0.08858	0.07858	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
AGRB	Off-Peak Winter	0.03120	0.03182	0.04182	0.03039	0.06159	0.06221	0.07221	0.06221	kWh
AGRB	Part-Peak Winter	0.04129	0.04201	0.05201	0.03039	0.07168	0.07240	0.08240	0.07240	kWh
AGRB	Peak Summer	0.24108	0.24382	0.25382	0.03039	0.27147	0.27421	0.28421	0.27421	kWh
AGVA	Connected Load Summer	1.58400	1.60000	1.60000		1.58400	1.60000	1.60000	1.60000	kW
AGVA	Off-Peak Summer	0.04504	0.04580	0.05580	0.03039	0.07543	0.07619	0.08619	0.07619	kWh
AGVA	Off-Peak Winter	0.04225	0.04298	0.05298	0.03039	0.07264	0.07337	0.08337	0.07337	kWh
AGVA	Part-Peak Winter	0.05425	0.05510	0.06510	0.03039	0.08464	0.08549	0.09549	0.08549	kWh
AGVA	Peak Summer	0.23221	0.23486	0.24486	0.03039	0.26260	0.26525	0.27525	0.26525	kWh
AGVB	Max Demand Summer	2.08890	2.11000	2.11000		2.08890	2.11000	2.11000	2.11000	kW
AGVB	Max Peak Demand Summer	2.69280	2.72000	2.72000		2.69280	2.72000	2.72000	2.72000	kW
AGVB	Off-Peak Summer	0.04589	0.04666	0.05666	0.03039	0.07628	0.07705	0.08705	0.07705	kWh
AGVB	Off-Peak Winter	0.03175	0.03238	0.04238	0.03039	0.06214	0.06277	0.07277	0.06277	kWh
AGVB	Part-Peak Winter	0.04199	0.04272	0.05272	0.03039	0.07238	0.07311	0.08311	0.07311	kWh
AGVB	Peak Summer	0.21510	0.21758	0.22758	0.03039	0.24549	0.24797	0.25797	0.24797	kWh
B1	Off-Peak Summer	0.07371	0.07478	0.08478	0.03255	0.10626	0.10733	0.11733	0.10733	kWh
B1	Off-Peak Winter	0.07239	0.07345	0.08345	0.03255	0.10494	0.10600	0.11600	0.10600	kWh
B1	Part-Peak Summer	0.09431	0.09559	0.10559	0.03255	0.12686	0.12814	0.13814	0.12814	kWh
B1	Peak Summer	0.14305	0.14482	0.15482	0.03255	0.17560	0.17737	0.18737	0.17737	kWh
B1	Peak Winter	0.08835	0.08957	0.09957	0.03255	0.12090	0.12212	0.13212	0.12212	kWh
B1	Super-Off-Peak Winter	0.05613	0.05703	0.06703	0.03255	0.08868	0.08958	0.09958	0.08958	kWh
B1-ST	Off-Peak Summer	0.07036	0.07140	0.08140	0.03255	0.10291	0.10395	0.11395	0.10395	kWh
B1-ST	Off-Peak Winter	0.06372	0.06469	0.07469	0.03255	0.09627	0.09724	0.10724	0.09724	kWh
B1-ST	Part-Peak Summer	0.10575	0.10715	0.11715	0.03255	0.13830	0.13970	0.14970	0.13970	kWh
B1-ST	Part-Peak Winter	0.08550	0.08669	0.09669	0.03255	0.11805	0.11924	0.12924	0.11924	kWh
B1-ST	Peak Summer	0.14779	0.14961	0.15961	0.03255	0.18034	0.18216	0.19216	0.18216	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
B1-ST	Peak Winter	0.09771	0.09903	0.10903	0.03255	0.13026	0.13158	0.14158	0.13158	kWh
B1-ST	Super Off-Peak Winter	0.04746	0.04827	0.05827	0.03255	0.08001	0.08082	0.09082	0.08082	kWh
B10P	Off-Peak Summer	0.06250	0.06349	0.07349	0.03506	0.09756	0.09855	0.10855	0.09855	kWh
B10P	Off-Peak Winter	0.06337	0.06436	0.07436	0.03506	0.09843	0.09942	0.10942	0.09942	kWh
B10P	Part-Peak Summer	0.09303	0.09432	0.10432	0.03506	0.12809	0.12938	0.13938	0.12938	kWh
B10P	Peak Summer	0.15075	0.15263	0.16263	0.03506	0.18581	0.18769	0.19769	0.18769	kWh
B10P	Peak Winter	0.09666	0.09799	0.10799	0.03506	0.13172	0.13305	0.14305	0.13305	kWh
B10P	Super-Off-Peak Winter	0.02739	0.02802	0.03802	0.03506	0.06245	0.06308	0.07308	0.06308	kWh
B10S	Off-Peak Summer	0.07151	0.07259	0.08259	0.03506	0.10657	0.10765	0.11765	0.10765	kWh
B10S	Off-Peak Winter	0.07224	0.07332	0.08332	0.03506	0.10730	0.10838	0.11838	0.10838	kWh
B10S	Part-Peak Summer	0.10376	0.10516	0.11516	0.03506	0.13882	0.14022	0.15022	0.14022	kWh
B10S	Peak Summer	0.16483	0.16685	0.17685	0.03506	0.19989	0.20191	0.21191	0.20191	kWh
B10S	Peak Winter	0.10736	0.10880	0.11880	0.03506	0.14242	0.14386	0.15386	0.14386	kWh
B10S	Super-Off-Peak Winter	0.03626	0.03698	0.04698	0.03506	0.07132	0.07204	0.08204	0.07204	kWh
B10T	Off-Peak Summer	0.05256	0.05344	0.06344	0.03506	0.08762	0.08850	0.09850	0.08850	kWh
B10T	Off-Peak Winter	0.05348	0.05437	0.06437	0.03506	0.08854	0.08943	0.09943	0.08943	kWh
B10T	Part-Peak Summer	0.08232	0.08351	0.09351	0.03506	0.11738	0.11857	0.12857	0.11857	kWh
B10T	Peak Summer	0.13850	0.14025	0.15025	0.03506	0.17356	0.17531	0.18531	0.17531	kWh
B10T	Peak Winter	0.08598	0.08720	0.09720	0.03506	0.12104	0.12226	0.13226	0.12226	kWh
B10T	Super-Off-Peak Winter	0.01750	0.01803	0.02803	0.03506	0.05256	0.05309	0.06309	0.05309	kWh
B19P	Max Part-Peak Demand Summer	1.85130	1.87000	1.87000		1.85130	1.87000	1.87000	1.87000	kW
B19P	Max Peak Demand Summer	12.63240	12.76000	12.76000		12.63240	12.76000	12.76000	12.76000	kW
B19P	Max Peak Demand Winter	1.29690	1.31000	1.31000		1.29690	1.31000	1.31000	1.31000	kW
B19P	Off-Peak Summer	0.04775	0.04856	0.05856	0.03213	0.07988	0.08069	0.09069	0.08069	kWh
B19P	Off-Peak Winter	0.04788	0.04869	0.05869	0.03213	0.08001	0.08082	0.09082	0.08082	kWh





This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
B19P	Part-Peak Summer	0.06723	0.06823	0.07823	0.03213	0.09936	0.10036	0.11036	0.10036	kWh
B19P	Peak Summer	0.08962	0.09085	0.10085	0.03213	0.12175	0.12298	0.13298	0.12298	kWh
B19P	Peak Winter	0.07748	0.07859	0.08859	0.03213	0.10961	0.11072	0.12072	0.11072	kWh
B19P	Super-Off-Peak Winter	0.00577	0.00615	0.01615	0.03213	0.03790	0.03828	0.04828	0.03828	kWh
B19PR	Off-Peak Summer	0.05069	0.05153	0.06153	0.03213	0.08282	0.08366	0.09366	0.08366	kWh
B19PR	Off-Peak Winter	0.05080	0.05164	0.06164	0.03213	0.08293	0.08377	0.09377	0.08377	kWh
B19PR	Part-Peak Summer	0.08573	0.08692	0.09692	0.03213	0.11786	0.11905	0.12905	0.11905	kWh
B19PR	Peak Summer	0.20803	0.21046	0.22046	0.03213	0.24016	0.24259	0.25259	0.24259	kWh
B19PR	Peak Winter	0.08808	0.08929	0.09929	0.03213	0.12021	0.12142	0.13142	0.12142	kWh
B19PR	Super-Off-Peak Winter	0.01534	0.01582	0.02582	0.03213	0.04747	0.04795	0.05795	0.04795	kWh
B19PS	Off-Peak Summer	0.05069	0.05153	0.06153	0.03213	0.08282	0.08366	0.09366	0.08366	kWh
B19PS	Off-Peak Winter	0.05080	0.05164	0.06164	0.03213	0.08293	0.08377	0.09377	0.08377	kWh
B19PS	Part-Peak Summer	0.08573	0.08692	0.09692	0.03213	0.11786	0.11905	0.12905	0.11905	kWh
B19PS	Peak Summer	0.20803	0.21046	0.22046	0.03213	0.24016	0.24259	0.25259	0.24259	kWh
B19PS	Peak Winter	0.08808	0.08929	0.09929	0.03213	0.12021	0.12142	0.13142	0.12142	kWh
B19PS	Super-Off-Peak Winter	0.01534	0.01582	0.02582	0.03213	0.04747	0.04795	0.05795	0.04795	kWh
B19S	Max Part-Peak Demand Summer	2.14830	2.17000	2.17000		2.14830	2.17000	2.17000	2.17000	kW
B19S	Max Peak Demand Summer	14.77080	14.92000	14.92000		14.77080	14.92000	14.92000	14.92000	kW
B19S	Max Peak Demand Winter	1.75230	1.77000	1.77000		1.75230	1.77000	1.77000	1.77000	kW
B19S	Off-Peak Summer	0.05491	0.05579	0.06579	0.03213	0.08704	0.08792	0.09792	0.08792	kWh
B19S	Off-Peak Winter	0.05483	0.05571	0.06571	0.03213	0.08696	0.08784	0.09784	0.08784	kWh
B19S	Part-Peak Summer	0.07577	0.07686	0.08686	0.03213	0.10790	0.10899	0.11899	0.10899	kWh
B19S	Peak Summer	0.10526	0.10665	0.11665	0.03213	0.13739	0.13878	0.14878	0.13878	kWh
B19S	Peak Winter	0.08653	0.08773	0.09773	0.03213	0.11866	0.11986	0.12986	0.11986	kWh
B19S	Super-Off-Peak Winter	0.01230	0.01275	0.02275	0.03213	0.04443	0.04488	0.05488	0.04488	kWh





This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
B19SR	Off-Peak Summer	0.05912	0.06004	0.07004	0.03213	0.09125	0.09217	0.10217	0.09217	kWh
B19SR	Off-Peak Winter	0.05905	0.05997	0.06997	0.03213	0.09118	0.09210	0.10210	0.09210	kWh
B19SR	Part-Peak Summer	0.09724	0.09855	0.10855	0.03213	0.12937	0.13068	0.14068	0.13068	kWh
B19SR	Peak Summer	0.23146	0.23412	0.24412	0.03213	0.26359	0.26625	0.27625	0.26625	kWh
B19SR	Peak Winter	0.10095	0.10229	0.11229	0.03213	0.13308	0.13442	0.14442	0.13442	kWh
B19SR	Super-Off-Peak Winter	0.02359	0.02415	0.03415	0.03213	0.05572	0.05628	0.06628	0.05628	kWh
B19SS	Off-Peak Summer	0.05912	0.06004	0.07004	0.03213	0.09125	0.09217	0.10217	0.09217	kWh
B19SS	Off-Peak Winter	0.05905	0.05997	0.06997	0.03213	0.09118	0.09210	0.10210	0.09210	kWh
B19SS	Part-Peak Summer	0.09724	0.09855	0.10855	0.03213	0.12937	0.13068	0.14068	0.13068	kWh
B19SS	Peak Summer	0.23146	0.23412	0.24412	0.03213	0.26359	0.26625	0.27625	0.26625	kWh
B19SS	Peak Winter	0.10095	0.10229	0.11229	0.03213	0.13308	0.13442	0.14442	0.13442	kWh
B19SS	Super-Off-Peak Winter	0.02359	0.02415	0.03415	0.03213	0.05572	0.05628	0.06628	0.05628	kWh
B19T	Max Part-Peak Demand Summer	2.41560	2.44000	2.44000		2.41560	2.44000	2.44000	2.44000	kW
B19T	Max Peak Demand Summer	9.66240	9.76000	9.76000		9.66240	9.76000	9.76000	9.76000	kW
B19T	Max Peak Demand Winter	0.93060	0.94000	0.94000		0.93060	0.94000	0.94000	0.94000	kW
B19T	Off-Peak Summer	0.04800	0.04881	0.05881	0.03213	0.08013	0.08094	0.09094	0.08094	kWh
B19T	Off-Peak Winter	0.04826	0.04907	0.05907	0.03213	0.08039	0.08120	0.09120	0.08120	kWh
B19T	Part-Peak Summer	0.06747	0.06848	0.07848	0.03213	0.09960	0.10061	0.11061	0.10061	kWh
B19T	Peak Summer	0.07662	0.07772	0.08772	0.03213	0.10875	0.10985	0.11985	0.10985	kWh
B19T	Peak Winter	0.07784	0.07895	0.08895	0.03213	0.10997	0.11108	0.12108	0.11108	kWh
B19T	Super-Off-Peak Winter	0.00475	0.00512	0.01512	0.03213	0.03688	0.03725	0.04725	0.03725	kWh
B19TR	Off-Peak Summer	0.05041	0.05124	0.06124	0.03213	0.08254	0.08337	0.09337	0.08337	kWh
B19TR	Off-Peak Winter	0.05061	0.05145	0.06145	0.03213	0.08274	0.08358	0.09358	0.08358	kWh
B19TR	Part-Peak Summer	0.09213	0.09339	0.10339	0.03213	0.12426	0.12552	0.13552	0.12552	kWh
B19TR	Peak Summer	0.17282	0.17489	0.18489	0.03213	0.20495	0.20702	0.21702	0.20702	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
B19TR	Peak Winter	0.08396	0.08513	0.09513	0.03213	0.11609	0.11726	0.12726	0.11726	kWh
B19TR	Super-Off-Peak Winter	0.01515	0.01563	0.02563	0.03213	0.04728	0.04776	0.05776	0.04776	kWh
B19TS	Off-Peak Summer	0.05041	0.05124	0.06124	0.03213	0.08254	0.08337	0.09337	0.08337	kWh
B19TS	Off-Peak Winter	0.05061	0.05145	0.06145	0.03213	0.08274	0.08358	0.09358	0.08358	kWh
B19TS	Part-Peak Summer	0.09213	0.09339	0.10339	0.03213	0.12426	0.12552	0.13552	0.12552	kWh
B19TS	Peak Summer	0.17282	0.17489	0.18489	0.03213	0.20495	0.20702	0.21702	0.20702	kWh
B19TS	Peak Winter	0.08396	0.08513	0.09513	0.03213	0.11609	0.11726	0.12726	0.11726	kWh
B19TS	Super-Off-Peak Winter	0.01515	0.01563	0.02563	0.03213	0.04728	0.04776	0.05776	0.04776	kWh
B20P	Max Part-Peak Demand Summer	2.17800	2.20000	2.20000		2.17800	2.20000	2.20000	2.20000	kW
B20P	Max Peak Demand Summer	15.83010	15.99000	15.99000		15.83010	15.99000	15.99000	15.99000	kW
B20P	Max Peak Demand Winter	1.82160	1.84000	1.84000		1.82160	1.84000	1.84000	1.84000	kW
B20P	Off-Peak Summer	0.04940	0.05020	0.06020	0.02971	0.07911	0.07991	0.08991	0.07991	kWh
B20P	Off-Peak Winter	0.04945	0.05025	0.06025	0.02971	0.07916	0.07996	0.08996	0.07996	kWh
B20P	Part-Peak Summer	0.06900	0.07000	0.08000	0.02971	0.09871	0.09971	0.10971	0.09971	kWh
B20P	Peak Summer	0.09711	0.09839	0.10839	0.02971	0.12682	0.12810	0.13810	0.12810	kWh
B20P	Peak Winter	0.07922	0.08032	0.09032	0.02971	0.10893	0.11003	0.12003	0.11003	kWh
B20P	Super-Off-Peak Winter	0.00722	0.00759	0.01759	0.02971	0.03693	0.03730	0.04730	0.03730	kWh
B20PR	Off-Peak Summer	0.05340	0.05424	0.06424	0.02971	0.08311	0.08395	0.09395	0.08395	kWh
B20PR	Off-Peak Winter	0.05345	0.05429	0.06429	0.02971	0.08316	0.08400	0.09400	0.08400	kWh
B20PR	Part-Peak Summer	0.08775	0.08894	0.09894	0.02971	0.11746	0.11865	0.12865	0.11865	kWh
B20PR	Peak Summer	0.21536	0.21784	0.22784	0.02971	0.24507	0.24755	0.25755	0.24755	kWh
B20PR	Peak Winter	0.09312	0.09436	0.10436	0.02971	0.12283	0.12407	0.13407	0.12407	kWh
B20PR	Super-Off-Peak Winter	0.01806	0.01854	0.02854	0.02971	0.04777	0.04825	0.05825	0.04825	kWh
B20PS	Off-Peak Summer	0.05340	0.05424	0.06424	0.02971	0.08311	0.08395	0.09395	0.08395	kWh
B20PS	Off-Peak Winter	0.05345	0.05429	0.06429	0.02971	0.08316	0.08400	0.09400	0.08400	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
B20PS	Part-Peak Summer	0.08775	0.08894	0.09894	0.02971	0.11746	0.11865	0.12865	0.11865	kWh
B20PS	Peak Summer	0.21536	0.21784	0.22784	0.02971	0.24507	0.24755	0.25755	0.24755	kWh
B20PS	Peak Winter	0.09312	0.09436	0.10436	0.02971	0.12283	0.12407	0.13407	0.12407	kWh
B20PS	Super-Off-Peak Winter	0.01806	0.01854	0.02854	0.02971	0.04777	0.04825	0.05825	0.04825	kWh
B20S	Max Part-Peak Demand Summer	2.09880	2.12000	2.12000		2.09880	2.12000	2.12000	2.12000	kW
B20S	Max Peak Demand Summer	14.46390	14.61000	14.61000		14.46390	14.61000	14.61000	14.61000	kW
B20S	Max Peak Demand Winter	1.84140	1.86000	1.86000		1.84140	1.86000	1.86000	1.86000	kW
B20S	Off-Peak Summer	0.05244	0.05328	0.06328	0.03089	0.08333	0.08417	0.09417	0.08417	kWh
B20S	Off-Peak Winter	0.05227	0.05311	0.06311	0.03089	0.08316	0.08400	0.09400	0.08400	kWh
B20S	Part-Peak Summer	0.07348	0.07453	0.08453	0.03089	0.10437	0.10542	0.11542	0.10542	kWh
B20S	Peak Summer	0.10012	0.10144	0.11144	0.03089	0.13101	0.13233	0.14233	0.13233	kWh
B20S	Peak Winter	0.08425	0.08541	0.09541	0.03089	0.11514	0.11630	0.12630	0.11630	kWh
B20S	Super-Off-Peak Winter	0.00943	0.00984	0.01984	0.03089	0.04032	0.04073	0.05073	0.04073	kWh
B20SR	Off-Peak Summer	0.05645	0.05733	0.06733	0.03089	0.08734	0.08822	0.09822	0.08822	kWh
B20SR	Off-Peak Winter	0.05632	0.05720	0.06720	0.03089	0.08721	0.08809	0.09809	0.08809	kWh
B20SR	Part-Peak Summer	0.09353	0.09479	0.10479	0.03089	0.12442	0.12568	0.13568	0.12568	kWh
B20SR	Peak Summer	0.22496	0.22754	0.23754	0.03089	0.25585	0.25843	0.26843	0.25843	kWh
B20SR	Peak Winter	0.09961	0.10093	0.11093	0.03089	0.13050	0.13182	0.14182	0.13182	kWh
B20SR	Super-Off-Peak Winter	0.02093	0.02145	0.03145	0.03089	0.05182	0.05234	0.06234	0.05234	kWh
B20SS	Off-Peak Summer	0.05645	0.05733	0.06733	0.03089	0.08734	0.08822	0.09822	0.08822	kWh
B20SS	Off-Peak Winter	0.05632	0.05720	0.06720	0.03089	0.08721	0.08809	0.09809	0.08809	kWh
B20SS	Part-Peak Summer	0.09353	0.09479	0.10479	0.03089	0.12442	0.12568	0.13568	0.12568	kWh
B20SS	Peak Summer	0.22496	0.22754	0.23754	0.03089	0.25585	0.25843	0.26843	0.25843	kWh
B20SS	Peak Winter	0.09961	0.10093	0.11093	0.03089	0.13050	0.13182	0.14182	0.13182	kWh
B20SS	Super-Off-Peak Winter	0.02093	0.02145	0.03145	0.03089	0.05182	0.05234	0.06234	0.05234	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
B20T	Max Part-Peak Demand Summer	4.20750	4.25000	4.25000		4.20750	4.25000	4.25000	4.25000	kW
B20T	Max Peak Demand Summer	17.65170	17.83000	17.83000		17.65170	17.83000	17.83000	17.83000	kW
B20T	Max Peak Demand Winter	2.35620	2.38000	2.38000		2.35620	2.38000	2.38000	2.38000	kW
B20T	Off-Peak Summer	0.04302	0.04373	0.05373	0.02756	0.07058	0.07129	0.08129	0.07129	kWh
B20T	Off-Peak Winter	0.03956	0.04024	0.05024	0.02756	0.06712	0.06780	0.07780	0.06780	kWh
B20T	Part-Peak Summer	0.06208	0.06299	0.07299	0.02756	0.08964	0.09055	0.10055	0.09055	kWh
B20T	Peak Summer	0.07917	0.08025	0.09025	0.02756	0.10673	0.10781	0.11781	0.10781	kWh
B20T	Peak Winter	0.07835	0.07942	0.08942	0.02756	0.10591	0.10698	0.11698	0.10698	kWh
B20T	Super-Off-Peak Winter	0.00082	0.00111	0.01111	0.02756	0.02838	0.02867	0.03867	0.02867	kWh
B20TR	Off-Peak Summer	0.04731	0.04807	0.05807	0.02756	0.07487	0.07563	0.08563	0.07563	kWh
B20TR	Off-Peak Winter	0.04442	0.04515	0.05515	0.02756	0.07198	0.07271	0.08271	0.07271	kWh
B20TR	Part-Peak Summer	0.09706	0.09832	0.10832	0.02756	0.12462	0.12588	0.13588	0.12588	kWh
B20TR	Peak Summer	0.21450	0.21694	0.22694	0.02756	0.24206	0.24450	0.25450	0.24450	kWh
B20TR	Peak Winter	0.09690	0.09816	0.10816	0.02756	0.12446	0.12572	0.13572	0.12572	kWh
B20TR	Super-Off-Peak Winter	0.01195	0.01235	0.02235	0.02756	0.03951	0.03991	0.04991	0.03991	kWh
B20TS	Off-Peak Summer	0.04731	0.04807	0.05807	0.02756	0.07487	0.07563	0.08563	0.07563	kWh
B20TS	Off-Peak Winter	0.04442	0.04515	0.05515	0.02756	0.07198	0.07271	0.08271	0.07271	kWh
B20TS	Part-Peak Summer	0.09706	0.09832	0.10832	0.02756	0.12462	0.12588	0.13588	0.12588	kWh
B20TS	Peak Summer	0.21450	0.21694	0.22694	0.02756	0.24206	0.24450	0.25450	0.24450	kWh
B20TS	Peak Winter	0.09690	0.09816	0.10816	0.02756	0.12446	0.12572	0.13572	0.12572	kWh
B20TS	Super-Off-Peak Winter	0.01195	0.01235	0.02235	0.02756	0.03951	0.03991	0.04991	0.03991	kWh
B6	Off-Peak Summer	0.07715	0.07826	0.08826	0.03255	0.10970	0.11081	0.12081	0.11081	kWh
B6	Off-Peak Winter	0.06783	0.06884	0.07884	0.03255	0.10038	0.10139	0.11139	0.10139	kWh
B6	Peak Summer	0.14760	0.14942	0.15942	0.03255	0.18015	0.18197	0.19197	0.18197	kWh
B6	Peak Winter	0.08472	0.08590	0.09590	0.03255	0.11727	0.11845	0.12845	0.11845	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
B6	Super-Off-Peak Winter	0.05158	0.05243	0.06243	0.03255	0.08413	0.08498	0.09498	0.08498	kWh
BEV1	Off-Peak	0.05212	0.05292	0.06292	0.02751	0.07963	0.08043	0.09043	0.08043	kWh
BEV1	Peak	0.23285	0.23548	0.24548	0.02751	0.26036	0.26299	0.27299	0.26299	kWh
BEV1	Super-Off-Peak	0.02698	0.02753	0.03753	0.02751	0.05449	0.05504	0.06504	0.05504	kWh
BEV2P	Off-Peak	0.04239	0.04315	0.05315	0.03275	0.07514	0.07590	0.08590	0.07590	kWh
BEV2P	Peak	0.23641	0.23913	0.24913	0.03275	0.26916	0.27188	0.28188	0.27188	kWh
BEV2P	Super-Off-Peak	0.01843	0.01895	0.02895	0.03275	0.05118	0.05170	0.06170	0.05170	kWh
BEV2S	Off-Peak	0.04536	0.04615	0.05615	0.03275	0.07811	0.07890	0.08890	0.07890	kWh
BEV2S	Peak	0.24669	0.24951	0.25951	0.03275	0.27944	0.28226	0.29226	0.28226	kWh
BEV2S	Super-Off-Peak	0.02022	0.02075	0.03075	0.03275	0.05297	0.05350	0.06350	0.05350	kWh
E1	Flat	0.08237	0.08355	0.09355	0.03397	0.11634	0.11752	0.12752	0.11752	kWh
E19P	Max Part-Peak Demand Summer	3.18780	3.22000	3.22000		3.18780	3.22000	3.22000	3.22000	kW
E19P	Max Peak Demand Summer	13.09770	13.23000	13.23000		13.09770	13.23000	13.23000	13.23000	kW
E19P	Off-Peak Summer	0.02974	0.03036	0.04036	0.03213	0.06187	0.06249	0.07249	0.06249	kWh
E19P	Off-Peak Winter	0.03680	0.03750	0.04750	0.03213	0.06893	0.06963	0.07963	0.06963	kWh
E19P	Part-Peak Summer	0.05836	0.05927	0.06927	0.03213	0.09049	0.09140	0.10140	0.09140	kWh
E19P	Part-Peak Winter	0.05235	0.05320	0.06320	0.03213	0.08448	0.08533	0.09533	0.08533	kWh
E19P	Peak Summer	0.10288	0.10424	0.11424	0.03213	0.13501	0.13637	0.14637	0.13637	kWh
E19PR	Off-Peak Summer	0.03365	0.03431	0.04431	0.03213	0.06578	0.06644	0.07644	0.06644	kWh
E19PR	Off-Peak Winter	0.04048	0.04121	0.05121	0.03213	0.07261	0.07334	0.08334	0.07334	kWh
E19PR	Part-Peak Summer	0.09652	0.09782	0.10782	0.03213	0.12865	0.12995	0.13995	0.12995	kWh
E19PR	Part-Peak Winter	0.05548	0.05636	0.06636	0.03213	0.08761	0.08849	0.09849	0.08849	kWh
E19PR	Peak Summer	0.25810	0.26103	0.27103	0.03213	0.29023	0.29316	0.30316	0.29316	kWh
E19S	Max Part-Peak Demand Summer	3.64320	3.68000	3.68000		3.64320	3.68000	3.68000	3.68000	kW
E19S	Max Peak Demand Summer	14.73120	14.88000	14.88000		14.73120	14.88000	14.88000	14.88000	kW



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
E19S	Off-Peak Summer	0.03572	0.03641	0.04641	0.03213	0.06785	0.06854	0.07854	0.06854	kWh
E19S	Off-Peak Winter	0.04349	0.04425	0.05425	0.03213	0.07562	0.07638	0.08638	0.07638	kWh
E19S	Part-Peak Summer	0.06701	0.06801	0.07801	0.03213	0.09914	0.10014	0.11014	0.10014	kWh
E19S	Part-Peak Winter	0.06053	0.06147	0.07147	0.03213	0.09266	0.09360	0.10360	0.09360	kWh
E19S	Peak Summer	0.11424	0.11572	0.12572	0.03213	0.14637	0.14785	0.15785	0.14785	kWh
E19SR	Off-Peak Summer	0.04013	0.04086	0.05086	0.03213	0.07226	0.07299	0.08299	0.07299	kWh
E19SR	Off-Peak Winter	0.04762	0.04843	0.05843	0.03213	0.07975	0.08056	0.09056	0.08056	kWh
E19SR	Part-Peak Summer	0.10688	0.10828	0.11828	0.03213	0.13901	0.14041	0.15041	0.14041	kWh
E19SR	Part-Peak Winter	0.06406	0.06503	0.07503	0.03213	0.09619	0.09716	0.10716	0.09716	kWh
E19SR	Peak Summer	0.27303	0.27611	0.28611	0.03213	0.30516	0.30824	0.31824	0.30824	kWh
E19T	Max Part-Peak Demand Summer	3.61350	3.65000	3.65000		3.61350	3.65000	3.65000	3.65000	kW
E19T	Max Peak Demand Summer	14.41440	14.56000	14.56000		14.41440	14.56000	14.56000	14.56000	kW
E19T	Off-Peak Summer	0.02711	0.02771	0.03771	0.03213	0.05924	0.05984	0.06984	0.05984	kWh
E19T	Off-Peak Winter	0.03390	0.03457	0.04457	0.03213	0.06603	0.06670	0.07670	0.06670	kWh
E19T	Part-Peak Summer	0.04647	0.04726	0.05726	0.03213	0.07860	0.07939	0.08939	0.07939	kWh
E19T	Part-Peak Winter	0.04876	0.04958	0.05958	0.03213	0.08089	0.08171	0.09171	0.08171	kWh
E19T	Peak Summer	0.06109	0.06203	0.07203	0.03213	0.09322	0.09416	0.10416	0.09416	kWh
E19TR	Off-Peak Summer	0.03255	0.03320	0.04320	0.03213	0.06468	0.06533	0.07533	0.06533	kWh
E19TR	Off-Peak Winter	0.03910	0.03982	0.04982	0.03213	0.07123	0.07195	0.08195	0.07195	kWh
E19TR	Part-Peak Summer	0.09457	0.09585	0.10585	0.03213	0.12670	0.12798	0.13798	0.12798	kWh
E19TR	Part-Peak Winter	0.05344	0.05430	0.06430	0.03213	0.08557	0.08643	0.09643	0.08643	kWh
E19TR	Peak Summer	0.24911	0.25195	0.26195	0.03213	0.28124	0.28408	0.29408	0.28408	kWh
E20P	Max Part-Peak Demand Summer	3.69270	3.73000	3.73000		3.69270	3.73000	3.73000	3.73000	kW
E20P	Max Peak Demand Summer	15.62220	15.78000	15.78000		15.62220	15.78000	15.78000	15.78000	kW
E20P	Off-Peak Summer	0.03275	0.03338	0.04338	0.02971	0.06246	0.06309	0.07309	0.06309	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
E20P	Off-Peak Winter	0.03989	0.04059	0.05059	0.02971	0.06960	0.07030	0.08030	0.07030	kWh
E20P	Part-Peak Summer	0.06180	0.06272	0.07272	0.02971	0.09151	0.09243	0.10243	0.09243	kWh
E20P	Part-Peak Winter	0.05557	0.05643	0.06643	0.02971	0.08528	0.08614	0.09614	0.08614	kWh
E20P	Peak Summer	0.10901	0.11041	0.12041	0.02971	0.13872	0.14012	0.15012	0.14012	kWh
E20PR	Off-Peak Summer	0.03569	0.03635	0.04635	0.02971	0.06540	0.06606	0.07606	0.06606	kWh
E20PR	Off-Peak Winter	0.04259	0.04332	0.05332	0.02971	0.07230	0.07303	0.08303	0.07303	kWh
E20PR	Part-Peak Summer	0.09793	0.09922	0.10922	0.02971	0.12764	0.12893	0.13893	0.12893	kWh
E20PR	Part-Peak Winter	0.05775	0.05863	0.06863	0.02971	0.08746	0.08834	0.09834	0.08834	kWh
E20PR	Peak Summer	0.26481	0.26778	0.27778	0.02971	0.29452	0.29749	0.30749	0.29749	kWh
E20S	Max Part-Peak Demand Summer	3.52440	3.56000	3.56000		3.52440	3.56000	3.56000	3.56000	kW
E20S	Max Peak Demand Summer	14.26590	14.41000	14.41000		14.26590	14.41000	14.41000	14.41000	kW
E20S	Off-Peak Summer	0.03269	0.03333	0.04333	0.03089	0.06358	0.06422	0.07422	0.06422	kWh
E20S	Off-Peak Winter	0.03996	0.04068	0.05068	0.03089	0.07085	0.07157	0.08157	0.07157	kWh
E20S	Part-Peak Summer	0.06218	0.06312	0.07312	0.03089	0.09307	0.09401	0.10401	0.09401	kWh
E20S	Part-Peak Winter	0.05594	0.05682	0.06682	0.03089	0.08683	0.08771	0.09771	0.08771	kWh
E20S	Peak Summer	0.10514	0.10651	0.11651	0.03089	0.13603	0.13740	0.14740	0.13740	kWh
E20SR	Off-Peak Summer	0.03549	0.03616	0.04616	0.03089	0.06638	0.06705	0.07705	0.06705	kWh
E20SR	Off-Peak Winter	0.04251	0.04325	0.05325	0.03089	0.07340	0.07414	0.08414	0.07414	kWh
E20SR	Part-Peak Summer	0.09807	0.09937	0.10937	0.03089	0.12896	0.13026	0.14026	0.13026	kWh
E20SR	Part-Peak Winter	0.05793	0.05883	0.06883	0.03089	0.08882	0.08972	0.09972	0.08972	kWh
E20SR	Peak Summer	0.24649	0.24929	0.25929	0.03089	0.27738	0.28018	0.29018	0.28018	kWh
E20T	Max Part-Peak Demand Summer	4.43520	4.48000	4.48000		4.43520	4.48000	4.48000	4.48000	kW
E20T	Max Peak Demand Summer	18.61200	18.80000	18.80000		18.61200	18.80000	18.80000	18.80000	kW
E20T	Off-Peak Summer	0.03047	0.03106	0.04106	0.02756	0.05803	0.05862	0.06862	0.05862	kWh
E20T	Off-Peak Winter	0.03713	0.03778	0.04778	0.02756	0.06469	0.06534	0.07534	0.06534	kWh





This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
E20T	Part-Peak Summer	0.04944	0.05022	0.06022	0.02756	0.07700	0.07778	0.08778	0.07778	kWh
E20T	Part-Peak Winter	0.05169	0.05249	0.06249	0.02756	0.07925	0.08005	0.09005	0.08005	kWh
E20T	Peak Summer	0.06377	0.06469	0.07469	0.02756	0.09133	0.09225	0.10225	0.09225	kWh
E20TR	Off-Peak Summer	0.03293	0.03354	0.04354	0.02756	0.06049	0.06110	0.07110	0.06110	kWh
E20TR	Off-Peak Winter	0.03935	0.04003	0.05003	0.02756	0.06691	0.06759	0.07759	0.06759	kWh
E20TR	Part-Peak Summer	0.09240	0.09361	0.10361	0.02756	0.11996	0.12117	0.13117	0.12117	kWh
E20TR	Part-Peak Winter	0.05343	0.05425	0.06425	0.02756	0.08099	0.08181	0.09181	0.08181	kWh
E20TR	Peak Summer	0.25934	0.26224	0.27224	0.02756	0.28690	0.28980	0.29980	0.28980	kWh
E6	Off-Peak Summer	0.05668	0.05760	0.06760	0.03397	0.09065	0.09157	0.10157	0.09157	kWh
E6	Off-Peak Winter	0.07060	0.07166	0.08166	0.03397	0.10457	0.10563	0.11563	0.10563	kWh
E6	Part-Peak Summer	0.10636	0.10778	0.11778	0.03397	0.14033	0.14175	0.15175	0.14175	kWh
E6	Part-Peak Winter	0.08426	0.08545	0.09545	0.03397	0.11823	0.11942	0.12942	0.11942	kWh
E6	Peak Summer	0.22806	0.23071	0.24071	0.03397	0.26203	0.26468	0.27468	0.26468	kWh
ETOUA	Off-Peak Summer	0.09008	0.09133	0.10133	0.03397	0.12405	0.12530	0.13530	0.12530	kWh
ETOUA	Off-Peak Winter	0.06427	0.06526	0.07526	0.03397	0.09824	0.09923	0.10923	0.09923	kWh
ETOUA	Peak Summer	0.16489	0.16690	0.17690	0.03397	0.19886	0.20087	0.21087	0.20087	kWh
ETOUA	Peak Winter	0.07842	0.07956	0.08956	0.03397	0.11239	0.11353	0.12353	0.11353	kWh
ETOUB	Off-Peak Summer	0.08420	0.08539	0.09539	0.03397	0.11817	0.11936	0.12936	0.11936	kWh
ETOUB	Off-Peak Winter	0.06184	0.06281	0.07281	0.03397	0.09581	0.09678	0.10678	0.09678	kWh
ETOUB	Peak Summer	0.18623	0.18845	0.19845	0.03397	0.22020	0.22242	0.23242	0.22242	kWh
ETOUB	Peak Winter	0.08045	0.08161	0.09161	0.03397	0.11442	0.11558	0.12558	0.11558	kWh
ETOUC	Off-Peak Summer	0.07880	0.07994	0.08994	0.03397	0.11277	0.11391	0.12391	0.11391	kWh
ETOUC	Off-Peak Winter	0.06855	0.06959	0.07959	0.03397	0.10252	0.10356	0.11356	0.10356	kWh
ETOUC	Peak Summer	0.13171	0.13338	0.14338	0.03397	0.16568	0.16735	0.17735	0.16735	kWh
ETOUC	Peak Winter	0.08343	0.08462	0.09462	0.03397	0.11740	0.11859	0.12859	0.11859	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2020 PG&E Generation Rate	Unit
ETOUD	Off-Peak Summer	0.05959	0.06054	0.07054	0.03397	0.09356	0.09451	0.10451	0.09451	kWh
ETOUD	Off-Peak Winter	0.08789	0.08912	0.09912	0.03397	0.12186	0.12309	0.13309	0.12309	kWh
ETOUD	Peak Summer	0.14371	0.14550	0.15550	0.03397	0.17768	0.17947	0.18947	0.17947	kWh
ETOUD	Peak Winter	0.10282	0.10420	0.11420	0.03397	0.13679	0.13817	0.14817	0.13817	kWh
EV2	Off-Peak Summer	0.06260	0.06358	0.07358	0.03397	0.09657	0.09755	0.10755	0.09755	kWh
EV2	Off-Peak Winter	0.05568	0.05659	0.06659	0.03397	0.08965	0.09056	0.10056	0.09056	kWh
EV2	Part-Peak Summer	0.10333	0.10472	0.11472	0.03397	0.13730	0.13869	0.14869	0.13869	kWh
EV2	Part-Peak Winter	0.07893	0.08007	0.09007	0.03397	0.11290	0.11404	0.12404	0.11404	kWh
EV2	Peak Summer	0.14760	0.14943	0.15943	0.03397	0.18157	0.18340	0.19340	0.18340	kWh
EV2	Peak Winter	0.09129	0.09256	0.10256	0.03397	0.12526	0.12653	0.13653	0.12653	kWh
EVA	Off-Peak Summer	0.03243	0.03310	0.04310	0.03397	0.06640	0.06707	0.07707	0.06707	kWh
EVA	Off-Peak Winter	0.03480	0.03549	0.04549	0.03397	0.06877	0.06946	0.07946	0.06946	kWh
EVA	Part-Peak Summer	0.09815	0.09948	0.10948	0.03397	0.13212	0.13345	0.14345	0.13345	kWh
EVA	Part-Peak Winter	0.03003	0.03068	0.04068	0.03397	0.06400	0.06465	0.07465	0.06465	kWh
EVA	Peak Summer	0.24018	0.24295	0.25295	0.03397	0.27415	0.27692	0.28692	0.27692	kWh
EVA	Peak Winter	0.06848	0.06951	0.07951	0.03397	0.10245	0.10348	0.11348	0.10348	kWh
EVB	Off-Peak Summer	0.03243	0.03310	0.04310	0.03397	0.06640	0.06707	0.07707	0.06707	kWh
EVB	Off-Peak Winter	0.03480	0.03549	0.04549	0.03397	0.06877	0.06946	0.07946	0.06946	kWh
EVB	Part-Peak Summer	0.09815	0.09948	0.10948	0.03397	0.13212	0.13345	0.14345	0.13345	kWh
EVB	Part-Peak Winter	0.03003	0.03068	0.04068	0.03397	0.06400	0.06465	0.07465	0.06465	kWh
EVB	Peak Summer	0.24018	0.24295	0.25295	0.03397	0.27415	0.27692	0.28692	0.27692	kWh
EVB	Peak Winter	0.06848	0.06951	0.07951	0.03397	0.10245	0.10348	0.11348	0.10348	kWh
LS	Flat	0.06561	0.06655	0.07655	0.02708	0.09269	0.09363	0.10363	0.09363	kWh
TC1	Flat	0.07089	0.07193	0.08193	0.03255	0.10344	0.10448	0.11448	0.10448	kWh