



## East Bay Community Energy Rate Sheets

Rates effective as of March 1, 2022

This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
A1	Summer	0.14217	0.15381	0.01982	0.16199	0.17363	0.16363	kWh
A1	Winter	0.10245	0.11368	0.01982	0.12227	0.13350	0.12350	kWh
A10P	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10P	Summer	0.12737	0.13887	0.02132	0.14869	0.16019	0.15019	kWh
A10P	Winter	0.10873	0.12004	0.02132	0.13005	0.14136	0.13136	kWh
A10PX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10PX	Off-Peak Summer	0.11606	0.12745	0.02132	0.13738	0.14877	0.13877	kWh
A10PX	Part-Peak Summer	0.14113	0.15277	0.02132	0.16245	0.17409	0.16409	kWh
A10PX	Peak Summer	0.14113	0.15277	0.02132	0.16245	0.17409	0.16409	kWh
A10PX	Off-Peak Winter	0.10806	0.11937	0.02132	0.12938	0.14069	0.13069	kWh
A10PX	Part-Peak Winter	0.10873	0.12004	0.02132	0.13005	0.14136	0.13136	kWh
A10S	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10S	Summer	0.14358	0.15525	0.02132	0.16490	0.17657	0.16657	kWh
A10S	Winter	0.12204	0.13349	0.02132	0.14336	0.15481	0.14481	kWh
A10SX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10SX	Off-Peak Summer	0.13041	0.14194	0.02132	0.15173	0.16326	0.15326	kWh
A10SX	Part-Peak Summer	0.15692	0.16872	0.02132	0.17824	0.19004	0.18004	kWh
A10SX	Peak Summer	0.15692	0.16872	0.02132	0.17824	0.19004	0.18004	kWh
A10SX	Off-Peak Winter	0.12194	0.13339	0.02132	0.14326	0.15471	0.14471	kWh
A10SX	Part-Peak Winter	0.12265	0.13410	0.02132	0.14397	0.15542	0.14542	kWh
A10T	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10T	Summer	0.10748	0.11878	0.02132	0.12880	0.14010	0.13010	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
A10T	Winter	0.09053	0.10166	0.02132	0.11185	0.12298	0.11298	kWh
A10TX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10TX	Off-Peak Summer	0.09807	0.10928	0.02132	0.11939	0.13060	0.12060	kWh
A10TX	Part-Peak Summer	0.12248	0.13393	0.02132	0.14380	0.15525	0.14525	kWh
A10TX	Peak Summer	0.12248	0.13393	0.02132	0.14380	0.15525	0.14525	kWh
A10TX	Off-Peak Winter	0.09026	0.10139	0.02132	0.11158	0.12271	0.11271	kWh
A10TX	Part-Peak Winter	0.09092	0.10205	0.02132	0.11224	0.12337	0.11337	kWh
A15	Summer	0.13742	0.14901	0.01982	0.15724	0.16883	0.15883	kWh
A15	Winter	0.11727	0.12865	0.01982	0.13709	0.14847	0.13847	kWh
A1X	Off-Peak Summer	0.12097	0.13239	0.01982	0.14079	0.15221	0.14221	kWh
A1X	Part-Peak Summer	0.14544	0.15711	0.01982	0.16526	0.17693	0.16693	kWh
A1X	Peak Summer	0.14544	0.15711	0.01982	0.16526	0.17693	0.16693	kWh
A1X	Off-Peak Winter	0.11442	0.12578	0.01982	0.13424	0.14560	0.13560	kWh
A1X	Part-Peak Winter	0.11499	0.12635	0.01982	0.13481	0.14617	0.13617	kWh
A6	Off-Peak Summer	0.12691	0.13839	0.01982	0.14673	0.15821	0.14821	kWh
A6	Part-Peak Summer	0.15873	0.17053	0.01982	0.17855	0.19035	0.18035	kWh
A6	Peak Summer	0.20759	0.21989	0.01982	0.22741	0.23971	0.22971	kWh
A6	Off-Peak Winter	0.11692	0.12830	0.01982	0.13674	0.14812	0.13812	kWh
A6	Part-Peak Winter	0.11762	0.12901	0.01982	0.13744	0.14883	0.13883	kWh
AG1A	Connected Load Summer	2.51460	2.54000	0	2.51460	2.54000	2.54000	kW
AG1A	Summer	0.09973	0.11092	0.0184	0.11813	0.12932	0.11932	kWh
AG1A	Winter	0.08655	0.09761	0.0184	0.10495	0.11601	0.10601	kWh
AG1B	Max Demand Summer	3.93030	3.97000	0	3.93030	3.97000	3.97000	kW
AG1B	Summer	0.11156	0.12287	0.0184	0.12996	0.14127	0.13127	kWh
AG1B	Winter	0.07939	0.09038	0.0184	0.09779	0.10878	0.09878	kWh
AG4A	Connected Load Summer	1.98000	2.00000	0	1.98000	2.00000	2.00000	kW



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
AG4A	Off-Peak Summer	0.09518	0.10633	0.0184	0.11358	0.12473	0.11473	kWh
AG4A	Peak Summer	0.11754	0.12891	0.0184	0.13594	0.14731	0.13731	kWh
AG4A	Off-Peak Winter	0.08353	0.09456	0.0184	0.10193	0.11296	0.10296	kWh
AG4A	Part-Peak Winter	0.08423	0.09527	0.0184	0.10263	0.11367	0.10367	kWh
AG4B	Max Demand Summer	3.60360	3.64000	0	3.60360	3.64000	3.64000	kW
AG4B	Max Peak Demand Summer	0.97020	0.98000	0	0.97020	0.98000	0.98000	kW
AG4B	Off-Peak Summer	0.10428	0.11552	0.0184	0.12268	0.13392	0.12392	kWh
AG4B	Peak Summer	0.11691	0.12828	0.0184	0.13531	0.14668	0.13668	kWh
AG4B	Off-Peak Winter	0.09470	0.10584	0.0184	0.11310	0.12424	0.11424	kWh
AG4B	Part-Peak Winter	0.09538	0.10653	0.0184	0.11378	0.12493	0.11493	kWh
AG4C	Max Part-Peak Demand Summer	3.58380	3.62000	0	3.58380	3.62000	3.62000	kW
AG4C	Max Peak Demand Summer	4.78170	4.83000	0	4.78170	4.83000	4.83000	kW
AG4C	Off-Peak Summer	0.07361	0.08454	0.0184	0.09201	0.10294	0.09294	kWh
AG4C	Part-Peak Summer	0.07906	0.09004	0.0184	0.09746	0.10844	0.09844	kWh
AG4C	Peak Summer	0.09401	0.10515	0.0184	0.11241	0.12355	0.11355	kWh
AG4C	Off-Peak Winter	0.07303	0.08395	0.0184	0.09143	0.10235	0.09235	kWh
AG4C	Part-Peak Winter	0.07373	0.08466	0.0184	0.09213	0.10306	0.09306	kWh
AG5A	Connected Load Summer	5.45490	5.51000	0	5.45490	5.51000	5.51000	kW
AG5A	Off-Peak Summer	0.10094	0.11215	0.0184	0.11934	0.13055	0.12055	kWh
AG5A	Peak Summer	0.11956	0.13095	0.0184	0.13796	0.14935	0.13935	kWh
AG5A	Off-Peak Winter	0.09136	0.10247	0.0184	0.10976	0.12087	0.11087	kWh
AG5A	Part-Peak Winter	0.09206	0.10318	0.0184	0.11046	0.12158	0.11158	kWh
AG5B	Max Demand Summer	6.92010	6.99000	0	6.92010	6.99000	6.99000	kW
AG5B	Max Peak Demand Summer	2.15820	2.18000	0	2.15820	2.18000	2.18000	kW
AG5B	Off-Peak Summer	0.08951	0.10060	0.0184	0.10791	0.11900	0.10900	kWh
AG5B	Peak Summer	0.11338	0.12471	0.0184	0.13178	0.14311	0.13311	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
AG5B	Off-Peak Winter	0.08496	0.09600	0.0184	0.10336	0.11440	0.10440	kWh
AG5B	Part-Peak Winter	0.08563	0.09668	0.0184	0.10403	0.11508	0.10508	kWh
AG5C	Max Part-Peak Demand Summer	7.74180	7.82000	0	7.74180	7.82000	7.82000	kW
AG5C	Max Peak Demand Summer	9.69210	9.79000	0	9.69210	9.79000	9.79000	kW
AG5C	Off-Peak Summer	0.07104	0.08194	0.0184	0.08944	0.10034	0.09034	kWh
AG5C	Part-Peak Summer	0.07570	0.08665	0.0184	0.09410	0.10505	0.09505	kWh
AG5C	Peak Summer	0.08822	0.09930	0.0184	0.10662	0.11770	0.10770	kWh
AG5C	Off-Peak Winter	0.07233	0.08325	0.0184	0.09073	0.10165	0.09165	kWh
AG5C	Part-Peak Winter	0.07304	0.08396	0.0184	0.09144	0.10236	0.09236	kWh
AG5D	Connected Load Summer	5.45490	5.51000	0	5.45490	5.51000	5.51000	kW
AG5D	Off-Peak Summer	0.10094	0.11215	0.0184	0.11934	0.13055	0.12055	kWh
AG5D	Peak Summer	0.11956	0.13095	0.0184	0.13796	0.14935	0.13935	kWh
AG5D	Off-Peak Winter	0.09136	0.10247	0.0184	0.10976	0.12087	0.11087	kWh
AG5D	Part-Peak Winter	0.09206	0.10318	0.0184	0.11046	0.12158	0.11158	kWh
AGA1	Off-Peak Summer	0.11571	0.12706	0.0184	0.13411	0.14546	0.13546	kWh
AGA1	Peak Summer	0.23419	0.24674	0.0184	0.25259	0.26514	0.25514	kWh
AGA1	Off-Peak Winter	0.08623	0.09729	0.0184	0.10463	0.11569	0.10569	kWh
AGA1	Peak Winter	0.11242	0.12374	0.0184	0.13082	0.14214	0.13214	kWh
AGA2	Off-Peak Summer	0.11571	0.12706	0.0184	0.13411	0.14546	0.13546	kWh
AGA2	Peak Summer	0.23419	0.24674	0.0184	0.25259	0.26514	0.25514	kWh
AGA2	Off-Peak Winter	0.08623	0.09729	0.0184	0.10463	0.11569	0.10569	kWh
AGA2	Peak Winter	0.11242	0.12374	0.0184	0.13082	0.14214	0.13214	kWh
AGB	Off-Peak Summer	0.12986	0.14136	0.0184	0.14826	0.15976	0.14976	kWh
AGB	Peak Summer	0.25170	0.26443	0.0184	0.27010	0.28283	0.27283	kWh
AGB	Off-Peak Winter	0.09864	0.10982	0.0184	0.11704	0.12822	0.11822	kWh
AGB	Peak Winter	0.12458	0.13602	0.0184	0.14298	0.15442	0.14442	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
AGC	Max Peak Demand Summer	15.22620	15.38000	0	15.22620	15.38000	15.38000	kW
AGC	Off-Peak Summer	0.08660	0.09766	0.0184	0.10500	0.11606	0.10606	kWh
AGC	Peak Summer	0.11578	0.12714	0.0184	0.13418	0.14554	0.13554	kWh
AGC	Off-Peak Winter	0.07603	0.08698	0.0184	0.09443	0.10538	0.09538	kWh
AGC	Peak Winter	0.10129	0.11250	0.0184	0.11969	0.13090	0.12090	kWh
AGFA	Off-Peak Summer	0.12372	0.13516	0.0184	0.14212	0.15356	0.14356	kWh
AGFA	Peak Summer	0.20009	0.21230	0.0184	0.21849	0.23070	0.22070	kWh
AGFA	Off-Peak Winter	0.08744	0.09851	0.0184	0.10584	0.11691	0.10691	kWh
AGFA	Peak Winter	0.11363	0.12496	0.0184	0.13203	0.14336	0.13336	kWh
AGFB	Off-Peak Summer	0.13885	0.15044	0.0184	0.15725	0.16884	0.15884	kWh
AGFB	Peak Summer	0.21935	0.23175	0.0184	0.23775	0.25015	0.24015	kWh
AGFB	Off-Peak Winter	0.10073	0.11193	0.0184	0.11913	0.13033	0.12033	kWh
AGFB	Peak Winter	0.12691	0.13838	0.0184	0.14531	0.15678	0.14678	kWh
AGFC	Max Peak Demand Summer	15.22620	15.38000	0	15.22620	15.38000	15.38000	kW
AGFC	Off-Peak Summer	0.10661	0.11787	0.0184	0.12501	0.13627	0.12627	kWh
AGFC	Peak Summer	0.13632	0.14788	0.0184	0.15472	0.16628	0.15628	kWh
AGFC	Off-Peak Winter	0.09586	0.10701	0.0184	0.11426	0.12541	0.11541	kWh
AGFC	Peak Winter	0.12204	0.13346	0.0184	0.14044	0.15186	0.14186	kWh
AGRA	Connected Load Summer	1.90080	1.92000	0	1.90080	1.92000	1.92000	kW
AGRA	Off-Peak Summer	0.09576	0.10691	0.0184	0.11416	0.12531	0.11531	kWh
AGRA	Peak Summer	0.14526	0.15691	0.0184	0.16366	0.17531	0.16531	kWh
AGRA	Off-Peak Winter	0.08215	0.09317	0.0184	0.10055	0.11157	0.10157	kWh
AGRA	Part-Peak Winter	0.08286	0.09388	0.0184	0.10126	0.11228	0.10228	kWh
AGRB	Max Demand Summer	2.83140	2.86000	0	2.83140	2.86000	2.86000	kW
AGRB	Max Peak Demand Summer	0.80190	0.81000	0	0.80190	0.81000	0.81000	kW
AGRB	Off-Peak Summer	0.09030	0.10140	0.0184	0.10870	0.11980	0.10980	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
AGRB	Peak Summer	0.13352	0.14505	0.0184	0.15192	0.16345	0.15345	kWh
AGRB	Off-Peak Winter	0.08162	0.09263	0.0184	0.10002	0.11103	0.10103	kWh
AGRB	Part-Peak Winter	0.08232	0.09334	0.0184	0.10072	0.11174	0.10174	kWh
AGVA	Connected Load Summer	1.99980	2.02000	0	1.99980	2.02000	2.02000	kW
AGVA	Off-Peak Summer	0.09257	0.10369	0.0184	0.11097	0.12209	0.11209	kWh
AGVA	Peak Summer	0.13448	0.14602	0.0184	0.15288	0.16442	0.15442	kWh
AGVA	Off-Peak Winter	0.08039	0.09139	0.0184	0.09879	0.10979	0.09979	kWh
AGVA	Part-Peak Winter	0.08110	0.09210	0.0184	0.09950	0.11050	0.10050	kWh
AGVB	Max Demand Summer	2.61360	2.64000	0	2.61360	2.64000	2.64000	kW
AGVB	Max Peak Demand Summer	0.84150	0.85000	0	0.84150	0.85000	0.85000	kW
AGVB	Off-Peak Summer	0.08616	0.09722	0.0184	0.10456	0.11562	0.10562	kWh
AGVB	Peak Summer	0.12354	0.13497	0.0184	0.14194	0.15337	0.14337	kWh
AGVB	Off-Peak Winter	0.07540	0.08635	0.0184	0.09380	0.10475	0.09475	kWh
AGVB	Part-Peak Winter	0.07611	0.08706	0.0184	0.09451	0.10546	0.09546	kWh
B1	Off-Peak Summer	0.11656	0.12794	0.01982	0.13638	0.14776	0.13776	kWh
B1	Part-Peak Summer	0.13716	0.14875	0.01982	0.15698	0.16857	0.15857	kWh
B1	Peak Summer	0.18590	0.19798	0.01982	0.20572	0.21780	0.20780	kWh
B1	Off-Peak Winter	0.11525	0.12661	0.01982	0.13507	0.14643	0.13643	kWh
B1	Peak Winter	0.13120	0.14273	0.01982	0.15102	0.16255	0.15255	kWh
B1	Super-Off-Peak Winter	0.09899	0.11019	0.01982	0.11881	0.13001	0.12001	kWh
B1-ST	Off-Peak Summer	0.11314	0.12448	0.01982	0.13296	0.14430	0.13430	kWh
B1-ST	Part-Peak Summer	0.14853	0.16023	0.01982	0.16835	0.18005	0.17005	kWh
B1-ST	Peak Summer	0.19056	0.20269	0.01982	0.21038	0.22251	0.21251	kWh
B1-ST	Off-Peak Winter	0.10649	0.11777	0.01982	0.12631	0.13759	0.12759	kWh
B1-ST	Part-Peak Winter	0.12827	0.13977	0.01982	0.14809	0.15959	0.14959	kWh
B1-ST	Peak Winter	0.14049	0.15211	0.01982	0.16031	0.17193	0.16193	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
B1-ST	Super-Off-Peak Winter	0.09024	0.10135	0.01982	0.11006	0.12117	0.11117	kWh
B10P	Off-Peak Summer	0.10725	0.11855	0.02132	0.12857	0.13987	0.12987	kWh
B10P	Part-Peak Summer	0.13778	0.14939	0.02132	0.15910	0.17071	0.16071	kWh
B10P	Peak Summer	0.19550	0.20769	0.02132	0.21682	0.22901	0.21901	kWh
B10P	Off-Peak Winter	0.10811	0.11942	0.02132	0.12943	0.14074	0.13074	kWh
B10P	Peak Winter	0.14141	0.15305	0.02132	0.16273	0.17437	0.16437	kWh
B10P	Super-Off-Peak Winter	0.07214	0.08308	0.02132	0.09346	0.10440	0.09440	kWh
B10S	Off-Peak Summer	0.11943	0.13085	0.02132	0.14075	0.15217	0.14217	kWh
B10S	Part-Peak Summer	0.15167	0.16342	0.02132	0.17299	0.18474	0.17474	kWh
B10S	Peak Summer	0.21275	0.22511	0.02132	0.23407	0.24643	0.23643	kWh
B10S	Off-Peak Winter	0.12015	0.13158	0.02132	0.14147	0.15290	0.14290	kWh
B10S	Peak Winter	0.15528	0.16706	0.02132	0.17660	0.18838	0.17838	kWh
B10S	Super-Off-Peak Winter	0.08417	0.09524	0.02132	0.10549	0.11656	0.10656	kWh
B10T	Off-Peak Summer	0.08559	0.09667	0.02132	0.10691	0.11799	0.10799	kWh
B10T	Part-Peak Summer	0.11536	0.12674	0.02132	0.13668	0.14806	0.13806	kWh
B10T	Peak Summer	0.17153	0.18348	0.02132	0.19285	0.20480	0.19480	kWh
B10T	Off-Peak Winter	0.08650	0.09759	0.02132	0.10782	0.11891	0.10891	kWh
B10T	Peak Winter	0.11901	0.13043	0.02132	0.14033	0.15175	0.14175	kWh
B10T	Super-Off-Peak Winter	0.05052	0.06125	0.02132	0.07184	0.08257	0.07257	kWh
B19P	Max Part-Peak Demand Summer	2.33640	2.36000	0	2.33640	2.36000	2.36000	kW
B19P	Max Peak Demand Summer	15.98850	16.15000	0	15.98850	16.15000	16.15000	kW
B19P	Max Peak Demand Winter	1.63350	1.65000	0	1.63350	1.65000	1.65000	kW
B19P	Off-Peak Summer	0.08120	0.09222	0.01993	0.10113	0.11215	0.10215	kWh
B19P	Part-Peak Summer	0.10585	0.11712	0.01993	0.12578	0.13705	0.12705	kWh
B19P	Peak Summer	0.13420	0.14576	0.01993	0.15413	0.16569	0.15569	kWh
B19P	Off-Peak Winter	0.08137	0.09239	0.01993	0.10130	0.11232	0.10232	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
B19P	Peak Winter	0.11883	0.13023	0.01993	0.13876	0.15016	0.14016	kWh
B19P	Super-Off-Peak Winter	0.02805	0.03853	0.01993	0.04798	0.05846	0.04846	kWh
B19PR	Off-Peak Summer	0.09668	0.10786	0.01993	0.11661	0.12779	0.11779	kWh
B19PR	Part-Peak Summer	0.13172	0.14325	0.01993	0.15165	0.16318	0.15318	kWh
B19PR	Peak Summer	0.25402	0.26679	0.01993	0.27395	0.28672	0.27672	kWh
B19PR	Off-Peak Winter	0.09679	0.10797	0.01993	0.11672	0.12790	0.11790	kWh
B19PR	Peak Winter	0.13406	0.14562	0.01993	0.15399	0.16555	0.15555	kWh
B19PR	Super-Off-Peak Winter	0.06133	0.07215	0.01993	0.08126	0.09208	0.08208	kWh
B19PS	Off-Peak Summer	0.09668	0.10786	0.01993	0.11661	0.12779	0.11779	kWh
B19PS	Part-Peak Summer	0.13172	0.14325	0.01993	0.15165	0.16318	0.15318	kWh
B19PS	Peak Summer	0.25402	0.26679	0.01993	0.27395	0.28672	0.27672	kWh
B19PS	Off-Peak Winter	0.09679	0.10797	0.01993	0.11672	0.12790	0.11790	kWh
B19PS	Peak Winter	0.13406	0.14562	0.01993	0.15399	0.16555	0.15555	kWh
B19PS	Super-Off-Peak Winter	0.06133	0.07215	0.01993	0.08126	0.09208	0.08208	kWh
B19S	Max Part-Peak Demand Summer	2.71260	2.74000	0	2.71260	2.74000	2.74000	kW
B19S	Max Peak Demand Summer	18.66150	18.85000	0	18.66150	18.85000	18.85000	kW
B19S	Max Peak Demand Winter	2.21760	2.24000	0	2.21760	2.24000	2.24000	kW
B19S	Off-Peak Summer	0.09001	0.10112	0.01993	0.10994	0.12105	0.11105	kWh
B19S	Part-Peak Summer	0.11634	0.12772	0.01993	0.13627	0.14765	0.13765	kWh
B19S	Peak Summer	0.15360	0.16535	0.01993	0.17353	0.18528	0.17528	kWh
B19S	Off-Peak Winter	0.08990	0.10101	0.01993	0.10983	0.12094	0.11094	kWh
B19S	Peak Winter	0.12994	0.14145	0.01993	0.14987	0.16138	0.15138	kWh
B19S	Super-Off-Peak Winter	0.03618	0.04675	0.01993	0.05611	0.06668	0.05668	kWh
B19SR	Off-Peak Summer	0.10509	0.11635	0.01993	0.12502	0.13628	0.12628	kWh
B19SR	Part-Peak Summer	0.14321	0.15486	0.01993	0.16314	0.17479	0.16479	kWh
B19SR	Peak Summer	0.27743	0.29043	0.01993	0.29736	0.31036	0.30036	kWh





This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
B19SR	Off-Peak Winter	0.10503	0.11629	0.01993	0.12496	0.13622	0.12622	kWh
B19SR	Peak Winter	0.14691	0.15860	0.01993	0.16684	0.17853	0.16853	kWh
B19SR	Super-Off-Peak Winter	0.06957	0.08047	0.01993	0.08950	0.10040	0.09040	kWh
B19SS	Off-Peak Summer	0.10509	0.11635	0.01993	0.12502	0.13628	0.12628	kWh
B19SS	Part-Peak Summer	0.14321	0.15486	0.01993	0.16314	0.17479	0.16479	kWh
B19SS	Peak Summer	0.27743	0.29043	0.01993	0.29736	0.31036	0.30036	kWh
B19SS	Off-Peak Winter	0.10503	0.11629	0.01993	0.12496	0.13622	0.12622	kWh
B19SS	Peak Winter	0.14691	0.15860	0.01993	0.16684	0.17853	0.16853	kWh
B19SS	Super-Off-Peak Winter	0.06957	0.08047	0.01993	0.08950	0.10040	0.09040	kWh
B19T	Max Part-Peak Demand Summer	3.14820	3.18000	0	3.14820	3.18000	3.18000	kW
B19T	Max Peak Demand Summer	12.59280	12.72000	0	12.59280	12.72000	12.72000	kW
B19T	Max Peak Demand Winter	1.20780	1.22000	0	1.20780	1.22000	1.22000	kW
B19T	Off-Peak Summer	0.08453	0.09559	0.01993	0.10446	0.11552	0.10552	kWh
B19T	Part-Peak Summer	0.10992	0.12123	0.01993	0.12985	0.14116	0.13116	kWh
B19T	Peak Summer	0.12184	0.13327	0.01993	0.14177	0.15320	0.14320	kWh
B19T	Off-Peak Winter	0.08487	0.09593	0.01993	0.10480	0.11586	0.10586	kWh
B19T	Peak Winter	0.12343	0.13488	0.01993	0.14336	0.15481	0.14481	kWh
B19T	Super-Off-Peak Winter	0.02814	0.03863	0.01993	0.04807	0.05856	0.04856	kWh
B19TR	Off-Peak Summer	0.09862	0.10982	0.01993	0.11855	0.12975	0.11975	kWh
B19TR	Part-Peak Summer	0.14036	0.15198	0.01993	0.16029	0.17191	0.16191	kWh
B19TR	Peak Summer	0.22104	0.23347	0.01993	0.24097	0.25340	0.24340	kWh
B19TR	Off-Peak Winter	0.09884	0.11004	0.01993	0.11877	0.12997	0.11997	kWh
B19TR	Peak Winter	0.13218	0.14372	0.01993	0.15211	0.16365	0.15365	kWh
B19TR	Super-Off-Peak Winter	0.06338	0.07422	0.01993	0.08331	0.09415	0.08415	kWh
B19TS	Off-Peak Summer	0.09862	0.10982	0.01993	0.11855	0.12975	0.11975	kWh
B19TS	Part-Peak Summer	0.14036	0.15198	0.01993	0.16029	0.17191	0.16191	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
B19TS	Peak Summer	0.22104	0.23347	0.01993	0.24097	0.25340	0.24340	kWh
B19TS	Off-Peak Winter	0.09884	0.11004	0.01993	0.11877	0.12997	0.11997	kWh
B19TS	Peak Winter	0.13218	0.14372	0.01993	0.15211	0.16365	0.15365	kWh
B19TS	Super-Off-Peak Winter	0.06338	0.07422	0.01993	0.08331	0.09415	0.08415	kWh
B20P	Max Part-Peak Demand Summer	2.74230	2.77000	0	2.74230	2.77000	2.77000	kW
B20P	Max Peak Demand Summer	19.98810	20.19000	0	19.98810	20.19000	20.19000	kW
B20P	Max Peak Demand Winter	2.29680	2.32000	0	2.29680	2.32000	2.32000	kW
B20P	Off-Peak Summer	0.08192	0.09293	0.018	0.09992	0.11093	0.10093	kWh
B20P	Part-Peak Summer	0.10669	0.11795	0.018	0.12469	0.13595	0.12595	kWh
B20P	Peak Summer	0.14218	0.15380	0.018	0.16018	0.17180	0.16180	kWh
B20P	Off-Peak Winter	0.08199	0.09300	0.018	0.09999	0.11100	0.10100	kWh
B20P	Peak Winter	0.11959	0.13098	0.018	0.13759	0.14898	0.13898	kWh
B20P	Super-Off-Peak Winter	0.02864	0.03911	0.018	0.04664	0.05711	0.04711	kWh
B20PR	Off-Peak Summer	0.09403	0.10516	0.018	0.11203	0.12316	0.11316	kWh
B20PR	Part-Peak Summer	0.12839	0.13987	0.018	0.14639	0.15787	0.14787	kWh
B20PR	Peak Summer	0.25599	0.26876	0.018	0.27399	0.28676	0.27676	kWh
B20PR	Off-Peak Winter	0.09408	0.10521	0.018	0.11208	0.12321	0.11321	kWh
B20PR	Peak Winter	0.13375	0.14528	0.018	0.15175	0.16328	0.15328	kWh
B20PR	Super-Off-Peak Winter	0.05869	0.06946	0.018	0.07669	0.08746	0.07746	kWh
B20PS	Off-Peak Summer	0.09403	0.10516	0.018	0.11203	0.12316	0.11316	kWh
B20PS	Part-Peak Summer	0.12839	0.13987	0.018	0.14639	0.15787	0.14787	kWh
B20PS	Peak Summer	0.25599	0.26876	0.018	0.27399	0.28676	0.27676	kWh
B20PS	Off-Peak Winter	0.09408	0.10521	0.018	0.11208	0.12321	0.11321	kWh
B20PS	Peak Winter	0.13375	0.14528	0.018	0.15175	0.16328	0.15328	kWh
B20PS	Super-Off-Peak Winter	0.05869	0.06946	0.018	0.07669	0.08746	0.07746	kWh
B20S	Max Part-Peak Demand Summer	2.63340	2.66000	0	2.63340	2.66000	2.66000	kW



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
B20S	Max Peak Demand Summer	18.13680	18.32000	0	18.13680	18.32000	18.32000	kW
B20S	Max Peak Demand Winter	2.31660	2.34000	0	2.31660	2.34000	2.34000	kW
B20S	Off-Peak Summer	0.08601	0.09707	0.01844	0.10445	0.11551	0.10551	kWh
B20S	Part-Peak Summer	0.11239	0.12371	0.01844	0.13083	0.14215	0.13215	kWh
B20S	Peak Summer	0.14578	0.15744	0.01844	0.16422	0.17588	0.16588	kWh
B20S	Off-Peak Winter	0.08581	0.09686	0.01844	0.10425	0.11530	0.10530	kWh
B20S	Peak Winter	0.12589	0.13735	0.01844	0.14433	0.15579	0.14579	kWh
B20S	Super-Off-Peak Winter	0.03210	0.04261	0.01844	0.05054	0.06105	0.05105	kWh
B20SR	Off-Peak Summer	0.09635	0.10751	0.01844	0.11479	0.12595	0.11595	kWh
B20SR	Part-Peak Summer	0.13344	0.14497	0.01844	0.15188	0.16341	0.15341	kWh
B20SR	Peak Summer	0.26486	0.27772	0.01844	0.28330	0.29616	0.28616	kWh
B20SR	Off-Peak Winter	0.09621	0.10737	0.01844	0.11465	0.12581	0.11581	kWh
B20SR	Peak Winter	0.13950	0.15110	0.01844	0.15794	0.16954	0.15954	kWh
B20SR	Super-Off-Peak Winter	0.06082	0.07162	0.01844	0.07926	0.09006	0.08006	kWh
B20SS	Off-Peak Summer	0.09635	0.10751	0.01844	0.11479	0.12595	0.11595	kWh
B20SS	Part-Peak Summer	0.13344	0.14497	0.01844	0.15188	0.16341	0.15341	kWh
B20SS	Peak Summer	0.26486	0.27772	0.01844	0.28330	0.29616	0.28616	kWh
B20SS	Off-Peak Winter	0.09621	0.10737	0.01844	0.11465	0.12581	0.11581	kWh
B20SS	Peak Winter	0.13950	0.15110	0.01844	0.15794	0.16954	0.15954	kWh
B20SS	Super-Off-Peak Winter	0.06082	0.07162	0.01844	0.07926	0.09006	0.08006	kWh
B20T	Max Part-Peak Demand Summer	5.38560	5.44000	0	5.38560	5.44000	5.44000	kW
B20T	Max Peak Demand Summer	22.62150	22.85000	0	22.62150	22.85000	22.85000	kW
B20T	Max Peak Demand Winter	3.01950	3.05000	0	3.01950	3.05000	3.05000	kW
B20T	Off-Peak Summer	0.07322	0.08413	0.01722	0.09044	0.10135	0.09135	kWh
B20T	Part-Peak Summer	0.09766	0.10882	0.01722	0.11488	0.12604	0.11604	kWh
B20T	Peak Summer	0.11955	0.13093	0.01722	0.13677	0.14815	0.13815	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
B20T	Off-Peak Winter	0.06879	0.07966	0.01722	0.08601	0.09688	0.08688	kWh
B20T	Peak Winter	0.11849	0.12986	0.01722	0.13571	0.14708	0.13708	kWh
B20T	Super-Off-Peak Winter	0.01915	0.02952	0.01722	0.03637	0.04674	0.03674	kWh
B20TR	Off-Peak Summer	0.08779	0.09885	0.01722	0.10501	0.11607	0.10607	kWh
B20TR	Part-Peak Summer	0.13754	0.14910	0.01722	0.15476	0.16632	0.15632	kWh
B20TR	Peak Summer	0.25498	0.26773	0.01722	0.27220	0.28495	0.27495	kWh
B20TR	Off-Peak Winter	0.08490	0.09593	0.01722	0.10212	0.11315	0.10315	kWh
B20TR	Peak Winter	0.13739	0.14895	0.01722	0.15461	0.16617	0.15617	kWh
B20TR	Super-Off-Peak Winter	0.05243	0.06313	0.01722	0.06965	0.08035	0.07035	kWh
B20TS	Off-Peak Summer	0.08779	0.09885	0.01722	0.10501	0.11607	0.10607	kWh
B20TS	Part-Peak Summer	0.13754	0.14910	0.01722	0.15476	0.16632	0.15632	kWh
B20TS	Peak Summer	0.25498	0.26773	0.01722	0.27220	0.28495	0.27495	kWh
B20TS	Off-Peak Winter	0.08490	0.09593	0.01722	0.10212	0.11315	0.10315	kWh
B20TS	Peak Winter	0.13739	0.14895	0.01722	0.15461	0.16617	0.15617	kWh
B20TS	Super-Off-Peak Winter	0.05243	0.06313	0.01722	0.06965	0.08035	0.07035	kWh
B6	Off-Peak Summer	0.11760	0.12899	0.01982	0.13742	0.14881	0.13881	kWh
B6	Peak Summer	0.18805	0.20015	0.01982	0.20787	0.21997	0.20997	kWh
B6	Off-Peak Winter	0.10828	0.11957	0.01982	0.12810	0.13939	0.12939	kWh
B6	Peak Winter	0.12517	0.13663	0.01982	0.14499	0.15645	0.14645	kWh
B6	Super-Off-Peak Winter	0.09203	0.10316	0.01982	0.11185	0.12298	0.11298	kWh
BEV1	Off-Peak	0.09226	0.10337	0.01749	0.10975	0.12086	0.11086	kWh
BEV1	Peak	0.27300	0.28593	0.01749	0.29049	0.30342	0.29342	kWh
BEV1	Super-Off-Peak	0.06713	0.07798	0.01749	0.08462	0.09547	0.08547	kWh
BEV2P	Off-Peak	0.08557	0.09663	0.0197	0.10527	0.11633	0.10633	kWh
BEV2P	Peak	0.27959	0.29261	0.0197	0.29929	0.31231	0.30231	kWh
BEV2P	Super-Off-Peak	0.06161	0.07243	0.0197	0.08131	0.09213	0.08213	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
BEV2S	Off-Peak	0.08854	0.09963	0.0197	0.10824	0.11933	0.10933	kWh
BEV2S	Peak	0.28986	0.30299	0.0197	0.30956	0.32269	0.31269	kWh
BEV2S	Super-Off-Peak	0.06339	0.07423	0.0197	0.08309	0.09393	0.08393	kWh
E1	Flat	0.12876	0.14027	0.02059	0.14935	0.16086	0.15086	kWh
E19P	Max Part-Peak Demand Summer	10.57320	10.68000	0	10.57320	10.68000	10.68000	kW
E19P	Max Peak Demand Summer	10.57320	10.68000	0	10.57320	10.68000	10.68000	kW
E19P	Off-Peak Summer	0.08018	0.09119	0.01993	0.10011	0.11112	0.10112	kWh
E19P	Part-Peak Summer	0.08584	0.09691	0.01993	0.10577	0.11684	0.10684	kWh
E19P	Peak Summer	0.08584	0.09691	0.01993	0.10577	0.11684	0.10684	kWh
E19P	Off-Peak Winter	0.07707	0.08805	0.01993	0.09700	0.10798	0.09798	kWh
E19P	Part-Peak Winter	0.07773	0.08872	0.01993	0.09766	0.10865	0.09865	kWh
E19PR	Off-Peak Summer	0.10832	0.11962	0.01993	0.12825	0.13955	0.12955	kWh
E19PR	Part-Peak Summer	0.13402	0.14558	0.01993	0.15395	0.16551	0.15551	kWh
E19PR	Peak Summer	0.14931	0.16102	0.01993	0.16924	0.18095	0.17095	kWh
E19PR	Off-Peak Winter	0.10522	0.11648	0.01993	0.12515	0.13641	0.12641	kWh
E19PR	Part-Peak Winter	0.10588	0.11715	0.01993	0.12581	0.13708	0.12708	kWh
E19S	Max Part-Peak Demand Summer	12.18690	12.31000	0	12.18690	12.31000	12.31000	kW
E19S	Max Peak Demand Summer	12.18690	12.31000	0	12.18690	12.31000	12.31000	kW
E19S	Off-Peak Summer	0.09180	0.10293	0.01993	0.11173	0.12286	0.11286	kWh
E19S	Part-Peak Summer	0.09772	0.10891	0.01993	0.11765	0.12884	0.11884	kWh
E19S	Peak Summer	0.09772	0.10891	0.01993	0.11765	0.12884	0.11884	kWh
E19S	Off-Peak Winter	0.08853	0.09963	0.01993	0.10846	0.11956	0.10956	kWh
E19S	Part-Peak Winter	0.08924	0.10034	0.01993	0.10917	0.12027	0.11027	kWh
E19SR	Off-Peak Summer	0.11945	0.13086	0.01993	0.13938	0.15079	0.14079	kWh
E19SR	Part-Peak Summer	0.14847	0.16017	0.01993	0.16840	0.18010	0.17010	kWh
E19SR	Peak Summer	0.16567	0.17754	0.01993	0.18560	0.19747	0.18747	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
E19SR	Off-Peak Winter	0.11619	0.12756	0.01993	0.13612	0.14749	0.13749	kWh
E19SR	Part-Peak Winter	0.11689	0.12827	0.01993	0.13682	0.14820	0.13820	kWh
E19T	Max Part-Peak Demand Summer	11.68200	11.80000	0	11.68200	11.80000	11.80000	kW
E19T	Max Peak Demand Summer	11.68200	11.80000	0	11.68200	11.80000	11.80000	kW
E19T	Off-Peak Summer	0.07096	0.08188	0.01993	0.09089	0.10181	0.09181	kWh
E19T	Part-Peak Summer	0.07657	0.08754	0.01993	0.09650	0.10747	0.09747	kWh
E19T	Peak Summer	0.07657	0.08754	0.01993	0.09650	0.10747	0.09747	kWh
E19T	Off-Peak Winter	0.06790	0.07879	0.01993	0.08783	0.09872	0.08872	kWh
E19T	Part-Peak Winter	0.06856	0.07945	0.01993	0.08849	0.09938	0.08938	kWh
E19TR	Off-Peak Summer	0.10862	0.11992	0.01993	0.12855	0.13985	0.12985	kWh
E19TR	Part-Peak Summer	0.13109	0.14262	0.01993	0.15102	0.16255	0.15255	kWh
E19TR	Peak Summer	0.14456	0.15622	0.01993	0.16449	0.17615	0.16615	kWh
E19TR	Off-Peak Winter	0.10556	0.11683	0.01993	0.12549	0.13676	0.12676	kWh
E19TR	Part-Peak Winter	0.10622	0.11749	0.01993	0.12615	0.13742	0.12742	kWh
E20P	Max Part-Peak Demand Summer	12.48390	12.61000	0	12.48390	12.61000	12.61000	kW
E20P	Max Peak Demand Summer	12.48390	12.61000	0	12.48390	12.61000	12.61000	kW
E20P	Off-Peak Summer	0.08410	0.09513	0.018	0.10210	0.11313	0.10313	kWh
E20P	Part-Peak Summer	0.08980	0.10089	0.018	0.10780	0.11889	0.10889	kWh
E20P	Peak Summer	0.08980	0.10089	0.018	0.10780	0.11889	0.10889	kWh
E20P	Off-Peak Winter	0.08099	0.09199	0.018	0.09899	0.10999	0.09999	kWh
E20P	Part-Peak Winter	0.08165	0.09266	0.018	0.09965	0.11066	0.10066	kWh
E20PR	Off-Peak Summer	0.10643	0.11769	0.018	0.12443	0.13569	0.12569	kWh
E20PR	Part-Peak Summer	0.13390	0.14543	0.018	0.15190	0.16343	0.15343	kWh
E20PR	Peak Summer	0.15119	0.16290	0.018	0.16919	0.18090	0.17090	kWh
E20PR	Off-Peak Winter	0.10332	0.11455	0.018	0.12132	0.13255	0.12255	kWh
E20PR	Part-Peak Winter	0.10399	0.11522	0.018	0.12199	0.13322	0.12322	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
E20S	Max Part-Peak Demand Summer	11.68200	11.80000	0	11.68200	11.80000	11.80000	kW
E20S	Max Peak Demand Summer	11.68200	11.80000	0	11.68200	11.80000	11.80000	kW
E20S	Off-Peak Summer	0.08717	0.09824	0.01844	0.10561	0.11668	0.10668	kWh
E20S	Part-Peak Summer	0.09303	0.10416	0.01844	0.11147	0.12260	0.11260	kWh
E20S	Peak Summer	0.09303	0.10416	0.01844	0.11147	0.12260	0.11260	kWh
E20S	Off-Peak Winter	0.08391	0.09494	0.01844	0.10235	0.11338	0.10338	kWh
E20S	Part-Peak Winter	0.08461	0.09565	0.01844	0.10305	0.11409	0.10409	kWh
E20SR	Off-Peak Summer	0.10872	0.12000	0.01844	0.12716	0.13844	0.12844	kWh
E20SR	Part-Peak Summer	0.13549	0.14704	0.01844	0.15393	0.16548	0.15548	kWh
E20SR	Peak Summer	0.15031	0.16201	0.01844	0.16875	0.18045	0.17045	kWh
E20SR	Off-Peak Winter	0.10545	0.11670	0.01844	0.12389	0.13514	0.12514	kWh
E20SR	Part-Peak Winter	0.10615	0.11741	0.01844	0.12459	0.13585	0.12585	kWh
E20T	Max Part-Peak Demand Summer	14.86980	15.02000	0	14.86980	15.02000	15.02000	kW
E20T	Max Peak Demand Summer	14.86980	15.02000	0	14.86980	15.02000	15.02000	kW
E20T	Off-Peak Summer	0.07150	0.08240	0.01722	0.08872	0.09962	0.08962	kWh
E20T	Part-Peak Summer	0.07712	0.08807	0.01722	0.09434	0.10529	0.09529	kWh
E20T	Peak Summer	0.07712	0.08807	0.01722	0.09434	0.10529	0.09529	kWh
E20T	Off-Peak Winter	0.06844	0.07931	0.01722	0.08566	0.09653	0.08653	kWh
E20T	Part-Peak Winter	0.06910	0.07997	0.01722	0.08632	0.09719	0.08719	kWh
E20TR	Off-Peak Summer	0.10132	0.11252	0.01722	0.11854	0.12974	0.11974	kWh
E20TR	Part-Peak Summer	0.12847	0.13994	0.01722	0.14569	0.15716	0.14716	kWh
E20TR	Peak Summer	0.14573	0.15738	0.01722	0.16295	0.17460	0.16460	kWh
E20TR	Off-Peak Winter	0.09826	0.10943	0.01722	0.11548	0.12665	0.11665	kWh
E20TR	Part-Peak Winter	0.09892	0.11009	0.01722	0.11614	0.12731	0.11731	kWh
E6	Off-Peak Summer	0.10523	0.11650	0.02059	0.12582	0.13709	0.12709	kWh
E6	Part-Peak Summer	0.17471	0.18668	0.02059	0.19530	0.20727	0.19727	kWh



This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
E6	Peak Summer	0.25681	0.26961	0.02059	0.27740	0.29020	0.28020	kWh
E6	Off-Peak Winter	0.10886	0.12017	0.02059	0.12945	0.14076	0.13076	kWh
E6	Part-Peak Winter	0.14232	0.15397	0.02059	0.16291	0.17456	0.16456	kWh
EMTOU	Off-Peak Summer	0.10523	0.11650	0.02059	0.12582	0.13709	0.12709	kWh
EMTOU	Part-Peak Summer	0.17471	0.18668	0.02059	0.19530	0.20727	0.19727	kWh
EMTOU	Peak Summer	0.25681	0.26961	0.02059	0.27740	0.29020	0.28020	kWh
EMTOU	Off-Peak Winter	0.10886	0.12017	0.02059	0.12945	0.14076	0.13076	kWh
EMTOU	Part-Peak Winter	0.14232	0.15397	0.02059	0.16291	0.17456	0.16456	kWh
ETOUB	Off-Peak Summer	0.12580	0.13728	0.02059	0.14639	0.15787	0.14787	kWh
ETOUB	Peak Summer	0.24763	0.26034	0.02059	0.26822	0.28093	0.27093	kWh
ETOUB	Off-Peak Winter	0.10429	0.11555	0.02059	0.12488	0.13614	0.12614	kWh
ETOUB	Peak Winter	0.14270	0.15435	0.02059	0.16329	0.17494	0.16494	kWh
ETOUC	Off-Peak Summer	0.12516	0.13663	0.02059	0.14575	0.15722	0.14722	kWh
ETOUC	Peak Summer	0.17806	0.19007	0.02059	0.19865	0.21066	0.20066	kWh
ETOUC	Off-Peak Winter	0.11491	0.12628	0.02059	0.13550	0.14687	0.13687	kWh
ETOUC	Peak Winter	0.12978	0.14130	0.02059	0.15037	0.16189	0.15189	kWh
ETOUD	Off-Peak Summer	0.10330	0.11455	0.02059	0.12389	0.13514	0.12514	kWh
ETOUD	Peak Summer	0.20721	0.21951	0.02059	0.22780	0.24010	0.23010	kWh
ETOUD	Off-Peak Winter	0.13202	0.14356	0.02059	0.15261	0.16415	0.15415	kWh
ETOUD	Peak Winter	0.16675	0.17864	0.02059	0.18734	0.19923	0.18923	kWh
EV2	Off-Peak Summer	0.11042	0.12174	0.02059	0.13101	0.14233	0.13233	kWh
EV2	Part-Peak Summer	0.15115	0.16288	0.02059	0.17174	0.18347	0.17347	kWh
EV2	Peak Summer	0.19541	0.20759	0.02059	0.21600	0.22818	0.21818	kWh
EV2	Off-Peak Winter	0.10350	0.11475	0.02059	0.12409	0.13534	0.12534	kWh
EV2	Part-Peak Winter	0.12674	0.13823	0.02059	0.14733	0.15882	0.14882	kWh
EV2	Peak Winter	0.13910	0.15071	0.02059	0.15969	0.17130	0.16130	kWh





This rate sheet is for **2019** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2019 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2022 PG&E Generation Rate	Unit
EVA	Off-Peak Summer	0.10046	0.11168	0.02059	0.12105	0.13227	0.12227	kWh
EVA	Part-Peak Summer	0.14637	0.15806	0.02059	0.16696	0.17865	0.16865	kWh
EVA	Peak Summer	0.28841	0.30153	0.02059	0.30900	0.32212	0.31212	kWh
EVA	Off-Peak Winter	0.07182	0.08275	0.02059	0.09241	0.10334	0.09334	kWh
EVA	Part-Peak Winter	0.07182	0.08275	0.02059	0.09241	0.10334	0.09334	kWh
EVA	Peak Winter	0.09642	0.10760	0.02059	0.11701	0.12819	0.11819	kWh
EVB	Off-Peak Summer	0.10046	0.11168	0.02059	0.12105	0.13227	0.12227	kWh
EVB	Part-Peak Summer	0.14637	0.15806	0.02059	0.16696	0.17865	0.16865	kWh
EVB	Peak Summer	0.28841	0.30153	0.02059	0.30900	0.32212	0.31212	kWh
EVB	Off-Peak Winter	0.07182	0.08275	0.02059	0.09241	0.10334	0.09334	kWh
EVB	Part-Peak Winter	0.07182	0.08275	0.02059	0.09241	0.10334	0.09334	kWh
EVB	Peak Winter	0.09642	0.10760	0.02059	0.11701	0.12819	0.11819	kWh
LS	Flat	0.10245	0.11365	0.0164	0.11885	0.13005	0.12005	kWh
TC1	Flat	0.11285	0.12419	0.01982	0.13267	0.14401	0.13401	kWh