



## East Bay Community Energy Rate Sheets

Rates effective as of July 1, 2022

This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
A1	Summer	0.13805	0.15043	0.01979	0.15784	0.17022	0.16272	kWh
A1	Winter	0.09911	0.11029	0.01979	0.11890	0.13008	0.12258	kWh
A10P	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10P	Summer	0.12376	0.13574	0.02099	0.14475	0.15673	0.14923	kWh
A10P	Winter	0.10551	0.11692	0.02099	0.12650	0.13791	0.13041	kWh
A10PX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10PX	Off-Peak Summer	0.11270	0.12433	0.02099	0.13369	0.14532	0.13782	kWh
A10PX	Part-Peak Summer	0.13726	0.14965	0.02099	0.15825	0.17064	0.16314	kWh
A10PX	Peak Summer	0.13726	0.14965	0.02099	0.15825	0.17064	0.16314	kWh
A10PX	Off-Peak Winter	0.10485	0.11624	0.02099	0.12584	0.13723	0.12973	kWh
A10PX	Part-Peak Winter	0.10550	0.11691	0.02099	0.12649	0.13790	0.13040	kWh
A10S	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10S	Summer	0.13776	0.15017	0.02099	0.15875	0.17116	0.16366	kWh
A10S	Winter	0.11665	0.12841	0.02099	0.13764	0.14940	0.14190	kWh
A10SX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10SX	Off-Peak Summer	0.12485	0.13686	0.02099	0.14584	0.15785	0.15035	kWh
A10SX	Part-Peak Summer	0.15083	0.16364	0.02099	0.17182	0.18463	0.17713	kWh
A10SX	Peak Summer	0.15083	0.16364	0.02099	0.17182	0.18463	0.17713	kWh
A10SX	Off-Peak Winter	0.11657	0.12832	0.02099	0.13756	0.14931	0.14181	kWh
A10SX	Part-Peak Winter	0.11725	0.12903	0.02099	0.13824	0.15002	0.14252	kWh
A10T	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10T	Summer	0.10562	0.11704	0.02099	0.12661	0.13803	0.13053	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
A10T	Winter	0.08902	0.09992	0.02099	0.11001	0.12091	0.11341	kWh
A10TX	Max Demand Summer	0.00000	0.00000	0	0.00000	0.00000	0.00000	kW
A10TX	Off-Peak Summer	0.09641	0.10754	0.02099	0.11740	0.12853	0.12103	kWh
A10TX	Part-Peak Summer	0.12032	0.13219	0.02099	0.14131	0.15318	0.14568	kWh
A10TX	Peak Summer	0.12032	0.13219	0.02099	0.14131	0.15318	0.14568	kWh
A10TX	Off-Peak Winter	0.08875	0.09964	0.02099	0.10974	0.12063	0.11313	kWh
A10TX	Part-Peak Winter	0.08939	0.10030	0.02099	0.11038	0.12129	0.11379	kWh
A15	Summer	0.13334	0.14558	0.01979	0.15313	0.16537	0.15787	kWh
A15	Winter	0.11359	0.12522	0.01979	0.13338	0.14501	0.13751	kWh
A1X	Off-Peak Summer	0.11721	0.12895	0.01979	0.13700	0.14874	0.14124	kWh
A1X	Part-Peak Summer	0.14118	0.15366	0.01979	0.16097	0.17345	0.16595	kWh
A1X	Peak Summer	0.14118	0.15366	0.01979	0.16097	0.17345	0.16595	kWh
A1X	Off-Peak Winter	0.11079	0.12233	0.01979	0.13058	0.14212	0.13462	kWh
A1X	Part-Peak Winter	0.11135	0.12291	0.01979	0.13114	0.14270	0.13520	kWh
A6	Off-Peak Summer	0.12330	0.13523	0.01979	0.14309	0.15502	0.14752	kWh
A6	Part-Peak Summer	0.15448	0.16737	0.01979	0.17427	0.18716	0.17966	kWh
A6	Peak Summer	0.20236	0.21673	0.01979	0.22215	0.23652	0.22902	kWh
A6	Off-Peak Winter	0.11352	0.12514	0.01979	0.13331	0.14493	0.13743	kWh
A6	Part-Peak Winter	0.11421	0.12585	0.01979	0.13400	0.14564	0.13814	kWh
AG1A	Connected Load Summer	2.49290	2.57000	0	2.49290	2.57000	2.57000	kW
AG1A	Summer	0.09840	0.10952	0.0186	0.11700	0.12812	0.12062	kWh
AG1A	Winter	0.08550	0.09622	0.0186	0.10410	0.11482	0.10732	kWh
AG1B	Max Demand Summer	3.87030	3.99000	0	3.87030	3.99000	3.99000	kW
AG1B	Summer	0.10944	0.12090	0.0186	0.12804	0.13950	0.13200	kWh
AG1B	Winter	0.07781	0.08829	0.0186	0.09641	0.10689	0.09939	kWh
AG4A	Connected Load Summer	1.95940	2.02000	0	1.95940	2.02000	2.02000	kW



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
AG4A	Off-Peak Summer	0.09393	0.10491	0.0186	0.11253	0.12351	0.11601	kWh
AG4A	Peak Summer	0.11583	0.12749	0.0186	0.13443	0.14609	0.13859	kWh
AG4A	Off-Peak Winter	0.08251	0.09314	0.0186	0.10111	0.11174	0.10424	kWh
AG4A	Part-Peak Winter	0.08320	0.09385	0.0186	0.10180	0.11245	0.10495	kWh
AG4B	Max Demand Summer	3.55020	3.66000	0	3.55020	3.66000	3.66000	kW
AG4B	Max Peak Demand Summer	0.95060	0.98000	0	0.95060	0.98000	0.98000	kW
AG4B	Off-Peak Summer	0.10226	0.11350	0.0186	0.12086	0.13210	0.12460	kWh
AG4B	Peak Summer	0.11464	0.12626	0.0186	0.13324	0.14486	0.13736	kWh
AG4B	Off-Peak Winter	0.09287	0.10382	0.0186	0.11147	0.12242	0.11492	kWh
AG4B	Part-Peak Winter	0.09354	0.10451	0.0186	0.11214	0.12311	0.11561	kWh
AG4C	Max Part-Peak Demand Summer	3.53080	3.64000	0	3.53080	3.64000	3.64000	kW
AG4C	Max Peak Demand Summer	4.71420	4.86000	0	4.71420	4.86000	4.86000	kW
AG4C	Off-Peak Summer	0.07208	0.08238	0.0186	0.09068	0.10098	0.09348	kWh
AG4C	Part-Peak Summer	0.07741	0.08788	0.0186	0.09601	0.10648	0.09898	kWh
AG4C	Peak Summer	0.09207	0.10299	0.0186	0.11067	0.12159	0.11409	kWh
AG4C	Off-Peak Winter	0.07150	0.08179	0.0186	0.09010	0.10039	0.09289	kWh
AG4C	Part-Peak Winter	0.07219	0.08250	0.0186	0.09079	0.10110	0.09360	kWh
AG5A	Connected Load Summer	5.41260	5.58000	0	5.41260	5.58000	5.58000	kW
AG5A	Off-Peak Summer	0.09965	0.11081	0.0186	0.11825	0.12941	0.12191	kWh
AG5A	Peak Summer	0.11789	0.12961	0.0186	0.13649	0.14821	0.14071	kWh
AG5A	Off-Peak Winter	0.09026	0.10113	0.0186	0.10886	0.11973	0.11223	kWh
AG5A	Part-Peak Winter	0.09095	0.10184	0.0186	0.10955	0.12044	0.11294	kWh
AG5B	Max Demand Summer	6.80940	7.02000	0	6.80940	7.02000	7.02000	kW
AG5B	Max Peak Demand Summer	2.12430	2.19000	0	2.12430	2.19000	2.19000	kW
AG5B	Off-Peak Summer	0.08773	0.09852	0.0186	0.10633	0.11712	0.10962	kWh
AG5B	Peak Summer	0.11112	0.12263	0.0186	0.12972	0.14123	0.13373	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
AG5B	Off-Peak Winter	0.08327	0.09392	0.0186	0.10187	0.11252	0.10502	kWh
AG5B	Part-Peak Winter	0.08393	0.09460	0.0186	0.10253	0.11320	0.10570	kWh
AG5C	Max Part-Peak Demand Summer	7.62420	7.86000	0	7.62420	7.86000	7.86000	kW
AG5C	Max Peak Demand Summer	9.54480	9.84000	0	9.54480	9.84000	9.84000	kW
AG5C	Off-Peak Summer	0.06953	0.07976	0.0186	0.08813	0.09836	0.09086	kWh
AG5C	Part-Peak Summer	0.07410	0.08447	0.0186	0.09270	0.10307	0.09557	kWh
AG5C	Peak Summer	0.08637	0.09712	0.0186	0.10497	0.11572	0.10822	kWh
AG5C	Off-Peak Winter	0.07080	0.08107	0.0186	0.08940	0.09967	0.09217	kWh
AG5C	Part-Peak Winter	0.07149	0.08178	0.0186	0.09009	0.10038	0.09288	kWh
AG5D	Connected Load Summer	5.41260	5.58000	0	5.41260	5.58000	5.58000	kW
AG5D	Off-Peak Summer	0.09965	0.11081	0.0186	0.11825	0.12941	0.12191	kWh
AG5D	Peak Summer	0.11789	0.12961	0.0186	0.13649	0.14821	0.14071	kWh
AG5D	Off-Peak Winter	0.09026	0.10113	0.0186	0.10886	0.11973	0.11223	kWh
AG5D	Part-Peak Winter	0.09095	0.10184	0.0186	0.10955	0.12044	0.11294	kWh
AGA1	Off-Peak Summer	0.11426	0.12587	0.0186	0.13286	0.14447	0.13697	kWh
AGA1	Peak Summer	0.23035	0.24555	0.0186	0.24895	0.26415	0.25665	kWh
AGA1	Off-Peak Winter	0.08538	0.09610	0.0186	0.10398	0.11470	0.10720	kWh
AGA1	Peak Winter	0.11104	0.12255	0.0186	0.12964	0.14115	0.13365	kWh
AGA2	Off-Peak Summer	0.11426	0.12587	0.0186	0.13286	0.14447	0.13697	kWh
AGA2	Peak Summer	0.23035	0.24555	0.0186	0.24895	0.26415	0.25665	kWh
AGA2	Off-Peak Winter	0.08538	0.09610	0.0186	0.10398	0.11470	0.10720	kWh
AGA2	Peak Winter	0.11104	0.12255	0.0186	0.12964	0.14115	0.13365	kWh
AGB	Off-Peak Summer	0.12747	0.13949	0.0186	0.14607	0.15809	0.15059	kWh
AGB	Peak Summer	0.24685	0.26256	0.0186	0.26545	0.28116	0.27366	kWh
AGB	Off-Peak Winter	0.09688	0.10795	0.0186	0.11548	0.12655	0.11905	kWh
AGB	Peak Winter	0.12229	0.13415	0.0186	0.14089	0.15275	0.14525	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
AGC	Max Peak Demand Summer	14.99620	15.46000	0	14.99620	15.46000	15.46000	kW
AGC	Off-Peak Summer	0.08484	0.09554	0.0186	0.10344	0.11414	0.10664	kWh
AGC	Peak Summer	0.11344	0.12502	0.0186	0.13204	0.14362	0.13612	kWh
AGC	Off-Peak Winter	0.07448	0.08486	0.0186	0.09308	0.10346	0.09596	kWh
AGC	Peak Winter	0.09924	0.11038	0.0186	0.11784	0.12898	0.12148	kWh
AGFA	Off-Peak Summer	0.12212	0.13397	0.0186	0.14072	0.15257	0.14507	kWh
AGFA	Peak Summer	0.19694	0.21111	0.0186	0.21554	0.22971	0.22221	kWh
AGFA	Off-Peak Winter	0.08657	0.09732	0.0186	0.10517	0.11592	0.10842	kWh
AGFA	Peak Winter	0.11222	0.12377	0.0186	0.13082	0.14237	0.13487	kWh
AGFB	Off-Peak Summer	0.13628	0.14857	0.0186	0.15488	0.16717	0.15967	kWh
AGFB	Peak Summer	0.21515	0.22988	0.0186	0.23375	0.24848	0.24098	kWh
AGFB	Off-Peak Winter	0.09893	0.11006	0.0186	0.11753	0.12866	0.12116	kWh
AGFB	Peak Winter	0.12458	0.13651	0.0186	0.14318	0.15511	0.14761	kWh
AGFC	Max Peak Demand Summer	14.99620	15.46000	0	14.99620	15.46000	15.46000	kW
AGFC	Off-Peak Summer	0.10454	0.11585	0.0186	0.12314	0.13445	0.12695	kWh
AGFC	Peak Summer	0.13365	0.14586	0.0186	0.15225	0.16446	0.15696	kWh
AGFC	Off-Peak Winter	0.09401	0.10499	0.0186	0.11261	0.12359	0.11609	kWh
AGFC	Peak Winter	0.11966	0.13144	0.0186	0.13826	0.15004	0.14254	kWh
AGRA	Connected Load Summer	1.88180	1.94000	0	1.88180	1.94000	1.94000	kW
AGRA	Off-Peak Summer	0.09450	0.10550	0.0186	0.11310	0.12410	0.11660	kWh
AGRA	Peak Summer	0.14300	0.15550	0.0186	0.16160	0.17410	0.16660	kWh
AGRA	Off-Peak Winter	0.08117	0.09176	0.0186	0.09977	0.11036	0.10286	kWh
AGRA	Part-Peak Winter	0.08186	0.09247	0.0186	0.10046	0.11107	0.10357	kWh
AGRB	Max Demand Summer	2.79360	2.88000	0	2.79360	2.88000	2.88000	kW
AGRB	Max Peak Demand Summer	0.79540	0.82000	0	0.79540	0.82000	0.82000	kW
AGRB	Off-Peak Summer	0.08850	0.09931	0.0186	0.10710	0.11791	0.11041	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
AGRB	Peak Summer	0.13084	0.14296	0.0186	0.14944	0.16156	0.15406	kWh
AGRB	Off-Peak Winter	0.07999	0.09054	0.0186	0.09859	0.10914	0.10164	kWh
AGRB	Part-Peak Winter	0.08068	0.09125	0.0186	0.09928	0.10985	0.10235	kWh
AGVA	Connected Load Summer	1.97880	2.04000	0	1.97880	2.04000	2.04000	kW
AGVA	Off-Peak Summer	0.09134	0.10224	0.0186	0.10994	0.12084	0.11334	kWh
AGVA	Peak Summer	0.13240	0.14457	0.0186	0.15100	0.16317	0.15567	kWh
AGVA	Off-Peak Winter	0.07941	0.08994	0.0186	0.09801	0.10854	0.10104	kWh
AGVA	Part-Peak Winter	0.08010	0.09065	0.0186	0.09870	0.10925	0.10175	kWh
AGVB	Max Demand Summer	2.58020	2.66000	0	2.58020	2.66000	2.66000	kW
AGVB	Max Peak Demand Summer	0.82450	0.85000	0	0.82450	0.85000	0.85000	kW
AGVB	Off-Peak Summer	0.08442	0.09511	0.0186	0.10302	0.11371	0.10621	kWh
AGVB	Peak Summer	0.12104	0.13286	0.0186	0.13964	0.15146	0.14396	kWh
AGVB	Off-Peak Winter	0.07388	0.08424	0.0186	0.09248	0.10284	0.09534	kWh
AGVB	Part-Peak Winter	0.07457	0.08495	0.0186	0.09317	0.10355	0.09605	kWh
B1	Off-Peak Summer	0.11291	0.12451	0.01979	0.13270	0.14430	0.13680	kWh
B1	Part-Peak Summer	0.13308	0.14531	0.01979	0.15287	0.16510	0.15760	kWh
B1	Peak Summer	0.18084	0.19454	0.01979	0.20063	0.21433	0.20683	kWh
B1	Off-Peak Winter	0.11162	0.12318	0.01979	0.13141	0.14297	0.13547	kWh
B1	Peak Winter	0.12724	0.13929	0.01979	0.14703	0.15908	0.15158	kWh
B1	Super-Off-Peak Winter	0.09569	0.10676	0.01979	0.11548	0.12655	0.11905	kWh
B1-ST	Off-Peak Summer	0.10955	0.12105	0.01979	0.12934	0.14084	0.13334	kWh
B1-ST	Part-Peak Summer	0.14423	0.15680	0.01979	0.16402	0.17659	0.16909	kWh
B1-ST	Peak Summer	0.18541	0.19926	0.01979	0.20520	0.21905	0.21155	kWh
B1-ST	Off-Peak Winter	0.10304	0.11434	0.01979	0.12283	0.13413	0.12663	kWh
B1-ST	Part-Peak Winter	0.12438	0.13634	0.01979	0.14417	0.15613	0.14863	kWh
B1-ST	Peak Winter	0.13635	0.14868	0.01979	0.15614	0.16847	0.16097	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
B1-ST	Super-Off-Peak Winter	0.08711	0.09792	0.01979	0.10690	0.11771	0.11021	kWh
B10P	Off-Peak Summer	0.10405	0.11542	0.02099	0.12504	0.13641	0.12891	kWh
B10P	Part-Peak Summer	0.13397	0.14626	0.02099	0.15496	0.16725	0.15975	kWh
B10P	Peak Summer	0.19052	0.20456	0.02099	0.21151	0.22555	0.21805	kWh
B10P	Off-Peak Winter	0.10490	0.11629	0.02099	0.12589	0.13728	0.12978	kWh
B10P	Peak Winter	0.13753	0.14993	0.02099	0.15852	0.17092	0.16342	kWh
B10P	Super-Off-Peak Winter	0.06965	0.07995	0.02099	0.09064	0.10094	0.09344	kWh
B10S	Off-Peak Summer	0.11409	0.12577	0.02099	0.13508	0.14676	0.13926	kWh
B10S	Part-Peak Summer	0.14569	0.15834	0.02099	0.16668	0.17933	0.17183	kWh
B10S	Peak Summer	0.20552	0.22003	0.02099	0.22651	0.24102	0.23352	kWh
B10S	Off-Peak Winter	0.11481	0.12651	0.02099	0.13580	0.14750	0.14000	kWh
B10S	Peak Winter	0.14923	0.16199	0.02099	0.17022	0.18298	0.17548	kWh
B10S	Super-Off-Peak Winter	0.07956	0.09017	0.02099	0.10055	0.11116	0.10366	kWh
B10T	Off-Peak Summer	0.08418	0.09493	0.02099	0.10517	0.11592	0.10842	kWh
B10T	Part-Peak Summer	0.11335	0.12500	0.02099	0.13434	0.14599	0.13849	kWh
B10T	Peak Summer	0.16838	0.18174	0.02099	0.18937	0.20273	0.19523	kWh
B10T	Off-Peak Winter	0.08507	0.09585	0.02099	0.10606	0.11684	0.10934	kWh
B10T	Peak Winter	0.11692	0.12869	0.02099	0.13791	0.14968	0.14218	kWh
B10T	Super-Off-Peak Winter	0.04982	0.05951	0.02099	0.07081	0.08050	0.07300	kWh
B19P	Max Part-Peak Demand Summer	2.27950	2.35000	0	2.27950	2.35000	2.35000	kW
B19P	Max Peak Demand Summer	15.53940	16.02000	0	15.53940	16.02000	16.02000	kW
B19P	Max Peak Demand Winter	1.59080	1.64000	0	1.59080	1.64000	1.64000	kW
B19P	Off-Peak Summer	0.07954	0.09011	0.01982	0.09936	0.10993	0.10243	kWh
B19P	Part-Peak Summer	0.10383	0.11515	0.01982	0.12365	0.13497	0.12747	kWh
B19P	Peak Summer	0.13175	0.14394	0.01982	0.15157	0.16376	0.15626	kWh
B19P	Off-Peak Winter	0.07984	0.09042	0.01982	0.09966	0.11024	0.10274	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
B19P	Peak Winter	0.11551	0.12720	0.01982	0.13533	0.14702	0.13952	kWh
B19P	Super-Off-Peak Winter	0.02907	0.03808	0.01982	0.04889	0.05790	0.05040	kWh
B19PR	Off-Peak Summer	0.09456	0.10560	0.01982	0.11438	0.12542	0.11792	kWh
B19PR	Part-Peak Summer	0.12889	0.14099	0.01982	0.14871	0.16081	0.15331	kWh
B19PR	Peak Summer	0.24872	0.26453	0.01982	0.26854	0.28435	0.27685	kWh
B19PR	Off-Peak Winter	0.09467	0.10571	0.01982	0.11449	0.12553	0.11803	kWh
B19PR	Peak Winter	0.13119	0.14336	0.01982	0.15101	0.16318	0.15568	kWh
B19PR	Super-Off-Peak Winter	0.05992	0.06989	0.01982	0.07974	0.08971	0.08221	kWh
B19PS	Off-Peak Summer	0.09456	0.10560	0.01982	0.11438	0.12542	0.11792	kWh
B19PS	Part-Peak Summer	0.12889	0.14099	0.01982	0.14871	0.16081	0.15331	kWh
B19PS	Peak Summer	0.24872	0.26453	0.01982	0.26854	0.28435	0.27685	kWh
B19PS	Off-Peak Winter	0.09467	0.10571	0.01982	0.11449	0.12553	0.11803	kWh
B19PS	Peak Winter	0.13119	0.14336	0.01982	0.15101	0.16318	0.15568	kWh
B19PS	Super-Off-Peak Winter	0.05992	0.06989	0.01982	0.07974	0.08971	0.08221	kWh
B19S	Max Part-Peak Demand Summer	2.63840	2.72000	0	2.63840	2.72000	2.72000	kW
B19S	Max Peak Demand Summer	18.13900	18.70000	0	18.13900	18.70000	18.70000	kW
B19S	Max Peak Demand Winter	2.15340	2.22000	0	2.15340	2.22000	2.22000	kW
B19S	Off-Peak Summer	0.08672	0.09752	0.01982	0.10654	0.11734	0.10984	kWh
B19S	Part-Peak Summer	0.11226	0.12384	0.01982	0.13208	0.14366	0.13616	kWh
B19S	Peak Summer	0.14834	0.16104	0.01982	0.16816	0.18086	0.17336	kWh
B19S	Off-Peak Winter	0.08663	0.09742	0.01982	0.10645	0.11724	0.10974	kWh
B19S	Peak Winter	0.12542	0.13741	0.01982	0.14524	0.15723	0.14973	kWh
B19S	Super-Off-Peak Winter	0.03460	0.04378	0.01982	0.05442	0.06360	0.05610	kWh
B19SR	Off-Peak Summer	0.10119	0.11243	0.01982	0.12101	0.13225	0.12475	kWh
B19SR	Part-Peak Summer	0.13854	0.15094	0.01982	0.15836	0.17076	0.16326	kWh
B19SR	Peak Summer	0.27005	0.28651	0.01982	0.28987	0.30633	0.29883	kWh





This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
B19SR	Off-Peak Winter	0.10112	0.11236	0.01982	0.12094	0.13218	0.12468	kWh
B19SR	Peak Winter	0.14217	0.15468	0.01982	0.16199	0.17450	0.16700	kWh
B19SR	Super-Off-Peak Winter	0.06637	0.07654	0.01982	0.08619	0.09636	0.08886	kWh
B19SS	Off-Peak Summer	0.10119	0.11243	0.01982	0.12101	0.13225	0.12475	kWh
B19SS	Part-Peak Summer	0.13854	0.15094	0.01982	0.15836	0.17076	0.16326	kWh
B19SS	Peak Summer	0.27005	0.28651	0.01982	0.28987	0.30633	0.29883	kWh
B19SS	Off-Peak Winter	0.10112	0.11236	0.01982	0.12094	0.13218	0.12468	kWh
B19SS	Peak Winter	0.14217	0.15468	0.01982	0.16199	0.17450	0.16700	kWh
B19SS	Super-Off-Peak Winter	0.06637	0.07654	0.01982	0.08619	0.09636	0.08886	kWh
B19T	Max Part-Peak Demand Summer	3.38530	3.49000	0	3.38530	3.49000	3.49000	kW
B19T	Max Peak Demand Summer	13.52180	13.94000	0	13.52180	13.94000	13.94000	kW
B19T	Max Peak Demand Winter	1.29980	1.34000	0	1.29980	1.34000	1.34000	kW
B19T	Off-Peak Summer	0.08060	0.09121	0.01982	0.10042	0.11103	0.10353	kWh
B19T	Part-Peak Summer	0.10507	0.11643	0.01982	0.12489	0.13625	0.12875	kWh
B19T	Peak Summer	0.11656	0.12828	0.01982	0.13638	0.14810	0.14060	kWh
B19T	Off-Peak Winter	0.08114	0.09176	0.01982	0.10096	0.11158	0.10408	kWh
B19T	Peak Winter	0.11579	0.12748	0.01982	0.13561	0.14730	0.13980	kWh
B19T	Super-Off-Peak Winter	0.03018	0.03923	0.01982	0.05000	0.05905	0.05155	kWh
B19TR	Off-Peak Summer	0.09644	0.10754	0.01982	0.11626	0.12736	0.11986	kWh
B19TR	Part-Peak Summer	0.13733	0.14969	0.01982	0.15715	0.16951	0.16201	kWh
B19TR	Peak Summer	0.21638	0.23119	0.01982	0.23620	0.25101	0.24351	kWh
B19TR	Off-Peak Winter	0.09665	0.10775	0.01982	0.11647	0.12757	0.12007	kWh
B19TR	Peak Winter	0.12932	0.14143	0.01982	0.14914	0.16125	0.15375	kWh
B19TR	Super-Off-Peak Winter	0.06190	0.07193	0.01982	0.08172	0.09175	0.08425	kWh
B19TS	Off-Peak Summer	0.09644	0.10754	0.01982	0.11626	0.12736	0.11986	kWh
B19TS	Part-Peak Summer	0.13733	0.14969	0.01982	0.15715	0.16951	0.16201	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
B19TS	Peak Summer	0.21638	0.23119	0.01982	0.23620	0.25101	0.24351	kWh
B19TS	Off-Peak Winter	0.09665	0.10775	0.01982	0.11647	0.12757	0.12007	kWh
B19TS	Peak Winter	0.12932	0.14143	0.01982	0.14914	0.16125	0.15375	kWh
B19TS	Super-Off-Peak Winter	0.06190	0.07193	0.01982	0.08172	0.09175	0.08425	kWh
B20P	Max Part-Peak Demand Summer	2.62870	2.71000	0	2.62870	2.71000	2.71000	kW
B20P	Max Peak Demand Summer	19.09930	19.69000	0	19.09930	19.69000	19.69000	kW
B20P	Max Peak Demand Winter	2.20190	2.27000	0	2.20190	2.27000	2.27000	kW
B20P	Off-Peak Summer	0.07980	0.09032	0.01799	0.09779	0.10831	0.10081	kWh
B20P	Part-Peak Summer	0.10417	0.11545	0.01799	0.12216	0.13344	0.12594	kWh
B20P	Peak Summer	0.13913	0.15149	0.01799	0.15712	0.16948	0.16198	kWh
B20P	Off-Peak Winter	0.07985	0.09038	0.01799	0.09784	0.10837	0.10087	kWh
B20P	Peak Winter	0.11688	0.12855	0.01799	0.13487	0.14654	0.13904	kWh
B20P	Super-Off-Peak Winter	0.02733	0.03623	0.01799	0.04532	0.05422	0.04672	kWh
B20PR	Off-Peak Summer	0.09117	0.10205	0.01799	0.10916	0.12004	0.11254	kWh
B20PR	Part-Peak Summer	0.12483	0.13675	0.01799	0.14282	0.15474	0.14724	kWh
B20PR	Peak Summer	0.24987	0.26565	0.01799	0.26786	0.28364	0.27614	kWh
B20PR	Off-Peak Winter	0.09122	0.10210	0.01799	0.10921	0.12009	0.11259	kWh
B20PR	Peak Winter	0.13009	0.14217	0.01799	0.14808	0.16016	0.15266	kWh
B20PR	Super-Off-Peak Winter	0.05654	0.06635	0.01799	0.07453	0.08434	0.07684	kWh
B20PS	Off-Peak Summer	0.09117	0.10205	0.01799	0.10916	0.12004	0.11254	kWh
B20PS	Part-Peak Summer	0.12483	0.13675	0.01799	0.14282	0.15474	0.14724	kWh
B20PS	Peak Summer	0.24987	0.26565	0.01799	0.26786	0.28364	0.27614	kWh
B20PS	Off-Peak Winter	0.09122	0.10210	0.01799	0.10921	0.12009	0.11259	kWh
B20PS	Peak Winter	0.13009	0.14217	0.01799	0.14808	0.16016	0.15266	kWh
B20PS	Super-Off-Peak Winter	0.05654	0.06635	0.01799	0.07453	0.08434	0.07684	kWh
B20S	Max Part-Peak Demand Summer	2.47350	2.55000	0	2.47350	2.55000	2.55000	kW



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
B20S	Max Peak Demand Summer	17.03320	17.56000	0	17.03320	17.56000	17.56000	kW
B20S	Max Peak Demand Winter	2.17280	2.24000	0	2.17280	2.24000	2.24000	kW
B20S	Off-Peak Summer	0.08373	0.09439	0.01834	0.10207	0.11273	0.10523	kWh
B20S	Part-Peak Summer	0.10934	0.12079	0.01834	0.12768	0.13913	0.13163	kWh
B20S	Peak Summer	0.14176	0.15421	0.01834	0.16010	0.17255	0.16505	kWh
B20S	Off-Peak Winter	0.08353	0.09418	0.01834	0.10187	0.11252	0.10502	kWh
B20S	Peak Winter	0.12245	0.13430	0.01834	0.14079	0.15264	0.14514	kWh
B20S	Super-Off-Peak Winter	0.03139	0.04043	0.01834	0.04973	0.05877	0.05127	kWh
B20SR	Off-Peak Summer	0.09292	0.10386	0.01834	0.11126	0.12220	0.11470	kWh
B20SR	Part-Peak Summer	0.12926	0.14132	0.01834	0.14760	0.15966	0.15216	kWh
B20SR	Peak Summer	0.25802	0.27407	0.01834	0.27636	0.29241	0.28491	kWh
B20SR	Off-Peak Winter	0.09279	0.10373	0.01834	0.11113	0.12207	0.11457	kWh
B20SR	Peak Winter	0.13521	0.14746	0.01834	0.15355	0.16580	0.15830	kWh
B20SR	Super-Off-Peak Winter	0.05812	0.06798	0.01834	0.07646	0.08632	0.07882	kWh
B20SS	Off-Peak Summer	0.09292	0.10386	0.01834	0.11126	0.12220	0.11470	kWh
B20SS	Part-Peak Summer	0.12926	0.14132	0.01834	0.14760	0.15966	0.15216	kWh
B20SS	Peak Summer	0.25802	0.27407	0.01834	0.27636	0.29241	0.28491	kWh
B20SS	Off-Peak Winter	0.09279	0.10373	0.01834	0.11113	0.12207	0.11457	kWh
B20SS	Peak Winter	0.13521	0.14746	0.01834	0.15355	0.16580	0.15830	kWh
B20SS	Super-Off-Peak Winter	0.05812	0.06798	0.01834	0.07646	0.08632	0.07882	kWh
B20T	Max Part-Peak Demand Summer	4.76270	4.91000	0	4.76270	4.91000	4.91000	kW
B20T	Max Peak Demand Summer	20.00140	20.62000	0	20.00140	20.62000	20.62000	kW
B20T	Max Peak Demand Winter	2.66750	2.75000	0	2.66750	2.75000	2.75000	kW
B20T	Off-Peak Summer	0.07382	0.08414	0.0173	0.09112	0.10144	0.09394	kWh
B20T	Part-Peak Summer	0.09843	0.10951	0.0173	0.11573	0.12681	0.11931	kWh
B20T	Peak Summer	0.12049	0.13225	0.0173	0.13779	0.14955	0.14205	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
B20T	Off-Peak Winter	0.07006	0.08026	0.0173	0.08736	0.09756	0.09006	kWh
B20T	Peak Winter	0.11456	0.12614	0.0173	0.13186	0.14344	0.13594	kWh
B20T	Super-Off-Peak Winter	0.02561	0.03444	0.0173	0.04291	0.05174	0.04424	kWh
B20TR	Off-Peak Summer	0.08562	0.09630	0.0173	0.10292	0.11360	0.10610	kWh
B20TR	Part-Peak Summer	0.13436	0.14655	0.0173	0.15166	0.16385	0.15635	kWh
B20TR	Peak Summer	0.24942	0.26517	0.0173	0.26672	0.28247	0.27497	kWh
B20TR	Off-Peak Winter	0.08278	0.09338	0.0173	0.10008	0.11068	0.10318	kWh
B20TR	Peak Winter	0.13420	0.14639	0.0173	0.15150	0.16369	0.15619	kWh
B20TR	Super-Off-Peak Winter	0.05097	0.06058	0.0173	0.06827	0.07788	0.07038	kWh
B20TS	Off-Peak Summer	0.08562	0.09630	0.0173	0.10292	0.11360	0.10610	kWh
B20TS	Part-Peak Summer	0.13436	0.14655	0.0173	0.15166	0.16385	0.15635	kWh
B20TS	Peak Summer	0.24942	0.26517	0.0173	0.26672	0.28247	0.27497	kWh
B20TS	Off-Peak Winter	0.08278	0.09338	0.0173	0.10008	0.11068	0.10318	kWh
B20TS	Peak Winter	0.13420	0.14639	0.0173	0.15150	0.16369	0.15619	kWh
B20TS	Super-Off-Peak Winter	0.05097	0.06058	0.0173	0.06827	0.07788	0.07038	kWh
B6	Off-Peak Summer	0.11420	0.12584	0.01979	0.13399	0.14563	0.13813	kWh
B6	Peak Summer	0.18321	0.19699	0.01979	0.20300	0.21678	0.20928	kWh
B6	Off-Peak Winter	0.10506	0.11642	0.01979	0.12485	0.13621	0.12871	kWh
B6	Peak Winter	0.12160	0.13347	0.01979	0.14139	0.15326	0.14576	kWh
B6	Super-Off-Peak Winter	0.08913	0.10000	0.01979	0.10892	0.11979	0.11229	kWh
BEV1	Off-Peak	0.08963	0.10043	0.01697	0.10660	0.11740	0.10990	kWh
BEV1	Peak	0.26672	0.28299	0.01697	0.28369	0.29996	0.29246	kWh
BEV1	Super-Off-Peak	0.06500	0.07504	0.01697	0.08197	0.09201	0.08451	kWh
BEV2P	Off-Peak	0.08263	0.09329	0.01962	0.10225	0.11291	0.10541	kWh
BEV2P	Peak	0.27273	0.28927	0.01962	0.29235	0.30889	0.30139	kWh
BEV2P	Super-Off-Peak	0.05915	0.06909	0.01962	0.07877	0.08871	0.08121	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
BEV2S	Off-Peak	0.08554	0.09629	0.01962	0.10516	0.11591	0.10841	kWh
BEV2S	Peak	0.28280	0.29965	0.01962	0.30242	0.31927	0.31177	kWh
BEV2S	Super-Off-Peak	0.06090	0.07089	0.01962	0.08052	0.09051	0.08301	kWh
E1	Flat	0.12639	0.13844	0.0208	0.14719	0.15924	0.15174	kWh
E19P	Max Part-Peak Demand Summer	10.38870	10.71000	0	10.38870	10.71000	10.71000	kW
E19P	Max Peak Demand Summer	10.38870	10.71000	0	10.38870	10.71000	10.71000	kW
E19P	Off-Peak Summer	0.07828	0.08881	0.01982	0.09810	0.10863	0.10113	kWh
E19P	Part-Peak Summer	0.08382	0.09453	0.01982	0.10364	0.11435	0.10685	kWh
E19P	Peak Summer	0.08382	0.09453	0.01982	0.10364	0.11435	0.10685	kWh
E19P	Off-Peak Winter	0.07523	0.08567	0.01982	0.09505	0.10549	0.09799	kWh
E19P	Part-Peak Winter	0.07588	0.08634	0.01982	0.09570	0.10616	0.09866	kWh
E19PR	Off-Peak Summer	0.10596	0.11735	0.01982	0.12578	0.13717	0.12967	kWh
E19PR	Part-Peak Summer	0.13114	0.14331	0.01982	0.15096	0.16313	0.15563	kWh
E19PR	Peak Summer	0.14612	0.15875	0.01982	0.16594	0.17857	0.17107	kWh
E19PR	Off-Peak Winter	0.10291	0.11421	0.01982	0.12273	0.13403	0.12653	kWh
E19PR	Part-Peak Winter	0.10356	0.11488	0.01982	0.12338	0.13470	0.12720	kWh
E19S	Max Part-Peak Demand Summer	11.81460	12.18000	0	11.81460	12.18000	12.18000	kW
E19S	Max Peak Demand Summer	11.81460	12.18000	0	11.81460	12.18000	12.18000	kW
E19S	Off-Peak Summer	0.08853	0.09938	0.01982	0.10835	0.11920	0.11170	kWh
E19S	Part-Peak Summer	0.09433	0.10536	0.01982	0.11415	0.12518	0.11768	kWh
E19S	Peak Summer	0.09433	0.10536	0.01982	0.11415	0.12518	0.11768	kWh
E19S	Off-Peak Winter	0.08533	0.09608	0.01982	0.10515	0.11590	0.10840	kWh
E19S	Part-Peak Winter	0.08602	0.09679	0.01982	0.10584	0.11661	0.10911	kWh
E19SR	Off-Peak Summer	0.11525	0.12693	0.01982	0.13507	0.14675	0.13925	kWh
E19SR	Part-Peak Summer	0.14368	0.15624	0.01982	0.16350	0.17606	0.16856	kWh
E19SR	Peak Summer	0.16053	0.17361	0.01982	0.18035	0.19343	0.18593	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
E19SR	Off-Peak Winter	0.11205	0.12363	0.01982	0.13187	0.14345	0.13595	kWh
E19SR	Part-Peak Winter	0.11274	0.12434	0.01982	0.13256	0.14416	0.13666	kWh
E19T	Max Part-Peak Demand Summer	11.48480	11.84000	0	11.48480	11.84000	11.84000	kW
E19T	Max Peak Demand Summer	11.48480	11.84000	0	11.48480	11.84000	11.84000	kW
E19T	Off-Peak Summer	0.06927	0.07953	0.01982	0.08909	0.09935	0.09185	kWh
E19T	Part-Peak Summer	0.07476	0.08519	0.01982	0.09458	0.10501	0.09751	kWh
E19T	Peak Summer	0.07476	0.08519	0.01982	0.09458	0.10501	0.09751	kWh
E19T	Off-Peak Winter	0.06628	0.07644	0.01982	0.08610	0.09626	0.08876	kWh
E19T	Part-Peak Winter	0.06692	0.07710	0.01982	0.08674	0.09692	0.08942	kWh
E19TR	Off-Peak Summer	0.10633	0.11773	0.01982	0.12615	0.13755	0.13005	kWh
E19TR	Part-Peak Summer	0.12835	0.14043	0.01982	0.14817	0.16025	0.15275	kWh
E19TR	Peak Summer	0.14154	0.15403	0.01982	0.16136	0.17385	0.16635	kWh
E19TR	Off-Peak Winter	0.10333	0.11464	0.01982	0.12315	0.13446	0.12696	kWh
E19TR	Part-Peak Winter	0.10397	0.11530	0.01982	0.12379	0.13512	0.12762	kWh
E20P	Max Part-Peak Demand Summer	12.17350	12.55000	0	12.17350	12.55000	12.55000	kW
E20P	Max Peak Demand Summer	12.17350	12.55000	0	12.17350	12.55000	12.55000	kW
E20P	Off-Peak Summer	0.08158	0.09216	0.01799	0.09957	0.11015	0.10265	kWh
E20P	Part-Peak Summer	0.08717	0.09792	0.01799	0.10516	0.11591	0.10841	kWh
E20P	Peak Summer	0.08717	0.09792	0.01799	0.10516	0.11591	0.10841	kWh
E20P	Off-Peak Winter	0.07853	0.08902	0.01799	0.09652	0.10701	0.09951	kWh
E20P	Part-Peak Winter	0.07918	0.08969	0.01799	0.09717	0.10768	0.10018	kWh
E20PR	Off-Peak Summer	0.10333	0.11458	0.01799	0.12132	0.13257	0.12507	kWh
E20PR	Part-Peak Summer	0.13024	0.14232	0.01799	0.14823	0.16031	0.15281	kWh
E20PR	Peak Summer	0.14718	0.15979	0.01799	0.16517	0.17778	0.17028	kWh
E20PR	Off-Peak Winter	0.10028	0.11144	0.01799	0.11827	0.12943	0.12193	kWh
E20PR	Part-Peak Winter	0.10093	0.11211	0.01799	0.11892	0.13010	0.12260	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
E20S	Max Part-Peak Demand Summer	11.33930	11.69000	0	11.33930	11.69000	11.69000	kW
E20S	Max Peak Demand Summer	11.33930	11.69000	0	11.33930	11.69000	11.69000	kW
E20S	Off-Peak Summer	0.08419	0.09486	0.01834	0.10253	0.11320	0.10570	kWh
E20S	Part-Peak Summer	0.08993	0.10078	0.01834	0.10827	0.11912	0.11162	kWh
E20S	Peak Summer	0.08993	0.10078	0.01834	0.10827	0.11912	0.11162	kWh
E20S	Off-Peak Winter	0.08099	0.09156	0.01834	0.09933	0.10990	0.10240	kWh
E20S	Part-Peak Winter	0.08168	0.09227	0.01834	0.10002	0.11061	0.10311	kWh
E20SR	Off-Peak Summer	0.10504	0.11636	0.01834	0.12338	0.13470	0.12720	kWh
E20SR	Part-Peak Summer	0.13127	0.14340	0.01834	0.14961	0.16174	0.15424	kWh
E20SR	Peak Summer	0.14579	0.15837	0.01834	0.16413	0.17671	0.16921	kWh
E20SR	Off-Peak Winter	0.10184	0.11306	0.01834	0.12018	0.13140	0.12390	kWh
E20SR	Part-Peak Winter	0.10253	0.11377	0.01834	0.12087	0.13211	0.12461	kWh
E20T	Max Part-Peak Demand Summer	14.56940	15.02000	0	14.56940	15.02000	15.02000	kW
E20T	Max Peak Demand Summer	14.56940	15.02000	0	14.56940	15.02000	15.02000	kW
E20T	Off-Peak Summer	0.06965	0.07984	0.0173	0.08695	0.09714	0.08964	kWh
E20T	Part-Peak Summer	0.07515	0.08551	0.0173	0.09245	0.10281	0.09531	kWh
E20T	Peak Summer	0.07515	0.08551	0.0173	0.09245	0.10281	0.09531	kWh
E20T	Off-Peak Winter	0.06665	0.07675	0.0173	0.08395	0.09405	0.08655	kWh
E20T	Part-Peak Winter	0.06729	0.07741	0.0173	0.08459	0.09471	0.08721	kWh
E20TR	Off-Peak Summer	0.09888	0.10997	0.0173	0.11618	0.12727	0.11977	kWh
E20TR	Part-Peak Summer	0.12547	0.13739	0.0173	0.14277	0.15469	0.14719	kWh
E20TR	Peak Summer	0.14239	0.15483	0.0173	0.15969	0.17213	0.16463	kWh
E20TR	Off-Peak Winter	0.09588	0.10688	0.0173	0.11318	0.12418	0.11668	kWh
E20TR	Part-Peak Winter	0.09652	0.10754	0.0173	0.11382	0.12484	0.11734	kWh
E6	Off-Peak Summer	0.10346	0.11480	0.0208	0.12426	0.13560	0.12810	kWh
E6	Part-Peak Summer	0.17153	0.18498	0.0208	0.19233	0.20578	0.19828	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
E6	Peak Summer	0.25197	0.26791	0.0208	0.27277	0.28871	0.28121	kWh
E6	Off-Peak Winter	0.10680	0.11825	0.0208	0.12760	0.13905	0.13155	kWh
E6	Part-Peak Winter	0.13959	0.15205	0.0208	0.16039	0.17285	0.16535	kWh
EMTOU	Off-Peak Summer	0.10346	0.11480	0.0208	0.12426	0.13560	0.12810	kWh
EMTOU	Part-Peak Summer	0.17153	0.18498	0.0208	0.19233	0.20578	0.19828	kWh
EMTOU	Peak Summer	0.25197	0.26791	0.0208	0.27277	0.28871	0.28121	kWh
EMTOU	Off-Peak Winter	0.10680	0.11825	0.0208	0.12760	0.13905	0.13155	kWh
EMTOU	Part-Peak Winter	0.13959	0.15205	0.0208	0.16039	0.17285	0.16535	kWh
ETOUB	Off-Peak Summer	0.12350	0.13546	0.0208	0.14430	0.15626	0.14876	kWh
ETOUB	Peak Summer	0.24287	0.25852	0.0208	0.26367	0.27932	0.27182	kWh
ETOUB	Off-Peak Winter	0.10241	0.11372	0.0208	0.12321	0.13452	0.12702	kWh
ETOUB	Peak Winter	0.14005	0.15252	0.0208	0.16085	0.17332	0.16582	kWh
ETOUC	Off-Peak Summer	0.12286	0.13480	0.0208	0.14366	0.15560	0.14810	kWh
ETOUC	Peak Summer	0.17469	0.18824	0.0208	0.19549	0.20904	0.20154	kWh
ETOUC	Off-Peak Winter	0.11282	0.12445	0.0208	0.13362	0.14525	0.13775	kWh
ETOUC	Peak Winter	0.12739	0.13947	0.0208	0.14819	0.16027	0.15277	kWh
ETOUD	Off-Peak Summer	0.10143	0.11271	0.0208	0.12223	0.13351	0.12601	kWh
ETOUD	Peak Summer	0.20324	0.21767	0.0208	0.22404	0.23847	0.23097	kWh
ETOUD	Off-Peak Winter	0.12957	0.14172	0.0208	0.15037	0.16252	0.15502	kWh
ETOUD	Peak Winter	0.16360	0.17680	0.0208	0.18440	0.19760	0.19010	kWh
EV2	Off-Peak Summer	0.10840	0.11990	0.0208	0.12920	0.14070	0.13320	kWh
EV2	Part-Peak Summer	0.14831	0.16104	0.0208	0.16911	0.18184	0.17434	kWh
EV2	Peak Summer	0.19168	0.20575	0.0208	0.21248	0.22655	0.21905	kWh
EV2	Off-Peak Winter	0.10162	0.11291	0.0208	0.12242	0.13371	0.12621	kWh
EV2	Part-Peak Winter	0.12440	0.13639	0.0208	0.14520	0.15719	0.14969	kWh
EV2	Peak Winter	0.13651	0.14888	0.0208	0.15731	0.16968	0.16218	kWh





This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at [ebce.org/rates](http://ebce.org/rates) to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Generation Rate	Renewable 100 Generation Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	July 2022 PG&E Generation Rate	Unit
EVA	Off-Peak Summer	0.09890	0.11010	0.0208	0.11970	0.13090	0.12340	kWh
EVA	Part-Peak Summer	0.14389	0.15648	0.0208	0.16469	0.17728	0.16978	kWh
EVA	Peak Summer	0.28305	0.29995	0.0208	0.30385	0.32075	0.31325	kWh
EVA	Off-Peak Winter	0.07032	0.08064	0.0208	0.09112	0.10144	0.09394	kWh
EVA	Part-Peak Winter	0.07032	0.08064	0.0208	0.09112	0.10144	0.09394	kWh
EVA	Peak Winter	0.09443	0.10549	0.0208	0.11523	0.12629	0.11879	kWh
EVB	Off-Peak Summer	0.09890	0.11010	0.0208	0.11970	0.13090	0.12340	kWh
EVB	Part-Peak Summer	0.14389	0.15648	0.0208	0.16469	0.17728	0.16978	kWh
EVB	Peak Summer	0.28305	0.29995	0.0208	0.30385	0.32075	0.31325	kWh
EVB	Off-Peak Winter	0.07032	0.08064	0.0208	0.09112	0.10144	0.09394	kWh
EVB	Part-Peak Winter	0.07032	0.08064	0.0208	0.09112	0.10144	0.09394	kWh
EVB	Peak Winter	0.09443	0.10549	0.0208	0.11523	0.12629	0.11879	kWh
LS	Flat	0.10318	0.11440	0.017	0.12018	0.13140	0.12390	kWh
TC1	Flat	0.11138	0.12294	0.01979	0.13117	0.14273	0.13523	kWh