



# 708 Febflor Universal

## DECLARATION OF PERFORMANCE No. 57730255

1	<b>UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:</b>	SEL20
2	<b>INTENDED USE/S</b>	Cementitious screed material for use internally
3	<b>MANUFACTURER:</b>	Everbuild Building Products LTD Site 41, Knowsthorpe Way, Cross Green Industrial Estate Leeds, LS9 0SW
4	<b>AUTHORISED REPRESENTATIVE:</b>	N/A
5	<b>SYSTEM/S OF AVCP:</b>	4
6a	<b>HARMONISED STANDARD:</b>	EN 13813:2002
	<b>Notified body/ies:</b>	N/A

**7 DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	NPD		
Release of corrosive substances	CT		
Water permeability	NPD		
Water vapour permeability	NPD		
Compressive strength	C30		
Flexural strength	F7		EN 13813-1:2002
Abrasion / wear resistance	NPD		
Sound insulation / absorption	NPD		
Thermal resistance	NPD		
Chemical Resistance	NPD		

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas  
 Function: Technical Product Coordinator  
 At Leeds on 12 August 2020

Name : Name  
 Function: Position  
 At place on date of issue 12/08/2020

.....

.....

End of information as required by UKCA

**Declaration of Performance**

SEL20  
 57730255  
 08/2020 , ver. 01  
 1213





Everbuild Building Products LTD, Leeds, UK

DoP No. 57730255

EN 13813:2002

Notified Body N/A

Cementitious screed material for use internally and externally

Reaction to fire	NPD
Release of corrosive substances	CT
Water permeability	NPD
Water vapour permeability	NPD
Compressive strength	C30
Flexural strength	F7
Abrasion / wear resistance	NPD
Sound insulation / absorption	NPD
Thermal resistance	NPD
Chemical Resistance	NPD

[http:// www.everbuild.co.uk/downloads/](http://www.everbuild.co.uk/downloads/)

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

## LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

### Declaration of Performance

SEL20

57730255

08/2020, ver. 01

1213

3/4

BUILDING TRUST



**Declaration of Performance**

SEL20

57730255

08/2020 , ver. 01

1213

4/4

**BUILDING TRUST**

