



# Sikafloor 131 Level Latex Ultra

WEREAU AND LEADER ROLL OF SALES WAS TO SALES WAS A SALES OF SALES

## DECLARATION OF PERFORMANCE

# No. 54801114

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	SKLEV30ULT25		and the second		
2	INTENDED USE/S	Cementitious screed m	aterial for use interna	erial for use internally and externally		
		, is a smarring a	Ora Marie 1			
3	MANUFACTURER:  10.150 add filevely training alors and religion from a training training and training areas.	Everbuild Building Products LTD				
4	AUTHORISED REPRESENTATIVE:	N/A	φι <u>ε Σ</u> .θε -, ε	. ,		
5	SYSTEM/S OF AVCP:	4				
6a	HARMONISED STANDARD:	EN 13813:2002	A Charge and the			
	Notified body/ies:	N/A				

#### 7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification	
Reaction to fire	NPD			
Release of corrosive substances	CT			
Water permeability	NPD			
Water vapour permeability	NPD			
Compressive strength	C30	NAME OF THE OWNER, THE		
Flexural strength	F7		EN 13813-	
Abrasion / wear resistance	AR 0.5		1:2002	
Sound insulation / absorption	NPD	VIII.		
Thermal resistance	NPD			
Chemical Resistance	NPD			

## 8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas

Function: Technical Product

Coordinator

At Leeds on 12 August 2020

Name: Mariam Maqsood Function: Product Manager

At place on date of issue 12/08/2020

End of information as required by UKCA





#### Everbuild Building Products LTD, Leeds, UK

#### 72757797

#### EN 13813:2002

#### Cementitious screed material for use internally and externally

Reaction to fire	NPD	
Release of corrosive substances	ст	
Water permeability	NPD	
Water vapour permeability	NPD	
Compressive strength	C30	
Flexural strength	F7	
Abrasion / wear resistance	AR 0.5	
Sound insulation / absorption	NPD	
Thermal resistance	NPD	
Chemical Resistance	NPD	

http://www.everbuild.co.uk/downloads/

Declaration of Performance SKLEV30ULT25 72757797 08/2020, ver. 01 1213



### **ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

#### **LEGAL NOTE**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance SKLEV30ULT25 72757797 08/2020 , ver. 01 1213

